

Office of Health Care Assurance

State Licensing Section

## STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

<b>Facility's Name: 3 J's</b>	<b>CHAPTER 100.1</b>
<b>Address: 1624 Perry Street, Honolulu, Hawaii, 96819</b>	<b>Inspection Date: April 24, 2026 Annual</b>

**THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.**

**YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS PER HAR 11-100.1-3(e)(2). IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.**

**FAILURE TO CORRECT CITED DEFICIENCIES AS PER THE PLAN OF CORRECTION COULD RESULT IN REFUSAL TO RENEW YOUR LICENSE PER HAR 11-100.1-3(e)(3).**

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (h)(1) Miscellaneous records:</p> <p>A permanent general register shall be maintained to record all admissions and discharges of residents;</p> <p><b><u>FINDINGS</u></b> Resident #1— The recent respite-care discharge is not currently reflected in the Permanent General Register.</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (h)(1) Miscellaneous records:</p> <p>A permanent general register shall be maintained to record all admissions and discharges of residents;</p> <p><b><u>FINDINGS</u></b> Resident #1— The recent respite-care discharge is not currently reflected in the Permanent General Register.</p>	<p style="text-align: center;"><b>PART 2</b></p> <p style="text-align: center;"><b><u>FUTURE PLAN</u></b></p> <p style="text-align: center;"><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><b><u>FINDINGS</u></b> There is no record indicating that the smoke alarms were tested in March.</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
☒	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><b><u>FINDINGS</u></b> There is no record indicating that the smoke alarms were tested in March.</p>	<p style="text-align: center;"><b>PART 2</b></p> <p style="text-align: center;"><b><u>FUTURE PLAN</u></b></p> <p style="text-align: center;"><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

Licensee's/Administrator's Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Date: \_\_\_\_\_