

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Jaja ARCH	CHAPTER 100.1
Address: 1459 Kaleilani Street, Hawaii 96782	Inspection Date: April 30, 2026 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS PER HAR 11-100.1-3(e)(2). IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

FAILURE TO CORRECT CITED DEFICIENCIES AS PER THE PLAN OF CORRECTION COULD RESULT IN REFUSAL TO RENEW YOUR LICENSE PER HAR 11-100.1-3(e)(3).

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> Substitute care giver (SCG)- No documented evidence that the SCG is currently certified in first aid.</p> <p>Please send a copy of the first aid with your plan of correction.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> Substitute care giver (SCG)- No documented evidence that the SCG is currently certified in first aid.</p> <p>Please send a copy of the first aid with your plan of correction.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (a) All food shall be procured, stored, prepared and served under sanitary conditions.</p> <p><u>FINDINGS</u> Two (2) cans of expired food were found during the time of inspection- One (1) can of pineapples expired 10/16/25 and one (1) can of tomato soup expired on 7/20/24.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (a) All food shall be procured, stored, prepared and served under sanitary conditions.</p> <p><u>FINDINGS</u> Two (2) cans of expired food were found during the time of inspection- One (1) can of pineapples expired 10/16/25 and one (1) can of tomato soup expired on 7/20/24.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> Multiple live roaches were found scattering on kitchen counters and drawers during time of inspection.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> Multiple live roaches were found scattering on kitchen counters and drawers during time of inspection.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____