

DIRECTORY OF DRINKING WATER LABORATORIES
CERTIFIED OR APPROVED BY THE HAWAII DEPARTMENT OF HEALTH,
STATE LABORATORIES DIVISION

Note for those who want to test their own drinking water

1. Please consult with the lab regarding its certification status before sending any sample.
2. Since only a few labs are able to do all the tests, please make sure that the lab sub-contracts the samples only with the other certified lab(s).
3. Always call the Safe Drinking Water Branch (808-586-4268) if you have any question regarding lab status and drinking water tests.

Local Private Labs

AECOS Laboratory, Inc.

45-939 Kamehameha Highway, Suite 104
Kaneohe, Hawaii 96744
(808) 234-7770

Food Quality Analysts, LLC

3170-A Ualena Street
Honolulu, Hawaii 96819
(808) 839-9444

Other Labs

ACZ Laboratories, Inc.

2773 Downhill Drive
Steamboat Springs, Colorado 80487
(970) 879-6590 x531
(800) 334-5493

Babcock Laboratories, Inc.

6100 Quail Valley Court
Riverside, CA 92507
(951) 653-3351

**Agriculture & Priority Pollutants
Laboratories, Inc.**

908 N. Temperance Avenue
Clovis, California 93611
(559) 275-2175

BSK Analytical Laboratories

1414 Stanislaus Street
Fresno, California 93706
(559) 497-2888

Alloway Marion Laboratory

1776 Marion-Waldo Road
Marion, Ohio 43302
(419) 223-1362

Eberline Analytical Corp, Richmond

2030 Wright Avenue
Richmond, California 94804
(510) 235-2633

ALS Environmental, Houston

19408 Park Row, Suite 320
Houston, Texas 77084-4949
(800) 695-7222

Edge Analytical, Incorporated

1620 South Walnut Street
Burlington, Washington 98233
(360) 757-1400

ALS Environmental, Kelso

1317 South 13th Avenue
Kelso, Washington 98626
(360) 577-7222

EMAX Laboratories, Inc.

1835 W, 205th Street
Torrance, California 90501
(310) 618-8889

Associated Laboratories

806 North Batavia
Orange, California 92868-1225
(714) 771-6900

EMSL Analytical, Inc. - California

2235 Polvorosa Avenue, Suite 230
San Leandro, California 94577
(510) 895-3675

EMSL Analytical, Inc. – New Jersey

200 Route 130 North
Cinnaminson, New Jersey 08077
(800) 220-3675

EnviroMatrix Analytical, Inc.

4340 Viewridge Ave., Suite A
San Diego, California 92123
(858) 560-7717

**Eurofins Calscience Environmental
Laboratories, Inc.**

7440 Lincoln Way
Garden Grove, California 92841
(714) 895-5494

**Eurofins Calscience Irvine (prev TestAmerica
Irvine)**

17461 Derian Avenue, Suite 100
Irvine, California 92614
(949) 261-1022

Eurofins Eaton Analytical, Inc.

(f.k.a. MWH Laboratories, Inc.)
750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
(626) 386-1100 (626) 386-1125

Eurofins CEI

730 SE Maynard Road
Cary, North Carolina 27511
(919) 481-1413

Eurofins Lancaster, PA

2425 New Holland Pike
Lancaster, Pennsylvania 17601
(717) 656-2681

Eurofins Analytical, South Bend, IN

(formerly Underwriters Laboratories, Inc.)
110 South Hill Street
South Bend, Indiana 46617
(574) 233-4777 (800) 332-4345

FGL Environmental

853 Corporation Street
Santa Paula, California 93060
(805) 392-2024

GEL Laboratories, LLC

2040 Savage Road
Charleston, South Carolina 29407
(843) 556-8171

**County of Hawaii Department of Water Supply
Microbiology Laboratory**

25 Aupuni Street
Hilo, Hawaii 96720

Honolulu Board of Water Supply

630 S. Beretania St.

Honolulu, HI 96843
(808)748-5841

Hawaii Food & Water Testing, LLC

2688 B Kilihau Street
Honolulu, Hawaii 96819
(808) 836-5558

HECO Chemistry Laboratory

Environmental Department
P.O. Box 2750
Honolulu, Hawaii 96840
(808) 543-4297

Honolulu Board of Water Supply

Chemistry Laboratory
630 Beretania Street
Honolulu, Hawaii 96813
(808) 748-5840

Kauai Department of Water

4398 Pua Loke Street
Lihue, Hawaii 96766

LABCOR, Inc.

7619 Sixth Avenue NW
Seattle, Washington 98117-4037
(206) 781-0155

Maui Department of Water Supply

614 Palapala Drive
Kahului, Hawaii 96732
(808) 270-7816

Maxxam Analytics International Corp.

6740 Campobello Road
Mississauga, Ontario L5N2L8
(905) 817-5700

Maxxam Analytics, Georgia

3380 Chastain Meadows Parkway
Suite 300
Kennesaw, Georgia 30144
(770)499-7500

McC Campbell Analytical, Inc.

1534 Willow Pass Road
Pittsburg, CA 94565-1701
(925) 252-9262

National Testing Laboratories, Ltd.

556 South Mansfield Street
Ypsilanti, Michigan 48197
(734) 483-8333

**Naval Facilities Engineering Command Hawaii
Environmental Services Laboratory EV11**

(NAVSAC PAC)
400 Marshall Road
Pearl Harbor, Hawaii 96860-3139
(808) 471-0768

NSF International

789 N. Dixboro Road
Ann Arbor, Michigan 48105-9723
(734) 827-6837

Pace Analytical Services, Inc., Florida

8 East Tower Circle
Ormond Beach, Florida 32174
(386) 672-5668

Pace Analytical Services, Inc., Minnesota

1700 Elm Street, Suite 200
Minneapolis, Minnesota 55414
(612) 607-6352

Pace Analytical Services, Inc., Pittsburgh

1638 Roseytown Road, Suites 2, 3, & 4
Greensburg, Pennsylvania 15601
(724) 850-5600

Radiation Safety Engineering, Inc.

3245 N. Washington St.
Chandler, Arizona 85225-1121
(480) 897-9459

TestAmerica Laboratories, Inc., Chicago

2417 Bond Street
University Park, Illinois 60484
(708) 534-5200

TestAmerica Knoxville

5815 Middlebrook Pike
Knoxville, Tennessee 37921-5947
(865) 291-3000

TestAmerica St. Louis

13715 Rider Trail North
Earth City, Missouri
(330) 497-9396

TestAmerica Savannah

5102 LaRoche Avenue
Savannah, Georgia 31404
(912) 354-7858

TestAmerica West Sacramento

880 Riverside Parkway
West Sacramento, California 95605
(916) 374-4308

Tripler Army Medical Center

Preventive Medicine Services Env. Laboratory
Attn: MCHK-PV (Maj. Stacy Mosko)
CDR TAMC
1 Jarrett White Road
Tripler Army Medical Center, Hawaii 96859-5000

Vista Analytical Laboratory

1104 Windfield Way
El Dorado Hills, CA 95762
(916) 673-1520

Weck Laboratories, Inc.

14859 East Clark Avenue
City of Industry, California 91745-1396
(626) 336-2139

***NOTE:** The above listings are for informational purposes only. It does **not** imply that any laboratory on the list will perform analyses for any other party. Water systems or their authorized representative ("applicant") are responsible for contracting with any of the certified or approved laboratories, listed above, to perform all of the analyses required for a new source approval. It is also the "applicant's" responsibility to verify that the contracted laboratory or laboratories are currently certified when the analyses are performed. **Please note that the Department of Health does not perform analyses for prospective sources of drinking water.**

**Certified or Approved Drinking Water Laboratories
(Hawaii Department of Health, State Laboratories Division)
INORGANIC CHEMICALS
May 31, 2021**

CONTAMINANT	Laboratory Locations																						CONTAMINANT										
	Agriculture & Priority Pollutants *	Alloway-Marion *	ALS Environmental, Kelso *	Babcock Laboratories, Inc. *	BSK Analytical Laboratories *	Bureau Veritas North America *	EMAX Laboratories *	EMSL Analytical, California *	EMSL Analytical, New Jersey *	Enthalpy Analytical *	Eurofins Calscience Irvine *	Eurofins Eaton Analytical, CA *	Eurofins Lancaster, PA *	Eurofins Eaton, South Bend, IN *	FQ Labs	GEL Laboratories *	Honolulu Board of Water Supply	HECO Chemistry	LABCOR, Inc. *	Maui Department of Water Supply	McCampbell Analytical *	National Testing Laboratories *		Naval Facilities Environmental Services Laboratory	NSF International *	Pace Analytical, Florida *	Pace Analytical-Minnesota *	TestAmerica - Chicago *	TestAmerica Savannah *	Weick Laboratories *			
Antimony	200.8	200.8	200.8	200.8	200.8					200.8	200.8	200.8	200.8	200.8	200.8	200.8					200.8	200.8, SM3113B		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Antimony
Arsenic	200.8	200.8	200.8 200.9	200.8	200.8					200.8	200.8	200.8	200.8	200.8	200.8	200.8	SM3113B				200.8	200.8, SM3113B		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Arsenic
Barium	200.8 200.7	200.7 200.8	200.7 200.8	200.8 200.7	200.7 200.8					200.7 200.8	200.7, 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.7	200.8				200.7 200.8	200.8 200.7		200.8	200.7 200.8	200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Barium	
Beryllium	200.8 200.7	200.8	200.7 200.8	200.8	200.8					200.7 200.8	200.7, 200.8	200.8 200.7	200.8 200.7	200.8	200.7	200.8					200.7 200.8	200.8 200.7		200.8	200.7 200.8	200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Beryllium	
Cadmium	200.8 200.7	200.8	200.7 200.8	200.8 200.7	200.8					200.8 200.7	200.7, 200.8	200.8 200.7	200.8 200.7	200.8	200.7	200.8					200.7 200.8	200.8 200.7		200.8	200.7 200.8	200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Cadmium	
Chromium	200.8 200.7	200.8 200.7	200.7 200.8	200.8 200.7	200.8 200.7					200.8 200.7	200.7, 200.8	200.8 200.7	200.8 200.7	200.8	200.7	200.8					200.7 200.8	200.8 200.7		200.8	200.7 200.8	200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Chromium	
Copper	200.8 200.7	200.8 200.7	200.7, 200.8 200.9	200.8 200.7	200.8 200.7					200.8 200.7	200.7, 200.8	200.8 200.7	200.8 200.7	200.8	200.7	200.8	SM3113B				200.7 200.8	200.8 200.7		200.8	200.7 200.8	200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Copper	
Lead	200.8	200.8	200.8 200.9	200.8	200.8					200.8	200.8	200.8	200.8	200.8	200.8	200.8	SM3113B				200.8	200.8, SM3113B		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Lead
Mercury	245.1	245.1	245.1	200.8, SM 3112B	200.8					200.8, 245.1	245.1	245.1	245.1	245.1	200.8	245.1					245.2, 200.8	200.8		200.8	245.1	200.8	245.1	200.8, 245.1	245.1	245.1	245.1	Mercury	
Nickel	200.8	200.8 200.7	200.7 200.8	200.8 200.7	200.8 200.7					200.8 200.7	200.7, 200.8	200.8 200.7	200.8 200.7	200.8	200.7	200.8					200.7 200.8	200.8 200.7		200.8	200.7 200.8	200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Nickel	
Selenium	200.8	200.8	200.8 200.9	200.8	200.8					200.8	200.8	200.8	200.8	200.8	200.8	200.8					200.8	200.8, SM3113B		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Selenium
Thallium	200.8	200.8	200.8 200.9	200.8	200.8					200.8	200.8	200.8	200.8	200.8	200.8	200.8					200.8	200.8		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Thallium
Asbestos						100.2		100.2	100.2			100.2							100.2														Asbestos
Cyanide		335.4	335.4	SM4500 CN E	SM4500 CN E F					335.4 SM4500 CN E	SM4500 CN E	SM4500CN F, 335.4	335.4	335.4, Lachat 10-204-00-1-X							SM4500 CN E			335.4	335.4		SM4500 CN-CE	335.4, SM 4500 CN E	335.4	335.4	Cyanide		
Fluoride	300.0	SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0				300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	Technicon 380-75WE, SM4500FC, 300.0	300.0	300.0	300.0				300.0, 300.1	300.0	SM 4500F C	SM 4500F C	300.0		300.0, SM 4500F C	300.0, SM 4500F C	300.0	300.0	Fluoride		
Nitrate	300.0	353.2, SM4500 NO3F	353.2 300.0	300.0	300.0	300.0				353.2 300.0	300.0	300.0 353.2 calc	300.0 353.2 calc	300.0 353.2	300.0	300.0	300.0	353.2			300.0, 300.1	300.0		300.0	300.0 353.2		SM4500 NO3 F, 300.0, 353.2	300.0 353.2	300.0 353.2	300.0 353.2	Nitrate		
Nitrite	353.2 300.0	353.2, SM4500 NO3F	353.2 300.0	300.0 SM 4500NO2B	300.0	300.0				353.2 300.0	300.0	300.0 353.2	300.0 353.2	353.2	300.0	300.0	300.0	353.2			300.0, 300.1	300.0		300.0	300.0 353.2		SM4500 NO2 B, 300.0	300.0 353.2	300.0 353.2	300.0 353.2	Nitrite		
Certification Expiration Date	09/30/21	04/01/22	02/10/22	12/18/21	01/29/22	04/01/22	09/30/21	06/30/21	06/30/21	10/31/21	01/29/22	01/31/22	01/31/22	06/30/21	10/31/21	10/31/21	05/31/22	04/30/22	04/01/22	03/31/22	10/31/21	06/30/21	03/31/22	11/03/20	06/30/21	12/31/21	04/29/22	06/30/21	01/29/22	01/29/22	Certification Expiration Date		
* Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.																																	

**Certified or Approved Drinking Water Laboratories
(Hawaii Department of Health, State Laboratories Division)**

EPA REGULATED ORGANIC COMPOUNDS

May 31, 2021

CONTAMINANT	Agriculture & Priority Pollutants *	Alloway-Marion *	ALS Environmental, Houston *	ALS Environmental, Keolu *	Babcock Laboratories, Inc. *	BSK Analytical Laboratories *	Bureau Veritas - Canada *	Edge Analytical Incorporated *	EMAX Laboratories *	Emthalpy Analytical *	Eurofins Calscience Irvine *	Eurofins Eaton Analytical, CA *	Eurofins Lancaster, PA (ELLE) *	Eurofins Eaton, South Bend, IN *	GEL Laboratories *	Honolulu Board of Water Supply	McCampbell Analytical *	National Testing Laboratories *	NSF International *	Pace Analytical, Florida *	Pace Analytical, Minnesota *	TesAmerica Knoxville *	TesAmerica, Savannah *	TesAmerica Sacramento *	Vista Analytical Laboratory *	Weick Laboratories *	CONTAMINANT	
Alachlor		525.2		525.2	525.2	525.2		525.2			525.2, 505	525.2, 505	525.2, 507	525.2			525.2, 505	508.1, 525.2	525.2	508.1				525.2		525.2	Alachlor	
Atrazine		525.2		525.2	525.2	525.2		525.2			525.2	525.2	525.2, 507	525.2			525.2, 505	508.1, 525.2	525.2	508.1				525.2		525.2	Atrazine	
Chlordane		508		508.1	505	505		508.1			505	525.2, 505		505			525.2, 505	505	505, 508.1	508.1				508		508	Chlordane	
Dieldrin		508		508.1	505	505		508.1, 525.2			525.2	525.2, 505	525.2	525.2				505, 525.2	525.2	508.1				508, 525.2		508, 525.2	Dieldrin	
Endrin	508	508		508.1	505	505		508.1, 525.2			505	525.2, 505	525.2	525.2			525.2, 505	525.20	525.2	508.1				508, 525.2		508, 525.2	Endrin	
Heptachlor	508	508		508.1	505	505		508.1, 525.2			505	525.2, 505	525.2	525.2			525.2, 505	505, 525.2	525.2	508.1				508, 525.2		508, 525.2	Heptachlor	
Heptachlor Epoxide	508	508		508.1	505	505		508.1, 525.2			505	525.2, 505	525.2	525.2			525.2, 505	505, 525.2	525.2	508.1				508, 525.2		508, 525.2	Heptachlor Epoxide	
Hexachlorobenzene	508	508, 525.2		525.2	505	505		525.2			525.2, 505	525.2	525.2	525.2			525.2, 505	505, 525.2	525.2	508.1				525.2		525.2	Hexachlorobenzene	
Hexachlorocyclopentadiene		508, 525.2		525.2	505	505		525.2			525.2, 505	525.2	525.2	525.2			525.2, 505	505, 525.2	525.2	508.1				525.2		525.2	Hexachlorocyclopentadiene	
Lindane	508	508		508.1	505	505		508.1, 525.2			505	525.2, 505	525.2	525.2			525.2, 505	505, 525.2	525.2	508.1				508, 525.2		508, 525.2	Lindane	
Methoxychlor	508	508		508.1	505	505		508.1, 525.2			525.2, 505	525.2, 505	525.2	525.2			525.2, 505	505, 525.2	525.2	508.1				508, 525.2		508, 525.2	Methoxychlor	
Simazine		525.2		525.2	525.2	525.2		525.2			525.2	525.2	525.2	525.2			525.2, 505	508.1, 525.2	525.2	508.1				525.2		525.2	Simazine	
Toxaphene	508	508		508.1	505	505		508.1			505	505		505			525.2, 505	505	505, 508.1	508.1				508		508	Toxaphene	
Polychlorinated Biphenyls (PCB) Screen	aroclor screen 508			aroclor screen 508.1	aroclor screen 505	aroclor screen 505		aroclor screen 508.1			aroclor screen 505	aroclor screen 505		aroclor screen 505			aroclor screen 505	aroclor screen 505	505	aroclor screen 508.1				aroclor screen 508		508	Polychlorinated Biphenyls (PCB) Screen	
Polychlorinated Biphenyls (PCB) as Decachlorobiphenyl		508A																										Polychlorinated Biphenyls (PCB) as Decachlorobiphenyl
Aldicarb		531.1		531.1	531.2	531.1		531.2			531.1	531.2	531.1	531.1, 531.2			531.2	531.2	531.2	531.1				531.1		531.1	Aldicarb	
Aldicarb Sulfone		531.1		531.1	531.2	531.1		531.2			531.1	531.2	531.1	531.1, 531.2			531.2	531.2	531.2	531.1				531.1		531.1	Aldicarb Sulfone	
Aldicarb Sulfoxide		531.1		531.1	531.2	531.1		531.2			531.1	531.2	531.1	531.1, 531.2			531.2	531.2	531.2	531.1				531.1		531.1	Aldicarb Sulfoxide	
Carbofuran		531.1		531.1	531.2	531.1		531.2			531.1	531.2	531.1	531.1, 531.2			531.2	531.2	531.2	531.1				531.1		531.1	Carbofuran	
Oxamyl		531.1		531.1	531.2	531.1		531.2			531.1	531.2	531.1	531.1, 531.2			531.2	531.2	531.2	531.1				531.1		531.1	Oxamyl	
Benzo(a)Pyrene		525.2		525.2	525.2	525.2		525.2			525.2	525.2	525.2	525.2			525.2	525.2	525.2	525.2				525.2		525.2	Benzo(a)Pyrene	
Di(2-ethylhexyl)Adipate				525.2	525.2	525.2		525.2			525.2	525.2	525.2	525.2			525.2	525.2	525.2	525.2				525.2		525.2	Di(2-ethylhexyl)Adipate	
Bis(2-ethylhexyl)Phthalate				525.2	525.2	525.2		525.2			525.2	525.2	525.2	525.2			525.2	525.2	525.2	525.2				525.2		525.2	Bis(2-ethylhexyl)Phthalate	
Dalapon	515.1	515.1		515.4	515.3	515.3		515.1, 515.4			515.4	515.4, 552.3	515.1	515.3			515.3, 552.2	515.4, 552.2	515.3	515.3				515.1		515.3	Dalapon	
2,4-D	515.1	515.1		515.4	515.3	515.3		515.1, 515.4			515.4	515.4	515.1	515.3			515.3	515.4	515.3	515.3				515.1		515.3	2,4-D	
Dinoseb		515.1		515.4	515.3	515.3		515.1, 515.4			515.4	515.4	515.1	515.3			515.3	515.4	515.3	515.3				515.1		515.3	Dinoseb	
Pentachlorophenol	515.1	515.1		515.4	515.3	515.3		515.1, 515.4			515.4	515.4, 525.2	515.1	515.3			515.3	515.4	515.3	515.3				515.1		515.3	Pentachlorophenol	
Picloram	515.1	515.1		515.4	515.3	515.3		515.1, 515.4			515.4	515.4	515.1	515.3			515.3	515.4	515.3	515.3				515.1		515.3	Picloram	
2,4,5-TP (Silvex)	515.1	515.1		515.4	515.3	515.3		515.1, 515.4			515.4	515.4	515.1	515.3			515.3	515.4	515.3	515.3				515.1		515.3	2,4,5-TP (Silvex)	
Diquat		549.2		549.2		549.2		549.2			549.2	549.2		549.2			549.2	549.2	549.2	549.2				549.2		549.2	Diquat	
Endothall		548.1		548.1	548.1	548.1		548.1			548.1	548.1		548.1			548.1	548.1	548.1	548.1				548.1		548.1	Endothall	
Glyphosate		547		547	547	547		547			547	547		547			547	547	547	547				547		547	Glyphosate	
1,2-dibromo-3-chloropropane (DBCP)	504.1	504.1		504.1	504.1	504.1		504.1	504.1		504.1	504.1, 551.1, 524.3	504.1	504.1	504.1	504.1	504.1	504.1	504.1	504.1				504.1		504.1	1,2-dibromo-3-chloropropane (DBCP)	
1,2-dibromoethane (EDB)	504.1	504.1		504.1	504.1	504.1		504.1	504.1		504.1	504.1, 551.1, 524.3	504.1	504.1	504.1	504.1	504.1	504.1	504.1	504.1				504.1		504.1	1,2-dibromoethane (EDB)	
1,2,3-Trichloropropane (TCP)	504.1	504.1		504.1				504.1			504.1	504.1		504.1			504.1	504.1	504.1	504.1				504.1		504.1	1,2,3-Trichloropropane (TCP)	
Regulated Volatile Organic Compounds	524.2	524.2		524.2	524.2	524.2		524.2	524.2	524.2	524.2	524.2, 524.3	524.2	524.2	524.2		524.2	524.2	524.2	524.2				524.2		524.2	Regulated Volatile Organic Compounds	
Vinyl Chloride	524.2	524.2		524.2	524.2	524.2		524.2	524.2	524.2	524.2	524.2, 524.3	524.2	524.2	524.2		524.2	524.2	524.2	524.2				524.2		524.2	Vinyl Chloride	
Trihalomethanes		524.2		524.2	524.2	524.2		524.2			524.2	524.2, 551.1, 524.3	524.2	524.2	524.2		544.2	524.2	524.2	524.2				524.2		524.2	Trihalomethanes	
Haloacetic Acids		552.2		552.2	552.3	552.2		552.3			552.2	SM6251B, 552.3		552.2			552.2	552.2	552.2	552.2				552.2		552.3	Haloacetic Acids	
2,3,7,8-Tetrachlorodibenzo-p-dioxin (Dioxin)			1613				1613					1613		1613					1613	1613				1613	1613		1613	2,3,7,8-Tetrachlorodibenzo-p-dioxin (Dioxin)
Certification Expiration Date	09/30/21	04/01/22	04/30/22	02/10/22	12/18/21	01/29/22	07/31/21	04/21/22	09/30/21	10/31/21	01/29/22	01/31/22	01/31/22	06/30/21	10/31/21	05/31/22	10/31/21	6/30/2021	11/03/20	06/30/21	12/31/21	12/11/21	06/30/21	01/29/22	02/07/22	01/29/22	Certification Expiration Date	

* Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

Drinking Water Microbiology Laboratories Certified by the Hawaii Department of Health

Laboratory	Certification Expiration	Heterotrophic Bacteria	Total Coliforms	Fecal Coliforms	<i>Escherichia coli</i>	Enterococci
AECOS, Inc. - Kaneohe, HI	12/31/21	SM9215B Pour Plate, SM9215E SimPlate	SM9221B MTF P/A, SM9221B,E MTF MPN, SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	SM9221B,E MTF P/A, SM9221B,E MTF MPN	SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	ASTM D6503-99 Enterolert
County of Hawaii, Department of Water Supply	8/31/21	SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A		SM9223B Colisure P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A	
County of Honolulu, Honolulu Board of Water Supply	11/30/22	SM9215B Pour Plate, SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT		SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	
County of Honolulu, Honolulu Board of Water Supply - Manana	11/30/22	SM9215B Pour Plate, SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert-18 P/A		SM9223B Colisure P/A, SM9223B Colilert-18 P/A	
County of Honolulu, Honolulu Board of Water Supply - WSO	11/30/22	SM9215B Pour Plate, SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert-18 P/A		SM9223B Colisure P/A, SM9223B Colilert-18 P/A	
County of Kauai, Department of Water	8/31/22	SM9215E SimPlate	SM9223B Colisure P/A		SM9223B Colisure P/A	
County of Maui, Department of Water Supply	3/31/22	SM9215B Pour Plate, SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT		SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	
DOH Hawaii District Health Laboratory	9/30/21		SM9223B Colisure P/A		SM9223B Colisure P/A	
DOH Kauai District Health Laboratory	5/31/23		SM9223B Colisure P/A		SM9223B Colisure P/A	
DOH Maui District Health Laboratory	6/30/23	SM9215B Pour Plate	SM9223B Colisure P/A		SM9223B Colisure P/A	
Eurofins Eaton Analytical, Inc. - Monrovia, CA	1/31/22	SM9215B Pour Plate	SM9221B MTF P/A, SM9221B,C MTF MPN, SM9223B Colisure P/A, SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	SM9221B,E MTF P/A, SM9221B,C,E MTF MPN	SM9221B MTF P/A, SM9221B,C,F MTF MPN, SM9223B Colisure P/A, SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	SM9230B MTF, ASTM D6503-99 Enterolert
FQLabs - Honolulu, HI	12/31/21	SM9215E SimPlate	SM9223B Colilert P/A		SM9223B Colilert P/A	
Tripler Army Medical Center - Honolulu, HI	2/28/22		SM9223B Colisure P/A		SM9223B Colisure P/A	

Certified or Approved Drinking Water Laboratories
(Hawaii Department of Health, State Laboratories Division)
RADIOCHEMISTRY MONITORING
May 31, 2021

CONTAMINANT	ACZ Laboratories, Inc. *	Edge Analytical Inc.*	Eurofins Calscience Irvine	Eurofins Eaton Analytical, CA *	Eurofins Eaton, South Bend, IN *	Gel Laboratories, LLC *	National Testing Laboratory	Pace Analytical Services, Inc. - Pittsburgh *	Radiation Safety Engineering, Inc.*	TestAmerica - St. Louis	Weck Laboratories, Inc. *	CONTAMINANT
Gross Alpha	900.0			900.0	SM 7110 B SM 7110 C	900.0		900.0, SM 7110 C	900.0, EPA 00-02	900.0, SM 7110 C		Gross Alpha
Gross Beta	900.0			900.0	SM 7110 B	900.0		900.0	900.0	900.0		Gross Beta
Radium - 226	903.1			Georgia Inst. Tech Rev1,2	SM 7500-Ra B	903.1		903.1	903.1, GA	903.0		Radium - 226
Radium - 228	904.0			Georgia Inst. Tech Rev1,2	SM 7500-Ra D	904.0		904.0	904.0, GA	904.0		Radium - 228
Uranium	200.8	200.8	200.8	200.8	200.8	ASTM D5174-97	200.8	908.0, ASTM D5174-97	ASTM D6239-09, SM 7500-UC	200.8	200.8	Uranium
Certification Expiration Date	07/31/21	04/02/22	01/29/22	01/31/22	06/30/21	10/31/21	6/30/2021	03/31/22	03/01/22	06/30/21	01/29/22	Certification Expiration Date

*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.