



# STATE HEALTH PLANNING AND DEVELOPMENT AGENCY

DAVID Y. IGE  
GOVERNOR OF HAWAII

ELIZABETH A. CHAR, M.D.  
DIRECTOR OF HEALTH

SERAFIN COLMENARES, JR., Ph.D., M.P.H.  
ADMINISTRATOR

1177 Alakea St., #402, Honolulu, HI 96813 Phone: 587-0788 Fax: 587-0783 www.shpda.org

May 6, 2021

## CERTIFIED MAIL, RETURN RECEIPT REQUESTED

Michael A. Rembis  
Chief Executive Officer  
Maui Health System  
Maui Memorial Medical Center  
221 Mahalani Street  
Wailuku, Hawaii 96793

Dear Mr. Rembis:

The State Health Planning and Development Agency has evaluated Lanai Community Hospital's Certificate of Need application #21-09A for the establishment of Computed Tomography (CT) services, at a capital cost of \$1,688,144.

Pursuant to Title 11, Chapter 186 of the Hawaii Administrative Rules (HAR), the Agency finds that:

- (a) The proposal is eligible for administrative review as it meets the criterion in HAR 11-186-99.1(b)(6) i.e.: "Any proposal which is determined by the agency not to have a significant impact on the health care system."
- (b) The applicant, Lanai Community Hospital, has proven by a preponderance of the evidence that its proposal meets the Certificate of Need criteria in HAR 11-186-15(a).
- (c) There is no compelling public interest which will be served by requiring the application to go through the standard review process.

As required under Section 323D-43(b), Hawai'i Revised Statutes (HRS), the Agency concludes and determines that:

1. There is a public need for this proposal.
2. The cost of this proposal will not be unreasonable in light of the benefits it will provide and its impact on health care costs.

#21-09A, Administrative Review Decision  
May 6, 2021  
Page 2

Accordingly, the State Health Planning and Development Agency hereby APPROVES and ISSUES a Certificate of Need to Lanai Community Hospital for the proposal described in Certificate of Need application #21-09A. The maximum capital expenditure allowed under this approval is \$1,688,144.



---

Serafin Colmenares, Jr.  
Administrator