



STATE HEALTH PLANNING AND DEVELOPMENT AGENCY

DAVID Y. IGE
GOVERNOR OF HAWAII

ELIZABETH A. CHAR, M.D.
DIRECTOR OF HEALTH

DARRYL D. SHUTTER
ACTING ADMINISTRATOR

1177 Alakea St., #402, Honolulu, HI 96813 Phone: 587-0788 Fax: 587-0783 www.shpda.org

September 23, 2022

CERTIFIED MAIL, RETURN RECEIPT REQUESTED

Scott Halliday
President
National Medical Development, Inc.
3337 E Shore Drive
Seattle, WA 98112

Dear Mr. Halliday:

The State Health Planning and Development Agency has evaluated Maui Diagnostic Imaging, LLC's Certificate of Need application #22-11A for the acquisition of an additional Magnetic Resonance Imaging (MRI) unit at 425 Koloa Street, #102, Kahului, HI, at a capital cost of \$2,740,550.

Pursuant to Title 11, Chapter 186 of the Hawaii Administrative Rules (HAR), the Agency finds that:

- (a) The proposal is eligible for administrative review as it meets the criterion in HAR 11-186-99.1(b)(6) i.e.: "Any proposal which is determined by the agency not to have a significant impact on the health care system."
- (b) The applicant, Maui Diagnostic Imaging, LLC, has proven by a preponderance of the evidence that its proposal meets the Certificate of Need criteria in HAR 11-186-15(a).
- (c) There is no compelling public interest which will be served by requiring the application to go through the standard review process.

As required under Section 323D-43(b), Hawai'i Revised Statutes (HRS), the Agency concludes and determines that:

1. There is a public need for this proposal.
2. The cost of this proposal will not be unreasonable in light of the benefits it will provide and its impact on health care costs.

#22-11A, Administrative Review Decision
September 23, 2022
Page 2

Accordingly, the State Health Planning and Development Agency hereby APPROVES and ISSUES a Certificate of Need to Maui Diagnostic Imaging, LLC for the proposal described in Certificate of Need application #22-11A. The maximum capital expenditure allowed under this approval is \$2,740,550.



Darryl D. Shutter
Acting Administrator