

JAN 14 2019



**DEPARTMENT OF THE NAVY**  
COMMANDER  
NAVY REGION HAWAII  
850 TICONDEROGA ST STE 110  
JBP HH, HAWAII 96860-5101

5090  
Ser N45/0402  
January 11, 2019

**CERTIFIED NO: 7016 0910 0001 0892 1434**

Mr. Richard Takaba  
Hawaii State Department of Health  
Environmental Management Division  
Solid and Hazardous Waste Branch  
Underground Storage Tank Section  
2827 Waimano Home Road, #100  
Pearl City, Hawaii 96872


Dear Mr. Takaba:

**SUBJECT: RED HILL TANK COMPLEX**  
OCTOBER 2018 OIL/WATER INTERFACE MEASUREMENTS  
DOH FACILITY ID NO. 9-102271  
DOH RELEASE ID NO. 990051, 010011, 020028, AND 140010

This letter makes revisions to our November 7, 2018 submittal for October 2018 Oil/Water interface measurements.

Our November 7, 2018 submittal listed two entries for 21 Aug 18 and no entries for October 2018. The second 21 Aug 18 entry is for 30 Oct 18, also DTW (TOC) for RHMW02 for 30 Oct 18 has been corrected to 85.34 ft.

A revised summary of the oil/water interface measurements from January 2014 through October 2018 is being submitted as Enclosure 1. If there are any questions regarding this matter, or if more information is needed, please contact Mr. Melvin Muraoka at (808) 471-3869.

Sincerely,  
  
AARON Y. POENTIS  
Director  
Regional Environmental Department  
By direction of the  
Commander

Enclosure: 1. Red Hill Oil/Water Interface Measurements, January 2014 through October 2018,  
Revised

5090  
Ser N45/0402  
January 11, 2019

Copy to: Ms. Joanna Seto, DOH Safe Drinking Water Branch  
Mr. Omer Shalev, U.S. EPA Region 9, Underground Storage Tank Program Office  
Mr. John Floyd, NAVSUP FLC Pearl Harbor  
Mr. Ed Gunthrie, DLA Energy Pacific

Red Hill Oil/Water Interface Measurements January 2014 through October 2018

Date	RHMW01			RHMW02			RHMW03			RHMW05		
	Elevation = 102.27 ft <sup>1</sup>			Elevation = 104.76 ft <sup>1</sup>			Elevation = 121.06 ft <sup>1</sup>			Elevation = 101.55 ft <sup>1</sup>		
	DTW (TOC)	SWL	LNAPL	DTW (TOC)	SWL	LNAPL	DTW (TOC)	SWL	LNAPL	DTW (TOC)	SWL	LNAPL
15-Jan-14	83.94	18.33	0	86.62	18.14	0	NT	NT	NT	NT	NT	NT
16-Jan-14	NT	NT	NT	NT	NT	NT	NT	NT	NT	83.09	18.46	0
22-Jan-14	83.53	18.74	0	86.20	18.56	0	NT	NT	NT	82.87	18.68	0
23-Jan-14	83.58	18.69	0	86.24	18.52	0	NT	NT	NT	82.94	18.61	0
24-Jan-14	83.57	18.70	0	86.23	18.53	0	NT	NT	NT	82.93	18.62	0
27-Jan-14	83.55	18.72	0	86.23	18.53	0	NT	NT	NT	82.93	18.62	0
28-Jan-14	83.56	18.71	0	86.25	18.51	0	102.52	18.54	0	82.94	18.61	0
29-Jan-14	83.56	18.71	0	86.22	18.54	0	NT	NT	NT	82.94	18.61	0
30-Jan-14	83.53	18.74	0	86.21	18.55	0	NT	NT	NT	82.93	18.62	0
31-Jan-14	83.53	18.74	0	86.19	18.57	0	NT	NT	NT	82.88	18.67	0
3-Feb-14	83.54	18.73	0	86.20	18.56	0	NT	NT	NT	82.91	18.64	0
4-Feb-14	83.54	18.73	0	86.20	18.56	0	NT	NT	NT	82.89	18.66	0
10-Feb-14	84.49	17.78	0	86.16	18.60	0	102.47	18.59	0	82.83	18.72	0
24-Feb-14	83.54	18.73	0	86.24	18.52	0	102.47	18.59	0	82.97	18.58	0
4-Mar-14*	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
13-Mar-14*	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
28-Mar-14	83.76	18.51	0	86.42	18.34	0	102.65	18.41	0	83.18	18.37	0
7-Apr-14*	83.42	18.85	0	86.43	18.33	0	NT	NT	NT	83.21	18.34	0
21-Apr-14	83.93	18.34	0	86.58	18.18	0	102.80	18.26	0	83.27	18.28	0
8-May-14*	84.03	18.24	0	86.68	18.08	0	NT	NT	NT	83.46	18.09	0
22-May-14*	83.81	18.46	0	86.47	18.29	0	NT	NT	NT	83.15	18.40	0
27-May-14	83.91	18.36	0	86.60	18.16	0	102.85	18.21	0	83.31	18.24	0
10-Jun-14*	83.93	18.34	0	86.55	18.21	0	NT	NT	NT	83.34	18.21	0
23-Jun-14	84.06	18.21	0	86.72	18.04	0	103.99	17.07	0	83.54	18.01	0
21-Jul-14	84.13	18.14	0	86.80	17.96	0	102.98	18.08	0	83.49	18.06	0
27-Aug-14	84.01	18.26	0	86.65	18.11	0	102.87	18.19	0	83.04	18.51	0
25-Sep-14	84.64	17.63	0	87.27	17.49	0	103.51	17.55	0	84.10	17.45	0
28-Oct-14	83.79	18.48	0	86.51	18.25	0	102.78	18.28	0	83.21	18.34	0
20-Nov-14	83.87	18.40	0	86.56	18.20	0	102.78	18.28	0	83.35	18.20	0
23-Dec-14	83.67	18.60	0	86.37	18.39	0	102.64	18.42	0	83.05	18.50	0
28-Jan-15	83.63	18.64	0	86.35	18.41	0	102.63	18.43	0	83.03	18.52	0
27-Feb-15	83.68	18.59	0	86.28	18.48	0	102.52	18.54	0	83.06	18.49	0
26-Mar-15	83.83	18.44	0	86.04	18.72	0	102.79	18.27	0	83.24	18.31	0
21-Apr-15	84.33	17.94	0	86.97	17.79	0	103.18	17.88	0	83.72	17.83	0
28-May-15	84.29	17.98	0	86.97	17.79	0	103.24	17.82	0	83.95	17.60	0
25-Jun-15	84.58	17.69	0	87.28	17.48	0	103.57	17.49	0	83.75	17.80	0
21-Jul-15	84.58	17.69	0	87.24	17.52	0	103.44	17.62	0	83.76	17.79	0
27-Aug-15	84.44	17.83	0	87.13	17.63	0	103.41	17.65	0	83.69	17.86	0
23-Sep-15	84.26	18.01	0	86.91	17.85	0	103.21	17.85	0	83.63	17.92	0
20-Oct-15	84.00	18.27	0	86.38	18.38	0	103.38	17.68	0	Obstructed	NT	NT
18-Nov-15	84.25	18.02	0	86.93	17.83	0	103.24	17.82	0	84.62 <sup>2</sup>	16.93	0
17-Dec-15	83.76	18.51	0	86.36	18.40	0	102.56	18.50	0	83.18	18.37	0
20-Jan-16	83.31	18.96	0	85.97	18.79	0	102.21	18.85	0	Obstructed	NT	NT
17-Feb-16	83.17	19.10	0	85.81	18.95	0	102.10	18.96	0	Obstructed	NT	NT
15-Mar-16	82.89	19.38	0	85.60	19.16	0	101.82	19.24	0	82.26	19.29	0
20-Apr-16	82.97	19.30	0	85.63	19.13	0	101.91	19.15	0	82.31	19.24	0
23-May-16	83.14	19.13	0	85.81	18.95	0	102.03	19.03	0	82.50	19.05	0
21-Jun-16	83.16	19.11	0	85.77	18.99	0	10.03	111.03	0	82.54	19.01	0
20-Jul-16	83.32	18.95	0	85.99	18.77	0	102.31	18.75	0	82.63	18.92	0
23-Aug-16	83.27	19.00	0	85.96	18.80	0	102.20	18.86	0	82.63	18.92	0
21-Sep-16	83.13	19.14	0	85.74	19.02	0	102.06	19.00	0	82.44	19.11	0
19-Oct-16	83.01	19.26	0	85.69	19.07	0	101.95	19.11	0	82.39	19.16	0
17-Nov-16	82.92	19.35	0	85.56	19.20	0	101.82	19.24	0	82.24	19.31	0
20-Dec-16	82.67	19.60	0	85.36	19.40	0	101.61	19.45	0	82.01	19.54	0
31-Jan-17	82.45	19.82	0	85.13	19.63	0	101.46	19.60	0	82.04	19.51	0
22-Feb-17	82.37	19.90	0	85.01	19.75	0	101.31	19.75	0	81.72	19.83	0
24-Mar-17	82.49	19.78	0	85.19	19.57	0	101.45	19.61	0	81.84	19.71	0
20-Apr-17	82.59	19.68	0	85.25	19.51	0	101.5	19.56	0	81.94	19.61	0
26-May-17	82.45	19.82	0	85.13	19.63	0	101.39	19.67	0	81.80	19.75	0
22-Jun-17	82.94	19.33	0	85.59	19.17	0	101.89	16.17	0	82.30	19.25	0
21-Jul-17	83.43	18.84	0	86.5	18.26	0	Transducer installed	NT	NT	82.81	18.74	0
20-Mar-18	83.56	18.71	0	86.24	18.52	0	102.55	18.51	0	82.89	18.66	0
25-Apr-18	83.47	18.80	0	86.14	18.62	0	102.38	15.68	0	82.86	18.69	0
22-May-18	83.61	18.66	0	86.28	18.47	0	102.56	15.68	0	82.86	18.69	0
20-Jun-18	83.63	18.64	0	86.28	18.47	0	102.57	18.49	0	82.99	18.56	0
25-Jul-18	83.55	18.72	0	86.33	18.43	0	102.58	18.48	0	82.90	18.56	0
21-Aug-18	Transducer installed	NT	NT	86.32	18.44	0	102.58	18.48	0	Transducer installed	NT	NT
30-Oct-18	82.64	19.63	0	85.34	19.42	0	101.58	19.48	0	81.99	19.56	0

Notes:

1 - Elevations were updated based on the Groundwater Flow Direction/Gradient and Tier 3 Risk Assessment Re-evaluation Letter Report, Red Hill Bulk Fuel Storage Facility, Pearl Harbor, Hawaii, Contract No. N47408-04-D-8514, Task Order 54, dated April 15, 2010.

2 - Dedicated groundwater pump was obstructing the path of the interface meter probe. Depth measured was based on the elevation of water when pump was removed from the monitoring well (RHMW05).

Measurements recorded by Environmental Science International from January 2014 to August 2015, unless otherwise noted.

Measurements recorded by Element Environmental, LLC from September 2015.

\* - Measurements recorded by NAVFAC HI.

All units in feet (ft).

DTW (TOC) - depth to water from top of well casing

LNAPL - light non-aqueous phase liquid

NT - measurement not taken

SWL - static water level