Appendix C:
Analytical Documentation,
Second Quarter 2019
(on CD-ROM at end of document)

This page intentionally left blank

Appendix C.1:
Analytical Laboratory Reports

This page intentionally left blank

908 North Temperance Ave. ∇ Clovis, CA 93611 ∇ Phone 559-275-2175 ∇ Fax 559-275-4422

Certification Number: CA1312
NELAP Certification number: CA00046
DoD-ELAP Certificate number: 4064.01

Data Validatable Report

May 30, 2019

AECOM
1001 Bishop Street, Suite 1600
Honolulu, Hawaii 96813

Attn: Margie Pascua

Title: Report of Data: Case 88687

Project: 60571032 CV18F0126 Red Hill Fuel Storage. HI

Contract #: Prime contract # for DoD: NAVY CLEAN N62742-17-F-1800, CV18F0126
Subcontract: 18S-22209-HI27

Dear Ms. Pascua:

Five water samples were received April 23,2019. Revised written results for the requested analyses are being provided on this May 30, 2019.

Results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

If you have any questions or require further information, please contact your APPL Project Manager, Libby Cheeseborough, libby@applinc.com, at your convenience. Thank you for choosing APPL, Inc.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. These test results meet all requirements of NELAC and DoD QSM. Release of the hard copy has been authorized by the Laboratory Manager or her designee, as verified by the following signature.

Paula McCartney

Paula McCartney, Laboratory Director
APPL, Inc.

PM/lac
Enclosure
cc: File

Data Validation Package
for
60481245 CIV 0053 Red Hill Fuel Storage
APPL SDG 88687
TABLE OF CONTENTS

LABORATORY NAME: *APPL, Inc.*

Case Narrative	3
Sample Management Records	9
Sample Results	21
QC Forms	53
Method 8015B Calibration Data	151
Method 8015B Raw Data	180
Method 8270D SIM Calibration Data	228
Method 8270D SIM Raw Data	261
Method 8270D Calibration Data	294
Method 8270D Raw Data	342
APPL SOP 2-MEE Calibration Data	380
APPL SOP 2-MEE Raw Data	404
Method 8260B Calibration Data	434
Method 8260B Raw Data	482
Method 8260B GRO Calibration Data	520
Method 8260B GRO Raw Data	648
Method RSK-175 Calibration Data	694
Method RSK-175 Raw Data	728
Inorganic Analyses Calibration Data	755
Inorganic Analyses Raw Data	783

CASE NARRATIVE

Case Narrative

ARF: 88687

Project: 60571032 CV18F0126 Red Hill Fuel Storage. HI

Sample Receipt Information:

Five water samples were received April 23,2019, at 3.0°C, 3.0°C, 1.5°C, 2.5°C, and 2.5°C. The sample group was assigned Analytical Request Form (ARF) number 88687.

Sample Preparation and Analysis Information:

For the EPA 8015B analysis, the samples were extracted according to EPA method 3520C. The sample extracts were silica gel cleaned according to APPL's SOP CLN004 and placed on hold.

For the EPA 8270D SIM analysis, the samples were extracted according to EPA method 3520C.

For the EPA 8270D Phenol analysis, the samples were extracted according to EPA method 3520C.

For the APPL SOP ANA2MEE analysis, the samples were extracted according to EPA method 3535.

For the EPA 8260B and Gasoline analyses, the samples were purged according to EPA method 5030B.

For the RSK-175 analysis, the samples were allowed to equilibrate for 10 minutes at 40°C and a portion of the headspace was analyzed.

For the EPA 9060A, 300.0, 353.2, SM 2320B, and SM 3500FeB analyses, the samples were prepared according to the methods.

Only the portion of the injection log relative to these samples is included. A full sequence log is available upon request. Measurement uncertainty can be reported upon request.

Analytical Exceptions, Deviations and Abnormalities.

EPA 8270D Phenol: In the MS/MSD perfomed on sample ERH782, the Phenol RPD exceeded the 20% control limit. The client was notified.

APPL SOP ANA2MEE: In the 190429A LCSD, 2MEE recovered above the upper control limit and the RPD exceeded the 20% control limit. Corrective action: None, 2MEE was not detected in the associated samples.

Inorganic Analyses: For EPA 9060A, the TOC LCS/LCSD for batch 190417A recovered below the 90% control limit, at 84.4% and 83.6% respectively. For SM2320B, the Bicarbonate and Total Alkalinity MSD performed on sample ERH782 recovered below the 90% control limit, at 89.3%. The MS had acceptable recovery. Corrective Action: the client was notified.

EPA 8015B: The method blank contained a discrete peak in the TPH-O range which, when analyzed by GC/MS was determined to be a phthalate plasticizer which is not indicative of oil. The samples were re-extracted outside of holding time. Both sets of data are reported.

In the 190502A2 LCS/LCSD re-extract the diesel RPD exceeded the 30% limit.

Manual integrations were performed in accordance with APPL's SOP. Chromatograms of before and after manual integration are enclosed. In datafile 506004 LCS re-extract, the following was manually integrated: Diesel.

SDG	Received	Client ID	APPL ID	Collected DateTime	Matrix	Method	Method Description
88687	04/23/19	ERH781	AZ89957	04/22/19 8:42:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88687	04/23/19	ERH781	AZ89957	04/22/19 8:42:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88687	04/23/19	ERH781	AZ89957	04/22/19 8:42:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88687	04/23/19	ERH781	AZ89957	04/22/19 8:42:00 AM	WATER	RSK 175	METHANE BY RSK 175
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	SM 2320B	Wetlab 2320B - Water
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	EPA 300.0	Wetlab 300.0 - Water
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	SM3500FeB	Ferrous Iron
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	EPA 353.2	EPA 353.2 - WATER
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ RE-EXTRACT
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	SW846 9060A	9060A DOC
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88687	04/23/19	ERH782	AZ89958	04/22/19 9:30:00 AM	WATER	SW846 9060A	9060A TOC
88687	04/23/19	ERH783	AZ89959	04/22/19 9:30:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88687	04/23/19	ERH783	AZ89959	04/22/19 9:30:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88687	04/23/19	ERH783	AZ89959	04/22/19 9:30:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88687	04/23/19	ERH783	AZ89959	04/22/19 9:30:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88687	04/23/19	ERH783	AZ89959	04/22/19 9:30:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ RE-EXTRACT
88687	04/23/19	ERH783	AZ89959	04/22/19 9:30:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88687	04/23/19	ERH783	AZ89959	04/22/19 9:30:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88687	04/23/19	ERH783	AZ89959	04/22/19 9:30:00 AM	WATER	RSK 175	METHANE BY RSK 175
88687	04/23/19	ERH783	AZ89959	04/22/19 9:30:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88687	04/23/19	ERH794	AZ89960	04/22/19 9:10:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88687	04/23/19	ERH794	AZ89960	04/22/19 9:10:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88687	04/23/19	ERH794	AZ89960	04/22/19 9:10:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88687	04/23/19	ERH794	AZ89960	04/22/19 9:10:00 AM	WATER	RSK 175	METHANE BY RSK 175
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	SM 2320B	Wetlab 2320B - Water
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	EPA 300.0	Wetlab 300.0 - Water
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	SM3500FeB	Ferrous Iron
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	EPA 353.2	EPA 353.2 - WATER
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER

88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ RE-EXTRACT
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	SW846 9060A	9060A DOC
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	RSK 175	METHANE BY RSK 175
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88687	04/23/19	ERH795	AZ89961	04/22/19 10:20:00 AM	WATER	SW846 9060A	9060A TOC

APPL Inc.
Abbreviations and Flags

FLAG	DESCRIPTION
#	Recovery or RPD outside control limits
*	Recovery or RPD outside control limits
B	Analyte detected in associated method blank
C1	Reason for correction: wrote incorrect response
C2	Reason for correction: calculated incorrectly
C3	Reason for correction: needs to be rechecked
C4	Reason for correction: data not usable
DO	Diluted out
E	Exceeds linear range
F	Estimated value
G1	Includes a wide range of hydrocarbons which does not match our gasoline standard
G10	Includes a match to hydrocarbon profiles within the range of mineral spirits
G11	Includes a match to hydrocarbon profiles within the range of JP-4
G12	Pattern does not match the gasoline standard; the carbon range for this sample is consistent with JP8
G13	Closely resembles the hydrocarbon profile of aviation gasoline
G14	Analyte concentration may be biased due to carry over
G2	Closely resembles the boiling point hydrocarbon profile consistent with weathered gasoline
G3	Includes higher boiling hydrocarbons
G4	Includes dominant peak(s) not indicative of petroleum hydrocarbons
G5	Is mainly dominant peak(s) not indicative of petroleum hydrocarbons
G6	Contains recognizable contaminant peak(s) which has been removed from quantitation
G7	Is mainly a match to hydrocarbons within the range of gasoline
G8	Closely resembles the boiling point hydrocarbon profile consistent with weathered gasoline
G9	Includes hydrocarbons within the range of kerosene
J	Estimated value
M	Matrix effect
MI1	Manual integration: integration does not follow baseline
MI2	Manual integration: non-target peak interference
MI3	Manual integration: to split a peak that was integrated as one peak by the computer.
MI4	Manual integration: to integrate a split peak
MI5	Manual integration: the whole peak or part of the peak was not integrated
MI6	Manual integration: computer integrated wrong peak
MI7	Manual integration: other – (See case narrative)
MDL	Method detection limit
ND	Not detected
NT	Non-target
Q	Acceptance criteria not met
T1 I	Includes wide range of hydrocarbons not indicative of diesel
T1 M	Is mainly wide range of hydrocarbons not necessarily indicative of diesel
T2 I	Includes lower boiling hydrocarbons, e.g. mineral spirits, kerosene, stoddard solvent, white gas
T2 M	Is mainly lower boiling hydrocarbons, e.g. mineral spirits, kerosene, stoddard solvent, white gas
T3 I	Includes higher boiling hydrocarbons, e.g. asphaltene, waste oil, motor oil, or weathered diesel fuel
T3 M	Is mainly higher boiling hydrocarbons, e.g. asphaltene, waste oil, motor oil, or weathered diesel fuel
T4 I	Includes dominant peak(s) not indicative of hydrocarbons
T4 M	Is mainly dominant peak(s) not indicative of hydrocarbons
T5	Contains recognizable contaminant peak(s) which has been removed from quantitation
T6	Is mainly a match to hydrocarbons within range of diesel fuel
T7	Closely resembles the boiling point hydrocarbon profile consistent with diesel fuel
T8	Includes a match to hydrocarbon profiles within range of diesel and kerosene fuel
T9 I	Includes non-diesel hydrocarbons within boiling point range of diesel fuel
T9 M	Is mainly non-diesel hydrocarbons within boiling point range of diesel fuel
U	Not detected
Y	Percent difference between primary and confirmation column > 40%

SAMPLE RECORDS MANAGEMENT

CHAIN OF CUSTODY,

ARF, CRF, AND

CLIENT COMMUNICATION

APPL - Analysis Request Form 88687

Client: AECOM
Address: 1001 Bishop Street, Suite 1600
Honolulu, HI 96813
Attn: Margie Pascua
Phone: 808-356-5373 Fax: 808-523-8950
Job: 60571032 CV18F0126 Red Hill Fuel Storage
PO #: 18S-22209-HI27 PO# 102604
Chain of Custody (Y/N): Y # 049-052,035
RAD Screen (Y/N): Y pH (Y/N): Y
Turn Around Type: 1 WEEK

Received by: AAR
Date Received: 04/23/19 Time: 09:54
Delivered by: FEDEX
Shuttle Custody Seals (Y/N): Y Time Zone: -10
Chest Temp(s): 3.0,3.0,1.5,2.5,2.5
Color: VOA/C-Black
Samples Chilled until Placed in Refrig/Freezer: Y
Project Manager: Libby Cheesebor
QC Report Type: DVP4DOD/EQUIS/HI
Due Date: 04/30/19

Comments:
PM: login and F1s to Margie.Pascua@aecom.com
AN: 7 day TAT for Form 1s; 21 day TAT for PKG STYLE 1; DOD v5.1; DOD Forms (LOQ/LOD database/DL)
8260: BTEX & TPH-G only; 8270 SIM: 1-methylnaphthalene, 2-methylnaphthalene & naphthalene only.
TPH D & O both with and w/o SGC, reverse surrogate for the SGC; analyze SGC if detections
RSK: Methane only; 8011: EDB only; $87DC53W5: report phenol; $87DMEEW5: 2-MEE (LCS Spk 80ppb).

FR: HC to LDC, 2 labeled CDs to Margie Pascua.
EDD: AECOM EQuIS EDD 2.5.3 Red Hill 87DMEE->3535A to Margie.Pascua@aecom.com & jecklund@lab-data.com

Sample Distribution:
GC: 3-$87DC53W5, 3-$87DMEEW5, 3-$DOC53W5LIQ, 3-$SIM53LIQ51
Extractions: 3-_LIQ003, 3-_LIQ005, 3-_MWE2MEE
VOA: 5-$86BTOTXDOD5W, 5-$GASBL, 5-$GRO86BW, 4-$RSKMETH
Wetlab: 2-$232W(HCO3,CO3,ALK), 2-$300W(NO3,CL,SO4), 2-$35FE, 2-$35OF, 2-$DOCW53, 2-$TOCW53

Charges:

Invoice To:
ACCOUNTS PAYABLE
1001 Bishop Street, Ste 1600
USAPImaging@aecom.com
mary.basano@aecom.com

	Client ID		APPL ID	Sampled	Analyses Requested
1.	ERH781	LCSD	AZ89957W	04/22/19 08:42	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
2.	ERH782	MS/MSD	AZ89958W	04/22/19 09:30	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $SIM53LIQ51, $TOCW53
3.	ERH783	LCSD	AZ89959W	04/22/19 09:30	$86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51

Note: All times, excluding sample collection times, are Pacific Time Zone unless noted otherwise. Collection times are in: -10 UTC
Page 1 Client Code: AECOM-REDHILL *Printed 05/03/19 8:43:49 AM* Computer: APPL-LC **# 88687**

APPL Inc.
Abbreviations and Flags

FLAG	DESCRIPTION
#	Recovery or RPD outside control limits
*	Recovery or RPD outside control limits
B	Analyte detected in associated method blank
C1	Reason for correction: wrote incorrect response
C2	Reason for correction: calculated incorrectly
C3	Reason for correction: needs to be rechecked
C4	Reason for correction: data not usable
DO	Diluted out
E	Exceeds linear range
F	Estimated value
G1	Includes a wide range of hydrocarbons which does not match our gasoline standard
G10	Includes a match to hydrocarbon profiles within the range of mineral spirits
G11	Includes a match to hydrocarbon profiles within the range of JP-4
G12	Pattern does not match the gasoline standard; the carbon range for this sample is consistent with JP8
G13	Closely resembles the hydrocarbon profile of aviation gasoline
G14	Analyte concentration may be biased due to carry over
G2	Closely resembles the boiling point hydrocarbon profile consistent with weathered gasoline
G3	Includes higher boiling hydrocarbons
G4	Includes dominant peak(s) not indicative of petroleum hydrocarbons
G5	Is mainly dominant peak(s) not indicative of petroleum hydrocarbons
G6	Contains recognizable contaminant peak(s) which has been removed from quantitation
G7	Is mainly a match to hydrocarbons within the range of gasoline
G8	Closely resembles the boiling point hydrocarbon profile consistent with weathered gasoline
G9	Includes hydrocarbons within the range of kerosene
J	Estimated value
M	Matrix effect
MI1	Manual integration: integration does not follow baseline
MI2	Manual integration: non-target peak interference
MI3	Manual integration: to split a peak that was integrated as one peak by the computer.
MI4	Manual integration: to integrate a split peak
MI5	Manual integration: the whole peak or part of the peak was not integrated
MI6	Manual integration: computer integrated wrong peak
MI7	Manual integration: other – (See case narrative)
MDL	Method detection limit
ND	Not detected
NT	Non-target
Q	Acceptance criteria not met
T1 I	Includes wide range of hydrocarbons not indicative of diesel
T1 M	Is mainly wide range of hydrocarbons not necessarily indicative of diesel
T2 I	Includes lower boiling hydrocarbons, e.g. mineral spirits, kerosene, stoddard solvent, white gas
T2 M	Is mainly lower boiling hydrocarbons, e.g. mineral spirits, kerosene, stoddard solvent, white gas
T3 I	Includes higher boiling hydrocarbons, e.g. asphaltene, waste oil, motor oil, or weathered diesel fuel
T3 M	Is mainly higher boiling hydrocarbons, e.g. asphaltene, waste oil, motor oil, or weathered diesel fuel
T4 I	Includes dominant peak(s) not indicative of hydrocarbons
T4 M	Is mainly dominant peak(s) not indicative of hydrocarbons
T5	Contains recognizable contaminant peak(s) which has been removed from quantitation
T6	Is mainly a match to hydrocarbons within range of diesel fuel
T7	Closely resembles the boiling point hydrocarbon profile consistent with diesel fuel
T8	Includes a match to hydrocarbon profiles within range of diesel and kerosene fuel
T9 I	Includes non-diesel hydrocarbons within boiling point range of diesel fuel
T9 M	Is mainly non-diesel hydrocarbons within boiling point range of diesel fuel
U	Not detected
Y	Percent difference between primary and confirmation column > 40%

4. ERH794	LCSD AZ89960W 04/22/19 09:10		$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
5. ERH795	LCSD AZ89961W 04/22/19 10:20		$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53

APPL Sample Receipt Form

ARF# **88687**

Sample	Container Type	Count	p
AZ89957	13 VOAs - HCL	4	NA
AZ89958	3 PL 250mL	1	NA
	10 PL 250mL - H2SO4	1	1.7
	13 VOAs - HCL	8	NA
	17 Amber Liter	15	NA
	32 Clear VOA - H2SO4	12	NA
	38 250mL brn poly, HCl prsvd	1	1.7
	40 500mL Amber, unprsrvd	6	NA
AZ89959	13 VOAs - HCL	4	NA
	17 Amber Liter	5	NA
	40 500mL Amber, unprsrvd	2	NA
AZ89960	13 VOAs - HCL	4	NA
AZ89961	3 PL 250mL	1	NA
	10 PL 250mL - H2SO4	1	1.7
	13 VOAs - HCL	4	NA
	17 Amber Liter	5	NA
	32 Clear VOA - H2SO4	8	NA
	38 250mL brn poly, HCl prsvd	1	1.7
	40 500mL Amber, unprsrvd	2	NA

Sample	Container Type	Count	p

Printed 04/23/19 2:12:34 PM

Page 1 of 1

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 049

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): SM RS GM
Sampler (Signature): SM

Date Shipped: 04/22/19
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, ~~TICs~~	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,Na SM4500 Total & Dissolved Silica	9060A TOC/DOC	
ERH 781	Trip Blank	4/22/19	0842	HST	4	X			X							X						
ERH 782	RHMW2254-01	4/22/19	930	HST	8	X			X							X						MS/MSD: 8015, 8260, 8270, 5270 SIM soil filter cakes
ERH 783	RHMW2254-01	4/22/19	930	HST	11	X			X		X	X*	X	X	X							

SM 4/22/19

Ferrous iron and DOC are field-filtered.

*Analyze TPH w/SGT only if TPH-d/o detected.

TPH-d/o & PAHs need liquid-liquid extraction

Shuttle Temperature: 5°

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other: _____

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Sidney M.	4/22/19	2:30					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-23-19	1000	

See page 2 for Container Preservative and Sampling Information

88647

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 051

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): SM
Sampler (Signature): SM RS GM
Date Shipped: MM/DD/YY
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, TICs	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,Na SM4500 Total & Dissolved Silica	9060A TOC, DOC	
ERH 782	RHMW2564-01	4/22/19	0930	HST	9	X					X	X*	X	X	X							MS/MSD: 8015, 8260, 8270, 8310 SM see other codes
																						Ferrous iron and DOC are field-filtered.
																						*Analyze TPH w/SGT only if TPH-d/o detected.
																						TPH-d/o & PAHs need liquid-liquid extraction.

4/22/19 SM

Shuttle Temperature: 3.0, 1.5, 2.5, 2.5, 3.0

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Sidney M.	4/22/19	230					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4.23.19	1000	

See page 2 for Container Preservative and Sampling Information

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 052

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): SM RSG
Sampler (Signature): SM

Date Shipped: MM/DD/YY
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, ~~Pentachl~~	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride E010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC	Comments
~~ERH 783~~ SM ERH 782	RHMW2251-01	4/22/19	0930	HST	19	X					X	X	X	X	X		X	X	X		X	NO3/NO2: SO4, Cl, Br, F, TOC, Ca, Mg, Mn, K, Na, Si See other cycles
																						Ferrous iron and DOC are field-filtered.
																						*Analyze TPH w/SGT only if TPH-d/o detected.
																						TPH-d/o & PAHs need liquid-liquid extraction.

4/22/19 SM

SM 4/22/19

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other: _____

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Sidney M.	4/22/19	2:30					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-23-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 050

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): SM
Sampler (Signature): SM RS GM SM

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, Total	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC, DOC	
ERH782	RHMW2264-01	4/22/19	0930	HST	8	X					X	X*	X	X	X							MS/MSD: SVOC, 8260, 8270, 8270SIM see other codes

4/22/19 SM

Ferrous iron and DOC are field-filtered

*Analyze TPH w/SGT only if TPH-d/o detected.

TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM Sidney M	Date 4/22/19	Time 230	Received by:	Relinquished by:	Date	Time	Received by:
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date 4.23.19	Time 1000	Received at lab by:

See page 2 for Container Preservative and Sampling Information

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 035

Report to: PLEASE PRINT

Company Name: AECOM Phone: 808-356-5373

Address: 1001 Bishop St, Suite 1600
Honolulu, HI 96813 Fax: 808-523-8950

Attn: Margie Pascua

Email: margie.pascua@aecom.com

Invoice to: PLEASE PRINT

Company Name: AECOM Phone: 808-529-7249

Address: 1001 Bishop St, Suite 1600
Honolulu, HI 96813 Fax: 808-523-8950

Attn: Mary Basano

Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032

Purchase Order Number: 102604

Sampler (Print): SM

Sampler (Signature): SM RS GM

Date Shipped: 04/22/2019

Carrier: FedEx

Waybill No.:

Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, TCP	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC	
ERH 794	Trip Blank	4/22/19	0900	HST	4	X			X							X						
ERH 795	RHMW04	4/22/19	1020	HST	4 SM	X			X		X	X*	X	X	X	X	X	X	X			X	
					2 SM																		
					21																		

SM 4/22/2019 SM 4/22/2019 SM 4/22/2019

Ferrous iron and DOC are field-filtered.

*Analyze TPH w/SGT only if TPH-d/o detected.

TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Sidney M.	4/22/19	2:30					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-23-19	1000	

See page 2 for Container Preservative and Sampling Information

COOLER RECEIPT FORM **ARF: 88687**

1) Project: 60571032 CV18F0126 Red Hill Fuel Storage Date Received: 04/23/19

2) Coolers: Number of Coolers: 5

3) YES Were custody seals present and intact?
How many? 10 Name/Date on seal? see below

4) YES Was there a shipping slip? Carrier name: FEDEX

5) Type of packing in cooler: X bubble wrap __ popcorn __ foam X plastic bags __ other
X wet ice __ dry ice __ no ice __ gel ice

6) YES Were cooler temperatures acceptable?

7) Serial number of certified NIST thermometer use R1

8) Cooler temp(s): In °C
1: 3.0°C x2 2: 1.5°C 3: 2.5°C x2 4: _____ 5: _____ 6: _____
7: _____ 8: _____ 9: _____ 10: _____ 11: _____ 12: _____

Chain of custody:

9) YES Was a chain of custody received?

10) YES Were the custody papers complete/signed in the appropriate places?

Sample Labels:

11) YES Were all sample labels complete (sample ID, date/time of sampling, etc.)?

12) YES Did all container labels agree with custody papers?

Sample Containers:

13) YES Were all containers sealed in separate bags?

14) YES Did all containers arrive in good condition:(unbroken, no leakage, no cracked/broke

15) YES Were correct containers and preservatives used for the tests indicated?

16) YES Was a sufficient amount of sample sent for tests indicated?

17) Yes Were bubbles present in volatile samples?
If yes, the following were received with air bubbles:
Larger than a pea:
Smaller than a pea: AZ89957w01-4, AZ89960w01-4

Preservation Hold time:

18) Yes Was a sufficient amount of holding time remaining to analyze the samples?

19) Yes Was the pH taken of all non-VOA preserved samples and written on the sample


20) Yes Was the pH of acid preserved non-VOA samples < 2?

21) NA Was the pH of sodium hydroxide preserved samples for Cyanide > 12 and Sulfi

22) NO Were unpreserved VOA Vials received?

23) NA Are unpreserved VOA vials noted in the ADD TEST FIELD on the ARF?
pH strip lot number: 90b2031
Lab notified if pH was not adequate: _____

Notes/Deficiencies:



Personnel receiving samples: ZG Second reviewer: AA
Personnel labeling samples: ZG
Project manager notified: ZG Date/Time of notification 04/23/19
Name of client notified: _____ Date/Time of notification _____

Revision: 22, November 5, 2013

Sample Receiving Quality Control Sign Off

ARF Number: 88687

Analysis Request Form: Reviewers Initials/Date ZG 04/23/19

Is the chain of custody attached?	Yes
Is the COC number entered correctly?	Yes
Is RAD screen performed entered correctly?	Yes
Is pH documentation entered correctly?	Yes
Turn around time entered correctly?	Yes
Date received entered correctly?	Yes
Time received entered correctly?	Yes
Is Time Zone entered correctly?	Yes
Delivered by name entered correctly?	Yes
Is shuttle custody seals entered correctly?	Yes
Ice chest temp.entered correctly?	Yes
Project manager entered correctly?	Yes
Client ID's from chain entered correctly?	Yes
APPL ID's have correct matrix designation?	Yes
Sample date entered correctly?	Yes
Sample time entered correctly?	Yes
MS/MSD requests indicated? (Initial) ZG	Yes
% moisture indicated?	NA
Limited volume indicated?	NA
Are samples on hold labeled correctly?	NA
Are subcontract COCs attached?	NA
COC scanned to pdf?	Yes

Project Manager Initials/Date: DA 4/24/19

Client name correct?	(Yes)	No	NA
Client address correct?	(Yes)	No	NA
Attention name correct?	(Yes)	No	NA
Client phone number and fax number correct?	(Yes)	No	NA
Project name or number correct?	(Yes)	No	NA
PO number correct?	(Yes)	No	NA
Correct analyses requested entered on ARF?	(Yes)	No	NA
Correct Labworks codes used for each matrix?	(Yes)	No	NA
Correct codes used for client/project?	(Yes)	No	NA
Correct metals listed?	Yes	No	(NA)
Subcontract COCs correct?	Yes	No	(NA)
QC report type entered correctly?	(Yes)	No	NA
Comments entered correctly?	(Yes)	No	NA
Invoicing information entered from chain?	(Yes)	No	NA
A special spike, if needed, is entered?	Yes	No	(NA)
Are samples on hold labeled correctly?	Yes	No	(NA)
Limited volume indicated, if needed?	Yes	No	(NA)

Physical Check of Samples Reviewers Initials/Date ZG 04/23/19

APPL ID numbers placed on correct samples?	Yes
Color of refrigerator/freezer correct on labels?	Yes
Has inventory sheet been completed correctly?	Yes
pH's recorded on samples?	Yes
pH acceptable?	Yes
Stickers placed on samples for VOA,GC, GC/MS?	No
Were 'hold', 'composite', or 'limited volume' stickers affixed?	No
If water was present in the soil, was the container put in frig?	NA
Were USACE, AFCEE, DVP or CLP soils placed in the frig?	NA
Were there missing samples? Checked by: _____, _____	No

Communication Reviewers Initials/Date ZG 04/23/19

Sections notified of rush samples or short holding times?	Yes
Sections notified if filtering was needed?	No
Sections notified to adjust pH?	No

Distribution of ARF

Scanned (initials / date) 4-24-19 Sue

Emailed to Margie & Brent (initials / date) 4-24

Comments:

_____

_____

_____

_____

_____

Revision 24, April 24 2018

SAMPLE RESULTS

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH782

APPL ID: AZ89958

Sample Collection Date: 04/22/19

QCG: #DOC53-190426A-239847

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	98.2	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	95.7	56-125			%	04/26/19	04/29/19

Quant Method: DOC0411.M
Run #: 419052
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/08/19 12:31:32 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ RE-EXTRACT

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH782

APPL ID: AZ89958

Sample Collection Date: 04/22/19

QCG: #DOC53-190502A2-240343

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	05/02/19	05/06/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	102	60-142			%	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	97.9	56-125			%	05/02/19	05/06/19

Quant Method: DOC0411.M
Run #: 506008
Instrument: Apollo
Sequence: 190506
Dilution Factor: 1
Initials: BTI

Printed: 05/15/19 4:03:14 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH783
Sample Collection Date: 04/22/19

ARF: 88687
APPL ID: AZ89959
QCG: #DOC53-190426A-239847

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	83.0	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	89.7	56-125			%	04/26/19	04/29/19

Quant Method: DOC0411.M
Run #: 419055
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/08/19 12:31:32 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ RE-EXTRACT

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH783

APPL ID: AZ89959

Sample Collection Date: 04/22/19

QCG: #DOC53-190502A2-240343

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	05/02/19	05/06/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	101	60-142			%	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	97.1	56-125			%	05/02/19	05/06/19

Quant Method: DOC0411.M
Run #: 506009
Instrument: Apollo
Sequence: 190506
Dilution Factor: 1
Initials: BTI

Printed: 05/15/19 4:03:14 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH795

APPL ID: AZ89961

Sample Collection Date: 04/22/19

QCG: #DOC53-190426A-239847

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	98.6	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	95.8	56-125			%	04/26/19	04/29/19

Quant Method: DOC0411.M
Run #: 419056
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/08/19 12:31:32 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ RE-EXTRACT

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH795

APPL ID: AZ89961

Sample Collection Date: 04/22/19

QCG: #DOC53-190502A2-240343

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	05/02/19	05/06/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	98.9	60-142			%	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	94.7	56-125			%	05/02/19	05/06/19

Quant Method: DOC0411.M
Run #: 506010
Instrument: Apollo
Sequence: 190506
Dilution Factor: 1
Initials: BTI

Printed: 05/15/19 4:03:15 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH782

APPL ID: AZ89958

Sample Collection Date: 04/22/19

QCG: #SIM53-190424A-239856

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	71.9	39-114			%	04/24/19	04/26/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	74.2	58-120			%	04/24/19	04/26/19

Quant Method: L0326.M
Run #: 0426L007
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 04/30/19 3:48:11 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH783
Sample Collection Date: 04/22/19

ARF: 88687
APPL ID: AZ89959
QCG: #SIM53-190424A-239856

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/30/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/30/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/30/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	83.1	39-114			%	04/24/19	04/30/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	96.8	58-120			%	04/24/19	04/30/19

Quant Method: L0326.M
Run #: 0426L023
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 04/30/19 3:48:11 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH795

APPL ID: AZ89961

Sample Collection Date: 04/22/19

QCG: #SIM53-190424A-239856

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	90.6	39-114			%	04/24/19	04/26/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	90.1	58-120			%	04/24/19	04/26/19

Quant Method: L0326.M
Run #: 0426L011
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 04/30/19 3:48:11 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH782

APPL ID: AZ89958

Sample Collection Date: 04/22/19

QCG: #87DC5-190424A-239806

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	85.3	43-140			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	69.2	44-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	87.4	19-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	81.3	44-120			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	82.1	10-115			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	71.4	50-134			%	04/24/19	04/26/19

Quant Method: Y0319NC.M
Run #: 0411Y199
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: JPR

Printed: 04/29/19 3:54:40 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH783

APPL ID: AZ89959

Sample Collection Date: 04/22/19

QCG: #87DC5-190424A-239806

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	83.1	43-140			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	69.2	44-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	84.6	19-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	88.1	44-120			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	80.9	10-115			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	72.1	50-134			%	04/24/19	04/26/19

Quant Method: Y0319NC.M
Run #: 0411Y202
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: JPR

Printed: 04/29/19 3:54:40 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH795

APPL ID: AZ89961

Sample Collection Date: 04/22/19

QCG: #87DC5-190424A-239806

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	78.5	43-140			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	64.4	44-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	72.3	19-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	70.2	44-120			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	69.2	10-115			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	66.0	50-134			%	04/24/19	04/26/19

Quant Method: Y0319NC.M
Run #: 0411Y203
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: JPR

Printed: 04/29/19 3:54:40 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH782
Sample Collection Date: 04/22/19

ARF: 88687
APPL ID: AZ89958
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y016
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:30:05 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH783
Sample Collection Date: 04/22/19

ARF: 88687
APPL ID: AZ89959
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y017
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:30:05 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH795

APPL ID: AZ89961

Sample Collection Date: 04/22/19

QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y018
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:30:05 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH781

APPL ID: AZ89957

Sample Collection Date: 04/22/19

QCG: #86BTO-190424AT-239732

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	103	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	94.7	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	104	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	100.0	89-112			%	04/25/19	04/25/19

Quant Method: T0424W.M
Run #: 0424T37
Instrument: Thor
Sequence: T190423
Dilution Factor: 1
Initials: DPO

Printed: 04/26/19 9:59:53 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH782

APPL ID: AZ89958

Sample Collection Date: 04/22/19

QCG: #86BTO-190424AT-239732

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	99.7	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	94.3	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	103	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	99.2	89-112			%	04/25/19	04/25/19

Quant Method: T0424W.M
Run #: 0424T39
Instrument: Thor
Sequence: T190423
Dilution Factor: 1
Initials: DPO

Printed: 04/26/19 9:59:53 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH783

APPL ID: AZ89959

Sample Collection Date: 04/22/19

QCG: #86BTO-190423AL-239733

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/24/19	04/24/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/24/19	04/24/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/24/19	04/24/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/24/19	04/24/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	113	81-118			%	04/24/19	04/24/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	85.7	85-114			%	04/24/19	04/24/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	112	80-119			%	04/24/19	04/24/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	97.5	89-112			%	04/24/19	04/24/19

Quant Method: L0423W.M
Run #: 0423L26
Instrument: Loki
Sequence: 190423
Dilution Factor: 1
Initials: DPO

Printed: 04/30/19 7:56:08 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH794

APPL ID: AZ89960

Sample Collection Date: 04/22/19

QCG: #86BTO-190424AT-239732

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	102	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.5	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	105	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	103	89-112			%	04/25/19	04/25/19

Quant Method: T0424W.M
Run #: 0424T38
Instrument: Thor
Sequence: T190423
Dilution Factor: 1
Initials: DPO

Printed: 04/26/19 9:59:53 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH795

APPL ID: AZ89961

Sample Collection Date: 04/22/19

QCG: #86BTO-190424AT-239732

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	108	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	96.3	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	110	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	101	89-112			%	04/25/19	04/25/19

Quant Method: T0424W.M
Run #: 0424T40
Instrument: Thor
Sequence: T190423
Dilution Factor: 1
Initials: DPO

Printed: 04/26/19 9:59:53 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH781

Sample Collection Date: 04/22/19

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

ARF: 88687

APPL ID: AZ89957

QCG: #GRO86-190423AM-239658

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/23/19	04/23/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	105	85-114			%	04/23/19	04/23/19

Quant Method:	MSUR324.M
Run #:	0423M08
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/24/19 9:07:14 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH782

APPL ID: AZ89958

Sample Collection Date: 04/22/19

QCG: #GRO86-190423AM-239658

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/23/19	04/23/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	102	85-114			%	04/23/19	04/23/19

Quant Method:	MSUR324.M
Run #:	0423M10
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/24/19 9:07:14 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH783

APPL ID: AZ89959

Sample Collection Date: 04/22/19

QCG: #GRO86-190423AM-239658

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/23/19	04/23/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	101	85-114			%	04/23/19	04/23/19

Quant Method:	MSUR324.M
Run #:	0423M11
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/24/19 9:07:14 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH794

APPL ID: AZ89960

Sample Collection Date: 04/22/19

QCG: #GRO86-190423AM-239658

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/23/19	04/23/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	101	85-114			%	04/23/19	04/23/19

Quant Method:	MSUR324.M
Run #:	0423M09
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/24/19 9:07:14 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH795

APPL ID: AZ89961

Sample Collection Date: 04/22/19

QCG: #GRO86-190423AM-239658

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/23/19	04/23/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	107	85-114			%	04/23/19	04/23/19

Quant Method:	MSUR324.M
Run #:	0423M12
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/24/19 9:07:14 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH781
Sample Collection Date: 04/22/19

ARF: 88687
APPL ID: AZ89957
QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method:	RSK0311.M
Run #:	19042903
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 04/29/19 12:10:46 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH783

APPL ID: AZ89959

Sample Collection Date: 04/22/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method: RSK0311.M
Run #: 19050303
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 05/03/19 11:52:53 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH794

APPL ID: AZ89960

Sample Collection Date: 04/22/19

QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method:	RSK0311.M
Run #:	19042904
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 04/29/19 12:10:46 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Sample ID: ERH795

APPL ID: AZ89961

Sample Collection Date: 04/22/19

QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method:	RSK0311.M
Run #:	19042905
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 04/29/19 12:10:46 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH782
Sample Collection Date: 04/22/19

APPL ID: AZ89958
ARF: 88687

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	NITRATE	2.6	0.5	0.18	0.04	mg/L	1	04/24/19	04/24/19
EPA 300.0	SULFATE	17.1	1.0	0.20	0.09	mg/L	1	04/24/19	04/24/19
EPA 300.0	CHLORIDE	108	5.0	1.00	0.40	mg/L	5	04/24/19	04/24/19
EPA 353.2	NITRATE-NITRITE-N	0.66	0.10	0.090	0.028	mg/L	1	04/24/19	04/24/19
SM 2320B	BICARBONATE AS CACO3	58.7	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	TOTAL ALKALINITY AS CACO	58.7	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/23/19	04/23/19
SW846 9060A	DISSOLVED ORGANIC CARB	0.21 J	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19
SW846 9060A	TOTAL ORGANIC CARBON	0.30 J	0.93	0.350	0.130	mg/L	1	05/02/19	05/02/19

J = Estimated value.

Printed: 05/13/19 5:35:29 PM

APPL-F1-SC-NoMC-REG MDLs

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua .

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH795
Sample Collection Date: 04/22/19

APPL ID: AZ89961
ARF: 88687

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	NITRATE	2.4	0.5	0.18	0.04	mg/L	1	04/24/19	04/24/19
EPA 300.0	SULFATE	10.4	1.0	0.20	0.09	mg/L	1	04/24/19	04/24/19
EPA 300.0	CHLORIDE	74.1	5.0	1.00	0.40	mg/L	5	04/24/19	04/24/19
EPA 353.2	NITRATE-NITRITE-N	0.57	0.10	0.090	0.028	mg/L	1	04/24/19	04/24/19
SM 2320B	BICARBONATE AS CACO3	74.2	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	TOTAL ALKALINITY AS CACO	74.2	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/23/19	04/23/19
SW846 9060A	DISSOLVED ORGANIC CARB	0.57 J	0.93	0.350	0.130	mg/L	1	04/25/19	04/25/19
SW846 9060A	TOTAL ORGANIC CARBON	0.47 J	0.93	0.350	0.130	mg/L	1	04/25/19	04/25/19

J = Estimated value.

Printed: 05/13/19 5:35:30 PM

APPL-F1-SC-NoMC-REG MDLs

QC FORMS

EPA 8015B-eLL

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Apollo

APPL ID.	Client Sample No.	SURROGATE: OCTACOSANE (S)			SURROGATE: ORTHO-TERPHENYL (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190426A-BLK	Blank	60-142	92.6		56-125	90.6	
190426A-LCS	Lab Control Spike	60-142	88.9		56-125	88.5	
190426A-LCSD	Lab Control SpikeD	60-142	86.5		56-125	87.9	
AZ89958	ERH782	60-142	98.2		56-125	95.7	
AZ89958-MS	Matrix Spike	60-142	91.5		56-125	90.7	
AZ89958-MSD	Matrix SpikeD	60-142	96.0		56-125	88.0	
AZ89959	ERH783	60-142	83.0		56-125	89.7	
AZ89961	ERH795	60-142	98.6		56-125	95.8	

Comments: Batch: #DOC53-190426A

EPA 8015B-eL

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Apollo

Blank ID: 190426A-BLK Time Analyzed: 1723

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A-BLK	Blank	419049	04/29/19 1723
190426A-LCS	Lab Control Spike	419050	04/29/19 1743
190426A-LCSD	Lab Control SpikeD	419051	04/29/19 1803
AZ89958	ERH782	419052	04/29/19 1823
190426A-MS	Matrix Spike	419053	04/29/19 1843
190426A-MSD	Matrix SpikeD	419054	04/29/19 1903
AZ89959	ERH783	419055	04/29/19 1923
AZ89961	ERH795	419056	04/29/19 1943

Comments: Batch: #DOC53-190426A

Method Blank

EPA 8015B TPH LIQ-LIQ

Blank Name/QCG: **190426W-89958 - 239847**

Batch ID: #DOC53-190426A

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
BLANK	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
BLANK	SURROGATE: OCTACOSANE (S)	92.6	60-142			%	04/26/19	04/29/19
BLANK	SURROGATE: ORTHO-TERPHEN	90.6	56-125			%	04/26/19	04/29/19

Quant Method:DOC0411.M
Run #:419049
Instrument:Apollo
Sequence:190419
Initials:BTI

GC SC-Blank-REG MDLs-DOD
Printed: 05/08/19 12:31:31 PM

EPA 8015B-eL

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Apollo

LCS ID: 190426A-LCS Time Analyzed: 1743

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A-BLK	Blank	419049	04/29/19 1723
190426A-LCS	Lab Control Spike	419050	04/29/19 1743
190426A-LCSD	Lab Control SpikeD	419051	04/29/19 1803
AZ89958	ERH782	419052	04/29/19 1823
190426A-MS	Matrix Spike	419053	04/29/19 1843
190426A-MSD	Matrix SpikeD	419054	04/29/19 1903
AZ89959	ERH783	419055	04/29/19 1923
AZ89961	ERH795	419056	04/29/19 1943

Comments: Batch: #DOC53-190426A

Laboratory Control Spike Recoveries

EPA 8015B TPH LIQ-LIQ

APPL ID: **190426W-89958 LCS - 239847**
Batch ID: #DOC53-190426A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	1120	1070	89.6	85.6	36-132	4.6	30
OIL (C24-C40)	1250	1250	1180	100	94.4	41-113	5.8	30
SURROGATE: OCTACOSANE (S)	75.0	66.7	64.9	88.9	86.5	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	66.4	65.9	88.5	87.9	56-125		

Comments: _____

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	04/26/19	04/26/19
Analysis Date :	04/29/19	04/29/19
Instrument :	Apollo	Apollo
Run :	419050	419051
Initials :	BTI	

Printed: 04/30/19 2:42:15 PM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8015B TPH LIQ-LIQ

APPL ID: **190426W-89958 MS - 239847**
Batch ID: #DOC53-190426A
Sample ID: AZ89958
Client ID: ERH782

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	ND	1160	1130	92.8	90.4	36-132	2.6	30
OIL (C24-C40)	1250	ND	1290	1390	103	111	41-113	7.5	30
SURROGATE: OCTACOSANE (S)	75.0	NA	68.6	72.0	91.5	96.0	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	NA	68.0	66.0	90.7	88.0	56-125		

Comments: _____

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	04/26/19	04/26/19
Analysis Date :	04/29/19	04/29/19
Instrument :	Apollo	Apollo
Run :	419053	419054
Initials :	BTI	

Printed: 04/30/19 2:42:21 PM
APPL MSD SCII

EPA 8015B-eLL

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 05/06/19

Matrix: WATER Instrument: Apollo

APPL ID.	Client Sample No.	SURROGATE: OCTACOSANE (S)			SURROGATE: ORTHO-TERPHENYL (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190502A2-BLK	Blank	60-142	97.3		56-125	93.5	
190502A2-LCS	Lab Control Spike	60-142	90.7		56-125	89.5	
190502A2-LCSD	Lab Control SpikeD	60-142	91.1		56-125	88.8	
AZ89958-MS	Matrix Spike	60-142	93.2		56-125	90.0	
AZ89958-MSD	Matrix SpikeD	60-142	83.9		56-125	85.3	
AZ89958	ERH782	60-142	102		56-125	97.9	
AZ89959	ERH783	60-142	101		56-125	97.1	
AZ89961	ERH795	60-142	98.9		56-125	94.7	

Comments: Batch: #DOC53-190502A2

EPA 8015B-eL

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 05/06/19

Matrix: WATER Instrument: Apollo

Blank ID: 190502A2-BLK Time Analyzed: 1730

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502A2-BLK	Blank	506003	05/06/19 1730
190502A2-LCS	Lab Control Spike	506004	05/06/19 1750
190502A2-LCSD	Lab Control SpikeD	506005	05/06/19 1810
190502A2-MS	Matrix Spike	506006	05/06/19 1830
190502A2-MSD	Matrix SpikeD	506007	05/06/19 1850
AZ89958	ERH782	506008	05/06/19 1909
AZ89959	ERH783	506009	05/06/19 1929
AZ89961	ERH795	506010	05/06/19 1949

Comments: Batch: #DOC53-190502A2

Method Blank

EPA 8015B TPH LIQ-LIQ RE-EXTRACT

Blank Name/QCG: **190502W-89958 - 240343**

Batch ID: #DOC53-190502A2

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	05/02/19	05/06/19
BLANK	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	05/02/19	05/06/19
BLANK	SURROGATE: OCTACOSANE (S)	97.3	60-142			%	05/02/19	05/06/19
BLANK	SURROGATE: ORTHO-TERPHEN	93.5	56-125			%	05/02/19	05/06/19

Quant Method:DOC0411.M
Run #:506003
Instrument:Apollo
Sequence:190506
Initials:BTI

GC SC-Blank-REG MDLs-DOD
Printed: 05/15/19 4:02:50 PM

EPA 8015B-eL

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 05/06/19

Matrix: WATER Instrument: Apollo

LCS ID: 190502A2-LCS Time Analyzed: 1750

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502A2-BLK	Blank	506003	05/06/19 1730
190502A2-LCS	Lab Control Spike	506004	05/06/19 1750
190502A2-LCSD	Lab Control SpikeD	506005	05/06/19 1810
190502A2-MS	Matrix Spike	506006	05/06/19 1830
190502A2-MSD	Matrix SpikeD	506007	05/06/19 1850
AZ89958	ERH782	506008	05/06/19 1909
AZ89959	ERH783	506009	05/06/19 1929
AZ89961	ERH795	506010	05/06/19 1949

Comments: Batch: #DOC53-190502A2

Laboratory Control Spike Recoveries
EPA 8015B TPH LIQ-LIQ RE-EXTRACT

APPL ID: **190502W-89958 LCS - 240343**
Batch ID: #DOC53-190502A2

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	1480	1080	118	86.4	36-132	31.3 #	30
OIL (C24-C40)	1250	1240	1310	99.2	105	41-113	5.5	30
SURROGATE: OCTACOSANE (S)	75.0	68.0	68.3	90.7	91.1	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	67.1	66.6	89.5	88.8	56-125		

= Recovery is outside QC limits.

Comments:

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	05/02/19	05/02/19
Analysis Date :	05/06/19	05/06/19
Instrument :	Apollo	Apollo
Run :	506004	506005
Initials :	BTI	

Printed: 05/15/19 4:03:22 PM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8015B TPH LIQ-LIQ RE-EXTRACT

APPL ID: **190502W-89958 MS - 240343**
Batch ID: #DOC53-190502A2
Sample ID: AZ89958
Client ID: ERH782

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	ND	1100	1060	88.0	84.8	36-132	3.7	30
OIL (C24-C40)	1250	ND	1260	1270	101	102	41-113	0.79	30
SURROGATE: OCTACOSANE (S)	75.0	NA	69.9	62.9	93.2	83.9	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	NA	67.5	64.0	90.0	85.3	56-125		

Comments: _____

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	05/02/19	05/02/19
Analysis Date :	05/06/19	05/06/19
Instrument :	Apollo	Apollo
Run :	506006	506007
Initials :	BTI	

Printed: 05/15/19 4:03:06 PM
APPL MSD SCII

8270D-SIM

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Linus

APPL ID.	Client Sample No.	SURROGATE: 2-METHYLNAPHTHALENE-D10 (S)			SURROGATE: FLUORANTHENE-D10 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190424A-BLK	Blank	39-114	68.5		58-120	68.4	
190424A-LCS	Lab Control Spike	39-114	68.6		58-120	73.0	
190424A-LCSD	Lab Control SpikeD	39-114	68.6		58-120	71.8	
AZ89958	ERH782	39-114	71.9		58-120	74.2	
AZ89958-MS	Matrix Spike	39-114	66.6		58-120	71.0	
AZ89958-MSD	Matrix SpikeD	39-114	72.8		58-120	84.2	
AZ89961	ERH795	39-114	90.6		58-120	90.1	
AZ89959	ERH783	39-114	83.1		58-120	96.8	

Comments: Batch: #SIM53-190424A

8270D-SIM

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Linus

Blank ID: 190424A-BLK Time Analyzed: 1545

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	0426L004	04/26/19 1545
190424A-LCS	Lab Control Spike	0426L005	04/26/19 1607
190424A-LCSD	Lab Control SpikeD	0426L006	04/26/19 1629
AZ89958	ERH782	0426L007	04/26/19 1652
190424A-MS	Matrix Spike	0426L008	04/26/19 1714
190424A-MSD	Matrix SpikeD	0426L009	04/26/19 1736
AZ89961	ERH795	0426L011	04/26/19 1821
AZ89959	ERH783	0426L023	04/30/19 1119

Comments: Batch: #SIM53-190424A

Method Blank

EPA 8270D SIM LIQ-LIQ

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Blank Name/QCG: **190424W-89958 - 239856**
Batch ID: #SIM53-190424A

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
BLANK	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
BLANK	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
BLANK	SURROGATE: 2-METHYLNAPHT	68.5	39-114			%	04/24/19	04/26/19
BLANK	SURROGATE: FLUORANTHENE-	68.4	58-120			%	04/24/19	04/26/19

Quant Method:L0326.M
Run #:0426L004
Instrument:Linus
Sequence:L190426
Initials:JPR

GC SC-Blank-REG MDLs-DOD
Printed: 04/30/19 3:48:10 PM

8270D-SIM

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Linus

LCS ID: 190424A-LCS Time Analyzed: 1607

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	0426L004	04/26/19 1545
190424A-LCS	Lab Control Spike	0426L005	04/26/19 1607
190424A-LCSD	Lab Control SpikeD	0426L006	04/26/19 1629
AZ89958	ERH782	0426L007	04/26/19 1652
190424A-MS	Matrix Spike	0426L008	04/26/19 1714
190424A-MSD	Matrix SpikeD	0426L009	04/26/19 1736
AZ89961	ERH795	0426L011	04/26/19 1821
AZ89959	ERH783	0426L023	04/30/19 1119

Comments: Batch: #SIM53-190424A

Laboratory Control Spike Recoveries

EPA 8270D SIM LIQ-LIQ

APPL ID: **190424W-89958 LCS - 239856**
Batch ID: #SIM53-190424A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
1-METHYLNAPHTHALENE	6.25	4.34	4.32	69.4	69.1	41-115	0.46	20
2-METHYLNAPHTHALENE	6.25	4.83	4.81	77.3	77.0	39-114	0.41	20
NAPHTHALENE	6.25	4.60	4.59	73.6	73.4	43-114	0.22	20
SURROGATE: 2-METHYLNAPHTHALEN	6.25	4.29	4.29	68.6	68.6	39-114		
SURROGATE: FLUORANTHENE-D10 (S)	6.25	4.56	4.49	73.0	71.8	58-120		

Comments: _____

Primary	SPK	DUP
Quant Method :	L0326.M	L0326.M
Extraction Date :	04/24/19	04/24/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Linus	Linus
Run :	0426L005	0426L006
Initials :	JPR	

Printed: 04/30/19 3:48:17 PM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8270D SIM LIQ-LIQ

APPL ID: **190424W-89958 MS - 239856**
Batch ID: #SIM53-190424A
Sample ID: AZ89958
Client ID: ERH782

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
1-METHYLNAPHTHALENE	6.25	ND	4.17	4.54	66.7	72.6	41-115	8.5	20
2-METHYLNAPHTHALENE	6.25	ND	4.56	5.05	73.0	80.8	39-114	10.2	20
NAPHTHALENE	6.25	ND	4.39	4.86	70.2	77.8	43-114	10.2	20
SURROGATE: 2-METHYLNAPHTHALEN	6.25	NA	4.16	4.55	66.6	72.8	39-114		
SURROGATE: FLUORANTHENE-D10 (S)	6.25	NA	4.44	5.26	71.0	84.2	58-120		

Comments: _____

Primary	SPK	DUP
Quant Method :	L0326.M	L0326.M
Extraction Date :	04/24/19	04/24/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Linus	Linus
Run :	0426L008	0426L009
Initials :	JPR	

Printed: 04/30/19 3:48:26 PM
APPL MSD SCII

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Water
ID: 0326L002.D

SDG No:
Date Analyzed: 03/26/19
Instrument: Linus
Time Analyzed: 9:39

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		0.5 SIM 03/06/19	0326L005.D	03/26/19 10:39
2		1 SIM 03/06/19	0326L006.D	03/26/19 11:01
3		5 SIM 03/06/19	0326L007.D	03/26/19 11:23
4		10 SIM 03/06/19	0326L008.D	03/26/19 11:45
5		50 SIM 03/06/19	0326L009.D	03/26/19 12:08
6		100 SIM 03/06/19	0326L010.D	03/26/19 12:30
7		0.2 SIM 01/18/19	0326L012.D	03/26/19 15:55
8		0.1 SIM 01/18/19	0326L013.D	03/26/19 17:05
9		SS SIM 03/06/19	0326L014.D	03/26/19 17:27
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80% of mass 198	45.8
68	0 - 2.05% of mass 69	0.0
70	0 - 2% of mass 69	0.4
127	10 - 80% of mass 198	61.0
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198	100.0
199	5 - 9% of mass 198	6.0
275	10 - 60% of mass 198	18.6
365	1 - 100% of mass 198	2.2
441	0.01 - 24% of mass 442	14.3
442	50 - 150% of mass 198	78.8
443	15 - 24% of mass 442	19.8

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88687
Matrix: Water
ID: 0426L002.D

SDG No: 88687
Date Analyzed: 04/26/19
Instrument: Linus
Time Analyzed: 14:15

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		5 SIM 03/06/19	0426L003.D	04/26/19 14:31
2	Blank	190424A BLK 1/800	0426L004.D	04/26/19 15:45
3	Lab Control Spike	190424A LCS-2 1/800	0426L005.D	04/26/19 16:07
4	Lab Control SpikeD	190424A LCSD-2 1/800	0426L006.D	04/26/19 16:29
5	ERH782	AZ89958W30 1/800	0426L007.D	04/26/19 16:52
6		AZ89958W33 MS-2 1/80	0426L008.D	04/26/19 17:14
7		AZ89958W36 MSD-2 1/8	0426L009.D	04/26/19 17:36
8	ERH795	AZ89961W14 1/800	0426L011.D	04/26/19 18:21
9		5 SIM 03/06/19	0426L020.D	04/26/19 21:43
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80% of mass 198	55.2
68	0 - 2.05% of mass 69	0.0
70	0 - 2% of mass 69	0.6
127	10 - 80% of mass 198	63.7
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198	100.0
199	5 - 9% of mass 198	6.6
275	10 - 60% of mass 198	21.6
365	1 - 100% of mass 198	2.7
441	0.01 - 24% of mass 442	16.7
442	50 - 150% of mass 198	74.2
443	15 - 24% of mass 442	18.4

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88687
Matrix: Water
ID: 0426L021.D

SDG No: 88687
Date Analyzed: 04/30/19
Instrument: Linus
Time Analyzed: 10:41

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		5 SIM 03/06/19	0426L022.D	04/30/19 10:57
2	ERH783	AZ89959W07 1/800	0426L023.D	04/30/19 11:19
3		5 SIM 03/06/19	0426L028.D	04/30/19 16:35
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80% of mass 198	62.4
68	0 - 2.05% of mass 69	0.0
70	0 - 2% of mass 69	0.6
127	10 - 80% of mass 198	66.4
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198	100.0
199	5 - 9% of mass 198	6.8
275	10 - 60% of mass 198	20.1
365	1 - 100% of mass 198	2.7
441	0.01 - 24% of mass 442	17.7
442	50 - 150% of mass 198	61.8
443	15 - 24% of mass 442	20.2

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: SDG No.: 88687

Lab File ID (Standard): 0426L003.D Date Analyzed: 04/26/19

Instrument ID: Linus Time Analyzed: 14:31

GC Column: ID: Heated Purge: (Y/N)

		Napthalene-D8(IS)		Acenaphthene-D10(IS)		Phenanthrene-D10(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	48849	3.94	20245	5.96	34785	7.69
	UPPER LIMIT	97698	4.11	40490	6.13	69570	7.86
	LOWER LIMIT	24425	3.77	10123	5.79	17393	7.52
	SAMPLE NO.						
01	190424A BLK 1/800	61581	3.92	27671	5.96	51116	7.70
02	190424A LCS-2 1/800	61600	3.92	26296	5.96	49643	7.69
03	190424A LCSD-2 1/800	61904	3.94	27133	5.96	50790	7.69
04	AZ89958W30 1/800	58370	3.92	25961	5.96	47827	7.70
05	AZ89958W33 MS-2 1/8(	62418	3.94	26764	5.96	50768	7.69
06	AZ89958W36 MSD-2 1/	58680	3.94	25083	5.96	44186	7.69
07	AZ89961W14 1/800	47171	3.94	20307	5.96	38282	7.70
08	5 SIM 03/06/19	50811	3.94	20724	5.96	34168	7.70
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88687

Lab File ID (Standard): 0426L003.D Date Analyzed: 04/26/19

Instrument ID: Linus Time Analyzed: 14:31

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Chrysene-D12(IS)		Perylene-D12(IS)			
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	49781	10.78	44763	13.17		
	UPPER LIMIT	99562	10.95	89526	13.34		
	LOWER LIMIT	24891	10.61	22382	13.00		
	SAMPLE NO.						
01	190424A BLK 1/800	74152	10.80	72779	13.18		
02	190424A LCS-2 1/800	71987	10.78	68680	13.16		
03	190424A LCSD-2 1/800	73769	10.78	73093	13.16		
04	AZ89958W30 1/800	70314	10.80	70202	13.18		
05	AZ89958W33 MS-2 1/80	72806	10.78	69971	13.16		
06	AZ89958W36 MSD-2 1/	63853	10.78	60946	13.17		
07	AZ89961W14 1/800	56190	10.80	55428	13.20		
08	5 SIM 03/06/19	53412	10.79	50142	13.17		
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88687

Lab File ID (Standard): 0426L022.D Date Analyzed: 04/30/19

Instrument ID: Linus Time Analyzed: 10:57

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Napthalene-D8(IS)		Acenaphthene-D10(IS)		Phenanthrene-D10(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	53936	3.94	20646	5.96	35467	7.69
	UPPER LIMIT	107872	4.11	41292	6.13	70934	7.86
	LOWER LIMIT	26968	3.77	10323	5.79	17734	7.52
	SAMPLE NO.						
01	AZ89959W07 1/800	49061	3.94	20970	5.96	35160	7.70
02	5 SIM 03/06/19	57622	3.94	22676	5.96	37749	7.69
03							
04							
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

8A
INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: SDG No.: 88687

Lab File ID (Standard): 0426L022.D Date Analyzed: 04/30/19

Instrument ID: Linus Time Analyzed: 10:57

GC Column: ID: Heated Purge: (Y/N)

		Chrysene-D12(IS)		Perylene-D12(IS)			
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	53547	10.78	48683	13.17		
	UPPER LIMIT	107094	10.95	97366	13.34		
	LOWER LIMIT	26774	10.61	24342	13.00		
	SAMPLE NO.						
01	AZ89959W07 1/800	49151	10.82	49682	13.20		
02	5 SIM 03/06/19	54658	10.78	52173	13.17		
03							
04							
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

EPA 8270D

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

APPL ID.	Client Sample No.	SURROGATE: 2,4,6-TRIBROMOPHENOL (S)			SURROGATE: 2-FLUORBIPHENYL (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190424A-BLK	Blank	43-140	74.6		44-119	62.7	
190424A-LCS	Lab Control Spike	43-140	82.4		44-119	65.6	
190424A-LCSD	Lab Control SpikeD	43-140	80.8		44-119	66.3	
AZ89958	ERH782	43-140	85.3		44-119	69.2	
AZ89958-MS	Matrix Spike	43-140	74.8		44-119	59.3	
AZ89958-MSD	Matrix SpikeD	43-140	83.2		44-119	67.2	
AZ89959	ERH783	43-140	83.1		44-119	69.2	
AZ89961	ERH795	43-140	78.5		44-119	64.4	

Comments: Batch: #87DC5-190424A

EPA 8270D

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

APPL ID.	Client Sample No.	SURROGATE: 2-FLUOROPHENOL (S)			SURROGATE: NITROBENZENE-D5 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190424A-BLK	Blank	19-119	81.3		44-120	75.2	
190424A-LCS	Lab Control Spike	19-119	76.8		44-120	71.5	
190424A-LCSD	Lab Control SpikeD	19-119	84.0		44-120	76.1	
AZ89958	ERH782	19-119	87.4		44-120	81.3	
AZ89958-MS	Matrix Spike	19-119	64.0		44-120	65.3	
AZ89958-MSD	Matrix SpikeD	19-119	76.0		44-120	77.2	
AZ89959	ERH783	19-119	84.6		44-120	88.1	
AZ89961	ERH795	19-119	72.3		44-120	70.2	

Comments: Batch: #87DC5-190424A

EPA 8270D

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

APPL ID.	Client Sample No.	SURROGATE: PHENOL-D6 (S)			SURROGATE: TERPHENYL-D14 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190424A-BLK	Blank	10-115	75.4		50-134	60.2	
190424A-LCS	Lab Control Spike	10-115	70.4		50-134	69.4	
190424A-LCSD	Lab Control SpikeD	10-115	76.8		50-134	69.3	
AZ89958	ERH782	10-115	82.1		50-134	71.4	
AZ89958-MS	Matrix Spike	10-115	25.5		50-134	61.0	
AZ89958-MSD	Matrix SpikeD	10-115	73.6		50-134	71.4	
AZ89959	ERH783	10-115	80.9		50-134	72.1	
AZ89961	ERH795	10-115	69.2		50-134	66.0	

Comments: Batch: #87DC5-190424A

EPA 8270D

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

Blank ID: 190424A-BLK Time Analyzed: 1746

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	0411Y196	04/26/19 1746
190424A-LCS	Lab Control Spike	0411Y197	04/26/19 1813
190424A-LCSD	Lab Control SpikeD	0411Y198	04/26/19 1841
AZ89958	ERH782	0411Y199	04/26/19 1909
190424A-MS	Matrix Spike	0411Y200	04/26/19 1937
190424A-MSD	Matrix SpikeD	0411Y201	04/26/19 2005
AZ89959	ERH783	0411Y202	04/26/19 2033
AZ89961	ERH795	0411Y203	04/26/19 2101

Comments: Batch: #87DC5-190424A

Printed: 04/29/19 3:55:02 PM
Form 4, Blank Summary

Method Blank
EPA 8270D WATER

Blank Name/QCG: **190424W-90051 - 239806**
Batch ID: #87DC5-190424A

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/26/19
BLANK	SURROGATE: 2,4,6-TRIBROMOP	74.6	43-140			%	04/24/19	04/26/19
BLANK	SURROGATE: 2-FLUORBIPHENY	62.7	44-119			%	04/24/19	04/26/19
BLANK	SURROGATE: 2-FLUOROPHENO	81.3	19-119			%	04/24/19	04/26/19
BLANK	SURROGATE: NITROBENZENE-	75.2	44-120			%	04/24/19	04/26/19
BLANK	SURROGATE: PHENOL-D6 (S)	75.4	10-115			%	04/24/19	04/26/19
BLANK	SURROGATE: TERPHENYL-D14 (	60.2	50-134			%	04/24/19	04/26/19

Quant Method:Y0319NC.M
Run #:0411Y196
Instrument:Yoda
Sequence:Y190411
Initials:JPR

GC SC-Blank-REG MDLs-DOD
Printed: 04/29/19 3:54:39 PM

EPA 8270D

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

LCS ID: 190424A-LCS Time Analyzed: 1813

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	0411Y196	04/26/19 1746
190424A-LCS	Lab Control Spike	0411Y197	04/26/19 1813
190424A-LCSD	Lab Control SpikeD	0411Y198	04/26/19 1841
AZ89958	ERH782	0411Y199	04/26/19 1909
190424A-MS	Matrix Spike	0411Y200	04/26/19 1937
190424A-MSD	Matrix SpikeD	0411Y201	04/26/19 2005
AZ89959	ERH783	0411Y202	04/26/19 2033
AZ89961	ERH795	0411Y203	04/26/19 2101

Comments: Batch: #87DC5-190424A

Printed: 04/29/19 3:55:03 PM
Form 4, LCS Summary

Laboratory Control Spike Recoveries
EPA 8270D WATER

APPL ID: **190424W-90051 LCS - 239806**
Batch ID: #87DC5-190424A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
PHENOL	62.5	48.6	52.4	77.8	83.8	10-115	7.5	20
SURROGATE: 2,4,6-TRIBROMOPHENOL	250	206	202	82.4	80.8	43-140		
SURROGATE: 2-FLUORBIPHENYL (S)	125	82.0	82.9	65.6	66.3	44-119		
SURROGATE: 2-FLUOROPHENOL (S)	250	192	210	76.8	84.0	19-119		
SURROGATE: NITROBENZENE-D5 (S)	125	89.4	95.1	71.5	76.1	44-120		
SURROGATE: PHENOL-D6 (S)	250	176	192	70.4	76.8	10-115		
SURROGATE: TERPHENYL-D14 (S)	125	86.8	86.6	69.4	69.3	50-134		

Comments: _____

Primary	SPK	DUP
Quant Method :	Y0319NC.M	Y0319NC.M
Extraction Date :	04/24/19	04/24/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Yoda	Yoda
Run :	0411Y197	0411Y198
Initials :	JPR	

Printed: 04/29/19 3:54:46 PM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8270D WATER

APPL ID: **190424W-89958 MS - 239806**
Batch ID: #87DC5-190424A
Sample ID: AZ89958
Client ID: ERH782

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
PHENOL	62.5	ND	39.7	53.2	63.5	85.1	10-115	29.1 #	20
SURROGATE: 2,4,6-TRIBROMOPHENOL	250	NA	187	208	74.8	83.2	43-140		
SURROGATE: 2-FLUORBIPHENYL (S)	125	NA	74.1	84.0	59.3	67.2	44-119		
SURROGATE: 2-FLUOROPHENOL (S)	250	NA	160	190	64.0	76.0	19-119		
SURROGATE: NITROBENZENE-D5 (S)	125	NA	81.6	96.5	65.3	77.2	44-120		
SURROGATE: PHENOL-D6 (S)	250	NA	63.7	184	25.5	73.6	10-115		
SURROGATE: TERPHENYL-D14 (S)	125	NA	76.2	89.3	61.0	71.4	50-134		

= Recovery is outside QC limits.

Comments:

Primary	SPK	DUP
Quant Method :	Y0319NC.M	Y0319NC.M
Extraction Date :	04/24/19	04/24/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Yoda	Yoda
Run :	0411Y200	0411Y201
Initials :	JPR	

Printed: 04/29/19 3:54:55 PM
APPL MSD SCII

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Soil
ID: 0319Y002.D

SDG No:
Date Analyzed: 03/19/19
Instrument: Yoda
Time Analyzed: 18:15

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		50ug/mL 8270 03/13/1	0319Y003.D	03/19/19 18:31
2		4ug/mL 8270 03/13/19	0319Y004.D	03/19/19 18:58
3		5ug/mL 8270 03/13/19	0319Y005.D	03/19/19 19:26
4		10ug/mL 8270 03/13/1	0319Y006.D	03/19/19 19:54
5		20ug/mL 8270 03/13/1	0319Y007.D	03/19/19 20:22
6		40ug/mL 8270 03/13/1	0319Y008.D	03/19/19 20:49
7		60ug/mL 8270 03/13/1	0319Y009.D	03/19/19 21:17
8		80ug/mL 8270 03/13/1	0319Y010.D	03/19/19 21:44
9		100ug/mL 8270 03/13/	0319Y011.D	03/19/19 22:11
10		SS-8270 03/13/19	0319Y012.D	03/19/19 22:39
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80.04% of mass 198	47.2
68	0 - 2% of mass 69	0.0
70	0 - 2% of mass 69	0.6
127	10 - 80% of mass 198	58.4
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198.05	100.0
199	5 - 9% of mass 198	6.7
275	10 - 60% of mass 198	23.1
365	1 - 100% of mass 198	2.4
441	0.01 - 24% of mass 442	16.3
442	50 - 150% of mass 198.05	69.9
443	15 - 24% of mass 442	19.7

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88687
Matrix: Water
ID: 0411Y194.D

SDG No: 88687
Date Analyzed: 04/26/19
Instrument: Yoda
Time Analyzed: 17:03

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		50ug/ml 8270 3/13/19	0411Y195.D	04/26/19 17:18
2	Blank	190424A BLK 1/800	0411Y196.D	04/26/19 17:46
3	Lab Control Spike	190424A LCS-1 1/800	0411Y197.D	04/26/19 18:13
4	Lab Control SpikeD	190424A LCSD-1 1/800	0411Y198.D	04/26/19 18:41
5	ERH782	AZ89958W30 1/800	0411Y199.D	04/26/19 19:09
6		AZ89958W28 MS-1 1/80	0411Y200.D	04/26/19 19:37
7		AZ89958W34 MSD-1 1/8	0411Y201.D	04/26/19 20:05
8	ERH783	AZ89959W07 1/800	0411Y202.D	04/26/19 20:33
9	ERH795	AZ89961W14 1/800	0411Y203.D	04/26/19 21:01
10		50ug/ml 8270 3/13/19	0411Y212.D	04/27/19 1:12
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	10 - 80% of mass 198	49.9
68	0 - 2% of mass 69	0.0
70	0 - 2% of mass 69	0.3
127	10 - 80% of mass 198	60.5
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198	100.0
199	5 - 9% of mass 198	6.3
275	10 - 60% of mass 198	23.2
365	1 - 100% of mass 198	2.5
441	0.01 - 24% of mass 442	16.7
442	50 - 150% of mass 198	65.1
443	17 - 23% of mass 442	20.0

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88687

Lab File ID (Standard): 0411Y195.D Date Analyzed: 04/26/19

Instrument ID: Yoda Time Analyzed: 17:18

GC Column: _____ ID: Heated Purge: (Y/N) _____

		1,4-dichlorobenzene-D4(IS)		Napthalene-D8(IS)		Acenaphthene-D10(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	198066	5.28	854755	6.74	463907	8.77
	UPPER LIMIT	396132	5.45	1709510	6.91	927814	8.94
	LOWER LIMIT	99033	5.11	427378	6.57	231954	8.60
	SAMPLE NO.						
01	50ug/ml 8270 3/13/19	198066	5.28	854755	6.74	463907	8.77
02	190424A BLK 1/800	156918	5.28	730248	6.74	463695	8.77
03	190424A LCS-1 1/800	165950	5.28	746399	6.74	433513	8.77
04	190424A LCSD-1 1/800	155619	5.28	700505	6.74	423707	8.78
05	AZ89958W30 1/800	153767	5.28	688686	6.74	421225	8.77
06	AZ89958W28 MS-1 1/80	186949	5.28	825353	6.74	478252	8.78
07	AZ89958W34 MSD-1 1/	160044	5.28	712652	6.74	431893	8.78
08	AZ89959W07 1/800	147168	5.28	669492	6.74	437684	8.78
09	AZ89961W14 1/800	188577	5.28	825646	6.74	477760	8.77
10	50ug/ml 8270 3/13/19	172038	5.28	762569	6.74	411365	8.77
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

8A
INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: SDG No.: 88687

Lab File ID (Standard): 0411Y195.D Date Analyzed: 04/26/19

Instrument ID: Yoda Time Analyzed: 17:18

GC Column: ID: Heated Purge: (Y/N)

		Phenanthrene-D10(IS)		Chrysene-D12(IS)		Perylene-D12(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	776149	10.53	676093	13.64	642988	15.49
	UPPER LIMIT	1552298	10.70	1352186	13.81	1285976	15.66
	LOWER LIMIT	388075	10.36	338047	13.47	321494	15.32
	SAMPLE NO.						
01	50ug/ml 8270 3/13/19	776149	10.53	676093	13.64	642988	15.49
02	190424A BLK 1/800	781468	10.53	762900	13.64	695198	15.48
03	190424A LCS-1 1/800	741316	10.53	641284	13.64	492206	15.49
04	190424A LCSD-1 1/800	708836	10.53	626419	13.64	542737	15.48
05	AZ89958W30 1/800	719888	10.53	622136	13.64	582956	15.49
06	AZ89958W28 MS-1 1/8(	782042	10.53	685624	13.64	513274	15.48
07	AZ89958W34 MSD-1 1/	729278	10.53	634339	13.64	601146	15.48
08	AZ89959W07 1/800	745190	10.53	649177	13.64	611437	15.48
09	AZ89961W14 1/800	811658	10.53	696634	13.64	660531	15.48
10	50ug/ml 8270 3/13/19	684409	10.53	609183	13.64	569428	15.49
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

EPA 8270D

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Yoda

Blank ID: 190429A-BLK Time Analyzed: 1413

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-BLK	Blank	0430Y013	04/30/19 1413
190429A-LCS	Lab Control Spike	0430Y014	04/30/19 1437
190429A-LCSD	Lab Control SpikeD	0430Y015	04/30/19 1501
AZ89958	ERH782	0430Y016	04/30/19 1524
AZ89959	ERH783	0430Y017	04/30/19 1548
AZ89961	ERH795	0430Y018	04/30/19 1611
190429A-MS	Matrix Spike	0430Y019	04/30/19 1635
190429A-MSD	Matrix SpikeD	0430Y020	04/30/19 1659

Comments: Batch: #87DME-190429A

Method Blank
EPA 8270D MODIFIED WATER

Blank Name/QCG: **190429W-89958 - 239869**
Batch ID: #87DME-190429A

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	2-(2-METHOXYETHOXY)-ETHAN	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:YMEE0430.M
Run #:0430Y013
Instrument:Yoda
Sequence:Y190430M
Initials:MA

GC SC-Blank-REG MDLs-DOD
Printed: 05/01/19 9:30:03 AM

EPA 8270D

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Yoda

LCS ID: 190429A-LCS Time Analyzed: 1437

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-BLK	Blank	0430Y013	04/30/19 1413
190429A-LCS	Lab Control Spike	0430Y014	04/30/19 1437
190429A-LCSD	Lab Control SpikeD	0430Y015	04/30/19 1501
AZ89958	ERH782	0430Y016	04/30/19 1524
AZ89959	ERH783	0430Y017	04/30/19 1548
AZ89961	ERH795	0430Y018	04/30/19 1611
190429A-MS	Matrix Spike	0430Y019	04/30/19 1635
190429A-MSD	Matrix SpikeD	0430Y020	04/30/19 1659

Comments: Batch: #87DME-190429A

Laboratory Control Spike Recoveries

EPA 8270D MODIFIED WATER

APPL ID: **190429W-89958 LCS - 239869**
Batch ID: #87DME-190429A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
2-(2-METHOXYETHOXY)-ETHANOL	80.0	93.3	124	117	155 #	30-130	28.3 #	20

= Recovery is outside QC limits.

Comments:

Primary	SPK	DUP
Quant Method :	YMEE0430.M	YMEE0430.M
Extraction Date :	04/29/19	04/29/19
Analysis Date :	04/30/19	04/30/19
Instrument :	Yoda	Yoda
Run :	0430Y014	0430Y015
Initials :	MA	

Printed: 05/01/19 9:30:11 AM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8270D MODIFIED WATER

APPL ID: **190429W-89958 MS - 239869**
Batch ID: #87DME-190429A
Sample ID: AZ89958
Client ID: ERH782

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
2-(2-METHOXYETHOXY)-ETHANOL	80.0	ND	83.2	92.0	104	115	30-130	10.0	20

Comments: _____

Primary	SPK	DUP
Quant Method :	YMEE0430.M	YMEE0430.M
Extraction Date :	04/29/19	04/29/19
Analysis Date :	04/30/19	04/30/19
Instrument :	Yoda	Yoda
Run :	0430Y019	0430Y020
Initials :	MA	

Printed: 05/01/19 9:30:21 AM
APPL MSD SCII

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/23/19

Matrix: WATER Instrument: Loki

APPL ID.	Client Sample No.	SURROGATE: 1,2-DICHLOROETHANE-D4 (S)			SURROGATE: 4-BROMOFLUOROBENZENE (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190423AL-LCS	Lab Control Spike	81-118	94.4		85-114	92.4	
190423AL-LCSD	Lab Control SpikeD	81-118	90.8		85-114	89.6	
190423AL-BLK	Blank	81-118	106		85-114	85.3	
AZ89959	ERH783	81-118	113		85-114	85.7	

Comments: Batch: #86BTO-190423AL

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/23/19

Matrix: WATER Instrument: Loki

APPL ID.	Client Sample No.	SURROGATE: DIBROMOFLUOROMETHANE (S)			SURROGATE: TOLUENE-D8 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190423AL-LCS	Lab Control Spike	80-119	94.8		89-112	102	
190423AL-LCSD	Lab Control SpikeD	80-119	90.8		89-112	97.6	
190423AL-BLK	Blank	80-119	103		89-112	97.1	
AZ89959	ERH783	80-119	112		89-112	97.5	

Comments: Batch: #86BTO-190423AL

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Loki

APPL ID.	Client Sample No.	SURROGATE: 1,2-DICHLOROETHANE-D4 (S)			SURROGATE: 4-BROMOFLUOROBENZENE (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
AZ89958-MS	Matrix Spike	81-118	99.2		85-114	94.4	
AZ89958-MSD	Matrix SpikeD	81-118	97.6		85-114	89.2	
190424AT-LCS	Lab Control Spike	81-118	98.4		85-114	103	
190424AT-LCSD	Lab Control SpikeD	81-118	96.4		85-114	100	
190424AT-BLK	Blank	81-118	105		85-114	101	
AZ89957	ERH781	81-118	103		85-114	94.7	
AZ89960	ERH794	81-118	102		85-114	97.5	
AZ89958	ERH782	81-118	99.7		85-114	94.3	
AZ89961	ERH795	81-118	108		85-114	96.3	

Comments: Batch: #86BTO-190424AT

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Loki

APPL ID.	Client Sample No.	SURROGATE: DIBROMOFLUOROMETHANE (S)			SURROGATE: TOLUENE-D8 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
AZ89958-MS	Matrix Spike	80-119	99.6		89-112	99.6	
AZ89958-MSD	Matrix SpikeD	80-119	94.8		89-112	95.6	
190424AT-LCS	Lab Control Spike	80-119	99.2		89-112	101	
190424AT-LCSD	Lab Control SpikeD	80-119	96.4		89-112	98.4	
190424AT-BLK	Blank	80-119	107		89-112	103	
AZ89957	ERH781	80-119	104		89-112	100.0	
AZ89960	ERH794	80-119	105		89-112	103	
AZ89958	ERH782	80-119	103		89-112	99.2	
AZ89961	ERH795	80-119	110		89-112	101	

Comments: Batch: #86BTO-190424AT

EPA 8260B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Loki

Blank ID: 190423AL-BLK Time Analyzed: 0058

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190423AL-LCS	Lab Control Spike	0423L17	04/23/19 2332
190423AL-LCSD	Lab Control SpikeD	0423L18	04/24/19 0001
190423AL-BLK	Blank	0423L20	04/24/19 0058
AZ89959	ERH783	0423L26	04/24/19 0349

Comments: Batch: #86BTO-190423AL

Printed: 04/26/19 9:59:56 AM
Form 4, Blank Summary

Method Blank
EPA 8260B BTEX WATER

Blank Name/QCG: **190423W-89959 - 239733**
Batch ID: #86BTO-190423AL

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/24/19	04/24/19
BLANK	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/24/19	04/24/19
BLANK	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/24/19	04/24/19
BLANK	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/24/19	04/24/19
BLANK	SURROGATE: 1,2-DICHLOROET	106	81-118			%	04/24/19	04/24/19
BLANK	SURROGATE: 4-BROMOFLUORO	85.3	85-114			%	04/24/19	04/24/19
BLANK	SURROGATE: DIBROMOFLUOR	103	80-119			%	04/24/19	04/24/19
BLANK	SURROGATE: TOLUENE-D8 (S)	97.1	89-112			%	04/24/19	04/24/19

Quant Method:L0423W.M
Run #:0423L20
Instrument:Loki
Sequence:190423
Initials:DPO

GC SC-Blank-REG MDLs-DOD
Printed: 04/26/19 10:00:04 AM

EPA 8260B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Loki

Blank ID: 190424AT-BLK Time Analyzed: 0257

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424AT-MS	Matrix Spike	0423L36	04/24/19 0834
190424AT-MSD	Matrix SpikeD	0423L37	04/24/19 0903
190424AT-LCS	Lab Control Spike	0424T32	04/25/19 0132
190424AT-LCSD	Lab Control SpikeD	0424T33	04/25/19 0200
190424AT-BLK	Blank	0424T35	04/25/19 0257
AZ89957	ERH781	0424T37	04/25/19 0354
AZ89960	ERH794	0424T38	04/25/19 0423
AZ89958	ERH782	0424T39	04/25/19 0451
AZ89961	ERH795	0424T40	04/25/19 0520

Comments: Batch: #86BTO-190424AT

Printed: 04/26/19 9:59:56 AM
Form 4, Blank Summary

Method Blank
EPA 8260B BTEX WATER

Blank Name/QCG: **190424W-89958 - 239732**
Batch ID: #86BTO-190424AT

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
BLANK	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
BLANK	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
BLANK	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
BLANK	SURROGATE: 1,2-DICHLOROET	105	81-118			%	04/25/19	04/25/19
BLANK	SURROGATE: 4-BROMOFLUORO	101	85-114			%	04/25/19	04/25/19
BLANK	SURROGATE: DIBROMOFLUOR	107	80-119			%	04/25/19	04/25/19
BLANK	SURROGATE: TOLUENE-D8 (S)	103	89-112			%	04/25/19	04/25/19

Quant Method:T0424W.M
Run #:0424T35
Instrument:Thor
Sequence:T190423
Initials:DPO

GC SC-Blank-REG MDLs-DOD
Printed: 04/26/19 10:00:04 AM

EPA 8260B

Form 4

LCS Summary

Lab Name:	APPL, Inc.	SDG No:	88687
Case No:	88687	Date Analyzed:	04/23/19
Matrix:	WATER	Instrument:	Loki
LCS ID:	190423AL-LCS	Time Analyzed:	2332

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190423AL-LCS	Lab Control Spike	0423L17	04/23/19 2332
190423AL-LCSD	Lab Control SpikeD	0423L18	04/24/19 0001
190423AL-BLK	Blank	0423L20	04/24/19 0058
AZ89959	ERH783	0423L26	04/24/19 0349

Comments: Batch: #86BTO-190423AL

Printed: 04/26/19 9:59:55 AM
Form 4, LCS Summary

Laboratory Control Spike Recoveries
EPA 8260B BTEX WATER

APPL ID: **190423W-89959 LCS - 239733**
Batch ID: #86BTO-190423AL

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
BENZENE	10.00	9.46	8.70	94.6	87.0	79-120	8.4	20
ETHYLBENZENE	10.00	9.42	9.07	94.2	90.7	79-121	3.8	20
TOLUENE	10.00	9.86	9.41	98.6	94.1	80-121	4.7	20
XYLENES (TOTAL)	30.0	26.5	25.1	88.3	83.7	79-121	5.4	20
SURROGATE: 1,2-DICHLOROETHANE-D	25.0	23.6	22.7	94.4	90.8	81-118		
SURROGATE: 4-BROMOFLUOROBENZE	25.0	23.1	22.4	92.4	89.6	85-114		
SURROGATE: DIBROMOFLUOROMETH	25.0	23.7	22.7	94.8	90.8	80-119		
SURROGATE: TOLUENE-D8 (S)	25.0	25.4	24.4	102	97.6	89-112		

Comments: _____

Primary	SPK	DUP
Quant Method :	L0423W.M	L0423W.M
Extraction Date :	04/23/19	04/24/19
Analysis Date :	04/23/19	04/24/19
Instrument :	Loki	Loki
Run :	0423L17	0423L18
Initials :	DPO	

Printed: 04/26/19 10:00:00 AM
APPL Standard LCSD

EPA 8260B

Form 4

LCS Summary

Lab Name:	APPL, Inc.	SDG No:	88687
Case No:	88687	Date Analyzed:	04/25/19
Matrix:	WATER	Instrument:	Loki
LCS ID:	190424AT-LCS	Time Analyzed:	0132

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424AT-MS	Matrix Spike	0423L36	04/24/19 0834
190424AT-MSD	Matrix SpikeD	0423L37	04/24/19 0903
190424AT-LCS	Lab Control Spike	0424T32	04/25/19 0132
190424AT-LCSD	Lab Control SpikeD	0424T33	04/25/19 0200
190424AT-BLK	Blank	0424T35	04/25/19 0257
AZ89957	ERH781	0424T37	04/25/19 0354
AZ89960	ERH794	0424T38	04/25/19 0423
AZ89958	ERH782	0424T39	04/25/19 0451
AZ89961	ERH795	0424T40	04/25/19 0520

Comments: Batch: #86BTO-190424AT

Laboratory Control Spike Recoveries

EPA 8260B BTEX WATER

APPL ID: **190425W-89958 LCS - 239732**
Batch ID: #86BTO-190424AT

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
BENZENE	10.00	10.1	10.2	101	102	79-120	0.99	20
ETHYLBENZENE	10.00	10.2	10.2	102	102	79-121	0.0	20
TOLUENE	10.00	10.3	10.1	103	101	80-121	2.0	20
XYLENES (TOTAL)	30.0	31.7	31.3	106	104	79-121	1.3	20
SURROGATE: 1,2-DICHLOROETHANE-D	25.0	24.6	24.1	98.4	96.4	81-118		
SURROGATE: 4-BROMOFLUOROBENZE	25.0	25.8	25.0	103	100	85-114		
SURROGATE: DIBROMOFLUOROMETH	25.0	24.8	24.1	99.2	96.4	80-119		
SURROGATE: TOLUENE-D8 (S)	25.0	25.3	24.6	101	98.4	89-112		

Comments: _____

Primary	SPK	DUP
Quant Method :	T0424W.M	T0424W.M
Extraction Date :	04/25/19	04/25/19
Analysis Date :	04/25/19	04/25/19
Instrument :	Thor	Thor
Run :	0424T32	0424T33
Initials :	DPO	

Matrix Spike Recoveries

EPA 8260B BTEX WATER

APPL ID: **190424W-89958 MS - 239732**
Batch ID: #86BTO-190424AT
Sample ID: AZ89958
Client ID: ERH782

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
BENZENE	10.00	ND	8.70	8.66	87.0	86.6	79-120	0.46	20
ETHYLBENZENE	10.00	ND	8.50	8.32	85.0	83.2	79-121	2.1	20
TOLUENE	10.00	ND	9.10	9.05	91.0	90.5	80-121	0.55	20
XYLENES (TOTAL)	30.0	ND	24.3	23.7	81.0	79.0	79-121	2.5	20
SURROGATE: 1,2-DICHLOROETHANE-D	25.0	NA	24.8	24.4	99.2	97.6	81-118		
SURROGATE: 4-BROMOFLUOROBENZE	25.0	NA	23.6	22.3	94.4	89.2	85-114		
SURROGATE: DIBROMOFLUOROMETH	25.0	NA	24.9	23.7	99.6	94.8	80-119		
SURROGATE: TOLUENE-D8 (S)	25.0	NA	24.9	23.9	99.6	95.6	89-112		

Comments: _____

Primary	SPK	DUP
Quant Method :	L0423W.M	L0423W.M
Extraction Date :	04/24/19	04/24/19
Analysis Date :	04/24/19	04/24/19
Instrument :	Loki	Loki
Run :	0423L36	0423L37
Initials :	DPO	

Printed: 04/26/19 9:59:58 AM
APPL MSD SCII

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Water
ID: 0423L01.D

SDG No:
Date Analyzed: 04/23/19
Instrument: Loki
Time Analyzed: 16:08

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		0.3ug/L VOC STD 04/2	0423L04.D	04/23/19 17:21
2		0.5ug/L VOC STD 04/2	0423L05.D	04/23/19 17:49
3		1.0ug/L VOC STD 04/2	0423L06.D	04/23/19 18:18
4		2.0ug/L VOC STD 04/2	0423L07.D	04/23/19 18:46
5		5.0ug/L VOC STD 04/2	0423L08.D	04/23/19 19:15
6		10ug/L VOC STD 04/23	0423L09.D	04/23/19 19:44
7		20ug/L VOC STD 04/23	0423L10.D	04/23/19 20:12
8		40ug/L VOC STD 04/23	0423L11.D	04/23/19 20:41
9		100ug/L VOC STD 04/2	0423L12.D	04/23/19 21:09
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
50	15 - 40% of mass 95	17.7
75	30 - 60% of mass 95	51.7
95	100 - 100% of mass 95	100.0
96	5 - 9% of mass 95	7.0
173	0 - 2% of mass 174	1.8
174	50 - 100% of mass 95	80.6
175	5 - 9% of mass 174	8.7
176	94.95 - 101% of mass 174	95.0
177	5 - 9% of mass 176	7.3

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88687
Matrix: Water
ID: 0423L14.D

SDG No: 88687
Date Analyzed: 04/23/19
Instrument: Loki
Time Analyzed: 22:07

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		(SS)10ug/L VOC STD 0	0423L15.D	04/23/19 22:35
2	Lab Control Spike	190423A LCS 10ug/L	0423L17.D	04/23/19 23:32
3	Lab Control SpikeD	190423A LCSD 10ug/L	0423L18.D	04/24/19 0:01
4	Blank	190423A blk	0423L20.D	04/24/19 0:58
5	ERH783	AZ89959W02	0423L26.D	04/24/19 3:49
6		AZ89958W06 MS 10ug/L	0423L36.D	04/24/19 8:34
7		AZ89958W07 MSD 10ug/	0423L37.D	04/24/19 9:03
8		Ending CCV 10ug/L	0423L38.D	04/24/19 9:31
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
50	15 - 40% of mass 95	15.6
75	30 - 60% of mass 95	45.0
95	100 - 100% of mass 95	100.0
96	5 - 9% of mass 95	5.9
173	0 - 2% of mass 174	1.5
174	50 - 100% of mass 95	90.7
175	5 - 9% of mass 174	7.5
176	94.95 - 101% of mass 174	98.8
177	5 - 9% of mass 176	6.0

8A
INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88687

Lab File ID (Standard): 0423L09.D Date Analyzed: 04/23/19

Instrument ID: Loki Time Analyzed: 19:44

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Fluorobenzene (IS)		Chlorobenzene-D5 (IS)		1,4-Dichlorobenzene-D (IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	428928	6.02	351424	9.51	205184	12.07
	UPPER LIMIT	857856	6.19	702848	9.68	410368	12.24
	LOWER LIMIT	214464	5.85	175712	9.34	102592	11.90
	SAMPLE NO.						
01	(SS)10ug/L VOC STD 0	444224	6.02	385024	9.51	218816	12.07
02	190423A LCS 10ug/L (4	486784	6.02	405888	9.51	226432	12.07
03	190423A LCSD 10ug/L	525952	6.02	440384	9.52	246464	12.07
04	190423A blk	442432	6.02	383360	9.51	186048	12.07
05	AZ89959W02	400000	6.02	355840	9.52	164032	12.07
06	AZ89958W06 MS 10ug/	473280	6.02	388544	9.51	225216	12.07
07	AZ89958W07 MSD 10u	486592	6.02	406016	9.52	227136	12.07
08	Ending CCV 10ug/L	456192	6.02	369152	9.51	206720	12.07
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Water
ID: 0424T17.D

SDG No:
Date Analyzed: 04/24/19
Instrument: Thor
Time Analyzed: 18:24

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		0.3ug/L VOC STD 04/2	0424T19.D	04/24/19 19:21
2		0.5ug/L VOC STD 04/2	0424T20.D	04/24/19 19:50
3		1.0ug/L VOC STD 04/2	0424T21.D	04/24/19 20:18
4		2.0ug/L VOC STD 04/2	0424T22.D	04/24/19 20:47
5		5.0ug/L VOC STD 04/2	0424T23.D	04/24/19 21:15
6		10ug/L VOC STD 04/24	0424T24.D	04/24/19 21:44
7		20ug/L VOC STD 04/24	0424T25.D	04/24/19 22:12
8		40ug/L VOC STD 04/24	0424T26.D	04/24/19 22:41
9		100ug/L VOC STD 04/2	0424T27.D	04/24/19 23:09
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
50	15 - 40% of mass 95	18.1
75	30 - 60% of mass 95	51.9
95	100 - 100% of mass 95	100.0
96	5 - 9% of mass 95	7.0
173	0 - 2% of mass 174	1.8
174	50 - 100.05% of mass 95	98.4
175	5 - 9% of mass 174	8.0
176	95 - 101% of mass 174	98.4
177	5 - 9% of mass 176	6.5

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88687
Matrix: Water
ID: 0424T29.D

SDG No: 88687
Date Analyzed: 04/25/19
Instrument: Thor
Time Analyzed: 0:06

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		(SS)10ug/L VOC STD 0	0424T30.D	04/25/19 0:34
2	Lab Control Spike	190424A LCS 10ug/L	0424T32.D	04/25/19 1:32
3	Lab Control SpikeD	190424A LCSD 10ug/L	0424T33.D	04/25/19 2:00
4	Blank	190424A blk	0424T35.D	04/25/19 2:57
5	ERH781	AZ89957W04	0424T37.D	04/25/19 3:54
6	ERH794	AZ89960W03	0424T38.D	04/25/19 4:23
7	ERH782	AZ89958W08	0424T39.D	04/25/19 4:51
8	ERH795	AZ89961W03	0424T40.D	04/25/19 5:20
9		Ending CCV 10ug/L	0424T54.D	04/25/19 11:59
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
50	15 - 40% of mass 95	19.6
75	30 - 60% of mass 95	51.9
95	100 - 100% of mass 95	100.0
96	5 - 9% of mass 95	6.6
173	0 - 2% of mass 174	1.8
174	50 - 100.05% of mass 95	97.8
175	5 - 9% of mass 174	8.3
176	95 - 101% of mass 174	95.5
177	5 - 9% of mass 176	7.0

8A
INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: SDG No.: 88687

Lab File ID (Standard): 0424T24.D Date Analyzed: 04/24/19

Instrument ID: Thor Time Analyzed: 21:44

GC Column: ID: Heated Purge: (Y/N)

		Fluorobenzene (IS)		Chlorobenzene-D5 (IS)		1,4-Dichlorobenzene-D (IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	374150	5.81	374464	9.05	237248	11.37
	UPPER LIMIT	748300	5.98	748928	9.22	474496	11.54
	LOWER LIMIT	187075	5.64	187232	8.88	118624	11.20
	SAMPLE NO.						
01	(SS)10ug/L VOC STD 0	377280	5.81	373696	9.05	232384	11.37
02	190424A LCS 10ug/L	373824	5.81	371520	9.05	229632	11.37
03	190424A LCSD 10ug/L	381696	5.81	381120	9.05	243008	11.37
04	190424A blk	358848	5.81	358656	9.05	202112	11.37
05	AZ89957W04	364992	5.81	369984	9.05	205184	11.37
06	AZ89960W03	364288	5.81	360960	9.05	204864	11.37
07	AZ89958W08	352256	5.81	349632	9.05	200320	11.37
08	AZ89961W03	346176	5.81	359872	9.05	198464	11.37
09	Ending CCV 10ug/L	366848	5.81	372544	9.05	224896	11.37
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/23/19

Matrix: WATER Instrument: Max

APPL ID.	Client Sample No.	SURROGATE: 4-BROMOFLUOROBENZENE (S)					
		Limits	Result	Qualifier	Limits	Result	Qualifier
190423AM-LCS	Lab Control Spike	85-114	105				
190423AM-LCSD	Lab Control SpikeD	85-114	102				
190423AM-BLK	Blank	85-114	107				
AZ89957	ERH781	85-114	105				
AZ89960	ERH794	85-114	101				
AZ89958	ERH782	85-114	102				
AZ89959	ERH783	85-114	101				
AZ89961	ERH795	85-114	107				
AZ89958-MS	Matrix Spike	85-114	103				
AZ89958-MSD	Matrix SpikeD	85-114	104				

Comments: Batch: #GRO86-190423AM

EPA 8260B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/23/19

Matrix: WATER Instrument: Max

Blank ID: 190423AM-BLK Time Analyzed: 1531

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190423AM-LCS	Lab Control Spike	0423M04	04/23/19 1405
190423AM-LCSD	Lab Control SpikeD	0423M05	04/23/19 1434
190423AM-BLK	Blank	0423M07	04/23/19 1531
AZ89957	ERH781	0423M08	04/23/19 1559
AZ89960	ERH794	0423M09	04/23/19 1627
AZ89958	ERH782	0423M10	04/23/19 1656
AZ89959	ERH783	0423M11	04/23/19 1724
AZ89961	ERH795	0423M12	04/23/19 1753
190423AM-MS	Matrix Spike	0423M13	04/23/19 1821
190423AM-MSD	Matrix SpikeD	0423M14	04/23/19 1850

Comments: Batch: #GRO86-190423AM

Printed: 04/24/19 9:07:04 AM
Form 4, Blank Summary

Method Blank
EPA 8260B GRO WATER

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Blank Name/QCG: **190423W-89958 - 239658**
Batch ID: #GRO86-190423AM

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/23/19	04/23/19
BLANK	SURROGATE: 4-BROMOFLUORO	107	85-114			%	04/23/19	04/23/19

Quant Method: MSUR324.M
Run #: 0423M07
Instrument: Max
Sequence: M190401
Initials: DG

GC SC-Blank-REG MDLs-DOD
Printed: 04/24/19 9:07:16 AM

EPA 8260B

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/23/19

Matrix: WATER Instrument: Max

LCS ID: 190423AM-LCS Time Analyzed: 1405

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190423AM-LCS	Lab Control Spike	0423M04	04/23/19 1405
190423AM-LCSD	Lab Control SpikeD	0423M05	04/23/19 1434
190423AM-BLK	Blank	0423M07	04/23/19 1531
AZ89957	ERH781	0423M08	04/23/19 1559
AZ89960	ERH794	0423M09	04/23/19 1627
AZ89958	ERH782	0423M10	04/23/19 1656
AZ89959	ERH783	0423M11	04/23/19 1724
AZ89961	ERH795	0423M12	04/23/19 1753
190423AM-MS	Matrix Spike	0423M13	04/23/19 1821
190423AM-MSD	Matrix SpikeD	0423M14	04/23/19 1850

Comments: Batch: #GRO86-190423AM

Printed: 04/24/19 9:07:01 AM
Form 4, LCS Summary

Laboratory Control Spike Recoveries

EPA 8260B GRO WATER

APPL ID: **190423W-89958 LCS - 239658**
Batch ID: #GRO86-190423AM

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
GASOLINE RANGE ORGANICS	300	318	302	106	101	78-122	5.2	20
SURROGATE: 4-BROMOFLUOROBENZE	25.0	26.3	25.6	105	102	85-114		

Comments: _____

Primary	SPK	DUP
Quant Method :	MSUR324.M	MSUR324.M
Extraction Date :	04/23/19	04/23/19
Analysis Date :	04/23/19	04/23/19
Instrument :	Max	Max
Run :	0423M04	0423M05
Initials :	DG	

Printed: 04/24/19 9:07:11 AM
APPL Standard LCSD

Matrix Spike Recoveries
EPA 8260B GRO WATER

APPL ID: **190423W-89958 MS - 239658**
Batch ID: #GRO86-190423AM
Sample ID: AZ89958
Client ID: ERH782

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
GASOLINE RANGE ORGANICS	300	ND	277	285	92.3	95.0	78-122	2.8	20
SURROGATE: 4-BROMOFLUOROBENZE	25.0	NA	25.8	25.9	103	104	85-114		

Comments: _____

Primary	SPK	DUP
Quant Method :	MSUR324.M	MSUR324.M
Extraction Date :	04/23/19	04/23/19
Analysis Date :	04/23/19	04/23/19
Instrument :	Max	Max
Run :	0423M13	0423M14
Initials :	DG	

Printed: 04/24/19 9:07:08 AM
APPL MSD SCII

RSK 175

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Rocky

Blank ID: 190429A-BLK Time Analyzed: 1112

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-LCS	Lab Control Spike	19042900	04/29/19 1103
190429A-LCSD	Lab Control SpikeD	19042901	04/29/19 1107
190429A-BLK	Blank	19042902	04/29/19 1112
AZ89957	ERH781	19042903	04/29/19 1114
AZ89960	ERH794	19042904	04/29/19 1117
AZ89961	ERH795	19042905	04/29/19 1121

Comments: Batch: #RSKME-190429A

Printed: 04/29/19 12:10:38 PM
Form 4, Blank Summary

Method Blank
METHANE

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Blank Name/QCG: **190429W-90051 - 239793**
Batch ID: #RSKME-190429A

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method: RSK0311.M
Run #: 19042902
Instrument: Rocky
Sequence: 190311
Initials: CMO

GC SC-Blank-REG MDLs-DOD
Printed: 04/29/19 12:10:49 PM

RSK 175

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 05/03/19

Matrix: WATER Instrument: Rocky

Blank ID: 190503A-BLK Time Analyzed: 1039

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190503A-LCS	Lab Control Spike	19050300	05/03/19 1033
190503A-LCSD	Lab Control SpikeD	19050301	05/03/19 1036
190503A-BLK	Blank	19050302	05/03/19 1039
AZ89959	ERH783	19050303	05/03/19 1041
190503A-MS	Matrix Spike	19050304	05/03/19 1044
190503A-MSD	Matrix SpikeD	19050306	05/03/19 1049

Comments: Batch: #RSKME-190503A

Printed: 05/03/19 11:52:21 AM
Form 4, Blank Summary

Method Blank
METHANE

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Blank Name/QCG: **190503W-89959 - 239958**
Batch ID: #RSKME-190503A

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method:RSK0311.M
Run #:19050302
Instrument:Rocky
Sequence:190311
Initials:CMO

GC SC-Blank-REG MDLs-DOD
Printed: 05/03/19 11:53:08 AM

RSK 175

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Rocky

LCS ID: 190429A-LCS Time Analyzed: 1103

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-LCS	Lab Control Spike	19042900	04/29/19 1103
190429A-LCSD	Lab Control SpikeD	19042901	04/29/19 1107
190429A-BLK	Blank	19042902	04/29/19 1112
AZ89957	ERH781	19042903	04/29/19 1114
AZ89960	ERH794	19042904	04/29/19 1117
AZ89961	ERH795	19042905	04/29/19 1121

Comments: Batch: #RSKME-190429A

Laboratory Control Spike Recoveries
METHANE

APPL ID: **190429W-90051 LCS - 239793**
Batch ID: #RSKME-190429A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
METHANE	83.4	84.9	82.4	102	98.8	72-125	3.0	30

Comments:

Primary	SPK	DUP
Quant Method :	RSK0311.M	RSK0311.M
Extraction Date :	04/29/19	04/29/19
Analysis Date :	04/29/19	04/29/19
Instrument :	Rocky	Rocky
Run :	19042900	19042901
Initials :	CMO	

Printed: 04/29/19 12:10:41 PM
APPL Standard LCSD

RSK 175

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 05/03/19

Matrix: WATER Instrument: Rocky

LCS ID: 190503A-LCS Time Analyzed: 1033

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190503A-LCS	Lab Control Spike	19050300	05/03/19 1033
190503A-LCSD	Lab Control SpikeD	19050301	05/03/19 1036
190503A-BLK	Blank	19050302	05/03/19 1039
AZ89959	ERH783	19050303	05/03/19 1041
190503A-MS	Matrix Spike	19050304	05/03/19 1044
190503A-MSD	Matrix SpikeD	19050306	05/03/19 1049

Comments: Batch: #RSKME-190503A

Printed: 05/03/19 11:52:11 AM
Form 4, LCS Summary

Laboratory Control Spike Recoveries
METHANE

APPL ID: **190503W-89959 LCS - 239958**
Batch ID: #RSKME-190503A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
METHANE	83.4	69.1	78.4	82.9	94.0	72-125	12.6	30

Comments: _____

Primary	SPK	DUP
Quant Method :	RSK0311.M	RSK0311.M
Extraction Date :	05/03/19	05/03/19
Analysis Date :	05/03/19	05/03/19
Instrument :	Rocky	Rocky
Run :	19050300	19050301
Initials :	CMO	

Matrix Spike Recoveries

METHANE

APPL ID: **190503W-89959 MS - 239958**
Batch ID: #RSKME-190503A
Sample ID: AZ89959
Client ID: ERH783

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
METHANE	83.4	ND	81.5	80.0	97.7	95.9	72-125	1.9	30

Comments: _____

Primary	SPK	DUP
Quant Method :	RSK0311.M	RSK0311.M
Extraction Date :	05/03/19	05/03/19
Analysis Date :	05/03/19	05/03/19
Instrument :	Rocky	Rocky
Run :	19050304	19050306
Initials :	CMO	

Printed: 05/03/19 11:52:28 AM
APPL MSD SCII

EPA 300.0

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Charlie

Blank ID: 190424A-BLK Time Analyzed: 1149

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	10	04/24/19 1149
190424A-LCS	Lab Control Spike	11	04/24/19 1157
190424A-LCSD	Lab Control SpikeD	12	04/24/19 1204
AZ89958	ERH782	13	04/24/19 1212
190424A-MS	Matrix Spike	14	04/24/19 1219
190424A-MSD	Matrix SpikeD	15	04/24/19 1226
AZ89961	ERH795	16	04/24/19 1234
AZ89958	ERH782	17	04/24/19 1241
AZ89961	ERH795	18	04/24/19 1249

Comments: Batch: #300W-190424A

EPA 353.2

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: EVE

Blank ID: 190424A-BLK Time Analyzed: 1537

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	12	04/24/19 1537
190424A-LCS	Lab Control Spike	13	04/24/19 1539
190424A-LCSD	Lab Control SpikeD	14	04/24/19 1541
AZ89958	ERH782	16	04/24/19 1552
190424A-MS	Matrix Spike	19	04/24/19 1556
190424A-MSD	Matrix SpikeD	20	04/24/19 1557
AZ89961	ERH795	21	04/24/19 1558

Comments: Batch: #35OF-190424A

SM 2320B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Tiamo

Blank ID: 190424A-BLK Time Analyzed: 1727

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	1	04/24/19 1727
190424A-LCS	Lab Control Spike	2	04/24/19 1730
AZ89961	ERH795	20	04/24/19 2126
190424A-LCSD	Lab Control SpikeD	3	04/24/19 1740
190424A-DUP	Duplicate	4	04/24/19 1755
AZ89958	ERH782	4	04/24/19 1750
190424A-MS	Matrix Spike	6	04/24/19 1801
190424A-MSD	Matrix SpikeD	7	04/24/19 1814

Comments: Batch: #232W-190424A

SM3500FeB

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/23/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190423A-BLK Time Analyzed: 1611

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190423A-BLK	Blank	24	04/23/19 1611
190423A-LCS	Lab Control Spike	25	04/23/19 1612
190423A-LCSD	Lab Control SpikeD	26	04/23/19 1613
AZ89958	ERH782	27	04/23/19 1614
AZ89961	ERH795	30	04/23/19 1617

Comments: Batch: #35FE-190423A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190417A-BLK Time Analyzed: 1739

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190417A-BLK	Blank	22	04/24/19 1739
190417A-LCS	Lab Control Spike	23	04/24/19 1813
190417A-LCSD	Lab Control SpikeD	24	04/24/19 1848
AZ89961	ERH795	36	04/25/19 0140

Comments: Batch: #DOCW5-190417A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 05/03/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190502B-BLK Time Analyzed: 0446

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502B-BLK	Blank	24	05/03/19 0446
190502B-LCS	Lab Control Spike	25	05/03/19 0520
190502B-LCSD	Lab Control SpikeD	26	05/03/19 0555
AZ89958	ERH782	27	05/03/19 0630

Comments: Batch: #DOCW5-190502B

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190417A-BLK Time Analyzed: 1739

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190417A-BLK	Blank	22	04/24/19 1739
190417A-LCS	Lab Control Spike	23	04/24/19 1813
190417A-LCSD	Lab Control SpikeD	24	04/24/19 1848
AZ89961	ERH795	35	04/25/19 0109

Comments: Batch: #TOCW5-190417A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190502A-BLK Time Analyzed: 1740

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502A-BLK	Blank	4	05/02/19 1740
190502A-LCS	Lab Control Spike	5	05/02/19 1814
190502A-LCSD	Lab Control SpikeD	6	05/02/19 1849
AZ89958	ERH782	7	05/02/19 1924

Comments: Batch: #TOCW5-190502A

WETLAB BLANK

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Analyte	Result	LOQ	LOD	DL	Units	Prep Date	Analysis Date	QC Group
SM 2320B	BICARBONATE AS	2.9	2.0	1.70	0.85	mg/L	04/24/19	04/24/19	#232W-190424A-AZ89958
SM 2320B	CARBONATE AS C	1.70 U	2.0	1.70	0.85	mg/L	04/24/19	04/24/19	#232W-190424A-AZ89958
SM 2320B	TOTAL ALKALINITY	2.9	2.0	1.70	0.85	mg/L	04/24/19	04/24/19	#232W-190424A-AZ89958
EPA 300.0	CHLORIDE	0.27 J	1.0	0.20	0.08	mg/L	04/24/19	04/24/19	#300W-190424A-AZ89958
EPA 300.0	NITRATE	0.18 U	0.5	0.18	0.04	mg/L	04/24/19	04/24/19	#300W-190424A-AZ89958
EPA 300.0	SULFATE	0.19 J	1.0	0.20	0.09	mg/L	04/24/19	04/24/19	#300W-190424A-AZ89958
SM3500Fe	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	04/23/19	04/23/19	#35FE-190423A-AZ89958
EPA 353.2	NITRATE-NITRITE-	0.090 U	0.10	0.090	0.028	mg/L	04/24/19	04/24/19	#35OF-190424A-AZ89958
SW846 90	DISSOLVED ORGA	0.350 U	0.93	0.350	0.130	mg/L	05/03/19	05/03/19	#DOCW5-190502B-AZ89958
SW846 90	TOTAL ORGANIC C	0.350 U	0.93	0.350	0.130	mg/L	05/02/19	05/02/19	#TOCW5-190502A-AZ89958
SW846 90	DISSOLVED ORGA	0.27 J	0.93	0.350	0.130	mg/L	04/24/19	04/24/19	#DOCW5-190417A-AZ89961
SW846 90	TOTAL ORGANIC C	0.27 J	0.93	0.350	0.130	mg/L	04/24/19	04/24/19	#TOCW5-190417A-AZ89961

J = Estimated value.

Wetlab SC-Blank-REG MDLs
Printed: 05/13/19 5:35:34 PM

EPA 300.0

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Charlie

LCS ID: 190424A-LCS Time Analyzed: 1157

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	10	04/24/19 1149
190424A-LCS	Lab Control Spike	11	04/24/19 1157
190424A-LCSD	Lab Control SpikeD	12	04/24/19 1204
AZ89958	ERH782	13	04/24/19 1212
190424A-MS	Matrix Spike	14	04/24/19 1219
190424A-MSD	Matrix SpikeD	15	04/24/19 1226
AZ89961	ERH795	16	04/24/19 1234
AZ89958	ERH782	17	04/24/19 1241
AZ89961	ERH795	18	04/24/19 1249

Comments: Batch: #300W-190424A

EPA 353.2

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: EVE

LCS ID: 190424A-LCS Time Analyzed: 1539

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	12	04/24/19 1537
190424A-LCS	Lab Control Spike	13	04/24/19 1539
190424A-LCSD	Lab Control SpikeD	14	04/24/19 1541
AZ89958	ERH782	16	04/24/19 1552
190424A-MS	Matrix Spike	19	04/24/19 1556
190424A-MSD	Matrix SpikeD	20	04/24/19 1557
AZ89961	ERH795	21	04/24/19 1558

Comments: Batch: #35OF-190424A

SM 2320B

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Tiamo

LCS ID: 190424A-LCS Time Analyzed: 1730

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	1	04/24/19 1727
190424A-LCS	Lab Control Spike	2	04/24/19 1730
AZ89961	ERH795	20	04/24/19 2126
190424A-LCSD	Lab Control SpikeD	3	04/24/19 1740
190424A-DUP	Duplicate	4	04/24/19 1755
AZ89958	ERH782	4	04/24/19 1750
190424A-MS	Matrix Spike	6	04/24/19 1801
190424A-MSD	Matrix SpikeD	7	04/24/19 1814

Comments: Batch: #232W-190424A

SM3500FeB

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/23/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190423A-LCS Time Analyzed: 1612

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190423A-BLK	Blank	24	04/23/19 1611
190423A-LCS	Lab Control Spike	25	04/23/19 1612
190423A-LCSD	Lab Control SpikeD	26	04/23/19 1613
AZ89958	ERH782	27	04/23/19 1614
AZ89961	ERH795	30	04/23/19 1617

Comments: Batch: #35FE-190423A

SW846 9060A

Form 4

LCS Summary

Lab Name:	APPL, Inc.	SDG No:	88687
Case No:	88687	Date Analyzed:	05/03/19
Matrix:	WATER	Instrument:	Manual Spec
LCS ID:	190502B-LCS	Time Analyzed:	0520

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502B-BLK	Blank	24	05/03/19 0446
190502B-LCS	Lab Control Spike	25	05/03/19 0520
190502B-LCSD	Lab Control SpikeD	26	05/03/19 0555
AZ89958	ERH782	27	05/03/19 0630

Comments: Batch: #DOCW5-190502B

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190502A-LCS Time Analyzed: 1814

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502A-BLK	Blank	4	05/02/19 1740
190502A-LCS	Lab Control Spike	5	05/02/19 1814
190502A-LCSD	Lab Control SpikeD	6	05/02/19 1849
AZ89958	ERH782	7	05/02/19 1924

Comments: Batch: #TOCW5-190502A

Laboratory Control Spike Recoveries

WETLAB

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recov	DUP % Recov	RPD	RPD Max	QC Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group
EPA 300.0	CHLORIDE	25.0	24.9	25.0	99.6	100	0.40	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#300W-190424A-AZ89958
EPA 300.0	NITRATE	22.1	22.6	22.6	102	102	0.0	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#300W-190424A-AZ89958
EPA 300.0	SULFATE	25.0	24.7	24.7	98.8	98.8	0.0	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#300W-190424A-AZ89958
EPA 353.2	NITRATE-NITRITE-N	3.00	2.90	3.02	96.7	101	4.1	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#35OF-190424A-AZ89958
SM 2320B	BICARBONATE AS CACO3	250	233	229	93.2	91.6	1.7	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#232W-190424A-AZ89958
SM 2320B	TOTAL ALKALINITY AS CA	250	233	229	93.2	91.6	1.7	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#232W-190424A-AZ89958
SM3500Fe	FERROUS IRON	3.00	3.03	3.09	101	103	2.0	20	80-120	04/23/19	04/23/19	04/23/19	04/23/19	#35FE-190423A-AZ89958
SW846 906	DISSOLVED ORGANIC CA	2.5	2.46	2.45	98.4	98.0	0.41	20	90-110	05/03/19	05/03/19	05/03/19	05/03/19	#DOCW5-190502B-AZ899
SW846 906	TOTAL ORGANIC CARBON		2.43	2.37	NA	NA		20	90-110	05/02/19	05/02/19	05/02/19	05/02/19	#TOCW5-190502A-AZ8995

Comments: _____

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190417A-LCS Time Analyzed: 1813

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190417A-BLK	Blank	22	04/24/19 1739
190417A-LCS	Lab Control Spike	23	04/24/19 1813
190417A-LCSD	Lab Control SpikeD	24	04/24/19 1848
AZ89961	ERH795	36	04/25/19 0140

Comments: Batch: #DOCW5-190417A

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88687

Case No: 88687 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190417A-LCS Time Analyzed: 1813

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190417A-BLK	Blank	22	04/24/19 1739
190417A-LCS	Lab Control Spike	23	04/24/19 1813
190417A-LCSD	Lab Control SpikeD	24	04/24/19 1848
AZ89961	ERH795	35	04/25/19 0109

Comments: Batch: #TOCW5-190417A

Laboratory Control Spike Recoveries

WETLAB

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recov	DUP % Recov	RPD	RPD Max	QC Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group
SW846 906	DISSOLVED ORGANIC CA	2.50	2.11	2.09	84.4 #	83.6 #	0.95	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#DOCW5-190417A-AZ899
SW846 906	TOTAL ORGANIC CARBON		2.11	2.09	NA	NA		20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#TOCW5-190417A-AZ8996

= Recovery is outside QC limits.

Comments: _____

WETLAB

Sample/Sample Duplicate Results

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

Sample ID: AZ89958
Client ID: ERH782

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88687

Method	Analyte	Sample ID	Sample Result	Sample Dup Result	RPD	RPD Max	MDL	PQL	Units	Sample Extract Date	Sample Analysis Date	Sample Dup Extract Date	Sample Dup Analysis Date
SM 2320B	BICARBONATE A	AZ89958	58.7	61.2	4.2	20	0.85	2.0	mg/L	04/24/19	04/24/19	04/24/19	04/24/19
SM 2320B	CARBONATE AS	AZ89958	Not detected	Not detected	0.0	20	0.85	2.0	mg/L	04/24/19	04/24/19	04/24/19	04/24/19
SM 2320B	TOTAL ALKALINIT	AZ89958	58.7	61.2	4.2	20	0.85	2.0	mg/L	04/24/19	04/24/19	04/24/19	04/24/19

Printed: 05/07/19 11:17:25 AM

Dup-SCII (NoMC)

Matrix Spike Recoveries

WETLAB

APPL ID: **190424W-89958 MS - 239920**

Sample ID: AZ89958

Client ID: ERH782

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	Matrix Res mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recovery	DUP % Recovery	RPD	RPD Max	Recovery Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group	QC Sample
EPA 300.0	CHLORIDE	25.0	108	155	155	188 #	188 #	0.0	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	239920	AZ89958
EPA 300.0	NITRATE	22.1	2.6	25.5	25.5	104	104	0.0	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	239920	AZ89958
EPA 300.0	SULFATE	25.0	17.1	44.0	44.0	108	108	0.0	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	239920	AZ89958
EPA 353.2	NITRATE-NITRITE-N	3.23	0.66	3.86	3.99	99.1	103	3.3	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	239882	AZ89958
SM 2320B	BICARBONATE AS CA	250	58.7	286	282	90.9	89.3 #	1.4	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	239829	AZ89958
SM 2320B	TOTAL ALKALINITY AS	250	58.7	286	282	90.9	89.3 #	1.4	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	239829	AZ89958

= Recovery is outside QC limits.

Comments: _____

ORGANICS
Calibration Data

TPH Extractables
TPHD0411

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/11/19
Matrix: Water Instrument: Apollo
Initials: DP

411002.D 411003.D 411004 D 411005.D 411006 D 411007.D

		Compound	1	2	3	4	5	6					Avg	%RSD	Type	r^2	Q
1	HATM	Diesel (C10-C28)	2837152	2034725	1979181	1939051	1931316	1928839					2108377	17	HATM		
2	HBTM	Motor Oil (C18-C36)	1663438	1313229	1317092	1314473	1324143	1347438					1379969	10	HBTM		
3	SA	Ortho-Terphenyl(S)	2331995	1997948	2029193	1934422	1946955	1901973					2023748	7.8	SA		
4	SA	Octacosane(S)	2126705	1844471	1831603	1894540	1808281	1847266					1892144	6.3	SA		
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	
25																	
26																	
27																	
28																	
29																	
30																	
31																	
32																	
33																	
34																	
35																	

1.177002

Quantitation Report (Not Reviewed)

Data File : G:\APOLLO\DATA\190411\411002.D Vial: 2
Acq On : 4-11-19 12:41:17 Operator: DP
Sample : Diesel / Motor Oil - 1 1/15/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 18:03 2019 Quant Results File: TPHD0411.RES


Method : G:\APOLLO\DATA\190411\TPHD0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 18:01:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SA Ortho-Terphenyl(S)	6.33	2331995	0.576 ppb
Surrogate Spike 30.000	Recovery =		1.92%
4) SA Octacosane(S)	8.23	2126705	0.562 ppb
Surrogate Spike 30.000	Recovery =		1.87%
Target Compounds			
1) HATM Diesel (C10-C28)	5.03	56743040	13.457 ppb
2) HBTM Motor Oil (C18-C36)	7.96	33268761	12.054 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411002.D
Sample : Diesel / Motor Oil - 1 1/15/19





Quantitation Report (Not Reviewed)

Data File : G:\APOLLO\DATA\190411\411003.D Vial: 3
Acq On : 4-11-19 13:00:16 Operator: DP
Sample : Diesel / Motor Oil - 2 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 18:03 2019 Quant Results File: TPHD0411.RES


Method : G:\APOLLO\DATA\190411\TPHD0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 18:01:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SA Ortho-Terphenyl(S)	6.33	9989738	2.468 ppb
Surrogate Spike 30.000	Recovery =		8.23%
4) SA Octacosane(S)	8.22	9222354	2.437 ppb
Surrogate Spike 30.000	Recovery =		8.12%
Target Compounds			
1) HATM Diesel (C10-C28)	5.03	203472522	48.253 ppb
2) HBTM Motor Oil (C18-C36)	7.96	131322878	47.582 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411003.D
Sample : Diesel / Motor Oil - 2 4/11/19





Quantitation Report (Not Reviewed)

Data File : G:\APOLLO\DATA\190411\411004.D Vial: 4
Acq On : 4-11-19 13:19:58 Operator: DP
Sample : Diesel / Motor Oil - 3 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 18:03 2019 Quant Results File: TPHD0411.RES


Method : G:\APOLLO\DATA\190411\TPHD0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 18:01:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SA Ortho-Terphenyl(S)	6.33	50729819	12.534 ppb
Surrogate Spike 30.000	Recovery =		41.78%
4) SA Octacosane(S)	8.23	45790065	12.100 ppb
Surrogate Spike 30.000	Recovery =		40.33%
Target Compounds			
1) HATM Diesel (C10-C28)	5.03	989590312	234.681 ppb
2) HBTM Motor Oil (C18-C36)	7.96	658546116	238.609 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411004.D
Sample : Diesel / Motor Oil - 3 4/11/19





Quantitation Report (Not Reviewed)

Data File : G:\APOLLO\DATA\190411\411005.D Vial: 5
Acq On : 4-11-19 13:39:40 Operator: DP
Sample : Diesel / Motor Oil - 4 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 18:03 2019 Quant Results File: TPHD0411.RES


Method : G:\APOLLO\DATA\190411\TPHD0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 18:01:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SA Ortho-Terphenyl(S)	6.34	193442220	47.793 ppb
Surrogate Spike 30.000	Recovery =		159.31%
4) SA Octacosane(S)	8.24	189453974	50.063 ppb
Surrogate Spike 30.000	Recovery =		166.88%
Target Compounds			
1) HATM Diesel (C10-C28)	5.03	3878102978	919.689 ppb
2) HBTM Motor Oil (C18-C36)	7.96	2628945142	952.538 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411005.D
Sample : Diesel / Motor Oil - 4 4/11/19





Quantitation Report (Not Reviewed)

Data File : G:\APOLLO\DATA\190411\411006.D Vial: 6
Acq On : 4-11-19 13:59:26 Operator: DP
Sample : Diesel / Motor Oil - 5 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 18:03 2019 Quant Results File: TPHD0411.RES


Method : G:\APOLLO\DATA\190411\TPHD0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 18:01:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
3) SA Ortho-Terphenyl(S)	6.35	292043263	72.154	ppb
Surrogate Spike 30.000		Recovery =	240.51%	
4) SA Octacosane(S)	8.25	271242076	71.676	ppb
Surrogate Spike 30.000		Recovery =	238.92%	
Target Compounds				
1) HATM Diesel (C10-C28)	5.03	5793946857	1374.030	ppb
2) HBTM Motor Oil (C18-C36)	7.96	3972428738	1439.318	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411006.D
Sample : Diesel / Motor Oil - 5 4/11/19





Quantitation Report (Not Reviewed)

Data File : G:\APOLLO\DATA\190411\411007.D Vial: 7
Acq On : 4-11-19 14:19:10 Operator: DP
Sample : Diesel / Motor Oil - 6 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 18:03 2019 Quant Results File: TPHD0411.RES


Method : G:\APOLLO\DATA\190411\TPHD0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 18:01:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SA Ortho-Terphenyl(S)	6.35	380394582	93.983 ppb
Surrogate Spike 30.000	Recovery =		313.28%
4) SA Octacosane(S)	8.25	369453158	97.628 ppb
Surrogate Spike 30.000	Recovery =		325.43%
Target Compounds			
1) HATM Diesel (C10-C28)	5.03	7715354225	1829.690 ppb
2) HBTM Motor Oil (C18-C36)	7.96	5389753285	1952.853 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411007.D
Sample : Diesel / Motor Oil - 6 4/11/19





TPH Extractables
TPHD0411

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/11/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 411008.D

		Compound	MEAN	CCRF	%D	%Drift	
1	HATM	Diesel (C10-C28)	2108380	1828340	13	HATM	
2	HBTM	Motor Oil (C18-C36)	1379970	1286200	6.8	HBTM	
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			9.9		

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411008.D Vial: 8
Acq On : 4-11-19 14:39:01 Operator: DP
Sample : Diesel / Motor Oil - 2nd Source 1/15/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 18:03 2019 Quant Results File: TPHD0411.RES


Method : G:\APOLLO\DATA\190411\TPHD0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 18:01:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
Target Compounds			
1) HATM Diesel (C10-C28)	5.03	914167577	216.794 ppb
2) HBTM Motor Oil (C18-C36)	7.96	643100074	233.013 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411008.D
Sample : Diesel / Motor Oil - 2nd Source 1/15/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/29/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 419048.D

		Compound	MEAN	CCRF	%D	%Drift		
1	HATM	Diesel (C10-C24)	1192620	1196390	0.32	HATM		
2	HBTM	Motor Oil (C24-C40)	951760	1033720	8.6	HBTM		
3	SCL	Decanoic Acid(S)	438835	156063	64	SCL	62	*NT
4	SA	Ortho-Terphenyl(S)	2023750	2174580	7.5	SA		
5	SA	Octacosane(S)	1892140	1924300	1.7	SA		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			16.4			

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419048.D Vial: 48
Acq On : 4-29-19 17:02:59 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 30 11:55 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	54364392	13.432 ppb
Surrogate Spike 30.000	Recovery =		44.77%
5) SA Octacosane(S)	8.22	48107479	12.712 ppb
Surrogate Spike 30.000	Recovery =		42.37%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	598195091	250.791 ppb
2) HBTM Motor Oil (C24-C40)	9.20	516860794	271.529 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419048.D
Sample : Diesel/Motor Oil 3 4/16/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/30/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 419072.D

		Compound	MEAN	CCRF	%D	%Drift		
1	HATM	Diesel (C10-C24)	1192620	1290500	8.2	HATM		
2	HBTM	Motor Oil (C24-C40)	951760	1047300	10	HBTM		
3	SCL	Decanoic Acid(S)	438835	162486	63	SCL	61	*NT
4	SA	Ortho-Terphenyl(S)	2023750	2206830	9.0	SA		
5	SA	Octacosane(S)	1892140	1987990	5.1	SA		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			19.1			

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419072.D Vial: 72
Acq On : 4-30-19 1:02:05 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 30 11:55 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	55170675	13.631 ppb
Surrogate Spike 30.000	Recovery =		45.44%
5) SA Octacosane(S)	8.22	49699754	13.133 ppb
Surrogate Spike 30.000	Recovery =		43.78%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	645250913	270.519 ppb
2) HBTM Motor Oil (C24-C40)	9.20	523649904	275.096 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419072.D
Sample : Diesel/Motor Oil 3 4/16/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 05/06/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 506002.D

		Compound	MEAN	CCRF	%D	%Drift	
1	HATM	Diesel (C10-C24)	1192620	1189150	0.29	HATM	
2	HBTM	Motor Oil (C24-C40)	951760	1039930	9.3	HBTM	
3	SA	Ortho-Terphenyl(S)	2023750	2093620	3.5	SA	
4	SA	Octacosane(S)	1892140	1954310	3.3	SA	
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			4.1		

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506002.D Vial: 2
Acq On : 5-6-19 17:10:08 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: May 15 15:39 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	52340610	12.932 ppb
Surrogate Spike 30.000	Recovery =		43.11%
5) SA Octacosane(S)	8.22	48857718	12.911 ppb
Surrogate Spike 30.000	Recovery =		43.04%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	594574599	249.273 ppb
2) HBTM Motor Oil (C24-C40)	9.20	519962705	273.159 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506002.D
Sample : Diesel/Motor Oil 3 4/16/19





506002.D DOC0411.M Wed May 15 16:32:00 2019

TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 05/06/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 506016.D

		Compound	MEAN	CCRF	%D		%Drift
1	HATM	Diesel (C10-C24)	1192620	1231640	3.3	HATM	
2	HBTM	Motor Oil (C24-C40)	951760	1057410	11	HBTM	
3	SA	Ortho-Terphenyl(S)	2023750	2197200	8.6	SA	
4	SA	Octacosane(S)	1892140	2145190	13	SA	
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			9.0		

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506016.D Vial: 16
Acq On : 5-6-19 21:49:32 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: May 8 8:26 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	54930035	13.571 ppb
Surrogate Spike 30.000	Recovery =		45.24%
5) SA Octacosane(S)	8.22	53629644	14.172 ppb
Surrogate Spike 30.000	Recovery =		47.24%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	615821869	258.181 ppb
2) HBTM Motor Oil (C24-C40)	9.20	528706645	277.752 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506016.D
Sample : Diesel/Motor Oil 3 4/16/19





506016.D DOC0411.M Wed May 15 16:33:03 2019

ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419052.D Vial: 52
Acq On : 4-29-19 18:23:18 Operator: DP
Sample : AZ89958W29 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:06 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	116249127	71.803 ppb
Surrogate Spike 75.000	Recovery =		95.74%
5) SA Octacosane(S)	8.22	111524207	73.676 ppb
Surrogate Spike 75.000	Recovery =		98.23%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419052.D
Sample : AZ89958W29 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506008.D Vial: 8
Acq On : 5-6-19 19:09:45 Operator: DP
Sample : AZ89958W40 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:45 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	118923359	73.455	ppb
Surrogate Spike 75.000		Recovery =	97.94%	
5) SA Octacosane(S)	8.22	115492123	76.297	ppb
Surrogate Spike 75.000		Recovery =	101.73%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506008.D
Sample : AZ89958W40 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419055.D Vial: 55
Acq On : 4-29-19 19:23:42 Operator: DP
Sample : AZ89959W10 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 14:07 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	108949730	67.295 ppb
Surrogate Spike 75.000	Recovery =		89.73%
5) SA Octacosane(S)	8.22	94190022	62.224 ppb
Surrogate Spike 75.000	Recovery =		82.97%
Target Compounds			
2) HBTM Motor Oil (C24-C40)	9.20	325835248	427.938 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419055.D
Sample : AZ89959W10 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506009.D Vial: 9
Acq On : 5-6-19 19:29:52 Operator: DP
Sample : AZ89959W08 2/790 Inst : Apollo
Misc : water Multiplr: 2.53
IntFile : events.e
Quant Time: May 15 15:46 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	117920656	73.758	ppb
Surrogate Spike 75.949		Recovery =	97.11%	
5) SA Octacosane(S)	8.22	114962619	76.909	ppb
Surrogate Spike 75.949		Recovery =	101.26%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506009.D
Sample : AZ89959W08 2/790





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419056.D Vial: 56
Acq On : 4-29-19 19:43:49 Operator: DP
Sample : AZ89961W13 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 14:08 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	116278278	71.821 ppb
Surrogate Spike 75.000		Recovery =	95.76%
5) SA Octacosane(S)	8.22	111917980	73.936 ppb
Surrogate Spike 75.000		Recovery =	98.58%
Target Compounds			
2) HBTM Motor Oil (C24-C40)	9.20	134396266	176.510 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419056.D
Sample : AZ89961W13 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506010.D Vial: 10
Acq On : 5-6-19 19:49:52 Operator: DP
Sample : AZ89961W21 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:48 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	114997198	71.030 ppb
Surrogate Spike 75.000		Recovery =	94.71%
5) SA Octacosane(S)	8.22	112299595	74.188 ppb
Surrogate Spike 75.000		Recovery =	98.92%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506010.D
Sample : AZ89961W21 2/800





506010.D DOC0411.M Wed May 15 16:17:58 2019 Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419049.D Vial: 49
Acq On : 4-29-19 17:23:01 Operator: DP
Sample : 190426A BLK 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 8 13:37 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	110002294	67.945	ppb
Surrogate Spike 75.000	Recovery =		90.59%	
5) SA Octacosane(S)	8.22	105116559	69.443	ppb
Surrogate Spike 75.000	Recovery =		92.59%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419049.D
Sample : 190426A BLK 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419050.D Vial: 50
Acq On : 4-29-19 17:43:06 Operator: DP
Sample : 190426A LCS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:04 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	107443194	66.364 ppb
Surrogate Spike 75.000		Recovery =	88.49%
5) SA Octacosane(S)	8.23	101025878	66.740 ppb
Surrogate Spike 75.000		Recovery =	88.99%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1068693657	1120.112 ppb
2) HBTM Motor Oil (C24-C40)	9.20	954916564	1254.146 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419050.D
Sample : 190426A LCS-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419051.D Vial: 51
Acq On : 4-29-19 18:03:12 Operator: DP
Sample : 190426A LCSD-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:05 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	106639193	65.867	ppb
Surrogate Spike 75.000	Recovery =		87.82%	
5) SA Octacosane(S)	8.23	98198519	64.873	ppb
Surrogate Spike 75.000	Recovery =		86.50%	
Target Compounds				
1) HATM Diesel (C10-C24)	4.66	1025097325	1074.419	ppb
2) HBTM Motor Oil (C24-C40)	9.20	901976261	1184.617	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419051.D
Sample : 190426A LCSD-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419053.D Vial: 53
Acq On : 4-29-19 18:43:27 Operator: DP
Sample : AZ89958W32 MS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:13 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	110148709	68.035 ppb
Surrogate Spike 75.000		Recovery =	90.71%
5) SA Octacosane(S)	8.23	103898468	68.638 ppb
Surrogate Spike 75.000		Recovery =	91.52%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1105779712	1158.983 ppb
2) HBTM Motor Oil (C24-C40)	9.20	979352303	1286.239 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419053.D
Sample : AZ89958W32 MS-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419054.D Vial: 54
Acq On : 4-29-19 19:03:30 Operator: DP
Sample : AZ89958W42 MSD-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:18 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	106838846	65.991 ppb
Surrogate Spike 75.000		Recovery =	87.99%
5) SA Octacosane(S)	8.22	109026969	72.026 ppb
Surrogate Spike 75.000		Recovery =	96.03%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1077293681	1129.126 ppb
2) HBTM Motor Oil (C24-C40)	9.20	1056174394	1387.134 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419054.D
Sample : AZ89958W42 MSD-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506003.D Vial: 3
Acq On : 5-6-19 17:30:03 Operator: DP
Sample : 190502A BLK 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:32 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	113486320	70.097 ppb
Surrogate Spike 75.000		Recovery =	93.46%
5) SA Octacosane(S)	8.22	110426276	72.950 ppb
Surrogate Spike 75.000		Recovery =	97.27%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506003.D
Sample : 190502A BLK 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506004.D Vial: 4
Acq On : 5-6-19 17:50:07 Operator: DP
Sample : 190502A LCS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:42 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	108692501	67.136 ppb
Surrogate Spike 75.000		Recovery =	89.51%
5) SA Octacosane(S)	8.22	102955317	68.015 ppb
Surrogate Spike 75.000		Recovery =	90.69%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1416561534	1484.718 ppb
2) HBTM Motor Oil (C24-C40)	9.20	944760089	1240.807 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506004.D
Sample : 190502A LCS-1 2/800






Quantitation Report

Data File : G:\APOLLO\DATA\190506\506004.D Vial: 4
Acq On : 5-6-19 17:50:07 Operator: DP
Sample : 190502A LCS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:33 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration



(1) Diesel (C10-C24) (HATM)

4.66min 1678.079ppb m

response 1601046609


(+) = Expected Retention Time

506004.D DOC0411.M Wed May 15 15:41:43 2019

Quantitation Report

Data File : G:\APOLLO\DATA\190506\506004.D Vial: 4
Acq On : 5-6-19 17:50:07 Operator: DP
Sample : 190502A LCS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:42 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration



(1) Diesel (C10-C24) (HATM)

4.66min 1484.718ppb m

response 1416561534

(+) = Expected Retention Time

506004.D DOC0411.M Wed May 15 15:42:32 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506005.D Vial: 5
Acq On : 5-6-19 18:10:08 Operator: DP
Sample : 190502A LCSD-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:42 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	107765211	66.563 ppb
Surrogate Spike 75.000		Recovery =	88.75%
5) SA Octacosane(S)	8.23	103354341	68.279 ppb
Surrogate Spike 75.000		Recovery =	91.04%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1030429392	1080.007 ppb
2) HBTM Motor Oil (C24-C40)	9.20	1000358478	1313.828 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506005.D
Sample : 190502A LCSD-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506006.D Vial: 6
Acq On : 5-6-19 18:30:17 Operator: DP
Sample : AZ89958W39 MS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:43 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	109300211	67.511 ppb
Surrogate Spike 75.000		Recovery =	90.01%
5) SA Octacosane(S)	8.22	105867096	69.939 ppb
Surrogate Spike 75.000		Recovery =	93.25%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1046532075	1096.885 ppb
2) HBTM Motor Oil (C24-C40)	9.20	956388095	1256.079 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506006.D
Sample : AZ89958W39 MS-1 2/800





506006.D DOC0411.M Wed May 15 16:17:45 2019 Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506007.D Vial: 7
Acq On : 5-6-19 18:50:16 Operator: DP
Sample : AZ89958W38 MSD-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:43 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	103540562	63.953 ppb
Surrogate Spike 75.000	Recovery =		85.27%
5) SA Octacosane(S)	8.22	95229081	62.911 ppb
Surrogate Spike 75.000	Recovery =		83.88%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1015939672	1064.820 ppb
2) HBTM Motor Oil (C24-C40)	9.20	963645512	1265.610 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506007.D
Sample : AZ89958W38 MSD-1 2/800





Diesel / Motor Oil Calibration Curve

Prepared: 04/11/19

Expires: 10/11/19

Prepared By (Initials): BT

Methylene Chloride Lot No. 57278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference to APPL Prep Date	Exp. Date	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 1	2,000	Prepared 04/11/19	01/15/20	N/A	5uL	1mL	MC	10
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil -2	2,000	Prepared 04/11/19	01/15/20	N/A	25uL	1mL	MC	50
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 3	2,000	Prepared 04/11/19	01/15/20	N/A	125uL	1mL	MC	250
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 4	2,000	Prepared 04/11/19	01/15/20	N/A	500uL	1mL	MC	1000
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 5	2,000	Prepared 04/11/19	01/15/20	N/A	750uL	1mL	MC	1500
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 6	2,000	Prepared 04/11/19	01/15/20	N/A	100uL	100uL	N/A	2,000

Diesel / Motor Oil Second Source (SS)

Prepared: 01/15/19

Expires: 01/15/20

Prepared By (Initials): DP

Methylene Chloride Lot No. 56278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel Fuel #2	O2SI	G34-011598-03	50,000	**G34-319187-38958**	**08/02/19**	**09/29/21**	50uL	10mL	MC	250
Motor Oil Second Source	O2SI	116390-02-SS	50,000	**301142-37652**	**07/13/19**	**03/05/22**	50uL			

Diesel / Motor Oil Calibration Standard

Prepared: 01/15/19 **Prepared By (Initials): DP**

Expires: 01/15/20

Methylene Chloride Lot No. 56278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel Fuel #2	Restek	31258	50,000	**A0135614-39409**	**01/15/20**	**03/31/25**	400uL	10mL	MC	2000
Motor Oil	Restek	31464	50,000	**A0135245-39351**	**01/15/20**	**03/31/25**	400uL			2000
THC Surrogate	Phenova	ALO-130161	600	**CL12572-39691**	**08/13/19**	**06/30/23**	1666uL			100

Diesel / Motor Oil CCV

Prepared: 04/16/19

Expires: 10/16/19

Prepared By (Initials): BT

Methylene Chloride Lot No. 58059

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference to APPL Prep Date	Exp. Date	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel / Motor Oil STD	APPL	Diesel / Motor Oil CCV	2,000	Prepared 01/15/19	01/15/20	N/A	1250uL	10mL	MC	250

Diesel Spike

Prepared: 04/26/19 **Prepared By (Initials): DP**

Expires: 04/25/20

Initial Standard Information							Final Standard Information			
(QAU Label)	Supplier	No.	(ug/mL)	Number	(1 yr.)	(Manufacturer)	From	Volume	Solvent	Conc. (ug/mL)
Diesel Fuel #2	Restek	31258	50,000	**A0135614-39408**	**04/26/20**	**03/31/25**	N/A	N/A	N/A	50,000

Motor Oil Spike

Prepared: 04/08/19 **Prepared By (Initials):** DP

Expires: 04/07/20

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Motor Oil Composite	Restek	31464	50,000	**A0141636-40470**	**04/09/20**	**10/20/25**	N/A	N/A	N/A	50,000

THC Surrogate

Prepared: 04/17/19 **Prepared By (Initials): BT**

Expires: 04/16/20

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
O-terphenyl / Octacosane Mix	Phenova	ALO-130161	600	**CL13256-40363**	**04/17/20**	**02/28/24**	N/A	N/A	N/A	600

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH-Diesel/MO 3520C	Extraction Set	190426A	Extraction Method	LIQ005	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 EXP 4-26-20		Surrogate ID 1	THC Surrogate 4-17-19 EXP 4-17-20	
Spiked ID 2	Motor Oil Spike 4-8-19 EXP 4-8-20		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/26/19 13:00	
Spiked ID 8			Ext. End Time:	04/27/19 10:13 ,04/29/19 14:35	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	4/26/19 10:15:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: KY **Date** 04/26/19 **Witnessed By:** DL **Date** 04/26/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190426A Blk				0.100	1	800	2	2	04/26/19 10:20	
						equip	E-HP51 E-WB1				
2	190426A LCS-1		0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	
						equip	E-HP50 E-WB2				
3	190426A LCSD-1		0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	
						equip	E-HP49 E-WB3				
4	AZ89958 MS-1	AZ89958W32	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP48 E-WB1				
5	AZ89958 MSD-1	AZ89958W42	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP47 E-WB2				
6	AZ89958	AZ89958W29			0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP25 E-WB3				
7	AZ89959	AZ89959W10			0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP26 E-WB1				
8	AZ89961	AZ89961W13			0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP27 E-WB2				
9	AZ90051 MS-1	AZ90051W26	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP28 E-WB3				
10	AZ90051 MSD-1	AZ90051W31	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP29 E-WB1				
11	AZ90051	AZ90051W29			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP30 E-WB2				
12	AZ90052	AZ90052W09			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP17 E-WB3				
13	AZ90054	AZ90054W19			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP16 E-WB1				
14	AZ90056	AZ90056W20			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP15 E-WB2				
15	AZ90058	AZ90058W19			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP14 E-WB3				
16	AZ90060	AZ90060W21			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP13 E-WB1				

Solvent and Lot#	
1+1 HCL	3-1-19
PH Strips	HC 863463
Dicholormethane (DCM)	58240
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	4/29/19
Time	15:10
Refrigerator	Hobart 1

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:53:34 PM

Reviewed By: Ky **Date** 4/30/19

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH-Diesel/MO 3520C	Extraction Set	190426A	Extraction Method	LIQ005	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 EXP 4-26-20		Surrogate ID 1	THC Surrogate 4-17-19 EXP 4-17-20	
Spiked ID 2	Motor Oil Spike 4-8-19 EXP 4-8-20		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/26/19 13:00	
Spiked ID 8			Ext. End Time:	04/27/19 10:13 , 04/29/19 14:35	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	4/26/19 10:15:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: KY **Date** 04/26/19 **Witnessed By:** DL **Date** 04/26/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90100	AZ90100W20			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP12 E-WB2				
18	AZ90102	AZ90102W18			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP11 E-WB3				
19	AZ90103	AZ90103W09			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP10 E-WB1				
20	AZ90105	AZ90105W22			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP9 E-WB2				
21	AZ90107	AZ90107W19			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP7 E-WB3				
22	AZ90109	AZ90109W22			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP6 E-WB1				

KY 4/30/19

Solvent and Lot#	
1+1 HCL	3-1-19
PH Strips	HC 863463
Dicholormethane (DCM)	58240
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:53:34 PM

Reviewed By: Ky **Date** 4/30/19

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH- 3520C w/SGC	Extraction Set	190502A	Extraction Method	LIQ005SGC	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 exp 4-26-20		Surrogate ID 1	THC Surrogate 4-17-19 exp 4-17-20	
Spiked ID 2	Motor Oil Spike 4-8-19 exp 4-8-20		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	05/02/19 14:00	
Spiked ID 8			Ext. End Time:	05/03/19 8:30 , 05/03/19 11:55	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	5/02/19 11:19:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: DL **Date** 05/02/19 **Witnessed By:** YL **Date** 05/02/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190502A Blk				0.100	1	800	2	2	05/02/19 11:30	
						equip	e-hp51 e-wb1				
2	190502A LCS-1		0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	
						equip	E-HP50 E-WB2				
3	190502A LCSD-1		0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	
						equip	E-HP49 E-WB3				
4	AZ89958 MS-1	AZ89958W39	0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	88687
						equip	E-HP47 E-WB1				
5	AZ89958 MSD-1	AZ89958W38	0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	88687
						equip	E-HP25 E-WB2				
6	AZ89958	AZ89958W40			0.100	1	800	2	2	05/02/19 11:30	88687
						equip	E-HP48 E-WB3				
7	AZ89959	AZ89959W08			0.100	1	790	2	2	05/02/19 11:30	88687
						equip	E-HP26 E-WB1				
8	AZ89961	AZ89961W21			0.100	1	800	2	2	05/02/19 11:30	88687
						equip	E-HP27 E-WB2				
9	AZ90051 MS-1	AZ90051W32	0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	88701
						equip	E-HP29 E-WB3				
10	AZ90051 MSD-1	AZ90051W28	0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	88701
						equip	E-HP30 E-WB1				
11	AZ90051	AZ90051W34			0.100	1	810	2	2	05/02/19 11:30	88701
						equip	E-HP28 E-WB2				
12	AZ90052	AZ90052W08			0.100	1	790	2	2	05/02/19 11:30	88701
						equip	E-HP17 E-WB3				
13	AZ90213	AZ90213W18			0.100	1	800	2	2	05/02/19 11:30	88736
						equip	E-HP16 E-WB1				
14	AZ90215	AZ90215W21			0.100	1	800	2	2	05/02/19 11:30	88736
						equip	E-HP15 E-WB2				
15	AZ90447	AZ90447W11			0.100	1	800	2	2	05/02/19 11:30	88764
						equip	E-HP14 E-WB3				
16	AZ90448	AZ90448W08			0.100	1	800	2	2	05/02/19 11:30	88764
						equip	E-HP13 E-WB1				

Solvent and Lot#	
1+1 HCL (5mLs)	3-1-19
PH Strips	HC 601354
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	BT
Date	5/3/19
Time	13:08
Refrigerator	Hibard

	Technician's Initials
Scanned By	DL,FM
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	05/06/19 9:28:41 AM

Reviewed By: Ky **Date** 5/6/19

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH- 3520C w/SGC	Extraction Set	190502A	Extraction Method	LIQ005SGC	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 exp 4-26-20		Surrogate ID 1	THC Surrogate 4-17-19 exp 4-17-20	
Spiked ID 2	Motor Oil Spike 4-8-19 exp 4-8-20		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	05/02/19 14:00	
Spiked ID 8			Ext. End Time:	05/03/19 8:30 ,05/03/19 11:55	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	5/02/19 11:19:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: DL **Date** 05/02/19 **Witnessed By:** YL **Date** 05/02/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90450	AZ90450W21			0.100	1	800	2	2	05/02/19 11:30	88764
						equip	E-HP12 E-WB2				

KY 5/6/19

Solvent and Lot#	
1+1 HCL (5mLs)	3-1-19
PH Strips	HC 601354
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL,FM
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	05/06/19 9:28:41 AM

Reviewed By: KY **Date** 5/6/19

Injection Log

Directory: G:\APOLLO\DATA\190411\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	411002.D	1	Diesel / Motor Oil - 1 1/15/19	water	4-11-19 12:41:17
2	3	411003.D	1	Diesel / Motor Oil - 2 4/11/19	water	4-11-19 13:00:16
3	4	411004.D	1	Diesel / Motor Oil - 3 4/11/19	water	4-11-19 13:19:58
4	5	411005.D	1	Diesel / Motor Oil - 4 4/11/19	water	4-11-19 13:39:40
5	6	411006.D	1	Diesel / Motor Oil - 5 4/11/19	water	4-11-19 13:59:26
6	7	411007.D	1	Diesel / Motor Oil - 6 4/11/19	water	4-11-19 14:19:10
7	8	411008.D	1	Diesel / Motor Oil - 2nd Source 1/15/19	water	4-11-19 14:39:01
8	48	419048.D	1	Diesel/Motor Oil 3 4/16/19	water	4-29-19 17:02:59
9	49	419049.D	2.5	190426A BLK 2/800	water	4-29-19 17:23:01
10	50	419050.D	2.5	190426A LCS-1 2/800	water	4-29-19 17:43:06
11	51	419051.D	2.5	190426A LCSD-1 2/800	water	4-29-19 18:03:12
12	52	419052.D	2.5	AZ89958W29 2/800	water	4-29-19 18:23:18
13	53	419053.D	2.5	AZ89958W32 MS-1 2/800	water	4-29-19 18:43:27
14	54	419054.D	2.5	AZ89958W42 MSD-1 2/800	water	4-29-19 19:03:30
15	55	419055.D	2.5	AZ89959W10 2/800	water	4-29-19 19:23:42
16	56	419056.D	2.5	AZ89961W13 2/800	water	4-29-19 19:43:49
17	63	419063.D	1	Diesel/Motor Oil 3 4/16/19	water	4-29-19 22:03:37

Injection Log

Directory: G:\APOLLO\DATA\190411\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	411002.D	1	Diesel / Motor Oil - 1 1/15/19	water	4-11-19 12:41:17
2	3	411003.D	1	Diesel / Motor Oil - 2 4/11/19	water	4-11-19 13:00:16
3	4	411004.D	1	Diesel / Motor Oil - 3 4/11/19	water	4-11-19 13:19:58
4	5	411005.D	1	Diesel / Motor Oil - 4 4/11/19	water	4-11-19 13:39:40
5	6	411006.D	1	Diesel / Motor Oil - 5 4/11/19	water	4-11-19 13:59:26
6	7	411007.D	1	Diesel / Motor Oil - 6 4/11/19	water	4-11-19 14:19:10
7	8	411008.D	1	Diesel / Motor Oil - 2nd Source 1/15/19	water	4-11-19 14:39:01
8	2	506002.D	1	Diesel/Motor Oil 3 4/16/19	water	5-6-19 17:10:08
9	3	506003.D	2.5	190502A BLK 2/800	water	5-6-19 17:30:03
10	4	506004.D	2.5	190502A LCS-1 2/800	water	5-6-19 17:50:07
11	5	506005.D	2.5	190502A LCSD-1 2/800	water	5-6-19 18:10:08
12	6	506006.D	2.5	AZ89958W39 MS-1 2/800	water	5-6-19 18:30:17
13	7	506007.D	2.5	AZ89958W38 MSD-1 2/800	water	5-6-19 18:50:16
14	8	506008.D	2.5	AZ89958W40 2/800	water	5-6-19 19:09:45
15	9	506009.D	2.53165	AZ89959W08 2/790	water	5-6-19 19:29:52
16	10	506010.D	2.5	AZ89961W21 2/800	water	5-6-19 19:49:52
17	16	506016.D	1	Diesel/Motor Oil 3 4/16/19	water	5-6-19 21:49:32

ORGANICS
Calibration Data

PAH by GCMS SIM
EPA 8270 SIM

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/26/19
Matrix: Instrument: Linus
Initials: MA/JH

			0326L013.D	0326L012.D	0326L005.D	0326L006.D	0326L007.D	0326L008 D	0326L009.D	0326L010.D								
		Compound	0.1	0.2	0.5	1	5	10	50	100			Avg	%RSD	Type	r^2	Q	MRF
1	I	Napthalene-D8(IS)																
2	S	Surrogate Recovery (NBZ)		0.3927	0.5340	0.4444	0.4714	0.4510	0.4089	0.4199			0.45	11	S			
3	TM	Naphthalene	1.529	1.407	1.448	1.163	1.400	1.287	1.154	1.122			1.3	12	TM			0.700
4	S	2-Methylnaphthalene-D10 (2M	1.387	1.168	1.650	1.306	1.518	1.400	1.203	1.197			1.4	13	S			
5	TM	2-Methylnaphthalene	0.7306	0.7642	0.8355	0.6668	0.8429	0.7635	0.6758	0.6477			0.74	10	TM			0.400
6	TM	1-Methylnaphthalene	0.9900	0.8580	0.9185	0.7134	0.8390	0.7536	0.6593				0.82	14	TM			
7	I	Acenaphthene-D10(IS)																
8	S	Surrogate Recovery (FBP)	1.722	1.658	2.258	1.803	2.110	1.951	1.630	1.592			1.8	13	S			
9	TM	Acenaphthylene	5.900	5.710	6.401	5.037	6.465	5.885	4.974	4.865			5.7	11	TM			0.900
10	*TM	Acenaphthene	1.794	1.633	1.703	1.318	1.581	1.463	1.266	1.170			1.5	15	*TM			0.900
11	TM	Fluorene	2.218	1.880	2.093	1.632	2.029	1.885	1.631	1.570			1.9	13	TM			0.900
12	I	Phenanthrene-D10(IS)																
13	TM	Phenanthrene	1.607	1.544	1.673	1.305	1.635	1.484	1.218	1.160			1.5	14	TM			0.700
14	TM	Anthracene	1.486	1.420	1.591	1.220	1.624	1.473	1.238	1.116			1.4	13	TM			0.700
15	S	Fluoranthene-D10 (FRT)	1.901	1.831	2.624	2.092	2.484	2.311	1.987	1.872			2.1	14	S			
16	*TM	Fluoranthene	2.537	2.471	2.787	2.228	2.784	2.506	2.112	1.908			2.4	13	*TM			0.600
17	I	Chrysene-D12(IS)																
18	TM	Pyrene	1.899	1.728	1.916	1.501	1.868	1.718	1.481	1.425			1.7	12	TM			0.600
19	S	Surrogate Recovery (TPH)	0.8126	0.7648	1.100	0.8569	0.9951	0.9476	0.8279	0.7820			0.89	13	S			
20	TM	Benz (a) anthracene	1.413	1.328	1.559	1.165	1.523	1.457	1.326	1.311			1.4	9.3	TM			0.800
21	TM	Chrysene	1.693	1.584	1.532	1.291	1.505	1.343	1.166	1.155			1.4	14	TM			0.700
22	TM	Indeno (1,2,3-cd) pyrene	1.684	1.533	1.535	1.269	1.597	1.490	1.366	1.338			1.5	9.5	TM			0.500
23	I	Perylene-D12(IS)																
24	TM	Benzo (b) fluoranthene	1.158	1.272	1.365	1.090	1.474	1.408	1.281	1.294			1.3	9.8	TM			0.700
25	TM	Benzo (k) fluoranthene	1.676	1.496	1.659	1.361	1.632	1.459	1.255	1.199			1.5	13	TM			0.700
26	*TM	Benzo (a) pyrene	1.243	1.369	1.446	1.176	1.471	1.369	1.224	1.197			1.3	8.8	*TM			0.700
27	TM	Dibenz (a,h) anthracene	1.391	1.269	1.295	1.077	1.349	1.244	1.099	1.054			1.2	11	TM			0.400
28	TM	Benzo (g,h,i) perylene	1.468	1.326	1.320	1.090	1.361	1.265	1.118	1.085			1.3	11	TM			0.500
29																		
30																		
31																		
32																		
33																		
34																		
35																		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L005.D Vial: 5
Acq On : 26 Mar 19 10:39 Operator: MA
Sample : 0.5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:51:40 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	29983	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	14175	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	23888	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	35718	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	34636	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.14	82	1601	0.30171 ppb		0.01
Spiked Amount 5.000			Recovery	= 6.040%		
4) 2-Methylnaphthalene-D10 (2	4.75	152	4947	0.35041 ppb		0.01
Spiked Amount 5.000			Recovery	= 7.000%		
8) Surrogate Recovery (FBP)	5.23	172	3201	0.31519 ppb		0.01
Spiked Amount 5.000			Recovery	= 6.300%		
15) Fluoranthene-D10 (FRT)	9.09	212	6268	0.36113 ppb		0.00
Spiked Amount 5.000			Recovery	= 7.220%		
19) Surrogate Recovery (TPH)	9.58	244	3930	0.33442 ppb		0.00
Spiked Amount 5.000			Recovery	= 6.680%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	8684	0.57398 ppb		98
5) 2-Methylnaphthalene	4.78	142	5010	0.55092 ppb		99
6) 1-Methylnaphthalene	4.89	142	5508	0.59694 ppb		95
9) Acenaphthylene	5.82	152	18147	0.56976 ppb		100
10) Acenaphthene	6.01	154	4827	0.52888 ppb		97
11) Fluorene	6.63	166	5934	0.55241 ppb		99
13) Phenanthrene	7.73	178	7991	0.59247 ppb		99
14) Anthracene	7.80	178	7601	0.57039 ppb		99
16) Fluoranthene	9.11	202	13317	0.62414 ppb	#	89
18) Pyrene	9.37	202	13684	0.61385 ppb		98
20) Benz (a) anthracene	10.78	228	11134	0.56445 ppb		99
21) Chrysene	10.84	228	10947	0.57620 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.70	276	10967	0.55654 ppb	#	98
24) Benzo (b) fluoranthene	12.50	252	9458	0.50818 ppb		99
25) Benzo (k) fluoranthene	12.54	252	11491	0.59936 ppb		96
26) Benzo (a) pyrene	13.08	252	10016	0.55876 ppb		99
27) Dibenz (a,h) anthracene	14.72	278	8973	0.54057 ppb		99
28) Benzo (g,h,i) perylene	15.04	276	9141	0.54410 ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L005.D Vial: 5
Acq On : 26 Mar 19 10:39 Operator: MA
Sample : 0.5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L006.D Vial: 6
Acq On : 26 Mar 19 11:01 Operator: MA
Sample : 1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:51:40 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	35893	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	17165	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	29866	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	43804	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	41942	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.15	82	3190	0.50218 ppb		0.02
Spiked Amount 5.000			Recovery	= 10.040%		
4) 2-Methylnaphthalene-D10 (2	4.74	152	9372	0.55454 ppb		0.01
Spiked Amount 5.000			Recovery	= 11.100%		
8) Surrogate Recovery (FBP)	5.22	172	6188	0.50317 ppb		0.00
Spiked Amount 5.000			Recovery	= 10.060%		
15) Fluoranthene-D10 (FRT)	9.09	212	12497	0.57589 ppb		0.00
Spiked Amount 5.000			Recovery	= 11.520%		
19) Surrogate Recovery (TPH)	9.58	244	7507	0.52088 ppb		0.00
Spiked Amount 5.000			Recovery	= 10.420%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	16693	0.92168 ppb		100
5) 2-Methylnaphthalene	4.78	142	9573	0.87935 ppb		98
6) 1-Methylnaphthalene	4.89	142	10243	0.92731 ppb		95
9) Acenaphthylene	5.82	152	34586	0.89675 ppb		99
10) Acenaphthene	6.01	154	9052	0.81904 ppb		96
11) Fluorene	6.62	166	11205	0.86141 ppb		93
13) Phenanthrene	7.73	178	15588	0.92440 ppb		98
14) Anthracene	7.80	178	14573	0.87468 ppb		99
16) Fluoranthene	9.11	202	26618	0.99782 ppb	#	93
18) Pyrene	9.37	202	26304	0.96215 ppb		95
20) Benz (a) anthracene	10.78	228	20420	0.84412 ppb		98
21) Chrysene	10.84	228	22628	0.97118 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.68	276	22236	0.92011 ppb		98
24) Benzo (b) fluoranthene	12.49	252	18288	0.81146 ppb		99
25) Benzo (k) fluoranthene	12.54	252	22834	0.98354 ppb		98
26) Benzo (a) pyrene	13.07	252	19723	0.90862 ppb	#	95
27) Dibenz (a,h) anthracene	14.71	278	18076	0.89928 ppb		98
28) Benzo (g,h,i) perylene	15.03	276	18288	0.89893 ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L006.D Vial: 6
Acq On : 26 Mar 19 11:01 Operator: MA
Sample : 1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L007.D Vial: 7
Acq On : 26 Mar 19 11:23 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:55 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	31036	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	14429	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	24630	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	36703	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	35401	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.13	82	14629	2.66335 ppb		0.00
Spiked Amount 5.000			Recovery	= 53.260%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	47125	3.22473 ppb		0.00
Spiked Amount 5.000			Recovery	= 64.500%		
8) Surrogate Recovery (FBP)	5.22	172	30446	2.94510 ppb		0.00
Spiked Amount 5.000			Recovery	= 58.900%		
15) Fluoranthene-D10 (FRT)	9.09	212	61183	3.41884 ppb		0.00
Spiked Amount 5.000			Recovery	= 68.380%		
19) Surrogate Recovery (TPH)	9.58	244	36522	3.02438 ppb		0.00
Spiked Amount 5.000			Recovery	= 60.480%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	86912	5.54970 ppb		100
5) 2-Methylnaphthalene	4.77	142	52323	5.55839 ppb		100
6) 1-Methylnaphthalene	4.88	142	52078	5.45251 ppb		100
9) Acenaphthylene	5.81	152	186553	5.75411 ppb		100
10) Acenaphthene	6.01	154	45619	4.91037 ppb		100
11) Fluorene	6.62	166	58567	5.35620 ppb		100
13) Phenanthrene	7.73	178	80559	5.79291 ppb		100
14) Anthracene	7.79	178	80019	5.82381 ppb		100
16) Fluoranthene	9.11	202	137128	6.23327 ppb		100
18) Pyrene	9.36	202	137146	5.98710 ppb		100
20) Benz (a) anthracene	10.78	228	111765	5.51397 ppb		100
21) Chrysene	10.83	228	110485	5.65939 ppb		100
22) Indeno (1,2,3-cd) pyrene	14.66	276	117203	5.78805 ppb	#	100
24) Benzo (b) fluoranthene	12.48	252	104380	5.48718 ppb		100
25) Benzo (k) fluoranthene	12.53	252	115527	5.89556 ppb	#	82
26) Benzo (a) pyrene	13.07	252	104139	5.68402 ppb		100
27) Dibenz (a,h) anthracene	14.70	278	95496	5.62874 ppb		100
28) Benzo (g,h,i) perylene	15.01	276	96360	5.61166 ppb		100


(#) = qualifier out of range (m) = manual integration
0326L007.D L0326.M Wed Mar 27 09:48:48 2019 Page 1

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L007.D Vial: 7
Acq On : 26 Mar 19 11:23 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:55 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L008.D Vial: 8
Acq On : 26 Mar 19 11:45 Operator: MA
Sample : 10 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:03 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	35838	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	16640	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	28622	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	41948	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	40987	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.13	82	32326	5.09668 ppb		0.00
Spiked Amount 5.000			Recovery	= 101.940%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	100381	5.94861 ppb		0.00
Spiked Amount 5.000			Recovery	= 118.980%		
8) Surrogate Recovery (FBP)	5.22	172	64921	5.44551 ppb		0.00
Spiked Amount 5.000			Recovery	= 108.920%		
15) Fluoranthene-D10 (FRT)	9.08	212	132302	6.36178 ppb		-0.01
Spiked Amount 5.000			Recovery	= 127.240%		
19) Surrogate Recovery (TPH)	9.58	244	79496	5.75993 ppb		0.00
Spiked Amount 5.000			Recovery	= 115.200%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	184477	10.20127 ppb		100
5) 2-Methylnaphthalene	4.77	142	109454	10.06955 ppb		99
6) 1-Methylnaphthalene	4.88	142	108031	9.79519 ppb		98
9) Acenaphthylene	5.81	152	391698	10.47636 ppb		100
10) Acenaphthene	6.01	154	97387	9.08975 ppb		99
11) Fluorene	6.62	166	125480	9.95086 ppb		99
13) Phenanthrene	7.73	178	169913	10.51414 ppb		100
14) Anthracene	7.79	178	168680	10.56433 ppb		100
16) Fluoranthene	9.10	202	286894	11.22214 ppb	#	86
18) Pyrene	9.36	202	288195	11.00804 ppb		99
20) Benz (a) anthracene	10.78	228	244430	10.55125 ppb		100
21) Chrysene	10.83	228	225305	10.09781 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.66	276	249983	10.80176 ppb		99
24) Benzo (b) fluoranthene	12.48	252	230916	10.48469 ppb		99
25) Benzo (k) fluoranthene	12.53	252	239205	10.54342 ppb	#	81
26) Benzo (a) pyrene	13.05	252	224453	10.58124 ppb	#	96
27) Dibenz (a,h) anthracene	14.70	278	203908	10.38077 ppb		96
28) Benzo (g,h,i) perylene	15.01	276	207384	10.43132 ppb		94


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L008.D Vial: 8
Acq On : 26 Mar 19 11:45 Operator: MA
Sample : 10 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:03 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L009.D Vial: 9
Acq On : 26 Mar 19 12:08 Operator: MA
Sample : 50 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:40 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	34439	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	16178	2.50000	ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	28297	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.80	240	40379	2.50000	ppb		0.01
23) Perylene-D12(IS)	13.16	264	41022	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.12	82	140833	21.64154	ppb		-0.01
Spiked Amount 5.000			Recovery = 432.840%				
4) 2-Methylnaphthalene-D10 (2	4.73	152	414181	23.25797	ppb		0.00
Spiked Amount 5.000			Recovery = 465.160%				
8) Surrogate Recovery (FBP)	5.20	172	263684	21.46228	ppb		-0.01
Spiked Amount 5.000			Recovery = 429.240%				
15) Fluoranthene-D10 (FRT)	9.09	212	562390	24.48515	ppb		0.00
Spiked Amount 5.000			Recovery = 489.700%				
19) Surrogate Recovery (TPH)	9.58	244	334289	23.27858	ppb		0.00
Spiked Amount 5.000			Recovery = 465.580%				
Target Compounds							Qvalue
3) Naphthalene	3.96	128	794731	44.68961	ppb		100
5) 2-Methylnaphthalene	4.77	142	465489	44.02234	ppb		99
6) 1-Methylnaphthalene	4.88	142	454120	41.81636	ppb		98
9) Acenaphthylene	5.81	152	1609229	43.19390	ppb		100
10) Acenaphthene	6.01	154	409705	39.67961	ppb		97
11) Fluorene	6.62	166	527629	42.63457	ppb		99
13) Phenanthrene	7.73	178	689088	41.97703	ppb		99
14) Anthracene	7.79	178	700455	43.39211	ppb		99
16) Fluoranthene	9.11	202	1195144	44.94761	ppb	#	89
18) Pyrene	9.37	202	1195645	45.32840	ppb		94
20) Benz (a) anthracene	10.79	228	1070977	46.57534	ppb		99
21) Chrysene	10.84	228	941256	42.83259	ppb		98
22) Indeno (1,2,3-cd) pyrene	14.68	276	1103036	48.39365	ppb		100
24) Benzo (b) fluoranthene	12.50	252	1050669	47.36694	ppb		99
25) Benzo (k) fluoranthene	12.55	252	1029810	43.39875	ppb	#	85
26) Benzo (a) pyrene	13.09	252	1003811	46.19453	ppb	#	97
27) Dibenz (a,h) anthracene	14.72	278	901711	45.25262	ppb		96
28) Benzo (g,h,i) perylene	15.04	276	917218	45.43228	ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L009.D Vial: 9
Acq On : 26 Mar 19 12:08 Operator: MA
Sample : 50 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:40 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L010.D Vial: 10
Acq On : 26 Mar 19 12:30 Operator: MA
Sample : 100 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 13:47 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	32479	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	15565	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	27637	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.82	240	38239	2.50000 ppb		0.02
23) Perylene-D12(IS)	13.17	264	38545	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.10	82	272771	44.44570 ppb		-0.02
Spiked Amount 5.000			Recovery = 888.920%			
4) 2-Methylnaphthalene-D10 (2	4.73	152	777276	46.28122 ppb		0.00
Spiked Amount 5.000			Recovery = 925.620%			
8) Surrogate Recovery (FBP)	5.20	172	495434	41.91347 ppb		-0.01
Spiked Amount 5.000			Recovery = 838.260%			
15) Fluoranthene-D10 (FRT)	9.09	212	1034959	46.13577 ppb		0.00
Spiked Amount 5.000			Recovery = 922.720%			
19) Surrogate Recovery (TPH)	9.58	244	598059	43.97719 ppb		0.00
Spiked Amount 5.000			Recovery = 879.540%			
Target Compounds						Qvalue
3) Naphthalene	3.96	128	1458290	86.95172 ppb		99
5) 2-Methylnaphthalene	4.77	142	841432	84.37826 ppb		100
6) 1-Methylnaphthalene	4.89	142	836950	81.71899 ppb		93
9) Acenaphthylene	5.81	152	3029044	84.50567 ppb		99
10) Acenaphthene	6.01	154	728333	73.31651 ppb		92
11) Fluorene	6.62	166	977411	82.08923 ppb		98
13) Phenanthrene	7.74	178	1281823	79.94928 ppb		99
14) Anthracene	7.80	178	1233503	78.23844 ppb		99
16) Fluoranthene	9.12	202	2109540	81.23134 ppb	#	89
18) Pyrene	9.38	202	2180307	87.28404 ppb		96
20) Benz (a) anthracene	10.80	228	2005960	92.11857 ppb		98
21) Chrysene	10.86	228	1765953	84.85838 ppb	#	96
22) Indeno (1,2,3-cd) pyrene	14.73	276	2046970	94.83293 ppb	#	92
24) Benzo (b) fluoranthene	12.52	252	1994752	95.70774 ppb		99
25) Benzo (k) fluoranthene	12.59	252	1848388	82.90143 ppb	#	85
26) Benzo (a) pyrene	13.11	252	1845710	90.39635 ppb		98
27) Dibenz (a,h) anthracene	14.75	278	1624819	86.78209 ppb		100
28) Benzo (g,h,i) perylene	15.08	276	1672824	88.18424 ppb	#	87


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L010.D Vial: 10
Acq On : 26 Mar 19 12:30 Operator: MA
Sample : 100 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 13:47 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L012.D Vial: 12
Acq On : 26 Mar 19 15:55 Operator: MA
Sample : 0.2 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 16:21 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	48893	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	22990	2.50000	ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	39076	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.79	240	57596	2.50000	ppb		0.00
23) Perylene-D12(IS)	13.16	264	55456	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.16	82	768	0.08673	ppb		0.04
Spiked Amount 5.000			Recovery = 1.740%				
4) 2-Methylnaphthalene-D10 (2	4.76	152	2284	0.08927	ppb		0.02
Spiked Amount 5.000			Recovery = 1.780%				
8) Surrogate Recovery (FBP)	5.23	172	1525	0.08934	ppb		0.01
Spiked Amount 5.000			Recovery = 1.780%				
15) Fluoranthene-D10 (FRT)	9.10	212	2862	0.08813	ppb		0.01
Spiked Amount 5.000			Recovery = 1.760%				
19) Surrogate Recovery (TPH)	9.59	244	1762	0.08457	ppb		0.01
Spiked Amount 5.000			Recovery = 1.700%				
Target Compounds							Qvalue
3) Naphthalene	3.96	128	5503	0.21825	ppb		98
5) 2-Methylnaphthalene	4.78	142	2989	0.19863	ppb		98
6) 1-Methylnaphthalene	4.89	142	3356	0.21862	ppb		97
9) Acenaphthylene	5.82	152	10502	0.19841	ppb		100
10) Acenaphthene	6.01	154	3004	0.20647	ppb		96
11) Fluorene	6.63	166	3457	0.19696	ppb		96
13) Phenanthrene	7.73	178	4828	0.20973	ppb		97
14) Anthracene	7.80	178	4438	0.19743	ppb		98
16) Fluoranthene	9.12	202	7726	0.20526	ppb	#	95
18) Pyrene	9.38	202	7961	0.20588	ppb		93
20) Benz (a) anthracene	10.78	228	6119	0.18540	ppb		97
21) Chrysene	10.84	228	7299	0.22752	ppb		99
22) Indeno (1,2,3-cd) pyrene	14.70	276	7062	0.17330	ppb	#	92
24) Benzo (b) fluoranthene	12.51	252	5643	0.19039	ppb		99
25) Benzo (k) fluoranthene	12.55	252	6638	0.19712	ppb	#	84
26) Benzo (a) pyrene	13.08	252	6073	0.18974	ppb	#	94
27) Dibenz (a,h) anthracene	14.72	278	5632	0.16786	ppb	#	91
28) Benzo (g,h,i) perylene	15.05	276	5883	0.17144	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L012.D Vial: 12
Acq On : 26 Mar 19 15:55 Operator: MA
Sample : 0.2 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 16:21 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L013.D Vial: 13
Acq On : 26 Mar 19 17:05 Operator: MA
Sample : 0.1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 17:22 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.95	136	33055	2.50000 ppb		0.01
7) Acenaphthene-D10(IS)	5.98	164	15242	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	26118	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	37102	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	35689	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.16	82	174	0.02974 ppb		0.04
Spiked Amount 5.000			Recovery =	0.600%		
4) 2-Methylnaphthalene-D10 (2	4.77	152	917	0.05892 ppb		0.04
Spiked Amount 5.000			Recovery =	1.180%		
8) Surrogate Recovery (FBP)	5.24	172	525	0.04808 ppb		0.02
Spiked Amount 5.000			Recovery =	0.960%		
15) Fluoranthene-D10 (FRT)	9.11	212	993	0.05233 ppb		0.02
Spiked Amount 5.000			Recovery =	1.040%		
19) Surrogate Recovery (TPH)	9.59	244	603	0.04940 ppb		0.01
Spiked Amount 5.000			Recovery =	0.980%		
Target Compounds						Qvalue
3) Naphthalene	3.97	128	2021	0.12117 ppb		98
5) 2-Methylnaphthalene	4.79	142	966	0.09635 ppb		93
6) 1-Methylnaphthalene	4.90	142	1309	0.12868 ppb		97
9) Acenaphthylene	5.83	152	3597	0.10503 ppb		100
10) Acenaphthene	6.01	154	1094	0.11148 ppb		97
11) Fluorene	6.64	166	1352	0.11705 ppb		98
13) Phenanthrene	7.74	178	1679	0.11386 ppb		98
14) Anthracene	7.81	178	1552	0.10652 ppb		99
16) Fluoranthene	9.13	202	2650	0.11360 ppb	#	94
18) Pyrene	9.39	202	2818	0.12170 ppb	#	94
20) Benz (a) anthracene	10.79	228	2097	0.10234 ppb		97
21) Chrysene	10.84	228	2513	0.12734 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.73	276	2499	0.12209 ppb	#	81
24) Benzo (b) fluoranthene	12.52	252	1653	0.08620 ppb		97
25) Benzo (k) fluoranthene	12.58	252	2393	0.12113 ppb	#	82
26) Benzo (a) pyrene	13.09	252	1774	0.09605 ppb		98
27) Dibenz (a,h) anthracene	14.74	278	1986	0.11611 ppb	#	91
28) Benzo (g,h,i) perylene	15.09	276	2096	0.12108 ppb		92


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L013.D Vial: 13
Acq On : 26 Mar 19 17:05 Operator: MA
Sample : 0.1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 17:22 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 03/26/19
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0326L014.D

		Compound	MEAN	CCRF	%D		%Drift
1	TM	Naphthalene	1.314	1.344	2.3	TM	
2	TM	2-Methylnaphthalene	0.7409	0.8066	8.9	TM	
3	TM	1-Methylnaphthalene	0.8188	0.8287	1.2	TM	
4	TM	Acenaphthylene	5.655	5.927	4.8	TM	
5	*TM	Acenaphthene	1.491	1.500	0.63	*TM	
6	TM	Fluorene	1.867	1.894	1.4	TM	
7	TM	Phenanthrene	1.453	1.496	2.9	TM	
8	TM	Anthracene	1.396	1.451	4.0	TM	
9	*TM	Fluoranthene	2.417	2.498	3.4	*TM	
10	TM	Pyrene	1.692	1.717	1.5	TM	
11	TM	Benz (a) anthracene	1.385	1.403	1.3	TM	
12	TM	Chrysene	1.409	1.442	2.3	TM	
13	TM	Indeno (1,2,3-cd) pyrene	1.476	1.465	0.75	TM	
14	TM	Benzo (b) fluoranthene	1.293	1.413	9.3	TM	
15	TM	Benzo (k) fluoranthene	1.467	1.533	4.5	TM	
16	*TM	Benzo (a) pyrene	1.312	1.326	1.1	*TM	
17	TM	Dibenz (a,h) anthracene	1.222	1.285	5.1	TM	
18	TM	Benzo (g,h,i) perylene	1.254	1.309	4.4	TM	
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
		Average			3.3		

PAH by GCMS SIM
EPA 8270 SIM

Form 7

Second Source Calibration

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L014.D Vial: 14
Acq On : 26 Mar 19 17:27 Operator: MA
Sample : SS SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 27 9:04 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	37593	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	17018	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	29145	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	42587	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	40320	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.15	82	89	0.01327 ppb		0.02
Spiked Amount 5.000			Recovery	= 0.260%		
4) 2-Methylnaphthalene-D10 (2	4.74	152	61	0.00300 ppb		0.01
Spiked Amount 5.000			Recovery	= 0.060%		
8) Surrogate Recovery (FBP)	5.26	172	21	0.00168 ppb		0.05
Spiked Amount 5.000			Recovery	= 0.040%		
15) Fluoranthene-D10 (FRT)	9.09	212	62	0.00249 ppb		0.00
Spiked Amount 5.000			Recovery	= 0.040%		
19) Surrogate Recovery (TPH)	9.60	244	51	0.00338 ppb		0.02
Spiked Amount 5.000			Recovery	= 0.060%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	101084	5.11703 ppb		100
5) 2-Methylnaphthalene	4.77	142	60648	5.44385 ppb		98
6) 1-Methylnaphthalene	4.88	142	62305	5.06007 ppb		99
9) Acenaphthylene	5.81	152	201720	5.24063 ppb		99
10) Acenaphthene	6.01	154	51069	5.03134 ppb		100
11) Fluorene	6.62	166	64459	5.07138 ppb		99
13) Phenanthrene	7.73	178	87187	5.14639 ppb		100
14) Anthracene	7.79	178	84584	5.19763 ppb		100
16) Fluoranthene	9.11	202	145598	5.16794 ppb		98
18) Pyrene	9.36	202	146253	5.07448 ppb		99
20) Benz (a) anthracene	10.78	228	119541	5.06587 ppb		98
21) Chrysene	10.83	228	122783	5.11679 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.66	276	124805	4.96230 ppb		98
24) Benzo (b) fluoranthene	12.47	252	113984	5.46678 ppb	#	96
25) Benzo (k) fluoranthene	12.52	252	123617	5.22426 ppb	#	84
26) Benzo (a) pyrene	13.05	252	106932	5.05468 ppb	#	94
27) Dibenz (a,h) anthracene	14.70	278	103583	5.25425 ppb		99
28) Benzo (g,h,i) perylene	15.01	276	105592	5.22057 ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L014.D Vial: 14
Acq On : 26 Mar 19 17:27 Operator: MA
Sample : SS SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 27 9:04 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/26/19
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0426L003.D

		Compound	MEAN	CCRF	%D	%Drift	
1	I	Napthalene-D8(IS)	ISTD			I	
2	S	Surrogate Recovery (NBZ)	0.4460	0.4406	1.2	S	
3	TM	Naphthalene	1.314	1.225	6.8	TM	
4	S	2-Methylnaphthalene-D10 (2MN)	1.354	1.236	8.7	S	
5	TM	2-Methylnaphthalene	0.7409	0.6982	5.8	TM	
6	TM	1-Methylnaphthalene	0.8188	0.7382	9.9	TM	
7	I	Acenaphthene-D10(IS)	ISTD			I	
8	S	Surrogate Recovery (FBP)	1.840	1.901	3.3	S	
9	TM	Acenaphthylene	5.655	5.185	8.3	TM	
10	*TM	Acenaphthene	1.491	1.502	0.70	*TM	
11	TM	Fluorene	1.867	1.903	1.9	TM	
12	I	Phenanthrene-D10(IS)	ISTD			I	
13	TM	Phenanthrene	1.453	1.435	1.3	TM	
14	TM	Anthracene	1.396	1.418	1.6	TM	
15	S	Fluoranthene-D10 (FRT)	2.138	2.150	0.56	S	
16	*TM	Fluoranthene	2.417	2.385	1.3	*TM	
17	I	Chrysene-D12(IS)	ISTD			I	
18	TM	Pyrene	1.692	1.666	1.5	TM	
19	S	Surrogate Recovery (TPH)	0.8859	0.8756	1.2	S	
20	TM	Benz (a) anthracene	1.385	1.360	1.8	TM	
21	TM	Chrysene	1.409	1.364	3.1	TM	
22	TM	Indeno (1,2,3-cd) pyrene	1.476	1.496	1.3	TM	
23	I	Perylene-D12(IS)	ISTD			I	
24	TM	Benzo (b) fluoranthene	1.293	1.245	3.7	TM	
25	TM	Benzo (k) fluoranthene	1.467	1.779	21	TM	*NT
26	*TM	Benzo (a) pyrene	1.312	1.322	0.80	*TM	
27	TM	Dibenz (a,h) anthracene	1.222	1.373	12	TM	
28	TM	Benzo (g,h,i) perylene	1.254	1.338	6.7	TM	
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			4.5		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L003.D Vial: 3
Acq On : 26 Apr 19 14:31 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 26 14:50 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	48849	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	20245	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	34785	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	49781	2.50000 ppb		-0.01
23) Perylene-D12(IS)	13.17	264	44763	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.13	82	21522	2.46943 ppb		0.00
Spiked Amount 5.000			Recovery	= 49.380%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	60391	2.28337 ppb		0.00
Spiked Amount 5.000			Recovery	= 45.660%		
8) Surrogate Recovery (FBP)	5.22	172	38480	2.58189 ppb		0.00
Spiked Amount 5.000			Recovery	= 51.640%		
15) Fluoranthene-D10 (FRT)	9.08	212	74783	2.51398 ppb		-0.01
Spiked Amount 5.000			Recovery	= 50.280%		
19) Surrogate Recovery (TPH)	9.57	244	43590	2.47107 ppb		-0.01
Spiked Amount 5.000			Recovery	= 49.420%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	119673	4.66212 ppb		100
5) 2-Methylnaphthalene	4.77	142	68212	4.71196 ppb		98
6) 1-Methylnaphthalene	4.88	142	72118	4.50743 ppb		94
9) Acenaphthylene	5.81	152	209953	4.58508 ppb		100
10) Acenaphthene	6.00	154	60800	5.03525 ppb		98
11) Fluorene	6.60	166	77042	5.09519 ppb		93
13) Phenanthrene	7.71	178	99832	4.93734 ppb		98
14) Anthracene	7.79	178	98649	5.07904 ppb		99
16) Fluoranthene	9.10	202	165920	4.93438 ppb	#	89
18) Pyrene	9.36	202	165882	4.92379 ppb		100
20) Benz (a) anthracene	10.77	228	135401	4.90877 ppb		97
21) Chrysene	10.82	228	135847	4.84309 ppb	#	95
22) Indeno (1,2,3-cd) pyrene	14.68	276	148900	5.06476 ppb	#	82
24) Benzo (b) fluoranthene	12.48	252	111470	4.81556 ppb		99
25) Benzo (k) fluoranthene	12.53	252	159254	6.06231 ppb		99
26) Benzo (a) pyrene	13.08	252	118369	5.03994 ppb	#	96
27) Dibenz (a,h) anthracene	14.70	278	122926	5.61652 ppb	#	93
28) Benzo (g,h,i) perylene	15.03	276	119820	5.33602 ppb		96


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L003.D Vial: 3
Acq On : 26 Apr 19 14:31 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 26 14:50 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/26/19
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0426L020.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Napthalene-D8(IS)	ISTD			I	
2	S	Surrogate Recovery (NBZ)	0.4460	0.4621	3.6	S	
3	TM	Naphthalene	1.314	1.435	9.3	TM	
4	S	2-Methylnaphthalene-D10 (2MN)	1.354	1.218	10	S	
5	TM	2-Methylnaphthalene	0.7409	0.8233	11	TM	
6	TM	1-Methylnaphthalene	0.8188	0.8586	4.9	TM	
7	I	Acenaphthene-D10(IS)	ISTD			I	
8	S	Surrogate Recovery (FBP)	1.840	1.935	5.1	S	
9	TM	Acenaphthylene	5.655	6.783	20	TM	
10	*TM	Acenaphthene	1.491	1.740	17	*TM	
11	TM	Fluorene	1.867	2.174	16	TM	
12	I	Phenanthrene-D10(IS)	ISTD			I	
13	TM	Phenanthrene	1.453	1.679	16	TM	
14	TM	Anthracene	1.396	1.791	28	TM	
15	S	Fluoranthene-D10 (FRT)	2.138	2.323	8.6	S	
16	*TM	Fluoranthene	2.417	2.950	22	*TM	
17	I	Chrysene-D12(IS)	ISTD			I	
18	TM	Pyrene	1.692	1.874	11	TM	
19	S	Surrogate Recovery (TPH)	0.8859	0.8338	5.9	S	
20	TM	Benz (a) anthracene	1.385	1.439	3.9	TM	
21	TM	Chrysene	1.409	1.616	15	TM	
22	TM	Indeno (1,2,3-cd) pyrene	1.476	1.663	13	TM	
23	I	Perylene-D12(IS)	ISTD			I	
24	TM	Benzo (b) fluoranthene	1.293	1.311	1.4	TM	
25	TM	Benzo (k) fluoranthene	1.467	1.944	33	TM	
26	*TM	Benzo (a) pyrene	1.312	1.515	16	*TM	
27	TM	Dibenz (a,h) anthracene	1.222	1.455	19	TM	
28	TM	Benzo (g,h,i) perylene	1.254	1.408	12	TM	
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			13.1		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L020.D Vial: 20
Acq On : 26 Apr 19 21:43 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:46 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	50811	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	20724	2.50000	ppb		-0.01
12) Phenanthrene-D10(IS)	7.70	188	34168	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.79	240	53412	2.50000	ppb		0.00
23) Perylene-D12(IS)	13.17	264	50142	2.50000	ppb		0.01
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.15	82	23480	2.59006	ppb		0.02
Spiked Amount 5.000			Recovery	= 51.800%			
4) 2-Methylnaphthalene-D10 (2	4.73	152	61864	2.24875	ppb		0.00
Spiked Amount 5.000			Recovery	= 44.980%			
8) Surrogate Recovery (FBP)	5.22	172	40094	2.62801	ppb		0.00
Spiked Amount 5.000			Recovery	= 52.560%			
15) Fluoranthene-D10 (FRT)	9.08	212	79363	2.71612	ppb		-0.01
Spiked Amount 5.000			Recovery	= 54.320%			
19) Surrogate Recovery (TPH)	9.58	244	44533	2.35290	ppb		0.00
Spiked Amount 5.000			Recovery	= 47.060%			
Target Compounds							Qvalue
3) Naphthalene	3.96	128	145856	5.46272	ppb		100
5) 2-Methylnaphthalene	4.77	142	83669	5.55653	ppb		99
6) 1-Methylnaphthalene	4.88	142	87257	5.24304	ppb		97
9) Acenaphthylene	5.81	152	281149	5.99799	ppb		99
10) Acenaphthene	6.00	154	72126	5.83517	ppb		91
11) Fluorene	6.62	166	90110	5.82170	ppb		98
13) Phenanthrene	7.73	178	114720	5.77610	ppb		99
14) Anthracene	7.79	178	122423	6.41689	ppb		99
16) Fluoranthene	9.10	202	201579	6.10311	ppb	#	84
18) Pyrene	9.36	202	200163	5.53744	ppb		96
20) Benz (a) anthracene	10.78	228	153766	5.19560	ppb		100
21) Chrysene	10.83	228	172595	5.73490	ppb		98
22) Indeno (1,2,3-cd) pyrene	14.69	276	177616	5.63081	ppb	#	83
24) Benzo (b) fluoranthene	12.48	252	131487	5.07095	ppb		99
25) Benzo (k) fluoranthene	12.53	252	194962	6.62545	ppb		99
26) Benzo (a) pyrene	13.08	252	151959	5.77605	ppb	#	95
27) Dibenz (a,h) anthracene	14.71	278	145864	5.94962	ppb		95
28) Benzo (g,h,i) perylene	15.04	276	141222	5.61446	ppb		92


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L020.D Vial: 20
Acq On : 26 Apr 19 21:43 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:46 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/30/19
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0426L022.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Napthalene-D8(IS)	ISTD			I	
2	S	Surrogate Recovery (NBZ)	0.4460	0.4647	4.2	S	
3	TM	Naphthalene	1.314	1.223	6.9	TM	
4	S	2-Methylnaphthalene-D10 (2MN)	1.354	1.285	5.1	S	
5	TM	2-Methylnaphthalene	0.7409	0.6993	5.6	TM	
6	TM	1-Methylnaphthalene	0.8188	0.7439	9.2	TM	
7	I	Acenaphthene-D10(IS)	ISTD			I	
8	S	Surrogate Recovery (FBP)	1.840	2.114	15	S	
9	TM	Acenaphthylene	5.655	6.242	10	TM	
10	*TM	Acenaphthene	1.491	1.576	5.7	*TM	
11	TM	Fluorene	1.867	1.924	3.0	TM	
12	I	Phenanthrene-D10(IS)	ISTD			I	
13	TM	Phenanthrene	1.453	1.493	2.8	TM	
14	TM	Anthracene	1.396	1.528	9.4	TM	
15	S	Fluoranthene-D10 (FRT)	2.138	2.393	12	S	
16	*TM	Fluoranthene	2.417	2.526	4.5	*TM	
17	I	Chrysene-D12(IS)	ISTD			I	
18	TM	Pyrene	1.692	1.670	1.3	TM	
19	S	Surrogate Recovery (TPH)	0.8859	0.8958	1.1	S	
20	TM	Benz (a) anthracene	1.385	1.315	5.1	TM	
21	TM	Chrysene	1.409	1.379	2.1	TM	
22	TM	Indeno (1,2,3-cd) pyrene	1.476	1.447	2.0	TM	
23	I	Perylene-D12(IS)	ISTD			I	
24	TM	Benzo (b) fluoranthene	1.293	1.233	4.6	TM	
25	TM	Benzo (k) fluoranthene	1.467	1.707	16	TM	
26	*TM	Benzo (a) pyrene	1.312	1.325	1.0	*TM	
27	TM	Dibenz (a,h) anthracene	1.222	1.298	6.2	TM	
28	TM	Benzo (g,h,i) perylene	1.254	1.267	1.0	TM	
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			5.8		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L022.D Vial: 22
Acq On : 30 Apr 19 10:57 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 30 11:38 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	53936	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	20646	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	35467	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	53547	2.50000 ppb		-0.01
23) Perylene-D12(IS)	13.17	264	48683	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.14	82	25063	2.60450 ppb		0.01
Spiked Amount 5.000			Recovery = 52.100%			
4) 2-Methylnaphthalene-D10 (2	4.73	152	69316	2.37364 ppb		0.00
Spiked Amount 5.000			Recovery = 47.480%			
8) Surrogate Recovery (FBP)	5.22	172	43651	2.87196 ppb		0.00
Spiked Amount 5.000			Recovery = 57.440%			
15) Fluoranthene-D10 (FRT)	9.08	212	84890	2.79887 ppb		-0.01
Spiked Amount 5.000			Recovery = 55.980%			
19) Surrogate Recovery (TPH)	9.57	244	47966	2.52790 ppb		-0.01
Spiked Amount 5.000			Recovery = 50.560%			
Target Compounds						Qvalue
3) Naphthalene	3.96	128	131976	4.65649 ppb		100
5) 2-Methylnaphthalene	4.77	142	75431	4.71919 ppb		98
6) 1-Methylnaphthalene	4.88	142	80244	4.54229 ppb		97
9) Acenaphthylene	5.81	152	257727	5.51908 ppb		100
10) Acenaphthene	6.00	154	65071	5.28429 ppb		96
11) Fluorene	6.62	166	79437	5.15155 ppb		98
13) Phenanthrene	7.71	178	105928	5.13808 ppb		97
14) Anthracene	7.79	178	108373	5.47240 ppb		99
16) Fluoranthene	9.10	202	179159	5.22565 ppb	#	84
18) Pyrene	9.36	202	178856	4.93551 ppb		98
20) Benz (a) anthracene	10.77	228	140824	4.74631 ppb		97
21) Chrysene	10.83	228	147706	4.89552 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.67	276	154972	4.90056 ppb	#	76
24) Benzo (b) fluoranthene	12.48	252	120074	4.76958 ppb		99
25) Benzo (k) fluoranthene	12.52	252	166225	5.81817 ppb		97
26) Benzo (a) pyrene	13.08	252	129048	5.05220 ppb	#	96
27) Dibenz (a,h) anthracene	14.70	278	126357	5.30841 ppb	#	90
28) Benzo (g,h,i) perylene	15.04	276	123386	5.05238 ppb		97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L022.D Vial: 22
Acq On : 30 Apr 19 10:57 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 30 11:38 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/30/19
Matrix: Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0426L028.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Napthalene-D8(IS)	ISTD			I	
2	S	Surrogate Recovery (NBZ)	0.4460	0.4365	2.1	S	
3	TM	Naphthalene	1.314	1.444	9.9	TM	
4	S	2-Methylnaphthalene-D10 (2MN)	1.354	1.190	12	S	
5	TM	2-Methylnaphthalene	0.7409	0.7744	4.5	TM	
6	TM	1-Methylnaphthalene	0.8188	0.8208	0.24	TM	
7	I	Acenaphthene-D10(IS)	ISTD			I	
8	S	Surrogate Recovery (FBP)	1.840	1.969	7.0	S	
9	TM	Acenaphthylene	5.655	6.908	22	TM	
10	*TM	Acenaphthene	1.491	1.777	19	*TM	
11	TM	Fluorene	1.867	2.209	18	TM	
12	I	Phenanthrene-D10(IS)	ISTD			I	
13	TM	Phenanthrene	1.453	1.693	17	TM	
14	TM	Anthracene	1.396	1.744	25	TM	
15	S	Fluoranthene-D10 (FRT)	2.138	2.148	0.47	S	
16	*TM	Fluoranthene	2.417	2.798	16	*TM	
17	I	Chrysene-D12(IS)	ISTD			I	
18	TM	Pyrene	1.692	2.042	21	TM	
19	S	Surrogate Recovery (TPH)	0.8859	0.8766	1.0	S	
20	TM	Benz (a) anthracene	1.385	1.503	8.5	TM	
21	TM	Chrysene	1.409	1.579	12	TM	
22	TM	Indeno (1,2,3-cd) pyrene	1.476	1.701	15	TM	
23	I	Perylene-D12(IS)	ISTD			I	
24	TM	Benzo (b) fluoranthene	1.293	1.430	11	TM	
25	TM	Benzo (k) fluoranthene	1.467	1.897	29	TM	
26	*TM	Benzo (a) pyrene	1.312	1.535	17	*TM	
27	TM	Dibenz (a,h) anthracene	1.222	1.461	20	TM	
28	TM	Benzo (g,h,i) perylene	1.254	1.425	14	TM	
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			13.1		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L028.D Vial: 28
Acq On : 30 Apr 19 16:35 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: May 1 8:57 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	57622	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	22676	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	37749	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	54658	2.50000 ppb		-0.01
23) Perylene-D12(IS)	13.17	264	52173	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.15	82	25154	2.44675 ppb		0.02
Spiked Amount 5.000			Recovery	= 48.940%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	68593	2.19863 ppb		0.00
Spiked Amount 5.000			Recovery	= 43.980%		
8) Surrogate Recovery (FBP)	5.22	172	44639	2.67404 ppb		0.00
Spiked Amount 5.000			Recovery	= 53.480%		
15) Fluoranthene-D10 (FRT)	9.08	212	81080	2.51165 ppb		-0.01
Spiked Amount 5.000			Recovery	= 50.240%		
19) Surrogate Recovery (TPH)	9.57	244	47915	2.47388 ppb		-0.01
Spiked Amount 5.000			Recovery	= 49.480%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	166364	5.49432 ppb		100
5) 2-Methylnaphthalene	4.77	142	89240	5.22598 ppb		99
6) 1-Methylnaphthalene	4.88	142	94590	5.01184 ppb		97
9) Acenaphthylene	5.81	152	313290	6.10834 ppb		99
10) Acenaphthene	6.00	154	80587	5.95845 ppb		94
11) Fluorene	6.62	166	100182	5.91526 ppb		98
13) Phenanthrene	7.73	178	127841	5.82612 ppb		99
14) Anthracene	7.79	178	131675	6.24711 ppb		100
16) Fluoranthene	9.10	202	211254	5.78929 ppb	#	84
18) Pyrene	9.36	202	223236	6.03496 ppb		99
20) Benz (a) anthracene	10.77	228	164270	5.42399 ppb		98
21) Chrysene	10.82	228	172569	5.60332 ppb	#	96
22) Indeno (1,2,3-cd) pyrene	14.67	276	185905	5.75924 ppb	#	83
24) Benzo (b) fluoranthene	12.47	252	149165	5.52878 ppb		97
25) Benzo (k) fluoranthene	12.52	252	197930	6.46447 ppb		98
26) Benzo (a) pyrene	13.08	252	160152	5.85050 ppb	#	95
27) Dibenz (a,h) anthracene	14.70	278	152436	5.97564 ppb	#	92
28) Benzo (g,h,i) perylene	15.04	276	148740	5.68316 ppb		97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L028.D Vial: 28
Acq On : 30 Apr 19 16:35 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: May 1 8:57 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L007.D Vial: 7
Acq On : 26 Apr 19 16:52 Operator: MA
Sample : AZ89958W30 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:17 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.92	136	58370	2.50000 ppb	-0.01
7) Acenaphthene-D10(IS)	5.96	164	25961	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	47827	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.80	240	70314	2.50000 ppb	0.01
23) Perylene-D12(IS)	13.18	264	70202	2.50000 ppb	0.02
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	725842	87.12296 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1393.968%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	113610	4.49363 ppb	0.00
Spiked Amount 6.250			Recovery	= 71.904%	
8) Surrogate Recovery (FBP)	5.20	172	1130960	73.97010 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1183.520%	
15) Fluoranthene-D10 (FRT)	9.08	212	151772	4.63852 ppb	-0.01
Spiked Amount 6.250			Recovery	= 74.224%	
19) Surrogate Recovery (TPH)	9.57	244	1306043	65.52192 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1048.352%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L007.D Vial: 7
Acq On : 26 Apr 19 16:52 Operator: MA
Sample : AZ89958W30 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:17 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L011.D Vial: 11
Acq On : 26 Apr 19 18:21 Operator: MA
Sample : AZ89961W14 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:18 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	47171	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	20307	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	38282	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.80	240	56190	2.50000 ppb	0.01
23) Perylene-D12(IS)	13.20	264	55428	2.50000 ppb	0.03
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	760248	112.91729 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1806.672%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	115721	5.66379 ppb	0.00
Spiked Amount 6.250			Recovery	= 90.624%	
8) Surrogate Recovery (FBP)	5.20	172	1173890	98.15491 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1570.480%	
15) Fluoranthene-D10 (FRT)	9.08	212	147494	5.63171 ppb	-0.01
Spiked Amount 6.250			Recovery	= 90.112%	
19) Surrogate Recovery (TPH)	9.57	244	1375873	86.37544 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1382.000%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L011.D Vial: 11
Acq On : 26 Apr 19 18:21 Operator: MA
Sample : AZ89961W14 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:18 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L023.D Vial: 23
Acq On : 30 Apr 19 11:19 Operator: MA
Sample : AZ89959W07 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 11:40 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	49061	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	20970	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	35160	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.82	240	49151	2.50000 ppb	0.02
23) Perylene-D12(IS)	13.20	264	49682	2.50000 ppb	0.03
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	740751	105.78305 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1692.528%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	110335	5.19215 ppb	0.00
Spiked Amount 6.250			Recovery	= 83.072%	
8) Surrogate Recovery (FBP)	5.19	172	1089194	88.19363 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1411.104%	
15) Fluoranthene-D10 (FRT)	9.08	212	145474	6.04780 ppb	-0.01
Spiked Amount 6.250			Recovery	= 96.768%	
19) Surrogate Recovery (TPH)	9.57	244	1237153	88.78958 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1420.640%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L023.D Vial: 23
Acq On : 30 Apr 19 11:19 Operator: MA
Sample : AZ89959W07 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 11:40 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L004.D Vial: 4
Acq On : 26 Apr 19 15:45 Operator: MA
Sample : 190424A BLK 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:17 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.92	136	61581	2.50000 ppb	-0.01
7) Acenaphthene-D10(IS)	5.96	164	27671	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	51116	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.80	240	74152	2.50000 ppb	0.01
23) Perylene-D12(IS)	13.18	264	72779	2.50000 ppb	0.02
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.09	82	725628	82.55579 ppb	-0.04
Spiked Amount 6.250			Recovery	= 1320.896%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	114213	4.28193 ppb	0.00
Spiked Amount 6.250			Recovery	= 68.512%	
8) Surrogate Recovery (FBP)	5.20	172	1109405	68.07626 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1089.216%	
15) Fluoranthene-D10 (FRT)	9.08	212	149516	4.27555 ppb	-0.01
Spiked Amount 6.250			Recovery	= 68.416%	
19) Surrogate Recovery (TPH)	9.57	244	1299739	61.83071 ppb	-0.01
Spiked Amount 6.250			Recovery	= 989.296%	


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Data File : M:\LINUS\DATA\L190426\0426L004.D Vial: 4
Acq On : 26 Apr 19 15:45 Operator: MA
Sample : 190424A BLK 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:17 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L005.D Vial: 5
Acq On : 26 Apr 19 16:07 Operator: MA
Sample : 190424A LCS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.92	136	61600	2.50000	ppb		-0.01
7) Acenaphthene-D10(IS)	5.96	164	26296	2.50000	ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	49643	2.50000	ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	71987	2.50000	ppb		-0.01
23) Perylene-D12(IS)	13.16	264	68680	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	0.00	82	0	0.00000	ppb		
Spiked Amount 6.250			Recovery	=	0.000%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	114360	4.28611	ppb		0.00
Spiked Amount 6.250			Recovery	=	68.576%		
8) Surrogate Recovery (FBP)	5.22	172	68	0.00439	ppb		0.00
Spiked Amount 6.250			Recovery	=	0.064%		
15) Fluoranthene-D10 (FRT)	9.08	212	154945	4.56226	ppb		-0.01
Spiked Amount 6.250			Recovery	=	72.992%		
19) Surrogate Recovery (TPH)	9.59	244	427	0.02092	ppb		0.01
Spiked Amount 6.250			Recovery	=	0.336%		
Target Compounds							Qvalue
3) Naphthalene	3.95	128	119158	4.60145	ppb		100
5) 2-Methylnaphthalene	4.77	142	70469	4.82530	ppb		98
6) 1-Methylnaphthalene	4.88	142	70028	4.33852	ppb		95
9) Acenaphthylene	5.81	152	236354	4.96736	ppb		99
10) Acenaphthene	6.00	154	62571	4.98687	ppb		100
11) Fluorene	6.60	166	81645	5.19638	ppb		97
13) Phenanthrene	7.71	178	107061	4.63765	ppb		98
14) Anthracene	7.79	178	100226	4.51974	ppb		100
16) Fluoranthene	9.10	202	172578	4.49535	ppb	#	91
18) Pyrene	9.36	202	178576	4.58187	ppb		95
20) Benz (a) anthracene	10.77	228	133526	4.18443	ppb		98
21) Chrysene	10.82	228	153531	4.73138	ppb	#	97
22) Indeno (1,2,3-cd) pyrene	14.67	276	157926	4.64341	ppb	#	82
24) Benzo (b) fluoranthene	12.48	252	124752	4.39072	ppb		99
25) Benzo (k) fluoranthene	12.52	252	162449	5.03807	ppb		98
26) Benzo (a) pyrene	13.08	252	125100	4.33954	ppb		97
27) Dibenz (a,h) anthracene	14.70	278	130275	4.84935	ppb	#	92
28) Benzo (g,h,i) perylene	15.03	276	128476	4.66133	ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L005.D Vial: 5
Acq On : 26 Apr 19 16:07 Operator: MA
Sample : 190424A LCS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L006.D Vial: 6
Acq On : 26 Apr 19 16:29 Operator: MA
Sample : 190424A LCSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	61904	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	27133	2.50000	ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	50790	2.50000	ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	73769	2.50000	ppb		-0.01
23) Perylene-D12(IS)	13.16	264	73093	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	0.00	82	0	0.00000	ppb		
Spiked Amount 6.250			Recovery	=	0.000%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	115101	4.29270	ppb		0.00
Spiked Amount 6.250			Recovery	=	68.688%		
8) Surrogate Recovery (FBP)	5.23	172	61	0.00382	ppb		0.01
Spiked Amount 6.250			Recovery	=	0.064%		
15) Fluoranthene-D10 (FRT)	9.08	212	156005	4.48974	ppb		-0.01
Spiked Amount 6.250			Recovery	=	71.840%		
19) Surrogate Recovery (TPH)	9.59	244	265	0.01267	ppb		0.01
Spiked Amount 6.250			Recovery	=	0.208%		
Target Compounds							Qvalue
3) Naphthalene	3.96	128	119326	4.58531	ppb		100
5) 2-Methylnaphthalene	4.77	142	70567	4.80828	ppb		97
6) 1-Methylnaphthalene	4.88	142	70112	4.32239	ppb		97
9) Acenaphthylene	5.81	152	236980	4.82688	ppb		99
10) Acenaphthene	6.00	154	62873	4.85637	ppb		100
11) Fluorene	6.60	166	83195	5.13169	ppb		96
13) Phenanthrene	7.71	178	105658	4.47352	ppb		98
14) Anthracene	7.79	178	100191	4.41613	ppb		100
16) Fluoranthene	9.10	202	174429	4.44095	ppb	#	92
18) Pyrene	9.36	202	175430	4.39242	ppb		98
20) Benz (a) anthracene	10.77	228	132176	4.04206	ppb		98
21) Chrysene	10.82	228	152369	4.58215	ppb		97
22) Indeno (1,2,3-cd) pyrene	14.68	276	156504	4.49045	ppb	#	81
24) Benzo (b) fluoranthene	12.48	252	122959	4.06633	ppb		98
25) Benzo (k) fluoranthene	12.53	252	163967	4.77813	ppb		99
26) Benzo (a) pyrene	13.08	252	126932	4.13725	ppb		97
27) Dibenz (a,h) anthracene	14.70	278	129586	4.53247	ppb	#	93
28) Benzo (g,h,i) perylene	15.03	276	127250	4.33810	ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L006.D Vial: 6
Acq On : 26 Apr 19 16:29 Operator: MA
Sample : 190424A LCSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L008.D Vial: 8
Acq On : 26 Apr 19 17:14 Operator: MA
Sample : AZ89958W33 MS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	62418	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	26764	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	50768	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	72806	2.50000 ppb		-0.01
23) Perylene-D12(IS)	13.16	264	69971	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.14	82	101	0.01134 ppb		0.01
Spiked Amount 6.250			Recovery	= 0.176%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	112555	4.16318 ppb		0.00
Spiked Amount 6.250			Recovery	= 66.608%		
8) Surrogate Recovery (FBP)	5.23	172	109	0.00692 ppb		0.01
Spiked Amount 6.250			Recovery	= 0.112%		
15) Fluoranthene-D10 (FRT)	9.08	212	154307	4.44280 ppb		-0.01
Spiked Amount 6.250			Recovery	= 71.088%		
19) Surrogate Recovery (TPH)	9.59	244	535	0.02592 ppb		0.01
Spiked Amount 6.250			Recovery	= 0.416%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	115172	4.38924 ppb		100
5) 2-Methylnaphthalene	4.77	142	67532	4.56359 ppb		99
6) 1-Methylnaphthalene	4.88	142	68177	4.16849 ppb		96
9) Acenaphthylene	5.81	152	225401	4.65433 ppb		99
10) Acenaphthene	6.00	154	60442	4.73296 ppb		99
11) Fluorene	6.60	166	80183	5.01409 ppb		94
13) Phenanthrene	7.71	178	103406	4.38007 ppb		98
14) Anthracene	7.79	178	98817	4.35745 ppb		99
16) Fluoranthene	9.10	202	173668	4.42349 ppb	#	92
18) Pyrene	9.36	202	176840	4.48629 ppb		96
20) Benz (a) anthracene	10.77	228	132962	4.11988 ppb		98
21) Chrysene	10.82	228	151095	4.60394 ppb	#	96
22) Indeno (1,2,3-cd) pyrene	14.68	276	156034	4.53618 ppb	#	84
24) Benzo (b) fluoranthene	12.48	252	123538	4.26777 ppb		99
25) Benzo (k) fluoranthene	12.52	252	161208	4.90734 ppb		98
26) Benzo (a) pyrene	13.08	252	123726	4.21269 ppb		97
27) Dibenz (a,h) anthracene	14.70	278	128132	4.68158 ppb	#	94
28) Benzo (g,h,i) perylene	15.04	276	126116	4.49128 ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L008.D Vial: 8
Acq On : 26 Apr 19 17:14 Operator: MA
Sample : AZ89958W33 MS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L009.D Vial: 9
Acq On : 26 Apr 19 17:36 Operator: MA
Sample : AZ89958W36 MSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	58680	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	25083	2.50000	ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	44186	2.50000	ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	63853	2.50000	ppb		-0.01
23) Perylene-D12(IS)	13.17	264	60946	2.50000	ppb		0.01
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	0.00	82	0	0.00000	ppb		
Spiked Amount 6.250			Recovery	=	0.000%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	115581	4.54744	ppb		0.00
Spiked Amount 6.250			Recovery	=	72.752%		
8) Surrogate Recovery (FBP)	5.22	172	164	0.01110	ppb		0.00
Spiked Amount 6.250			Recovery	=	0.176%		
15) Fluoranthene-D10 (FRT)	9.08	212	159128	5.26408	ppb		-0.01
Spiked Amount 6.250			Recovery	=	84.224%		
19) Surrogate Recovery (TPH)	9.59	244	872	0.04817	ppb		0.01
Spiked Amount 6.250			Recovery	=	0.768%		
Target Compounds							Qvalue
3) Naphthalene	3.96	128	119860	4.85889	ppb		100
5) 2-Methylnaphthalene	4.77	142	70206	5.04650	ppb		97
6) 1-Methylnaphthalene	4.88	142	69757	4.53679	ppb		96
9) Acenaphthylene	5.81	152	234612	5.16920	ppb		99
10) Acenaphthene	6.00	154	62462	5.21893	ppb		99
11) Fluorene	6.60	166	82920	5.53274	ppb		96
13) Phenanthrene	7.71	178	109195	5.31426	ppb		98
14) Anthracene	7.79	178	101585	5.14678	ppb		99
16) Fluoranthene	9.10	202	179048	5.23987	ppb	#	91
18) Pyrene	9.36	202	182942	5.29183	ppb		98
20) Benz (a) anthracene	10.77	228	150204	5.30670	ppb		98
21) Chrysene	10.83	228	144709	5.02760	ppb		100
22) Indeno (1,2,3-cd) pyrene	14.67	276	161695	5.35986	ppb	#	84
24) Benzo (b) fluoranthene	12.48	252	127158	5.04332	ppb		99
25) Benzo (k) fluoranthene	12.52	252	169600	5.92731	ppb		99
26) Benzo (a) pyrene	13.08	252	128249	5.01332	ppb	#	96
27) Dibenz (a,h) anthracene	14.70	278	133475	5.59896	ppb	#	90
28) Benzo (g,h,i) perylene	15.03	276	131205	5.36442	ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L009.D Vial: 9
Acq On : 26 Apr 19 17:36 Operator: MA
Sample : AZ89958W36 MSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25


Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES


Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Data File : M:\LINUS\DATA\L190326\0326L002.D Vial: 2
Acq On : 26 Mar 19 9:39 Operator: MA
Sample : SV Tune 10/11/18 Inst : Linus
Misc : Multiplr: 1.00

Method : M:\LINUS\DATA\L190326\L0122.M (RTE Integrator)
Title : EPA 8270





AutoFind: Scans 1511, 1512, 1513; Background Corrected with Scan 1501

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	45.8	129276	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.4	622	PASS
127	198	10	80	61.0	172437	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	282517	PASS
199	198	5	9	6.0	17040	PASS
275	198	10	60	18.6	52443	PASS
365	198	1	100	2.2	6254	PASS
441	442	0.01	24	14.3	31867	PASS
442	198	50	150	78.8	222613	PASS
443	442	15	24	19.8	44029	PASS

0326L002.D L0122.M Tue Mar 26 09:50:20 2019

Data File Name:	**0326L002.D**
Data File Path:	**M:\LINUS\DATA\L190326**
Operator:	**MA**
Date Acquired:	**26 Mar 2019 09:39**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 10/11/18**
Vial Number:	**2**
Instrument Name:	**Linus**

#	Name	Ret Time	Target Response
1)	DDT	7.88	26061300
2)	DDD	7.65	254374
3)	DDE	7.70	0


Breakdown **0.97**

DFTPP

Data File : M:\LINUS\DATA\L190426\0426L002.D
Acq On : 26 Apr 19 14:15
Sample : SV Tune 10/11/18
Misc :

Vial: 2
Operator: MA
Inst : Linus
Multiplr: 1.00

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270



AutoFind: Scans 1506, 1507, 1508; Background Corrected with Scan 1497

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	55.2	201498	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.6	1295	PASS
127	198	10	80	63.7	232811	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	365355	PASS
199	198	5	9	6.6	23994	PASS
275	198	10	60	21.6	78763	PASS
365	198	1	100	2.7	9938	PASS
441	442	0.01	24	16.7	45291	PASS
442	198	50	150	74.2	271168	PASS
443	442	15	24	18.4	49955	PASS

0426L002.D L0326.M Fri Apr 26 14:50:49 2019


Data File Name:	**0426L002.D**
Data File Path:	**M:\LINUS\DATA\L190426**
Operator:	**MA**
Date Acquired:	**26 Apr 2019 14:15**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 10/11/18**
Vial Number:	**2**
Instrument Name:	**Linus**

#	Name	Ret Time	Target Response
1)	DDT	7.88	36076400
2)	DDD	7.65	1238690
3)	DDE	7.70	0

Breakdown **3.32**

Data File : M:\LINUS\DATA\L190426\0426L021.D Vial: 21
Acq On : 30 Apr 19 10:41 Operator: MA
Sample : SV Tune 10/11/18 Inst : Linus
Misc : Multiplr: 1.00

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270



AutoFind: Scans 1505, 1506, 1507; Background Corrected with Scan 1497

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	62.4	211861	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.6	1350	PASS
127	198	10	80	66.4	225515	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	339541	PASS
199	198	5	9	6.8	23136	PASS
275	198	10	60	20.1	68136	PASS
365	198	1	100	2.7	9309	PASS
441	442	0.01	24	17.7	37176	PASS
442	198	50	150	61.8	209707	PASS
443	442	15	24	20.2	42355	PASS

Data File Name:	**0426L021.D**
Data File Path:	**M:\LINUS\DATA\L190426**
Operator:	**MA**
Date Acquired:	**30 Apr 2019 10:41**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 10/11/18**
Vial Number:	**21**
Instrument Name:	**Linus**

#	Name	Ret Time	Target Response
1)	DDT	7.88	32400500
2)	DDD	7.65	1890920
3)	DDE	7.70	253764

Breakdown **6.21**

Name of Final Standard	**Semivolatile (SV) Tuning Solution**	**Prep'd By (Initials)**	**GA**
Prep Date	**10/11/18**		
Exp Date	**09/30/19**		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Semivolatile GC/MS Tuning Standard	Ultra Scientific	GCM-150-1	1,000 ug/mL	CR3789-38879	**09/30/19**	1,250 uL	25 mL	**MC #56258**	50 ug/mL

Name of Final Standard	SIM Curve
Prep Date	03/06/19
Exp Date	06/01/19

Prep'd By (Initials): GA

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	03/06/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.1 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	03/06/19	06/01/19	20 uL	100uL	MC 56258 80uL	0.2 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	Phenova	5.0 ug/mL SIM	5.0 ug/mL	03/06/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	APPL	5.0 ug/mL SIM	5.0 ug/mL	03/06/19	06/01/19	20 uL	100uL	MC 56258 80 uL	1.0 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	5 uL	200uL	MC 56258 190 uL	5.0 ug/mL
Sim 2S Surrogate	Restek	SIM 2S SURR	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	2.5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	5 uL	100 uL	MC 56258 90 uL	10 ug/mL
Sim 2S Surrogate	APPL	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	25 uL	100uL	MC 56258 50 uL	50 ug/mL
Sim 2S Surrogate	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	25 uL	*	*	25 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	50 uL	100uL	na	100 ug/mL
Sim 2S Surrogate	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	50 uL	*	*	50 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL

Name of Final Standard	8270 PAH SIM Second Source
Prep Date	03/06/19
Exp Date	11/06/19

Prep'd By (Initials): GA

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
PAH SIM SS Stock	Phenova	AL0-130490	200 ug/mL	12/28/18	12/28/19	5 uL	200uL	MC 56258 195uL	5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL

Name of Final Standard: **SIM Curve** Prep'd By (Initials): GA

Prep Date: 01/18/19

Exp Date: 06/01/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	01/18/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.1 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	01/18/19	06/01/19	20 uL	100uL	MC 56258 80uL	0.2 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	Phenova	5.0 ug/mL SIM	5.0 ug/mL	01/18/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	APPL	5.0 ug/mL SIM	5.0 ug/mL	01/18/19	06/01/19	20 uL	100uL	MC 56258 80 uL	1.0 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	CL13117-40078	12/28/19	5 uL	200uL	MC 56258 190 uL	5.0 ug/mL
SIM 2S SURROGATE	Restek	SIM 2S SURR	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	5.0 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	CL13117-40078	12/28/19	5 uL	100 uL	MC 56258 90 uL	10 ug/mL
SIM 2S SURROGATE	APPL	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	10 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200	CL13117-40078	12/28/19	25 uL	100uL	MC 56258 50 uL	50 ug/mL
SIM 2S SURROGATE	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	25 uL	*	*	50 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	CL13117-40078	12/28/19	50 uL	100uL	na	100 ug/mL
SIM 2S SURROGATE	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	50 uL	*	*	100 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL

Name of Final Standard: **8270 PAH SIM Second Source** Prep'd By (Initials): GA

Prep Date: 01/18/19

Exp Date: 06/01/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
PAH SIM SS Stock	Phenova	AL0-130490	200 ug/mL	CL13121 - 40082	12/28/19	5 uL	200uL	MC 56258 195uL	5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL

Name of Final Standard **SIM 2S Surrogate** **Prep'd By (Initials)** **GA**

Prep Date **06/07/18**
Exp Date **06/01/19**

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
SIM Surrogate Mix	Restek	33913	2000 ug/mL	**A0131716-38553 & 38554**	**06/01/19 06/07/19**	250 uL	5 mL	**Acetone #030817A**	100 ug/mL
8270 B/N surrog mix	Restek	31086	5000 ug/mL	**A0135243-39162**	**06/04/19**	100 uL	*	*	*

Name of Final Standard 8270 SIM PAH Internal Standard **Prep'd By (Initials)** GA

Prep Date 11/06/18

Exp Date 11/06/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
SV Internal Standard	Restek	31206	2000 ug/mL	**A0130603-38560**	**11/06/19**	350 uL	5,600 uL	**MC 56258 5,250 uL**	125 ug/mL

Name of Final Standard PAH SIM Spike (Ampules) **Prep'd By (Initials)** OA

Prep Date 12/17/18

Exp Date 12/17/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270D PAH SIM	O2SI	110780-01	200 ug/mL	**353450-39730**	**12/17/19**	1 mL	1 mL	**NA**	200ug/mL

Name of Final Standard **SIM Surrogate** **Prep'd By (Initials)** **GA**

Prep Date **01/24/19**

Exp Date **06/07/19**

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Sim Surrogate Deuterated	Restek	33913	2000 ug/mL	**A0131716 - 38554 A0137718 - 39318**	**06/07/19 01/24/20**	1250 uL	25 mL	**Acetone #101717I**	100 ug/mL

Name of Final Standard PAH SIM Spike (Ampules) **Prep'd By (Initials)** OA

Prep Date 02/22/19
Exp Date 02/22/20

Initial Standard Information						Final Standard		
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Standard Conc (range)
8270D PAH SIM	O2SI	110780-01	200 ug/mL	**355613-39771**	**02/22/20**	1 mL	1 mL	200ug/mL

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190424A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 EXP 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 EXP 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 EXP 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 EXP 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	yes	
Spiked ID 7			Ext. Start Time:	04/24/19 14:25, 04/25/19 11:20	
Spiked ID 8			Ext. End Time:	04/25/19 9:30, 04/26/19 17:30, 4/26/19 14:30	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	04/24/19 1:05:00 PM	Water Bath Temp Criteria	75,70 °C
pH2	14	4/24/19 11:10:00 AM		
pH3				

Spiked By: KY **Date** 04/24/19 **Witnessed By:** DL **Date** 04/24/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190424A Blk				1,0.050	1,2	800	1	2/1	04/24/19 13:00	
						equip	E-HP51 e-wb6				
2	190424A LCS-1		0.250	1	1	1	800	1	2/1	04/24/19 13:00	
						equip	E-HP50 E-WB6				
3	190424A LCS-2		0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	
						equip	E-HP49 E-WB6				
4	190424A LCSD-1		0.250	1	1	1	800	1	2/1	04/24/19 13:00	
						equip	E-HP48 E-WB6				
5	190424A LCSD-2		0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	
						equip	E-HP47 E-WB6				
6	AZ89958 MS-1	AZ89958W28	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP25 E-WB6				
7	AZ89958 MSD-1	AZ89958W34	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP26 E-WB6				
8	AZ89958 MS-2	AZ89958W33	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP27 E-WB6				
9	AZ89958 MSD-2	AZ89958W36	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP28 E-WB6				
10	AZ89958	AZ89958W30			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP29 E-WB6				
11	AZ89959	AZ89959W07			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP30 E-WB5				
12	AZ89961	AZ89961W14			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP17 E-WB5				
13	AZ90051 MS-1	AZ90051W39	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP10 E-WB5				
14	AZ90051 MSD-1	AZ90051W40	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP9 E-WB5				
15	AZ90051 MS-2	AZ90051W38	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP7 E-WB5				
16	AZ90051 MSD-2	AZ90051W36	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP6 E-WB5				

Solvent and Lot#	
PH Strips	HC 863463
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	4/26/19
Time	1100
Refrigerator	GC-C

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:47:43 PM

Reviewed By: KS **Date** 4/30/19

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190424A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 EXP 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 EXP 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 EXP 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 EXP 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	yes	
Spiked ID 7			Ext. Start Time:	04/24/19 14:25 , 04/25/19 11:20	
Spiked ID 8			Ext. End Time:	04/25/19 9:30 , 04/26/19 17:30 , 4/26/19 14:20	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	04/24/19 1:05:00 PM	Water Bath Temp Criteria	75,70 °C
pH2	14	4/24/19 11:10:00 AM		
pH3				

Spiked By: KY **Date** 04/24/19 **Witnessed By:** DL **Date** 04/24/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90051	AZ90051W37			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP11 E-WB5				
18	AZ90052	AZ90052W11			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP13 E-WB5				
19	AZ90054	AZ90054W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP16 E-WB5				
20	AZ90056	AZ90056W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP15 E-WB5				
21	AZ90058	AZ90058W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP14 E-WB5				
22	AZ90060	AZ90060W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP12 E-WB5				

KY 4/30/19

Solvent and Lot#	
PH Strips	HC 863463
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:47:43 PM

Reviewed By: KY **Date** 4/30/19

Injection Log

Directory: M:\LINUS\DATA\L190326\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	0326L002.D	1	SV Tune 10/11/18		26 Mar 19 9:39
2	5	0326L005.D	1	0.5 SIM 03/06/19		26 Mar 19 10:39
3	6	0326L006.D	1	1 SIM 03/06/19		26 Mar 19 11:01
4	7	0326L007.D	1	5 SIM 03/06/19		26 Mar 19 11:23
5	8	0326L008.D	1	10 SIM 03/06/19		26 Mar 19 11:45
6	9	0326L009.D	1	50 SIM 03/06/19		26 Mar 19 12:08
7	10	0326L010.D	1	100 SIM 03/06/19		26 Mar 19 12:30
8	12	0326L012.D	1	0.2 SIM 01/18/19		26 Mar 19 15:55
9	13	0326L013.D	1	0.1 SIM 01/18/19		26 Mar 19 17:05
10	14	0326L014.D	1	SS SIM 03/06/19		26 Mar 19 17:27
11	2	0426L002.D	1	SV Tune 10/11/18		26 Apr 19 14:15
12	3	0426L003.D	1	5 SIM 03/06/19		26 Apr 19 14:31
13	4	0426L004.D	1.25	190424A BLK 1/800		26 Apr 19 15:45
14	5	0426L005.D	1.25	190424A LCS-2 1/800		26 Apr 19 16:07
15	6	0426L006.D	1.25	190424A LCSD-2 1/800		26 Apr 19 16:29
16	7	0426L007.D	1.25	AZ89958W30 1/800		26 Apr 19 16:52
17	8	0426L008.D	1.25	AZ89958W33 MS-2 1/800		26 Apr 19 17:14
18	9	0426L009.D	1.25	AZ89958W36 MSD-2 1/800		26 Apr 19 17:36
19	11	0426L011.D	1.25	AZ89961W14 1/800		26 Apr 19 18:21
20	20	0426L020.D	1	5 SIM 03/06/19		26 Apr 19 21:43
21	21	0426L021.D	1	SV Tune 10/11/18		30 Apr 19 10:41
22	22	0426L022.D	1	5 SIM 03/06/19		30 Apr 19 10:57
23	23	0426L023.D	1.25	AZ89959W07 1/800		30 Apr 19 11:19
24	28	0426L028.D	1	5 SIM 03/06/19		30 Apr 19 16:35

ORGANICS
Calibration Data

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/19/19
Matrix: Instrument: Yoda
Initials: MA/JMP

		Compound	4	5	10	20	40	50	60	80	100		Avg	%RSD	Type	r^2	Q	MRF
			0319Y004.D	0319Y005.D	0319Y006.D	0319Y007.D	0319Y008.D	0319Y003.D	0319Y009.D	0319Y010.D	0319Y011.D							
1	I	1,4-dichlorobenzene-D4(IS)	ISTD															
2		1,4-Dioxane		0.2083	0.2289	0.2577	0.2765	0.3092	0.3137	0.3004	0.2718		0.27	14				
3	TM	n-Nitrosodimethylamine		0.6432	0.5399	0.5100	0.4462	0.5113	0.4873	0.4661	0.4623		0.51	12	TM			
4	TM	Pyridine		1.255	1.395	1.213	1.241	1.247	1.229	1.101	1.098		1.2	7.7	TM			
5	S	2-Fluorophenol (S)		1.375	1.526	1.553	1.455	1.536	1.549	1.482	1.487		1.5	4.0	S			
6	S	Phenol-D6 (S)		1.849	2.006	2.053	1.890	2.013	2.009	1.900	1.917		2.0	3.8	S			
7	*TM	Phenol		2.418	2.403	2.277	2.046	2.081	2.107	2.009	1.961		2.2	8.3	*TM			0.800
8	TM	Aniline		2.284	2.346	2.196	2.060	2.006	2.081	1.961	1.933		2.1	7.2	TM			
9	TM	Bis (2-chloroethyl) ether		1.068	1.038	0.9839	0.9400	0.9369	0.9481	0.8915	0.8834		0.96	6.8	TM			0.700
10	TM	2-Chlorophenol		1.699	1.735	1.606	1.517	1.552	1.559	1.477	1.441		1.6	6.5	TM			0.800
11	TM	1,3-DCB		1.869	1.829	1.683	1.591	1.607	1.620	1.523	1.490		1.7	8.2	TM			
12	*TM	1,4-DCB		1.996	1.861	1.738	1.623	1.664	1.647	1.546	1.513		1.7	9.5	*TM			
13	TM	Benzyl alcohol		0.9401	0.9733	0.9065	0.8909	0.9247	0.9210	0.8902	0.8725		0.91	3.5	TM			
14	TM	1,2-DCB		1.824	1.731	1.617	1.495	1.541	1.517	1.451	1.417		1.6	9.0	TM			
15	TM	2-Methylphenol		1.623	1.481	1.389	1.309	1.330	1.329	1.261	1.243		1.4	9.2	TM			0.700
16	TM	Bis (2-chloroisopropyl) ether		1.614	1.589	1.448	1.349	1.383	1.381	1.296	1.267		1.4	9.0	TM			0.010
17	TM	Acetophenone		2.397	2.321	2.123	2.020	2.056	2.039	1.942	1.896		2.1	8.4	TM			0.010
18	TM	3&4-Methylphenol		1.847	1.780	1.676	1.580	1.620	1.613	1.541	1.506		1.6	7.1	TM			0.600
19	**TM	n-Nitrosodi-n-propylamine		1.325	1.288	1.159	1.114	1.129	1.116	1.050	1.037		1.2	9.0	**TM			0.500
20	TM	Hexachloroethane		0.7326	0.7189	0.6438	0.6187	0.6212	0.6148	0.5862	0.5788		0.64	8.9	TM			0.300
21	I	Napthalene-D8(IS)	ISTD															
22	S	Nitrobenzene-D5(S)		0.4036	0.4481	0.4428	0.4092	0.4401	0.4199	0.4120	0.4051		0.42	4.3	S			
23	TM	Nitrobenzene		0.4636	0.4541	0.4209	0.3913	0.4042	0.3893	0.3799	0.3626		0.41	8.7	TM			0.200
24	TM	Isophorone		0.7995	0.7871	0.7264	0.6740	0.7092	0.6839	0.6638	0.6355		0.71	8.2	TM			0.400
25	*TM	2-Nitrophenol		0.2130	0.2243	0.2061	0.2032	0.2140	0.2031	0.1972	0.1946		0.21	4.7	*TM			0.100
26	TM	2,4-Dimethylphenol		0.3719	0.3513	0.3249	0.3195	0.3247	0.3133	0.3054	0.2986		0.33	7.4	TM			0.200
27	TM	Benzoic acid			0.1610	0.2025	0.2286	0.2242	0.2467	0.2499	0.2474		0.22	14	TM			
28	TM	Bis (2-chloroethoxy) methane		0.4841	0.4859	0.4404	0.4136	0.4319	0.4182	0.4019	0.3931		0.43	8.1	TM			0.300
29	*TM	2,4-Dichlorophenol		0.2934	0.2985	0.2811	0.2683	0.2800	0.2689	0.2659	0.2569		0.28	5.2	*TM			0.200
30	TM	1,2,4-Trichlorobenzene		0.3367	0.3392	0.3144	0.2936	0.3050	0.2892	0.2812	0.2699		0.30	8.3	TM			
31	TM	3,4-Dimethylphenol		0.5587	0.5474	0.4891	0.4564	0.4760	0.4559	0.4449	0.4308		0.48	9.8	TM			
32	TM	Naphthalene		1.237	1.222	1.100	1.039	1.078	1.023	0.9927	0.9676		1.1	9.3	TM			0.700
33	TM	4-Chloroaniline		0.4513	0.4768	0.4305	0.3918	0.3933	0.3784	0.3518	0.3185		0.40	13	TM			0.010
34	TM	2,6-Dichlorophenol		0.3085	0.3065	0.2861	0.2670	0.2807	0.2665	0.2580	0.2515		0.28	7.7	TM			
35	TM	Hexachloropropene		0.1687	0.1744	0.1722	0.1660	0.1739	0.1681	0.1639	0.1625		0.17	2.7	TM			

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/19/19
Matrix: Instrument: Yoda Initials:

		Compound	4	5	10	20	40	50	60	80	100		Avg	%RSD	Type		Q	
36	*TM	Hexachlorobutadiene		0.1694	0.1661	0.1534	0.1428	0.1491	0.1420	0.1371	0.1317		0.15	9.0	*TM			0.010
37	TM	Caprolactum		0.1478	0.1541	0.1397	0.1352	0.1418	0.1370	0.1308	0.1287		0.14	6.1	TM			0.010
38	*TM	4-Chloro-3-methylphenol		0.3629	0.3613	0.3391	0.3259	0.3411	0.3277	0.3136	0.3108		0.34	5.9	*TM			0.200
39	TM	2-Methylnaphthalene		0.7804	0.7657	0.7030	0.6569	0.6856	0.6652	0.6437	0.6212		0.69	8.2	TM			0.400
40	TM	1-Methylnaphthalene		0.8230	0.8014	0.7233	0.6897	0.6992	0.6841	0.6613	0.6407		0.72	9.1	TM			
41	I	Acenaphthene-D10(IS)	ISTD															
42	**TMQ	Hexachlorocyclopentadiene				0.0301	0.0672	0.0885	0.1000	0.1257	0.1432		0.09	44	**TMQ	0.999		0.050
43	TM	1,2,4,5-Tetrachlorobenzene		0.5827	0.5952	0.5304	0.5097	0.5190	0.4978	0.4794	0.4637		0.52	8.9	TM			0.010
44	*TM	2,4,6-Trichlorophenol		0.3548	0.3607	0.3334	0.3325	0.3415	0.3279	0.3212	0.3146		0.34	4.7	*TM			0.200
45	TM	2,4,5-Trichlorophenol		0.3961	0.4059	0.3592	0.3559	0.3567	0.3419	0.3391	0.3327		0.36	7.4	TM			0.200
46	S	2-Fluorobiphenyl(S)		1.491	1.616	1.556	1.423	1.484	1.458	1.405	1.382		1.5	5.3	S			
47	TM	1,1'-Biphenyl		1.864	1.851	1.700	1.616	1.634	1.564	1.518	1.480		1.7	8.7	TM			0.010
48	TM	2-Chloronaphthalene		1.393	1.437	1.279	1.200	1.220	1.182	1.129	1.109		1.2	9.5	TM			0.800
49	TM	2-Nitroaniline		0.4278	0.4515	0.4195	0.4009	0.4153	0.3909	0.3810	0.3738		0.41	6.4	TM			0.010
50	TM	Dimethyl phthalate		1.618	1.625	1.487	1.404	1.413	1.384	1.328	1.306		1.4	8.4	TM			0.010
51	TM	2,6-DNT		0.3572	0.3611	0.3439	0.3373	0.3359	0.3312	0.3188	0.3185		0.34	4.7	TM			0.200
52	TM	Acenaphthylene		2.241	2.183	2.017	1.915	1.932	1.881	1.811	1.765		2.0	8.6	TM			0.900
53	TM	3-Nitroaniline		0.3751	0.4164	0.3837	0.3767	0.3749	0.3636	0.3469	0.3348		0.37	6.6	TM			0.010
54	*TM	Acenaphthene		1.477	1.436	1.295	1.236	1.235	1.192	1.154	1.118		1.3	10	*TM			0.900
55	**TML	2,4-Dinitrophenol			0.0629	0.0984	0.1325	0.1407	0.1477	0.1554	0.1622		0.13	28	**TML	0.998		0.010
56	**TMQ	4-Nitrophenol				0.0399	0.2038	0.2264	0.2092	0.2146	0.2178		0.19	39	**TMQ	0.993		0.010
57	TM	Dibenzofuran		2.010	1.948	1.757	1.676	1.685	1.610	1.564	1.514		1.7	10	TM			0.800
58	TM	2,4-DNT		0.4665	0.4994	0.4758	0.4552	0.4666	0.4495	0.4242	0.4174		0.46	5.9	TM			0.200
59	TM	2,3,4,6-Tetrachlorophenol		0.1873	0.2274	0.2275	0.2353	0.2494	0.2360	0.2358	0.2348		0.23	8.0	TM			0.010
60	TM	Diethyl phthalate		1.622	1.615	1.470	1.404	1.397	1.359	1.303	1.243		1.4	9.6	TM			0.010
61	TM	4-Chlorophenyl phenyl ether		0.7793	0.7448	0.6754	0.6269	0.6475	0.6168	0.5875	0.5816		0.66	11	TM			0.400
62	TM	Fluorene		1.649	1.624	1.484	1.408	1.404	1.348	1.297	1.268		1.4	9.9	TM			0.900
63	TM	4-Nitroaniline		0.4183	0.4299	0.3988	0.3690	0.3701	0.3531	0.3384	0.3290		0.38	9.8	TM			0.010
64	S	2,4,6-Tribromophenol(S)		0.1108	0.1312	0.1374	0.1314	0.1423	0.1391	0.1326	0.1359		0.13	7.3	S			
65	I	Phenanthrene-D10(IS)	ISTD															
66	TM	4,6-Dinitro-2-methylphenol		0.1114	0.1353	0.1511	0.1561	0.1630	0.1612	0.1567	0.1592		0.15	12	TM			0.010
67	TM	Diphenyl amine		0.7664	0.7653	0.6881	0.6527	0.6549	0.6478	0.6004	0.5930		0.67	9.8	TM			
68	*TM	n-Nitrosodiphenylamine		0.7664	0.7653	0.6881	0.6527	0.6549	0.6478	0.6004	0.5930		0.67	9.8	*TM			0.010
69	TM	1,2-Diphenylhydrazine		1.063	1.009	0.9258	0.8681	0.8924	0.8755	0.9545	0.9253		0.94	7.2	TM			
70	TM	4-Bromophenyl phenyl ether		0.2299	0.2348	0.2119	0.2034	0.2080	0.2040	0.1924	0.1907		0.21	7.6	TM			0.100

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/19/19
Matrix: Instrument: Yoda Initials:

		Compound	4	5	10	20	40	50	60	80	100		Avg	%RSD	Type		Q	
71	TM	Hexachlorobenzene		0.2203	0.2151	0.1979	0.1863	0.1927	0.1876	0.1800	0.1758		0.19	8.2	TM			0.100
72	TM	Atrazine		0.2516	0.2617	0.2290	0.2249	0.2273	0.2233	0.2103	0.2067		0.23	8.2	TM			0.010
73	*TML	Pentachlorophenol			0.0405	0.0499	0.0629	0.0766	0.0666	0.0749	0.0786		0.06	22	*TML	0.992		0.050
74	TM	Phenanthrene		1.407	1.374	1.246	1.173	1.199	1.179	1.110	1.091		1.2	9.4	TM			0.700
75	TM	Anthracene		1.450	1.477	1.323	1.248	1.258	1.248	1.175	1.149		1.3	9.2	TM			0.700
76	TM	Carbazol		1.339	1.327	1.220	1.149	1.156	1.154	1.094	1.073		1.2	8.3	TM			0.010
77	TM	Di-n-butylphthalate		1.692	1.656	1.541	1.434	1.489	1.439	1.338	1.322		1.5	9.1	TM			0.010
78	*TM	Fluoranthene		1.452	1.418	1.303	1.222	1.251	1.241	1.173	1.163		1.3	8.4	*TM			0.600
79	I	Chrysene-D12(IS)	ISTD															
80	TM	Benzidine			0.3883	0.3450	0.3138	0.2584	0.2922	0.2852	0.2777		0.31	14	TM			
81	TM	Pyrene		1.688	1.628	1.498	1.401	1.432	1.421	1.381	1.349		1.5	8.3	TM			0.600
82	S	Terphenyl-D14(S)		0.9769	1.028	1.015	0.9194	1.003	0.9914	0.9548	0.9326		0.98	4.0	S			
83	TM	Butyl benzylphthalate		0.8445	0.8254	0.7609	0.7102	0.7295	0.7236	0.6958	0.6822		0.75	8.0	TM			0.010
84	TM	3,3'-Dichlorobenzidine		0.4221	0.4411	0.3868	0.3566	0.3523	0.3532	0.3364	0.3177		0.37	11	TM			0.010
85	TM	Benz (a) anthracene		1.494	1.457	1.322	1.242	1.268	1.253	1.228	1.169		1.3	8.8	TM			0.800
86	TM	Bis (2-ethylhexyl) phthalate		1.282	1.208	1.089	1.013	1.026	1.009	0.9879	0.9390		1.1	11	TM			0.010
87	TM	Chrysene		1.439	1.441	1.255	1.188	1.232	1.198	1.174	1.132		1.3	9.4	TM			0.700
88	*TM	Di-n-octylphthalate		2.085	2.047	1.847	1.759	1.816	1.786	1.722	1.688		1.8	7.9	*TM			0.010
89	I	Perylene-D12(IS)	ISTD															
90	TM	Benzo (b) fluoranthene		1.414	1.260	1.197	1.198	1.062	1.197	1.065	1.130		1.2	9.6	TM			0.700
91	TM	Benzo (k) fluoranthene		1.414	1.260	1.197	1.198	1.062	1.197	1.065	1.130		1.2	9.6	TM			0.700
92	*TM	Benzo (a) pyrene	1.251	1.297	1.304	1.187	1.138	1.172	1.144	1.099	1.079		1.2	6.9	*TM			0.700
93	TM	Indeno (1,2,3-cd) pyrene		1.420	1.445	1.291	1.214	1.272	1.218	1.182	1.164		1.3	8.3	TM			0.500
94	TM	Dibenz (a,h) anthracene	1.172	1.224	1.230	1.116	1.072	1.115	1.074	1.043	1.019		1.1	6.8	TM			0.400
95	TM	Benzo (g,h,i) perylene		1.143	1.124	1.035	0.9798	1.010	0.9780	0.9425	0.9325		1.0	7.7	TM			0.500
96																		
97																		
98																		
99																		
100																		
101																		
102																		
103																		
104																		
105																		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y003.D Vial: 3
Acq On : 19 Mar 19 18:31 Operator: MA
Sample : 50ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:46 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	114637	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	472309	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	256108	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	425827	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	388787	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	380454	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	440131	102.72345 ppb	0.00
Spiked Amount 200.000			Recovery =	51.362%	
6) Phenol-D6 (S)	5.01	99	576782	102.96746 ppb	0.00
Spiked Amount 200.000			Recovery =	51.484%	
22) Nitrobenzene-D5(S)	6.03	82	259817	52.06712 ppb	0.00
Spiked Amount 100.000			Recovery =	52.067%	
46) 2-Fluorobiphenyl(S)	8.08	172	475108	50.24297 ppb	0.00
Spiked Amount 100.000			Recovery =	50.243%	
64) 2,4,6-Tribromophenol(S)	9.79	330	91088	107.31607 ppb	0.00
Spiked Amount 200.000			Recovery =	53.658%	
82) Terphenyl-D14(S)	12.46	244	487603	51.30654 ppb	0.00
Spiked Amount 100.000			Recovery =	51.307%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	4430	5.70818	100
3) n-Nitrosodimethylamine	1.94	42	73272	50.29680 ppb	100
4) Pyridine	1.95	79	178684	51.00094 ppb	100
7) Phenol	5.03	94	298210	48.11297 ppb	100
8) Aniline	5.03	93	287448	47.57204 ppb	100
9) Bis (2-chloroethyl) ether	5.10	63	134256	48.73577 ppb	100
10) 2-Chlorophenol	5.17	128	222358	49.31260 ppb	100
11) 1,3-DCB	5.33	146	230327	48.65913 ppb	100
12) 1,4-DCB	5.42	146	238399	48.97673 ppb	100
13) Benzyl alcohol	5.57	108	132506	50.53539 ppb	100
14) 1,2-DCB	5.59	146	220888	48.96362 ppb	100
15) 2-Methylphenol	5.71	107	190581	48.51630 ppb	100
16) Bis (2-chloroisopropyl) et	5.70	45	198207	48.84754 ppb	100
17) Acetophenone	5.87	105	294577	48.96670 ppb	100
18) 3&4-Methylphenol	5.88	107	464156	98.43562 ppb	100
19) n-Nitrosodi-n-propylamine	5.87	70	161718	48.97969 ppb	100
20) Hexachloroethane	5.96	117	89016	48.57976 ppb	100
23) Nitrobenzene	6.06	77	238631	49.50538 ppb	100
24) Isophorone	6.32	82	418697	49.94868 ppb	100
25) 2-Nitrophenol	6.41	139	126352	51.70904 ppb	100
26) 2,4-Dimethylphenol	6.46	122	191726	49.77633 ppb	100
27) Benzoic acid	6.61	105	132350	50.34444 ppb	100
28) Bis (2-chloroethoxy) metha	6.56	93	254996	49.79802 ppb	100
29) 2,4-Dichlorophenol	6.69	162	165330	50.62002 ppb	100
30) 1,2,4-Trichlorobenzene	6.78	180	180070	50.22423 ppb	100
31) 3,4-Dimethylphenol	6.80	107	280998	49.33330 ppb	100
32) Naphthalene	6.86	128	636316	49.78667 ppb	100
33) 4-Chloroaniline	6.93	127	232189	49.27866 ppb	100
34) 2,6-Dichlorophenol	6.94	162	165733	50.46907 ppb	100
35) Hexachloropropene	6.95	213	102692	51.54934 ppb	100
36) Hexachlorobutadiene	6.99	225	88022	50.04871 ppb	100
37) Caprolactum	7.37	55	83739	50.88266 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y003.D Vial: 3
Acq On : 19 Mar 19 18:31 Operator: MA
Sample : 50ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:46 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
38)	4-Chloro-3-methylphenol	7.51	107	201357	50.85987	ppb	100
39)	2-Methylnaphthalene	7.65	142	404769	49.66629	ppb	100
40)	1-Methylnaphthalene	7.77	142	412817	48.87466	ppb	100
42)	Hexachlorocyclopentadiene	7.82	237	28347	50.32166	ppb	100
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	166150	49.69069	ppb	100
44)	2,4,6-Trichlorophenol	7.99	196	109340	50.84958	ppb	100
45)	2,4,5-Trichlorophenol	8.05	196	114208	49.41944	ppb	100
47)	1,1'-Biphenyl	8.19	154	523036	49.40623	ppb	100
48)	2-Chloronaphthalene	8.21	162	390686	49.06511	ppb	100
49)	2-Nitroaniline	8.35	65	132948	50.94556	ppb	100
50)	Dimethyl phthalate	8.54	163	452410	48.88515	ppb	100
51)	2,6-DNT	8.63	165	107526	49.68734	ppb	100
52)	Acenaphthylene	8.70	152	618641	49.08888	ppb	100
53)	3-Nitroaniline	8.84	138	120032	50.46037	ppb	100
54)	Acenaphthene	8.90	154	395327	48.70090	ppb	100
55)	2,4-Dinitrophenol	8.98	184	45050	48.81434	ppb	96
56)	4-Nitrophenol	9.10	65	72463	52.83268	ppb	100
57)	Dibenzofuran	9.10	168	539583	48.98033	ppb	100
58)	2,4-DNT	9.11	165	149368	51.06896	ppb	100
59)	2,3,4,6-Tetrachlorophenol	9.25	232	79846	54.41028	ppb	100
60)	Diethyl phthalate	9.36	149	447162	48.96183	ppb	100
61)	4-Chlorophenyl phenyl ethe	9.50	204	207297	49.24255	ppb	100
62)	Fluorene	9.50	166	449417	48.90581	ppb	100
63)	4-Nitroaniline	9.55	138	118496	49.24349	ppb	100
66)	4,6-Dinitro-2-methylphenol	9.58	198	86742	54.59940	ppb	100
67)	Diphenyl amine	9.64	169	697220	97.59456	ppb	100
68)	n-Nitrosodiphenylamine	9.64	169	697220	97.59456	ppb	100
69)	1,2-Diphenylhydrazine	9.68	77	474998	47.50747	ppb	100
70)	4-Bromophenyl phenyl ether	10.06	248	110691	49.65994	ppb	100
71)	Hexachlorobenzene	10.14	284	102559	49.54057	ppb	100
72)	Atrazine	10.26	200	60502	24.78178	ppb	100
73)	Pentachlorophenol	10.40	266	40781	53.51964	ppb	100
74)	Phenanthrene	10.63	178	638282	49.05585	ppb	100
75)	Anthracene	10.68	178	669670	48.72190	ppb	100
76)	Carbazol	10.88	167	615499	48.62748	ppb	100
77)	Di-n-butylphthalate	11.26	149	792368	49.99257	ppb	100
78)	Fluoranthene	12.02	202	666118	48.96306	ppb	100
80)	Benzidine	12.19	184	125559	40.87845	ppb	100
81)	Pyrene	12.28	202	695754	48.54023	ppb	100
83)	Butyl benzylphthalate	13.01	149	354521	48.86000	ppb	100
84)	3,3'-Dichlorobenzidine	13.65	252	171204	47.50798	ppb	100
85)	Benz (a) anthracene	13.68	228	616195	48.61545	ppb	100
86)	Bis (2-ethylhexyl) phthala	13.66	149	498649	47.98090	ppb	100
87)	Chrysene	13.73	228	598755	48.99615	ppb	100
88)	Di-n-octylphthalate	14.42	149	882741	49.26053	ppb	100
90)	Benzo (b) fluoranthene	15.04	252	505099	44.60811	ppb	100
91)	Benzo (k) fluoranthene	15.04	252	505099	44.60811	ppb	100
92)	Benzo (a) pyrene	15.46	252	557254	49.41467	ppb	100
93)	Indeno (1,2,3-cd) pyrene	17.47	276	605012	49.86727	ppb	100
94)	Dibenz (a,h) anthracene	17.49	278	530453	49.86829	ppb	100
95)	Benzo (g,h,i) perylene	18.05	276	480148	49.59085	ppb	100


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y003.D Vial: 3
Acq On : 19 Mar 19 18:31 Operator: MA
Sample : 50ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:46 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y004.D Vial: 4
Acq On : 19 Mar 19 18:58 Operator: MA
Sample : 4ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 19 20:40 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 20:39:51 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	114954	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.83	136	490093	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	262404	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	432886	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	405658	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	394479	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	0.00	112	0d	0.00000 ppb	
Spiked Amount 200.000			Recovery =	0.000%	
6) Phenol-D6 (S)	0.00	99	0d	0.00000 ppb	
Spiked Amount 200.000			Recovery =	0.000%	
22) Nitrobenzene-D5(S)	0.00	82	0d	0.00000 ppb	
Spiked Amount 100.000			Recovery =	0.000%	
46) 2-Fluorobiphenyl(S)	0.00	172	0d	0.00000 ppb	
Spiked Amount 100.000			Recovery =	0.000%	
64) 2,4,6-Tribromophenol(S)	0.00	330	0d	0.00000 ppb	
Spiked Amount 200.000			Recovery =	0.000%	
82) Terphenyl-D14(S)	0.00	244	0d	0.00000 ppb	
Spiked Amount 100.000			Recovery =	0.000%	
Target Compounds					Qvalue
92) Benzo (a) pyrene	15.47	252	49367	4.21111 ppb	97
94) Dibenz (a,h) anthracene	17.49	278	46216	4.19356 ppb	97

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y004.D
Acq On : 19 Mar 19 18:58
Sample : 4ug/mL 8270 03/13/19
Misc :

Vial: 4
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 19 20:40 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y005.D Vial: 5
Acq On : 19 Mar 19 19:26 Operator: MA
Sample : 5ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	115611	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	503407	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.85	164	266346	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	439621	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	399547	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	399700	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.86	112	39728	9.19412 ppb	0.02
Spiked Amount 200.000			Recovery =	4.597%	
6) Phenol-D6 (S)	5.03	99	53431	9.45817 ppb	0.02
Spiked Amount 200.000			Recovery =	4.729%	
22) Nitrobenzene-D5(S)	6.03	82	25398	4.77532 ppb	0.00
Spiked Amount 100.000			Recovery =	4.775%	
46) 2-Fluorobiphenyl(S)	8.07	172	49637	5.04737 ppb	0.00
Spiked Amount 100.000			Recovery =	5.047%	
64) 2,4,6-Tribromophenol(S)	9.79	330	7376	8.35606 ppb	0.00
Spiked Amount 200.000			Recovery =	4.178%	
82) Terphenyl-D14(S)	12.45	244	48790	4.99552 ppb	-0.01
Spiked Amount 100.000			Recovery =	4.996%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.72	58	301	0.38458	# 1
3) n-Nitrosodimethylamine	1.95	42	9295	6.32670 ppb	67
4) Pyridine	1.98	79	18131	5.13145 ppb	98
7) Phenol	5.05	94	34943	5.59018 ppb	97
8) Aniline	5.04	93	33010	5.41706 ppb	90
9) Bis (2-chloroethyl) ether	5.10	63	15432	5.55472 ppb	98
10) 2-Chlorophenol	5.19	128	24557	5.40015 ppb	97
11) 1,3-DCB	5.34	146	27006	5.65725 ppb	98
12) 1,4-DCB	5.42	146	28848	5.87661 ppb	99
13) Benzyl alcohol	5.58	108	13586	5.13780 ppb	98
14) 1,2-DCB	5.59	146	26355	5.79282 ppb	98
15) 2-Methylphenol	5.71	107	23457	5.92115 ppb	96
16) Bis (2-chloroisopropyl) et	5.71	45	23325	5.69995 ppb	91
17) Acetophenone	5.86	105	34635	5.70877 ppb	78
18) 3&4-Methylphenol	5.88	107	53388	11.22684 ppb	97
19) n-Nitrosodi-n-propylamine	5.86	70	19145	5.74961 ppb	96
20) Hexachloroethane	5.96	117	10587	5.72909 ppb	94
23) Nitrobenzene	6.06	77	29173	5.67824 ppb	94
24) Isophorone	6.32	82	50308	5.63078 ppb	96
25) 2-Nitrophenol	6.42	139	13403	5.14628 ppb	98
26) 2,4-Dimethylphenol	6.47	122	23401	5.70011 ppb	96
27) Benzoic acid	6.63	105	6735	2.38744 ppb	94
28) Bis (2-chloroethoxy) metha	6.56	93	30463	5.58160 ppb	96
29) 2,4-Dichlorophenol	6.73	162	18460	5.30285 ppb	96
30) 1,2,4-Trichlorobenzene	6.77	180	21184	5.54354 ppb	99
31) 3,4-Dimethylphenol	6.81	107	35156	5.79086 ppb	100
32) Naphthalene	6.86	128	77852	5.71501 ppb	98
33) 4-Chloroaniline	6.93	127	28396	5.65433 ppb	97
34) 2,6-Dichlorophenol	6.94	162	19414	5.54675 ppb	98
35) Hexachloropropene	6.95	213	10616	4.99982 ppb	98
36) Hexachlorobutadiene	6.99	225	10662	5.68784 ppb	94
37) Caprolactum	7.32	55	9298	5.30076 ppb	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y005.D Vial: 5
Acq On : 19 Mar 19 19:26 Operator: MA
Sample : 5ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.51	107	22835	5.41149	ppb		95
39)	2-Methylnaphthalene	7.66	142	49109	5.65357	ppb		94
40)	1-Methylnaphthalene	7.77	142	51788	5.75258	ppb		100
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	19399	5.57867	ppb		97
44)	2,4,6-Trichlorophenol	8.00	196	11813	5.28257	ppb		89
45)	2,4,5-Trichlorophenol	8.07	196	13189	5.48770	ppb		93
47)	1,1'-Biphenyl	8.19	154	62061	5.63697	ppb		100
48)	2-Chloronaphthalene	8.21	162	46372	5.59987	ppb		99
49)	2-Nitroaniline	8.35	65	14244	5.24848	ppb		91
50)	Dimethyl phthalate	8.54	163	53870	5.59717	ppb		99
51)	2,6-DNT	8.63	165	11891	5.28357	ppb		97
52)	Acenaphthylene	8.70	152	74622	5.69362	ppb		98
53)	3-Nitroaniline	8.84	138	12488	5.04805	ppb	#	88
54)	Acenaphthene	8.89	154	49162	5.82354	ppb		99
55)	2,4-Dinitrophenol	9.05	184	114	7.13477	ppb	#	33
56)	4-Nitrophenol	9.10	65	1432	17.24815	ppb	#	26
57)	Dibenzofuran	9.10	168	66911	5.84034	ppb		94
58)	2,4-DNT	9.10	165	15531	5.10594	ppb		82
59)	2,3,4,6-Tetrachlorophenol	9.26	232	6236	4.08612	ppb		95
60)	Diethyl phthalate	9.36	149	53987	5.68406	ppb		98
61)	4-Chlorophenyl phenyl ethe	9.49	204	25947	5.92668	ppb		94
62)	Fluorene	9.49	166	54887	5.74325	ppb		97
63)	4-Nitroaniline	9.57	138	13928	5.56559	ppb		86
66)	4,6-Dinitro-2-methylphenol	9.60	198	6121	3.73195	ppb		87
67)	Diphenyl amine	9.63	169	84233	11.42070	ppb		98
68)	n-Nitrosodiphenylamine	9.63	169	84233	11.42070	ppb		98
69)	1,2-Diphenylhydrazine	9.68	77	58429	5.66048	ppb		95
70)	4-Bromophenyl phenyl ether	10.06	248	12632	5.48935	ppb		97
71)	Hexachlorobenzene	10.14	284	12105	5.66379	ppb		92
72)	Atrazine	10.26	200	6913	2.74274	ppb		94
73)	Pentachlorophenol	10.43	266	696	7.10872	ppb	#	57
74)	Phenanthrene	10.62	178	77308	5.75516	ppb		98
75)	Anthracene	10.68	178	79708	5.61720	ppb		99
76)	Carbazol	10.89	167	73559	5.62918	ppb		98
77)	Di-n-butylphthalate	11.26	149	92978	5.68216	ppb		99
78)	Fluoranthene	12.02	202	79788	5.68080	ppb		98
80)	Benzidine	12.20	184	18852	5.94895	ppb		96
81)	Pyrene	12.28	202	84308	5.72346	ppb		100
83)	Butyl benzylphthalate	13.01	149	42179	5.65655	ppb		94
84)	3,3'-Dichlorobenzidine	13.65	252	21081	5.69230	ppb		97
85)	Benz (a) anthracene	13.68	228	74607	5.72769	ppb		98
86)	Bis (2-ethylhexyl) phthala	13.66	149	64037	5.99582	ppb		98
87)	Chrysene	13.72	228	71859	5.72187	ppb		97
88)	Di-n-octylphthalate	14.41	149	104149	5.65542	ppb	#	94
90)	Benzo (b) fluoranthene	15.03	252	70654	5.93939	ppb	#	94
91)	Benzo (k) fluoranthene	15.03	252	70654	5.93939	ppb	#	94
92)	Benzo (a) pyrene	15.46	252	64822	5.47133	ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.47	276	70934	5.56511	ppb		97
94)	Dibenz (a,h) anthracene	17.49	278	61171	5.47383	ppb		98
95)	Benzo (g,h,i) perylene	18.05	276	57086	5.61208	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y005.D Vial: 5
Acq On : 19 Mar 19 19:26 Operator: MA
Sample : 5ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y006.D Vial: 6
Acq On : 19 Mar 19 19:54 Operator: MA
Sample : 10ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:17 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	121984	40.00000 ppb		0.00
21) Napthalene-D8(IS)	6.83	136	512288	40.00000 ppb		0.00
41) Acenaphthene-D10(IS)	8.86	164	269599	40.00000 ppb		0.00
65) Phenanthrene-D10(IS)	10.59	188	449398	40.00000 ppb		0.00
79) Chrysene-D12(IS)	13.69	240	410594	40.00000 ppb		0.00
89) Perylene-D12(IS)	15.55	264	404320	40.00000 ppb		0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.85	112	93067	20.41293 ppb		0.01
Spiked Amount 200.000			Recovery =	10.207%		
6) Phenol-D6 (S)	5.01	99	122377	20.53100 ppb		0.00
Spiked Amount 200.000			Recovery =	10.266%		
22) Nitrobenzene-D5(S)	6.04	82	57383	10.60208 ppb		0.00
Spiked Amount 100.000			Recovery =	10.602%		
46) 2-Fluorobiphenyl(S)	8.07	172	108893	10.93926 ppb		0.00
Spiked Amount 100.000			Recovery =	10.939%		
64) 2,4,6-Tribromophenol(S)	9.79	330	17684	19.79197 ppb		0.00
Spiked Amount 200.000			Recovery =	9.896%		
82) Terphenyl-D14(S)	12.45	244	105565	10.51781 ppb		0.00
Spiked Amount 100.000			Recovery =	10.518%		
Target Compounds						Qvalue
2) 1,4-Dioxane	1.71	58	698	0.84522	#	3
3) n-Nitrosodimethylamine	1.94	42	16466	10.62215 ppb		92
4) Pyridine	1.96	79	42557	11.41525 ppb		95
7) Phenol	5.03	94	73295	11.11313 ppb		86
8) Aniline	5.03	93	71536	11.12600 ppb		91
9) Bis (2-chloroethyl) ether	5.11	63	31653	10.79819 ppb		96
10) 2-Chlorophenol	5.18	128	52907	11.02656 ppb		97
11) 1,3-DCB	5.33	146	55787	11.07578 ppb		99
12) 1,4-DCB	5.42	146	56752	10.95692 ppb		96
13) Benzyl alcohol	5.57	108	29683	10.63873 ppb		98
14) 1,2-DCB	5.59	146	52788	10.99660 ppb		98
15) 2-Methylphenol	5.70	107	45159	10.80374 ppb		93
16) Bis (2-chloroisopropyl) et	5.70	45	48455	11.22236 ppb		96
17) Acetophenone	5.86	105	70767	11.05490 ppb		79
18) 3&4-Methylphenol	5.88	107	108589	21.64194 ppb		99
19) n-Nitrosodi-n-propylamine	5.85	70	39282	11.18081 ppb		94
20) Hexachloroethane	5.96	117	21924	11.24421 ppb		98
23) Nitrobenzene	6.05	77	58158	11.12364 ppb		95
24) Isophorone	6.31	82	100807	11.08733 ppb		100
25) 2-Nitrophenol	6.42	139	28728	10.83931 ppb		96
26) 2,4-Dimethylphenol	6.46	122	44991	10.76910 ppb		99
27) Benzoic acid	6.60	105	20618	7.18201 ppb		90
28) Bis (2-chloroethoxy) metha	6.56	93	62236	11.20553 ppb		98
29) 2,4-Dichlorophenol	6.71	162	38227	10.79078 ppb		94
30) 1,2,4-Trichlorobenzene	6.77	180	43440	11.17053 ppb		97
31) 3,4-Dimethylphenol	6.81	107	70107	11.34776 ppb		98
32) Naphthalene	6.86	128	156443	11.28518 ppb		99
33) 4-Chloroaniline	6.94	127	61067	11.94912 ppb		99
34) 2,6-Dichlorophenol	6.94	162	39255	11.02106 ppb	#	95
35) Hexachloropropene	6.95	213	22334	10.33630 ppb		98
36) Hexachlorobutadiene	6.98	225	21272	11.15121 ppb		98
37) Caprolactum	7.33	55	19734	11.05527 ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y006.D Vial: 6
Acq On : 19 Mar 19 19:54 Operator: MA
Sample : 10ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:17 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416


	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	46274	10.77600 ppb		96
39)	2-Methylnaphthalene	7.65	142	98063	11.09358 ppb		100
40)	1-Methylnaphthalene	7.76	142	102639	11.20342 ppb		99
42)	Hexachlorocyclopentadiene	7.82	237	696	15.95530 ppb	#	86
43)	1,2,4,5-Tetrachlorobenzene	7.85	216	40116	11.39717 ppb		99
44)	2,4,6-Trichlorophenol	7.99	196	24311	10.74029 ppb		99
45)	2,4,5-Trichlorophenol	8.06	196	27355	11.24457 ppb		97
47)	1,1'-Biphenyl	8.19	154	124754	11.19462 ppb		97
48)	2-Chloronaphthalene	8.22	162	96857	11.55529 ppb		93
49)	2-Nitroaniline	8.35	65	30428	11.07651 ppb		88
50)	Dimethyl phthalate	8.54	163	109505	11.24045 ppb		98
51)	2,6-DNT	8.63	165	24341	10.68503 ppb		88
52)	Acenaphthylene	8.70	152	147145	11.09161 ppb		100
53)	3-Nitroaniline	8.83	138	28068	11.20907 ppb		90
54)	Acenaphthene	8.89	154	96774	11.32515 ppb		99
55)	2,4-Dinitrophenol	9.02	184	4240	10.29161 ppb	#	33
56)	4-Nitrophenol	9.10	65	2643	17.74907 ppb	#	57
57)	Dibenzofuran	9.10	168	131289	11.32131 ppb		90
58)	2,4-DNT	9.10	165	33662	10.93312 ppb	#	71
59)	2,3,4,6-Tetrachlorophenol	9.26	232	15327	9.92179 ppb		94
60)	Diethyl phthalate	9.35	149	108817	11.31864 ppb		98
61)	4-Chlorophenyl phenyl ethe	9.49	204	50202	11.32853 ppb		91
62)	Fluorene	9.50	166	109490	11.31854 ppb		97
63)	4-Nitroaniline	9.55	138	28975	11.43862 ppb		96
66)	4,6-Dinitro-2-methylphenol	9.58	198	15197	9.06397 ppb		93
67)	Diphenyl amine	9.64	169	171955	22.80723 ppb		98
68)	n-Nitrosodiphenylamine	9.64	169	171955	22.80723 ppb		98
69)	1,2-Diphenylhydrazine	9.67	77	113332	10.74050 ppb		96
70)	4-Bromophenyl phenyl ether	10.06	248	26382	11.21511 ppb		88
71)	Hexachlorobenzene	10.14	284	24168	11.06191 ppb	#	85
72)	Atrazine	10.26	200	14699	5.70496 ppb		97
73)	Pentachlorophenol	10.42	266	4554	11.29771 ppb		96
74)	Phenanthrene	10.62	178	154357	11.24104 ppb		99
75)	Anthracene	10.69	178	165890	11.43630 ppb		99
76)	Carbazol	10.88	167	149122	11.16344 ppb		98
77)	Di-n-butylphthalate	11.26	149	186080	11.12450 ppb		99
78)	Fluoranthene	12.01	202	159257	11.09221 ppb		97
80)	Benzidine	12.19	184	39860	12.23984 ppb		99
81)	Pyrene	12.28	202	167082	11.03761 ppb		98
83)	Butyl benzylphthalate	13.01	149	84725	11.05662 ppb		94
84)	3,3'-Dichlorobenzidine	13.65	252	45275	11.89626 ppb	#	97
85)	Benz (a) anthracene	13.68	228	149542	11.17168 ppb		99
86)	Bis (2-ethylhexyl) phthala	13.66	149	124012	11.29890 ppb	#	97
87)	Chrysene	13.72	228	147918	11.46127 ppb		97
88)	Di-n-octylphthalate	14.41	149	210080	11.10068 ppb		97
90)	Benzo (b) fluoranthene	15.03	252	127409	10.58801 ppb		100
91)	Benzo (k) fluoranthene	15.03	252	127409	10.58801 ppb		100
92)	Benzo (a) pyrene	15.47	252	131774	10.99536 ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.46	276	146088	11.33034 ppb		98
94)	Dibenz (a,h) anthracene	17.48	278	124313	10.99692 ppb		98
95)	Benzo (g,h,i) perylene	18.04	276	113616	11.04188 ppb		99

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190319\0319Y006.D Vial: 6
Acq On : 19 Mar 19 19:54 Operator: MA
Sample : 10ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:17 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y007.D Vial: 7
Acq On : 19 Mar 19 20:22 Operator: MA
Sample : 20ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	118806	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	501030	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	264687	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	443329	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	402412	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	394461	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	184447	41.53801 ppb	0.00
Spiked Amount 200.000			Recovery =	20.769%	
6) Phenol-D6 (S)	5.01	99	243905	42.01414 ppb	0.00
Spiked Amount 200.000			Recovery =	21.007%	
22) Nitrobenzene-D5(S)	6.03	82	110927	20.95539 ppb	0.00
Spiked Amount 100.000			Recovery =	20.955%	
46) 2-Fluorobiphenyl(S)	8.07	172	205898	21.06811 ppb	0.00
Spiked Amount 100.000			Recovery =	21.068%	
64) 2,4,6-Tribromophenol(S)	9.78	330	36355	41.44368 ppb	0.00
Spiked Amount 200.000			Recovery =	20.722%	
82) Terphenyl-D14(S)	12.45	244	204305	20.76951 ppb	0.00
Spiked Amount 100.000			Recovery =	20.770%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	1531	1.90351	# 1
3) n-Nitrosodimethylamine	1.94	42	30296	20.06661 ppb	87
4) Pyridine	1.96	79	72084	19.85262 ppb	93
7) Phenol	5.03	94	135235	21.05307 ppb	90
8) Aniline	5.04	93	130467	20.83433 ppb	83
9) Bis (2-chloroethyl) ether	5.11	63	58445	20.47142 ppb	98
10) 2-Chlorophenol	5.17	128	95389	20.41220 ppb	98
11) 1,3-DCB	5.33	146	99950	20.37458 ppb	99
12) 1,4-DCB	5.42	146	103214	20.46023 ppb	98
13) Benzyl alcohol	5.57	108	53846	19.81527 ppb	99
14) 1,2-DCB	5.59	146	96064	20.54700 ppb	98
15) 2-Methylphenol	5.70	107	82532	20.27295 ppb	98
16) Bis (2-chloroisopropyl) et	5.70	45	86001	20.45096 ppb	96
17) Acetophenone	5.86	105	126134	20.23115 ppb	85
18) 3&4-Methylphenol	5.88	107	199094	40.74112 ppb	98
19) n-Nitrosodi-n-propylamine	5.86	70	68841	20.11830 ppb	98
20) Hexachloroethane	5.96	117	38241	20.13738 ppb	95
23) Nitrobenzene	6.05	77	105433	20.61886 ppb	93
24) Isophorone	6.32	82	181974	20.46426 ppb	96
25) 2-Nitrophenol	6.41	139	51636	19.92046 ppb	96
26) 2,4-Dimethylphenol	6.46	122	81380	19.91691 ppb	98
27) Benzoic acid	6.61	105	50723	18.06571 ppb	94
28) Bis (2-chloroethoxy) metha	6.55	93	110336	20.31227 ppb	98
29) 2,4-Dichlorophenol	6.70	162	70409	20.32176 ppb	98
30) 1,2,4-Trichlorobenzene	6.78	180	78773	20.71151 ppb	95
31) 3,4-Dimethylphenol	6.80	107	122536	20.27977 ppb	99
32) Naphthalene	6.86	128	275604	20.32770 ppb	99
33) 4-Chloroaniline	6.93	127	107839	21.57524 ppb	98
34) 2,6-Dichlorophenol	6.93	162	71676	20.57560 ppb	93
35) Hexachloropropene	6.95	213	43151	20.41925 ppb	96
36) Hexachlorobutadiene	6.99	225	38425	20.59577 ppb	100
37) Caprolactum	7.34	55	35007	20.05208 ppb	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y007.D Vial: 7
Acq On : 19 Mar 19 20:22 Operator: MA
Sample : 20ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
38) 4-Chloro-3-methylphenol	7.50	107	84939	20.22452 ppb		96
39) 2-Methylnaphthalene	7.65	142	176107	20.37012 ppb		100
40) 1-Methylnaphthalene	7.76	142	181203	20.22340 ppb		99
42) Hexachlorocyclopentadiene	7.83	237	3981	20.96140 ppb		89
43) 1,2,4,5-Tetrachlorobenzene	7.84	216	70192	20.31201 ppb		99
44) 2,4,6-Trichlorophenol	7.99	196	44129	19.85742 ppb		98
45) 2,4,5-Trichlorophenol	8.06	196	47541	19.90491 ppb		92
47) 1,1'-Biphenyl	8.19	154	225012	20.56583 ppb		99
48) 2-Chloronaphthalene	8.22	162	169311	20.57409 ppb		97
49) 2-Nitroaniline	8.35	65	55513	20.58305 ppb		88
50) Dimethyl phthalate	8.54	163	196774	20.57326 ppb		99
51) 2,6-DNT	8.62	165	45513	20.34971 ppb		86
52) Acenaphthylene	8.70	152	266936	20.49472 ppb		100
53) 3-Nitroaniline	8.83	138	50779	20.65514 ppb	#	84
54) Acenaphthene	8.89	154	171432	20.43445 ppb		99
55) 2,4-Dinitrophenol	8.99	184	13024	17.19958 ppb	#	52
56) 4-Nitrophenol	9.10	65	5285	18.90553 ppb	#	65
57) Dibenzofuran	9.10	168	232569	20.42706 ppb		91
58) 2,4-DNT	9.10	165	62972	20.83231 ppb	#	75
59) 2,3,4,6-Tetrachlorophenol	9.25	232	30114	19.85577 ppb		99
60) Diethyl phthalate	9.36	149	194484	20.60474 ppb		98
61) 4-Chlorophenyl phenyl ethe	9.49	204	89386	20.54507 ppb		89
62) Fluorene	9.50	166	196332	20.67248 ppb		98
63) 4-Nitroaniline	9.55	138	52779	21.22251 ppb		95
66) 4,6-Dinitro-2-methylphenol	9.58	198	33489	20.24732 ppb		94
67) Diphenyl amine	9.64	169	305041	41.01295 ppb		98
68) n-Nitrosodiphenylamine	9.64	169	305041	41.01295 ppb		98
69) 1,2-Diphenylhydrazine	9.67	77	205211	19.71414 ppb		93
70) 4-Bromophenyl phenyl ether	10.06	248	46973	20.24181 ppb		94
71) Hexachlorobenzene	10.14	284	43877	20.35782 ppb		93
72) Atrazine	10.26	200	25376	9.98374 ppb		97
73) Pentachlorophenol	10.41	266	11068	18.56422 ppb		94
74) Phenanthrene	10.62	178	276104	20.38252 ppb		99
75) Anthracene	10.68	178	293214	20.49062 ppb		99
76) Carbazol	10.88	167	270495	20.52677 ppb		100
77) Di-n-butylphthalate	11.26	149	341694	20.70728 ppb		99
78) Fluoranthene	12.01	202	288849	20.39367 ppb	#	95
80) Benzidine	12.19	184	69416	21.74901 ppb		98
81) Pyrene	12.28	202	301452	20.31913 ppb		99
83) Butyl benzylphthalate	13.01	149	153106	20.38659 ppb		90
84) 3,3'-Dichlorobenzidine	13.65	252	77820	20.86338 ppb	#	96
85) Benz (a) anthracene	13.68	228	266081	20.28200 ppb		98
86) Bis (2-ethylhexyl) phthala	13.66	149	219023	20.36123 ppb		98
87) Chrysene	13.72	228	252603	19.97064 ppb		99
88) Di-n-octylphthalate	14.41	149	371572	20.03317 ppb	#	94
90) Benzo (b) fluoranthene	15.03	252	236137	20.11405 ppb		99
91) Benzo (k) fluoranthene	15.03	252	236137	20.11405 ppb		99
92) Benzo (a) pyrene	15.47	252	234062	20.01851 ppb		99
93) Indeno (1,2,3-cd) pyrene	17.46	276	254606	20.24037 ppb		98
94) Dibenz (a,h) anthracene	17.48	278	220046	19.95212 ppb		97
95) Benzo (g,h,i) perylene	18.04	276	204083	20.32972 ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\YODA\DATA\Y190319\0319Y007.D
Acq On : 19 Mar 19 20:22
Sample : 20ug/mL 8270 03/13/19
Misc :

Vial: 7
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 20 9:19 2019

Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y008.D Vial: 8
Acq On : 19 Mar 19 20:49 Operator: MA
Sample : 40ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	120598	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	508253	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.85	164	266643	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	448301	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	408816	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	402433	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	350844	77.83705 ppb	0.00
Spiked Amount 200.000			Recovery =	38.919%	
6) Phenol-D6 (S)	5.01	99	455781	77.34446 ppb	0.00
Spiked Amount 200.000			Recovery =	38.672%	
22) Nitrobenzene-D5(S)	6.03	82	208001	38.73536 ppb	0.00
Spiked Amount 100.000			Recovery =	38.735%	
46) 2-Fluorobiphenyl(S)	8.07	172	379372	38.53374 ppb	0.00
Spiked Amount 100.000			Recovery =	38.534%	
64) 2,4,6-Tribromophenol(S)	9.79	330	70048	79.26698 ppb	0.00
Spiked Amount 200.000			Recovery =	39.634%	
82) Terphenyl-D14(S)	12.45	244	375873	37.61243 ppb	0.00
Spiked Amount 100.000			Recovery =	37.612%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	3334	4.08361	70
3) n-Nitrosodimethylamine	1.94	42	53816	35.11547 ppb	99
4) Pyridine	1.96	79	149718	40.62106 ppb	94
7) Phenol	5.03	94	246766	37.84513 ppb	93
8) Aniline	5.03	93	248414	39.07988 ppb	97
9) Bis (2-chloroethyl) ether	5.10	63	113368	39.11914 ppb	97
10) 2-Chlorophenol	5.17	128	182996	38.57726 ppb	98
11) 1,3-DCB	5.34	146	191910	38.53912 ppb	99
12) 1,4-DCB	5.42	146	195735	38.22422 ppb	98
13) Benzyl alcohol	5.57	108	107441	38.95066 ppb	97
14) 1,2-DCB	5.59	146	180303	37.99173 ppb	98
15) 2-Methylphenol	5.70	107	157863	38.20086 ppb	97
16) Bis (2-chloroisopropyl) et	5.71	45	162678	38.10985 ppb	95
17) Acetophenone	5.87	105	243630	38.49616 ppb	96
18) 3&4-Methylphenol	5.87	107	381090	76.82465 ppb	98
19) n-Nitrosodi-n-propylamine	5.86	70	134357	38.68144 ppb	96
20) Hexachloroethane	5.96	117	74608	38.70414 ppb	97
23) Nitrobenzene	6.06	77	198863	38.33767 ppb	99
24) Isophorone	6.32	82	342537	37.97327 ppb	98
25) 2-Nitrophenol	6.41	139	103270	39.27397 ppb	99
26) 2,4-Dimethylphenol	6.46	122	162398	39.18039 ppb	95
27) Benzoic acid	6.60	105	116208	40.80091 ppb	97
28) Bis (2-chloroethoxy) metha	6.56	93	210236	38.15330 ppb	99
29) 2,4-Dichlorophenol	6.69	162	136350	38.79467 ppb	97
30) 1,2,4-Trichlorobenzene	6.78	180	149205	38.67244 ppb	98
31) 3,4-Dimethylphenol	6.80	107	231946	37.84165 ppb	100
32) Naphthalene	6.86	128	528234	38.40722 ppb	100
33) 4-Chloroaniline	6.93	127	199123	39.27218 ppb	100
34) 2,6-Dichlorophenol	6.94	162	135706	38.40269 ppb	99
35) Hexachloropropene	6.95	213	84365	39.35456 ppb	99
36) Hexachlorobutadiene	6.99	225	72578	38.34890 ppb	97
37) Caprolactum	7.36	55	68694	38.78887 ppb	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y008.D Vial: 8
Acq On : 19 Mar 19 20:49 Operator: MA
Sample : 40ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	165627	38.87639	ppb		94
39)	2-Methylnaphthalene	7.65	142	333856	38.06799	ppb		100
40)	1-Methylnaphthalene	7.77	142	350525	38.56483	ppb		98
42)	Hexachlorocyclopentadiene	7.82	237	17908	38.38937	ppb		96
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	135909	39.04054	ppb		100
44)	2,4,6-Trichlorophenol	7.99	196	88646	39.59683	ppb		97
45)	2,4,5-Trichlorophenol	8.05	196	94897	39.44090	ppb		98
47)	1,1'-Biphenyl	8.19	154	430945	39.09893	ppb		98
48)	2-Chloronaphthalene	8.21	162	320001	38.60017	ppb		99
49)	2-Nitroaniline	8.34	65	106898	39.34478	ppb		88
50)	Dimethyl phthalate	8.54	163	374261	38.84296	ppb		99
51)	2,6-DNT	8.63	165	89947	39.92197	ppb		94
52)	Acenaphthylene	8.70	152	510591	38.91442	ppb		99
53)	3-Nitroaniline	8.83	138	100451	40.56025	ppb		86
54)	Acenaphthene	8.90	154	329590	38.99847	ppb		98
55)	2,4-Dinitrophenol	8.98	184	35320	34.37892	ppb		89
56)	4-Nitrophenol	9.10	65	54344	41.65344	ppb		98
57)	Dibenzofuran	9.10	168	447008	38.97371	ppb		95
58)	2,4-DNT	9.10	165	121371	39.85725	ppb	#	63
59)	2,3,4,6-Tetrachlorophenol	9.25	232	62752	41.07223	ppb		95
60)	Diethyl phthalate	9.36	149	374381	39.37309	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	167169	38.14137	ppb		99
62)	Fluorene	9.50	166	375496	39.24725	ppb		99
63)	4-Nitroaniline	9.55	138	98403	39.27774	ppb		93
66)	4,6-Dinitro-2-methylphenol	9.58	198	69984	41.84279	ppb		97
67)	Diphenyl amine	9.63	169	585175	77.80455	ppb		98
68)	n-Nitrosodiphenylamine	9.63	169	585175	77.80455	ppb		98
69)	1,2-Diphenylhydrazine	9.68	77	389175	36.97247	ppb		98
70)	4-Bromophenyl phenyl ether	10.06	248	91164	38.84908	ppb		98
71)	Hexachlorobenzene	10.14	284	83502	38.31313	ppb		95
72)	Atrazine	10.26	200	50408	19.61218	ppb		98
73)	Pentachlorophenol	10.40	266	28214	37.16629	ppb		95
74)	Phenanthrene	10.63	178	525732	38.38010	ppb		100
75)	Anthracene	10.68	178	559632	38.67492	ppb		99
76)	Carbazol	10.88	167	515005	38.64820	ppb		99
77)	Di-n-butylphthalate	11.26	149	642809	38.52335	ppb		100
78)	Fluoranthene	12.01	202	547930	38.25656	ppb	#	94
80)	Benzidine	12.18	184	128293	39.56635	ppb		99
81)	Pyrene	12.28	202	572657	37.99483	ppb		99
83)	Butyl benzylphthalate	13.01	149	290328	38.05260	ppb		95
84)	3,3'-Dichlorobenzidine	13.65	252	145766	38.46739	ppb	#	96
85)	Benz (a) anthracene	13.68	228	507691	38.09250	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.66	149	413948	37.87940	ppb		99
87)	Chrysene	13.72	228	485669	37.79523	ppb		99
88)	Di-n-octylphthalate	14.42	149	718957	38.15510	ppb		99
90)	Benzo (b) fluoranthene	15.03	252	482020	40.24491	ppb		97
91)	Benzo (k) fluoranthene	15.03	252	482020	40.24491	ppb		97
92)	Benzo (a) pyrene	15.46	252	458006	38.39569	ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.46	276	488450	38.06101	ppb		98
94)	Dibenz (a,h) anthracene	17.48	278	431503	38.35040	ppb		98
95)	Benzo (g,h,i) perylene	18.04	276	394295	38.49960	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y008.D Vial: 8
Acq On : 19 Mar 19 20:49 Operator: MA
Sample : 40ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y009.D Vial: 9
Acq On : 19 Mar 19 21:17 Operator: MA
Sample : 60ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	119422	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	509759	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	274152	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	446170	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	403300	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	398594	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	554819	124.30237 ppb	0.00
Spiked Amount 200.000			Recovery =	62.151%	
6) Phenol-D6 (S)	5.01	99	719608	123.31751 ppb	0.00
Spiked Amount 200.000			Recovery =	61.659%	
22) Nitrobenzene-D5(S)	6.03	82	321087	59.61836 ppb	0.00
Spiked Amount 100.000			Recovery =	59.618%	
46) 2-Fluorobiphenyl(S)	8.08	172	599687	59.24331 ppb	0.00
Spiked Amount 100.000			Recovery =	59.243%	
64) 2,4,6-Tribromophenol(S)	9.79	330	114414	125.92573 ppb	0.00
Spiked Amount 200.000			Recovery =	62.963%	
82) Terphenyl-D14(S)	12.45	244	599770	60.83796 ppb	0.00
Spiked Amount 100.000			Recovery =	60.838%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	5619	6.95014	81
3) n-Nitrosodimethylamine	1.94	42	87300	57.52505 ppb	97
4) Pyridine	1.95	79	220241	60.34360 ppb	99
7) Phenol	5.03	94	377378	58.44629 ppb	98
8) Aniline	5.03	93	372737	59.21550 ppb	99
9) Bis (2-chloroethyl) ether	5.11	63	169839	59.18233 ppb	94
10) 2-Chlorophenol	5.17	128	279330	59.46524 ppb	99
11) 1,3-DCB	5.33	146	290271	58.86587 ppb	98
12) 1,4-DCB	5.42	146	295031	58.18265 ppb	99
13) Benzyl alcohol	5.57	108	164974	60.39709 ppb	99
14) 1,2-DCB	5.59	146	271735	57.82124 ppb	98
15) 2-Methylphenol	5.70	107	238089	58.18189 ppb	98
16) Bis (2-chloroisopropyl) et	5.70	45	247456	58.54127 ppb	93
17) Acetophenone	5.87	105	365171	58.26916 ppb	97
18) 3&4-Methylphenol	5.88	107	577737	117.61399 ppb	99
19) n-Nitrosodi-n-propylamine	5.87	70	199853	58.10437 ppb	98
20) Hexachloroethane	5.96	117	110136	57.69751 ppb	98
23) Nitrobenzene	6.06	77	297656	57.21389 ppb	96
24) Isophorone	6.32	82	522924	57.79950 ppb	99
25) 2-Nitrophenol	6.41	139	155294	58.88441 ppb	98
26) 2,4-Dimethylphenol	6.46	122	239596	57.63452 ppb	98
27) Benzoic acid	6.62	105	188602	66.02299 ppb	96
28) Bis (2-chloroethoxy) metha	6.56	93	319808	57.86678 ppb	99
29) 2,4-Dichlorophenol	6.69	162	205603	58.32590 ppb	97
30) 1,2,4-Trichlorobenzene	6.78	180	221096	57.13656 ppb	99
31) 3,4-Dimethylphenol	6.80	107	348609	56.70702 ppb	97
32) Naphthalene	6.86	128	782266	56.70953 ppb	100
33) 4-Chloroaniline	6.93	127	289331	56.89493 ppb	99
34) 2,6-Dichlorophenol	6.94	162	203765	57.49197 ppb	98
35) Hexachloropropene	6.95	213	128538	59.78323 ppb	98
36) Hexachlorobutadiene	6.99	225	108569	57.19641 ppb	97
37) Caprolactum	7.37	55	104723	58.95836 ppb	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y009.D Vial: 9
Acq On : 19 Mar 19 21:17 Operator: MA
Sample : 60ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	250598	58.64722 ppb		95
39)	2-Methylnaphthalene	7.65	142	508641	57.82653 ppb		99
40)	1-Methylnaphthalene	7.77	142	523067	57.37792 ppb		100
42)	Hexachlorocyclopentadiene	7.83	237	41106	59.83288 ppb		99
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	204706	57.19222 ppb		98
44)	2,4,6-Trichlorophenol	7.99	196	134842	58.58213 ppb		99
45)	2,4,5-Trichlorophenol	8.05	196	140586	56.82967 ppb		97
47)	1,1'-Biphenyl	8.19	154	643208	56.75881 ppb		99
48)	2-Chloronaphthalene	8.22	162	486021	57.02059 ppb		98
49)	2-Nitroaniline	8.35	65	160739	57.54102 ppb		97
50)	Dimethyl phthalate	8.54	163	568962	57.43277 ppb		99
51)	2,6-DNT	8.63	165	136200	58.79510 ppb		95
52)	Acenaphthylene	8.70	152	773677	57.35032 ppb		99
53)	3-Nitroaniline	8.84	138	149508	58.71506 ppb		99
54)	Acenaphthene	8.90	154	490001	56.39093 ppb		98
55)	2,4-Dinitrophenol	8.98	184	60741	52.76357 ppb		97
56)	4-Nitrophenol	9.10	65	86024	57.49889 ppb		98
57)	Dibenzofuran	9.10	168	661897	56.12878 ppb		99
58)	2,4-DNT	9.11	165	184830	59.03420 ppb		98
59)	2,3,4,6-Tetrachlorophenol	9.26	232	97056	61.78484 ppb		99
60)	Diethyl phthalate	9.36	149	558668	57.14501 ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	253625	56.28224 ppb		98
62)	Fluorene	9.50	166	554278	56.34694 ppb		100
63)	4-Nitroaniline	9.55	138	145202	56.37019 ppb		98
66)	4,6-Dinitro-2-methylphenol	9.58	198	107862	64.79772 ppb		95
67)	Diphenyl amine	9.65	169	867131	115.84393 ppb		99
68)	n-Nitrosodiphenylamine	9.65	169	867131	115.84393 ppb		99
69)	1,2-Diphenylhydrazine	9.68	77	585945	55.93193 ppb		98
70)	4-Bromophenyl phenyl ether	10.06	248	136546	58.46632 ppb		98
71)	Hexachlorobenzene	10.14	284	125566	57.88847 ppb		98
72)	Atrazine	10.26	200	74712	29.20694 ppb		98
73)	Pentachlorophenol	10.39	266	44547	55.24805 ppb		97
74)	Phenanthrene	10.63	178	788815	57.86103 ppb		100
75)	Anthracene	10.69	178	835558	58.01934 ppb		100
76)	Carbazol	10.88	167	772017	58.21221 ppb		99
77)	Di-n-butylphthalate	11.26	149	963212	58.00071 ppb		100
78)	Fluoranthene	12.01	202	830711	58.27740 ppb	#	93
80)	Benzidine	12.18	184	176783	55.26666 ppb		97
81)	Pyrene	12.28	202	859734	57.82208 ppb		100
83)	Butyl benzylphthalate	13.02	149	437718	58.15532 ppb		96
84)	3,3'-Dichlorobenzidine	13.65	252	213681	57.16130 ppb	#	96
85)	Benz (a) anthracene	13.68	228	757726	57.63043 ppb		100
86)	Bis (2-ethylhexyl) phthala	13.67	149	610683	56.64646 ppb		99
87)	Chrysene	13.72	228	724548	57.15621 ppb		99
88)	Di-n-octylphthalate	14.42	149	1080420	58.12218 ppb		99
90)	Benzo (b) fluoranthene	15.04	252	715694	60.33039 ppb		99
91)	Benzo (k) fluoranthene	15.04	252	715694	60.33039 ppb		99
92)	Benzo (a) pyrene	15.47	252	683990	57.89271 ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.47	276	728010	57.27438 ppb		98
94)	Dibenz (a,h) anthracene	17.49	278	642062	57.61372 ppb		99
95)	Benzo (g,h,i) perylene	18.05	276	584721	57.64299 ppb		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\YODA\DATA\Y190319\0319Y009.D
Acq On : 19 Mar 19 21:17
Sample : 60ug/mL 8270 03/13/19
Misc :

Vial: 9
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 20 9:19 2019

Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y010.D Vial: 10
Acq On : 19 Mar 19 21:44 Operator: MA
Sample : 80ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	124639	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	522881	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	282109	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	471351	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	412376	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	411654	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	738693	158.57052 ppb	0.00
Spiked Amount 200.000			Recovery =	79.286%	
6) Phenol-D6 (S)	5.01	99	947457	155.56742 ppb	0.00
Spiked Amount 200.000			Recovery =	77.784%	
22) Nitrobenzene-D5(S)	6.04	82	430884	77.99732 ppb	0.01
Spiked Amount 100.000			Recovery =	77.997%	
46) 2-Fluorobiphenyl(S)	8.08	172	792997	76.13085 ppb	0.00
Spiked Amount 100.000			Recovery =	76.131%	
64) 2,4,6-Tribromophenol(S)	9.79	330	149661	160.07313 ppb	0.00
Spiked Amount 200.000			Recovery =	80.037%	
82) Terphenyl-D14(S)	12.46	244	787455	78.11789 ppb	0.00
Spiked Amount 100.000			Recovery =	78.118%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	7489	8.87541	91
3) n-Nitrosodimethylamine	1.94	42	116191	73.35769 ppb	100
4) Pyridine	1.95	79	274406	72.03723 ppb	95
7) Phenol	5.03	94	500767	74.30987 ppb	88
8) Aniline	5.04	93	488876	74.41526 ppb	86
9) Bis (2-chloroethyl) ether	5.12	63	222242	74.20123 ppb	98
10) 2-Chlorophenol	5.17	128	368198	75.10302 ppb	99
11) 1,3-DCB	5.34	146	379628	73.76470 ppb	98
12) 1,4-DCB	5.42	146	385398	72.82252 ppb	99
13) Benzyl alcohol	5.58	108	221913	77.84194 ppb	91
14) 1,2-DCB	5.59	146	361603	73.72321 ppb	99
15) 2-Methylphenol	5.71	107	314233	73.57507 ppb	98
16) Bis (2-chloroisopropyl) et	5.71	45	323030	73.22129 ppb	96
17) Acetophenone	5.87	105	483988	73.99586 ppb	97
18) 3&4-Methylphenol	5.88	107	768184	149.83886 ppb	98
19) n-Nitrosodi-n-propylamine	5.87	70	261635	72.88269 ppb	95
20) Hexachloroethane	5.96	117	146122	73.34555 ppb	97
23) Nitrobenzene	6.06	77	397299	74.45028 ppb	95
24) Isophorone	6.33	82	694207	74.80602 ppb	97
25) 2-Nitrophenol	6.42	139	206201	76.22518 ppb	97
26) 2,4-Dimethylphenol	6.46	122	319334	74.88767 ppb	99
27) Benzoic acid	6.64	105	261327	89.18570 ppb	98
28) Bis (2-chloroethoxy) metha	6.56	93	420280	74.13799 ppb	98
29) 2,4-Dichlorophenol	6.69	162	278019	76.88976 ppb	96
30) 1,2,4-Trichlorobenzene	6.78	180	294061	74.08541 ppb	99
31) 3,4-Dimethylphenol	6.81	107	465258	73.78263 ppb	99
32) Naphthalene	6.86	128	1038095	73.36699 ppb	100
33) 4-Chloroaniline	6.93	127	367949	70.53883 ppb	98
34) 2,6-Dichlorophenol	6.94	162	269825	74.22015 ppb	98
35) Hexachloropropene	6.95	213	171358	77.69879 ppb	99
36) Hexachlorobutadiene	6.99	225	143366	73.63278 ppb	99
37) Caprolactum	7.39	55	136816	75.09349 ppb	94

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y010.D Vial: 10
Acq On : 19 Mar 19 21:44 Operator: MA
Sample : 80ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	327934	74.82010	ppb		96
39)	2-Methylnaphthalene	7.65	142	673129	74.60640	ppb		98
40)	1-Methylnaphthalene	7.77	142	691557	73.95670	ppb		100
42)	Hexachlorocyclopentadiene	7.83	237	70940	80.93094	ppb		99
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	270466	73.43339	ppb		100
44)	2,4,6-Trichlorophenol	7.99	196	181249	76.52267	ppb		99
45)	2,4,5-Trichlorophenol	8.05	196	191311	75.15320	ppb		96
47)	1,1'-Biphenyl	8.19	154	856636	73.46029	ppb		100
48)	2-Chloronaphthalene	8.23	162	636805	72.60351	ppb		95
49)	2-Nitroaniline	8.36	65	214971	74.78434	ppb		99
50)	Dimethyl phthalate	8.55	163	749146	73.48817	ppb		99
51)	2,6-DNT	8.63	165	179882	75.46163	ppb		92
52)	Acenaphthylene	8.70	152	1021819	73.60792	ppb		99
53)	3-Nitroaniline	8.84	138	195736	74.70167	ppb		97
54)	Acenaphthene	8.90	154	651107	72.81806	ppb		99
55)	2,4-Dinitrophenol	8.98	184	87654	71.15902	ppb		95
56)	4-Nitrophenol	9.10	65	121095	77.09489	ppb		94
57)	Dibenzofuran	9.10	168	882579	72.73162	ppb		98
58)	2,4-DNT	9.11	165	239317	74.28125	ppb		91
59)	2,3,4,6-Tetrachlorophenol	9.26	232	133018	82.28950	ppb		99
60)	Diethyl phthalate	9.37	149	735163	73.07732	ppb		98
61)	4-Chlorophenyl phenyl ethe	9.50	204	331462	71.48049	ppb		99
62)	Fluorene	9.51	166	731875	72.30262	ppb		99
63)	4-Nitroaniline	9.56	138	190904	72.02220	ppb		96
66)	4,6-Dinitro-2-methylphenol	9.59	198	147764	84.02641	ppb		89
67)	Diphenyl amine	9.65	169	1131969	143.14595	ppb		99
68)	n-Nitrosodiphenylamine	9.65	169	1131969	143.14595	ppb		99
69)	1,2-Diphenylhydrazine	9.68	77	899802	81.30286	ppb		97
70)	4-Bromophenyl phenyl ether	10.06	248	181349	73.50178	ppb		99
71)	Hexachlorobenzene	10.14	284	169696	74.05384	ppb		96
72)	Atrazine	10.27	200	99114	36.67639	ppb		95
73)	Pentachlorophenol	10.39	266	70646	79.76194	ppb		98
74)	Phenanthrene	10.63	178	1046291	72.64729	ppb		100
75)	Anthracene	10.69	178	1107324	72.78248	ppb		100
76)	Carbazol	10.88	167	1031382	73.61438	ppb		100
77)	Di-n-butylphthalate	11.26	149	1261013	71.87650	ppb		99
78)	Fluoranthene	12.02	202	1105666	73.42266	ppb		99
80)	Benzidine	12.18	184	235199	71.91062	ppb		98
81)	Pyrene	12.28	202	1139228	74.93335	ppb		99
83)	Butyl benzylphthalate	13.02	149	573895	74.56968	ppb		99
84)	3,3'-Dichlorobenzidine	13.65	252	277452	72.58701	ppb	#	96
85)	Benz (a) anthracene	13.68	228	1012545	75.31628	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.67	149	814809	73.91756	ppb		99
87)	Chrysene	13.73	228	967964	74.67760	ppb		99
88)	Di-n-octylphthalate	14.42	149	1420300	74.72471	ppb		98
90)	Benzo (b) fluoranthene	15.04	252	876462	71.53857	ppb		97
91)	Benzo (k) fluoranthene	15.04	252	876462	71.53857	ppb		97
92)	Benzo (a) pyrene	15.48	252	904838	74.15550	ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.48	276	972746	74.10046	ppb		96
94)	Dibenz (a,h) anthracene	17.50	278	858807	74.61788	ppb		98
95)	Benzo (g,h,i) perylene	18.06	276	775963	74.06913	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y010.D Vial: 10
Acq On : 19 Mar 19 21:44 Operator: MA
Sample : 80ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y011.D Vial: 11
Acq On : 19 Mar 19 22:11 Operator: MA
Sample : 100ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	128999	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	546463	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	293849	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	490122	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.70	240	432203	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	424247	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	958858	198.87509 ppb	0.00
Spiked Amount 200.000			Recovery	= 99.438%	
6) Phenol-D6 (S)	5.02	99	1236542	196.17137 ppb	0.00
Spiked Amount 200.000			Recovery	= 98.086%	
22) Nitrobenzene-D5(S)	6.04	82	553462	95.86260 ppb	0.00
Spiked Amount 100.000			Recovery	= 95.863%	
46) 2-Fluorobiphenyl(S)	8.08	172	1015497	93.59670 ppb	0.00
Spiked Amount 100.000			Recovery	= 93.597%	
64) 2,4,6-Tribromophenol(S)	9.79	330	199616	204.97357 ppb	0.00
Spiked Amount 200.000			Recovery	= 102.487%	
82) Terphenyl-D14(S)	12.46	244	1007645	95.37573 ppb	0.00
Spiked Amount 100.000			Recovery	= 95.376%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	8764	10.03540	79
3) n-Nitrosodimethylamine	1.94	42	149106	90.95695 ppb	96
4) Pyridine	1.95	79	353962	89.78167 ppb	96
7) Phenol	5.03	94	632343	90.66321 ppb	92
8) Aniline	5.04	93	623311	91.67179 ppb	97
9) Bis (2-chloroethyl) ether	5.11	63	284907	91.90851 ppb	99
10) 2-Chlorophenol	5.18	128	464858	91.61443 ppb	94
11) 1,3-DCB	5.34	146	480677	90.24254 ppb	99
12) 1,4-DCB	5.42	146	487952	89.08426 ppb	99
13) Benzyl alcohol	5.58	108	281389	95.36865 ppb	95
14) 1,2-DCB	5.59	146	456948	90.01328 ppb	99
15) 2-Methylphenol	5.71	107	400929	90.70140 ppb	99
16) Bis (2-chloroisopropyl) et	5.71	45	408465	89.45755 ppb	93
17) Acetophenone	5.87	105	611533	90.33590 ppb	88
18) 3&4-Methylphenol	5.89	107	971454	183.08343 ppb	100
19) n-Nitrosodi-n-propylamine	5.88	70	334389	90.00116 ppb	99
20) Hexachloroethane	5.96	117	186656	90.52483 ppb	95
23) Nitrobenzene	6.06	77	495416	88.83027 ppb	94
24) Isophorone	6.33	82	868215	89.51935 ppb	99
25) 2-Nitrophenol	6.41	139	265905	94.05379 ppb	94
26) 2,4-Dimethylphenol	6.47	122	407998	91.55147 ppb	95
27) Benzoic acid	6.66	105	338030	110.38455 ppb	97
28) Bis (2-chloroethoxy) metha	6.56	93	537091	90.65506 ppb	99
29) 2,4-Dichlorophenol	6.69	162	350974	92.87762 ppb	99
30) 1,2,4-Trichlorobenzene	6.78	180	368788	88.90253 ppb	99
31) 3,4-Dimethylphenol	6.80	107	588474	89.29551 ppb	100
32) Naphthalene	6.87	128	1321905	89.39350 ppb	99
33) 4-Chloroaniline	6.94	127	435084	79.80973 ppb	96
34) 2,6-Dichlorophenol	6.94	162	343607	90.43650 ppb	98
35) Hexachloropropene	6.95	213	221953	96.29705 ppb	98
36) Hexachlorobutadiene	6.99	225	179910	88.41428 ppb	97
37) Caprolactum	7.40	55	175756	92.30339 ppb	99

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190319\0319Y011.D Vial: 11
Acq On : 19 Mar 19 22:11 Operator: MA
Sample : 100ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.51	107	424655	92.70650	ppb		99
39)	2-Methylnaphthalene	7.66	142	848678	90.00421	ppb		100
40)	1-Methylnaphthalene	7.77	142	875232	89.56016	ppb		99
42)	Hexachlorocyclopentadiene	7.83	237	105184	99.60718	ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	340674	88.79992	ppb		97
44)	2,4,6-Trichlorophenol	7.99	196	231114	93.67710	ppb		99
45)	2,4,5-Trichlorophenol	8.05	196	244412	92.17705	ppb		99
47)	1,1'-Biphenyl	8.20	154	1087136	89.50203	ppb		98
48)	2-Chloronaphthalene	8.22	162	814565	89.15991	ppb		97
49)	2-Nitroaniline	8.35	65	274610	91.71489	ppb		94
50)	Dimethyl phthalate	8.55	163	959118	90.32661	ppb		99
51)	2,6-DNT	8.63	165	233972	94.23128	ppb		82
52)	Acenaphthylene	8.70	152	1296743	89.68034	ppb		99
53)	3-Nitroaniline	8.84	138	245951	90.11579	ppb		92
54)	Acenaphthene	8.90	154	821465	88.19999	ppb		98
55)	2,4-Dinitrophenol	8.98	184	119143	90.70931	ppb		96
56)	4-Nitrophenol	9.07	65	159994	102.32682	ppb	#	76
57)	Dibenzofuran	9.11	168	1112137	87.98744	ppb		93
58)	2,4-DNT	9.11	165	306608	91.36542	ppb		79
59)	2,3,4,6-Tetrachlorophenol	9.26	232	172487	102.44319	ppb		96
60)	Diethyl phthalate	9.37	149	913366	87.16387	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	427282	88.46288	ppb		95
62)	Fluorene	9.51	166	931717	88.36777	ppb		99
63)	4-Nitroaniline	9.57	138	241665	87.53018	ppb		93
66)	4,6-Dinitro-2-methylphenol	9.60	198	195017	106.64976	ppb	#	79
67)	Diphenyl amine	9.65	169	1453305	176.74271	ppb		99
68)	n-Nitrosodiphenylamine	9.65	169	1453305	176.74271	ppb		99
69)	1,2-Diphenylhydrazine	9.68	77	1133772	98.52009	ppb		94
70)	4-Bromophenyl phenyl ether	10.07	248	233692	91.08917	ppb		86
71)	Hexachlorobenzene	10.15	284	215413	90.40410	ppb		86
72)	Atrazine	10.27	200	126617	45.05924	ppb		97
73)	Pentachlorophenol	10.39	266	96308	102.60104	ppb		98
74)	Phenanthrene	10.63	178	1336863	89.26765	ppb		99
75)	Anthracene	10.69	178	1408486	89.03175	ppb		99
76)	Carbazol	10.89	167	1314585	90.23438	ppb		97
77)	Di-n-butylphthalate	11.26	149	1619389	88.76847	ppb		100
78)	Fluoranthene	12.02	202	1425227	91.01866	ppb		97
80)	Benzidine	12.19	184	300037	87.52618	ppb		98
81)	Pyrene	12.29	202	1457256	91.45468	ppb		99
83)	Butyl benzylphthalate	13.01	149	737088	91.38077	ppb		96
84)	3,3'-Dichlorobenzidine	13.66	252	343274	85.68751	ppb		99
85)	Benz (a) anthracene	13.68	228	1263351	89.66112	ppb		98
86)	Bis (2-ethylhexyl) phthala	13.66	149	1014608	87.82046	ppb		98
87)	Chrysene	13.73	228	1222782	90.00896	ppb		98
88)	Di-n-octylphthalate	14.42	149	1823445	91.53399	ppb		96
90)	Benzo (b) fluoranthene	15.05	252	1198995	94.95943	ppb		99
91)	Benzo (k) fluoranthene	15.05	252	1198995	94.95943	ppb		99
92)	Benzo (a) pyrene	15.47	252	1144046	90.97657	ppb		100
93)	Indeno (1,2,3-cd) pyrene	17.49	276	1234147	91.22249	ppb		97
94)	Dibenz (a,h) anthracene	17.52	278	1080909	91.12762	ppb		96
95)	Benzo (g,h,i) perylene	18.07	276	989000	91.60224	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y011.D Vial: 11
Acq On : 19 Mar 19 22:11 Operator: MA
Sample : 100ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 03/19/19
Matrix: Instrument: Yoda
Initial Cal. Date: 03/19/19
Data File: 0319Y012.D

		Compound	MEAN	CCRF	%D		%Drift
1		1,4-Dioxane	0.2708	0.2758	1.8		
2	TM	n-Nitrosodimethylamine	0.5083	0.4536	11	TM	
3	TM	Pyridine	1.222	1.245	1.9	TM	
4	*TM	Phenol	2.163	2.182	0.89	*TM	
5	TM	Aniline	2.108	2.063	2.2	TM	
6	TM	Bis (2-chloroethyl) ether	0.9612	0.9227	4.0	TM	
7	TM	2-Chlorophenol	1.573	1.558	1.00	TM	
8	TM	1,3-DCB	1.652	1.633	1.2	TM	
9	*TM	1,4-DCB	1.698	1.688	0.62	*TM	
10	TM	Benzyl alcohol	0.9149	0.9011	1.5	TM	
11	TM	1,2-DCB	1.574	1.577	0.17	TM	
12	TM	2-Methylphenol	1.371	1.313	4.2	TM	
13	TM	Bis (2-chloroisopropyl) ether	1.416	1.347	4.8	TM	
14	TM	Acetophenone	2.099	2.045	2.6	TM	
15	TM	3&4-Methylphenol	1.645	1.624	1.3	TM	
16	**TM	n-Nitrosodi-n-propylamine	1.152	1.099	4.6	**TM	
17	TM	Hexachloroethane	0.6394	0.6376	0.27	TM	
18	TM	Nitrobenzene	0.4082	0.3946	3.3	TM	
19	TM	Isophorone	0.7099	0.7016	1.2	TM	
20	*TM	2-Nitrophenol	0.2069	0.2042	1.3	*TM	
21	TM	2,4-Dimethylphenol	0.3262	0.3125	4.2	TM	
22	TM	Benzoic acid	0.2229	0.2510	13	TM	
23	TM	Bis (2-chloroethoxy) methane	0.4337	0.4143	4.5	TM	
24	*TM	2,4-Dichlorophenol	0.2766	0.2784	0.65	*TM	
25	TM	1,2,4-Trichlorobenzene	0.3036	0.2987	1.6	TM	
26	TM	3,4-Dimethylphenol	0.4824	0.4656	3.5	TM	
27	TM	Naphthalene	1.082	1.057	2.3	TM	
28	TM	4-Chloroaniline	0.3990	0.3874	2.9	TM	
29	TM	2,6-Dichlorophenol	0.2781	0.2704	2.8	TM	
30	TM	Hexachloropropene	0.1687	0.1705	1.1	TM	
31	*TM	Hexachlorobutadiene	0.1489	0.1463	1.8	*TM	
32	TM	Caprolactum	0.1394	0.1341	3.8	TM	
33	*TM	4-Chloro-3-methylphenol	0.3353	0.3256	2.9	*TM	
34	TM	2-Methylnaphthalene	0.6902	0.6654	3.6	TM	
35	TM	1-Methylnaphthalene	0.7153	0.6853	4.2	TM	
36	**TMQ	Hexachlorocyclopentadiene	0.0924	0.0990	7.1	**TMQ	7.2
37	TM	1,2,4,5-Tetrachlorobenzene	0.5222	0.4998	4.3	TM	
38	*TM	2,4,6-Trichlorophenol	0.3358	0.3306	1.5	*TM	
39	TM	2,4,5-Trichlorophenol	0.3609	0.3495	3.2	TM	
40	TM	1,1'-Biphenyl	1.653	1.591	3.7	TM	
		Average			3.1		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 03/19/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0319Y012.D

		Compound	MEAN	CCRF	%D		%Drift
41	TM	2-Chloronaphthalene	1.244	1.232	0.90	TM	
42	TM	2-Nitroaniline	0.4076	0.3927	3.6	TM	
43	TM	Dimethyl phthalate	1.445	1.387	4.1	TM	
44	TM	2,6-DNT	0.3380	0.3438	1.7	TM	
45	TM	Acenaphthylene	1.968	1.931	1.9	TM	
46	TM	3-Nitroaniline	0.3715	0.3753	1.0	TM	
47	*TM	Acenaphthene	1.268	1.234	2.7	*TM	
48	**TML	2,4-Dinitrophenol	0.1285	0.1399	8.8	**TML	2.8
49	**TMQ	4-Nitrophenol	0.1853	0.2146	16	**TMQ	1.4
50	TM	Dibenzofuran	1.721	1.642	4.6	TM	
51	TM	2,4-DNT	0.4568	0.4638	1.5	TM	
52	TM	2,3,4,6-Tetrachlorophenol	0.2292	0.2538	11	TM	
53	TM	Diethyl phthalate	1.426	1.368	4.1	TM	
54	TM	4-Chlorophenyl phenyl ether	0.6575	0.6283	4.4	TM	
55	TM	Fluorene	1.435	1.405	2.1	TM	
56	TM	4-Nitroaniline	0.3758	0.3660	2.6	TM	
57	TM	4,6-Dinitro-2-methylphenol	0.1492	0.1589	6.5	TM	
58	TM	Diphenyl amine	0.6711	0.6712	0.01	TM	
59	*TM	n-Nitrosodiphenylamine	0.6711	0.6712	0.01	*TM	
60	TM	1,2-Diphenylhydrazine	0.9392	0.9000	4.2	TM	
61	TM	4-Bromophenyl phenyl ether	0.2094	0.2004	4.3	TM	
62	TM	Hexachlorobenzene	0.1945	0.1915	1.5	TM	
63	TM	Atrazine	0.2293	0.2249	1.9	TM	
64	*TML	Pentachlorophenol	0.0643	0.0638	0.80	*TML	8.4
65	TM	Phenanthrene	1.222	1.192	2.5	TM	
66	TM	Anthracene	1.291	1.238	4.1	TM	
67	TM	Carbazol	1.189	1.175	1.2	TM	
68	TM	Di-n-butylphthalate	1.489	1.422	4.5	TM	
69	*TM	Fluoranthene	1.278	1.252	2.0	*TM	
70	TM	Benzidine	0.3087	0.4238	37	TM	*
71	TM	Pyrene	1.475	1.477	0.19	TM	
72	TM	Butyl benzylphthalate	0.7465	0.7432	0.45	TM	
73	TM	3,3'-Dichlorobenzidine	0.3708	0.4245	14	TM	
74	TM	Benz (a) anthracene	1.304	1.287	1.3	TM	
75	TM	Bis (2-ethylhexyl) phthalate	1.069	1.047	2.1	TM	
76	TM	Chrysene	1.257	1.249	0.66	TM	
77	*TM	Di-n-octylphthalate	1.844	1.830	0.75	*TM	
78	TM	Benzo (b) fluoranthene	1.190	1.224	2.8	TM	
79	TM	Benzo (k) fluoranthene	1.190	1.224	2.8	TM	
80	*TM	Benzo (a) pyrene	1.186	1.173	1.1	*TM	
		Average			4.2		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 03/19/19
Matrix: 0 Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0319Y012.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	Indeno (1,2,3-cd) pyrene	1.276	1.260	1.2	TM	
82	TM	Dibenz (a,h) anthracene	1.118	1.109	0.80	TM	
83	TM	Benzo (g,h,i) perylene	1.018	1.004	1.4	TM	
84							
85							
86							
87							
88							
89							
90							
91							
92							
93							
94							
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			1.1		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y012.D Vial: 12
Acq On : 19 Mar 19 22:39 Operator: MA
Sample : SS-8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:51 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	119662	40.00000 ppb		0.00
21) Napthalene-D8(IS)	6.84	136	503749	40.00000 ppb		0.00
41) Acenaphthene-D10(IS)	8.86	164	265971	40.00000 ppb		0.00
65) Phenanthrene-D10(IS)	10.59	188	441976	40.00000 ppb		0.00
79) Chrysene-D12(IS)	13.69	240	392951	40.00000 ppb		0.00
89) Perylene-D12(IS)	15.55	264	389935	40.00000 ppb		0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	0.00	112	0	0.00000 ppb		
Spiked Amount 200.000			Recovery	= 0.000%		
6) Phenol-D6 (S)	0.00	99	0	0.00000 ppb		
Spiked Amount 200.000			Recovery	= 0.000%		
22) Nitrobenzene-D5(S)	5.96	82	20266	3.80782 ppb		-0.07
Spiked Amount 100.000			Recovery	= 3.808%		
46) 2-Fluorobiphenyl(S)	0.00	172	0	0.00000 ppb		
Spiked Amount 100.000			Recovery	= 0.000%		
64) 2,4,6-Tribromophenol(S)	0.00	330	0	0.00000 ppb		
Spiked Amount 200.000			Recovery	= 0.000%		
82) Terphenyl-D14(S)	12.46	244	154	0.01603 ppb		0.00
Spiked Amount 100.000			Recovery	= 0.016%		
Target Compounds						Qvalue
2) 1,4-Dioxane	1.71	58	4125	5.09198		81
3) n-Nitrosodimethylamine	1.94	42	67841	44.61317 ppb		100
4) Pyridine	1.95	79	186260	50.93082 ppb		99
7) Phenol	5.03	94	326371	50.44522 ppb		99
8) Aniline	5.03	93	308538	48.91811 ppb	#	95
9) Bis (2-chloroethyl) ether	5.11	63	138021	47.99852 ppb		100
10) 2-Chlorophenol	5.17	128	232989	49.50044 ppb		99
11) 1,3-DCB	5.33	146	244193	49.42211 ppb		99
12) 1,4-DCB	5.42	146	252474	49.69018 ppb		99
13) Benzyl alcohol	5.57	108	134784	49.24555 ppb		98
14) 1,2-DCB	5.59	146	235856	50.08606 ppb		99
15) 2-Methylphenol	5.70	107	196356	47.88735 ppb		99
16) Bis (2-chloroisopropyl) et	5.70	45	201555	47.58672 ppb		89
17) Acetophenone	5.87	105	305876	48.70976 ppb		91
18) 3&4-Methylphenol	5.88	107	485858	98.71116 ppb		100
19) n-Nitrosodi-n-propylamine	5.86	70	164419	47.70657 ppb		97
20) Hexachloroethane	5.96	117	95375	49.86438 ppb		97
23) Nitrobenzene	6.05	77	248485	48.33233 ppb		93
24) Isophorone	6.32	82	441766	49.41155 ppb		100
25) 2-Nitrophenol	6.41	139	128567	49.33168 ppb		97
26) 2,4-Dimethylphenol	6.46	122	196783	47.90065 ppb		98
27) Benzoic acid	6.61	105	158025	56.29546 ppb		98
28) Bis (2-chloroethoxy) metha	6.55	93	260894	47.76995 ppb		98
29) 2,4-Dichlorophenol	6.69	162	175316	50.32737 ppb		95
30) 1,2,4-Trichlorobenzene	6.77	180	188098	49.18901 ppb		96
31) 3,4-Dimethylphenol	6.80	107	293191	48.26136 ppb		97
32) Naphthalene	6.86	128	665697	48.83474 ppb		100
33) 4-Chloroaniline	6.93	127	243911	48.53563 ppb		100
34) 2,6-Dichlorophenol	6.94	162	170257	48.61086 ppb		98
35) Hexachloropropene	6.95	213	107365	50.53139 ppb		100
36) Hexachlorobutadiene	6.99	225	92116	49.10760 ppb		98
37) Caprolactum	7.37	55	84463	48.11944 ppb		95

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190319\0319Y012.D
Acq On : 19 Mar 19 22:39
Sample : SS-8270 03/13/19
Misc :

Vial: 12
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 20 9:51 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38) 4-Chloro-3-methylphenol	7.50	107	205002	48.54881	ppb		95
39) 2-Methylnaphthalene	7.65	142	418993	48.20291	ppb		100
40) 1-Methylnaphthalene	7.77	142	431516	47.89996	ppb		99
42) Hexachlorocyclopentadiene	7.83	237	32915	53.59927	ppb		97
43) 1,2,4,5-Tetrachlorobenzene	7.84	216	166181	47.85694	ppb		98
44) 2,4,6-Trichlorophenol	7.99	196	109924	49.22545	ppb		96
45) 2,4,5-Trichlorophenol	8.05	196	116191	48.41308	ppb		95
47) 1,1'-Biphenyl	8.19	154	529104	48.12603	ppb		99
48) 2-Chloronaphthalene	8.22	162	409749	49.55092	ppb		98
49) 2-Nitroaniline	8.34	65	130571	48.17926	ppb		89
50) Dimethyl phthalate	8.54	163	461073	47.97371	ppb		100
51) 2,6-DNT	8.63	165	114309	50.86295	ppb		96
52) Acenaphthylene	8.70	152	641976	49.05147	ppb		99
53) 3-Nitroaniline	8.83	138	124765	50.50507	ppb		89
54) Acenaphthene	8.89	154	410164	48.65494	ppb		99
55) 2,4-Dinitrophenol	8.98	184	46512	48.57875	ppb		100
56) 4-Nitrophenol	9.10	65	71354	50.68015	ppb		100
57) Dibenzofuran	9.10	168	545810	47.70829	ppb		98
58) 2,4-DNT	9.11	165	154197	50.76498	ppb		96
59) 2,3,4,6-Tetrachlorophenol	9.25	232	84375	55.36438	ppb		99
60) Diethyl phthalate	9.36	149	454872	47.95908	ppb		99
61) 4-Chlorophenyl phenyl ethe	9.50	204	208880	47.77858	ppb		97
62) Fluorene	9.50	166	467270	48.96296	ppb		97
63) 4-Nitroaniline	9.55	138	121690	48.69551	ppb		94
66) 4,6-Dinitro-2-methylphenol	9.58	198	87770	53.22786	ppb		97
67) Diphenyl amine	9.64	169	741606	100.01462	ppb		98
68) n-Nitrosodiphenylamine	9.64	169	741606	100.01462	ppb		98
69) 1,2-Diphenylhydrazine	9.68	77	497223	47.91327	ppb		99
70) 4-Bromophenyl phenyl ether	10.06	248	110718	47.85713	ppb		95
71) Hexachlorobenzene	10.14	284	105782	49.23042	ppb		96
72) Atrazine	10.26	200	62133	24.51996	ppb		98
73) Pentachlorophenol	10.39	266	35240	45.78765	ppb		95
74) Phenanthrene	10.63	178	658612	48.76883	ppb		100
75) Anthracene	10.68	178	683995	47.94582	ppb		99
76) Carbazol	10.88	167	649223	49.41773	ppb		98
77) Di-n-butylphthalate	11.26	149	785841	47.76918	ppb		100
78) Fluoranthene	12.01	202	691935	49.00238	ppb	#	94
80) Benzidine	12.18	184	208143	68.64547	ppb		98
81) Pyrene	12.28	202	725716	50.09405	ppb		99
83) Butyl benzylphthalate	13.01	149	365037	49.77620	ppb		94
84) 3,3'-Dichlorobenzidine	13.65	252	208493	57.24235	ppb	#	94
85) Benz (a) anthracene	13.68	228	632354	49.36166	ppb		99
86) Bis (2-ethylhexyl) phthala	13.66	149	514327	48.96504	ppb		99
87) Chrysene	13.72	228	613494	49.67026	ppb		99
88) Di-n-octylphthalate	14.42	149	898831	49.62690	ppb		99
90) Benzo (b) fluoranthene	15.03	252	596428	51.39316	ppb		97
91) Benzo (k) fluoranthene	15.03	252	596428	51.39316	ppb		97
92) Benzo (a) pyrene	15.47	252	571604	49.45474	ppb		99
93) Indeno (1,2,3-cd) pyrene	17.46	276	613999	49.37752	ppb		99
94) Dibenz (a,h) anthracene	17.49	278	540732	49.59861	ppb		98
95) Benzo (g,h,i) perylene	18.04	276	489260	49.30331	ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\YODA\DATA\Y190319\0319Y012.D
Acq On : 19 Mar 19 22:39
Sample : SS-8270 03/13/19
Misc :

Vial: 12
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 20 9:51 2019

Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/26/19
Instrument: Yoda
Initial Cal. Date: 03/19/19
Data File: 0411Y195.D

		Compound	MEAN	CCRF	%D	%Drift	
1	I	1,4-dichlorobenzene-D4(IS)	ISTD			I	
2		1,4-Dioxane	0.2708	0.2679	1.1		
3	TM	n-Nitrosodimethylamine	0.5083	0.5181	1.9	TM	
4	S	2-Fluorophenol (S)	1.495	1.568	4.9	S	
5	S	Phenol-D6 (S)	1.955	2.079	6.4	S	
6	*TM	Phenol	2.163	2.185	1.0	*TM	
7	TM	Aniline	2.108	2.306	9.4	TM	
8	TM	Bis (2-chloroethyl) ether	0.9612	0.9507	1.1	TM	
9	TM	2-Chlorophenol	1.573	1.585	0.74	TM	
10	TM	1,3-DCB	1.652	1.615	2.2	TM	
11	*TM	1,4-DCB	1.698	1.670	1.7	*TM	
12	TM	Benzyl alcohol	0.9149	0.9732	6.4	TM	
13	TM	1,2-DCB	1.574	1.540	2.2	TM	
14	TM	2-Methylphenol	1.371	1.387	1.2	TM	
15	TM	Bis (2-chloroisopropyl) ether	1.416	1.381	2.5	TM	
16	TM	Acetophenone	2.099	2.121	1.0	TM	
17	TM	3&4-Methylphenol	1.645	1.691	2.8	TM	
18	**TM	n-Nitrosodi-n-propylamine	1.152	1.156	0.34	**TM	
19	TM	Hexachloroethane	0.6394	0.6201	3.0	TM	
20	I	Napthalene-D8(IS)	ISTD			I	
21	S	Nitrobenzene-D5(S)	0.4226	0.4356	3.1	S	
22	TM	Nitrobenzene	0.4082	0.3965	2.9	TM	
23	TM	Isophorone	0.7099	0.6945	2.2	TM	
24	*TM	2-Nitrophenol	0.2069	0.2095	1.2	*TM	
25	TM	2,4-Dimethylphenol	0.3262	0.3299	1.1	TM	
26	TM	Benzoic acid	0.2242	0.2340	4.4	TM	
27	TM	Bis (2-chloroethoxy) methane	0.4337	0.4223	2.6	TM	
28	*TM	2,4-Dichlorophenol	0.2766	0.2833	2.4	*TM	
29	TM	1,2,4-Trichlorobenzene	0.3036	0.2993	1.4	TM	
30	TM	3,4-Dimethylphenol	0.4824	0.4821	0.07	TM	
31	TM	Naphthalene	1.082	1.063	1.8	TM	
32	TM	4-Chloroaniline	0.3990	0.4184	4.9	TM	
33	TM	2,6-Dichlorophenol	0.2781	0.2787	0.22	TM	
34	TM	Hexachloropropene	0.1687	0.1704	1.0	TM	
35	*TM	Hexachlorobutadiene	0.1489	0.1486	0.20	*TM	
36	TM	Caprolactum	0.1394	0.1314	5.7	TM	
37	*TM	4-Chloro-3-methylphenol	0.3353	0.3411	1.7	*TM	
38	TM	2-Methylnaphthalene	0.6902	0.6837	0.94	TM	
39	TM	1-Methylnaphthalene	0.7153	0.7043	1.5	TM	
40	I	Acenaphthene-D10(IS)	ISTD			I	
		Average			2.4		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/26/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y195.D

		Compound	MEAN	CCRF	%D		%Drift	
41	**TMQ	Hexachlorocyclopentadiene	0.0924	0.0792	14	**TMQ	5.5	
42	TM	1,2,4,5-Tetrachlorobenzene	0.5222	0.5114	2.1	TM		
43	*TM	2,4,6-Trichlorophenol	0.3358	0.3397	1.2	*TM		
44	TM	2,4,5-Trichlorophenol	0.3609	0.3604	0.15	TM		
45	S	2-Fluorobiphenyl(S)	1.477	1.481	0.27	S		
46	TM	1,1'-Biphenyl	1.653	1.603	3.1	TM		
47	TM	2-Chloronaphthalene	1.244	1.215	2.3	TM		
48	TM	2-Nitroaniline	0.4076	0.4042	0.84	TM		
49	TM	Dimethyl phthalate	1.445	1.426	1.4	TM		
50	TM	2,6-DNT	0.3380	0.3480	3.0	TM		
51	TM	Acenaphthylene	1.968	1.919	2.5	TM		
52	TM	3-Nitroaniline	0.3715	0.3876	4.3	TM		
53	*TM	Acenaphthene	1.268	1.221	3.7	*TM		
54	**TML	2,4-Dinitrophenol	0.1301	0.1001	23	**TML	34	*NT
55	**TMQ	4-Nitrophenol	0.1853	0.2469	33	**TMQ	13	
56	TM	Dibenzofuran	1.721	1.686	2.0	TM		
57	TM	2,4-DNT	0.4568	0.4587	0.41	TM		
58	TM	2,3,4,6-Tetrachlorophenol	0.2292	0.2596	13	TM		
59	TM	Diethyl phthalate	1.426	1.383	3.1	TM		
60	TM	4-Chlorophenyl phenyl ether	0.6575	0.6486	1.3	TM		
61	TM	Fluorene	1.435	1.395	2.8	TM		
62	TM	4-Nitroaniline	0.3758	0.3454	8.1	TM		
63	S	2,4,6-Tribromophenol(S)	0.1326	0.1486	12	S		
64	I	Phenanthrene-D10(IS)	ISTD			I		
65	TM	4,6-Dinitro-2-methylphenol	0.1492	0.1471	1.4	TM		
66	TM	Diphenyl amine	0.6711	0.6564	2.2	TM		
67	*TM	n-Nitrosodiphenylamine	0.6711	0.6564	2.2	*TM		
68	TM	1,2-Diphenylhydrazine	0.9392	1.026	9.3	TM		
69	TM	4-Bromophenyl phenyl ether	0.2094	0.2085	0.40	TM		
70	TM	Hexachlorobenzene	0.1945	0.1960	0.77	TM		
71	TM	Atrazine	0.2293	0.2209	3.7	TM		
72	*TML	Pentachlorophenol	0.0578	0.0787	36	*TML	9.1	
73	TM	Phenanthrene	1.222	1.168	4.4	TM		
74	TM	Anthracene	1.291	1.243	3.7	TM		
75	TM	Carbazol	1.189	1.151	3.2	TM		
76	TM	Di-n-butylphthalate	1.489	1.454	2.3	TM		
77	*TM	Fluoranthene	1.278	1.263	1.1	*TM		
78	I	Chrysene-D12(IS)	ISTD			I		
79	TM	Benzidine	0.3173	0.3473	9.5	TM		
80	TM	Pyrene	1.475	1.481	0.45	TM		
		Average			5.7			

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/26/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y195.D

		Compound	MEAN	CCRF	%D		%Drift
81	S	Terphenyl-D14(S)	0.9778	1.027	5.0	S	
82	TM	Butyl benzylphthalate	0.7465	0.7285	2.4	TM	
83	TM	3,3'-Dichlorobenzidine	0.3708	0.3631	2.1	TM	
84	TM	Benz (a) anthracene	1.304	1.276	2.2	TM	
85	TM	Bis (2-ethylhexyl) phthalate	1.069	1.021	4.5	TM	
86	TM	Chrysene	1.257	1.218	3.1	TM	
87	*TM	Di-n-octylphthalate	1.844	1.745	5.3	*TM	
88	I	Perylene-D12(IS)	ISTD			I	
89	TM	Benzo (b) fluoranthene	1.190	1.366	15	TM	
90	TM	Benzo (k) fluoranthene	1.190	1.147	3.7	TM	
91	*TM	Benzo (a) pyrene	1.186	1.174	0.98	*TM	
92	TM	Indeno (1,2,3-cd) pyrene	1.276	1.225	4.0	TM	
93	TM	Dibenz (a,h) anthracene	1.118	1.060	5.2	TM	
94	TM	Benzo (g,h,i) perylene	1.018	0.9792	3.8	TM	
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			4.4		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y195.D Vial: 95
Acq On : 26 Apr 19 17:18 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 26 17:24 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	198066	40.00000 ppb		-0.05
21) Napthalene-D8(IS)	6.74	136	854755	40.00000 ppb		-0.03
41) Acenaphthene-D10(IS)	8.77	164	463907	40.00000 ppb		-0.02
65) Phenanthrene-D10(IS)	10.53	188	776149	40.00000 ppb		0.00
79) Chrysene-D12(IS)	13.64	240	676093	40.00000 ppb		0.00
89) Perylene-D12(IS)	15.49	264	642988	40.00000 ppb		0.02
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.68	112	776312	104.86699 ppb		-0.11
Spiked Amount 200.000			Recovery	= 52.434%		
6) Phenol-D6 (S)	4.89	99	1029552	106.37791 ppb		-0.05
Spiked Amount 200.000			Recovery	= 53.189%		
22) Nitrobenzene-D5(S)	5.93	82	465381	51.53344 ppb		-0.04
Spiked Amount 100.000			Recovery	= 51.533%		
46) 2-Fluorobiphenyl(S)	7.99	172	858712	50.13289 ppb		-0.03
Spiked Amount 100.000			Recovery	= 50.133%		
64) 2,4,6-Tribromophenol(S)	9.72	330	172348	112.09908 ppb		0.00
Spiked Amount 200.000			Recovery	= 56.049%		
82) Terphenyl-D14(S)	12.40	244	867655	52.49993 ppb		0.00
Spiked Amount 100.000			Recovery	= 52.500%		
Target Compounds						Qvalue
3) n-Nitrosodimethylamine	1.85	42	128267	50.96032 ppb		93
7) Phenol	4.90	94	540999	50.51860 ppb		86
8) Aniline	4.91	93	570915	54.68633 ppb	#	89
9) Bis (2-chloroethyl) ether	5.00	63	235387	49.45515 ppb		98
10) 2-Chlorophenol	5.04	128	392440	50.37247 ppb		99
11) 1,3-DCB	5.21	146	399790	48.88395 ppb		99
12) 1,4-DCB	5.30	146	413350	49.14940 ppb		97
13) Benzyl alcohol	5.46	108	240952	53.18700 ppb		97
14) 1,2-DCB	5.47	146	381262	48.91474 ppb		99
15) 2-Methylphenol	5.59	107	343442	50.60301 ppb		98
16) Bis (2-chloroisopropyl) et	5.60	45	341904	48.76887 ppb		86
17) Acetophenone	5.76	105	525099	50.51939 ppb		91
18) 3&4-Methylphenol	5.78	107	837529	102.80236 ppb		98
19) n-Nitrosodi-n-propylamine	5.76	70	286211	50.17171 ppb		96
20) Hexachloroethane	5.85	117	153535	48.49641 ppb		94
23) Nitrobenzene	5.95	77	423589	48.55732 ppb		93
24) Isophorone	6.23	82	741995	48.91136 ppb		96
25) 2-Nitrophenol	6.31	139	223794	50.60779 ppb		99
26) 2,4-Dimethylphenol	6.36	122	352511	50.57071 ppb		99
27) Benzoic acid	6.54	105	250014	52.19591 ppb		98
28) Bis (2-chloroethoxy) metha	6.46	93	451189	48.68798 ppb		98
29) 2,4-Dichlorophenol	6.59	162	302678	51.20780 ppb		97
30) 1,2,4-Trichlorobenzene	6.68	180	319775	49.28344 ppb		98
31) 3,4-Dimethylphenol	6.71	107	515057	49.96625 ppb		97
32) Naphthalene	6.77	128	1135825	49.10619 ppb		99
33) 4-Chloroaniline	6.84	127	447082	52.43111 ppb		98
34) 2,6-Dichlorophenol	6.84	162	297789	50.10828 ppb		96
35) Hexachloropropene	6.85	213	182092	50.50821 ppb		99
36) Hexachlorobutadiene	6.89	225	158819	49.89864 ppb		99
37) Caprolactum	7.29	55	140409	47.14347 ppb		96
38) 4-Chloro-3-methylphenol	7.41	107	364474	50.86975 ppb		96
39) 2-Methylnaphthalene	7.56	142	730540	49.53167 ppb		98

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190411\0411Y195.D Vial: 95
Acq On : 26 Apr 19 17:18 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 26 17:24 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
40)	1-Methylnaphthalene	7.68	142	752537	49.23100	ppb		99
42)	Hexachlorocyclopentadiene	7.73	237	45907	47.27284	ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.75	216	296546	48.96198	ppb		98
44)	2,4,6-Trichlorophenol	7.90	196	197007	50.58039	ppb		98
45)	2,4,5-Trichlorophenol	7.96	196	208985	49.92392	ppb		94
47)	1,1'-Biphenyl	8.11	154	929378	48.46572	ppb		99
48)	2-Chloronaphthalene	8.13	162	704725	48.86038	ppb		98
49)	2-Nitroaniline	8.26	65	234371	49.58161	ppb		86
50)	Dimethyl phthalate	8.47	163	826702	49.31579	ppb		99
51)	2,6-DNT	8.55	165	201778	51.47523	ppb		84
52)	Acenaphthylene	8.62	152	1112814	48.74827	ppb		100
53)	3-Nitroaniline	8.76	138	224754	52.16186	ppb		95
54)	Acenaphthene	8.82	154	708295	48.17114	ppb		98
55)	2,4-Dinitrophenol	8.90	184	58073	32.87689	ppb		97
56)	4-Nitrophenol	8.98	65	143164	56.70184	ppb	#	73
57)	Dibenzofuran	9.02	168	977855	49.00384	ppb		100
58)	2,4-DNT	9.03	165	265994	50.20691	ppb		94
59)	2,3,4,6-Tetrachlorophenol	9.17	232	150529	56.62917	ppb		97
60)	Diethyl phthalate	9.29	149	801834	48.46960	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.42	204	376138	49.32726	ppb		90
62)	Fluorene	9.42	166	808898	48.59560	ppb		99
63)	4-Nitroaniline	9.49	138	200271	45.94682	ppb		90
66)	4,6-Dinitro-2-methylphenol	9.52	198	142742	49.29448	ppb		93
67)	Diphenyl amine	9.57	169	1273690	97.81548	ppb		99
68)	n-Nitrosodiphenylamine	9.57	169	1273690	97.81548	ppb		99
69)	1,2-Diphenylhydrazine	9.61	77	995681	54.63594	ppb		97
70)	4-Bromophenyl phenyl ether	9.99	248	202314	49.79755	ppb		99
71)	Hexachlorobenzene	10.07	284	190110	50.38256	ppb		95
72)	Atrazine	10.19	200	107150	24.07926	ppb		98
73)	Pentachlorophenol	10.32	266	76394	54.55426	ppb		97
74)	Phenanthrene	10.56	178	1133474	47.79449	ppb		99
75)	Anthracene	10.61	178	1206013	48.13971	ppb		99
76)	Carbazol	10.82	167	1116520	48.39594	ppb		97
77)	Di-n-butylphthalate	11.20	149	1410513	48.82517	ppb		99
78)	Fluoranthene	11.96	202	1225613	49.42639	ppb		99
80)	Benzidine	12.12	184	293506	54.73454	ppb		99
81)	Pyrene	12.22	202	1251894	50.22489	ppb		100
83)	Butyl benzylphthalate	12.96	149	615632	48.79081	ppb		99
84)	3,3'-Dichlorobenzidine	13.59	252	306879	48.96944	ppb	#	95
85)	Benz (a) anthracene	13.63	228	1078031	48.90944	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	862789	47.74010	ppb		98
87)	Chrysene	13.68	228	1029169	48.42892	ppb		99
88)	Di-n-octylphthalate	14.36	149	1474901	47.32972	ppb		94
90)	Benzo (b) fluoranthene	14.94	252	1097987	57.37647	ppb		99
91)	Benzo (k) fluoranthene	14.98	252	921695	48.16415	ppb		98
92)	Benzo (a) pyrene	15.40	252	943614	49.51039	ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.39	276	984309	48.00455	ppb		99
94)	Dibenz (a,h) anthracene	17.41	278	851772	47.38056	ppb		99
95)	Benzo (g,h,i) perylene	17.96	276	787011	48.09573	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y195.D Vial: 95
Acq On : 26 Apr 19 17:18 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 26 17:24 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/27/19
Matrix: Instrument: Yoda
Initial Cal. Date: 03/19/19
Data File: 0411Y212.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	1,4-dichlorobenzene-D4(IS)	ISTD			I	
2		1,4-Dioxane	0.2708	0.2501	7.6		
3	TM	n-Nitrosodimethylamine	0.5083	0.5037	0.92	TM	
4	S	2-Fluorophenol (S)	1.495	1.560	4.4	S	
5	S	Phenol-D6 (S)	1.955	2.124	8.7	S	
6	*TM	Phenol	2.163	2.217	2.5	*TM	
7	TM	Aniline	2.108	2.265	7.4	TM	
8	TM	Bis (2-chloroethyl) ether	0.9612	0.9642	0.31	TM	
9	TM	2-Chlorophenol	1.573	1.609	2.3	TM	
10	TM	1,3-DCB	1.652	1.610	2.5	TM	
11	*TM	1,4-DCB	1.698	1.634	3.8	*TM	
12	TM	Benzyl alcohol	0.9149	0.9845	7.6	TM	
13	TM	1,2-DCB	1.574	1.550	1.5	TM	
14	TM	2-Methylphenol	1.371	1.403	2.3	TM	
15	TM	Bis (2-chloroisopropyl) ether	1.416	1.411	0.35	TM	
16	TM	Acetophenone	2.099	2.156	2.7	TM	
17	TM	3&4-Methylphenol	1.645	1.740	5.8	TM	
18	**TM	n-Nitrosodi-n-propylamine	1.152	1.196	3.8	**TM	
19	TM	Hexachloroethane	0.6394	0.6160	3.7	TM	
20	I	Napthalene-D8(IS)	ISTD			I	
21	S	Nitrobenzene-D5(S)	0.4226	0.4327	2.4	S	
22	TM	Nitrobenzene	0.4082	0.3929	3.8	TM	
23	TM	Isophorone	0.7099	0.6873	3.2	TM	
24	*TM	2-Nitrophenol	0.2069	0.2073	0.17	*TM	
25	TM	2,4-Dimethylphenol	0.3262	0.3288	0.79	TM	
26	TM	Benzoic acid	0.2242	0.2600	16	TM	
27	TM	Bis (2-chloroethoxy) methane	0.4337	0.4195	3.3	TM	
28	*TM	2,4-Dichlorophenol	0.2766	0.2809	1.5	*TM	
29	TM	1,2,4-Trichlorobenzene	0.3036	0.2900	4.5	TM	
30	TM	3,4-Dimethylphenol	0.4824	0.4805	0.39	TM	
31	TM	Naphthalene	1.082	1.043	3.7	TM	
32	TM	4-Chloroaniline	0.3990	0.4254	6.6	TM	
33	TM	2,6-Dichlorophenol	0.2781	0.2744	1.3	TM	
34	TM	Hexachloropropene	0.1687	0.1610	4.5	TM	
35	*TM	Hexachlorobutadiene	0.1489	0.1477	0.86	*TM	
36	TM	Caprolactum	0.1394	0.1330	4.6	TM	
37	*TM	4-Chloro-3-methylphenol	0.3353	0.3452	2.9	*TM	
38	TM	2-Methylnaphthalene	0.6902	0.6753	2.2	TM	
39	TM	1-Methylnaphthalene	0.7153	0.7013	2.0	TM	
40	I	Acenaphthene-D10(IS)	ISTD			I	
		Average			3.6		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/27/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y212.D

		Compound	MEAN	CCRF	%D		%Drift
41	**TMQ	Hexachlorocyclopentadiene	0.0924	0.0565	39	**TMQ	21
42	TM	1,2,4,5-Tetrachlorobenzene	0.5222	0.5161	1.2	TM	
43	*TM	2,4,6-Trichlorophenol	0.3358	0.3387	0.86	*TM	
44	TM	2,4,5-Trichlorophenol	0.3609	0.3633	0.64	TM	
45	S	2-Fluorobiphenyl(S)	1.477	1.474	0.21	S	
46	TM	1,1'-Biphenyl	1.653	1.603	3.1	TM	
47	TM	2-Chloronaphthalene	1.244	1.190	4.3	TM	
48	TM	2-Nitroaniline	0.4076	0.4066	0.23	TM	
49	TM	Dimethyl phthalate	1.445	1.431	1.0	TM	
50	TM	2,6-DNT	0.3380	0.3371	0.27	TM	
51	TM	Acenaphthylene	1.968	1.900	3.5	TM	
52	TM	3-Nitroaniline	0.3715	0.3856	3.8	TM	
53	*TM	Acenaphthene	1.268	1.224	3.4	*TM	
54	**TML	2,4-Dinitrophenol	0.1301	0.1160	11	**TML	26
55	**TMQ	4-Nitrophenol	0.1853	0.2466	33	**TMQ	13
56	TM	Dibenzofuran	1.721	1.663	3.4	TM	
57	TM	2,4-DNT	0.4568	0.4617	1.1	TM	
58	TM	2,3,4,6-Tetrachlorophenol	0.2292	0.2597	13	TM	
59	TM	Diethyl phthalate	1.426	1.383	3.1	TM	
60	TM	4-Chlorophenyl phenyl ether	0.6575	0.6386	2.9	TM	
61	TM	Fluorene	1.435	1.397	2.7	TM	
62	TM	4-Nitroaniline	0.3758	0.3576	4.9	TM	
63	S	2,4,6-Tribromophenol(S)	0.1326	0.1490	12	S	
64	I	Phenanthrene-D10(IS)	ISTD			I	
65	TM	4,6-Dinitro-2-methylphenol	0.1492	0.1527	2.3	TM	
66	TM	Diphenyl amine	0.6711	0.6652	0.88	TM	
67	*TM	n-Nitrosodiphenylamine	0.6711	0.6652	0.88	*TM	
68	TM	1,2-Diphenylhydrazine	0.9392	0.8830	6.0	TM	
69	TM	4-Bromophenyl phenyl ether	0.2094	0.2081	0.63	TM	
70	TM	Hexachlorobenzene	0.1945	0.1926	0.98	TM	
71	TM	Atrazine	0.2293	0.2015	12	TM	
72	*TML	Pentachlorophenol	0.0578	0.0719	24	*TML	0.78
73	TM	Phenanthrene	1.222	1.190	2.6	TM	
74	TM	Anthracene	1.291	1.244	3.7	TM	
75	TM	Carbazol	1.189	1.153	3.0	TM	
76	TM	Di-n-butylphthalate	1.489	1.451	2.5	TM	
77	*TM	Fluoranthene	1.278	1.249	2.3	*TM	
78	I	Chrysene-D12(IS)	ISTD			I	
79	TM	Benzidine	0.3173	0.2390	25	TM	
80	TM	Pyrene	1.475	1.464	0.71	TM	
		Average			6.2		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/27/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y212.D

		Compound	MEAN	CCRF	%D	%Drift	
81	S	Terphenyl-D14(S)	0.9778	1.010	3.3	S	
82	TM	Butyl benzylphthalate	0.7465	0.7298	2.2	TM	
83	TM	3,3'-Dichlorobenzidine	0.3708	0.3920	5.7	TM	
84	TM	Benz (a) anthracene	1.304	1.249	4.3	TM	
85	TM	Bis (2-ethylhexyl) phthalate	1.069	1.009	5.6	TM	
86	TM	Chrysene	1.257	1.214	3.4	TM	
87	*TM	Di-n-octylphthalate	1.844	1.763	4.4	*TM	
88	I	Perylene-D12(IS)	ISTD			I	
89	TM	Benzo (b) fluoranthene	1.190	1.214	2.0	TM	
90	TM	Benzo (k) fluoranthene	1.190	1.268	6.5	TM	
91	*TM	Benzo (a) pyrene	1.186	1.191	0.43	*TM	
92	TM	Indeno (1,2,3-cd) pyrene	1.276	1.245	2.4	TM	
93	TM	Dibenz (a,h) anthracene	1.118	1.068	4.5	TM	
94	TM	Benzo (g,h,i) perylene	1.018	0.9785	3.9	TM	
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			3.7		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y212.D Vial: 12
Acq On : 27 Apr 19 1:12 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:22 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	172038	40.00000 ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	762569	40.00000 ppb	-0.03
41) Acenaphthene-D10(IS)	8.77	164	411365	40.00000 ppb	-0.02
65) Phenanthrene-D10(IS)	10.53	188	684409	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.64	240	609183	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.49	264	569428	40.00000 ppb	0.02
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.68	112	671002	104.35466 ppb	-0.11
Spiked Amount 200.000			Recovery =	52.178%	
6) Phenol-D6 (S)	4.89	99	913448	108.66071 ppb	-0.06
Spiked Amount 200.000			Recovery =	54.331%	
22) Nitrobenzene-D5(S)	5.93	82	412415	51.18910 ppb	-0.04
Spiked Amount 100.000			Recovery =	51.189%	
46) 2-Fluorobiphenyl(S)	7.99	172	757835	49.89459 ppb	-0.03
Spiked Amount 100.000			Recovery =	49.895%	
64) 2,4,6-Tribromophenol(S)	9.71	330	153208	112.37788 ppb	-0.01
Spiked Amount 200.000			Recovery =	56.189%	
82) Terphenyl-D14(S)	12.40	244	768966	51.63896 ppb	0.00
Spiked Amount 100.000			Recovery =	51.639%	
Target Compounds					Qvalue
3) n-Nitrosodimethylamine	1.85	42	108310	49.54174 ppb	91
7) Phenol	4.90	94	476829	51.26288 ppb	87
8) Aniline	4.91	93	487170	53.72463 ppb	86
9) Bis (2-chloroethyl) ether	4.99	63	207344	50.15405 ppb	93
10) 2-Chlorophenol	5.04	128	345986	51.12862 ppb	97
11) 1,3-DCB	5.21	146	346289	48.74820 ppb	98
12) 1,4-DCB	5.30	146	351435	48.10950 ppb	98
13) Benzyl alcohol	5.46	108	211711	53.80268 ppb	96
14) 1,2-DCB	5.47	146	333289	49.22920 ppb	98
15) 2-Methylphenol	5.59	107	301633	51.16669 ppb	99
16) Bis (2-chloroisopropyl) et	5.60	45	303418	49.82708 ppb	85
17) Acetophenone	5.76	105	463696	51.36127 ppb	96
18) 3&4-Methylphenol	5.77	107	748514	105.77638 ppb	97
19) n-Nitrosodi-n-propylamine	5.76	70	257219	51.91121 ppb	96
20) Hexachloroethane	5.85	117	132463	48.17063 ppb	93
23) Nitrobenzene	5.95	77	374481	48.11742 ppb	95
24) Isophorone	6.22	82	655186	48.41009 ppb	100
25) 2-Nitrophenol	6.31	139	197601	50.08649 ppb	98
26) 2,4-Dimethylphenol	6.36	122	313413	50.39714 ppb	98
27) Benzoic acid	6.55	105	247839	57.99684 ppb	99
28) Bis (2-chloroethoxy) metha	6.46	93	399869	48.36637 ppb	99
29) 2,4-Dichlorophenol	6.59	162	267737	50.77222 ppb	95
30) 1,2,4-Trichlorobenzene	6.68	180	276476	47.76133 ppb	99
31) 3,4-Dimethylphenol	6.70	107	458044	49.80709 ppb	99
32) Naphthalene	6.77	128	994065	48.17282 ppb	99
33) 4-Chloroaniline	6.84	127	405526	53.30686 ppb	97
34) 2,6-Dichlorophenol	6.84	162	261547	49.33023 ppb	97
35) Hexachloropropene	6.85	213	153514	47.72892 ppb	98
36) Hexachlorobutadiene	6.89	225	140763	49.57209 ppb	99
37) Caprolactum	7.28	55	126795	47.71899 ppb	98
38) 4-Chloro-3-methylphenol	7.41	107	329021	51.47297 ppb	96
39) 2-Methylnaphthalene	7.56	142	643687	48.91885 ppb	98

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190411\0411Y212.D Vial: 12
Acq On : 27 Apr 19 1:12 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:22 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
40)	1-Methylnaphthalene	7.68	142	668468	49.01781	ppb		99
42)	Hexachlorocyclopentadiene	7.74	237	29034	39.39398	ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.75	216	265398	49.41606	ppb		98
44)	2,4,6-Trichlorophenol	7.90	196	174182	50.43214	ppb		99
45)	2,4,5-Trichlorophenol	7.96	196	186793	50.32198	ppb		94
47)	1,1'-Biphenyl	8.11	154	824101	48.46479	ppb		98
48)	2-Chloronaphthalene	8.13	162	612080	47.85738	ppb		98
49)	2-Nitroaniline	8.26	65	209093	49.88384	ppb		87
50)	Dimethyl phthalate	8.47	163	735586	49.48505	ppb		99
51)	2,6-DNT	8.55	165	173319	49.86252	ppb		85
52)	Acenaphthylene	8.62	152	977158	48.27308	ppb		99
53)	3-Nitroaniline	8.76	138	198285	51.89662	ppb		94
54)	Acenaphthene	8.82	154	629440	48.27593	ppb		99
55)	2,4-Dinitrophenol	8.90	184	59651	36.96763	ppb		92
56)	4-Nitrophenol	8.98	65	126813	56.65103	ppb	#	74
57)	Dibenzofuran	9.02	168	855052	48.32277	ppb		98
58)	2,4-DNT	9.03	165	237393	50.53162	ppb		90
59)	2,3,4,6-Tetrachlorophenol	9.17	232	133523	56.64736	ppb		97
60)	Diethyl phthalate	9.29	149	711042	48.47121	ppb		98
61)	4-Chlorophenyl phenyl ethe	9.42	204	328387	48.56566	ppb		89
62)	Fluorene	9.42	166	718316	48.66562	ppb		98
63)	4-Nitroaniline	9.48	138	183864	47.57049	ppb		97
66)	4,6-Dinitro-2-methylphenol	9.52	198	130652	51.16724	ppb		90
67)	Diphenyl amine	9.57	169	1138099	99.11817	ppb		99
68)	n-Nitrosodiphenylamine	9.57	169	1138099	99.11817	ppb		99
69)	1,2-Diphenylhydrazine	9.61	77	755385	47.00628	ppb		98
70)	4-Bromophenyl phenyl ether	9.99	248	177991	49.68319	ppb		99
71)	Hexachlorobenzene	10.07	284	164738	49.51063	ppb		96
72)	Atrazine	10.20	200	86180	21.96275	ppb		98
73)	Pentachlorophenol	10.32	266	61547	50.39007	ppb		99
74)	Phenanthrene	10.56	178	1018161	48.68690	ppb		100
75)	Anthracene	10.61	178	1064012	48.16453	ppb		99
76)	Carbazol	10.82	167	986352	48.48460	ppb		97
77)	Di-n-butylphthalate	11.20	149	1241452	48.73332	ppb		99
78)	Fluoranthene	11.96	202	1068240	48.85440	ppb		99
80)	Benzidine	12.12	184	181976	37.66320	ppb		99
81)	Pyrene	12.22	202	1115007	49.64639	ppb		99
83)	Butyl benzylphthalate	12.96	149	555724	48.88039	ppb		99
84)	3,3'-Dichlorobenzidine	13.59	252	298530	52.86943	ppb	#	97
85)	Benz (a) anthracene	13.63	228	950764	47.87324	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	768620	47.20077	ppb		97
87)	Chrysene	13.67	228	924660	48.29018	ppb		99
88)	Di-n-octylphthalate	14.36	149	1342564	47.81506	ppb		96
90)	Benzo (b) fluoranthene	14.93	252	863909	50.97634	ppb		97
91)	Benzo (k) fluoranthene	14.98	252	902341	53.24408	ppb		97
92)	Benzo (a) pyrene	15.40	252	847542	50.21428	ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.38	276	886337	48.81057	ppb		97
94)	Dibenz (a,h) anthracene	17.40	278	760294	47.75539	ppb		98
95)	Benzo (g,h,i) perylene	17.96	276	696506	48.06341	ppb		98

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190411\0411Y212.D Vial: 12
Acq On : 27 Apr 19 1:12 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:22 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y199.D Vial: 99
Acq On : 26 Apr 19 19:09 Operator: MA
Sample : AZ89958W30 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 10:13 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	153767	40.0000	ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	688686	40.0000	ppb	-0.03
41) Acenaphthene-D10(IS)	8.77	164	421225	40.0000	ppb	-0.02
65) Phenanthrene-D10(IS)	10.53	188	719888	40.0000	ppb	0.00
79) Chrysene-D12(IS)	13.64	240	622136	40.0000	ppb	0.00
89) Perylene-D12(IS)	15.49	264	582956	40.0000	ppb	0.02
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.71	112	1004595	218.4994	ppb	-0.09
Spiked Amount 250.000			Recovery = 87.400%			
6) Phenol-D6 (S)	4.89	99	1234464	205.3707	ppb	-0.05
Spiked Amount 250.000			Recovery = 82.148%			
22) Nitrobenzene-D5(S)	5.92	82	591848	101.6766	ppb	-0.05
Spiked Amount 125.000			Recovery = 81.342%			
46) 2-Fluorobiphenyl(S)	7.98	172	1075548	86.4434	ppb	-0.03
Spiked Amount 125.000			Recovery = 69.154%			
64) 2,4,6-Tribromophenol(S)	9.71	330	238035	213.1392	ppb	-0.01
Spiked Amount 250.000			Recovery = 85.256%			
82) Terphenyl-D14(S)	12.39	244	1085934	89.2578	ppb	0.00
Spiked Amount 125.000			Recovery = 71.406%			

Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y199.D Vial: 99
Acq On : 26 Apr 19 19:09 Operator: MA
Sample : AZ89958W30 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 10:13 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y202.D Vial: 2
Acq On : 26 Apr 19 20:33 Operator: MA
Sample : AZ89959W07 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:18 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	147168	40.0000 ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	669492	40.0000 ppb	-0.03
41) Acenaphthene-D10(IS)	8.78	164	437684	40.0000 ppb	-0.01
65) Phenanthrene-D10(IS)	10.53	188	745190	40.0000 ppb	0.00
79) Chrysene-D12(IS)	13.64	240	649177	40.0000 ppb	0.00
89) Perylene-D12(IS)	15.48	264	611437	40.0000 ppb	0.01
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.68	112	930337	211.4216 ppb	-0.11
Spiked Amount 250.000			Recovery =	84.569%	
6) Phenol-D6 (S)	4.89	99	1163034	202.1632 ppb	-0.06
Spiked Amount 250.000			Recovery =	80.865%	
22) Nitrobenzene-D5(S)	5.93	82	623049	110.1055 ppb	-0.04
Spiked Amount 125.000			Recovery =	88.084%	
46) 2-Fluorobiphenyl(S)	7.99	172	1118944	86.5493 ppb	-0.03
Spiked Amount 125.000			Recovery =	69.239%	
64) 2,4,6-Tribromophenol(S)	9.72	330	240959	207.6439 ppb	0.00
Spiked Amount 250.000			Recovery =	83.058%	
82) Terphenyl-D14(S)	12.40	244	1143844	90.1015 ppb	0.00
Spiked Amount 125.000			Recovery =	72.081%	
Target Compounds					Qvalue
26) 2,4-Dimethylphenol	6.39	122	10297	2.3575 ppb	91
31) 3,4-Dimethylphenol	6.59	107	31023	4.8030 ppb	94
86) Bis (2-ethylhexyl) phthala	13.62	149	121129	8.7253 ppb	100


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y202.D Vial: 2
Acq On : 26 Apr 19 20:33 Operator: MA
Sample : AZ89959W07 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:18 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y203.D
Acq On : 26 Apr 19 21:01
Sample : AZ89961W14 1/800
Misc :

Vial: 3
Operator: MA
Inst : Yoda
Multiplr: 1.25

Quant Time: Apr 29 13:11 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	188577	40.0000	ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	825646	40.0000	ppb	-0.03
41) Acenaphthene-D10(IS)	8.77	164	477760	40.0000	ppb	-0.02
65) Phenanthrene-D10(IS)	10.53	188	811658	40.0000	ppb	0.00
79) Chrysene-D12(IS)	13.64	240	696634	40.0000	ppb	0.00
89) Perylene-D12(IS)	15.48	264	660531	40.0000	ppb	0.02
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.69	112	1019260	180.7668	ppb	-0.10
Spiked Amount 250.000			Recovery =	72.307%		
6) Phenol-D6 (S)	4.89	99	1274667	172.9144	ppb	-0.05
Spiked Amount 250.000			Recovery =	69.166%		
22) Nitrobenzene-D5(S)	5.93	82	611934	87.6886	ppb	-0.04
Spiked Amount 125.000			Recovery =	70.151%		
46) 2-Fluorobiphenyl(S)	7.98	172	1135908	80.4914	ppb	-0.04
Spiked Amount 125.000			Recovery =	64.393%		
64) 2,4,6-Tribromophenol(S)	9.71	330	248637	196.2875	ppb	-0.01
Spiked Amount 250.000			Recovery =	78.515%		
82) Terphenyl-D14(S)	12.40	244	1123764	82.4895	ppb	0.00
Spiked Amount 125.000			Recovery =	65.991%		
Target Compounds						Qvalue
26) 2,4-Dimethylphenol	6.39	122	13174	2.4457	ppb	94
31) 3,4-Dimethylphenol	6.59	107	36953	4.6390	ppb	86
50) Dimethyl phthalate	8.47	163	40355	2.9219	ppb	98
86) Bis (2-ethylhexyl) phthala	13.62	149	216957	14.5634	ppb	98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y203.D Vial: 3
Acq On : 26 Apr 19 21:01 Operator: MA
Sample : AZ89961W14 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:11 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y196.D Vial: 96
Acq On : 26 Apr 19 17:46 Operator: MA
Sample : 190424A BLK 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: May 6 15:49 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	156918	40.00000 ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	730248	40.00000 ppb	-0.03
41) Acenaphthene-D10(IS)	8.77	164	463695	40.00000 ppb	-0.02
65) Phenanthrene-D10(IS)	10.53	188	781468	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.64	240	762900	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.48	264	695198	40.00000 ppb	0.02
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.68	112	953562	203.23505 ppb	-0.11
Spiked Amount 250.000			Recovery =	81.294%	
6) Phenol-D6 (S)	4.89	99	1156335	188.50984 ppb	-0.05
Spiked Amount 250.000			Recovery =	75.404%	
22) Nitrobenzene-D5(S)	5.93	82	579911	93.95571 ppb	-0.04
Spiked Amount 125.000			Recovery =	75.165%	
46) 2-Fluorobiphenyl(S)	7.98	172	1073107	78.34779 ppb	-0.04
Spiked Amount 125.000			Recovery =	62.678%	
64) 2,4,6-Tribromophenol(S)	9.71	330	229267	186.48585 ppb	-0.02
Spiked Amount 250.000			Recovery =	74.594%	
82) Terphenyl-D14(S)	12.39	244	1121804	75.19302 ppb	0.00
Spiked Amount 125.000			Recovery =	60.154%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y196.D Vial: 96
Acq On : 26 Apr 19 17:46 Operator: MA
Sample : 190424A BLK 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: May 6 15:49 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Mon May 06 14:42:09 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y197.D Vial: 97
Acq On : 26 Apr 19 18:13 Operator: MA
Sample : 190424A LCS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	165950	40.0000	ppb		-0.05
21) Napthalene-D8(IS)	6.74	136	746399	40.0000	ppb		-0.03
41) Acenaphthene-D10(IS)	8.77	164	433513	40.0000	ppb		-0.02
65) Phenanthrene-D10(IS)	10.53	188	741316	40.0000	ppb		0.00
79) Chrysene-D12(IS)	13.64	240	641284	40.0000	ppb		0.00
89) Perylene-D12(IS)	15.49	264	492206	40.0000	ppb		0.02
System Monitoring Compounds							
5) 2-Fluorophenol (S)	3.69	112	951775	191.8136	ppb		-0.10
Spiked Amount 250.000			Recovery =	76.726%			
6) Phenol-D6 (S)	4.89	99	1139938	175.7224	ppb		-0.05
Spiked Amount 250.000			Recovery =	70.289%			
22) Nitrobenzene-D5(S)	5.93	82	563951	89.3928	ppb		-0.04
Spiked Amount 125.000			Recovery =	71.514%			
46) 2-Fluorobiphenyl(S)	7.99	172	1050416	82.0305	ppb		-0.02
Spiked Amount 125.000			Recovery =	65.624%			
64) 2,4,6-Tribromophenol(S)	9.71	330	236232	205.5291	ppb		-0.01
Spiked Amount 250.000			Recovery =	82.212%			
82) Terphenyl-D14(S)	12.39	244	1088462	86.7943	ppb		0.00
Spiked Amount 125.000			Recovery =	69.435%			
Target Compounds							Qvalue
2) 1,4-Dioxane	1.62	58	6785	7.5492			57
3) n-Nitrosodimethylamine	1.85	42	80842	47.9178	ppb		94
4) Pyridine	1.90	79	66907	16.4900	ppb		93
7) Phenol	4.91	94	349146	48.6412	ppb	#	61
8) Aniline	4.93	93	57616	8.2337	ppb	#	96
9) Bis (2-chloroethyl) ether	4.99	63	160568	50.3304	ppb		93
10) 2-Chlorophenol	5.05	128	264809	50.7102	ppb		94
11) 1,3-DCB	5.21	146	246025	44.8804	ppb		100
12) 1,4-DCB	5.30	146	255268	45.2834	ppb		99
13) Benzyl alcohol	5.46	108	113606	37.4127	ppb		99
14) 1,2-DCB	5.47	146	244960	46.8872	ppb		99
15) 2-Methylphenol	5.59	107	230746	50.7224	ppb		98
16) Bis (2-chloroisopropyl) et	5.60	45	231895	49.3483	ppb		94
17) Acetophenone	5.76	105	361193	51.8440	ppb		93
18) 3&4-Methylphenol	5.77	107	564144	103.3085	ppb		97
19) n-Nitrosodi-n-propylamine	5.76	70	198910	52.0202	ppb		95
20) Hexachloroethane	5.85	117	82892	39.0623	ppb		92
23) Nitrobenzene	5.95	77	299358	49.1226	ppb		94
24) Isophorone	6.22	82	522726	49.3246	ppb		99
25) 2-Nitrophenol	6.31	139	154365	49.9687	ppb		98
26) 2,4-Dimethylphenol	6.36	122	246659	50.6529	ppb		98
27) Benzoic acid	6.55	105	205531	61.4229	ppb		99
28) Bis (2-chloroethoxy) metha	6.46	93	148184	22.8900	ppb		98
29) 2,4-Dichlorophenol	6.59	162	214128	51.8572	ppb		97
30) 1,2,4-Trichlorobenzene	6.68	180	198400	43.7702	ppb		98
31) 3,4-Dimethylphenol	6.70	107	314711	43.7033	ppb		99
32) Naphthalene	6.77	128	762730	47.2037	ppb		99
33) 4-Chloroaniline	6.84	127	14786	2.4822	ppb	#	49
34) 2,6-Dichlorophenol	6.84	162	203645	49.0518	ppb		99
35) Hexachloropropene	6.85	213	70752	28.0925	ppb		97
36) Hexachlorobutadiene	6.89	225	82288	37.0087	ppb		99
37) Caprolactum	7.27	55	83419	40.0933	ppb		95

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190411\0411Y197.D
Acq On : 26 Apr 19 18:13
Sample : 190424A LCS-1 1/800
Misc :

Vial: 97
Operator: MA
Inst : Yoda
Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.42	107	260512	52.0477	ppb		95
39)	2-Methylnaphthalene	7.57	142	478634	46.4540	ppb		99
40)	1-Methylnaphthalene	7.68	142	497073	46.5491	ppb		98
42)	Hexachlorocyclopentadiene	7.73	237	1599	20.5237	ppb	#	88
43)	1,2,4,5-Tetrachlorobenzene	7.75	216	190545	42.0827	ppb		97
44)	2,4,6-Trichlorophenol	7.90	196	144783	49.7229	ppb		99
45)	2,4,5-Trichlorophenol	7.96	196	153263	48.9745	ppb		99
47)	1,1'-Biphenyl	8.11	154	624951	43.5940	ppb		99
48)	2-Chloronaphthalene	8.13	162	474067	43.9659	ppb		97
49)	2-Nitroaniline	8.27	65	72890	20.6264	ppb		97
50)	Dimethyl phthalate	8.47	163	602246	48.0562	ppb		99
51)	2,6-DNT	8.55	165	139356	47.5542	ppb		86
52)	Acenaphthylene	8.62	152	651659	38.1853	ppb		100
53)	3-Nitroaniline	8.76	138	11303	3.5090	ppb	#	80
54)	Acenaphthene	8.82	154	476381	43.3377	ppb		98
55)	2,4-Dinitrophenol	8.89	184	62757	46.1467	ppb		95
56)	4-Nitrophenol	8.98	65	113373	62.1270	ppb	#	76
57)	Dibenzofuran	9.02	168	666160	44.6553	ppb		91
58)	2,4-DNT	9.02	165	189528	47.8524	ppb	#	73
59)	2,3,4,6-Tetrachlorophenol	9.17	232	110960	55.8374	ppb		99
60)	Diethyl phthalate	9.29	149	587568	47.5097	ppb		97
61)	4-Chlorophenyl phenyl ethe	9.41	204	254939	44.7213	ppb		87
62)	Fluorene	9.42	166	558342	44.8686	ppb		100
63)	4-Nitroaniline	9.48	138	26086	8.0054	ppb		95
66)	4,6-Dinitro-2-methylphenol	9.51	198	112165	50.6939	ppb		98
67)	Diphenyl amine	9.56	169	226142	22.7288	ppb		98
68)	n-Nitrosodiphenylamine	9.56	169	226142	22.7288	ppb		98
69)	1,2-Diphenylhydrazine	9.60	77	226370	16.2566	ppb		91
70)	4-Bromophenyl phenyl ether	9.99	248	142864	46.0211	ppb		96
71)	Hexachlorobenzene	10.06	284	132785	46.0549	ppb		95
72)	Atrazine	10.31	200	13111	3.8560	ppb	#	33
73)	Pentachlorophenol	10.31	266	66810	63.1078	ppb		98
74)	Phenanthrene	10.56	178	801651	44.2388	ppb		100
75)	Anthracene	10.61	178	782714	40.8890	ppb		99
76)	Carbazol	10.82	167	284625	16.1461	ppb		98
77)	Di-n-butylphthalate	11.20	149	999538	45.2812	ppb		99
78)	Fluoranthene	11.96	202	826824	43.6385	ppb		99
81)	Pyrene	12.22	202	845747	44.7155	ppb		99
83)	Butyl benzylphthalate	12.96	149	427657	44.6661	ppb		97
85)	Benz (a) anthracene	13.62	228	730421	43.6718	ppb		98
86)	Bis (2-ethylhexyl) phthala	13.61	149	629983	45.9382	ppb	#	95
87)	Chrysene	13.67	228	716334	44.4222	ppb		98
88)	Di-n-octylphthalate	14.36	149	1101691	46.5905	ppb		97
90)	Benzo (b) fluoranthene	14.93	252	675903	57.6749	ppb		98
91)	Benzo (k) fluoranthene	14.97	252	672940	57.4221	ppb		97
92)	Benzo (a) pyrene	15.40	252	555555	47.5987	ppb		97
93)	Indeno (1,2,3-cd) pyrene	17.38	276	614800	48.9611	ppb		97
94)	Dibenz (a,h) anthracene	17.40	278	571331	51.8956	ppb		99
95)	Benzo (g,h,i) perylene	17.96	276	506746	50.5687	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y197.D Vial: 97
Acq On : 26 Apr 19 18:13 Operator: MA
Sample : 190424A LCS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y198.D Vial: 98
Acq On : 26 Apr 19 18:41 Operator: MA
Sample : 190424A LCSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	155619	40.0000	ppb		-0.05
21) Napthalene-D8(IS)	6.74	136	700505	40.0000	ppb		-0.03
41) Acenaphthene-D10(IS)	8.78	164	423707	40.0000	ppb		-0.01
65) Phenanthrene-D10(IS)	10.53	188	708836	40.0000	ppb		0.00
79) Chrysene-D12(IS)	13.64	240	626419	40.0000	ppb		0.00
89) Perylene-D12(IS)	15.48	264	542737	40.0000	ppb		0.02
System Monitoring Compounds							
5) 2-Fluorophenol (S)	3.68	112	978638	210.3206	ppb		-0.11
Spiked Amount 250.000			Recovery =	84.128%			
6) Phenol-D6 (S)	4.89	99	1167251	191.8778	ppb		-0.05
Spiked Amount 250.000			Recovery =	76.751%			
22) Nitrobenzene-D5(S)	5.93	82	562891	95.0704	ppb		-0.04
Spiked Amount 125.000			Recovery =	76.056%			
46) 2-Fluorobiphenyl(S)	7.99	172	1037411	82.8898	ppb		-0.03
Spiked Amount 125.000			Recovery =	66.312%			
64) 2,4,6-Tribromophenol(S)	9.72	330	226642	201.7491	ppb		0.00
Spiked Amount 250.000			Recovery =	80.700%			
82) Terphenyl-D14(S)	12.39	244	1061317	86.6380	ppb		0.00
Spiked Amount 125.000			Recovery =	69.310%			
Target Compounds							Qvalue
2) 1,4-Dioxane	1.61	58	4498	5.3369			93
3) n-Nitrosodimethylamine	1.85	42	85665	54.1474	ppb		92
4) Pyridine	1.90	79	74979	19.7063	ppb		93
7) Phenol	4.91	94	352403	52.3542	ppb	#	63
8) Aniline	4.93	93	64751	9.8676	ppb		94
9) Bis (2-chloroethyl) ether	4.99	63	162617	54.3566	ppb		96
10) 2-Chlorophenol	5.05	128	275314	56.2219	ppb		95
11) 1,3-DCB	5.22	146	254872	49.5808	ppb		98
12) 1,4-DCB	5.30	146	261415	49.4525	ppb		99
13) Benzyl alcohol	5.46	108	144164	50.6278	ppb		99
14) 1,2-DCB	5.48	146	253856	51.8157	ppb		97
15) 2-Methylphenol	5.59	107	234407	54.9479	ppb		98
16) Bis (2-chloroisopropyl) et	5.60	45	233902	53.0799	ppb		97
17) Acetophenone	5.76	105	362437	55.4762	ppb		87
18) 3&4-Methylphenol	5.77	107	575418	112.3683	ppb		97
19) n-Nitrosodi-n-propylamine	5.76	70	197490	55.0776	ppb		96
20) Hexachloroethane	5.85	117	87818	44.1309	ppb		100
23) Nitrobenzene	5.95	77	299297	52.3303	ppb		94
24) Isophorone	6.22	82	514605	51.7396	ppb		100
25) 2-Nitrophenol	6.31	139	155006	53.4636	ppb		94
26) 2,4-Dimethylphenol	6.37	122	251965	55.1324	ppb		96
27) Benzoic acid	6.53	105	187634	59.7481	ppb		96
28) Bis (2-chloroethoxy) metha	6.46	93	276991	45.5900	ppb		99
29) 2,4-Dichlorophenol	6.60	162	211415	54.5546	ppb		95
30) 1,2,4-Trichlorobenzene	6.67	180	202257	47.5445	ppb		98
31) 3,4-Dimethylphenol	6.71	107	349137	51.6604	ppb		97
32) Naphthalene	6.77	128	764675	50.4246	ppb		100
33) 4-Chloroaniline	6.84	127	13604	2.4334	ppb	#	67
34) 2,6-Dichlorophenol	6.84	162	205497	52.7408	ppb		97
35) Hexachloropropene	6.85	213	73152	30.9484	ppb		97
36) Hexachlorobutadiene	6.89	225	81534	39.0720	ppb		95
37) Caprolactum	7.27	55	96857	49.6019	ppb		99

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190411\0411Y198.D
Acq On : 26 Apr 19 18:41
Sample : 190424A LCSD-1 1/800
Misc :

Vial: 98
Operator: MA
Inst : Yoda
Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.42	107	259346	55.2094	ppb		98
39)	2-Methylnaphthalene	7.57	142	477235	49.3528	ppb		98
40)	1-Methylnaphthalene	7.68	142	499450	49.8360	ppb		99
42)	Hexachlorocyclopentadiene	7.73	237	1127	19.9853	ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.76	216	191138	43.1906	ppb		98
44)	2,4,6-Trichlorophenol	7.91	196	145581	51.1541	ppb		98
45)	2,4,5-Trichlorophenol	7.96	196	150435	49.1833	ppb		90
47)	1,1'-Biphenyl	8.10	154	622136	44.4020	ppb		99
48)	2-Chloronaphthalene	8.13	162	468885	44.4917	ppb		99
49)	2-Nitroaniline	8.27	65	98480	28.5128	ppb		98
50)	Dimethyl phthalate	8.47	163	597381	48.7712	ppb		99
51)	2,6-DNT	8.55	165	138194	48.2491	ppb	#	81
52)	Acenaphthylene	8.61	152	729504	43.7361	ppb		100
53)	3-Nitroaniline	8.77	138	7364	2.3390	ppb	#	25
54)	Acenaphthene	8.82	154	483321	44.9867	ppb		99
55)	2,4-Dinitrophenol	8.89	184	71538	52.3562	ppb		99
56)	4-Nitrophenol	8.98	65	111323	62.3461	ppb		82
57)	Dibenzofuran	9.02	168	666116	45.6858	ppb		92
58)	2,4-DNT	9.03	165	187109	48.3350	ppb		94
59)	2,3,4,6-Tetrachlorophenol	9.17	232	106549	54.8586	ppb		97
60)	Diethyl phthalate	9.29	149	573352	47.4331	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.42	204	258125	46.3282	ppb		98
62)	Fluorene	9.42	166	560222	46.0616	ppb		99
63)	4-Nitroaniline	9.48	138	33787	10.6087	ppb		98
66)	4,6-Dinitro-2-methylphenol	9.51	198	108354	51.2154	ppb		83
67)	Diphenyl amine	9.56	169	365615	38.4306	ppb		99
68)	n-Nitrosodiphenylamine	9.56	169	365615	38.4306	ppb		99
69)	1,2-Diphenylhydrazine	9.61	77	396353	29.7680	ppb		99
70)	4-Bromophenyl phenyl ether	9.99	248	137791	46.4208	ppb		96
71)	Hexachlorobenzene	10.06	284	131424	47.6716	ppb		99
73)	Pentachlorophenol	10.31	266	64538	63.6739	ppb		99
74)	Phenanthrene	10.55	178	783244	45.2036	ppb		99
75)	Anthracene	10.62	178	814511	44.4998	ppb		99
76)	Carbazol	10.81	167	541591	32.1309	ppb		98
77)	Di-n-butylphthalate	11.20	149	990441	46.9250	ppb		99
78)	Fluoranthene	11.96	202	836205	46.1559	ppb		99
81)	Pyrene	12.23	202	859229	46.5063	ppb		99
83)	Butyl benzylphthalate	12.96	149	446892	47.7827	ppb		97
85)	Benz (a) anthracene	13.63	228	735376	45.0114	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	630168	47.0421	ppb		99
87)	Chrysene	13.67	228	725283	46.0444	ppb		99
88)	Di-n-octylphthalate	14.37	149	1074952	46.5384	ppb		96
90)	Benzo (b) fluoranthene	14.94	252	749168	57.9748	ppb		98
91)	Benzo (k) fluoranthene	14.97	252	638051	49.3760	ppb		97
92)	Benzo (a) pyrene	15.40	252	599089	46.5497	ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.38	276	651390	47.0452	ppb		97
94)	Dibenz (a,h) anthracene	17.40	278	588155	48.4498	ppb		98
95)	Benzo (g,h,i) perylene	17.95	276	537908	48.6807	ppb		100


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y198.D Vial: 98
Acq On : 26 Apr 19 18:41 Operator: MA
Sample : 190424A LCSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y200.D Vial: 100
Acq On : 26 Apr 19 19:37 Operator: MA
Sample : AZ89958W28 MS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	186949	40.0000	ppb		-0.05
21) Napthalene-D8(IS)	6.74	136	825353	40.0000	ppb		-0.03
41) Acenaphthene-D10(IS)	8.78	164	478252	40.0000	ppb		-0.01
65) Phenanthrene-D10(IS)	10.53	188	782042	40.0000	ppb		0.00
79) Chrysene-D12(IS)	13.64	240	685624	40.0000	ppb		0.00
89) Perylene-D12(IS)	15.48	264	513274	40.0000	ppb		0.02
System Monitoring Compounds							
5) 2-Fluorophenol (S)	3.68	112	894368	159.9984	ppb		-0.11
Spiked Amount 250.000			Recovery = 63.999%				
6) Phenol-D6 (S)	4.89	99	465770	63.7340	ppb		-0.05
Spiked Amount 250.000			Recovery = 25.494%				
22) Nitrobenzene-D5(S)	5.93	82	569545	81.6433	ppb		-0.04
Spiked Amount 125.000			Recovery = 65.314%				
46) 2-Fluorobiphenyl(S)	7.99	172	1046416	74.0736	ppb		-0.03
Spiked Amount 125.000			Recovery = 59.259%				
64) 2,4,6-Tribromophenol(S)	9.72	330	237259	187.1124	ppb		0.00
Spiked Amount 250.000			Recovery = 74.845%				
82) Terphenyl-D14(S)	12.40	244	1022279	76.2450	ppb		0.00
Spiked Amount 125.000			Recovery = 60.996%				
Target Compounds							Qvalue
2) 1,4-Dioxane	1.61	58	5079	5.0163			90
3) n-Nitrosodimethylamine	1.85	42	90088	47.4003	ppb		100
4) Pyridine	1.90	79	75446	16.5059	ppb		96
7) Phenol	4.91	94	320850	39.6784	ppb	#	65
8) Aniline	4.93	93	34932	4.4313	ppb	#	37
9) Bis (2-chloroethyl) ether	4.99	63	162897	45.3251	ppb		99
10) 2-Chlorophenol	5.05	128	269405	45.7955	ppb		96
11) 1,3-DCB	5.22	146	230266	37.2873	ppb		99
12) 1,4-DCB	5.30	146	241105	37.9667	ppb		97
13) Benzyl alcohol	5.47	108	43287	12.6540	ppb		91
14) 1,2-DCB	5.48	146	233396	39.6558	ppb		99
15) 2-Methylphenol	5.60	107	212479	41.4606	ppb		95
16) Bis (2-chloroisopropyl) et	5.60	45	235749	44.5333	ppb		96
17) Acetophenone	5.75	105	372259	47.4306	ppb		84
18) 3&4-Methylphenol	5.77	107	537307	87.3419	ppb		99
19) n-Nitrosodi-n-propylamine	5.75	70	216513	50.2636	ppb		95
20) Hexachloroethane	5.85	117	80719	33.7656	ppb		97
23) Nitrobenzene	5.95	77	301516	44.7437	ppb		92
24) Isophorone	6.22	82	538538	45.9555	ppb		99
25) 2-Nitrophenol	6.31	139	152088	44.5221	ppb		91
26) 2,4-Dimethylphenol	6.37	122	240994	44.7553	ppb		96
27) Benzoic acid	6.54	105	202720	54.7874	ppb		98
28) Bis (2-chloroethoxy) metha	6.47	93	7427	1.0375	ppb		96
29) 2,4-Dichlorophenol	6.60	162	213606	46.7822	ppb		94
30) 1,2,4-Trichlorobenzene	6.67	180	193341	38.5738	ppb		99
31) 3,4-Dimethylphenol	6.71	107	293641	36.8765	ppb		99
32) Naphthalene	6.77	128	751981	42.0866	ppb		100
33) 4-Chloroaniline	6.84	127	10566	1.6041	ppb	#	52
34) 2,6-Dichlorophenol	6.84	162	204237	44.4884	ppb		97
35) Hexachloropropene	6.86	213	59023	21.1936	ppb		99
36) Hexachlorobutadiene	6.90	225	75044	30.5221	ppb		97
37) Caprolactum	7.28	55	92938	40.3954	ppb		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y200.D Vial: 100
Acq On : 26 Apr 19 19:37 Operator: MA
Sample : AZ89958W28 MS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.43	107	256275	46.3032	ppb		100
39)	2-Methylnaphthalene	7.56	142	470233	41.2728	ppb		99
40)	1-Methylnaphthalene	7.68	142	493632	41.8048	ppb		98
42)	Hexachlorocyclopentadiene	7.73	237	3852	22.7626	ppb		95
43)	1,2,4,5-Tetrachlorobenzene	7.76	216	188446	37.7258	ppb		99
44)	2,4,6-Trichlorophenol	7.91	196	143998	44.8271	ppb		98
45)	2,4,5-Trichlorophenol	7.96	196	150682	43.6455	ppb		92
47)	1,1'-Biphenyl	8.11	154	620649	39.2439	ppb		97
48)	2-Chloronaphthalene	8.14	162	470412	39.5457	ppb		96
49)	2-Nitroaniline	8.27	65	79779	20.4640	ppb		92
50)	Dimethyl phthalate	8.47	163	548804	39.6952	ppb		100
51)	2,6-DNT	8.56	165	139174	43.0494	ppb		98
52)	Acenaphthylene	8.61	152	199940	10.6199	ppb		99
53)	3-Nitroaniline	8.76	138	14109	3.9703	ppb	#	76
54)	Acenaphthene	8.82	154	454260	37.4595	ppb		99
55)	2,4-Dinitrophenol	8.89	184	69124	46.0876	ppb		84
56)	4-Nitrophenol	8.99	65	114364	58.1439	ppb	#	70
57)	Dibenzofuran	9.02	168	670672	40.7521	ppb		93
58)	2,4-DNT	9.03	165	192616	44.0827	ppb		96
59)	2,3,4,6-Tetrachlorophenol	9.18	232	109187	49.8052	ppb		94
60)	Diethyl phthalate	9.29	149	506529	37.1256	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.42	204	259971	41.3379	ppb		98
62)	Fluorene	9.42	166	565630	41.2021	ppb		100
63)	4-Nitroaniline	9.48	138	42745	11.8907	ppb		97
66)	4,6-Dinitro-2-methylphenol	9.51	198	106325	45.5519	ppb		82
67)	Diphenyl amine	9.57	169	213533	20.3439	ppb		99
68)	n-Nitrosodiphenylamine	9.57	169	213533	20.3439	ppb		99
69)	1,2-Diphenylhydrazine	9.61	77	134884	9.1821	ppb		98
70)	4-Bromophenyl phenyl ether	10.00	248	139622	42.6345	ppb		86
71)	Hexachlorobenzene	10.06	284	131974	43.3899	ppb		95
72)	Atrazine	10.31	200	12332	3.4380	ppb	#	33
73)	Pentachlorophenol	10.31	266	64938	58.7677	ppb		98
74)	Phenanthrene	10.55	178	777045	40.6478	ppb		100
75)	Anthracene	10.62	178	728511	36.0755	ppb		99
76)	Carbazol	10.81	167	164638	8.8531	ppb		100
77)	Di-n-butylphthalate	11.20	149	878275	37.7157	ppb		99
78)	Fluoranthene	11.96	202	803337	40.1910	ppb		97
81)	Pyrene	12.22	202	712736	35.2461	ppb		98
83)	Butyl benzylphthalate	12.96	149	189573	18.5193	ppb		98
85)	Benz (a) anthracene	13.63	228	707720	39.5780	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	715297	48.7860	ppb		98
87)	Chrysene	13.67	228	703316	40.7943	ppb		98
88)	Di-n-octylphthalate	14.37	149	937204	37.0711	ppb		98
90)	Benzo (b) fluoranthene	14.94	252	691757	56.6049	ppb		100
91)	Benzo (k) fluoranthene	14.97	252	594397	48.6381	ppb		98
92)	Benzo (a) pyrene	15.40	252	375705	30.8683	ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.38	276	537053	41.0140	ppb		99
94)	Dibenz (a,h) anthracene	17.40	278	567550	49.4361	ppb		99
95)	Benzo (g,h,i) perylene	17.95	276	421460	40.3316	ppb		97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y200.D Vial: 100
Acq On : 26 Apr 19 19:37 Operator: MA
Sample : AZ89958W28 MS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y201.D Vial: 1
Acq On : 26 Apr 19 20:05 Operator: MA
Sample : AZ89958W34 MSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	160044	40.0000	ppb		-0.05
21) Napthalene-D8(IS)	6.74	136	712652	40.0000	ppb		-0.03
41) Acenaphthene-D10(IS)	8.78	164	431893	40.0000	ppb		-0.01
65) Phenanthrene-D10(IS)	10.53	188	729278	40.0000	ppb		0.00
79) Chrysene-D12(IS)	13.64	240	634339	40.0000	ppb		0.00
89) Perylene-D12(IS)	15.48	264	601146	40.0000	ppb		0.02
System Monitoring Compounds							
5) 2-Fluorophenol (S)	3.68	112	910762	190.3215	ppb		-0.11
Spiked Amount 250.000			Recovery = 76.129%				
6) Phenol-D6 (S)	4.89	99	1151016	183.9777	ppb		-0.05
Spiked Amount 250.000			Recovery = 73.591%				
22) Nitrobenzene-D5(S)	5.93	82	581392	96.5214	ppb		-0.04
Spiked Amount 125.000			Recovery = 77.217%				
46) 2-Fluorobiphenyl(S)	7.99	172	1072048	84.0338	ppb		-0.03
Spiked Amount 125.000			Recovery = 67.227%				
64) 2,4,6-Tribromophenol(S)	9.72	330	238682	208.4396	ppb		0.00
Spiked Amount 250.000			Recovery = 83.376%				
82) Terphenyl-D14(S)	12.40	244	1107734	89.2981	ppb		0.00
Spiked Amount 125.000			Recovery = 71.438%				
Target Compounds							Qvalue
2) 1,4-Dioxane	1.61	58	4669	5.3866			91
3) n-Nitrosodimethylamine	1.85	42	85873	52.7782	ppb		93
4) Pyridine	1.86	79	142406	36.3929	ppb		97
7) Phenol	4.91	94	368467	53.2272	ppb		84
8) Aniline	4.91	93	305448	45.2611	ppb	#	76
9) Bis (2-chloroethyl) ether	4.99	63	169713	55.1601	ppb		95
10) 2-Chlorophenol	5.05	128	272491	54.1069	ppb		96
11) 1,3-DCB	5.22	146	259850	49.1516	ppb		98
12) 1,4-DCB	5.30	146	271975	50.0276	ppb		98
13) Benzyl alcohol	5.47	108	173760	59.3342	ppb		91
14) 1,2-DCB	5.48	146	255931	50.7948	ppb		98
15) 2-Methylphenol	5.60	107	238579	54.3796	ppb		98
16) Bis (2-chloroisopropyl) et	5.60	45	245194	54.1039	ppb		95
17) Acetophenone	5.75	105	379654	56.5048	ppb		88
18) 3&4-Methylphenol	5.77	107	593276	112.6524	ppb		99
19) n-Nitrosodi-n-propylamine	5.75	70	215381	58.4064	ppb		97
20) Hexachloroethane	5.85	117	89830	43.8939	ppb		99
23) Nitrobenzene	5.96	77	313797	53.9303	ppb		99
24) Isophorone	6.22	82	553044	54.6566	ppb		98
25) 2-Nitrophenol	6.31	139	158726	53.8135	ppb		92
26) 2,4-Dimethylphenol	6.37	122	235556	50.6634	ppb		97
27) Benzoic acid	6.53	105	200415	62.7302	ppb		98
28) Bis (2-chloroethoxy) metha	6.47	93	333793	54.0026	ppb		100
29) 2,4-Dichlorophenol	6.60	162	216439	54.8991	ppb		96
30) 1,2,4-Trichlorobenzene	6.67	180	205679	47.5248	ppb		99
31) 3,4-Dimethylphenol	6.71	107	368530	53.6005	ppb		99
32) Naphthalene	6.77	128	792940	51.3972	ppb		99
33) 4-Chloroaniline	6.84	127	127249	22.3733	ppb		98
34) 2,6-Dichlorophenol	6.84	162	211215	53.2844	ppb		95
35) Hexachloropropene	6.86	213	72983	30.3506	ppb		98
36) Hexachlorobutadiene	6.89	225	88269	41.5785	ppb		99
37) Caprolactum	7.27	55	107831	54.2806	ppb		99

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190411\0411Y201.D Vial: 1
Acq On : 26 Apr 19 20:05 Operator: MA
Sample : AZ89958W34 MSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.42	107	271614	56.8355	ppb		98
39)	2-Methylnaphthalene	7.56	142	499794	50.8047	ppb		100
40)	1-Methylnaphthalene	7.68	142	526716	51.6608	ppb		98
42)	Hexachlorocyclopentadiene	7.73	237	4693	24.1669	ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.76	216	200313	44.4059	ppb		98
44)	2,4,6-Trichlorophenol	7.91	196	147546	50.8619	ppb		96
45)	2,4,5-Trichlorophenol	7.96	196	157346	50.4678	ppb		92
47)	1,1'-Biphenyl	8.10	154	657308	46.0231	ppb		99
48)	2-Chloronaphthalene	8.13	162	488356	45.4609	ppb		100
49)	2-Nitroaniline	8.27	65	168623	47.8959	ppb		98
50)	Dimethyl phthalate	8.47	163	631211	50.5564	ppb		100
51)	2,6-DNT	8.56	165	148712	50.9372	ppb		93
52)	Acenaphthylene	8.61	152	787025	46.2903	ppb		99
53)	3-Nitroaniline	8.75	138	128416	40.0156	ppb		92
54)	Acenaphthene	8.82	154	515788	47.0987	ppb		99
55)	2,4-Dinitrophenol	8.89	184	60828	45.1347	ppb		90
56)	4-Nitrophenol	8.99	65	114976	62.9755	ppb	#	70
57)	Dibenzofuran	9.02	168	701877	47.2260	ppb		94
58)	2,4-DNT	9.03	165	199869	50.6526	ppb		95
59)	2,3,4,6-Tetrachlorophenol	9.17	232	112054	56.5994	ppb		95
60)	Diethyl phthalate	9.29	149	608500	49.3867	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.42	204	277671	48.8917	ppb		98
62)	Fluorene	9.42	166	590412	47.6237	ppb		98
63)	4-Nitroaniline	9.49	138	140129	43.1648	ppb		90
66)	4,6-Dinitro-2-methylphenol	9.51	198	114172	52.4527	ppb		93
67)	Diphenyl amine	9.57	169	929290	94.9417	ppb		99
68)	n-Nitrosodiphenylamine	9.57	169	929290	94.9417	ppb		99
69)	1,2-Diphenylhydrazine	9.61	77	611319	44.6260	ppb		97
70)	4-Bromophenyl phenyl ether	10.00	248	148429	48.6030	ppb		83
71)	Hexachlorobenzene	10.06	284	137049	48.3185	ppb		96
72)	Atrazine	10.19	200	76833	22.9700	ppb		99
73)	Pentachlorophenol	10.31	266	59812	58.1424	ppb		98
74)	Phenanthrene	10.55	178	825741	46.3204	ppb		99
75)	Anthracene	10.62	178	884364	46.9618	ppb		99
76)	Carbazol	10.81	167	813704	46.9214	ppb		98
77)	Di-n-butylphthalate	11.20	149	1063417	48.9702	ppb		99
78)	Fluoranthene	11.96	202	880761	47.2526	ppb		98
81)	Pyrene	12.23	202	946693	50.6006	ppb		98
83)	Butyl benzylphthalate	12.97	149	464245	49.0184	ppb		85
84)	3,3'-Dichlorobenzidine	13.59	252	115319	24.5162	ppb	#	97
85)	Benz (a) anthracene	13.63	228	782322	47.2870	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	1274132	93.9265	ppb		97
87)	Chrysene	13.67	228	772091	48.4040	ppb		99
88)	Di-n-octylphthalate	14.37	149	1124384	48.0707	ppb		96
90)	Benzo (b) fluoranthene	14.94	252	766909	53.5813	ppb		99
91)	Benzo (k) fluoranthene	14.97	252	686875	47.9896	ppb		99
92)	Benzo (a) pyrene	15.40	252	660509	46.3355	ppb		100
93)	Indeno (1,2,3-cd) pyrene	17.38	276	702300	45.7938	ppb		99
94)	Dibenz (a,h) anthracene	17.40	278	627321	46.6551	ppb		98
95)	Benzo (g,h,i) perylene	17.95	276	584049	47.7208	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y201.D Vial: 1
Acq On : 26 Apr 19 20:05 Operator: MA
Sample : AZ89958W34 MSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES


Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Data File : M:\YODA\DATA\Y190319\0319Y002.D
Acq On : 19 Mar 19 18:15
Sample : SV Tune 11/10/18
Misc :

Vial: 2
Operator: MA
Inst : Yoda
Multiplr: 1.00

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C



AutoFind: Scans 833, 834, 835; Background Corrected with Scan 824

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	47.2	73142	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.6	492	PASS
127	198	10	80	58.4	90499	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	154987	PASS
199	198	5	9	6.7	10387	PASS
275	198	10	60	23.1	35872	PASS
365	198	1	100	2.4	3731	PASS
441	442	0.01	24	16.3	17617	PASS
442	198	50	150	69.9	108320	PASS
443	442	15	24	19.7	21288	PASS

Data File Name:	**0319Y002.D**
Data File Path:	**M:\YODA\DATA\Y190319**
Operator:	**MA**
Date Acquired:	**19 Mar 2019 18:15**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 11/10/18**
Vial Number:	**2**
Instrument Name:	**Yoda**


#	Name	Ret Time	Target Response
1)	DDT	7.01	15502300
2)	DDD	6.80	149561
3)	DDE	6.95	46466


Breakdown **1.25**

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y002.D Vial: 2
Acq On : 19 Mar 19 18:15 Operator: MA
Sample : SV Tune 11/10/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Mar 19 19:13 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190319\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Wed Mar 20 00:14:48 2019
Response via : Single Level Calibration





TIC: 0319Y002.D

(5) Pentachlorophenol

5.39min 0.0000


response 676097


Ion	Exp%	Act%
266.00	100	100
264.00	63.10	59.85
268.00	64.40	64.59
0.00	0.00	0.00

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y002.D Vial: 2
Acq On : 19 Mar 19 18:15 Operator: MA
Sample : SV Tune 11/10/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Mar 19 19:13 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190319\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Wed Mar 20 00:14:48 2019
Response via : Single Level Calibration





TIC: 0319Y002.D

(6) Benzidine

6.43min 0.0000

response 6732623


Ion	Exp%	Act%
184.00	100	100
92.00	13.20	13.26
185.00	13.60	13.98
0.00	0.00	0.00

DFTPP

Data File : M:\YODA\DATA\Y190411\0411Y194.D
Acq On : 26 Apr 19 17:03
Sample : SV TUNE 10/11/18
Misc :

Vial: 94
Operator: MA
Inst : Yoda
Multiplr: 1.00

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C



AutoFind: Scans 819, 820, 821; Background Corrected with Scan 812

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	49.9	75560	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.3	272	PASS
127	198	10	80	60.5	91643	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	151403	PASS
199	198	5	9	6.3	9568	PASS
275	198	10	60	23.2	35051	PASS
365	198	1	100	2.5	3766	PASS
441	442	0.01	24	16.7	16471	PASS
442	198	50	150	65.1	98613	PASS
443	442	15	24	20.0	19727	PASS

Data File Name:	**0411Y194.D**
Data File Path:	**M:\YODA\DATA\Y190411**
Operator:	**MA**
Date Acquired:	**26 Apr 2019 17:03**
Method File:	**DFTPP2.M**
Sample Name:	**SV TUNE 10/11/18**
Vial Number:	**94**
Instrument Name:	**Yoda**


#	Name	Ret Time	Target Response
1)	DDT	7.08	14939900
2)	DDD	6.75	114696
3)	DDE	6.86	0


Breakdown **0.76**

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y194.D Vial: 94
Acq On : 26 Apr 19 17:03 Operator: MA
Sample : SV TUNE 10/11/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Apr 26 16:57 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190411\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration





TIC: 0411Y194.D

(5) Pentachlorophenol

5.35min 0.0000


response 676111


Ion	Exp%	Act%
266.00	100	100
264.00	61.20	58.82
268.00	65.20	61.30
0.00	0.00	0.00

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y194.D Vial: 94
Acq On : 26 Apr 19 17:03 Operator: MA
Sample : SV TUNE 10/11/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Apr 26 16:57 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190411\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration





TIC: 0411Y194.D

(6) Benzidine

6.59min 0.0000

response 0

Ion	Exp%	Act%
184.00	100	0.00
92.00	13.60	0.00#
185.00	14.10	0.00#
0.00	0.00	0.00

Name of Final Standard	8270 Full Scan Standard Curve	**Prep'd By (Initials)**	**GA**
Prep Date	03/13/19		
Exp Date	09/13/19		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270 Stock	APPL	8270 Stock	200 ug/mL	03/05/19	10/20/19	4 uL	200uL	MC 56258 192uL	4 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	10/17/18	09/27/19	4 uL	"	"	"
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	02/09/19	02/09/20	4 uL	"	"	"
8270 Stock	APPL	8270 Stock	200 ug/mL	03/05/19	10/20/19	5 uL	200uL	MC 56258 190uL	5 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	10/17/18	09/27/19	5 uL	"	"	"
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	02/09/19	02/09/20	4 uL	"	"	"
8270 Stock	APPL	8270 Stock	200 ug/mL	03/05/19	10/20/19	5 uL	100uL	MC 56258 90uL	10 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	10/17/18	09/27/19	5 uL	"	"	"
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	02/09/19	02/09/20	2 uL	"	"	"
8270 Stock	APPL	8270 Stock	200 ug/mL	03/05/19	10/20/19	10 uL	100uL	MC 56258 80uL	20 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	10/17/18	09/27/19	10 uL	"	"	"
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	02/09/19	02/09/20	2 uL	"	"	"
8270 Stock	APPL	8270 Stock	200 ug/mL	03/05/19	10/20/19	20 uL	100uL	MC 56258 60uL	40 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	10/17/18	09/27/19	20 uL	"	"	"
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	02/09/19	02/09/20	2 uL	"	"	"
8270 Stock	APPL	8270 Stock	200 ug/mL	03/05/19	10/20/19	50 uL	200 uL	MC 56258 100uL	50 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	10/17/18	09/27/19	50 uL	"	"	"
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	02/09/19	02/09/20	4 uL	"	"	"
8270 Stock	APPL	8270 Stock	200 ug/mL	03/05/19	10/20/19	30 uL	100uL	MC 56258 40uL	60 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	10/17/18	09/27/19	30 uL	"	"	"
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	02/09/19	02/09/20	2 uL	"	"	"
8270 Stock	APPL	8270 Stock	200 ug/mL	03/05/19	10/20/19	40 uL	100uL	MC 56258 20uL	80 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	10/17/18	09/27/19	40 uL	"	"	"
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	02/09/19	02/09/20	2 uL	"	"	"
8270 Stock	APPL	8270 Stock	200 ug/mL	03/05/19	10/20/19	50 uL	100uL	na	100 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	10/17/18	09/27/19	50 uL	"	"	"
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	02/09/19	02/09/20	2 uL	"	"	"

Name of Final Standard	8270 Full Scan Second Source	**Prep'd By (Initials)**	**GA**
Prep Date	**03/13/19**		
Exp Date	**09/13/19**		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270 SS Stock	o2si	8270 SS Stock	200 ug/mL	**03/05/19**	**01/08/20**	50 uL	200uL	**MC 56258 150uL**	50 ug/mL
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**01/16/19**	**01/16/20**	4 uL	*	*	*

Name of Final Standard	8270 Full Scan Spike	Prep'd By (Initials)	GA
Prep Date	03/05/19		
Exp Date	10/20/19		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
10001	Absolute	10001	2000	051018-39827 051018-39828	03/05/20	2.0 mL	20 mL	NA	200 ug/mL
10002	Absolute	10002	2000	051018-39832 051018-39833	03/05/20	2.0 mL	*	*	200 ug/mL
10004	Absolute	10004	2000	031618-39836 031618-39839	01/30/20	2.0 mL	*	*	200 ug/mL
10005	Absolute	10005	2000	032018-40011 032018-40012	01/30/20	2.0 mL	*	*	200 ug/mL
10006	Absolute	10006	2000	071318-39842 071318-39843	01/30/20	2.0 mL	*	*	200 ug/mL
10007	Absolute	10007	2000	080116-40016 080116-40017	01/30/20	2.0 mL	*	*	200 ug/mL
10018	Absolute	10018	2000	062718-39847 062718-39848	01/30/20	2.0 mL	*	*	200 ug/mL
70023	Absolute	70023	1000	091217-39852 091217-39853	01/30/20	2.0 mL	*	*	100 ug/mL
82705	Absolute	82705	2000	081418-40020 081418-40021	01/30/20	2.0 mL	*	*	200 ug/mL
94552	Absolute	94552	various	102017-40026 102017-40027	10/20/19	2.0 mL	*	*	various

Name of Final Standard	8270 SS STOCK	Prep'd By (Initials)	GA
Prep Date	03/05/19		
Exp Date	01/08/20		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
10001	Absolute	10001	2000	031618-39202	03/05/20	1.0 mL	10 mL	NA	200 ug/mL
10002	Absolute	10002	2000	G34-020217-38182	02/02/20	1.0 mL	*	*	200 ug/mL
10004	Absolute	10004	2000	010815-38625	01/08/20	1.0 mL	*	*	200 ug/mL
10005	Absolute	10005	2000	041317-37804	03/05/20	1.0 mL	*	*	200 ug/mL
10006	Absolute	10006	2000	011718-38827	03/05/20	1.0 mL	*	*	200 ug/mL
10007	Absolute	10007	2000	020515-38627	02/05/20	1.0 mL	*	*	200 ug/mL
10018	Absolute	10018	2000	G34-030216-38195	03/05/20	1.0 mL	*	*	200 ug/mL
70023	Absolute	70023	1000	013118-38830	03/05/20	1.0 mL	*	*	100 ug/mL
82705	Absolute	82705	2000	090617-38832	03/05/20	1.0 mL	*	*	200 ug/mL
94552	Absolute	94552	various	013118-40453	01/31/20	1.0 mL	*	*	various

Name of Final Standard	8270 Internal Standard (Ampule)	**Prep'd By (Initials)**	**GA**
Prep Date	**02/09/19**		
Exp Date	**02/09/20**		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc.(range)
Semivolatile Internal Standard	Restek	31206	2mg/mL	**A0138585-39540**	**01/16/20**	1 mL	1 mL	NA	2mg/mL

Name of Final Standard	**8270 Surrogate 200/400 ppm**
Prep Date	**10/17/18**
Exp Date	**09/27/19**

Prep'd By (Initials) GA

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc. (range)
8270 Acid Surrogate Mix	Restek	33029	10,000 ug/mL	**A0136352-39395**	**10/17/19**	200 uL	5 mL	**MC 56258**	400 ug/mL
8270 B/N Surrogate Mix	Restek	31086	5000 ug/mL	**A0135243-39166**	**09/27/19**	200 uL			200 ug/mL

Name of Final Standard	8270 Full Scan Spike	**Prep'd By (Initials)**	**GA**
Prep Date	**01/30/19**		
Exp Date	**10/20/19**		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
10001	Absolute	10001	2000	051018-39825 051018-39826	01/30/20	2.0 mL	20 mL	**NA**	200 ug/mL
10002	Absolute	10002	2000	051018-39830 051018-39831	01/30/20	2.0 mL	*	*	200 ug/mL
10004	Absolute	10004	2000	031618-39834 031618-39835	01/30/20	2.0 mL	*	*	200 ug/mL
10005	Absolute	10005	2000	032018-39611 032018-40010	01/30/20	2.0 mL	*	*	200 ug/mL
10006	Absolute	10006	2000	071318-39840 071318-39841	01/30/20	2.0 mL	*	*	200 ug/mL
10007	Absolute	10007	2000	080116-39616 080116-40015	01/30/20	2.0 mL	*	*	200 ug/mL
10018	Absolute	10018	2000	062718-39845 062718-39846	01/30/20	2.0 mL	*	*	200 ug/mL
70023	Absolute	70023	1000	091217-39850 091217-39851	01/30/20	2.0 mL	*	*	100 ug/mL
82705	Absolute	82705	2000	081418-39620 081418-39621	01/30/20	2.0 mL	*	*	200 ug/mL
94552	Absolute	94552	various	102017-40025 102017-40225	10/20/19	2.0 mL	*	*	various

Name of Final Standard	8270 Surrogate 100/200 ppm	**Prep'd By (Initials)**	**GA**
Prep Date	**01/30/19**		
Exp Date	**12/06/19**		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270 Acid Surrogate Mix	Restek	33029	10,000 ug/mL	**A0132399 -39396**	**01/30/20**	5.0 mL	250 mL	**Acetone #101717I**	200 ug/mL
8270 B/N Surrogate Mix	Restek	31086	5000 ug/mL	**A0140132 - 39546 & 39547**	**12/06/19 01/30/20**	5.0 mL	250 mL	*	100 ug/mL

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190424A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 EXP 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 EXP 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 EXP 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 EXP 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	yes	
Spiked ID 7			Ext. Start Time:	04/24/19 14:25, 04/25/19 11:20	
Spiked ID 8			Ext. End Time:	04/25/19 9:30, 04/26/19 17:30, 4/26/19 14:30	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	04/24/19 1:05:00 PM	Water Bath Temp Criteria	75,70 °C
pH2	14	4/24/19 11:10:00 AM		
pH3				

Spiked By: KY **Date** 04/24/19 **Witnessed By:** DL **Date** 04/24/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190424A Blk				1,0.050	1,2	800	1	2/1	04/24/19 13:00	
						equip	E-HP51 e-wb6				
2	190424A LCS-1		0.250	1	1	1	800	1	2/1	04/24/19 13:00	
						equip	E-HP50 E-WB6				
3	190424A LCS-2		0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	
						equip	E-HP49 E-WB6				
4	190424A LCSD-1		0.250	1	1	1	800	1	2/1	04/24/19 13:00	
						equip	E-HP48 E-WB6				
5	190424A LCSD-2		0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	
						equip	E-HP47 E-WB6				
6	AZ89958 MS-1	AZ89958W28	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP25 E-WB6				
7	AZ89958 MSD-1	AZ89958W34	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP26 E-WB6				
8	AZ89958 MS-2	AZ89958W33	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP27 E-WB6				
9	AZ89958 MSD-2	AZ89958W36	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP28 E-WB6				
10	AZ89958	AZ89958W30			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP29 E-WB6				
11	AZ89959	AZ89959W07			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP30 E-WB5				
12	AZ89961	AZ89961W14			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP17 E-WB5				
13	AZ90051 MS-1	AZ90051W39	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP10 E-WB5				
14	AZ90051 MSD-1	AZ90051W40	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP9 E-WB5				
15	AZ90051 MS-2	AZ90051W38	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP7 E-WB5				
16	AZ90051 MSD-2	AZ90051W36	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP6 E-WB5				

Solvent and Lot#	
PH Strips	HC 863463
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	4/26/19
Time	1100
Refrigerator	GC-C

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:47:43 PM

Reviewed By: KS **Date** 4/30/19

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190424A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 EXP 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 EXP 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 EXP 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 EXP 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	yes	
Spiked ID 7			Ext. Start Time:	04/24/19 14:25 , 04/25/19 11:20	
Spiked ID 8			Ext. End Time:	04/25/19 9:30 , 04/26/19 17:30 , 4/26/19 14:20	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	04/24/19 1:05:00 PM	Water Bath Temp Criteria	75,70 °C
pH2	14	4/24/19 11:10:00 AM		
pH3				

Spiked By: KY **Date** 04/24/19 **Witnessed By:** DL **Date** 04/24/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90051	AZ90051W37			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP11 E-WB5				
18	AZ90052	AZ90052W11			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP13 E-WB5				
19	AZ90054	AZ90054W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP16 E-WB5				
20	AZ90056	AZ90056W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP15 E-WB5				
21	AZ90058	AZ90058W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP14 E-WB5				
22	AZ90060	AZ90060W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP12 E-WB5				

KY 4/30/19

Solvent and Lot#	
PH Strips	HC 863463
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:47:43 PM

Reviewed By: KY **Date** 4/30/19

Injection Log

Directory: M:\YODA\DATA\Y190319\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	0319Y002.D	1	SV Tune 11/10/18		19 Mar 19 18:15
2	3	0319Y003.D	1	50ug/mL 8270 03/13/19		19 Mar 19 18:31
3	4	0319Y004.D	1	4ug/mL 8270 03/13/19		19 Mar 19 18:58
4	5	0319Y005.D	1	5ug/mL 8270 03/13/19		19 Mar 19 19:26
5	6	0319Y006.D	1	10ug/mL 8270 03/13/19		19 Mar 19 19:54
6	7	0319Y007.D	1	20ug/mL 8270 03/13/19		19 Mar 19 20:22
7	8	0319Y008.D	1	40ug/mL 8270 03/13/19		19 Mar 19 20:49
8	9	0319Y009.D	1	60ug/mL 8270 03/13/19		19 Mar 19 21:17
9	10	0319Y010.D	1	80ug/mL 8270 03/13/19		19 Mar 19 21:44
10	11	0319Y011.D	1	100ug/mL 8270 03/13/19		19 Mar 19 22:11
11	12	0319Y012.D	1	SS-8270 03/13/19		19 Mar 19 22:39
12	94	0411Y194.D	1	SV TUNE 10/11/18		26 Apr 19 17:03
13	95	0411Y195.D	1	50ug/ml 8270 3/13/19		26 Apr 19 17:18
14	96	0411Y196.D	1.25	190424A BLK 1/800		26 Apr 19 17:46
15	97	0411Y197.D	1.25	190424A LCS-1 1/800		26 Apr 19 18:13
16	98	0411Y198.D	1.25	190424A LCSD-1 1/800		26 Apr 19 18:41
17	99	0411Y199.D	1.25	AZ89958W30 1/800		26 Apr 19 19:09
18	100	0411Y200.D	1.25	AZ89958W28 MS-1 1/800		26 Apr 19 19:37
19	1	0411Y201.D	1.25	AZ89958W34 MSD-1 1/800		26 Apr 19 20:05
20	2	0411Y202.D	1.25	AZ89959W07 1/800		26 Apr 19 20:33
21	3	0411Y203.D	1.25	AZ89961W14 1/800		26 Apr 19 21:01
22	12	0411Y212.D	1	50ug/ml 8270 3/13/19		27 Apr 19 1:12

ORGANICS
Calibration Data

2MEE
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/30/19
Matrix: Instrument: Yoda
Initials: MAK

		Compound	1	2	3	4	5	6	7	8			Avg	%RSD	Type	r^2	Q	MRF
			0430Y003.D	0430Y004.D	0430Y005.D	0430Y006.D	0430Y007.D	0430Y008.D	0430Y009.D	0430Y010.D								
1	I	1,4-dichlorobenzene-D4(IS)																
2	TML	2-(2-Methoxyethoxy)ethanol	0.0855	0.1071	0.1202	0.1690	0.1716	0.1510	0.1681	0.1572			0.14	23	TML	0.992		
3	I	Napthalene-D8(IS)																
4	I	Acenaphthene-D10(IS)																
5	I	Phenanthrene-D10(IS)																
6	I	Chrysene-D12(IS)																
7	I	Perylene-D12(IS)																
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		
16																		
17																		
18																		
19																		
20																		
21																		
22																		
23																		
24																		
25																		
26																		
27																		
28																		
29																		
30																		
31																		
32																		
33																		
34																		
35																		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y003.D Vial: 3
Acq On : 30 Apr 19 9:27 Operator: MA
Sample : 50ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 12:16 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	184530	40.00000 ppb	0.00
3) Napthalene-D8(IS)	6.51	136	792854	40.00000 ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	436769	40.00000 ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	740242	40.00000 ppb	0.00
6) Chrysene-D12(IS)	13.39	240	652884	40.00000 ppb	0.01
7) Perylene-D12(IS)	15.14	264	661360	40.00000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.31	45	19721	51.20047 ppb	92


(#) = qualifier out of range (m) = manual integration
0430Y003.D YMEE0430.M Wed May 01 09:22:16 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y003.D Vial: 3
Acq On : 30 Apr 19 9:27 Operator: MA
Sample : 50ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 12:16 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y004.D Vial: 4
Acq On : 30 Apr 19 9:50 Operator: MA
Sample : 100ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	187806	40.00000 ppb	0.00
3) Napthalene-D8(IS)	6.51	136	863865	40.00000 ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	468856	40.00000 ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	791427	40.00000 ppb	0.00
6) Chrysene-D12(IS)	13.38	240	668649	40.00000 ppb	0.00
7) Perylene-D12(IS)	15.13	264	626815	40.00000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.27	45	50283	84.61640 ppb	97


(#) = qualifier out of range (m) = manual integration
0430Y004.D YMEE0430.M Wed May 01 09:22:20 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y004.D Vial: 4
Acq On : 30 Apr 19 9:50 Operator: MA
Sample : 100ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y005.D Vial: 5
Acq On : 30 Apr 19 10:13 Operator: MA
Sample : 200ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	198152	40.00000 ppb	0.00
3) Napthalene-D8(IS)	6.51	136	841205	40.00000 ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	466203	40.00000 ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	786056	40.00000 ppb	0.00
6) Chrysene-D12(IS)	13.38	240	706531	40.00000 ppb	0.00
7) Perylene-D12(IS)	15.13	264	682388	40.00000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.25	45	119065	189.90155 ppb	99


(#) = qualifier out of range (m) = manual integration
0430Y005.D YMEE0430.M Wed May 01 09:22:23 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y005.D Vial: 5
Acq On : 30 Apr 19 10:13 Operator: MA
Sample : 200ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y006.D Vial: 6
Acq On : 30 Apr 19 10:37 Operator: MA
Sample : 400ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	181654	40.00000 ppb	0.00
3) Napthalene-D8(IS)	6.51	136	797784	40.00000 ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	446801	40.00000 ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	742976	40.00000 ppb	0.00
6) Chrysene-D12(IS)	13.38	240	658989	40.00000 ppb	0.00
7) Perylene-D12(IS)	15.13	264	628149	40.00000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.25	45	307070	534.23860 ppb	99


(#) = qualifier out of range (m) = manual integration
0430Y006.D YMEE0430.M Wed May 01 09:22:27 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y006.D Vial: 6
Acq On : 30 Apr 19 10:37 Operator: MA
Sample : 400ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y007.D Vial: 7
Acq On : 30 Apr 19 11:00 Operator: MA
Sample : 500ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	165959	40.00000 ppb	0.00
3) Napthalene-D8(IS)	6.51	136	714594	40.00000 ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	398927	40.00000 ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	678369	40.00000 ppb	0.00
6) Chrysene-D12(IS)	13.38	240	607331	40.00000 ppb	0.00
7) Perylene-D12(IS)	15.14	264	593257	40.00000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.25	45	356062	678.05928 ppb	100


(#) = qualifier out of range (m) = manual integration
0430Y007.D YMEE0430.M Wed May 01 09:22:31 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y007.D Vial: 7
Acq On : 30 Apr 19 11:00 Operator: MA
Sample : 500ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y008.D Vial: 8
Acq On : 30 Apr 19 11:23 Operator: MA
Sample : 600ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	192050	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	832030	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	456909	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	771492	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.38	240	686371	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	672431	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.26	45	435053	715.93023	ppb	98


(#) = qualifier out of range (m) = manual integration
0430Y008.D YMEE0430.M Wed May 01 09:22:35 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y008.D Vial: 8
Acq On : 30 Apr 19 11:23 Operator: MA
Sample : 600ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y009.D Vial: 9
Acq On : 30 Apr 19 11:47 Operator: MA
Sample : 800ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:48 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	177494	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	809241	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	446680	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	765580	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.38	240	677822	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	648459	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.26	45	596711	1062.48599	ppb	99


(#) = qualifier out of range (m) = manual integration
0430Y009.D YMEE0430.M Wed May 01 09:22:39 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y009.D Vial: 9
Acq On : 30 Apr 19 11:47 Operator: MA
Sample : 800ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:48 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y010.D Vial: 10
Acq On : 30 Apr 19 12:10 Operator: MA
Sample : 1000ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 12:15 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:49:24 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	194543	40.00000 ppb	0.01
3) Napthalene-D8(IS)	6.51	136	824746	40.00000 ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	455154	40.00000 ppb	0.00
5) Phenanthrene-D10(IS)	10.29	188	763926	40.00000 ppb	0.00
6) Chrysene-D12(IS)	13.39	240	675051	40.00000 ppb	0.00
7) Perylene-D12(IS)	15.13	264	668405	40.00000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.29	45	764768	949.70790 ppb	98


(#) = qualifier out of range (m) = manual integration
0430Y010.D YMEE0430.M Wed May 01 09:22:42 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y010.D Vial: 10
Acq On : 30 Apr 19 12:10 Operator: MA
Sample : 1000ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 12:15 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



2MEE
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/30/19
Instrument: Yoda
Initial Cal. Date: 04/30/19
Data File: 0430Y011.D

		Compound	MEAN	CCRF	%D		%Drift
1	TML	2-(2-Methoxyethoxy)ethanol	0.1412	0.1842	30	TML	16
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			30.0		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y011.D Vial: 11
Acq On : 30 Apr 19 13:30 Operator: MA
Sample : SS ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 13:31 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	176322	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	756659	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	427777	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	702800	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	636036	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.14	264	617157	40.00000	ppb	0.00

System Monitoring Compounds


Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.26	45	406011	577.68332	ppb	99

(#) = qualifier out of range (m) = manual integration
0430Y011.D YMEE0430.M Wed May 01 09:22:46 2019 Page 1

Data File : M:\YODA\DATA\Y190430M\0430Y011.D Vial: 11
Acq On : 30 Apr 19 13:30 Operator: MA
Sample : SS ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 13:31 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



2MEE
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/30/19
Instrument: Yoda
Initial Cal. Date: 04/30/19
Data File: 0430Y037.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	1,4-dichlorobenzene-D4(IS)	ISTD			I	
2	TML	2-(2-Methoxyethoxy)ethanol	0.1412	0.1831	30	TML	15
3	I	Napthalene-D8(IS)	ISTD			I	
4	I	Acenaphthene-D10(IS)	ISTD			I	
5	I	Phenanthrene-D10(IS)	ISTD			I	
6	I	Chrysene-D12(IS)	ISTD			I	
7	I	Perylene-D12(IS)	ISTD			I	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			30.0		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y037.D Vial: 37
Acq On : 30 Apr 19 23:38 Operator: MA
Sample : 500ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:39 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	148022	40.00000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	650008	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	364717	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	610351	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	544837	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	526754	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.28	45	338753	574.29385	ppb	97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y037.D Vial: 37
Acq On : 30 Apr 19 23:38 Operator: MA
Sample : 500ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:39 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y016.D Vial: 16
Acq On : 30 Apr 19 15:24 Operator: MA
Sample : AZ89958W24 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	127841	40.0000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	583686	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	357283	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	610524	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.38	240	517750	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	500221	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y016.D Vial: 16
Acq On : 30 Apr 19 15:24 Operator: MA
Sample : AZ89958W24 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y017.D Vial: 17
Acq On : 30 Apr 19 15:48 Operator: MA
Sample : AZ89959W06 2/480 Inst : Yoda
Misc : soil Multiplr: 1.04

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	141695	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	648715	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	405253	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	711933	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	613669	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.14	264	748939	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y017.D Vial: 17
Acq On : 30 Apr 19 15:48 Operator: MA
Sample : AZ89959W06 2/480 Inst : Yoda
Misc : soil Multiplr: 1.04

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y018.D Vial: 18
Acq On : 30 Apr 19 16:11 Operator: MA
Sample : AZ89961W22 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	171139	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	757111	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	431252	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	730858	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	642301	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	614582	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y018.D Vial: 18
Acq On : 30 Apr 19 16:11 Operator: MA
Sample : AZ89961W22 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y013.D Vial: 13
Acq On : 30 Apr 19 14:13 Operator: MA
Sample : 190429A BLK 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	144443	40.0000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	680229	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	444226	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	771508	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	661861	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.14	264	641475	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y013.D Vial: 13
Acq On : 30 Apr 19 14:13 Operator: MA
Sample : 190429A BLK 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y014.D Vial: 14
Acq On : 30 Apr 19 14:37 Operator: MA
Sample : 190429A LCS-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	137259	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	622694	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	381830	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.29	188	657938	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	540582	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	562285	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.34	45	38771	93.3025	ppb	98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y014.D Vial: 14
Acq On : 30 Apr 19 14:37 Operator: MA
Sample : 190429A LCS-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y015.D Vial: 15
Acq On : 30 Apr 19 15:01 Operator: MA
Sample : 190429A LCSD-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	114459	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	589204	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	427518	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	743005	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	629015	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	587575	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.34	45	47160	124.3667	ppb	97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y015.D Vial: 15
Acq On : 30 Apr 19 15:01 Operator: MA
Sample : 190429A LCSD-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y019.D Vial: 19
Acq On : 30 Apr 19 16:35 Operator: MA
Sample : AZ89958W23 MS-1 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	142268	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	661057	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	389690	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	667623	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	582781	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	693933	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.35	45	35178	83.1984	ppb	99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y019.D Vial: 19
Acq On : 30 Apr 19 16:35 Operator: MA
Sample : AZ89958W23 MS-1 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y020.D Vial: 20
Acq On : 30 Apr 19 16:59 Operator: MA
Sample : AZ89958W22 MSD-1 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	152595	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	682237	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	419331	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.29	188	716458	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	616299	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	579003	40.0000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.33	45	43425	91.9690	ppb	96


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y020.D Vial: 20
Acq On : 30 Apr 19 16:59 Operator: MA
Sample : AZ89958W22 MSD-1 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98


Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Data File : M:\YODA\DATA\Y190430M\0430Y002.D Vial: 2
Acq On : 30 Apr 19 9:12 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : Multiplr: 1.00

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C



AutoFind: Scans 841, 842, 843; Background Corrected with Scan 833

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	49.7	93941	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.3	275	PASS
127	198	10	80	60.7	114675	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	189013	PASS
199	198	5	9	6.7	12705	PASS
275	198	10	60	23.7	44776	PASS
365	198	1	100	2.5	4785	PASS
441	442	0.01	24	16.0	20059	PASS
442	198	50	150	66.3	125365	PASS
443	442	15	24	19.3	24168	PASS

Data File Name:	**0430Y002.D**
Data File Path:	**M:\YODA\DATA\Y190430M**
Operator:	**MA**
Date Acquired:	**30 Apr 2019 09:12**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 03/07/18**
Vial Number:	**2**
Instrument Name:	**Yoda**


#	Name	Ret Time	Target Response
1)	DDT	7.08	19086100
2)	DDD	6.75	104656
3)	DDE	6.86	0

Breakdown **0.55**

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y002.D Vial: 2
Acq On : 30 Apr 19 9:12 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Apr 30 9:33 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190430M\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration



TIC: 0430Y002.D

(5) Pentachlorophenol

5.39min 0.0000


response 830307


Ion	Exp%	Act%
266.00	100	100
264.00	61.20	61.48
268.00	65.20	62.81
0.00	0.00	0.00

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y002.D Vial: 2
Acq On : 30 Apr 19 9:12 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Apr 30 9:33 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190430M\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration





TIC: 0430Y002.D

(6) Benzidine


6.49min 0.0000

response 8412205

Ion	Exp%	Act%
184.00	100	100
92.00	13.60	13.24
185.00	14.10	13.47
0.00	0.00	0.00

Data File : M:\YODA\DATA\Y190430M\0430Y012.D Vial: 12
Acq On : 30 Apr 19 13:58 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : soil Multiplr: 1.00

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C



AutoFind: Scans 841, 842, 843; Background Corrected with Scan 833

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	47.4	89739	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.2	195	PASS
127	198	10	80	60.8	115021	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	189312	PASS
199	198	5	9	6.9	12995	PASS
275	198	10	60	24.1	45557	PASS
365	198	1	100	2.6	4955	PASS
441	442	0.01	24	15.7	20524	PASS
442	198	50	150	69.2	131056	PASS
443	442	15	24	19.4	25461	PASS

Data File Name:	**0430Y012.D**
Data File Path:	**M:\YODA\DATA\Y190430M**
Operator:	**MA**
Date Acquired:	**30 Apr 2019 13:58**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 03/07/18**
Vial Number:	**12**
Instrument Name:	**Yoda**


#	Name	Ret Time	Target Response
1)	DDT	7.08	18965500
2)	DDD	6.75	0
3)	DDE	6.86	0

Breakdown **0.00**

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y012.D Vial: 12
Acq On : 30 Apr 19 13:58 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : soil Multiplr: 1.00
Quant Time: Apr 30 15:14 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190430M\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration



TIC: 0430Y012.D

(5) Pentachlorophenol

5.39min 0.0000


response 903595

Ion	Exp%	Act%
266.00	100	100
264.00	61.20	63.20
268.00	65.20	62.05
0.00	0.00	0.00

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y012.D Vial: 12
Acq On : 30 Apr 19 13:58 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : soil Multiplr: 1.00
Quant Time: Apr 30 15:14 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190430M\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration



TIC: 0430Y012.D

(6) Benzidine

6.49min 0.0000

response 8376584

Ion	Exp%	Act%
184.00	100	100
92.00	13.60	12.73
185.00	14.10	13.75
0.00	0.00	0.00

Organic Extraction Worksheet

Method	Solid Phase Extraction of 2MEE in Water	Extraction Set	190429A	Extraction Method	MWE2MEE	Units	mL

Spiked ID 1	Diethylene Glycol 1-31-19 EXP 1-31-20		Surrogate ID 1		
Spiked ID 2	2MEE SS 10320ug/mL 8-3-18 exp 8-3-19		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/29/19 10:50	
Spiked ID 8			Ext. End Time:	04/29/19 16:40	
			GC Requires Extract By:	04/30/19 0:00	

pH1			Water Bath Temp Criteria	
pH2				
pH3				

Spiked By: KY **Date** 04/29/19 **Witnessed By:** DL **Date** 04/29/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190429A Blk				NA	NA equip	500	2	7	04/29/19 10:50	
2	190429A LCS-1		0.040	1	NA	NA equip	500	2	7	04/29/19 10:50	
3	190429A LCSD-1		0.040	1	NA	NA equip	500	2	7	04/29/19 10:50	
4	AZ89958 MS-1	AZ89958W23	0.040	1	NA	NA equip	510	2	7	04/29/19 10:50	88687
5	AZ89958 MSD-1	AZ89958W22	0.040	1	NA	NA equip	510	2	7	04/29/19 10:50	88687
6	AZ89958	AZ89958W24			NA	NA equip	500	2	7	04/29/19 10:50	88687
7	AZ89959	AZ89959W06			NA	NA equip	480	2	7	04/29/19 10:50	88687
8	AZ89961	AZ89961W22			NA	NA equip	510	2	7	04/29/19 10:50	88687
9	AZ90051 MS-1	AZ90051W21	0.040	1	NA	NA equip	500	2	7	04/29/19 10:50	88701
10	AZ90051 MSD-1	AZ90051W25	0.040	1	NA	NA equip	500	2	7	04/29/19 10:50	88701
11	AZ90051	AZ90051W22			NA	NA equip	500	2	7	04/29/19 10:50	88701
12	AZ90052	AZ90052W05			NA	NA equip	505	2	7	04/29/19 10:50	88701
13	AZ90054	AZ90054W16			NA	NA equip	510	2	7	04/29/19 10:50	88701
14	AZ90056	AZ90056W16			NA	NA equip	510	2	7	04/29/19 10:50	88701
15	AZ90058	AZ90058W17			NA	NA equip	500	2	7	04/29/19 10:50	88701
16	AZ90060	AZ90060W17			NA	NA equip	505	2	7	04/29/19 10:50	88701

Solvent and Lot#	
ENVI-Carb Plus 400MG/1ML	.
Reverible Tube Lot:	11225702
PH Strip	HC 863463
Di Water	4-29-19
Dichloromethane	58240
Methanol	58179

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	4/30/19
Time	11:30
Refrigerator	6C-C

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/29/19 2:46:49 PM

Reviewed By: KW **Date** 4/30/19

Organic Extraction Worksheet

Method	Solid Phase Extraction of 2MEE in Water	Extraction Set	190429A	Extraction Method	MWE2MEE	Units	mL

Spiked ID 1	Diethylene Glycol 1-31-19 EXP 1-31-20		Surrogate ID 1		
Spiked ID 2	2MEE SS 10320ug/mL 8-3-18 exp 8-3-19		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/29/19 10:50	
Spiked ID 8			Ext. End Time:	04/29/19 16:40	
			GC Requires Extract By:	04/30/19 0:00	

pH1			Water Bath Temp Criteria	
pH2				
pH3				

Spiked By: KY **Date** 04/29/19 **Witnessed By:** DL **Date** 04/29/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90100	AZ90100W17			NA	NA equip	510	2	7	04/29/19 10:50	88714
18	AZ90102	AZ90102W16			NA	NA equip	395	2	7	04/29/19 10:50	88714
19	AZ90103	AZ90103W04			NA	NA equip	250	2	7	04/29/19 10:50	88714
20	AZ90105	AZ90105W16			NA	NA equip	500	2	7	04/29/19 10:50	88714
21	AZ90107	AZ90107W16			NA	NA equip	510	2	7	04/29/19 10:50	88714
22	AZ90109	AZ90109W17			NA	NA equip	505	2	7	04/29/19 10:50	88714
23	AZ90213	AZ90213W15			NA	NA equip	505	2	7	04/29/19 10:50	88736
24	AZ90215	AZ90215W16			NA	NA equip	500	2	7	04/29/19 10:50	88736
25	M STD		1	1	NA	NA equip	500	2	7	04/29/19 10:50	
26	SS		0.097	2	NA	NA equip	500	2	7	04/29/19 10:50	

KY 4/30/19

Solvent and Lot#	
ENVI-Carb Plus 400MG/1ML	
Reverible Tube Lot:	11225702
PH Strip	HC 863463
Di Water	4-29-19
Dichloromethane	58240
Methanol	58179

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/29/19 2:46:49 PM

Reviewed By: KY **Date** 4/30/19

Name of Final Standard MEE Curve **Prep'd By (Initials)** SS

Prep Date 04/30/19

Exp Date 10/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	5 uL	200uL	Methanol 195uL Lot# 208858	50 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	4 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	5 uL	100uL	Methanol 95uL Lot# 208858	100 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	10 uL	100uL	Methanol 90uL Lot# 208858	200 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	20 uL	100uL	Methanol 80 uL Lot# 208858	400 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	50 uL	200 uL	Methanol 150 uL	500 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	4 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	30 uL	100uL	Methanol 70 uL Lot# 208858	600 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	40 uL	100uL	Methanol 60 uL Lot# 208858	800 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	50 uL	100uL	Methanol 50uL Lot# 208858	1000 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"

Name of Final Standard MEE Second Source **Prep'd By (Initials)** SS

Prep Date 04/30/19

Exp Date 08/03/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
MEE SS	APPL		2000 ug/mL	04/29/19	08/03/19	50 uL	200uL	Methanol 150uL Lot# 208858	500 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	4 uL	"	"	"

Name of Final Standard	**2MEE Second Source Stock**
Prep Date	**08/03/18**
Exp Date	**08/03/19**

Prep'd By (Initials) GA

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Methoxyethanol-Neat	Chem Service	N-12404-1G	Neat 99.5%	**7079100 - 39417**	**08/03/19**	0.1035g	10 mL	**MC #56258**	10320 ug/mL

Given to Extraction to do **MEE SS** (used for ICAL SS)

0.097ml were spiked in 500ml of water and extracted on 04/29/19 . Final concentration is 2000ug/L

Injection Log

Directory: M:\YODA\DATA\Y190430M\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	0430Y002.D	1	SV Tune 03/07/18		30 Apr 19 9:12
2	3	0430Y003.D	1	50ug/ml MEE 04/30/19	soil	30 Apr 19 9:27
3	4	0430Y004.D	1	100ug/ml MEE 04/30/19	soil	30 Apr 19 9:50
4	5	0430Y005.D	1	200ug/ml MEE 04/30/19	soil	30 Apr 19 10:13
5	6	0430Y006.D	1	400ug/ml MEE 04/30/19	soil	30 Apr 19 10:37
6	7	0430Y007.D	1	500ug/ml MEE 04/30/19	soil	30 Apr 19 11:00
7	8	0430Y008.D	1	600ug/ml MEE 04/30/19	soil	30 Apr 19 11:23
8	9	0430Y009.D	1	800ug/ml MEE 04/30/19	soil	30 Apr 19 11:47
9	10	0430Y010.D	1	1000ug/ml MEE 04/30/19	soil	30 Apr 19 12:10
10	11	0430Y011.D	1	SS ug/ml MEE 04/30/19	soil	30 Apr 19 13:30
11	12	0430Y012.D	1	SV Tune 03/07/18	soil	30 Apr 19 13:58
12	13	0430Y013.D	1	190429A BLK 2/500	soil	30 Apr 19 14:13
13	14	0430Y014.D	1	190429A LCS-1 2/500	soil	30 Apr 19 14:37
14	15	0430Y015.D	1	190429A LCSD-1 2/500	soil	30 Apr 19 15:01
15	16	0430Y016.D	1	AZ89958W24 2/500	soil	30 Apr 19 15:24
16	17	0430Y017.D	1.04167	AZ89959W06 2/480	soil	30 Apr 19 15:48
17	18	0430Y018.D	0.98039	AZ89961W22 2/510	soil	30 Apr 19 16:11
18	19	0430Y019.D	0.98039	AZ89958W23 MS-1 2/510	soil	30 Apr 19 16:35
19	20	0430Y020.D	0.98039	AZ89958W22 MSD-1 2/510	soil	30 Apr 19 16:59
36	37	0430Y037.D	1	500ug/ml MEE 04/30/19	soil	30 Apr 19 23:38

ORGANICS
Calibration Data

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/24/19
Matrix: Instrument: Max
Initials: DG 4/8

		Compound	0324M05.D	0324M06 D	0324M07.D	0324M08.D	0324M09 D	0324M10.D	0324M11.D	0324M12.D	0324M13.D		Avg	%RSD	Type	r^2	Q	MRF
1	I	Fluorobenzene (IS)																
2	S	Dibromofluoromethane(S)	0.2250	0.2190	0.1683	0.1791	0.1920	0.1877	0.1903	0.1887	0.1712		0.19	10	S			
3	S	1,2-DCA-D4(S)	0.2745	0.2518	0.1982	0.2074	0.2233	0.2148	0.2139	0.2111	0.1879		0.22	12	S			
4	I	Chlorobenzene-D5 (IS)																
5	S	Toluene-D8(S)	1.394	1.286	1.018	1.062	1.091	1.071	1.080	1.053	0.9367		1.1	13	S			
6	S	4-Bromofluorobenzene(S)	0.5102	0.4809	0.3610	0.3788	0.3957	0.3966	0.4009	0.3904	0.3516		0.41	13	S			
7	I	1,4-Dichlorobenzene-D (IS)																
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		
16																		
17																		
18																		
19																		
20																		
21																		
22																		
23																		
24																		
25																		
26																		
27																		
28																		
29																		
30																		
31																		
32																		
33																		
34																		
35																		

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M05.D Vial: 3
Acq On : 24 Mar 19 12:56 Operator: PM,DG,SV,CMM,KV
Sample : 0.3ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	567297	25.0000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	414490	25.0000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	209079	25.0000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	25529	5.8825 ppb	0.00
Spiked Amount 25.000			Recovery	= 23.532%	
3) 1,2-DCA-D4(S)	4.95	65	31146	6.2296 ppb	0.00
Spiked Amount 25.000			Recovery	= 24.920%	
5) Toluene-D8(S)	7.13	98	115538	6.2779 ppb	0.00
Spiked Amount 25.000			Recovery	= 25.112%	
6) 4-Bromofluorobenzene(S)	10.52	95	42297	6.2630 ppb	0.00
Spiked Amount 25.000			Recovery	= 25.052%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M05.D
Acq On : 24 Mar 19 12:56
Sample : 0.3ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 3
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M06.D Vial: 4
Acq On : 24 Mar 19 13:25 Operator: PM,DG,SV,CMM,KV
Sample : 0.5ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	548649	25.0000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	408005	25.0000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	207647	25.0000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	24026	5.7244 ppb	0.00
Spiked Amount 25.000			Recovery	= 22.896%	
3) 1,2-DCA-D4(S)	4.95	65	27628	5.7138 ppb	0.00
Spiked Amount 25.000			Recovery	= 22.856%	
5) Toluene-D8(S)	7.13	98	104917	5.7914 ppb	0.00
Spiked Amount 25.000			Recovery	= 23.164%	
6) 4-Bromofluorobenzene(S)	10.52	95	39240	5.9027 ppb	0.00
Spiked Amount 25.000			Recovery	= 23.612%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190324\0324M06.D
Acq On : 24 Mar 19 13:25
Sample : 0.5ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 4
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:59 2019

Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M07.D Vial: 5
Acq On : 24 Mar 19 13:54 Operator: PM,DG,SV,CMM,KV
Sample : 1.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.32	96	562637	25.0000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	415204	25.0000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	206662	25.0000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	37879	8.8006 ppb	0.00
Spiked Amount 25.000			Recovery	= 35.204%	
3) 1,2-DCA-D4(S)	4.95	65	44603	8.9951 ppb	0.00
Spiked Amount 25.000			Recovery	= 35.980%	
5) Toluene-D8(S)	7.14	98	169003	9.1672 ppb	0.00
Spiked Amount 25.000			Recovery	= 36.668%	
6) 4-Bromofluorobenzene(S)	10.52	95	59950	8.8617 ppb	0.00
Spiked Amount 25.000			Recovery	= 35.448%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M07.D
Acq On : 24 Mar 19 13:54
Sample : 1.0ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M08.D Vial: 6
Acq On : 24 Mar 19 14:22 Operator: PM,DG,SV,CMM,KV
Sample : 2.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.32	96	588239	25.0000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	428656	25.0000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	210603	25.0000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	42136	9.3635 ppb	0.00
Spiked Amount 25.000			Recovery	= 37.456%	
3) 1,2-DCA-D4(S)	4.95	65	48794	9.4120 ppb	0.00
Spiked Amount 25.000			Recovery	= 37.648%	
5) Toluene-D8(S)	7.14	98	182083	9.5667 ppb	0.00
Spiked Amount 25.000			Recovery	= 38.268%	
6) 4-Bromofluorobenzene(S)	10.52	95	64942	9.2983 ppb	0.00
Spiked Amount 25.000			Recovery	= 37.192%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M08.D
Acq On : 24 Mar 19 14:22
Sample : 2.0ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M09.D Vial: 7
Acq On : 24 Mar 19 14:51 Operator: PM,DG,SV,CMM,KV
Sample : 5.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.32	96	551421	25.0000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	414802	25.0000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	211221	25.0000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	105862	25.0956 ppb	0.00
Spiked Amount 25.000			Recovery = 100.384%		
3) 1,2-DCA-D4(S)	4.95	65	123145	25.3397 ppb	0.00
Spiked Amount 25.000			Recovery = 101.360%		
5) Toluene-D8(S)	7.13	98	452516	24.5695 ppb	0.00
Spiked Amount 25.000			Recovery = 98.276%		
6) 4-Bromofluorobenzene(S)	10.52	95	164122	24.2837 ppb	0.00
Spiked Amount 25.000			Recovery = 97.136%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190324\0324M09.D
Acq On : 24 Mar 19 14:51
Sample : 5.0ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:59 2019

Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M10.D Vial: 8
Acq On : 24 Mar 19 15:19 Operator: PM,DG,SV,CMM,KV
Sample : 10ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.32	96	563465	25.0000	ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	422362	25.0000	ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	217007	25.0000	ppb	0.00
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.60	111	105764	24.5364	ppb	0.00
Spiked Amount 25.000			Recovery = 98.144%			
3) 1,2-DCA-D4(S)	4.95	65	121024	24.3710	ppb	0.00
Spiked Amount 25.000			Recovery = 97.484%			
5) Toluene-D8(S)	7.14	98	452289	24.1176	ppb	0.00
Spiked Amount 25.000			Recovery = 96.472%			
6) 4-Bromofluorobenzene(S)	10.52	95	167493	24.3388	ppb	0.00
Spiked Amount 25.000			Recovery = 97.356%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M10.D
Acq On : 24 Mar 19 15:19
Sample : 10ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 8
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M11.D Vial: 9
Acq On : 24 Mar 19 15:48 Operator: PM,DG,SV,CMM,KV
Sample : 20ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	554172	25.0000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	421724	25.0000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	222616	25.0000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	210921	49.7525 ppb	0.00
Spiked Amount 25.000			Recovery = 199.012%		
3) 1,2-DCA-D4(S)	4.94	65	237117	48.5497 ppb	0.00
Spiked Amount 25.000			Recovery = 194.200%		
5) Toluene-D8(S)	7.14	98	910661	48.6330 ppb	0.00
Spiked Amount 25.000			Recovery = 194.532%		
6) 4-Bromofluorobenzene(S)	10.52	95	338144	49.2109 ppb	0.00
Spiked Amount 25.000			Recovery = 196.844%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M11.D
Acq On : 24 Mar 19 15:48
Sample : 20ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M12.D Vial: 10
Acq On : 24 Mar 19 16:17 Operator: PM,DG,SV,CMM,KV
Sample : 40ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	561800	25.0000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	434917	25.0000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	228943	25.0000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	212017	49.3320 ppb	0.00
Spiked Amount 25.000			Recovery	= 197.328%	
3) 1,2-DCA-D4(S)	4.94	65	237213	47.9099 ppb	0.00
Spiked Amount 25.000			Recovery	= 191.640%	
5) Toluene-D8(S)	7.14	98	916073	47.4380 ppb	0.00
Spiked Amount 25.000			Recovery	= 189.752%	
6) 4-Bromofluorobenzene(S)	10.52	95	339596	47.9230 ppb	0.00
Spiked Amount 25.000			Recovery	= 191.692%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M12.D
Acq On : 24 Mar 19 16:17
Sample : 40ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 10
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M13.D Vial: 11
Acq On : 24 Mar 19 16:45 Operator: PM,DG,SV,CMM,KV
Sample : 100ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	562288	25.0000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	441644	25.0000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	234726	25.0000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	385089	89.5246 ppb	0.00
Spiked Amount 25.000			Recovery	= 358.100%	
3) 1,2-DCA-D4(S)	4.94	65	422708	85.3002 ppb	0.00
Spiked Amount 25.000			Recovery	= 341.200%	
5) Toluene-D8(S)	7.14	98	1654770	84.3855 ppb	0.00
Spiked Amount 25.000			Recovery	= 337.540%	
6) 4-Bromofluorobenzene(S)	10.52	95	621203	86.3275 ppb	0.00
Spiked Amount 25.000			Recovery	= 345.312%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M13.D Vial: 11
Acq On : 24 Mar 19 16:45 Operator: PM,DG,SV,CMM,KV
Sample : 100ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/01/19
Matrix: Instrument: Max

Initials: DG/LP

		Compound	1	2	3	4	5	6	7				Avg	%RSD	Type	r^2	Q	MRF
			0401M04.D	0401M05 D	0401M06.D	0401M07.D	0401M08.D	0401M09 D	0401M10.D									
1	I	Fluorobenzene (IS)																
2	TMHBL	Gasoline C6-C10	11.0	4.649	2.597	1.206	0.8368	0.7215	0.6807				3.1	122	TMHBL	0.999		
3	TMHB	Chlorobenzene-D5 (IS)																
4	TMHB	1,4-Dichlorobenzene (IS)																
5																		
6																		
7																		
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		
16																		
17																		
18																		
19																		
20																		
21																		
22																		
23																		
24																		
25																		
26																		
27																		
28																		
29																		
30																		
31																		
32																		
33																		
34																		
35																		

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M04.D Vial: 3
Acq On : 1 Apr 19 10:31 Operator: PM,DG,SV,CMM,KV
Sample : 20ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:17 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	598255	25.0000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	338283m	25.0000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	187311m	25.0000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) Gasoline C6-C10	8.80	TIC	5271420m	26.5912	ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M04.D
Acq On : 1 Apr 19 10:31
Sample : 20ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 3
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:17 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M05.D Vial: 4
Acq On : 1 Apr 19 11:00 Operator: PM,DG,SV,CMM,KV
Sample : 50ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:17 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	587568	25.0000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	330094m	25.0000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	190101m	25.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) Gasoline C6-C10	8.80	TIC	5463157m	51.9143	ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M05.D
Acq On : 1 Apr 19 11:00
Sample : 50ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 4
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:17 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M06.D Vial: 5
Acq On : 1 Apr 19 11:28 Operator: PM,DG,SV,CMM,KV
Sample : 100ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	575257	25.0000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	323893m	25.0000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	181396m	25.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) Gasoline C6-C10	8.80	TIC	5976508m	108.7113	ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M06.D
Acq On : 1 Apr 19 11:28
Sample : 100ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M07.D Vial: 6
Acq On : 1 Apr 19 11:57 Operator: PM,DG,SV,CMM,KV
Sample : 300ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	573184	25.0000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	333476m	25.0000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	189443m	25.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) Gasoline C6-C10	8.80	TIC	8295201m	321.1916	ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M07.D
Acq On : 1 Apr 19 11:57
Sample : 300ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M08.D Vial: 7
Acq On : 1 Apr 19 12:25 Operator: PM,DG,SV,CMM,KV
Sample : 600ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	576087	25.0000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	330146m	25.0000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	190295m	25.0000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) Gasoline C6-C10	8.80	TIC	11569749m	613.2094	ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M08.D
Acq On : 1 Apr 19 12:25
Sample : 600ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M09.D Vial: 8
Acq On : 1 Apr 19 12:54 Operator: PM,DG,SV,CMM,KV
Sample : 800ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	579649	25.0000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	326637m	25.0000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	190935m	25.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) Gasoline C6-C10	8.80	TIC	13383194m	769.6013	ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M09.D
Acq On : 1 Apr 19 12:54
Sample : 800ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 8
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M10.D Vial: 9
Acq On : 1 Apr 19 13:22 Operator: PM,DG,SV,CMM,KV
Sample : 1000ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:19 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	582261	25.0000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	329343m	25.0000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	190806m	25.0000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) Gasoline C6-C10	7.10	TIC	15853101m	984.9694	ppb	100


(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190401\0401M10.D
Acq On : 1 Apr 19 13:22
Sample : 1000ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:19 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 1 Apr 19 14:19
Instrument: Max
Initial Cal. Date: 04/01/19
Data File: 0401M12.D

		Compound	MEAN	CCRF	%D		%Drift
1	TMHB	Gasoline C6-C10	3.101	1.185	62	TMHBL	1.3
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			62.0		

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M12.D Vial: 11
Acq On : 1 Apr 19 14:19 Operator: PM,DG,SV,CMM,KV
Sample : (SS)300ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 2 8:08 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	565675	25.0000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1215857m	25.0000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1225243m	25.0000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) Gasoline C6-C10	8.81	TIC	8042743m	304.0471	ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M12.D
Acq On : 1 Apr 19 14:19
Sample : (SS)300ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:08 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/23/19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0423M03.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Fluorobenzene (IS)	ISTD			I	
2	TMHB	Gasoline C6-C10	3.101	1.170	62	TMHBL	1.7
3	TMHB	Chlorobenzene-D5 (IS)	ISTD			TMHB	
4	TMHB	1,4-Dichlorobenzene (IS)	ISTD			TMHB	
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			62.0		

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/23/19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0423M03.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Fluorobenzene (IS)	ISTD			I	
2	S	Dibromofluoromethane(S)	0.1912	0.1962	2.6	S	
3	S	1,2-DCA-D4(S)	0.2203	0.2051	6.9	S	
4	I	Chlorobenzene-D5 (IS)	ISTD			I	
5	S	Toluene-D8(S)	1.110	1.076	3.0	S	
6	S	4-Bromofluorobenzene(S)	0.4073	0.4206	3.3	S	
7	I	1,4-Dichlorobenzene-D (IS)	ISTD			I	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			4.0		

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M03.D Vial: 2
Acq On : 23 Apr 19 13:37 Operator: PM,DG,SV,CMM,KV
Sample : 190423A CCV 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:46 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	809455	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1804608m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1898295m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) Gasoline C6-C10	8.80	TIC	11369112m	294.802 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M03.D Vial: 2
Acq On : 23 Apr 19 13:37 Operator: PM,DG,SV,CMM,KV
Sample : 190423A CCV 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	776811	25.000 ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	609315	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	331442	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	152409	25.647 ppb	-0.11
Spiked Amount 25.000			Recovery = 102.588%		
3) 1,2-DCA-D4(S)	4.83	65	159293	23.267 ppb	-0.12
Spiked Amount 25.000			Recovery = 93.068%		
5) Toluene-D8(S)	7.02	98	655818	24.241 ppb	-0.12
Spiked Amount 25.000			Recovery = 96.964%		
6) 4-Bromofluorobenzene(S)	10.39	95	256293	25.816 ppb	-0.13
Spiked Amount 25.000			Recovery = 103.264%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0423M03.D
Acq On : 23 Apr 19 13:37
Sample : 190423A CCV 300ug/L
Misc : IS,Surr 03/24/19

Vial: 2
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:46 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/23/19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0423M15.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Fluorobenzene (IS)	ISTD			I	
2	TMHB	Gasoline C6-C10	3.101	1.167	62	TMHBL	2.5
3	TMHB	Chlorobenzene-D5 (IS)	ISTD			TMHB	
4	TMHB	1,4-Dichlorobenzene (IS)	ISTD			TMHB	
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			62.0		

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/23/19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0423M15.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Fluorobenzene (IS)	ISTD			I	
2	S	Dibromofluoromethane(S)	0.1912	0.2136	12	S	
3	S	1,2-DCA-D4(S)	0.2203	0.2270	3.0	S	
4	I	Chlorobenzene-D5 (IS)	ISTD			I	
5	S	Toluene-D8(S)	1.110	1.169	5.3	S	
6	S	4-Bromofluorobenzene(S)	0.4073	0.4313	5.9	S	
7	I	1,4-Dichlorobenzene-D (IS)	ISTD			I	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			6.6		

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M15.D Vial: 14
Acq On : 23 Apr 19 19:18 Operator: PM,DG,SV,CMM,KV
Sample : Ending CCV 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:58 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	753492	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1625495m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1619278m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) Gasoline C6-C10	7.02	TIC	10552656m	292.638 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M15.D Vial: 14
Acq On : 23 Apr 19 19:18 Operator: PM,DG,SV,CMM,KV
Sample : Ending CCV 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	711121	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	545870	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	280745	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	151927	27.927 ppb	-0.11
Spiked Amount 25.000			Recovery = 111.708%		
3) 1,2-DCA-D4(S)	4.83	65	161428	25.757 ppb	-0.11
Spiked Amount 25.000			Recovery = 103.028%		
5) Toluene-D8(S)	7.02	98	637867	26.317 ppb	-0.12
Spiked Amount 25.000			Recovery = 105.268%		
6) 4-Bromofluorobenzene(S)	10.39	95	235428	26.470 ppb	-0.13
Spiked Amount 25.000			Recovery = 105.880%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0423M15.D
Acq On : 23 Apr 19 19:18
Sample : Ending CCV 300ug/L
Misc : IS,Surr 03/24/19

Vial: 14
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:58 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M08.D Vial: 7
Acq On : 23 Apr 19 15:59 Operator: PM,DG,SV,CMM,KV
Sample : AZ89957W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:49 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	757131	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	741505m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	785876m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M08.D Vial: 7
Acq On : 23 Apr 19 15:59 Operator: PM,DG,SV,CMM,KV
Sample : AZ89957W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	702871	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	541767	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	285732	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	145510	27.062 ppb	-0.11
Spiked Amount 25.000			Recovery = 108.248%		
3) 1,2-DCA-D4(S)	4.83	65	151899	24.522 ppb	-0.11
Spiked Amount 25.000			Recovery = 98.088%		
5) Toluene-D8(S)	7.01	98	611851	25.435 ppb	-0.12
Spiked Amount 25.000			Recovery = 101.740%		
6) 4-Bromofluorobenzene(S)	10.39	95	230994	26.168 ppb	-0.13
Spiked Amount 25.000			Recovery = 104.672%		
Target Compounds					Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0423M08.D
Acq On : 23 Apr 19 15:59
Sample : AZ89957W01
Misc : IS,Surr 03/24/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:49 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M10.D Vial: 9
Acq On : 23 Apr 19 16:56 Operator: PM,DG,SV,CMM,KV
Sample : AZ89958W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:49 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	793087	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	773698m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	782433m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M10.D Vial: 9
Acq On : 23 Apr 19 16:56 Operator: PM,DG,SV,CMM,KV
Sample : AZ89958W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	743645	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	558445	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	282299	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	150688	26.488 ppb	-0.11
Spiked Amount 25.000			Recovery = 105.952%		
3) 1,2-DCA-D4(S)	4.83	65	163225	24.905 ppb	-0.11
Spiked Amount 25.000			Recovery = 99.620%		
5) Toluene-D8(S)	7.01	98	648612	26.158 ppb	-0.12
Spiked Amount 25.000			Recovery = 104.632%		
6) 4-Bromofluorobenzene(S)	10.39	95	231147	25.404 ppb	-0.13
Spiked Amount 25.000			Recovery = 101.616%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0423M10.D
Acq On : 23 Apr 19 16:56
Sample : AZ89958W01
Misc : IS,Surr 03/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:49 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M11.D Vial: 10
Acq On : 23 Apr 19 17:24 Operator: PM,DG,SV,CMM,KV
Sample : AZ89959W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:49 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	747838	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	733495m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	800819m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M11.D Vial: 10
Acq On : 23 Apr 19 17:24 Operator: PM,DG,SV,CMM,KV
Sample : AZ89959W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	696506	25.000 ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	538928	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	290366	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	139113	26.109 ppb	-0.11
Spiked Amount 25.000			Recovery =	104.436%	
3) 1,2-DCA-D4(S)	4.83	65	149150	24.298 ppb	-0.11
Spiked Amount 25.000			Recovery =	97.192%	
5) Toluene-D8(S)	7.01	98	589655	24.642 ppb	-0.12
Spiked Amount 25.000			Recovery =	98.568%	
6) 4-Bromofluorobenzene(S)	10.39	95	222781	25.371 ppb	-0.13
Spiked Amount 25.000			Recovery =	101.484%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0423M11.D
Acq On : 23 Apr 19 17:24
Sample : AZ89959W01
Misc : IS,Surr 03/24/19

Vial: 10
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:49 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M09.D Vial: 8
Acq On : 23 Apr 19 16:27 Operator: PM,DG,SV,CMM,KV
Sample : AZ89960W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:49 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	808189	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	801969m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	811659m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M09.D Vial: 8
Acq On : 23 Apr 19 16:27 Operator: PM,DG,SV,CMM,KV
Sample : AZ89960W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	764433	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	579302	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	286425	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	157945	27.009 ppb	-0.11
Spiked Amount 25.000			Recovery = 108.036%		
3) 1,2-DCA-D4(S)	4.83	65	166019	24.643 ppb	-0.11
Spiked Amount 25.000			Recovery = 98.572%		
5) Toluene-D8(S)	7.02	98	663455	25.793 ppb	-0.12
Spiked Amount 25.000			Recovery = 103.172%		
6) 4-Bromofluorobenzene(S)	10.39	95	239227	25.345 ppb	-0.13
Spiked Amount 25.000			Recovery = 101.380%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0423M09.D
Acq On : 23 Apr 19 16:27
Sample : AZ89960W01
Misc : IS,Surr 03/24/19

Vial: 8
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:49 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M12.D Vial: 11
Acq On : 23 Apr 19 17:53 Operator: PM,DG,SV,CMM,KV
Sample : AZ89961W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:49 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	760879	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	751626m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	764895m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M12.D Vial: 11
Acq On : 23 Apr 19 17:53 Operator: PM,DG,SV,CMM,KV
Sample : AZ89961W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	709248	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	534600	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	277264	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	146890	27.073 ppb	-0.11
Spiked Amount 25.000			Recovery = 108.292%		
3) 1,2-DCA-D4(S)	4.83	65	159885	25.579 ppb	-0.11
Spiked Amount 25.000			Recovery = 102.316%		
5) Toluene-D8(S)	7.01	98	625936	26.370 ppb	-0.12
Spiked Amount 25.000			Recovery = 105.480%		
6) 4-Bromofluorobenzene(S)	10.39	95	233071	26.758 ppb	-0.13
Spiked Amount 25.000			Recovery = 107.032%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0423M12.D
Acq On : 23 Apr 19 17:53
Sample : AZ89961W01
Misc : IS,Surr 03/24/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:49 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M07.D Vial: 6
Acq On : 23 Apr 19 15:31 Operator: PM,DG,SV,CMM,KV
Sample : 190423A blk Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:48 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	751245	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	755261m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	838568m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M07.D Vial: 6
Acq On : 23 Apr 19 15:31 Operator: PM,DG,SV,CMM,KV
Sample : 190423A blk Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	708149	25.000 ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	557163	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	306670	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	149076	27.518 ppb	-0.11
Spiked Amount 25.000			Recovery = 110.072%		
3) 1,2-DCA-D4(S)	4.83	65	159698	25.588 ppb	-0.11
Spiked Amount 25.000			Recovery = 102.352%		
5) Toluene-D8(S)	7.01	98	636231	25.718 ppb	-0.12
Spiked Amount 25.000			Recovery = 102.872%		
6) 4-Bromofluorobenzene(S)	10.39	95	242960	26.763 ppb	-0.13
Spiked Amount 25.000			Recovery = 107.052%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0423M07.D
Acq On : 23 Apr 19 15:31
Sample : 190423A blk
Misc : IS,Surr 03/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:48 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M04.D Vial: 3
Acq On : 23 Apr 19 14:05 Operator: PM,DG,SV,CMM,KV
Sample : 190423A LCS 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:48 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	782519	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1732095m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1846752m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) Gasoline C6-C10	7.02	TIC	11325508m	317.719 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M04.D Vial: 3
Acq On : 23 Apr 19 14:05 Operator: PM,DG,SV,CMM,KV
Sample : 190423A LCS 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	741872	25.000 ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	582778	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	319930	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	149580	26.356 ppb	-0.11
Spiked Amount 25.000			Recovery =	105.424%	
3) 1,2-DCA-D4(S)	4.83	65	159850	24.448 ppb	-0.12
Spiked Amount 25.000			Recovery =	97.792%	
5) Toluene-D8(S)	7.02	98	645539	24.947 ppb	-0.12
Spiked Amount 25.000			Recovery =	99.788%	
6) 4-Bromofluorobenzene(S)	10.39	95	249814	26.309 ppb	-0.13
Spiked Amount 25.000			Recovery =	105.236%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0423M04.D
Acq On : 23 Apr 19 14:05
Sample : 190423A LCS 300ug/L
Misc : IS,Surr 03/24/19

Vial: 3
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:48 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M05.D Vial: 4
Acq On : 23 Apr 19 14:34 Operator: PM,DG,SV,CMM,KV
Sample : 190423A LCSD 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:48 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	826022	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1746615m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1775814m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) Gasoline C6-C10	7.01	TIC	11707246m	301.641 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M05.D Vial: 4
Acq On : 23 Apr 19 14:34 Operator: PM,DG,SV,CMM,KV
Sample : 190423A LCSD 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	779174	25.000 ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	595641	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	308732	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	163048	27.354 ppb	-0.11
Spiked Amount 25.000			Recovery	= 109.416%	
3) 1,2-DCA-D4(S)	4.83	65	170553	24.837 ppb	-0.11
Spiked Amount 25.000			Recovery	= 99.348%	
5) Toluene-D8(S)	7.01	98	675104	25.526 ppb	-0.12
Spiked Amount 25.000			Recovery	= 102.104%	
6) 4-Bromofluorobenzene(S)	10.39	95	248162	25.570 ppb	-0.13
Spiked Amount 25.000			Recovery	= 102.280%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0423M05.D
Acq On : 23 Apr 19 14:34
Sample : 190423A LCSD 300ug/L
Misc : IS,Surr 03/24/19

Vial: 4
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:48 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M13.D Vial: 12
Acq On : 23 Apr 19 18:21 Operator: PM,DG,SV,CMM,KV
Sample : AZ89958W02 MS 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:50 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	741283	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1588457m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1637169m	25.000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) Gasoline C6-C10	7.01	TIC	10166478m	277.085 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M13.D Vial: 12
Acq On : 23 Apr 19 18:21 Operator: PM,DG,SV,CMM,KV
Sample : AZ89958W02 MS 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	698498	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	532415	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	285722	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	140027	26.205 ppb	-0.11
Spiked Amount 25.000			Recovery = 104.820%		
3) 1,2-DCA-D4(S)	4.83	65	150113	24.385 ppb	-0.11
Spiked Amount 25.000			Recovery = 97.540%		
5) Toluene-D8(S)	7.01	98	600805	25.415 ppb	-0.12
Spiked Amount 25.000			Recovery = 101.660%		
6) 4-Bromofluorobenzene(S)	10.39	95	223635	25.780 ppb	-0.13
Spiked Amount 25.000			Recovery = 103.120%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0423M13.D
Acq On : 23 Apr 19 18:21
Sample : AZ89958W02 MS 300ug/L
Misc : IS,Surr 03/24/19

Vial: 12
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:50 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0423M14.D Vial: 13
Acq On : 23 Apr 19 18:50 Operator: PM,DG,SV,CMM,KV
Sample : AZ89958W03 MSD 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:50 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	754919	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1625146m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1665655m	25.000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) Gasoline C6-C10	7.01	TIC	10467194m	285.155	ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0423M14.D Vial: 13
Acq On : 23 Apr 19 18:50 Operator: PM,DG,SV,CMM,KV
Sample : AZ89958W03 MSD 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 24 8:52 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	701660	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	545200	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	288555	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	142761	26.596 ppb	-0.11
Spiked Amount 25.000			Recovery = 106.384%		
3) 1,2-DCA-D4(S)	4.83	65	152441	24.652 ppb	-0.11
Spiked Amount 25.000			Recovery = 98.608%		
5) Toluene-D8(S)	7.01	98	612354	25.296 ppb	-0.12
Spiked Amount 25.000			Recovery = 101.184%		
6) 4-Bromofluorobenzene(S)	10.39	95	230031	25.895 ppb	-0.13
Spiked Amount 25.000			Recovery = 103.580%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0423M14.D
Acq On : 23 Apr 19 18:50
Sample : AZ89958W03 MSD 300ug/L
Misc : IS,Surr 03/24/19

Vial: 13
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 24 8:50 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Max 8260 Standard Prep

Max 8260 Water Calibration Curve

0.3ug/L

Prepared: 03/24/19

Expires: 04/23/19

Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	0.3ug/L	5	Prepared 03/21/19	05/20/19	N/A	3uL	50mL	P&T Water	0.3
VOA STD. 10	O2SI		5	Prepared 03/21/19	05/20/19	N/A	3uL			0.3
VOA STD. 12	O2SI		5	Prepared 03/21/19	05/20/19	N/A	3uL			0.3
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	2uL			10

0.5ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	0.5ug/L	5	Prepared 03/21/19	05/20/19	N/A	5uL	50mL	P&T Water	0.5
VOA STD. 10	O2SI		5	Prepared 03/21/19	05/20/19	N/A	5uL			0.5
VOA STD. 12	O2SI		5	Prepared 03/21/19	05/20/19	N/A	5uL			0.5
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	5uL			25

1.0ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	1.0ug/L	5	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	1
VOA STD. 10	O2SI		5	Prepared 03/21/19	05/20/19	N/A	10uL			1
VOA STD. 12	O2SI		5	Prepared 03/21/19	05/20/19	N/A	10uL			1
VOA STD TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	10uL			50

2.0ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	2.0ug/L	5	Prepared 03/21/19	05/20/19	N/A	20uL	50mL	P&T Water	2
VOA STD. 10	O2SI		5	Prepared 03/21/19	05/20/19	N/A	20uL			2
VOA STD. 12	O2SI		5	Prepared 03/21/19	05/20/19	N/A	20uL			2
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	15uL			75

5ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	5ug/L	50	Prepared 03/21/19	05/20/19	N/A	5uL	50mL	P&T Water	5
VOA STD. 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	5uL			5
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	5uL			5
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	5uL			5
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	20uL			100

10ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	10ug/L	50	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	10uL			10
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	25uL			125

20ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	20ug/L	50	Prepared 03/21/19	05/20/19	N/A	20uL	50mL	P&T Water	20
VOA STD. 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	20uL			20
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	20uL			20
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	20uL			20
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	30uL			150

40ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	40ug/L	50	Prepared 03/21/19	05/20/19	N/A	40uL	50mL	P&T Water	40
VOA STD. 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	40uL			40
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	40uL			40
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	40uL			40
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	35uL			175

100ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	100ug/L	50	Prepared 03/21/19	05/20/19	N/A	100uL	50mL	P&T Water	100
VOA STD. 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	100uL			100
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	100uL			100
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	100uL			100
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	40uL			200

Max 8260 Water Second Source (SS)

Prepared: 03/24/19

Prepared By (Initials): DG

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 4	Phenova	8260 Water SS	50	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 5	O2SI	8260 Water SS	50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. 6	Various	8260 Water SS	50	Prepared 03/21/19	03/13/19	N/A	10uL			10
Voa STD. TBA	Various	8260 Water SS	250	Prepared 03/21/19	03/13/19	N/A	25uL			250

8260 Water Continuing Calibrations (CCV)/ Lab Control Spikes (LCS)

Prepared: 03/24/19

Prepared By (Initials): DG

Expires: 03/25/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	CCV/ LCS	50	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 8	Phenova	CCV/ LCS	50	Prepared 03/21/19	03/27/19	N/A	10uL			10
VOA STD. 1	O2SI	CCV/ LCS	50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. 2	O2SI	CCV/ LCS	50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. TBA	Various	CCV/ LCS	250	Prepared 03/21/19	03/27/19	N/A	25uL			125

LCS (X4 Ketones)

Prepared: 03/24/19

Prepared By (Initials): DG

Expires: 03/25/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	LCS X4 Ketones	50	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 8	Phenova	LCS X4 Ketones	50	Prepared 03/21/19	03/27/19	N/A	10uL			10
VOA STD. 1	O2SI	LCS X4 Ketones	50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. 2	O2SI	LCS X4 Ketones	50	Prepared 03/21/19	05/20/19	N/A	40uL			40
VOA STD. TBA	Various	LCS X4 Ketones	250	Prepared 03/21/19	03/27/19	N/A	25uL			125

Max 8260 Water Surrogate

Prepared: 03/24/19
Expires: 03/23/20
Methanol Lot No: 58019

Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
8260 Surrogate Solution	O2SI	120002-01	2,000	**348756-39342**	**03/24/20**	**02/10/22**	375uL	15mL	Methanol	50

Max 8260 Water Internal Standard

Prepared: 03/24/19
Expires: 03/23/20
Methanol Lot No: 58019

Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Internal Standard Solution	O2SI	120004-02	2,000	**326533-38436**	**03/24/20**	**04/27/21**	375uL	15mL	Methanol	50

Max 8260 Water Surrogate

Prepared: 03/24/19
Expires: 03/23/20
Methanol Lot No: 58019

Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
8260 Surrogate Solution	O2SI	120002-01	2,000	**348756-39342**	**03/24/20**	**02/10/22**	375uL	15mL	Methanol	50

Max 8260 Water Internal Standard

Prepared: 03/24/19
Expires: 03/23/20
Methanol Lot No: 58019

Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Internal Standard Solution	O2SI	120004-02	2,000	**326533-38436**	**03/24/20**	**04/27/21**	375uL	15mL	Methanol	50

Primary Standards

VOA STD 7

Prepared: 03/21/19 D
Expires: 05/20/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA Gasses STD	Phenova	ALO-101206	2,000	**CL12965-40268**	**03/21/20**	**10/31/23**	100uL	4mL	Methanol	50
Hexachloroethane	Absolute	70199	1,000	**091818-40040**	**03/05/20**	**09/18/23**	200uL			50
Benzyl Chloride	O2SI	020228-02	1,000	**120418-40033**	**12/04/19**	**12/04/19**	200uL			50

VOA STD 8

Prepared: 03/21/19 E
Expires: 03/27/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA Additions STD	Phenova	ALO-130175	2,000	**CL12622-40170**	**03/05/20**	**06/30/20**	100uL	4mL	Methanol	50
502.2 Cal. Std.	Phenova	ALO-101200	2,000	**CL12489**	**03/05/20**	**05/31/23**	100uL			50
Vinyl Acetate	Phenova	ALO-101228	2,000	**CL13319-40461**	**03/27/19**	**03/27/19**	100uL			50

VOA STD TBA

Prepared: 03/21/19 F
Expires: 03/27/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Custom VOC Mix	Phenova	ALO-130176	2,000	**CL12929-40193**	**03/1620**	**11/30/20**	500uL	4mL	Methanol	250
Acrolein	Phenova	ALO-130549	10,000	**CL13322-40462**	**03/27/19**	**03/27/19**	100uL			250

VOA STD 1

Prepared: 03/21/19 G
Expires: 05/20/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
2-CEVE	O2SI	020145-02	2,000	**071018-40345**	**03/05/20**	**07/10/21**	50	2mL	Methanol	50

VOA STD 2

Prepared: 03/21/19 H
Expires: 05/20/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Ketones Std.	Phenova	AL0-109211	2,000	**CL12729-40178**	**03/05/20**	**08/31/28**	100	4mL	Methanol	50

VOA STD 9

Prepared: 03/21/19 I
Expires: 05/20/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA STD. 7		VOA STD. 9	50	Prepared 03/21/19	**03/05/20**	N/A	200uL	2mL	Methanol	5
VOA STD. 8			50	Prepared 03/21/19	**03/05/20**	N/A	200uL			5

VOA STD. 10

Prepared: 03/21/19 J
Expires: 05/20/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA STD. 1		VOA STD. 10	50	Prepared 03/21/19	**03/05/20**	N/A	200uL	2mL	Methanol	5

VOA STD. 12

Prepared: 03/21/19 K
Expires: 05/20/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA STD. 2		VOA STD. 12	50	Prepared 03/21/19	**03/05/20**	N/A	200uL	2mL	Methanol	5

Second Source (SS) Standards

VOA STD. 3

Prepared: 03/21/19 L
Expires: 05/20/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Ketones Standard	Phenova	ALO-101211	2,000	**CL12730-40182**	**03/05/20**	**08/31/28**	50uL	2mL	Methanol	50

VOA STD. 5

Prepared: 03/21/19 M
Expires: 05/20/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
8260 Gases (SS)	Phenova	ALO-101206	2,000	**CL12966-**	**03/05/20**	**10/31/23**	50uL	2mL	Methanol	50
2-CEVE (SS)	Absolute	82408	2,000	**112917-40209**	**03/05/20**	**11/29/20**	50uL			50

VOA STD. 6

Prepared: 03/21/19 N
Expires: 03/13/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
502.2 Calibration STD. (54-compounds)	Phenova	ALO-101200	2,000	**CL12489**	**03/05/20**	**05/31/23**	50uL	2mL	Methanol	50
Vinyl Acetate	Phenova	ALO-101228	2,000	**CL13271**	**03/13/19**	**03/13/19**	50uL			50
Hexachloroethane	Accustan	AS-E0011	1,000	**218051281-40277**	**03/05/20**	**05/14/28**	100uL			50
Benzyl Chloride	Accustan	M-8010-01	200	**214101335-04**	**03/05/20**	**10/18/20**	500uL			50

VOA STD. TBA

Prepared: 03/21/19 O
Expires: 03/13/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Custom VOA Mix (4-3)	Phenova	ALO-130176	2,000	**CL12228-39308**	**01/31/20**	**01/31/20**	250uL	2mL	Methanol	250
Acrolein	Phenova	ALO-101224	10,000	**CL13274**	**03/13/19**	**03/13/19**	50uL			250

VOA STD. 0

Prepared: 03/21/19 P
Expires: 05/20/19
Methanol Lot No. 907702-202404
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA Addition STD.	Phenova	ALO-130175	2,000	**CL12744**	**03/05/20**	**08/30/20**	50uL	2mL	Methanol	50

BFB Tune

Prepared: 03/11/19
Expires: 12/12/19
Methanol Lot No. 202404-00945
Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
4-Bromofluorobenzene	O2SI	020135-03	2,500	**342387-39075**	**12/12/19**	**01/19/21**	20uL	2mL	Methanol	25

Injection Log

Directory: M:\MAX\DATA\M190324\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	3	0324M05.D	1	0.3ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 12:56
2	4	0324M06.D	1	0.5ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 13:25
3	5	0324M07.D	1	1.0ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 13:54
4	6	0324M08.D	1	2.0ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 14:22
5	7	0324M09.D	1	5.0ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 14:51
6	8	0324M10.D	1	10ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 15:19
7	9	0324M11.D	1	20ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 15:48
8	10	0324M12.D	1	40ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 16:17
9	11	0324M13.D	1	100ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 16:45
10	3	0401M04.D	1	20ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 10:31
11	4	0401M05.D	1	50ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 11:00
12	5	0401M06.D	1	100ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 11:28
13	6	0401M07.D	1	300ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 11:57
14	7	0401M08.D	1	600ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 12:25
15	8	0401M09.D	1	800ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 12:54
16	9	0401M10.D	1	1000ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 13:22
17	11	0401M12.D	1	(SS)300ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 14:19
18	2	0423M03.D	1	190423A CCV 300ug/L	IS,Surr 03/24/19	23 Apr 19 13:37
19	3	0423M04.D	1	190423A LCS 300ug/L	IS,Surr 03/24/19	23 Apr 19 14:05
20	4	0423M05.D	1	190423A LCSD 300ug/L	IS,Surr 03/24/19	23 Apr 19 14:34
21	6	0423M07.D	1	190423A blk	IS,Surr 03/24/19	23 Apr 19 15:31
22	7	0423M08.D	1	AZ89957W01	IS,Surr 03/24/19	23 Apr 19 15:59
23	8	0423M09.D	1	AZ89960W01	IS,Surr 03/24/19	23 Apr 19 16:27
24	9	0423M10.D	1	AZ89958W01	IS,Surr 03/24/19	23 Apr 19 16:56
25	10	0423M11.D	1	AZ89959W01	IS,Surr 03/24/19	23 Apr 19 17:24
26	11	0423M12.D	1	AZ89961W01	IS,Surr 03/24/19	23 Apr 19 17:53
27	12	0423M13.D	1	AZ89958W02 MS 300ug/L	IS,Surr 03/24/19	23 Apr 19 18:21
28	13	0423M14.D	1	AZ89958W03 MSD 300ug/L	IS,Surr 03/24/19	23 Apr 19 18:50
29	14	0423M15.D	1	Ending CCV 300ug/L	IS,Surr 03/24/19	23 Apr 19 19:18

ORGANICS
Calibration Data

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/23/19
Matrix: Instrument: Loki
Initials: DG/LP

			0423L04.D	0423L05.D	0423L06.D	0423L07.D	0423L08.D	0423L09.D	0423L10 D	0423L11.D	0423L12.D							
		Compound	1	2	3	4	5	6	7	8	9		Avg	%RSD	Type	r^2	Q	MRF
1	I	Fluorobenzene (IS)																
2	TM	Chlorotrifluoroethene													TM			
3	TM	Dichlorodifluoromethane		0.2404	0.2560	0.2809	0.1901	0.2291	0.2368	0.2481	0.2058		0.24	12	TM			
4	TM	Freon 114		0.2211	0.2146	0.2608	0.2058	0.2211	0.1987	0.2122	0.1606		0.21	13	TM			
5	TM**	Chloromethane		0.3887	0.3226	0.3463	0.2476	0.2966	0.2799	0.2921			0.31	15	TM**			
6	TM*	Vinyl chloride		0.3374	0.3062	0.3601	0.2366	0.2890	0.2837	0.2832	0.2486		0.29	14	TM*			
7	TM	2-Chloro-1,1,1-trifluoroethane													TM			
8	TML	Bromomethane		0.2312	0.2294	0.2200	0.1422	0.1770	0.1566	0.1672			0.19	20	TML	0.998		
9	TML	Chloroethane		0.1778	0.1635	0.1766	0.1183	0.1353	0.1291	0.1307			0.15	17	TML	0.999		
10	TM	Dichlorofluoromethane		0.4837	0.3958	0.4621	0.4000	0.4015	0.3685	0.3758	0.3057		0.40	14	TM			
11	TM	Trichlorofluoromethane		0.3956	0.3608	0.3811	0.2486	0.3165	0.3160	0.3259	0.2866		0.33	15	TM			
12	TM	Acrolein		0.0462	0.0421	0.0473	0.0428	0.0437	0.0397	0.0396	0.0296		0.04	13	TM			
13	TML	Acetone			0.1761	0.1499	0.1063	0.0850	0.0674	0.0626	0.0503		0.10	48	TML	0.993		
14	TM	Freon-113		0.1970	0.2078	0.2366	0.1838	0.2010	0.1824	0.1867	0.1480		0.19	13	TM			
15	TM*	1,1-DCE		0.2417	0.2101	0.2061	0.1813	0.1842	0.1679	0.1736			0.19	13	TM*			
16	TM	t-Butanol	0.0194	0.0177	0.0160	0.0178	0.0157	0.0160	0.0148	0.0148	0.0114		0.02	14	TM			
17	TM	2-Propanol													TM			
18	TM	Acetonitrile		0.0377	0.0343	0.0371	0.0334	0.0328	0.0297	0.0307	0.0227		0.03	15	TM			
19	TML	Methyl Acetate		0.3222	0.4458	0.3544	0.2156	0.1852	0.1634	0.1612			0.26	42	TML	0.998		
20	TM	Iodomethane			0.2567	0.3272	0.2581	0.2854	0.2695	0.2943	0.2476		0.28	10.0	TM			
21	TM	Acrylonitrile		0.0916	0.0771	0.0873	0.0742	0.0712	0.0632	0.0657			0.08	14	TM			
22	TML	Methylene chloride		0.6102	0.3919	0.3618	0.2597	0.2615	0.2273	0.2257			0.33	41	TML	0.999		
23	TM	Carbon disulfide		0.8486	0.7784	0.7667	0.6505	0.6713	0.5938	0.6106			0.70	14	TM			
24	TM	Methyl t-butyl ether (MtBE)		0.5221	0.4797	0.5338	0.4703	0.4842	0.4560	0.4898	0.4275		0.48	7.1	TM			
25	TM	Trans-1,2-DCE		0.2319	0.2185	0.2366	0.1887	0.2035	0.1786	0.1907	0.1540		0.20	14	TM			
26	TM	Diisopropyl Ether		0.5136	0.4681	0.5116	0.4402	0.4733	0.4445	0.5087	0.4683		0.48	6.2	TM			
27	TM**	2,2-Dichloro-1,1,1-trifluoroethane													TM**			
28	TM**	1,1-DCA		0.3862	0.4084	0.4204	0.3632	0.3794	0.3483	0.3497	0.2845		0.37	12	TM**			
29	TM	Vinyl Acetate		0.6550	0.5480	0.6352	0.5390	0.5403	0.4993	0.5425	0.4496		0.55	12	TM			
30	TM	Ethyl tert Butyl Ether		0.4123	0.4257	0.4528	0.3979	0.4195	0.4092	0.4650	0.4251		0.43	5.3	TM			
31	TML	MEK (2-Butanone)		0.1235	0.0983	0.1025	0.0807	0.0872	0.0752	0.0784			0.09	19	TML	0.999		
32	TM	Cis-1,2-DCE		0.2501	0.2098	0.2345	0.2011	0.2115	0.2009	0.2195	0.1845		0.21	9.7	TM			
33	TM	2,2-Dichloropropane		0.3799	0.3110	0.3413	0.2845	0.2884	0.2636	0.2714			0.31	14	TM			
34	TM	2-Methylpentane													TM			
35	TM	3-Methylpentane													TM			

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/23/19
Matrix: Instrument: Loki Initials:

		Compound	1	2	3	4	5	6	7	8	9		Avg	%RSD	Type		Q	MRF
36	TM*	Chloroform		0.4456	0.4017	0.4239	0.4030	0.4010	0.3609	0.3725	0.3008		0.39	11	TM*			
37	TM	Bromochloromethane		0.1545	0.1438	0.1545	0.1341	0.1312	0.1182	0.1230	0.0986		0.13	14	TM			
38	S	Dibromofluoromethane(S)	0.5019	0.5339	0.4329	0.4981	0.4768	0.4779	0.4426	0.4524	0.3706		0.47	10	S			
39	TM	1,1,1-TCA		0.3897	0.3451	0.3712	0.3058	0.3207	0.2975	0.2961	0.2398		0.32	15	TM			
40	TM	Cyclohexane		0.1223	0.1191	0.1331	0.1123	0.1264	0.1156	0.1294	0.1126		0.12	6.4	TM			
41	TM	1,1-Dichloropropene		0.2201	0.1942	0.2220	0.1962	0.2114	0.2003	0.2248	0.1996		0.21	6.0	TM			
42	TM	2,2,4-Trimethylpentane		0.3932	0.3866	0.4139	0.3759	0.4106	0.3952	0.4524	0.4024		0.40	5.7	TM			
43	S	1,2-DCA-D4(S)	0.5027	0.5608	0.4596	0.5151	0.5015	0.4904	0.4615	0.4744	0.3808		0.48	10	S			
44	TM	Carbon Tetrachloride		0.2917	0.2896	0.3307	0.2839	0.2912	0.2631	0.2805	0.2208		0.28	11	TM			
45	TM	Tert Amyl Methyl Ether		0.4129	0.3711	0.4554	0.4099	0.4498	0.4450	0.5140	0.4614		0.44	9.7	TM			
46	TM	Methylcyclopentane													TM			
47	TM	1,2-DCA		0.2836	0.3218	0.3197	0.2973	0.2942	0.2741	0.2718	0.2189		0.29	11	TM			
48	TM	Benzene		0.9200	0.7801	0.8583	0.7551	0.8087	0.7575	0.8014	0.6700		0.79	9.4	TM			
49	TM	TCE		0.2640	0.2204	0.2205	0.2058	0.2224	0.2033	0.2112	0.1765		0.22	11	TM			
50	TM	2-Pentanone		0.1164	0.1071	0.1268	0.1154	0.1260	0.1200	0.1275	0.1006		0.12	8.3	TM			
51	TM*	1,2-Dichloropropane		0.2706	0.2306	0.2552	0.2190	0.2289	0.2169	0.2222	0.1845		0.23	11	TM*			
52	TM	Bromodichloromethane		0.3378	0.3250	0.3681	0.3237	0.3190	0.2930	0.2989	0.2468		0.31	11	TM			
53	TM	Methyl Cyclohexane		0.2286	0.2105	0.2194	0.2156	0.2202	0.2059	0.2422	0.2260		0.22	5.1	TM			
54	TM	Dibromomethane		0.1901	0.1577	0.1713	0.1563	0.1610	0.1493	0.1510	0.1216		0.16	12	TM			
55	TM	2-Chloroethyl vinyl ether													TM			
56	TML	MIBK (methyl isobutyl ketone)		0.1792	0.1903	0.1635	0.1367	0.1367	0.1281	0.1429			0.15	16	TML	0.997		
57	TM	1-Bromo-2-chloroethane		0.3399	0.3360	0.3886	0.3471	0.3437	0.3113	0.3226	0.2625		0.33	11	TM			
58	TM	Cis-1,3-Dichloropropene		0.3182	0.2869	0.3458	0.2752	0.2981	0.2739	0.3002	0.2669		0.30	8.9	TM			
59	TM*	Toluene		0.8035	0.7700	0.7770	0.7766	0.8254	0.8281	0.8706	0.7485		0.80	5.0	TM*			
60	TM	Trans-1,3-Dichloropropene		0.2528	0.2523	0.2991	0.2672	0.2964	0.2773	0.2947	0.2525		0.27	7.6	TM			
61	TM	1,1,2-TCA		0.1946	0.1935	0.2221	0.1816	0.1950	0.1762	0.1790	0.1456		0.19	12	TM			
62	TM	2-Hexanone			0.1003	0.1224	0.0958	0.0974	0.0885	0.0938	0.0864		0.10	12	TM			
63	I	Chlorobenzene-D5 (IS)																
64	S	Toluene-D8(S)	1.571	1.674	1.454	1.555	1.673	1.807	1.860	2.040	1.738		1.7	10	S			
65	TM	1,2-EDB		0.2899	0.2403	0.2899	0.2500	0.2726	0.2550	0.2718	0.2175		0.26	9.6	TM			
66	TM	Tetrachloroethene		0.3229	0.2819	0.3105	0.2702	0.2900	0.2717	0.2910	0.2386		0.28	9.1	TM			
67	TM	1-Chlorohexane		0.2364	0.2330	0.2592	0.2169	0.2504	0.2531	0.2935	0.2743		0.25	9.6	TM			
68	TM	1,1,1,2-Tetrachloroethane		0.3193	0.2920	0.3479	0.2899	0.3122	0.2872	0.3028	0.2422		0.30	10	TM			
69	TML	m&p-Xylene		0.5656	0.5721	0.6298	0.5916	0.6886	0.7404	0.8894	0.7907		0.68	17	TML	0.997		
70	TM	o-Xylene		0.2635	0.2945	0.3407	0.2815	0.3380	0.3429	0.4116	0.3750		0.33	15	TM			

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/23/19
Matrix: Instrument: Loki Initials:

		Compound	1	2	3	4	5	6	7	8	9		Avg	%RSD	Type		Q	MRF
71	TML	Styrene		0.4973	0.4656	0.5419	0.4979	0.5721	0.6266	0.7645	0.6912		0.58	18	TML	0.997		
72	SL	4-Bromofluorobenzene(S)	0.4893	0.5506	0.4691	0.5014	0.5708	0.6465	0.6848	0.7610	0.6514		0.59	17	SL	0.990		
73	TM	1,3-Dichloropropane		0.4021	0.3901	0.4377	0.4041	0.4480	0.4138	0.4395	0.3607		0.41	7.1	TM			
74	TM	Dibromochloromethane		0.3593	0.3277	0.3103	0.3029	0.3206	0.3035	0.3158	0.2563		0.31	9.3	TM			
75	TM**	Chlorobenzene		0.7368	0.6718	0.7477	0.6793	0.7261	0.6929	0.7464	0.6223		0.70	6.3	TM**			
76	TM*	Ethylbenzene		0.9212	0.8042	0.9080	0.8326	0.9601	0.9575	1.131	1.0000		0.94	11	TM*			
77	TM**L	Bromoform		0.1329	0.2286	0.2603	0.2258	0.2259	0.2159	0.2262			0.22	18	TM**L	0.999		
78	I	1,4-Dichlorobenzene-D (IS)																
79	TM	Isopropylbenzene		1.567	1.368	1.487	1.249	1.371	1.317	1.558	1.438		1.4	8.0	TM			
80	TM**L	1,1,2,2-Tetrachloroethane		0.8841	0.7700	0.8647	0.6964	0.6698	0.5807	0.6090			0.72	16	TM**L	0.998		
81	TM	1,2,3-Trichloropropane		0.2131	0.1800	0.2224	0.1888	0.1956	0.1704	0.1771	0.1418		0.19	14	TM			
82	TM	t-1,4-Dichloro-2-Butene			0.1030	0.1345	0.1264	0.1170	0.1106	0.1114	0.0989		0.11	11	TM			
83	TM	Bromobenzene		0.6418	0.5319	0.5952	0.5280	0.5331	0.4946	0.5191	0.4366		0.54	12	TM			
84	TM	n-Propylbenzene		1.676	1.688	1.860	1.613	1.723	1.745	2.019	1.859		1.8	7.4	TM			
85	TM	4-Ethyltoluene		1.325	1.355	1.484	1.341	1.543	1.570	1.860	1.686		1.5	12	TM			
86	TM	2-Chlorotoluene		1.206	1.314	1.417	1.241	1.162	1.327	1.509	1.306		1.3	8.6	TM			
87	TM	1,3,5-Trimethylbenzene		1.154	1.107	1.255	1.124	1.302	1.370	1.582	1.382		1.3	13	TM			
88	TM	4-Chlorotoluene		1.337	1.159	1.359	1.217	1.410	1.418	1.573	1.348		1.4	9.4	TM			
89	TM	Tert-Butylbenzene		1.117	1.068	1.118	1.101	1.039	1.157	1.159	1.241		1.1	5.5	TM			
90	TM	1,2,4-Trimethylbenzene		1.407	1.069	1.261	1.050	1.237	1.242	1.500	1.387		1.3	12	TM			
91	TM	Sec-Butylbenzene		1.435	1.407	1.602	1.336	1.563	1.513	1.805	1.644		1.5	9.7	TM			
92	TM	p-Isopropyltoluene		1.459	1.224	1.338	1.140	1.325	1.320	1.580	1.468		1.4	10	TM			
93	TML	Benzyl Chloride		0.2257	0.2108	0.1960	0.1649	0.0935	0.1491	0.1580	0.1492		0.17	25	TML	0.998		
94	TM	1,3-DCB		1.025	0.8779	1.056	0.9237	1.040	0.9070	0.9892	0.8439		0.96	8.4	TM			
95	TM	1,4-DCB		1.179	1.170	1.237	1.022	1.106	0.9937	1.044	0.8709		1.1	11	TM			
96	TM	n-Butylbenzene		1.309	1.158	1.309	1.092	1.193	1.141	1.364	1.279		1.2	7.9	TM			
97	TM	1,2-DCB		1.160	1.025	1.219	0.9543	0.9882	0.8670	0.9615	0.8368		1.0	13	TM			
98	TML	Hexachloroethane		0.3089	0.2981	0.2409	0.1728	0.1128	0.1825	0.1929	0.1687		0.21	32	TML	0.995		
99	TML	1,2-Dibromo-3-chloropropane		0.1309	0.0819	0.1373	0.1121	0.1130	0.0971	0.1034	0.0883		0.11	18	TML	0.996		
100	TM	1,2,4-Trichlorobenzene		0.6753	0.6161	0.6143	0.5237	0.5204	0.5016	0.5752	0.5526		0.57	10	TM			
101	TML	Hexachlorobutadiene		0.4422	0.3333	0.4251	0.3666	0.3505	0.2889	0.3106	0.2786		0.35	17	TML	0.998		
102	TM	Naphthalene		1.531	1.222	1.356	1.072	1.068	1.035	1.234	1.294		1.2	14	TM			
103	TM	1,2,3-Trichlorobenzene		0.6689	0.6184	0.6710	0.5265	0.5594	0.5363	0.6234	0.5887		0.60	9.3	TM			
104																		
105																		

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L04.D
Acq On : 23 Apr 19 17:21
Sample : 0.3ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 3
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	6.02	96	444864	25.0000 ppb	0.00
63) Chlorobenzene-D5 (IS)	9.51	117	385600	25.0000 ppb	0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	167168	25.0000 ppb	0.00
System Monitoring Compounds					
38) Dibromofluoromethane(S)	5.15	111	44652	5.3938 ppb	0.00
Spiked Amount 25.000			Recovery	= 21.576%	
43) 1,2-DCA-D4(S)	5.57	65	44727	5.2043 ppb	0.00
Spiked Amount 25.000			Recovery	= 20.816%	
64) Toluene-D8(S)	7.91	98	121126	4.5981 ppb	0.00
Spiked Amount 25.000			Recovery	= 18.392%	
72) 4-Bromofluorobenzene(S)	10.81	95	37736	4.9923 ppb	0.00
Spiked Amount 25.000			Recovery	= 19.968%	
Target Compounds					Qvalue
3) Dichlorodifluoromethane	0.99	85	972	0.2316 ppb #	63
4) Freon 114	1.09	85	1373	0.3642 ppb #	70
5) Chloromethane	1.12	50	1720	0.3113 ppb #	62
6) Vinyl chloride	1.20	62	1510	0.2895 ppb #	78
8) Bromomethane	1.45	94	1265	0.3389 ppb #	80
9) Chloroethane	1.53	64	993	0.2556 ppb #	81
10) Dichlorofluoromethane	1.69	67	2452	0.3452 ppb	95
11) Trichlorofluoromethane	1.73	101	1746	0.2984 ppb	96
12) Acrolein	2.09	56	7980	10.8374 ppb #	99
13) Acetone	2.24	43	3472	-2.1578 ppb	97
14) Freon-113	2.20	101	970	0.2826 ppb #	60
15) 1,1-DCE	2.18	96	1345	0.3876 ppb	94
16) t-Butanol	2.88	59	3452	12.1631 ppb #	78
18) Acetonitrile	2.51	41	8438	14.6762 ppb #	79
19) Methyl Acetate	2.59	43	1534	-1.1737 ppb	98
20) Iodomethane	2.30	142	1357	0.2753 ppb	94
21) Acrylonitrile	2.97	52	738	0.5476 ppb #	56
22) Methylene chloride	2.67	84	3475	-0.1907 ppb	91
23) Carbon disulfide	2.36	76	4670	0.3734 ppb #	91
24) Methyl t-butyl ether (MtBE	3.03	73	2355	0.2740 ppb	91
25) Trans-1,2-DCE	3.00	96	1436	0.4029 ppb	82
26) Diisopropyl Ether	3.73	45	2563	0.3010 ppb	97
28) 1,1-DCA	3.54	63	2059	0.3148 ppb #	85
29) Vinyl Acetate	3.75	43	3295	0.3360 ppb #	65
30) Ethyl tert Butyl Ether	4.31	59	2289	0.3020 ppb #	71
31) MEK (2-Butanone)	4.52	43	914	0.2401 ppb #	48
32) Cis-1,2-DCE	4.45	96	1232	0.3235 ppb #	50
33) 2,2-Dichloropropane	4.42	77	1671	0.3072 ppb #	85
36) Chloroform	4.93	83	2313	0.3344 ppb #	72
37) Bromochloromethane	4.78	128	760	0.3230 ppb	80
39) 1,1,1-TCA	5.14	97	2023	0.3545 ppb #	70
40) Cyclohexane	5.20	41	909	0.4210 ppb	72
41) 1,1-Dichloropropene	5.37	75	1277	0.3440 ppb #	81
42) 2,2,4-Trimethylpentane	5.80	57	2079	0.2893 ppb	87
44) Carbon Tetrachloride	5.36	117	1306	0.2608 ppb #	55
45) Tert Amyl Methyl Ether	5.86	73	2291	0.2926 ppb #	89
47) 1,2-DCA	5.68	62	1437	0.2832 ppb #	69
48) Benzene	5.64	78	4997	0.3537 ppb #	94
49) TCE	6.47	130	1292	0.3369 ppb #	70

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L04.D Vial: 3
Acq On : 23 Apr 19 17:21 Operator: PM,DG,SV,CMM,KV
Sample : 0.3ug/L VOC STD 04/23/19 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
50)	2-Pentanone	6.75	43	23173	11.0862 ppb		90
51)	1,2-Dichloropropane	6.73	63	1298	0.3192 ppb	#	85
52)	Bromodichloromethane	7.09	83	1752	0.3135 ppb	#	80
53)	Methyl Cyclohexane	6.70	83	1206	0.3066 ppb		77
54)	Dibromomethane	6.86	93	661	0.2362 ppb	#	59
56)	MIBK (methyl isobutyl ket	7.83	43	1196	0.5497 ppb	#	70
57)	1-Bromo-2-chloroethane	7.42	63	1698	0.2879 ppb		93
58)	Cis-1,3-Dichloropropene	7.63	75	1614	0.3068 ppb	#	82
59)	Toluene	7.99	91	4379	0.3076 ppb		94
60)	Trans-1,3-Dichloropropene	8.27	75	1656	0.3396 ppb	#	83
61)	1,1,2-TCA	8.45	83	1119	0.3382 ppb		79
62)	2-Hexanone	8.79	43	784	0.4505 ppb	#	37
65)	1,2-EDB	8.99	107	1116	0.2774 ppb		96
66)	Tetrachloroethene	8.60	166	1487	0.3387 ppb		80
67)	1-Chlorohexane	9.51	91	2547	0.6550 ppb	#	1
68)	1,1,1,2-Tetrachloroethane	9.64	131	1289	0.2793 ppb	#	60
69)	m&p-Xylene	9.82	91	5543	1.1484 ppb		94
70)	o-Xylene	10.24	106	1433	0.2807 ppb	#	57
71)	Styrene	10.26	104	2184	0.7894 ppb		98
73)	1,3-Dichloropropane	8.63	76	1721	0.2708 ppb		97
74)	Dibromochloromethane	8.88	129	1250	0.2597 ppb		81
75)	Chlorobenzene	9.54	112	3316	0.3059 ppb		85
76)	Ethylbenzene	9.69	91	3658	0.2525 ppb		92
77)	Bromoform	10.44	173	1158	0.3759 ppb		85
79)	Isopropylbenzene	10.66	105	3218	0.3390 ppb		94
80)	1,1,2,2-Tetrachloroethane	10.98	83	1848	-0.0899 ppb	#	86
81)	1,2,3-Trichloropropane	11.01	110	321	0.2579 ppb	#	12
82)	t-1,4-Dichloro-2-Butene	11.06	53	102	0.1332 ppb	#	1
83)	Bromobenzene	10.96	156	982	0.2745 ppb		71
84)	n-Propylbenzene	11.11	91	3400	0.2868 ppb		89
85)	4-Ethyltoluene	11.24	105	3356	0.3301 ppb		99
86)	2-Chlorotoluene	11.30	91	2764	0.3155 ppb		97
87)	1,3,5-Trimethylbenzene	11.31	105	2359	0.2747 ppb	#	54
88)	4-Chlorotoluene	11.30	91	2764	0.3056 ppb		88
89)	Tert-Butylbenzene	11.66	119	2613	0.3473 ppb		92
90)	1,2,4-Trimethylbenzene	11.71	105	3123	0.3680 ppb		100
91)	Sec-Butylbenzene	11.90	105	3543	0.3445 ppb		96
92)	p-Isopropyltoluene	12.07	119	2957	0.3259 ppb	#	85
93)	Benzyl Chloride	12.26	91	532	0.6185 ppb	#	65
94)	1,3-DCB	12.00	146	2034	0.3176 ppb		90
95)	1,4-DCB	12.10	146	2723	0.3778 ppb		82
96)	n-Butylbenzene	12.50	91	2939	0.3571 ppb	#	87
97)	1,2-DCB	12.49	146	2289	0.3418 ppb		89
99)	1,2-Dibromo-3-chloropropan	13.33	75	44	-1.6146 ppb	#	56
100)	1,2,4-Trichlorobenzene	14.25	180	1666	0.4353 ppb	#	92
101)	Hexachlorobutadiene	14.45	225	955	-0.9003 ppb		89
102)	Naphthalene	14.51	128	3778	0.4606 ppb	#	88
103)	1,2,3-Trichlorobenzene	14.78	180	1521	0.3797 ppb	#	89

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\LOKI\DATA\190423\0423L04.D
Acq On : 23 Apr 19 17:21
Sample : 0.3ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 3
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019

Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L05.D Vial: 4
Acq On : 23 Apr 19 17:49 Operator: PM,DG,SV,CMM,KV
Sample : 0.5ug/L VOC STD 04/23/19 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	411200	25.0000	ppb		0.00
63) Chlorobenzene-D5 (IS)	9.51	117	347648	25.0000	ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	162368	25.0000	ppb		0.00
System Monitoring Compounds							
38) Dibromofluoromethane(S)	5.15	111	43904	5.7376	ppb		0.00
Spiked Amount 25.000			Recovery = 22.952%				
43) 1,2-DCA-D4(S)	5.57	65	46122	5.8059	ppb		0.00
Spiked Amount 25.000			Recovery = 23.224%				
64) Toluene-D8(S)	7.92	98	116414	4.9016	ppb		0.00
Spiked Amount 25.000			Recovery = 19.608%				
72) 4-Bromofluorobenzene(S)	10.81	95	38285	5.4406	ppb		0.00
Spiked Amount 25.000			Recovery = 21.764%				
Target Compounds							Qvalue
3) Dichlorodifluoromethane	1.00	85	1977	0.5095	ppb		94
4) Freon 114	1.09	85	1818	0.5218	ppb		85
5) Chloromethane	1.12	50	3197	0.6259	ppb		90
6) Vinyl chloride	1.20	62	2775	0.5756	ppb		100
8) Bromomethane	1.44	94	1901	0.6093	ppb		92
9) Chloroethane	1.52	64	1462	0.5109	ppb		96
10) Dichlorofluoromethane	1.69	67	3978	0.6059	ppb		96
11) Trichlorofluoromethane	1.73	101	3253	0.6014	ppb		85
12) Acrolein	2.09	56	19001	27.9172	ppb	#	98
13) Acetone	2.24	43	2606	-2.9132	ppb		95
14) Freon-113	2.19	101	1620	0.5105	ppb		89
15) 1,1-DCE	2.18	96	1988	0.6198	ppb	#	83
16) t-Butanol	2.89	59	7277	27.7397	ppb	#	75
18) Acetonitrile	2.52	41	15503	29.1718	ppb	#	74
19) Methyl Acetate	2.60	43	2650	-0.6875	ppb		94
20) Iodomethane	2.30	142	2394	0.5255	ppb		95
21) Acrylonitrile	2.96	52	753	0.6045	ppb		87
22) Methylene chloride	2.67	84	5018	0.3090	ppb		89
23) Carbon disulfide	2.36	76	6979	0.6037	ppb	#	84
24) Methyl t-butyl ether (MtBE	3.03	73	4294	0.5406	ppb	#	76
25) Trans-1,2-DCE	3.00	96	1907	0.5788	ppb	#	89
26) Diisopropyl Ether	3.74	45	4224	0.5366	ppb		92
28) 1,1-DCA	3.54	63	3176	0.5254	ppb		90
29) Vinyl Acetate	3.69	43	5387	0.5943	ppb	#	65
30) Ethyl tert Butyl Ether	4.32	59	3391	0.4840	ppb	#	80
31) MEK (2-Butanone)	4.52	43	1016	0.3752	ppb	#	48
32) Cis-1,2-DCE	4.44	96	2057	0.5844	ppb		78
33) 2,2-Dichloropropane	4.42	77	3124	0.6213	ppb	#	80
36) Chloroform	4.94	83	3665	0.5733	ppb		85
37) Bromochloromethane	4.77	128	1271	0.5843	ppb		91
39) 1,1,1-TCA	5.14	97	3205	0.6076	ppb		98
40) Cyclohexane	5.19	41	1006	0.5040	ppb	#	72
41) 1,1-Dichloropropene	5.38	75	1810	0.5276	ppb	#	87
42) 2,2,4-Trimethylpentane	5.80	57	3234	0.4869	ppb		88
44) Carbon Tetrachloride	5.36	117	2399	0.5182	ppb		91
45) Tert Amyl Methyl Ether	5.87	73	3396	0.4693	ppb	#	90
47) 1,2-DCA	5.67	62	2332	0.4972	ppb		98
48) Benzene	5.63	78	7566	0.5794	ppb		94
49) TCE	6.49	130	2171	0.6124	ppb	#	80

(#) = qualifier out of range (m) = manual integration

Data File : M:\LOKI\DATA\190423\0423L05.D
Acq On : 23 Apr 19 17:49
Sample : 0.5ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 4
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019

Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.76	43	47853	24.7677	ppb		99
51)	1,2-Dichloropropane	6.73	63	2225	0.5920	ppb	#	85
52)	Bromodichloromethane	7.08	83	2778	0.5378	ppb	#	91
53)	Methyl Cyclohexane	6.70	83	1880	0.5171	ppb		96
54)	Dibromomethane	6.87	93	1563	0.6042	ppb	#	75
56)	MIBK (methyl isobutyl ket	7.83	43	1474	0.7095	ppb	#	71
57)	1-Bromo-2-chloroethane	7.43	63	2795	0.5127	ppb		93
58)	Cis-1,3-Dichloropropene	7.62	75	2617	0.5382	ppb		92
59)	Toluene	7.99	91	6608	0.5022	ppb		91
60)	Trans-1,3-Dichloropropene	8.27	75	2079	0.4612	ppb		99
61)	1,1,2-TCA	8.45	83	1600	0.5232	ppb		78
62)	2-Hexanone	8.78	43	1193	0.7416	ppb	#	76
65)	1,2-EDB	8.98	107	2016	0.5557	ppb	#	80
66)	Tetrachloroethene	8.60	166	2245	0.5672	ppb		85
67)	1-Chlorohexane	9.56	91	1644	0.4689	ppb		92
68)	1,1,1,2-Tetrachloroethane	9.64	131	2220	0.5336	ppb	#	64
69)	m&p-Xylene	9.82	91	7865	1.4046	ppb		98
70)	o-Xylene	10.25	106	1832	0.3981	ppb		88
71)	Styrene	10.26	104	3458	0.9416	ppb		99
73)	1,3-Dichloropropane	8.63	76	2796	0.4880	ppb		99
74)	Dibromochloromethane	8.87	129	2498	0.5757	ppb	#	72
75)	Chlorobenzene	9.54	112	5123	0.5241	ppb		94
76)	Ethylbenzene	9.69	91	6405	0.4904	ppb		90
77)	Bromoform	10.44	173	924	0.3375	ppb		90
79)	Isopropylbenzene	10.66	105	5089	0.5520	ppb		100
80)	1,1,2,2-Tetrachloroethane	10.98	83	2871	0.1881	ppb		95
81)	1,2,3-Trichloropropane	11.01	110	692	0.5724	ppb	#	67
82)	t-1,4-Dichloro-2-Butene	11.04	53	162	0.2177	ppb	#	23
83)	Bromobenzene	10.96	156	2084	0.5997	ppb		76
84)	n-Propylbenzene	11.11	91	5441	0.4726	ppb		89
85)	4-Ethyltoluene	11.24	105	4303	0.4357	ppb		91
86)	2-Chlorotoluene	11.18	91	3917	0.4603	ppb		86
87)	1,3,5-Trimethylbenzene	11.31	105	3746	0.4490	ppb		99
88)	4-Chlorotoluene	11.30	91	4343	0.4944	ppb		95
89)	Tert-Butylbenzene	11.66	119	3628	0.4965	ppb	#	80
90)	1,2,4-Trimethylbenzene	11.71	105	4570	0.5545	ppb		92
91)	Sec-Butylbenzene	11.90	105	4659	0.4664	ppb		92
92)	p-Isopropyltoluene	12.06	119	4737	0.5376	ppb	#	90
93)	Benzyl Chloride	12.24	91	733	0.8403	ppb	#	65
94)	1,3-DCB	11.99	146	3329	0.5351	ppb		91
95)	1,4-DCB	12.09	146	3830	0.5471	ppb		93
96)	n-Butylbenzene	12.51	91	4251	0.5318	ppb	#	80
97)	1,2-DCB	12.49	146	3767	0.5791	ppb		96
98)	Hexachloroethane	12.78	117	1003	0.3900	ppb	#	80
99)	1,2-Dibromo-3-chloropropan	13.33	75	425	-0.9507	ppb	#	66
100)	1,2,4-Trichlorobenzene	14.25	180	2193	0.5899	ppb		86
101)	Hexachlorobutadiene	14.46	225	1436	-0.6189	ppb		95
102)	Naphthalene	14.51	128	4973	0.6242	ppb		95
103)	1,2,3-Trichlorobenzene	14.78	180	2172	0.5582	ppb		92

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\LOKI\DATA\190423\0423L05.D
Acq On : 23 Apr 19 17:49
Sample : 0.5ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 4
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019

Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L06.D Vial: 5
Acq On : 23 Apr 19 18:18 Operator: PM,DG,SV,CMM,KV
Sample : 1.0ug/L VOC STD 04/23/19 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	417024	25.0000 ppb		0.00
63) Chlorobenzene-D5 (IS)	9.51	117	348928	25.0000 ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	169344	25.0000 ppb		0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	72214	9.3055 ppb		0.00
Spiked Amount 25.000			Recovery	= 37.220%		
43) 1,2-DCA-D4(S)	5.57	65	76660	9.5154 ppb		0.00
Spiked Amount 25.000			Recovery	= 38.060%		
64) Toluene-D8(S)	7.92	98	202878	8.5109 ppb		0.00
Spiked Amount 25.000			Recovery	= 34.044%		
72) 4-Bromofluorobenzene(S)	10.81	95	65470	8.2742 ppb		0.00
Spiked Amount 25.000			Recovery	= 33.096%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	1.00	85	4270	1.0851 ppb		97
4) Freon 114	1.09	85	3579	1.0128 ppb		80
5) Chloromethane	1.12	50	5381	1.0388 ppb		100
6) Vinyl chloride	1.20	62	5107	1.0445 ppb	#	79
8) Bromomethane	1.44	94	3826	1.3010 ppb		98
9) Chloroethane	1.52	64	2727	1.0867 ppb		85
10) Dichlorofluoromethane	1.69	67	6602	0.9916 ppb		96
11) Trichlorofluoromethane	1.73	101	6018	1.0970 ppb		84
12) Acrolein	2.09	56	35139	50.9069 ppb	#	93
13) Acetone	2.25	43	2938	-2.5489 ppb		92
14) Freon-113	2.20	101	3467	1.0774 ppb		86
15) 1,1-DCE	2.18	96	3505	1.0776 ppb	#	74
16) t-Butanol	2.90	59	13349	50.1753 ppb		99
18) Acetonitrile	2.51	41	28590	53.0462 ppb		94
19) Methyl Acetate	2.60	43	7436	1.1604 ppb		87
20) Iodomethane	2.30	142	4282	0.9268 ppb		92
21) Acrylonitrile	2.96	52	1286	1.0179 ppb		95
22) Methylene chloride	2.67	84	6537	0.7040 ppb		100
23) Carbon disulfide	2.36	76	12985	1.1076 ppb		99
24) Methyl t-butyl ether (MtBE	3.02	73	8002	0.9933 ppb		95
25) Trans-1,2-DCE	2.99	96	3645	1.0908 ppb		83
26) Diisopropyl Ether	3.74	45	7809	0.9783 ppb	#	89
28) 1,1-DCA	3.54	63	6813	1.1114 ppb		93
29) Vinyl Acetate	3.69	43	9141	0.9943 ppb	#	65
30) Ethyl tert Butyl Ether	4.32	59	7101	0.9995 ppb		90
31) MEK (2-Butanone)	4.52	43	1639	0.8487 ppb	#	81
32) Cis-1,2-DCE	4.45	96	3500	0.9805 ppb		86
33) 2,2-Dichloropropane	4.42	77	5187	1.0172 ppb	#	86
36) Chloroform	4.93	83	6700	1.0334 ppb		87
37) Bromochloromethane	4.77	128	2399	1.0875 ppb		91
39) 1,1,1-TCA	5.14	97	5756	1.0759 ppb		93
40) Cyclohexane	5.21	41	1987	0.9816 ppb		88
41) 1,1-Dichloropropene	5.38	75	3240	0.9312 ppb		92
42) 2,2,4-Trimethylpentane	5.81	57	6449	0.9575 ppb	#	84
44) Carbon Tetrachloride	5.36	117	4831	1.0291 ppb		90
45) Tert Amyl Methyl Ether	5.86	73	6191	0.8436 ppb	#	92
47) 1,2-DCA	5.67	62	5368	1.1284 ppb		91
48) Benzene	5.64	78	13012	0.9826 ppb		93
49) TCE	6.48	130	3676	1.0225 ppb		89

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L06.D
Acq On : 23 Apr 19 18:18
Sample : 1.0ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
50)	2-Pentanone	6.76	43	89310	45.5794 ppb		97
51)	1,2-Dichloropropane	6.74	63	3847	1.0093 ppb	#	95
52)	Bromodichloromethane	7.08	83	5421	1.0349 ppb		90
53)	Methyl Cyclohexane	6.70	83	3511	0.9522 ppb		84
54)	Dibromomethane	6.87	93	2631	1.0028 ppb		83
56)	MIBK (methyl isobutyl ket	7.83	43	3175	1.4279 ppb	#	89
57)	1-Bromo-2-chloroethane	7.42	63	5604	1.0135 ppb		99
58)	Cis-1,3-Dichloropropene	7.63	75	4786	0.9705 ppb		87
59)	Toluene	7.99	91	12844	0.9625 ppb		94
60)	Trans-1,3-Dichloropropene	8.26	75	4209	0.9207 ppb		84
61)	1,1,2-TCA	8.45	83	3227	1.0404 ppb		96
62)	2-Hexanone	8.78	43	1673	1.0254 ppb		94
65)	1,2-EDB	8.99	107	3354	0.9212 ppb		89
66)	Tetrachloroethene	8.60	166	3935	0.9906 ppb		92
67)	1-Chlorohexane	9.56	91	3252	0.9242 ppb		95
68)	1,1,1,2-Tetrachloroethane	9.65	131	4076	0.9762 ppb		99
69)	m&p-Xylene	9.82	91	15969	2.1234 ppb		99
70)	o-Xylene	10.24	106	4110	0.8898 ppb		91
71)	Styrene	10.26	104	6499	1.2501 ppb		98
73)	1,3-Dichloropropane	8.64	76	5444	0.9467 ppb		100
74)	Dibromochloromethane	8.88	129	4574	1.0502 ppb		90
75)	Chlorobenzene	9.54	112	9376	0.9557 ppb		92
76)	Ethylbenzene	9.69	91	11225	0.8562 ppb		96
77)	Bromoform	10.44	173	3191	1.0595 ppb		96
79)	Isopropylbenzene	10.66	105	9268	0.9639 ppb		100
80)	1,1,2,2-Tetrachloroethane	10.98	83	5216	0.7384 ppb	#	94
81)	1,2,3-Trichloropropane	11.02	110	1219	0.9668 ppb		94
82)	t-1,4-Dichloro-2-Butene	11.05	53	698	0.8995 ppb	#	70
83)	Bromobenzene	10.96	156	3603	0.9941 ppb		85
84)	n-Propylbenzene	11.11	91	11435	0.9523 ppb		95
85)	4-Ethyltoluene	11.24	105	9176	0.8909 ppb		100
86)	2-Chlorotoluene	11.18	91	8902	1.0031 ppb		97
87)	1,3,5-Trimethylbenzene	11.30	105	7497	0.8617 ppb		82
88)	4-Chlorotoluene	11.30	91	7848	0.8566 ppb		97
89)	Tert-Butylbenzene	11.66	119	7232	0.9490 ppb	#	86
90)	1,2,4-Trimethylbenzene	11.71	105	7241	0.8424 ppb		93
91)	Sec-Butylbenzene	11.90	105	9528	0.9145 ppb		97
92)	p-Isopropyltoluene	12.06	119	8289	0.9019 ppb		94
93)	Benzyl Chloride	12.25	91	1428	1.4925 ppb	#	86
94)	1,3-DCB	11.99	146	5947	0.9165 ppb		86
95)	1,4-DCB	12.09	146	7926	1.0855 ppb	#	84
96)	n-Butylbenzene	12.51	91	7846	0.9411 ppb		93
97)	1,2-DCB	12.49	146	6945	1.0237 ppb		92
98)	Hexachloroethane	12.78	117	2019	1.2317 ppb		84
99)	1,2-Dibromo-3-chloropropan	13.33	75	555	-0.7647 ppb	#	55
100)	1,2,4-Trichlorobenzene	14.26	180	4173	1.0763 ppb		89
101)	Hexachlorobutadiene	14.46	225	2258	-0.2154 ppb		79
102)	Naphthalene	14.51	128	8279	0.9964 ppb		95
103)	1,2,3-Trichlorobenzene	14.77	180	4189	1.0323 ppb		97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LOKI\DATA\190423\0423L06.D Vial: 5
Acq On : 23 Apr 19 18:18 Operator: PM,DG,SV,CMM,KV
Sample : 1.0ug/L VOC STD 04/23/19 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L07.D Vial: 6
Acq On : 23 Apr 19 18:46 Operator: PM,DG,SV,CMM,KV
Sample : 2.0ug/L VOC STD 04/23/19 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	387392	25.0000 ppb		0.00
63) Chlorobenzene-D5 (IS)	9.52	117	331968	25.0000 ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	159744	25.0000 ppb		0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	77184	10.7067 ppb		0.00
Spiked Amount 25.000			Recovery = 42.828%			
43) 1,2-DCA-D4(S)	5.57	65	79820	10.6654 ppb		0.00
Spiked Amount 25.000			Recovery = 42.660%			
64) Toluene-D8(S)	7.92	98	206428	9.1022 ppb		0.00
Spiked Amount 25.000			Recovery = 36.408%			
72) 4-Bromofluorobenzene(S)	10.81	95	66575	8.7464 ppb		0.00
Spiked Amount 25.000			Recovery = 34.984%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	1.00	85	8703	2.3809 ppb		89
4) Freon 114	1.09	85	8081	2.4618 ppb		94
5) Chloromethane	1.12	50	10733	2.2305 ppb		97
6) Vinyl chloride	1.20	62	11160	2.4572 ppb		88
8) Bromomethane	1.44	94	6819	2.5817 ppb		99
9) Chloroethane	1.52	64	5474	2.5514 ppb		99
10) Dichlorofluoromethane	1.69	67	14322	2.3156 ppb		95
11) Trichlorofluoromethane	1.73	101	11812	2.3178 ppb		96
12) Acrolein	2.09	56	54938	85.6782 ppb	#	100
14) Freon-113	2.20	101	7331	2.4524 ppb		97
15) 1,1-DCE	2.18	96	6388	2.1142 ppb		98
16) t-Butanol	2.90	59	20673	83.6480 ppb		99
18) Acetonitrile	2.52	41	43170	86.2249 ppb		97
19) Methyl Acetate	2.60	43	10984	2.8681 ppb		97
20) Iodomethane	2.30	142	10141	2.3629 ppb	#	93
21) Acrylonitrile	2.97	52	2704	2.3041 ppb		93
22) Methylene chloride	2.67	84	11213	2.2138 ppb		94
23) Carbon disulfide	2.36	76	23761	2.1817 ppb		93
24) Methyl t-butyl ether (MtBE	3.03	73	16543	2.2107 ppb		95
25) Trans-1,2-DCE	3.00	96	7334	2.3627 ppb		95
26) Diisopropyl Ether	3.75	45	15855	2.1381 ppb	#	88
28) 1,1-DCA	3.55	63	13029	2.2879 ppb	#	95
29) Vinyl Acetate	3.69	43	19686	2.3052 ppb	#	79
30) Ethyl tert Butyl Ether	4.32	59	14033	2.1262 ppb		97
31) MEK (2-Butanone)	4.52	43	3178	2.2354 ppb		87
32) Cis-1,2-DCE	4.44	96	7267	2.1916 ppb		88
33) 2,2-Dichloropropane	4.43	77	10576	2.2326 ppb		97
36) Chloroform	4.94	83	13138	2.1814 ppb		96
37) Bromochloromethane	4.78	128	4788	2.3365 ppb		86
39) 1,1,1-TCA	5.14	97	11504	2.3148 ppb		95
40) Cyclohexane	5.21	41	4124	2.1932 ppb		94
41) 1,1-Dichloropropene	5.38	75	6880	2.1286 ppb		84
42) 2,2,4-Trimethylpentane	5.81	57	12828	2.0502 ppb		93
44) Carbon Tetrachloride	5.37	117	10248	2.3499 ppb		92
45) Tert Amyl Methyl Ether	5.87	73	14112	2.0701 ppb	#	94
47) 1,2-DCA	5.67	62	9909	2.2423 ppb		93
48) Benzene	5.63	78	26600	2.1623 ppb		96
49) TCE	6.48	130	6833	2.0461 ppb		96
50) 2-Pentanone	6.76	43	147388	80.9731 ppb		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L07.D
Acq On : 23 Apr 19 18:46
Sample : 2.0ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
51)	1,2-Dichloropropane	6.73	63	7910	2.2340	ppb	#	95
52)	Bromodichloromethane	7.09	83	11407	2.3442	ppb	#	95
53)	Methyl Cyclohexane	6.70	83	6801	1.9855	ppb		91
54)	Dibromomethane	6.87	93	5308	2.1780	ppb	#	72
56)	MIBK (methyl isobutyl ket	7.84	43	5068	2.4032	ppb	#	92
57)	1-Bromo-2-chloroethane	7.42	63	12044	2.3449	ppb		95
58)	Cis-1,3-Dichloropropene	7.62	75	10717	2.3393	ppb		94
59)	Toluene	7.99	91	24080	1.9426	ppb		94
60)	Trans-1,3-Dichloropropene	8.27	75	9268	2.1825	ppb		98
61)	1,1,2-TCA	8.46	83	6882	2.3886	ppb		87
62)	2-Hexanone	8.77	43	3793	2.5027	ppb		98
65)	1,2-EDB	8.98	107	7698	2.2223	ppb		90
66)	Tetrachloroethene	8.60	166	8247	2.1821	ppb		93
67)	1-Chlorohexane	9.56	91	6883	2.0560	ppb		97
68)	1,1,1,2-Tetrachloroethane	9.64	131	9238	2.3254	ppb		91
69)	m&p-Xylene	9.82	91	33450	3.8317	ppb		94
70)	o-Xylene	10.25	106	9047	2.0586	ppb		73
71)	Styrene	10.26	104	14391	2.1290	ppb		91
73)	1,3-Dichloropropane	8.63	76	11623	2.1246	ppb		91
74)	Dibromochloromethane	8.88	129	8242	1.9891	ppb		82
75)	Chlorobenzene	9.54	112	19858	2.1275	ppb		93
76)	Ethylbenzene	9.69	91	24114	1.9333	ppb		94
77)	Bromoform	10.44	173	6913	2.3592	ppb		99
79)	Isopropylbenzene	10.66	105	18999	2.0948	ppb		90
80)	1,1,2,2-Tetrachloroethane	10.98	83	11051	2.3482	ppb	#	93
81)	1,2,3-Trichloropropane	11.02	110	2842	2.3895	ppb		99
82)	t-1,4-Dichloro-2-Butene	11.04	53	1719	2.3485	ppb		96
83)	Bromobenzene	10.96	156	7607	2.2250	ppb		96
84)	n-Propylbenzene	11.11	91	23770	2.0984	ppb		100
85)	4-Ethyltoluene	11.24	105	18971	1.9526	ppb		96
86)	2-Chlorotoluene	11.18	91	18106	2.1628	ppb		99
87)	1,3,5-Trimethylbenzene	11.31	105	16042	1.9546	ppb		98
88)	4-Chlorotoluene	11.31	91	17369	2.0097	ppb		84
89)	Tert-Butylbenzene	11.66	119	14292	1.9880	ppb		95
90)	1,2,4-Trimethylbenzene	11.71	105	16112	1.9870	ppb		93
91)	Sec-Butylbenzene	11.90	105	20476	2.0835	ppb		96
92)	p-Isopropyltoluene	12.07	119	17102	1.9727	ppb		94
93)	Benzyl Chloride	12.25	91	2505	2.6991	ppb	#	85
94)	1,3-DCB	11.99	146	13495	2.2048	ppb		96
95)	1,4-DCB	12.09	146	15807	2.2950	ppb		97
96)	n-Butylbenzene	12.51	91	16732	2.1277	ppb		93
97)	1,2-DCB	12.49	146	15582	2.4349	ppb		93
98)	Hexachloroethane	12.78	117	3078	2.3078	ppb	#	73
99)	1,2-Dibromo-3-chloropropan	13.34	75	1755	1.4090	ppb	#	73
100)	1,2,4-Trichlorobenzene	14.25	180	7850	2.1463	ppb		83
101)	Hexachlorobutadiene	14.45	225	5433	1.6427	ppb	#	76
102)	Naphthalene	14.51	128	17330	2.2110	ppb		96
103)	1,2,3-Trichlorobenzene	14.78	180	8575	2.2401	ppb		94

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\LOKI\DATA\190423\0423L07.D
Acq On : 23 Apr 19 18:46
Sample : 2.0ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019

Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L08.D
Acq On : 23 Apr 19 19:15
Sample : 5.0ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	427648	25.0000 ppb		0.00
63) Chlorobenzene-D5 (IS)	9.51	117	358976	25.0000 ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	193344	25.0000 ppb		0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	203897	25.6214 ppb		0.00
Spiked Amount 25.000			Recovery = 102.484%			
43) 1,2-DCA-D4(S)	5.57	65	214477	25.9605 ppb		0.00
Spiked Amount 25.000			Recovery = 103.840%			
64) Toluene-D8(S)	7.92	98	600628	24.4915 ppb		0.00
Spiked Amount 25.000			Recovery = 97.968%			
72) 4-Bromofluorobenzene(S)	10.81	95	204888	22.2813 ppb		0.00
Spiked Amount 25.000			Recovery = 89.124%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	1.00	85	16262	4.0300 ppb		98
4) Freon 114	1.09	85	17604	4.8581 ppb		90
5) Chloromethane	1.12	50	21176	3.9865 ppb		98
6) Vinyl chloride	1.20	62	20240	4.0369 ppb		95
8) Bromomethane	1.44	94	12160	4.2278 ppb		89
9) Chloroethane	1.52	64	10119	4.3906 ppb		86
10) Dichlorofluoromethane	1.69	67	34213	5.0108 ppb		98
11) Trichlorofluoromethane	1.73	101	21264	3.7798 ppb		94
12) Acrolein	2.09	56	73217	103.4364 ppb	#	94
13) Acetone	2.25	43	9203	4.9039 ppb	#	81
14) Freon-113	2.20	101	15721	4.7640 ppb		92
15) 1,1-DCE	2.18	96	15510	4.6499 ppb		98
16) t-Butanol	2.90	59	26866	98.4734 ppb		95
18) Acetonitrile	2.52	41	57158	103.4170 ppb		99
19) Methyl Acetate	2.59	43	18443	5.2656 ppb		91
20) Iodomethane	2.30	142	22077	4.6597 ppb		99
21) Acrylonitrile	2.97	52	6343	4.8961 ppb		86
22) Methylene chloride	2.67	84	22210	4.8296 ppb		98
23) Carbon disulfide	2.36	76	55634	4.6275 ppb		100
24) Methyl t-butyl ether (MtBE	3.03	73	40225	4.8694 ppb		95
25) Trans-1,2-DCE	2.99	96	16141	4.7105 ppb		86
26) Diisopropyl Ether	3.74	45	37654	4.5998 ppb		96
28) 1,1-DCA	3.54	63	31066	4.9417 ppb		99
29) Vinyl Acetate	3.69	43	46097	4.8898 ppb		93
30) Ethyl tert Butyl Ether	4.32	59	34029	4.6706 ppb		94
31) MEK (2-Butanone)	4.52	43	6900	4.8089 ppb	#	80
32) Cis-1,2-DCE	4.44	96	17197	4.6980 ppb		95
33) 2,2-Dichloropropane	4.43	77	24330	4.6526 ppb		94
36) Chloroform	4.93	83	34469	5.1844 ppb		91
37) Bromochloromethane	4.77	128	11467	5.0690 ppb		92
39) 1,1,1-TCA	5.14	97	26152	4.7668 ppb		98
40) Cyclohexane	5.20	41	9602	4.6259 ppb		96
41) 1,1-Dichloropropene	5.38	75	16781	4.7031 ppb		99
42) 2,2,4-Trimethylpentane	5.81	57	32151	4.6548 ppb		97
44) Carbon Tetrachloride	5.36	117	24283	5.0440 ppb		98
45) Tert Amyl Methyl Ether	5.87	73	35062	4.6590 ppb		99
47) 1,2-DCA	5.67	62	25427	5.2123 ppb		98
48) Benzene	5.64	78	64581	4.7557 ppb		94
49) TCE	6.48	130	17599	4.7738 ppb		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L08.D
Acq On : 23 Apr 19 19:15
Sample : 5.0ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.76	43	197408	98.2444	ppb		98
51)	1,2-Dichloropropane	6.73	63	18732	4.7925	ppb		100
52)	Bromodichloromethane	7.09	83	27685	5.1539	ppb		90
53)	Methyl Cyclohexane	6.70	83	18439	4.8764	ppb		97
54)	Dibromomethane	6.87	93	13367	4.9684	ppb		86
56)	MIBK (methyl isobutyl ket	7.83	43	11692	4.9457	ppb		96
57)	1-Bromo-2-chloroethane	7.42	63	29691	5.2365	ppb		93
58)	Cis-1,3-Dichloropropene	7.62	75	23534	4.6535	ppb		97
59)	Toluene	7.99	91	66418	4.8537	ppb		99
60)	Trans-1,3-Dichloropropene	8.26	75	22857	4.8759	ppb		96
61)	1,1,2-TCA	8.46	83	15534	4.8839	ppb		92
62)	2-Hexanone	8.78	43	8194	4.8976	ppb		99
65)	1,2-EDB	8.98	107	17952	4.7926	ppb		89
66)	Tetrachloroethene	8.60	166	19402	4.7474	ppb		96
67)	1-Chlorohexane	9.56	91	15574	4.3021	ppb		95
68)	1,1,1,2-Tetrachloroethane	9.64	131	20810	4.8442	ppb		94
69)	m&p-Xylene	9.82	91	84944	8.0519	ppb		98
70)	o-Xylene	10.25	106	20208	4.2523	ppb		91
71)	Styrene	10.26	104	35748	4.1278	ppb		97
73)	1,3-Dichloropropane	8.63	76	29010	4.9038	ppb		87
74)	Dibromochloromethane	8.88	129	21744	4.8529	ppb		98
75)	Chlorobenzene	9.54	112	48770	4.8319	ppb		98
76)	Ethylbenzene	9.69	91	59779	4.4322	ppb		94
77)	Bromoform	10.44	173	16213	5.0681	ppb		97
79)	Isopropylbenzene	10.66	105	48295	4.3995	ppb		96
80)	1,1,2,2-Tetrachloroethane	10.99	83	26927	5.2882	ppb		89
81)	1,2,3-Trichloropropane	11.01	110	7300	5.0712	ppb		96
82)	t-1,4-Dichloro-2-Butene	11.05	53	4887	5.5163	ppb		83
83)	Bromobenzene	10.96	156	20419	4.9346	ppb		92
84)	n-Propylbenzene	11.11	91	62374	4.5495	ppb		96
85)	4-Ethyltoluene	11.24	105	51871	4.4110	ppb		99
86)	2-Chlorotoluene	11.18	91	47974	4.7346	ppb		97
87)	1,3,5-Trimethylbenzene	11.31	105	43459	4.3749	ppb		96
88)	4-Chlorotoluene	11.30	91	47047	4.4976	ppb		97
89)	Tert-Butylbenzene	11.66	119	42558	4.8911	ppb		94
90)	1,2,4-Trimethylbenzene	11.71	105	40615	4.1385	ppb		94
91)	Sec-Butylbenzene	11.90	105	51661	4.3431	ppb		95
92)	p-Isopropyltoluene	12.06	119	44071	4.2000	ppb		98
93)	Benzyl Chloride	12.24	91	6376	5.5783	ppb	#	87
94)	1,3-DCB	11.99	146	35719	4.8215	ppb		94
95)	1,4-DCB	12.09	146	39519	4.7406	ppb		96
96)	n-Butylbenzene	12.51	91	42218	4.4355	ppb		95
97)	1,2-DCB	12.49	146	36900	4.7640	ppb		100
98)	Hexachloroethane	12.78	117	6681	4.5472	ppb		91
99)	1,2-Dibromo-3-chloropropan	13.34	75	4335	4.6334	ppb		90
100)	1,2,4-Trichlorobenzene	14.25	180	20252	4.5750	ppb		97
101)	Hexachlorobutadiene	14.45	225	14175	5.1747	ppb		94
102)	Naphthalene	14.51	128	41440	4.3682	ppb		98
103)	1,2,3-Trichlorobenzene	14.78	180	20359	4.3943	ppb		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\LOKI\DATA\190423\0423L08.D
Acq On : 23 Apr 19 19:15
Sample : 5.0ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019

Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L09.D
Acq On : 23 Apr 19 19:44
Sample : 10ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 8
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	6.02	96	428928	25.0000 ppb	0.00
63) Chlorobenzene-D5 (IS)	9.51	117	351424	25.0000 ppb	0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	205184	25.0000 ppb	0.00
System Monitoring Compounds					
38) Dibromofluoromethane(S)	5.15	111	204994	25.6824 ppb	0.00
Spiked Amount 25.000			Recovery	= 102.728%	
43) 1,2-DCA-D4(S)	5.57	65	210328	25.3823 ppb	0.00
Spiked Amount 25.000			Recovery	= 101.528%	
64) Toluene-D8(S)	7.92	98	634971	26.4483 ppb	0.00
Spiked Amount 25.000			Recovery	= 105.792%	
72) 4-Bromofluorobenzene(S)	10.81	95	227196	25.0506 ppb	0.00
Spiked Amount 25.000			Recovery	= 100.204%	
Target Compounds					Qvalue
3) Dichlorodifluoromethane	1.00	85	19650	4.8551 ppb	100
4) Freon 114	1.09	85	37929	10.4359 ppb	100
5) Chloromethane	1.12	50	25440	4.7749 ppb	100
6) Vinyl chloride	1.20	62	24792	4.9300 ppb	100
8) Bromomethane	1.44	94	15188	5.2877 ppb	100
9) Chloroethane	1.52	64	11605	5.0455 ppb	100
10) Dichlorofluoromethane	1.69	67	68893	10.0599 ppb	100
11) Trichlorofluoromethane	1.73	101	27150	4.8117 ppb	100
12) Acrolein	2.09	56	93732	132.0236 ppb	100
13) Acetone	2.24	43	14580	11.3252 ppb	100
14) Freon-113	2.20	101	34489	10.4201 ppb	100
15) 1,1-DCE	2.18	96	31605	9.4470 ppb	100
16) t-Butanol	2.88	59	34233	125.1017 ppb	100
18) Acetonitrile	2.51	41	70399	126.9940 ppb	100
19) Methyl Acetate	2.59	43	31777	10.2897 ppb	100
20) Iodomethane	2.30	142	48959	10.3028 ppb	100
21) Acrylonitrile	2.97	52	12222	9.4058 ppb	100
22) Methylene chloride	2.67	84	44874	10.8239 ppb	100
23) Carbon disulfide	2.36	76	115168	9.5507 ppb	100
24) Methyl t-butyl ether (MtBE	3.03	73	83074	10.0264 ppb	100
25) Trans-1,2-DCE	2.99	96	34923	10.1614 ppb	100
26) Diisopropyl Ether	3.74	45	81198	9.8895 ppb	100
28) 1,1-DCA	3.54	63	65090	10.3230 ppb	100
29) Vinyl Acetate	3.69	43	92695	9.8033 ppb	100
30) Ethyl tert Butyl Ether	4.31	59	71969	9.8485 ppb	100
31) MEK (2-Butanone)	4.52	43	14968	10.8967 ppb	100
32) Cis-1,2-DCE	4.44	96	36285	9.8831 ppb	100
33) 2,2-Dichloropropane	4.42	77	49481	9.4340 ppb	100
36) Chloroform	4.93	83	68794	10.3163 ppb	100
37) Bromochloromethane	4.78	128	22517	9.9240 ppb	100
39) 1,1,1-TCA	5.14	97	55027	10.0000 ppb	100
40) Cyclohexane	5.21	41	21686	10.4163 ppb	100
41) 1,1-Dichloropropene	5.38	75	36266	10.1337 ppb	100
42) 2,2,4-Trimethylpentane	5.81	57	70439	10.1677 ppb	100
44) Carbon Tetrachloride	5.36	117	49960	10.3466 ppb	100
45) Tert Amyl Methyl Ether	5.87	73	77171	10.2238 ppb	100
47) 1,2-DCA	5.67	62	50484	10.3179 ppb	100
48) Benzene	5.64	78	138744	10.1864 ppb	100
49) TCE	6.48	130	38165	10.3215 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L09.D
Acq On : 23 Apr 19 19:44
Sample : 10ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 8
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
50)	2-Pentanone	6.75	43	270173	134.0562	ppb	100
51)	1,2-Dichloropropane	6.74	63	39270	10.0171	ppb	100
52)	Bromodichloromethane	7.09	83	54734	10.1591	ppb	100
53)	Methyl Cyclohexane	6.70	83	37777	9.9608	ppb	100
54)	Dibromomethane	6.87	93	27617	10.2344	ppb	100
56)	MIBK (methyl isobutyl ket	7.83	43	23455	9.8216	ppb	100
57)	1-Bromo-2-chloroethane	7.42	63	58970	10.3693	ppb	100
58)	Cis-1,3-Dichloropropene	7.62	75	51147	10.0834	ppb	100
59)	Toluene	7.99	91	141616	10.3181	ppb	100
60)	Trans-1,3-Dichloropropene	8.27	75	50860	10.8171	ppb	100
61)	1,1,2-TCA	8.45	83	33454	10.4866	ppb	100
62)	2-Hexanone	8.77	43	16705	9.9549	ppb	100
65)	1,2-EDB	8.98	107	38313	10.4482	ppb	100
66)	Tetrachloroethene	8.60	166	40772	10.1908	ppb	100
67)	1-Chlorohexane	9.56	91	35204	9.9336	ppb	100
68)	1,1,1,2-Tetrachloroethane	9.64	131	43891	10.4367	ppb	100
69)	m&p-Xylene	9.82	91	193590	17.8127	ppb	100
70)	o-Xylene	10.25	106	47514	10.2132	ppb	100
71)	Styrene	10.27	104	80423	8.7225	ppb	100
73)	1,3-Dichloropropane	8.64	76	62981	10.8750	ppb	100
74)	Dibromochloromethane	8.88	129	45065	10.2738	ppb	100
75)	Chlorobenzene	9.54	112	102073	10.3303	ppb	100
76)	Ethylbenzene	9.69	91	134959	10.2213	ppb	100
77)	Bromoform	10.44	173	31748	10.0957	ppb	100
79)	Isopropylbenzene	10.66	105	112524	9.6589	ppb	100
80)	1,1,2,2-Tetrachloroethane	10.98	83	54969	10.6838	ppb	100
81)	1,2,3-Trichloropropane	11.02	110	16050	10.5062	ppb	100
82)	t-1,4-Dichloro-2-Butene	11.05	53	9604	10.2152	ppb	100
83)	Bromobenzene	10.96	156	43756	9.9643	ppb	100
84)	n-Propylbenzene	11.11	91	141398	9.7182	ppb	100
85)	4-Ethyltoluene	11.24	105	126622	10.1463	ppb	100
86)	2-Chlorotoluene	11.18	91	95330	8.8654	ppb	100
87)	1,3,5-Trimethylbenzene	11.31	105	106900	10.1403	ppb	100
88)	4-Chlorotoluene	11.30	91	115734	10.4256	ppb	100
89)	Tert-Butylbenzene	11.66	119	85312	9.2390	ppb	100
90)	1,2,4-Trimethylbenzene	11.71	105	101495	9.7451	ppb	100
91)	Sec-Butylbenzene	11.90	105	128269	10.1613	ppb	100
92)	p-Isopropyltoluene	12.06	119	108770	9.7678	ppb	100
93)	Benzyl Chloride	12.25	91	7672	6.3130	ppb	100
94)	1,3-DCB	11.99	146	85389	10.8611	ppb	100
95)	1,4-DCB	12.09	146	90773	10.2606	ppb	100
96)	n-Butylbenzene	12.51	91	97900	9.6921	ppb	100
97)	1,2-DCB	12.49	146	81102	9.8665	ppb	100
98)	Hexachloroethane	12.78	117	9261	6.0972	ppb	100
99)	1,2-Dibromo-3-chloropropan	13.34	75	9278	11.0614	ppb	100
100)	1,2,4-Trichlorobenzene	14.25	180	42707	9.0910	ppb	100
101)	Hexachlorobutadiene	14.45	225	28763	11.1836	ppb	100
102)	Naphthalene	14.51	128	87671	8.7082	ppb	100
103)	1,2,3-Trichlorobenzene	14.78	180	45914	9.3382	ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\LOKI\DATA\190423\0423L09.D
Acq On : 23 Apr 19 19:44
Sample : 10ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 8
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019

Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L10.D Vial: 9
Acq On : 23 Apr 19 20:12 Operator: PM,DG,SV,CMM,KV
Sample : 20ug/L VOC STD 04/23/19 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	6.02	96	471616	25.0000 ppb	0.00
63) Chlorobenzene-D5 (IS)	9.51	117	381312	25.0000 ppb	0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	240320	25.0000 ppb	0.00
System Monitoring Compounds					
38) Dibromofluoromethane(S)	5.15	111	417499	47.5714 ppb	0.00
Spiked Amount 25.000			Recovery	= 190.284%	
43) 1,2-DCA-D4(S)	5.57	65	435264	47.7730 ppb	0.00
Spiked Amount 25.000			Recovery	= 191.092%	
64) Toluene-D8(S)	7.92	98	1418791	54.4645 ppb	0.00
Spiked Amount 25.000			Recovery	= 217.860%	
72) 4-Bromofluorobenzene(S)	10.81	95	522208	51.4836 ppb	0.00
Spiked Amount 25.000			Recovery	= 205.936%	
Target Compounds					Qvalue
3) Dichlorodifluoromethane	1.00	85	89333	20.0745 ppb	99
4) Freon 114	1.09	85	74952	18.7559 ppb	97
5) Chloromethane	1.12	50	105600	18.0262 ppb	100
6) Vinyl chloride	1.20	62	107032	19.3574 ppb	100
8) Bromomethane	1.43	94	59069	18.9400 ppb	97
9) Chloroethane	1.52	64	48696	19.7485 ppb	91
10) Dichlorofluoromethane	1.69	67	139044	18.4658 ppb	100
11) Trichlorofluoromethane	1.73	101	119211	19.2149 ppb	96
12) Acrolein	2.09	56	112290	143.8469 ppb	99
13) Acetone	2.24	43	25440	21.5972 ppb	97
14) Freon-113	2.20	101	68821	18.9107 ppb	94
15) 1,1-DCE	2.18	96	63332	17.2170 ppb	96
16) t-Butanol	2.89	59	41945	139.4101 ppb	97
18) Acetonitrile	2.51	41	83925	137.6905 ppb	93
19) Methyl Acetate	2.59	43	61658	19.4837 ppb	97
20) Iodomethane	2.30	142	101695	19.4634 ppb	99
21) Acrylonitrile	2.96	52	23835	16.6826 ppb	97
22) Methylene chloride	2.67	84	85761	19.6105 ppb	99
23) Carbon disulfide	2.36	76	224039	16.8976 ppb	98
24) Methyl t-butyl ether (MtBE	3.03	73	172044	18.8849 ppb	95
25) Trans-1,2-DCE	2.99	96	67383	17.8315 ppb	93
26) Diisopropyl Ether	3.74	45	167715	18.5780 ppb	98
28) 1,1-DCA	3.54	63	131394	18.9523 ppb	100
29) Vinyl Acetate	3.69	43	188391	18.1206 ppb	96
30) Ethyl tert Butyl Ether	4.32	59	154382	19.2140 ppb	98
31) MEK (2-Butanone)	4.51	43	28357	19.0837 ppb	97
32) Cis-1,2-DCE	4.44	96	75797	18.7765 ppb	95
33) 2,2-Dichloropropane	4.42	77	99441	17.2433 ppb	96
36) Chloroform	4.93	83	136156	18.5697 ppb	93
37) Bromochloromethane	4.77	128	44592	17.8743 ppb	93
39) 1,1,1-TCA	5.14	97	112232	18.5497 ppb	97
40) Cyclohexane	5.20	41	43598	19.0457 ppb	84
41) 1,1-Dichloropropene	5.38	75	75587	19.2093 ppb	99
42) 2,2,4-Trimethylpentane	5.81	57	149102	19.5744 ppb	96
44) Carbon Tetrachloride	5.36	117	99250	18.6941 ppb	98
45) Tert Amyl Methyl Ether	5.87	73	167902	20.2307 ppb	99
47) 1,2-DCA	5.67	62	103407	19.2214 ppb	99
48) Benzene	5.64	78	285812	19.0846 ppb	96
49) TCE	6.48	130	76705	18.8668 ppb	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L10.D
Acq On : 23 Apr 19 20:12
Sample : 20ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019

Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
50)	2-Pentanone	6.76	43	339434	153.1780 ppb	99
51)	1,2-Dichloropropane	6.74	63	81831	18.9843 ppb	99
52)	Bromodichloromethane	7.09	83	110528	18.6580 ppb	95
53)	Methyl Cyclohexane	6.70	83	77686	18.6297 ppb	98
54)	Dibromomethane	6.87	93	56328	18.9847 ppb	93
56)	MIBK (methyl isobutyl ket	7.83	43	48340	18.3484 ppb	95
57)	1-Bromo-2-chloroethane	7.42	63	117467	18.7858 ppb	99
58)	Cis-1,3-Dichloropropene	7.62	75	103339	18.5288 ppb	99
59)	Toluene	7.99	91	312440	20.7038 ppb	97
60)	Trans-1,3-Dichloropropene	8.26	75	104640	20.2408 ppb	100
61)	1,1,2-TCA	8.46	83	66476	18.9517 ppb	93
62)	2-Hexanone	8.78	43	33408	18.1065 ppb	95
65)	1,2-EDB	8.98	107	77779	19.5483 ppb	90
66)	Tetrachloroethene	8.60	166	82876	19.0909 ppb	97
67)	1-Chlorohexane	9.56	91	77213	20.0797 ppb	99
68)	1,1,1,2-Tetrachloroethane	9.65	131	87599	19.1972 ppb	99
69)	m&p-Xylene	9.82	91	451713	37.4980 ppb	98
70)	o-Xylene	10.25	106	104610	20.7235 ppb	97
71)	Styrene	10.26	104	191138	18.4054 ppb	99
73)	1,3-Dichloropropane	8.63	76	126230	20.0879 ppb	91
74)	Dibromochloromethane	8.88	129	92597	19.4554 ppb	96
75)	Chlorobenzene	9.54	112	211369	19.7149 ppb	97
76)	Ethylbenzene	9.69	91	292099	20.3885 ppb	98
77)	Bromoform	10.44	173	65847	19.2598 ppb	99
79)	Isopropylbenzene	10.66	105	253281	18.5627 ppb	100
80)	1,1,2,2-Tetrachloroethane	10.99	83	111651	18.9343 ppb	97
81)	1,2,3-Trichloropropane	11.02	110	32757	18.3075 ppb	79
82)	t-1,4-Dichloro-2-Butene	11.05	53	21257	19.3041 ppb	98
83)	Bromobenzene	10.96	156	95098	18.4898 ppb	95
84)	n-Propylbenzene	11.11	91	335461	19.6852 ppb	99
85)	4-Ethyltoluene	11.24	105	301829	20.6496 ppb	99
86)	2-Chlorotoluene	11.18	91	255217	20.2643 ppb	99
87)	1,3,5-Trimethylbenzene	11.31	105	263297	21.3242 ppb	99
88)	4-Chlorotoluene	11.31	91	272603	20.9664 ppb	97
89)	Tert-Butylbenzene	11.66	119	222400	20.5638 ppb	98
90)	1,2,4-Trimethylbenzene	11.71	105	238689	19.5671 ppb	95
91)	Sec-Butylbenzene	11.90	105	290818	19.6699 ppb	97
92)	p-Isopropyltoluene	12.07	119	253838	19.4624 ppb	98
93)	Benzyl Chloride	12.25	91	28659	19.9400 ppb	94
94)	1,3-DCB	11.99	146	174381	18.9377 ppb	95
95)	1,4-DCB	12.09	146	191040	18.4372 ppb	97
96)	n-Butylbenzene	12.51	91	219399	18.5449 ppb	99
97)	1,2-DCB	12.49	146	166690	17.3139 ppb	97
98)	Hexachloroethane	12.78	117	35096	20.8792 ppb	91
99)	1,2-Dibromo-3-chloropropan	13.34	75	18676	20.2241 ppb	91
100)	1,2,4-Trichlorobenzene	14.25	180	96430	17.5258 ppb	99
101)	Hexachlorobutadiene	14.45	225	55548	19.3577 ppb	91
102)	Naphthalene	14.51	128	199066	16.8819 ppb	98
103)	1,2,3-Trichlorobenzene	14.78	180	103104	17.9039 ppb	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\LOKI\DATA\190423\0423L10.D
Acq On : 23 Apr 19 20:12
Sample : 20ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019

Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L11.D Vial: 10
Acq On : 23 Apr 19 20:41 Operator: PM,DG,SV,CMM,KV
Sample : 40ug/L VOC STD 04/23/19 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	471616	25.0000 ppb		0.00
63) Chlorobenzene-D5 (IS)	9.51	117	370880	25.0000 ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	236800	25.0000 ppb		0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	426683	48.6178 ppb		0.00
Spiked Amount 25.000			Recovery = 194.472%			
43) 1,2-DCA-D4(S)	5.57	65	447460	49.1115 ppb		0.00
Spiked Amount 25.000			Recovery = 196.448%			
64) Toluene-D8(S)	7.92	98	1513267	59.7252 ppb		0.00
Spiked Amount 25.000			Recovery = 238.900%			
72) 4-Bromofluorobenzene(S)	10.81	95	564481	57.0591 ppb		0.00
Spiked Amount 25.000			Recovery = 228.236%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	1.00	85	186995	42.0207 ppb		98
4) Freon 114	1.09	85	160097	40.0625 ppb		97
5) Chloromethane	1.12	50	220390	37.6213 ppb		98
6) Vinyl chloride	1.20	62	213696	38.6482 ppb		100
8) Bromomethane	1.44	94	126143	40.5526 ppb		94
9) Chloroethane	1.52	64	98600	40.1664 ppb		99
10) Dichlorofluoromethane	1.69	67	283560	37.6583 ppb		99
11) Trichlorofluoromethane	1.73	101	245916	39.6377 ppb		96
12) Acrolein	2.09	56	130868	167.6459 ppb	#	98
13) Acetone	2.25	43	47218	45.3727 ppb		97
14) Freon-113	2.20	101	140885	38.7125 ppb		94
15) 1,1-DCE	2.18	96	130969	35.6043 ppb		97
16) t-Butanol	2.91	59	48763	162.0707 ppb		97
18) Acetonitrile	2.53	41	101471	166.4772 ppb		98
19) Methyl Acetate	2.60	43	121628	40.1199 ppb		98
20) Iodomethane	2.30	142	222060	42.5001 ppb		96
21) Acrylonitrile	2.97	52	49558	34.6867 ppb		89
22) Methylene chloride	2.67	84	170315	40.0092 ppb		96
23) Carbon disulfide	2.36	76	460712	34.7480 ppb		99
24) Methyl t-butyl ether (MtBE	3.03	73	369589	40.5689 ppb		93
25) Trans-1,2-DCE	3.00	96	143869	38.0720 ppb		97
26) Diisopropyl Ether	3.74	45	383882	42.5231 ppb		96
28) 1,1-DCA	3.54	63	263874	38.0612 ppb		98
29) Vinyl Acetate	3.69	43	409381	39.3767 ppb		96
30) Ethyl tert Butyl Ether	4.32	59	350856	43.6668 ppb		98
31) MEK (2-Butanone)	4.52	43	59123	40.2514 ppb		99
32) Cis-1,2-DCE	4.44	96	165652	41.0355 ppb		94
33) 2,2-Dichloropropane	4.42	77	204798	35.5125 ppb		99
36) Chloroform	4.93	83	281052	38.3315 ppb		93
37) Bromochloromethane	4.77	128	92838	37.2133 ppb		96
39) 1,1,1-TCA	5.14	97	223429	36.9282 ppb		96
40) Cyclohexane	5.21	41	97677	42.6699 ppb		78
41) 1,1-Dichloropropene	5.38	75	169656	43.1154 ppb		99
42) 2,2,4-Trimethylpentane	5.81	57	341376	44.8164 ppb		92
44) Carbon Tetrachloride	5.36	117	211676	39.8698 ppb		99
45) Tert Amyl Methyl Ether	5.87	73	387822	46.7292 ppb		96
47) 1,2-DCA	5.67	62	205080	38.1205 ppb		95
48) Benzene	5.63	78	604689	40.3771 ppb		96
49) TCE	6.48	130	159399	39.2066 ppb		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L11.D
Acq On : 23 Apr 19 20:41
Sample : 40ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 10
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.76	43	420868	189.9271	ppb		99
51)	1,2-Dichloropropane	6.74	63	167682	38.9013	ppb		99
52)	Bromodichloromethane	7.09	83	225545	38.0738	ppb		93
53)	Methyl Cyclohexane	6.70	83	182738	43.8219	ppb		99
54)	Dibromomethane	6.87	93	113944	38.4035	ppb		94
56)	MIBK (methyl isobutyl ket	7.83	43	107833	40.8437	ppb		95
57)	1-Bromo-2-chloroethane	7.42	63	243441	38.9321	ppb		95
58)	Cis-1,3-Dichloropropene	7.62	75	226500	40.6118	ppb		97
59)	Toluene	7.99	91	656957	43.5332	ppb		97
60)	Trans-1,3-Dichloropropene	8.27	75	222380	43.0156	ppb		96
61)	1,1,2-TCA	8.46	83	135107	38.5177	ppb		94
62)	2-Hexanone	8.78	43	70806	38.3756	ppb		92
65)	1,2-EDB	8.98	107	161263	41.6705	ppb		92
66)	Tetrachloroethene	8.60	166	172688	40.8984	ppb		97
67)	1-Chlorohexane	9.56	91	174163	46.5661	ppb		96
68)	1,1,1,2-Tetrachloroethane	9.64	131	179656	40.4787	ppb		98
69)	m&p-Xylene	9.82	91	1055517	89.1017	ppb		98
70)	o-Xylene	10.25	106	244267	49.7511	ppb		100
71)	Styrene	10.27	104	453673	44.0677	ppb		98
73)	1,3-Dichloropropane	8.63	76	260804	42.6710	ppb		91
74)	Dibromochloromethane	8.88	129	187382	40.4779	ppb		98
75)	Chlorobenzene	9.54	112	442946	42.4768	ppb		97
76)	Ethylbenzene	9.69	91	670978	48.1516	ppb		98
77)	Bromoform	10.44	173	134231	40.3203	ppb		99
79)	Isopropylbenzene	10.66	105	590123	43.8923	ppb		98
80)	1,1,2,2-Tetrachloroethane	10.99	83	230739	40.3189	ppb		93
81)	1,2,3-Trichloropropane	11.02	110	67084	38.0498	ppb		88
82)	t-1,4-Dichloro-2-Butene	11.05	53	42216	38.9074	ppb		93
83)	Bromobenzene	10.96	156	196661	38.8050	ppb		99
84)	n-Propylbenzene	11.11	91	764808	45.5469	ppb		99
85)	4-Ethyltoluene	11.24	105	704703	48.9288	ppb		100
86)	2-Chlorotoluene	11.18	91	571568	46.0572	ppb		97
87)	1,3,5-Trimethylbenzene	11.31	105	599508	49.2755	ppb		99
88)	4-Chlorotoluene	11.31	91	595991	46.5202	ppb		96
89)	Tert-Butylbenzene	11.66	119	439290	41.2219	ppb		97
90)	1,2,4-Trimethylbenzene	11.71	105	568255	47.2764	ppb		97
91)	Sec-Butylbenzene	11.90	105	683938	46.9469	ppb		98
92)	p-Isopropyltoluene	12.07	119	598627	46.5806	ppb		97
93)	Benzyl Chloride	12.25	91	59871	42.1761	ppb	#	89
94)	1,3-DCB	11.99	146	374769	41.3047	ppb		98
95)	1,4-DCB	12.09	146	395645	38.7511	ppb		98
96)	n-Butylbenzene	12.51	91	516750	44.3279	ppb		98
97)	1,2-DCB	12.49	146	364277	38.3994	ppb		97
98)	Hexachloroethane	12.78	117	73080	44.6962	ppb		90
99)	1,2-Dibromo-3-chloropropan	13.34	75	39186	44.9723	ppb	#	80
100)	1,2,4-Trichlorobenzene	14.25	180	217928	40.1963	ppb		99
101)	Hexachlorobutadiene	14.45	225	117690	43.2490	ppb		87
102)	Naphthalene	14.51	128	467716	40.2545	ppb		98
103)	1,2,3-Trichlorobenzene	14.78	180	236176	41.6213	ppb		98

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\LOKI\DATA\190423\0423L11.D
Acq On : 23 Apr 19 20:41
Sample : 40ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 10
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L12.D Vial: 11
Acq On : 23 Apr 19 21:09 Operator: PM,DG,SV,CMM,KV
Sample : 100ug/L VOC STD 04/23/19 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	538624	25.0000 ppb		0.00
63) Chlorobenzene-D5 (IS)	9.52	117	434048	25.0000 ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	273216	25.0000 ppb		0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	798423	79.6574 ppb		0.00
Spiked Amount 25.000			Recovery = 318.628%			
43) 1,2-DCA-D4(S)	5.57	65	820456	78.8474 ppb		0.00
Spiked Amount 25.000			Recovery = 315.388%			
64) Toluene-D8(S)	7.92	98	3016723	101.7357 ppb		0.00
Spiked Amount 25.000			Recovery = 406.944%			
72) 4-Bromofluorobenzene(S)	10.81	95	1130913	96.6720 ppb		0.00
Spiked Amount 25.000			Recovery = 386.688%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	1.00	85	443043	87.1729 ppb		100
4) Freon 114	1.09	85	346000	75.8113 ppb		94
5) Chloromethane	1.12	50	541809	80.9824 ppb		98
6) Vinyl chloride	1.20	62	535616	84.8183 ppb		99
8) Bromomethane	1.43	94	274468	77.3436 ppb		95
9) Chloroethane	1.51	64	228096	81.5387 ppb		94
10) Dichlorofluoromethane	1.69	67	658654	76.5907 ppb		100
11) Trichlorofluoromethane	1.73	101	617426	87.1383 ppb		95
12) Acrolein	2.09	56	143484	160.9407 ppb	#	97
13) Acetone	2.25	43	108444	97.4860 ppb		96
14) Freon-113	2.20	101	318867	76.7183 ppb		95
15) 1,1-DCE	2.18	96	296825	70.6541 ppb		96
16) t-Butanol	2.90	59	55220	160.6990 ppb		100
18) Acetonitrile	2.52	41	110137	158.2154 ppb		92
19) Methyl Acetate	2.60	43	282996	83.5333 ppb		100
20) Iodomethane	2.30	142	533387	89.3850 ppb		97
21) Acrylonitrile	2.97	52	115817	70.9781 ppb		90
22) Methylene chloride	2.67	84	383307	79.8895 ppb		98
23) Carbon disulfide	2.36	76	1060955	70.0648 ppb		100
24) Methyl t-butyl ether (MtBE	3.03	73	920961	88.5152 ppb		92
25) Trans-1,2-DCE	3.00	96	331696	76.8566 ppb		94
26) Diisopropyl Ether	3.75	45	1008869	97.8509 ppb		99
28) 1,1-DCA	3.55	63	612930	77.4104 ppb		98
29) Vinyl Acetate	3.69	43	968621	81.5772 ppb		95
30) Ethyl tert Butyl Ether	4.32	59	915792	99.7980 ppb		97
31) MEK (2-Butanone)	4.52	43	143488	86.0148 ppb		91
32) Cis-1,2-DCE	4.44	96	397503	86.2196 ppb		96
33) 2,2-Dichloropropane	4.42	77	470779	71.4784 ppb		99
36) Chloroform	4.93	83	648154	77.4016 ppb		97
37) Bromochloromethane	4.77	128	212366	74.5350 ppb		95
39) 1,1,1-TCA	5.14	97	516582	74.7586 ppb		98
40) Cyclohexane	5.21	41	242568	92.7825 ppb		74
41) 1,1-Dichloropropene	5.38	75	430101	95.7055 ppb		96
42) 2,2,4-Trimethylpentane	5.81	57	867060	99.6680 ppb		88
44) Carbon Tetrachloride	5.36	117	475731	78.4580 ppb		100
45) Tert Amyl Methyl Ether	5.87	73	994094	104.8784 ppb		93
47) 1,2-DCA	5.67	62	471699	76.7721 ppb		97
48) Benzene	5.64	78	1443457	84.3937 ppb		96
49) TCE	6.48	130	380338	81.9118 ppb		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L12.D
Acq On : 23 Apr 19 21:09
Sample : 100ug/L VOC STD 04/23/19
Misc : ISS 3/5/19, 2/11/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.76	43	487820	192.7540	ppb		100
51)	1,2-Dichloropropane	6.74	63	397590	80.7637	ppb		100
52)	Bromodichloromethane	7.09	83	531661	78.5834	ppb		93
53)	Methyl Cyclohexane	6.70	83	486970	102.2509	ppb		90
54)	Dibromomethane	6.87	93	262063	77.3372	ppb		95
56)	MIBK (methyl isobutyl ket	7.83	43	275642	91.3289	ppb		96
57)	1-Bromo-2-chloroethane	7.42	63	565510	79.1875	ppb		96
58)	Cis-1,3-Dichloropropene	7.62	75	575000	90.2723	ppb		96
59)	Toluene	7.99	91	1612664	93.5687	ppb		98
60)	Trans-1,3-Dichloropropene	8.27	75	543921	92.1232	ppb		97
61)	1,1,2-TCA	8.46	83	313671	78.2997	ppb		97
62)	2-Hexanone	8.78	43	186174	88.3501	ppb	#	87
65)	1,2-EDB	8.98	107	377547	83.3606	ppb		91
66)	Tetrachloroethene	8.60	166	414269	83.8345	ppb		96
67)	1-Chlorohexane	9.56	91	476233	108.8001	ppb		91
68)	1,1,1,2-Tetrachloroethane	9.64	131	420502	80.9560	ppb		99
69)	m&p-Xylene	9.82	91	2745511	197.1759	ppb		98
70)	o-Xylene	10.25	106	651045	113.3037	ppb		97
71)	Styrene	10.26	104	1199977	98.8559	ppb		100
73)	1,3-Dichloropropane	8.63	76	626212	87.5459	ppb		91
74)	Dibromochloromethane	8.88	129	444901	82.1200	ppb		100
75)	Chlorobenzene	9.54	112	1080371	88.5257	ppb		97
76)	Ethylbenzene	9.69	91	1736145	106.4595	ppb		98
77)	Bromoform	10.44	173	314278	80.6223	ppb		100
79)	Isopropylbenzene	10.66	105	1572041	101.3411	ppb		98
80)	1,1,2,2-Tetrachloroethane	10.99	83	531171	80.9957	ppb		97
81)	1,2,3-Trichloropropane	11.02	110	155019	76.2069	ppb		85
82)	t-1,4-Dichloro-2-Butene	11.05	53	108108	86.3551	ppb		99
83)	Bromobenzene	10.96	156	477104	81.5939	ppb		99
84)	n-Propylbenzene	11.11	91	2031833	104.8744	ppb		100
85)	4-Ethyltoluene	11.24	105	1842651	110.8861	ppb		99
86)	2-Chlorotoluene	11.18	91	1427242	99.6789	ppb		98
87)	1,3,5-Trimethylbenzene	11.31	105	1510246	107.5868	ppb		99
88)	4-Chlorotoluene	11.31	91	1472784	99.6360	ppb		96
89)	Tert-Butylbenzene	11.66	119	1356375	110.3143	ppb		97
90)	1,2,4-Trimethylbenzene	11.71	105	1515298	109.2635	ppb		95
91)	Sec-Butylbenzene	11.90	105	1796797	106.8968	ppb		98
92)	p-Isopropyltoluene	12.06	119	1604668	108.2205	ppb		97
93)	Benzyl Chloride	12.25	91	163100	99.4608	ppb	#	92
94)	1,3-DCB	11.99	146	922251	88.0968	ppb		99
95)	1,4-DCB	12.09	146	951781	80.7962	ppb		98
96)	n-Butylbenzene	12.51	91	1398298	103.9615	ppb		97
97)	1,2-DCB	12.49	146	914479	83.5492	ppb		98
98)	Hexachloroethane	12.78	117	184384	98.3507	ppb		91
99)	1,2-Dibromo-3-chloropropan	13.34	75	96511	97.9152	ppb	#	83
100)	1,2,4-Trichlorobenzene	14.25	180	603884	96.5389	ppb		99
101)	Hexachlorobutadiene	14.45	225	304459	98.7267	ppb		90
102)	Naphthalene	14.51	128	1414024	105.4787	ppb		97
103)	1,2,3-Trichlorobenzene	14.78	180	643416	98.2761	ppb		98


(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\LOKI\DATA\190423\0423L12.D Vial: 11
Acq On : 23 Apr 19 21:09 Operator: PM,DG,SV,CMM,KV
Sample : 100ug/L VOC STD 04/23/19 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00


Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration







Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019




Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019



Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019



Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019



Method Name: M:\LOKI\DATA\190423\L0423W.M
Calibration Table Last Updated: Wed Apr 24 08:19:06 2019

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/23/19
Instrument: Loki
Initial Cal. Date: 04/23/19
Data File: 0423L15.D

		Compound	MEAN	CCRF	%D		%Drift	
1	TM	Dichlorodifluoromethane	0.2359	0.2684	14	TM		
2	TM	Freon 114	0.2118	0.2345	11	TM		
3	TM**	Chloromethane	0.3105	0.3403	9.6	TM**		
4	TM*	Vinyl chloride	0.2931	0.3451	18	TM*		
5	TML	Bromomethane	0.1891	0.1981	4.8	TML	19	
6	TML	Chloroethane	0.1473	0.1553	5.4	TML	18	
7	TM	Dichlorofluoromethane	0.3991	0.4322	8.3	TM		
8	TM	Trichlorofluoromethane	0.3289	0.3587	9.1	TM		
9	TM	Acrolein	0.0414	0.0402	2.8	TM		
10	TML	Acetone	0.0997	0.0757	24	TML	5.8	
11	TM	Freon-113	0.1929	0.1993	3.3	TM		
12	TM*	1,1-DCE	0.1950	0.1932	0.92	TM*		
13	TM	t-Butanol	0.0159	0.0146	8.5	TM		
14	TM	2-Propanol	0.0000	0.0079	0.00	TM		
15	TM	Acetonitrile	0.0323	0.0327	1.4	TM		
16	TML	Methyl Acetate	0.2640	0.1994	24	TML	12	
17	TM	Iodomethane	0.2770	0.3524	27	TM		*NT
18	TM	Acrylonitrile	0.0757	0.0719	5.1	TM		
19	TML	Methylene chloride	0.3340	0.2460	26	TML	1.2	
20	TM	Carbon disulfide	0.7028	0.7014	0.20	TM		
21	TM	Methyl t-butyl ether (MtBE)	0.4829	0.5008	3.7	TM		
22	TM	Trans-1,2-DCE	0.2003	0.2067	3.2	TM		
23	TM	Diisopropyl Ether	0.4785	0.4931	3.0	TM		
24	TM**	2,2-Dichloro-1,1,1-trifluoroethane	0.0000	0.0140	0.00	TM**		
25	TM**	1,1-DCA	0.3675	0.3892	5.9	TM**		
26	TM	Vinyl Acetate	0.5511	0.5390	2.2	TM		
27	TM	Ethyl tert Butyl Ether	0.4259	0.4564	7.1	TM		
28	TML	MEK (2-Butanone)	0.0923	0.0898	2.6	TML	12	
29	TM	Cis-1,2-DCE	0.2140	0.2288	6.9	TM		
30	TM	2,2-Dichloropropane	0.3057	0.2782	9.0	TM		
31	TM	2-Methylpentane	0.0000	0.0005	0.00	TM		
32	TM	3-Methylpentane	0.0000	0.1205	0.00	TM		
33	TM*	Chloroform	0.3887	0.4044	4.1	TM*		
34	TM	Bromochloromethane	0.1322	0.1306	1.2	TM		
35	TM	1,1,1-TCA	0.3207	0.3301	2.9	TM		
36	TM	Cyclohexane	0.1213	0.1289	6.2	TM		
37	TM	1,1-Dichloropropene	0.2086	0.2224	6.6	TM		
38	TM	2,2,4-Trimethylpentane	0.4038	0.4224	4.6	TM		
39	TM	Carbon Tetrachloride	0.2814	0.3092	9.9	TM		
40	TM	Tert Amyl Methyl Ether	0.4399	0.4616	4.9	TM		
		Average			7.2			

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/23/19
Instrument: Loki
Cal. Date: 04/23/19
Data File: 0423L15.D

		Compound	MEAN	CCRF	%D		%Drift
41	TM	Methylcyclopentane	0.0000	0.0467	0.00	TM	
42	TM	1,2-DCA	0.2852	0.3035	6.4	TM	
43	TM	Benzene	0.7939	0.8461	6.6	TM	
44	TM	TCE	0.2155	0.2259	4.8	TM	
45	TM	2-Pentanone	0.1175	0.1212	3.1	TM	
46	TM*	1,2-Dichloropropane	0.2285	0.2420	5.9	TM*	
47	TM	Bromodichloromethane	0.3140	0.3317	5.6	TM	
48	TM	Methyl Cyclohexane	0.2210	0.2271	2.7	TM	
49	TM	Dibromomethane	0.1573	0.1627	3.5	TM	
50	TML	MIBK (methyl isobutyl ketone)	0.1539	0.1431	7.0	TML	2.8
51	TM	1-Bromo-2-chloroethane	0.3315	0.3591	8.3	TM	
52	TM	Cis-1,3-Dichloropropene	0.2956	0.3050	3.2	TM	
53	TM*	Toluene	0.8000	0.8835	10	TM*	
54	TM	Trans-1,3-Dichloropropene	0.2740	0.2906	6.0	TM	
55	TM	1,1,2-TCA	0.1859	0.2004	7.8	TM	
56	TM	2-Hexanone	0.0978	0.0948	3.1	TM	
57	TM	1,2-EDB	0:2609	0.2579	1.1	TM	
58	TM	Tetrachloroethene	0.2846	0.2777	2.4	TM	
59	TM	1-Chlorohexane	0.2521	0.2550	1.1	TM	
60	TM	1,1,1,2-Tetrachloroethane	0.2992	0.3040	1.6	TM	
61	TML	m&p-Xylene	0.6835	0.6946	1.6	TML	10
62	TM	o-Xylene	0.3310	0.3350	1.2	TM	
63	TML	Styrene	0.5821	0.5753	1.2	TML	12
64	TM	1,3-Dichloropropane	0.4120	0.4220	2.4	TM	
65	TM	Dibromochloromethane	0.3120	0.2980	4.5	TM	
66	TM**	Chlorobenzene	0.7029	0.7166	1.9	TM**	
67	TM*	Ethylbenzene	0.9393	0.9398	0.06	TM*	
68	TM**L	Bromoform	0.2165	0.2253	4.0	TM**L	0.69
69	TM	Isopropylbenzene	1.419	1.401	1.3	TM	
70	TM**L	1,1,2,2-Tetrachloroethane	0.7250	0.6360	12	TM**L	1.2
71	TM	1,2,3-Trichloropropane	0.1861	0.1878	0.91	TM	
72	TM	t-1,4-Dichloro-2-Butene	0.1146	0.1092	4.7	TM	
73	TM	Bromobenzene	0.5350	0.5446	1.8	TM	
74	TM	n-Propylbenzene	1.773	1.814	2.3	TM	
75	TM	4-Ethyltoluene	1.521	1.612	6.0	TM	
76	TM	2-Chlorotoluene	1.310	1.237	5.6	TM	
77	TM	1,3,5-Trimethylbenzene	1.284	1.317	2.6	TM	
78	TM	4-Chlorotoluene	1.353	1.430	5.7	TM	
79	TM	Tert-Butylbenzene	1.125	1.205	7.1	TM	
80	TM	1,2,4-Trimethylbenzene	1.269	1.253	1.3	TM	
		Average			4.0		

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/23/19
Instrument: Loki
Cal. Date: 04/23/19
Data File: 0423L15.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	Sec-Butylbenzene	1.538	1.563	1.6	TM	
82	TM	p-Isopropyltoluene	1.357	1.384	2.0	TM	
83	TML	Benzyl Chloride	0.1684	0.1588	5.7	TML	6.6
84	TM	1,3-DCB	0.9579	1.024	6.9	TM	
85	TM	1,4-DCB	1.078	1.081	0.32	TM	
86	TM	n-Butylbenzene	1.231	1.214	1.3	TM	
87	TM	1,2-DCB	1.002	0.9795	2.2	TM	
88	TML	Hexachloroethane	0.2097	0.2085	0.58	TML	17
89	TML	1,2-Dibromo-3-chloropropane	0.1080	0.1041	3.6	TML	0.57
90	TM	1,2,4-Trichlorobenzene	0.5724	0.5579	2.5	TM	
91	TML	Hexachlorobutadiene	0.3495	0.3315	5.2	TML	5.0
92	TM	Naphthalene	1.227	1.061	14	TM	
93	TM	1,2,3-Trichlorobenzene	0.5991	0.5774	3.6	TM	
94							
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			3.8		

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L15.D Vial: 14
Acq On : 23 Apr 19 22:35 Operator: PM,DG,SV,CMM,KV
Sample : (SS)10ug/L VOC STD 04/19/23 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	444224	25.0000 ppb		0.00
63) Chlorobenzene-D5 (IS)	9.51	117	385024	25.0000 ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	218816	25.0000 ppb		0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	215061	26.0159 ppb		0.00
Spiked Amount 25.000			Recovery = 104.064%			
43) 1,2-DCA-D4(S)	5.57	65	220929	25.7436 ppb		0.00
Spiked Amount 25.000			Recovery = 102.976%			
64) Toluene-D8(S)	7.92	98	688078	26.1593 ppb		0.00
Spiked Amount 25.000			Recovery = 104.636%			
72) 4-Bromofluorobenzene(S)	10.81	95	248261	24.9881 ppb		0.00
Spiked Amount 25.000			Recovery = 99.952%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	1.00	85	47693	11.3782 ppb		99
4) Freon 114	1.09	85	41663	11.0686 ppb		96
5) Chloromethane	1.12	50	60472	10.9593 ppb		99
6) Vinyl chloride	1.20	62	61312	11.7724 ppb		99
8) Bromomethane	1.45	94	35197	11.9473 ppb		92
9) Chloroethane	1.52	64	27600	11.8135 ppb		97
10) Dichlorofluoromethane	1.69	67	76805	10.8291 ppb		97
11) Trichlorofluoromethane	1.73	101	63737	10.9069 ppb		95
12) Acrolein	2.09	56	89295	121.4432 ppb	#	94
13) Acetone	2.25	43	13458	9.4221 ppb		94
14) Freon-113	2.20	101	35412	10.3306 ppb		94
15) 1,1-DCE	2.18	96	34328	9.9076 ppb		94
16) t-Butanol	2.92	59	32427	114.4214 ppb		99
18) Acetonitrile	2.53	41	72737	126.6936 ppb		94
19) Methyl Acetate	2.60	43	35433	11.2113 ppb		100
20) Iodomethane	2.30	142	62623	12.7245 ppb		98
21) Acrylonitrile	2.97	52	12773	9.4914 ppb		99
22) Methylene chloride	2.67	84	43718	10.1179 ppb		87
23) Carbon disulfide	2.36	76	124630	9.9795 ppb		97
24) Methyl t-butyl ether (MtBE	3.03	73	88990	10.3705 ppb		96
25) Trans-1,2-DCE	2.99	96	36720	10.3164 ppb		98
26) Diisopropyl Ether	3.74	45	87623	10.3046 ppb		98
28) 1,1-DCA	3.54	63	69160	10.5908 ppb		97
29) Vinyl Acetate	3.69	43	95775	9.7803 ppb		96
30) Ethyl tert Butyl Ether	4.32	59	81090	10.7146 ppb		99
31) MEK (2-Butanone)	4.52	43	15963	11.2336 ppb		95
32) Cis-1,2-DCE	4.44	96	40663	10.6942 ppb		93
33) 2,2-Dichloropropane	4.42	77	49437	9.1011 ppb		97
36) Chloroform	4.93	83	71864	10.4056 ppb		97
37) Bromochloromethane	4.77	128	23209	9.8768 ppb		88
39) 1,1,1-TCA	5.14	97	58650	10.2914 ppb		100
40) Cyclohexane	5.20	41	22908	10.6244 ppb		93
41) 1,1-Dichloropropene	5.38	75	39514	10.6611 ppb		99
42) 2,2,4-Trimethylpentane	5.81	57	75053	10.4606 ppb	#	87
44) Carbon Tetrachloride	5.36	117	54941	10.9864 ppb		92
45) Tert Amyl Methyl Ether	5.87	73	82027	10.4930 ppb		97
47) 1,2-DCA	5.67	62	53932	10.6431 ppb		95
48) Benzene	5.63	78	150337	10.6575 ppb		97
49) TCE	6.48	130	40132	10.4798 ppb		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L15.D Vial: 14
Acq On : 23 Apr 19 22:35 Operator: PM,DG,SV,CMM,KV
Sample : (SS)10ug/L VOC STD 04/19/23 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.76	43	269118	128.9348	ppb		99
51)	1,2-Dichloropropane	6.74	63	43003	10.5916	ppb		98
52)	Bromodichloromethane	7.09	83	58940	10.5631	ppb		93
53)	Methyl Cyclohexane	6.70	83	40353	10.2736	ppb		97
54)	Dibromomethane	6.87	93	28918	10.3475	ppb		93
56)	MIBK (methyl isobutyl ket	7.83	43	25433	10.2799	ppb		96
57)	1-Bromo-2-chloroethane	7.42	63	63813	10.8345	ppb		97
58)	Cis-1,3-Dichloropropene	7.62	75	54191	10.3157	ppb		98
59)	Toluene	7.99	91	156988	11.0443	ppb		99
60)	Trans-1,3-Dichloropropene	8.27	75	51639	10.6046	ppb		98
61)	1,1,2-TCA	8.46	83	35611	10.7784	ppb		88
62)	2-Hexanone	8.77	43	16845	9.6926	ppb		99
65)	1,2-EDB	8.98	107	39723	9.8874	ppb		95
66)	Tetrachloroethene	8.60	166	42762	9.7555	ppb		97
67)	1-Chlorohexane	9.56	91	39268	10.1134	ppb		98
68)	1,1,1,2-Tetrachloroethane	9.64	131	46824	10.1625	ppb		96
69)	m&p-Xylene	9.82	91	213952	17.9622	ppb		100
70)	o-Xylene	10.25	106	51589	10.1214	ppb		99
71)	Styrene	10.26	104	88603	8.7678	ppb		99
73)	1,3-Dichloropropane	8.63	76	64998	10.2439	ppb		91
74)	Dibromochloromethane	8.88	129	45892	9.5493	ppb		90
75)	Chlorobenzene	9.54	112	110360	10.1943	ppb		98
76)	Ethylbenzene	9.69	91	144745	10.0058	ppb		97
77)	Bromoform	10.44	173	34691	10.0690	ppb		99
79)	Isopropylbenzene	10.66	105	122623	9.8701	ppb		99
80)	1,1,2,2-Tetrachloroethane	10.98	83	55669	10.1179	ppb		96
81)	1,2,3-Trichloropropane	11.02	110	16440	10.0911	ppb		86
82)	t-1,4-Dichloro-2-Butene	11.05	53	9555	9.5299	ppb		79
83)	Bromobenzene	10.96	156	47665	10.1782	ppb		99
84)	n-Propylbenzene	11.11	91	158800	10.2343	ppb		99
85)	4-Ethyltoluene	11.24	105	141096	10.6017	ppb		98
86)	2-Chlorotoluene	11.18	91	108266	9.4411	ppb		100
87)	1,3,5-Trimethylbenzene	11.31	105	115310	10.2566	ppb		99
88)	4-Chlorotoluene	11.31	91	125136	10.5703	ppb		94
89)	Tert-Butylbenzene	11.66	119	105427	10.7061	ppb		96
90)	1,2,4-Trimethylbenzene	11.71	105	109650	9.8722	ppb		94
91)	Sec-Butylbenzene	11.90	105	136781	10.1606	ppb		95
92)	p-Isopropyltoluene	12.07	119	121098	10.1974	ppb		96
93)	Benzyl Chloride	12.25	91	13901	10.6639	ppb	#	89
94)	1,3-DCB	11.99	146	89615	10.6886	ppb		95
95)	1,4-DCB	12.09	146	94645	10.0318	ppb		97
96)	n-Butylbenzene	12.51	91	106287	9.8669	ppb		98
97)	1,2-DCB	12.49	146	85730	9.7798	ppb		98
98)	Hexachloroethane	12.78	117	18248	11.7020	ppb		82
99)	1,2-Dibromo-3-chloropropan	13.34	75	9115	10.0570	ppb	#	81
100)	1,2,4-Trichlorobenzene	14.25	180	48829	9.7466	ppb		97
101)	Hexachlorobutadiene	14.45	225	29013	10.5015	ppb		89
102)	Naphthalene	14.51	128	92850	8.6480	ppb		96
103)	1,2,3-Trichlorobenzene	14.78	180	50536	9.6379	ppb		99

(#) = qualifier out of range (m) = manual integration


Data File : M:\LOKI\DATA\190423\0423L15.D
Acq On : 23 Apr 19 22:35
Sample : (SS)10ug/L VOC STD 04/19/23
Misc : ISS 3/5/19, 2/11/19

Vial: 14
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019

Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/24/19
Matrix: Instrument: Loki
Initial Cal. Date: 04/23/19
Data File: 0423L38.D

		Compound	MEAN	CCRF	%D		%Drift	
1	I	Fluorobenzene (IS)	ISTD			I		
2	TM	Dichlorodifluoromethane	0.2359	0.5231	122	TM		*
3	TM	Freon 114	0.2118	0.2125	0.33	TM		
4	TM**	Chloromethane	0.3105	0.6274	102	TM**		*
5	TM*	Vinyl chloride	0.2931	0.6548	123	TM*		*
6	TM	2-Chloro-1,1,1-trifluoroethane	0.0000	0.0001	0.00	TM		
7	TML	Bromomethane	0.1891	0.4341	130	TML	162	*
8	TML	Chloroethane	0.1473	0.2783	89	TML	111	*
9	TM	Dichlorofluoromethane	0.3991	0.4224	5.8	TM		
10	TM	Trichlorofluoromethane	0.3289	0.7303	122	TM		*
11	TM	Acrolein	0.0414	0.0377	8.8	TM		
12	TML	Acetone	0.0997	0.0818	18	TML	6.7	
13	TM	Freon-113	0.1929	0.1940	0.58	TM		
14	TM*	1,1-DCE	0.1950	0.1917	1.7	TM*		
15	TM	t-Butanol	0.0159	0.0156	1.9	TM		
16	TM	2-Propanol	0.0000	0.0013	0.00	TM		
17	TM	Acetonitrile	0.0323	0.0329	1.9	TM		
18	TML	Methyl Acetate	0.2640	0.1908	28	TML	6.5	
19	TM	Iodomethane	0.2770	0.2509	9.4	TM		
20	TM	Acrylonitrile	0.0757	0.0741	2.1	TM		
21	TML	Methylene chloride	0.3340	0.2516	25	TML	3.7	
22	TM	Carbon disulfide	0.7028	0.6872	2.2	TM		
23	TM	Methyl t-butyl ether (MtBE)	0.4829	0.4695	2.8	TM		
24	TM	Trans-1,2-DCE	0.2003	0.1977	1.3	TM		
25	TM	Diisopropyl Ether	0.4785	0.4527	5.4	TM		
26	TM**	2,2-Dichloro-1,1,1-trifluoroethane	0.0000	0.0144	0.00	TM**		
27	TM**	1,1-DCA	0.3675	0.3809	3.6	TM**		
28	TM	Vinyl Acetate	0.5511	0.4571	17	TM		
29	TM	Ethyl tert Butyl Ether	0.4259	0.4107	3.6	TM		
30	TML	MEK (2-Butanone)	0.0923	0.0870	5.6	TML	8.7	
31	TM	Cis-1,2-DCE	0.2140	0.2286	6.8	TM		
32	TM	2,2-Dichloropropane	0.3057	0.2123	31	TM		
33	TM	2-Methylpentane	0.0000	0.0009	0.00	TM		
34	TM	3-Methylpentane	0.0000	0.1082	0.00	TM		
35	TM*	Chloroform	0.3887	0.3976	2.3	TM*		
36	TM	Bromochloromethane	0.1322	0.1371	3.7	TM		
37	S	Dibromofluoromethane(S)	0.4652	0.4691	0.83	S		
38	TM	1,1,1-TCA	0.3207	0.3121	2.7	TM		
39	TM	Cyclohexane	0.1213	0.1248	2.8	TM		
40	TM	1,1-Dichloropropene	0.2086	0.2133	2.3	TM		
		Average			22.7			

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/24/19
Instrument: Loki
Cal. Date: 04/23/19
Data File: 0423L38.D

		Compound	MEAN	CCRF	%D		%Drift
41	TM	2,2,4-Trimethylpentane	0.4038	0.3658	9.4	TM	
42	S	1,2-DCA-D4(S)	0.4830	0.5000	3.5	S	
43	TM	Carbon Tetrachloride	0.2814	0.2870	2.0	TM	
44	TM	Tert Amyl Methyl Ether	0.4399	0.4283	2.6	TM	
45	TM	Methylcyclopentane	0.0000	0.0475	0.00	TM	
46	TM	1,2-DCA	0.2852	0.3027	6.1	TM	
47	TM	Benzene	0.7939	0.7942	0.04	TM	
48	TM	TCE	0.2155	0.2321	7.7	TM	
49	TM	2-Pentanone	0.1175	0.1263	7.5	TM	
50	TM*	1,2-Dichloropropane	0.2285	0.2249	1.6	TM*	
51	TM	Bromodichloromethane	0.3140	0.3175	1.1	TM	
52	TM	Methyl Cyclohexane	0.2210	0.2204	0.30	TM	
53	TM	Dibromomethane	0.1573	0.1560	0.84	TM	
54	TM	2-Chloroethyl vinyl ether	0.0000	0.0003	0.00	TM	
55	TML	MIBK (methyl isobutyl ketone)	0.1539	0.1374	11	TML	1.3
56	TM	1-Bromo-2-chloroethane	0.3315	0.3419	3.2	TM	
57	TM	Cis-1,3-Dichloropropene	0.2956	0.2869	2.9	TM	
58	TM*	Toluene	0.8000	0.8432	5.4	TM*	
59	TM	Trans-1,3-Dichloropropene	0.2740	0.2665	2.8	TM	
60	TM	1,1,2-TCA	0.1859	0.1923	3.4	TM	
61	TM	2-Hexanone	0.0978	0.0926	5.3	TM	
62	I	Chlorobenzene-D5 (IS)	ISTD			I	
63	S	Toluene-D8(S)	1.708	1.819	6.5	S	
64	TM	1,2-EDB	0.2609	0.2720	4.3	TM	
65	TM	Tetrachloroethene	0.2846	0.2937	3.2	TM	
66	TM	1-Chlorohexane	0.2521	0.2401	4.8	TM	
67	TM	1,1,1,2-Tetrachloroethane	0.2992	0.3014	0.76	TM	
68	TML	m&p-Xylene	0.6835	0.6952	1.7	TML	10
69	TM	o-Xylene	0.3310	0.3335	0.78	TM	
70	TML	Styrene	0.5821	0.5677	2.5	TML	13
71	SL	4-Bromofluorobenzene(S)	0.5916	0.6402	8.2	SL	0.71
72	TM	1,3-Dichloropropane	0.4120	0.4360	5.8	TM	
73	TM	Dibromochloromethane	0.3120	0.3194	2.4	TM	
74	TM**	Chlorobenzene	0.7029	0.7085	0.79	TM**	
75	TM*	Ethylbenzene	0.9393	0.9560	1.8	TM*	
76	TM**L	Bromoform	0.2165	0.2356	8.8	TM**L	5.3
77	I	1,4-Dichlorobenzene-D (IS)	ISTD			I	
78	TM	Isopropylbenzene	1.419	1.433	0.97	TM	
79	TM**L	1,1,2,2-Tetrachloroethane	0.7250	0.6610	8.8	TM**L	5.4
80	TM	1,2,3-Trichloropropane	0.1861	0.2027	8.9	TM	
		Average			3.9		

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/24/19
Instrument: Loki
Cal. Date: 04/23/19
Data File: 0423L38.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	t-1,4-Dichloro-2-Butene	0.1146	0.1154	0.71	TM	
82	TM	Bromobenzene	0.5350	0.5432	1.5	TM	
83	TM	n-Propylbenzene	1.773	1.844	4.0	TM	
84	TM	4-Ethyltoluene	1.521	1.578	3.8	TM	
85	TM	2-Chlorotoluene	1.310	1.253	4.3	TM	
86	TM	1,3,5-Trimethylbenzene	1.284	1.375	7.0	TM	
87	TM	4-Chlorotoluene	1.353	1.478	9.3	TM	
88	TM	Tert-Butylbenzene	1.125	1.264	12	TM	
89	TM	1,2,4-Trimethylbenzene	1.269	1.209	4.7	TM	
90	TM	Sec-Butylbenzene	1.538	1.572	2.2	TM	
91	TM	p-Isopropyltoluene	1.357	1.386	2.1	TM	
92	TML	Benzyl Chloride	0.1684	0.1201	29	TML	19
93	TM	1,3-DCB	0.9579	1.037	8.3	TM	
94	TM	1,4-DCB	1.078	1.116	3.6	TM	
95	TM	n-Butylbenzene	1.231	1.174	4.6	TM	
96	TM	1,2-DCB	1.002	0.9748	2.7	TM	
97	TML	Hexachloroethane	0.2097	0.2247	7.1	TML	26
98	TML	1,2-Dibromo-3-chloropropane	0.1080	0.1171	8.4	TML	15
99	TM	1,2,4-Trichlorobenzene	0.5724	0.5471	4.4	TM	
100	TML	Hexachlorobutadiene	0.3495	0.3236	7.4	TML	2.2
101	TM	Naphthalene	1.227	1.064	13	TM	
102	TM	1,2,3-Trichlorobenzene	0.5991	0.5576	6.9	TM	
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			6.7		

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L38.D Vial: 37
Acq On : 24 Apr 19 9:31 Operator: PM,DG,SV,CMM,KV
Sample : Ending CCV 10ug/L Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 26 10:33 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	456192	25.0000 ppb		0.00
63) Chlorobenzene-D5 (IS)	9.51	117	369152	25.0000 ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	206720	25.0000 ppb		0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	213990	25.2072 ppb		0.00
Spiked Amount 25.000			Recovery = 100.828%			
43) 1,2-DCA-D4(S)	5.57	65	228090	25.8807 ppb		0.00
Spiked Amount 25.000			Recovery = 103.524%			
64) Toluene-D8(S)	7.92	98	671426	26.6237 ppb		0.00
Spiked Amount 25.000			Recovery = 106.496%			
72) 4-Bromofluorobenzene(S)	10.81	95	236345	24.8216 ppb		0.00
Spiked Amount 25.000			Recovery = 99.288%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	1.00	85	47723	11.0867 ppb		99
4) Freon 114	1.09	85	38782	10.0329 ppb		97
5) Chloromethane	1.12	50	57240	10.1014 ppb		98
6) Vinyl chloride	1.20	62	59744	11.1704 ppb		99
8) Bromomethane	1.44	94	39605	13.0998 ppb		88
9) Chloroethane	1.52	64	25395	10.5663 ppb		99
10) Dichlorofluoromethane	1.69	67	77084	10.5833 ppb		98
11) Trichlorofluoromethane	1.73	101	66634	11.1035 ppb		94
12) Acrolein	2.09	56	86094	114.0179 ppb	#	99
13) Acetone	2.24	43	14925	10.6686 ppb		98
14) Freon-113	2.20	101	35407	10.0581 ppb		96
15) 1,1-DCE	2.18	96	34976	9.8298 ppb		96
16) t-Butanol	2.88	59	35684	122.6107 ppb		97
18) Acetonitrile	2.51	41	75092	127.3642 ppb		88
19) Methyl Acetate	2.59	43	34817	10.6526 ppb		98
20) Iodomethane	2.30	142	45786	9.0593 ppb		96
21) Acrylonitrile	2.97	52	13529	9.7894 ppb		81
22) Methylene chloride	2.67	84	45912	10.3713 ppb		100
23) Carbon disulfide	2.36	76	125404	9.7781 ppb		97
24) Methyl t-butyl ether (MtBE	3.03	73	85676	9.7224 ppb		96
25) Trans-1,2-DCE	2.99	96	36068	9.8674 ppb		90
26) Diisopropyl Ether	3.74	45	82610	9.4602 ppb		99
28) 1,1-DCA	3.54	63	69509	10.3650 ppb		99
29) Vinyl Acetate	3.74	43	83410	8.2941 ppb	#	67
30) Ethyl tert Butyl Ether	4.31	59	74939	9.6421 ppb		98
31) MEK (2-Butanone)	4.52	43	15884	10.8715 ppb		93
32) Cis-1,2-DCE	4.43	96	41722	10.6849 ppb		91
33) 2,2-Dichloropropane	4.42	77	38748	6.9462 ppb		96
36) Chloroform	4.93	83	72546	10.2288 ppb		90
37) Bromochloromethane	4.77	128	25016	10.3665 ppb		91
39) 1,1,1-TCA	5.14	97	56959	9.7325 ppb		99
40) Cyclohexane	5.20	41	22770	10.2833 ppb		88
41) 1,1-Dichloropropene	5.37	75	38925	10.2266 ppb		93
42) 2,2,4-Trimethylpentane	5.81	57	66752	9.0596 ppb		97
44) Carbon Tetrachloride	5.36	117	52362	10.1960 ppb		98
45) Tert Amyl Methyl Ether	5.87	73	78156	9.7355 ppb		98
47) 1,2-DCA	5.67	62	55229	10.6131 ppb		98
48) Benzene	5.64	78	144915	10.0036 ppb		97
49) TCE	6.48	130	42350	10.7688 ppb		93

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L38.D Vial: 37
Acq On : 24 Apr 19 9:31 Operator: PM,DG,SV,CMM,KV
Sample : Ending CCV 10ug/L Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 26 10:33 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.75	43	288119	134.4169	ppb		100
51)	1,2-Dichloropropane	6.73	63	41036	9.8420	ppb		100
52)	Bromodichloromethane	7.09	83	57943	10.1120	ppb		98
53)	Methyl Cyclohexane	6.70	83	40214	9.9697	ppb		99
54)	Dibromomethane	6.87	93	28458	9.9157	ppb		89
56)	MIBK (methyl isobutyl ket	7.83	43	25077	9.8729	ppb		97
57)	1-Bromo-2-chloroethane	7.42	63	62392	10.3153	ppb		94
58)	Cis-1,3-Dichloropropene	7.62	75	52360	9.7056	ppb		95
59)	Toluene	7.99	91	153872	10.5411	ppb		97
60)	Trans-1,3-Dichloropropene	8.26	75	48621	9.7229	ppb		96
61)	1,1,2-TCA	8.45	83	35095	10.3435	ppb		94
62)	2-Hexanone	8.78	43	16903	9.4709	ppb		98
65)	1,2-EDB	8.98	107	40166	10.4275	ppb		84
66)	Tetrachloroethene	8.60	166	43362	10.3177	ppb		97
67)	1-Chlorohexane	9.56	91	35455	9.5240	ppb		100
68)	1,1,1,2-Tetrachloroethane	9.64	131	44511	10.0758	ppb		97
69)	m&p-Xylene	9.82	91	205317	17.9777	ppb		95
70)	o-Xylene	10.25	106	49249	10.0777	ppb		98
71)	Styrene	10.26	104	83828	8.6597	ppb		99
73)	1,3-Dichloropropane	8.63	76	64378	10.5824	ppb		89
74)	Dibromochloromethane	8.88	129	47164	10.2360	ppb		94
75)	Chlorobenzene	9.54	112	104611	10.0787	ppb		95
76)	Ethylbenzene	9.69	91	141170	10.1783	ppb		98
77)	Bromoform	10.44	173	34782	10.5276	ppb		92
79)	Isopropylbenzene	10.66	105	118503	10.0966	ppb		96
80)	1,1,2,2-Tetrachloroethane	10.98	83	54659	10.5374	ppb		98
81)	1,2,3-Trichloropropane	11.02	110	16760	10.8895	ppb		89
82)	t-1,4-Dichloro-2-Butene	11.05	53	9539	10.0706	ppb		99
83)	Bromobenzene	10.96	156	44916	10.1524	ppb		98
84)	n-Propylbenzene	11.11	91	152475	10.4017	ppb		99
85)	4-Ethyltoluene	11.24	105	130452	10.3755	ppb		96
86)	2-Chlorotoluene	11.18	91	103643	9.5669	ppb		98
87)	1,3,5-Trimethylbenzene	11.31	105	113693	10.7046	ppb		100
88)	4-Chlorotoluene	11.30	91	122226	10.9286	ppb		97
89)	Tert-Butylbenzene	11.66	119	104506	11.2335	ppb		95
90)	1,2,4-Trimethylbenzene	11.71	105	99960	9.5264	ppb		95
91)	Sec-Butylbenzene	11.90	105	129999	10.2218	ppb		98
92)	p-Isopropyltoluene	12.07	119	114592	10.2141	ppb		96
93)	Benzyl Chloride	12.24	91	9934	8.0882	ppb	#	92
94)	1,3-DCB	11.99	146	85774	10.8291	ppb		97
95)	1,4-DCB	12.09	146	92314	10.3573	ppb		98
96)	n-Butylbenzene	12.51	91	97035	9.5351	ppb		96
97)	1,2-DCB	12.49	146	80601	9.7327	ppb		99
98)	Hexachloroethane	12.78	117	18576	12.6494	ppb		93
99)	1,2-Dibromo-3-chloropropan	13.34	75	9684	11.5205	ppb	#	88
100)	1,2,4-Trichlorobenzene	14.25	180	45242	9.5590	ppb		98
101)	Hexachlorobutadiene	14.45	225	26758	10.2184	ppb		93
102)	Naphthalene	14.51	128	88012	8.6771	ppb		97
103)	1,2,3-Trichlorobenzene	14.78	180	46107	9.3078	ppb		99

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\LOKI\DATA\190423\0423L38.D
Acq On : 24 Apr 19 9:31
Sample : Ending CCV 10ug/L
Misc : ISS 3/5/19, 2/11/19

Vial: 37
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 26 10:33 2019 Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/24/19
Matrix: Instrument: Thor
Initials: D.P. / ZP

			0424T19.D	0424T20.D	0424T21.D	0424T22.D	0424T23.D	0424T24 D	0424T25.D	0424T26.D	0424T27.D							
		Compound	1	2	3	4	5	6	7	8	9		Avg	%RSD	Type	r^2	Q	MRF
1	I	Fluorobenzene (IS)																
2	TM	Freon 1113													TM			
3	TM	Dichlorodifluoromethane		0.2497	0.2605	0.2531	0.2199	0.2564	0.2584	0.2473	0.2310		0.25	5.8	TM			
4	TM	Freon 114		0.1554	0.1703	0.1569	0.1245	0.1414	0.1521	0.1530	0.1503		0.15	8.8	TM			
5	TM**L	Chloromethane		0.5354	0.3966	0.2309	0.2445	0.2288	0.2222	0.2108	0.1901		0.28	43	TM**L	0.998		
6	TM*	Vinyl chloride		0.2597	0.2745	0.2381	0.2409	0.2449	0.2573	0.2368	0.2124		0.25	7.6	TM*			
7	TM	2-Chloro-1,1,1-trifluoroethane													TM			
8	TM	Bromomethane			0.3843	0.3408	0.2910	0.3219	0.4173	0.3803	0.3204		0.35	13	TM			
9	TML	Chloroethane		0.3027	0.1601	0.1933	0.1901	0.1737	0.1748	0.1663	0.1677		0.19	24	TML	1.000		
10	TM	Dichlorofluoromethane		0.6621	0.5334	0.4954	0.4589	0.4503	0.4593	0.4686	0.4284		0.49	15	TM			
11	TM	Trichlorofluoromethane		0.5186	0.4703	0.4266	0.4364	0.4452	0.4448	0.4529	0.4118		0.45	7.2	TM			
12	TM	Acrolein		0.0510	0.0454	0.0431	0.0490	0.0455	0.0481	0.0468	0.0385		0.05	8.4	TM			
13	TML	Acetone		0.5578	0.3513	0.2535	0.1410	0.1066	0.1002	0.0916	0.0819		0.21	80	TML	0.999		
14	TM	Freon-113		0.2008	0.2554	0.2294	0.2154	0.2080	0.2174	0.2161	0.1968		0.22	8.5	TM			
15	TM*	1,1-DCE		0.3357	0.3202	0.3080	0.2855	0.2822	0.2914	0.2915	0.2700		0.30	7.3	TM*			
16	TM	2-Propanol													TM			
17	TM	Acetonitrile		0.0206	0.0184	0.0178	0.0178	0.0189	0.0188	0.0178	0.0123		0.02	14	TM			
18	TMQ	t-Butanol	0.0328	0.0252	0.0227	0.0213	0.0231	0.0238	0.0279				0.03	16	TMQ	0.996		
19	TML	Methyl Acetate		0.4655	0.4334	0.3112	0.2255	0.2464	0.2362	0.2260	0.1950		0.29	35	TML	0.996		
20	TML	Iodomethane		0.0795	0.0168	0.0278	0.0404	0.0602	0.1091	0.1622	0.1969		0.09	75	TML	0.990		
21	TML	Acrylonitrile		0.2978	0.1620	0.1225	0.1325	0.0756	0.0836	0.0740	0.0831		0.13	58	TML	0.996		
22	TML	Methylene chloride		0.4522	0.3899	0.3017	0.2629	0.2510	0.2622	0.2485	0.2280		0.30	27	TML	0.999		
23	TML	Carbon disulfide		0.8907	0.7940	0.6593	0.6258	0.6172	0.6383	0.6298	0.5763		0.68	16	TML	0.999		
24	TML	Methyl t-butyl ether (MtBE)		0.7482	0.6700	0.5949	0.5991	0.4601	0.4839	0.4624	0.5681		0.57	18	TML	0.994		
25	TML	Trans-1,2-DCE		0.3090	0.2832	0.2356	0.2247	0.1823	0.1886	0.1680	0.2057		0.22	22	TML	0.994		
26	TML	Hexane		0.2135	0.2667	0.1389	0.1210	0.0958	0.1024	0.0948	0.1164		0.14	44	TML	0.993		
27	TM	Diisopropyl Ether		0.2234	0.1976	0.1874	0.1869	0.1794	0.1972	0.1888	0.1975		0.19	6.8	TM			
28	TM**L	1,1-DCA		0.5115	0.4554	0.3821	0.0094	0.3190	0.3393	0.3300	0.3123		0.33	45	TM**L	0.996		
29	TML	Vinyl Acetate		0.2447	0.1537	0.1888	0.1578	0.1590	0.1681	0.1649	0.1741		0.18	17	TML	1.000		
30	TM	Ethyl tert Butyl Ether		0.2734	0.2376	0.2309	0.2303	0.2019	0.2428	0.2446	0.3002		0.25	12	TM			
31	TML	MEK (2-Butanone)		0.1543	0.1336	0.1094	0.1215	0.1004	0.1078	0.1001	0.0940		0.12	18	TML	0.999		
32	TM	Cis-1,2-DCE		0.3400	0.3308	0.2763	0.3010	0.2649	0.2889	0.2805	0.2810		0.30	9.1	TM			
33	TM	2,2-Dichloropropane		0.2807	0.2969	0.2897	0.2650	0.2478	0.2545	0.2539	0.2498		0.27	7.2	TM			
34	TM*	Chloroform		0.5598	0.4697	0.4253	0.4373	0.3759	0.4030	0.3817	0.3696		0.43	15	TM*			
35	TML	Bromochloromethane		0.0464	0.1520	0.1470	0.1309	0.1258	0.1239	0.1149	0.1078		0.12	28	TML	0.999		

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/24/19
Matrix: Instrument: Thor Initials:

		Compound	1	2	3	4	5	6	7	8	9		Avg	%RSD	Type		Q	MRF
36	S	Dibromofluoromethane(S)	0.6585	0.5946	0.4920	0.4627	0.5377	0.5067	0.5273	0.5061	0.4746		0.53	12	S			
37	TM	1,1,1-TCA		0.3480	0.4008	0.3455	0.3341	0.3152	0.3401	0.3299	0.3256		0.34	7.6	TM			
38	TML	Cyclohexane		0.3090	0.1952	0.1645	0.1404	0.1346	0.1490	0.1447	0.1439		0.17	34	TML	1.000		
39	TM	1,1-Dichloropropene		0.2088	0.2884	0.2297	0.2225	0.2251	0.2375	0.2297	0.2320		0.23	10	TM			
40	TM	2,2,4-Trimethylpentane		0.4104	0.4536	0.4445	0.3783	0.3895	0.4367	0.4484	0.4564		0.43	7.1	TM			
41	S	1,2-DCA-D4(S)	0.7472	0.6790	0.5832	0.5469	0.6176	0.5771	0.5896	0.5645	0.5244		0.60	12	S			
42	TM	Carbon Tetrachloride		0.3004	0.2450	0.2791	0.2854	0.2738	0.3017	0.2908	0.2951		0.28	6.5	TM			
43	TML	Tert Amyl Methyl Ether		0.2061	0.1599	0.1596	0.1653	0.1691	0.2197	0.2255	0.2852		0.20	22	TML	0.993		
44	TM	1,2-DCA		0.4462	0.3998	0.3512	0.3283	0.3142	0.3321	0.3096	0.2984		0.35	15	TM			
45	TM	Benzene		0.9111	0.8420	0.7803	0.7938	0.7442	0.7938	0.7677	0.7596		0.80	6.7	TM			
46	TM	TCE		0.2239	0.2100	0.2002	0.2231	0.2018	0.2084	0.2048	0.2036		0.21	4.4	TM			
47	TM	2-Pentanone		0.1567	0.1586	0.1525	0.1659	0.1595	0.1702	0.1680	0.1438		0.16	5.5	TM			
48	TM*	1,2-Dichloropropane		0.2860	0.2202	0.2249	0.2128	0.2002	0.2094	0.2008	0.1914		0.22	14	TM*			
49	TM	Bromodichloromethane		0.3480	0.3406	0.3238	0.3138	0.3082	0.3140	0.3068	0.3000		0.32	5.3	TM			
50	TM	Methyl Cyclohexane		0.2399	0.2749	0.2574	0.2128	0.2219	0.2527	0.2538	0.2758		0.25	9.1	TM			
51	TML	Dibromomethane		0.2395	0.2303	0.1799	0.1743	0.1698	0.1775	0.1650	0.1577		0.19	16	TML	0.999		
52	TM	MIBK (methyl isobutyl ketone)		0.1019	0.0784	0.0602	0.0852	0.0800	0.0729	0.0799	0.0782		0.08	15	TM			
53	TM	1-Bromo-2-chloroethane		0.3773	0.3700	0.3226	0.3555	0.3030	0.3083	0.3009	0.2993		0.33	9.9	TM			
54	TML	2-Chloroethyl vinyl ether		0.0204	0.0144	0.0145	0.0189	0.0187	0.0138	0.0123	0.0112		0.02	22	TML	0.995		
55	TM	Cis-1,3-Dichloropropene		0.3476	0.2934	0.2812	0.3178	0.2993	0.3037	0.2987	0.3104		0.31	6.5	TM			
56	TM*L	Toluene		0.0410	0.9590	0.8099	0.9013	0.8318	0.9251	0.8969	0.8994		0.78	39	TM*L	1.000		
57	TM	Trans-1,3-Dichloropropene		0.3189	0.3113	0.2734	0.3135	0.2873	0.3082	0.3015	0.3072		0.30	5.0	TM			
58	TML	1,1,2-TCA		0.2715	0.2423	0.2120	0.1971	0.1785	0.1963	0.1842	0.1815		0.21	16	TML	1.000		
59	TML	2-Hexanone		0.1035	0.0857	0.0628	0.0761	0.0589	0.0666	0.0702	0.0785		0.08	19	TML	0.997		
60	I	Chlorobenzene-D5 (IS)																
61	S	Toluene-D8(S)	2.051	1.835	1.583	1.542	1.785	1.711	1.829	1.815	1.775		1.8	8.5	S			
62	TM	1,2-EDB		0.2784	0.2707	0.2242	0.2614	0.2299	0.2399	0.2430	0.2388		0.25	7.9	TM			
63	TM	Tetrachloroethene		0.2400	0.2469	0.2200	0.2124	0.2041	0.2127	0.2078	0.2086		0.22	7.2	TM			
64	TM	1-Chlorohexane		0.2496	0.2417	0.2373	0.2030	0.1967	0.2224	0.2342	0.2509		0.23	8.9	TM			
65	TM	1,1,1,2-Tetrachloroethane		0.2768	0.3079	0.2609	0.2538	0.2503	0.2580	0.2466	0.2475		0.26	7.9	TM			
66	TM	m&p-Xylene		0.3549	0.3069	0.3148	0.3225	0.3255	0.3638	0.3850	0.4077		0.35	10	TM			
67	TM	o-Xylene		0.2768	0.2969	0.2766	0.3117	0.3027	0.3529	0.3634	0.3970		0.32	14	TM			
68	TM	Styrene		0.5075	0.4938	0.4697	0.4982	0.4918	0.5911	0.6428			0.53	12	TM			
69	S	4-Bromofluorobenzene(S)	0.6992	0.6401	0.5321	0.5363	0.6306	0.6134	0.6819	0.7041	0.7128		0.64	11	S			
70	TM	1,3-Dichloropropane		0.4223	0.3941	0.3626	0.3677	0.3334	0.3511	0.3490	0.3367		0.36	8.3	TM			

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/24/19
Matrix: Instrument: Thor Initials:

		Compound	1	2	3	4	5	6	7	8	9		Avg	%RSD	Type		Q	MRF
71	TM	Dibromochloromethane		0.2750	0.2920	0.2662	0.2669	0.2530	0.2601	0.2648	0.2734		0.27	4.3	TM			
72	TM**	Chlorobenzene		0.7367	0.7303	0.6168	0.6610	0.5979	0.6290	0.6189	0.6194		0.65	8.3	TM**			
73	TM*	Ethylbenzene		1.052	0.8421	0.8178	0.8717	0.8151	0.9210	0.9466	0.9896		0.91	9.4	TM*			
74	TM**L	Bromoform		0.1076	0.1368	0.2084	0.2142	0.2024	0.2030	0.2131	0.2378		0.19	23	TM**L	0.998		
75	I	1,4-Dichlorobenzene-D (IS)																
76	TM	Isopropylbenzene		1.400	1.318	1.292	1.278	1.207	1.331	1.376	1.279		1.3	4.6	TM			
77	TM**L	1,1,2,2-Tetrachloroethane		0.7588	0.6612	0.6035	0.5905	0.5076	0.5230	0.5070	0.4564		0.58	17	TM**L	0.998		
78	TML	1,2,3-Trichloropropane		0.2575	0.1263	0.1905	0.1909	0.1632	0.1698	0.1615	0.1464		0.18	22	TML	0.998		
79	TM	t-1,4-Dichloro-2-Butene		0.1319	0.1397	0.1121	0.1175	0.1013	0.1165	0.1064	0.0913		0.11	14	TM			
80	TM	Bromobenzene		0.5640	0.5266	0.4306	0.5107	0.4504	0.4612	0.4527	0.4198		0.48	11	TM			
81	TM	n-Propylbenzene		1.717	1.588	1.433	1.583	1.426	1.600	1.676	1.516		1.6	6.7	TM			
82	TM	4-Ethyltoluene		1.284	1.242	1.233	1.318	1.308	1.500	1.570	1.456		1.4	9.3	TM			
83	TM	2-Chlorotoluene		1.195	1.036	0.9641	0.9968	0.9449	1.023	1.048	0.9390		1.0	8.1	TM			
84	TM	1,3,5-Trimethylbenzene		1.120	1.015	1.041	1.171	1.115	1.289	1.361	1.244		1.2	10	TM			
85	TM	4-Chlorotoluene		1.314	1.092	1.031	1.189	1.107	1.237	1.265	1.147		1.2	8.2	TM			
86	TM	Tert-Butylbenzene		1.141	1.027	0.9098	0.9947	0.9019	1.021	1.065	1.042		1.0	7.8	TM			
87	TM	1,2,4-Trimethylbenzene		1.173	1.014	0.8720	1.117	1.028	1.208	1.310	1.260		1.1	13	TM			
88	TM	Sec-Butylbenzene		1.344	1.363	1.247	1.374	1.322	1.486	1.556	1.486		1.4	7.3	TM			
89	TM	p-Isopropyltoluene		1.243	1.203	1.151	1.262	1.176	1.341	1.427	1.388		1.3	7.9	TM			
90	TM	Benzyl Chloride		0.1340	0.1352	0.1015	0.1174	0.1007	0.1067	0.1125	0.1002		0.11	13	TM			
91	TM	1,3-DCB		0.8935	0.8159	0.8321	0.8921	0.8146	0.8698	0.8757	0.8355		0.85	3.9	TM			
92	TM	1,4-DCB		1.118	1.143	0.9290	0.9719	0.8649	0.9032	0.9116	0.8656		0.96	11	TM			
93	TM	n-Butylbenzene		1.125	1.015	0.9254	0.9535	0.9622	1.089	1.202	1.146		1.1	9.7	TM			
94	TM	1,2-DCB		1.031	0.8939	0.8843	0.8736	0.7954	0.8471	0.8607	0.8460		0.88	7.8	TM			
95	TML	Hexachloroethane		0.1483	0.2125	0.2209	0.2730	0.2613	0.2659	0.2680	0.2444		0.24	18	TML	0.998		
96	TML	1,2-Dibromo-3-chloropropane		0.0935	0.1762	0.1528	0.1345	0.1128	0.1229	0.1301	0.1241		0.13	19	TML	0.999		
97	TM	1,2,4-Trichlorobenzene		0.5930	0.5156	0.5567	0.5835	0.4946	0.5563	0.5992	0.6010		0.56	7.1	TM			
98	TM	Hexachlorobutadiene		0.2063	0.3137	0.3083	0.2714	0.2616	0.2816	0.2858	0.2754		0.28	12	TM			
99	TM	Naphthalene		1.309	1.147	1.148	1.063	1.015	1.186	1.380	1.470		1.2	13	TM			
100	TM	1,2,3-Trichlorobenzene		0.5682	0.6502	0.5581	0.6164	0.5478	0.5824	0.6407	0.6334		0.60	6.7	TM			
101																		
102																		
103																		
104																		
105																		

Quantitation Report (QT Reviewed)

Data File : M:\THOR\DATA\T190423\0424T19.D Vial: 16
Acq On : 24 Apr 19 19:21 Operator: DG,SV, CMM.PM,KV
Sample : 0.3ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:45 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.81	96	342528	25.0000 ppb	0.00
60) Chlorobenzene-D5 (IS)	9.05	117	338240	25.0000 ppb	0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	189184	25.0000 ppb	0.00
System Monitoring Compounds					
36) Dibromofluoromethane(S)	4.96	111	45111	6.2252 ppb	0.00
Spiked Amount 25.000			Recovery	= 24.900%	
41) 1,2-DCA-D4(S)	5.38	65	51189	6.1931 ppb	0.00
Spiked Amount 25.000			Recovery	= 24.772%	
61) Toluene-D8(S)	7.58	98	138722	5.7946 ppb	0.00
Spiked Amount 25.000			Recovery	= 23.180%	
69) 4-Bromofluorobenzene(S)	10.23	95	47300	5.4717 ppb	0.00
Spiked Amount 25.000			Recovery	= 21.888%	
Target Compounds					Qvalue
18) t-Butanol	2.75	59	4494	3.5747 ppb	# 69

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\THOR\DATA\T190423\0424T19.D
Acq On : 24 Apr 19 19:21
Sample : 0.3ug/L VOC STD 04/24/19
Misc : IS &S 4/2/19

Vial: 16
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 10:45 2019

Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T20.D Vial: 17
Acq On : 24 Apr 19 19:50 Operator: DG,SV, CMM.PM,KV
Sample : 0.5ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	348416	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	342144	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	191488	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.97	111	41435	5.6213 ppb		0.00
Spiked Amount 25.000			Recovery	= 22.484%		
41) 1,2-DCA-D4(S)	5.38	65	47313	5.6274 ppb		0.00
Spiked Amount 25.000			Recovery	= 22.508%		
61) Toluene-D8(S)	7.59	98	125550	5.1845 ppb		0.00
Spiked Amount 25.000			Recovery	= 20.740%		
69) 4-Bromofluorobenzene(S)	10.23	95	43801	5.0091 ppb		0.00
Spiked Amount 25.000			Recovery	= 20.036%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	1740	0.5054 ppb	#	71
4) Freon 114	1.05	135	1083	0.5164 ppb		86
5) Chloromethane	1.08	50	3731	-0.3855 ppb		94
6) Vinyl chloride	1.16	62	1810	0.5288 ppb	#	67
8) Bromomethane	1.38	94	3213	0.6571 ppb	#	65
9) Chloroethane	1.46	64	2109	0.5268 ppb		89
10) Dichlorofluoromethane	1.62	67	4614	0.6694 ppb	#	66
11) Trichlorofluoromethane	1.66	101	3614	0.5752 ppb		94
12) Acrolein	2.00	56	17770	27.7693 ppb	#	80
13) Acetone	2.14	43	3887	-0.5574 ppb		99
14) Freon-113	2.11	101	1399	0.4617 ppb		87
15) 1,1-DCE	2.08	61	2339	0.5631 ppb		87
17) Acetonitrile	2.39	41	7169	28.8978 ppb	#	94
18) t-Butanol	2.74	59	8783	27.1422 ppb		97
19) Methyl Acetate	2.47	43	3244	-0.9712 ppb		87
20) Iodomethane	2.20	142	554	4.1775 ppb	#	30
21) Acrylonitrile	2.83	52	2075	1.1827 ppb		81
22) Methylene chloride	2.55	84	3151	-0.3063 ppb		98
23) Carbon disulfide	2.26	76	6207	-0.1517 ppb	#	92
24) Methyl t-butyl ether (MtBE	2.89	73	5214	1.8189 ppb	#	76
25) Trans-1,2-DCE	2.85	96	2153	1.4915 ppb		80
26) Hexane	2.89	57	1488	1.6964 ppb	#	99
27) Diisopropyl Ether	3.56	45	1557	0.5736 ppb		91
28) 1,1-DCA	3.37	63	3564	0.9858 ppb	#	71
29) Vinyl Acetate	3.56	87	1705	1.1298 ppb	#	39
30) Ethyl tert Butyl Ether	4.11	59	1905	0.5575 ppb	#	38
31) MEK (2-Butanone)	4.35	43	1075	-0.3211 ppb	#	46
32) Cis-1,2-DCE	4.24	61	2369	0.5754 ppb	#	44
33) 2,2-Dichloropropane	4.25	77	1956	0.5251 ppb	#	1
34) Chloroform	4.74	83	3901	0.6543 ppb		96
35) Bromochloromethane	4.58	128	323	-0.9826 ppb		73
37) 1,1,1-TCA	4.95	97	2425	0.5082 ppb		88
38) Cyclohexane	5.01	41	2153	0.8663 ppb	#	11
39) 1,1-Dichloropropene	5.19	75	1455	0.4458 ppb		94
40) 2,2,4-Trimethylpentane	5.60	57	2860	0.4804 ppb	#	46
42) Carbon Tetrachloride	5.18	117	2093	0.5290 ppb	#	86
43) Tert Amyl Methyl Ether	5.66	73	1436	2.8872 ppb	#	72
44) 1,2-DCA	5.47	62	3109	0.6420 ppb		99
45) Benzene	5.44	78	6349	0.5701 ppb	#	88

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T20.D
Acq On : 24 Apr 19 19:50
Sample : 0.5ug/L VOC STD 04/24/19
Misc : IS &S 4/2/19

Vial: 17
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
46)	TCE	6.24	95	1560	0.5344 ppb		86
47)	2-Pentanone	6.51	43	54605	24.5796 ppb		100
48)	1,2-Dichloropropane	6.49	63	1993	0.6553 ppb	#	71
49)	Bromodichloromethane	6.82	83	2425	0.5448 ppb	#	94
50)	Methyl Cyclohexane	6.45	83	1672	0.4825 ppb	#	52
51)	Dibromomethane	6.61	93	1669	-0.1063 ppb	#	78
52)	MIBK (methyl isobutyl ket	7.52	58	710	0.6402 ppb	#	47
53)	1-Bromo-2-chloroethane	7.13	63	2629	0.5723 ppb		98
54)	2-Chloroethyl vinyl ether	7.12	107	142	-1.9545 ppb	#	34
55)	Cis-1,3-Dichloropropene	7.31	75	2422	0.5670 ppb	#	76
56)	Toluene	7.52	91	286	0.1852 ppb		94
57)	Trans-1,3-Dichloropropene	7.92	75	2222	0.5268 ppb		87
58)	1,1,2-TCA	8.08	83	1892	0.2731 ppb		83
59)	2-Hexanone	8.38	58	721	1.8395 ppb	#	78
62)	1,2-EDB	8.56	107	1905	0.5606 ppb	#	77
63)	Tetrachloroethene	8.22	164	1642	0.5478 ppb	#	79
64)	1-Chlorohexane	9.10	91	1708	0.5439 ppb		83
65)	1,1,1,2-Tetrachloroethane	9.18	131	1894	0.5268 ppb	#	66
66)	m&p-Xylene	9.33	106	4857	1.0209 ppb		81
67)	o-Xylene	9.72	106	1894	0.4295 ppb		92
68)	Styrene	9.73	104	3473	0.4808 ppb	#	76
70)	1,3-Dichloropropane	8.25	76	2890	0.5791 ppb		88
71)	Dibromochloromethane	8.47	129	1882	0.5114 ppb		93
72)	Chlorobenzene	9.07	112	5041	0.5656 ppb		89
73)	Ethylbenzene	9.21	91	7197	0.5798 ppb		97
74)	Bromoform	9.89	173	736	1.4269 ppb		90
76)	Isopropylbenzene	10.10	105	5360	0.5342 ppb	#	88
77)	1,1,2,2-Tetrachloroethane	10.39	83	2906	-0.5828 ppb	#	90
78)	1,2,3-Trichloropropane	10.43	110	986	-0.4514 ppb	#	42
79)	t-1,4-Dichloro-2-Butene	10.45	53	505	0.5754 ppb		90
80)	Bromobenzene	10.36	156	2160	0.5912 ppb		74
81)	n-Propylbenzene	10.51	91	6576	0.5477 ppb		93
82)	4-Ethyltoluene	10.62	105	4917	0.4707 ppb		95
83)	2-Chlorotoluene	10.56	91	4578	0.5869 ppb		99
84)	1,3,5-Trimethylbenzene	10.69	105	4291	0.4789 ppb		87
85)	4-Chlorotoluene	10.68	91	5032	0.5602 ppb		86
86)	Tert-Butylbenzene	11.00	119	4371	0.5635 ppb		85
87)	1,2,4-Trimethylbenzene	11.05	105	4493	0.5224 ppb		99
88)	Sec-Butylbenzene	11.22	105	5146	0.4809 ppb	#	87
89)	p-Isopropyltoluene	11.37	119	4760	0.4879 ppb	#	89
90)	Benzyl Chloride	11.53	91	513	0.5901 ppb	#	48
91)	1,3-DCB	11.29	146	3422	0.5234 ppb		89
92)	1,4-DCB	11.39	146	4281	0.5802 ppb		87
93)	n-Butylbenzene	11.78	91	4308	0.5346 ppb	#	89
94)	1,2-DCB	11.75	146	3948	0.5864 ppb		93
95)	Hexachloroethane	12.00	117	568	-0.3363 ppb	#	75
96)	1,2-Dibromo-3-chloropropan	12.52	157	358	0.1892 ppb	#	70
97)	1,2,4-Trichlorobenzene	13.34	180	2271	0.5271 ppb	#	68
98)	Hexachlorobutadiene	13.53	225	790	0.3743 ppb	#	60
99)	Naphthalene	13.57	128	5012	0.5387 ppb		97
100)	1,2,3-Trichlorobenzene	13.82	180	2176	0.4738 ppb		82


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T20.D Vial: 17
Acq On : 24 Apr 19 19:50 Operator: DG,SV, CMM.PM,KV
Sample : 0.5ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T21.D Vial: 18
Acq On : 24 Apr 19 20:18 Operator: DG,SV, CMM.PM,KV
Sample : 1.0ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	348736	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	350080	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	199296	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.96	111	68626	9.3016 ppb		0.00
Spiked Amount 25.000			Recovery	= 37.208%		
41) 1,2-DCA-D4(S)	5.38	65	81347	9.6665 ppb		0.00
Spiked Amount 25.000			Recovery	= 38.668%		
61) Toluene-D8(S)	7.59	98	221715	8.9481 ppb		0.00
Spiked Amount 25.000			Recovery	= 35.792%		
69) 4-Bromofluorobenzene(S)	10.23	95	74508	8.3277 ppb		0.00
Spiked Amount 25.000			Recovery	= 33.312%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	3634	1.0545 ppb		99
4) Freon 114	1.05	135	2375	1.1315 ppb		81
5) Chloromethane	1.08	50	5533	0.2955 ppb		94
6) Vinyl chloride	1.16	62	3829	1.1177 ppb		93
8) Bromomethane	1.38	94	5361	1.0954 ppb	#	79
9) Chloroethane	1.46	64	2233	0.5792 ppb		99
10) Dichlorofluoromethane	1.62	67	7441	1.0786 ppb		94
11) Trichlorofluoromethane	1.66	101	6561	1.0433 ppb		96
12) Acrolein	2.00	56	31647	49.4097 ppb		91
13) Acetone	2.14	43	4901	0.3545 ppb		96
14) Freon-113	2.11	101	3563	1.1749 ppb		90
15) 1,1-DCE	2.08	61	4467	1.0744 ppb		95
17) Acetonitrile	2.39	41	12853	51.7621 ppb		94
18) t-Butanol	2.74	59	15838	54.9022 ppb		92
20) Iodomethane	2.20	142	235	4.0628 ppb	#	3
21) Acrylonitrile	2.82	52	2260	1.3443 ppb		88
22) Methylene chloride	2.56	84	5439	0.4128 ppb		89
23) Carbon disulfide	2.26	76	11076	0.4514 ppb		96
24) Methyl t-butyl ether (MtBE	2.89	73	9346	2.3472 ppb		96
25) Trans-1,2-DCE	2.85	96	3950	2.1278 ppb	#	70
26) Hexane	2.88	57	3720	3.0961 ppb	#	80
27) Diisopropyl Ether	3.56	45	2757	1.0147 ppb	#	91
28) 1,1-DCA	3.38	63	6353	1.6181 ppb		99
29) Vinyl Acetate	3.56	87	2144	1.3104 ppb	#	58
30) Ethyl tert Butyl Ether	4.13	59	3314	0.9689 ppb	#	86
31) MEK (2-Butanone)	4.33	43	1864	0.2811 ppb	#	86
32) Cis-1,2-DCE	4.26	61	4614	1.1196 ppb	#	77
33) 2,2-Dichloropropane	4.24	77	4141	1.1107 ppb	#	55
34) Chloroform	4.75	83	6552	1.0979 ppb		93
35) Bromochloromethane	4.58	128	2121	0.2150 ppb	#	67
37) 1,1,1-TCA	4.95	97	5591	1.1706 ppb		92
38) Cyclohexane	5.01	41	2723	1.1498 ppb	#	59
39) 1,1-Dichloropropene	5.18	75	4023	1.2314 ppb	#	84
40) 2,2,4-Trimethylpentane	5.60	57	6327	1.0617 ppb	#	60
42) Carbon Tetrachloride	5.17	117	3417	0.8628 ppb		76
43) Tert Amyl Methyl Ether	5.67	73	2231	3.0872 ppb	#	64
44) 1,2-DCA	5.47	62	5577	1.1506 ppb		98
45) Benzene	5.43	78	11745	1.0537 ppb		97
46) TCE	6.24	95	2929	1.0024 ppb		83

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T21.D Vial: 18
Acq On : 24 Apr 19 20:18 Operator: DG,SV, CMM.PM,KV
Sample : 1.0ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
47)	2-Pentanone	6.51	43	110620	49.7482	ppb		97
48)	1,2-Dichloropropane	6.49	63	3072	1.0092	ppb	#	79
49)	Bromodichloromethane	6.82	83	4751	1.0664	ppb	#	96
50)	Methyl Cyclohexane	6.45	83	3834	1.1054	ppb	#	73
51)	Dibromomethane	6.61	93	3212	0.5955	ppb		96
52)	MIBK (methyl isobutyl ket	7.52	58	1093	0.9847	ppb	#	78
53)	1-Bromo-2-chloroethane	7.12	63	5161	1.1225	ppb	#	75
54)	2-Chloroethyl vinyl ether	7.12	107	201	-1.5714	ppb	#	86
55)	Cis-1,3-Dichloropropene	7.32	75	4093	0.9573	ppb	#	91
56)	Toluene	7.65	91	13377	1.2262	ppb		99
57)	Trans-1,3-Dichloropropene	7.91	75	4343	1.0287	ppb		89
58)	1,1,2-TCA	8.09	83	3380	0.8614	ppb		76
59)	2-Hexanone	8.39	58	1196	2.2741	ppb	#	27
62)	1,2-EDB	8.56	107	3791	1.0903	ppb	#	72
63)	Tetrachloroethene	8.21	164	3457	1.1271	ppb	#	89
64)	1-Chlorohexane	9.10	91	3385	1.0534	ppb		88
65)	1,1,1,2-Tetrachloroethane	9.17	131	4312	1.1721	ppb		86
66)	m&p-Xylene	9.33	106	8594	1.7654	ppb		84
67)	o-Xylene	9.72	106	4157	0.9212	ppb		77
68)	Styrene	9.74	104	6915	0.9355	ppb		97
70)	1,3-Dichloropropane	8.25	76	5519	1.0809	ppb		92
71)	Dibromochloromethane	8.46	129	4089	1.0859	ppb		92
72)	Chlorobenzene	9.07	112	10226	1.1213	ppb		97
73)	Ethylbenzene	9.21	91	11792	0.9285	ppb		98
74)	Bromoform	9.89	173	1916	1.7770	ppb		90
76)	Isopropylbenzene	10.10	105	10503	1.0057	ppb	#	86
78)	1,2,3-Trichloropropane	10.42	110	1007	-0.4678	ppb		89
79)	t-1,4-Dichloro-2-Butene	10.46	53	1114	1.2196	ppb	#	68
80)	Bromobenzene	10.36	156	4198	1.1040	ppb		93
81)	n-Propylbenzene	10.50	91	12663	1.0134	ppb		98
82)	4-Ethyltoluene	10.62	105	9903	0.9109	ppb		96
83)	2-Chlorotoluene	10.56	91	8255	1.0169	ppb		95
84)	1,3,5-Trimethylbenzene	10.69	105	8093	0.8679	ppb		100
85)	4-Chlorotoluene	10.68	91	8705	0.9311	ppb		98
86)	Tert-Butylbenzene	11.00	119	8187	1.0140	ppb		82
87)	1,2,4-Trimethylbenzene	11.05	105	8087	0.9034	ppb		92
88)	Sec-Butylbenzene	11.22	105	10863	0.9753	ppb		95
89)	p-Isopropyltoluene	11.37	119	9593	0.9447	ppb	#	88
90)	Benzyl Chloride	11.53	91	1078	1.1914	ppb	#	63
91)	1,3-DCB	11.30	146	6504	0.9558	ppb	#	78
92)	1,4-DCB	11.39	146	9113	1.1866	ppb		95
93)	n-Butylbenzene	11.78	91	8090	0.9646	ppb		95
94)	1,2-DCB	11.75	146	7126	1.0170	ppb		86
95)	Hexachloroethane	12.00	117	1694	0.2258	ppb	#	61
96)	1,2-Dibromo-3-chloropropan	12.51	157	1405	1.2296	ppb	#	77
97)	1,2,4-Trichlorobenzene	13.34	180	4110	0.9166	ppb	#	73
98)	Hexachlorobutadiene	13.53	225	2501	1.1387	ppb	#	81
99)	Naphthalene	13.57	128	9141	0.9440	ppb		93
100)	1,2,3-Trichlorobenzene	13.81	180	5183	1.0842	ppb	#	92


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T21.D Vial: 18
Acq On : 24 Apr 19 20:18 Operator: DG,SV, CMM.PM,KV
Sample : 1.0ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T22.D Vial: 19
Acq On : 24 Apr 19 20:47 Operator: DG,SV, CMM.PM,KV
Sample : 2.0ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	362880	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	357120	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	207488	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.96	111	67165	8.7487 ppb		0.00
Spiked Amount 25.000			Recovery	= 34.996%		
41) 1,2-DCA-D4(S)	5.38	65	79389	9.0662 ppb		0.00
Spiked Amount 25.000			Recovery	= 36.264%		
61) Toluene-D8(S)	7.59	98	220214	8.7123 ppb		0.00
Spiked Amount 25.000			Recovery	= 34.848%		
69) 4-Bromofluorobenzene(S)	10.23	95	76603	8.3930 ppb		0.00
Spiked Amount 25.000			Recovery	= 33.572%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	7349	2.0495 ppb		99
4) Freon 114	1.05	135	4554	2.0851 ppb		93
5) Chloromethane	1.08	50	6704	0.6399 ppb	#	85
6) Vinyl chloride	1.16	62	6913	1.9393 ppb		96
8) Bromomethane	1.38	94	9893	1.9426 ppb		99
9) Chloroethane	1.46	64	5612	1.9362 ppb		85
10) Dichlorofluoromethane	1.62	67	14383	2.0036 ppb		100
11) Trichlorofluoromethane	1.65	101	12385	1.8927 ppb		99
12) Acrolein	2.00	56	46877	70.3352 ppb		92
13) Acetone	2.14	43	7360	2.3148 ppb	#	78
14) Freon-113	2.10	101	6661	2.1108 ppb		96
15) 1,1-DCE	2.08	61	8941	2.0667 ppb		90
17) Acetonitrile	2.39	41	19368	74.9594 ppb		95
18) t-Butanol	2.74	59	23151	74.7272 ppb	#	88
19) Methyl Acetate	2.47	43	9035	1.0293 ppb		95
20) Iodomethane	2.20	142	807	4.2569 ppb		89
21) Acrylonitrile	2.83	52	3555	2.3655 ppb		83
22) Methylene chloride	2.55	84	8758	1.3498 ppb		94
23) Carbon disulfide	2.26	76	19139	1.3588 ppb		100
24) Methyl t-butyl ether (MtBE	2.88	73	17270	3.2752 ppb		96
25) Trans-1,2-DCE	2.85	96	6840	3.0578 ppb		83
26) Hexane	2.88	57	4032	3.1933 ppb	#	90
27) Diisopropyl Ether	3.56	45	5439	1.9237 ppb		95
28) 1,1-DCA	3.38	63	11093	2.5960 ppb		93
29) Vinyl Acetate	3.57	87	5481	2.5999 ppb	#	81
30) Ethyl tert Butyl Ether	4.12	59	6703	1.8833 ppb		97
31) MEK (2-Butanone)	4.34	43	3175	1.1884 ppb	#	79
32) Cis-1,2-DCE	4.25	61	8022	1.8708 ppb		92
33) 2,2-Dichloropropane	4.23	77	8409	2.1675 ppb		98
34) Chloroform	4.75	83	12347	1.9884 ppb		91
35) Bromochloromethane	4.59	128	4267	1.5338 ppb		91
37) 1,1,1-TCA	4.95	97	10029	2.0180 ppb		93
38) Cyclohexane	5.02	41	4776	2.0814 ppb	#	69
39) 1,1-Dichloropropene	5.19	75	6667	1.9612 ppb	#	81
40) 2,2,4-Trimethylpentane	5.60	57	12904	2.0809 ppb	#	59
42) Carbon Tetrachloride	5.17	117	8102	1.9661 ppb	#	85
43) Tert Amyl Methyl Ether	5.66	73	4633	3.6469 ppb	#	84
44) 1,2-DCA	5.47	62	10196	2.0215 ppb		100
45) Benzene	5.44	78	22651	1.9529 ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T22.D Vial: 19
Acq On : 24 Apr 19 20:47 Operator: DG,SV, CMM.PM,KV
Sample : 2.0ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
46)	TCE	6.25	95	5813	1.9118	ppb		89
47)	2-Pentanone	6.51	43	166058	71.7691	ppb		95
48)	1,2-Dichloropropane	6.48	63	6529	2.0613	ppb	#	91
49)	Bromodichloromethane	6.82	83	9400	2.0276	ppb		83
50)	Methyl Cyclohexane	6.45	83	7473	2.0706	ppb		74
51)	Dibromomethane	6.60	93	5224	1.4187	ppb		89
52)	MIBK (methyl isobutyl ket	7.52	58	1747	1.5126	ppb		87
53)	1-Bromo-2-chloroethane	7.12	63	9364	1.9573	ppb		95
54)	2-Chloroethyl vinyl ether	7.12	107	422	-0.2403	ppb	#	56
55)	Cis-1,3-Dichloropropene	7.31	75	8162	1.8345	ppb		96
56)	Toluene	7.65	91	23511	1.9592	ppb		96
57)	Trans-1,3-Dichloropropene	7.91	75	7937	1.8067	ppb		95
58)	1,1,2-TCA	8.08	83	6154	1.8645	ppb		98
59)	2-Hexanone	8.38	58	1824	2.7844	ppb	#	73
62)	1,2-EDB	8.56	107	6406	1.8061	ppb		99
63)	Tetrachloroethene	8.21	164	6285	2.0087	ppb		86
64)	1-Chlorohexane	9.10	91	6780	2.0683	ppb		90
65)	1,1,1,2-Tetrachloroethane	9.17	131	7455	1.9865	ppb		82
66)	m&p-Xylene	9.33	106	17985	3.6218	ppb		99
67)	o-Xylene	9.72	106	7902	1.7166	ppb		74
68)	Styrene	9.73	104	13420	1.7798	ppb		92
70)	1,3-Dichloropropane	8.25	76	10359	1.9889	ppb		92
71)	Dibromochloromethane	8.47	129	7605	1.9798	ppb		95
72)	Chlorobenzene	9.07	112	17622	1.8942	ppb	#	86
73)	Ethylbenzene	9.21	91	23363	1.8033	ppb		98
74)	Bromoform	9.89	173	5955	2.9577	ppb		99
76)	Isopropylbenzene	10.10	105	21443	1.9723	ppb	#	88
77)	1,1,2,2-Tetrachloroethane	10.39	83	10018	1.2301	ppb	#	87
78)	1,2,3-Trichloropropane	10.42	110	3162	1.2697	ppb		89
79)	t-1,4-Dichloro-2-Butene	10.45	53	1860	1.9559	ppb		84
80)	Bromobenzene	10.36	156	7147	1.8053	ppb		89
81)	n-Propylbenzene	10.50	91	23789	1.8286	ppb		96
82)	4-Ethyltoluene	10.62	105	20461	1.8077	ppb		100
83)	2-Chlorotoluene	10.56	91	16003	1.8934	ppb		97
84)	1,3,5-Trimethylbenzene	10.69	105	17274	1.7794	ppb		97
85)	4-Chlorotoluene	10.68	91	17112	1.7581	ppb		85
86)	Tert-Butylbenzene	11.00	119	15102	1.7967	ppb		97
87)	1,2,4-Trimethylbenzene	11.05	105	14475	1.5532	ppb		86
88)	Sec-Butylbenzene	11.22	105	20695	1.7847	ppb		95
89)	p-Isopropyltoluene	11.37	119	19098	1.8065	ppb		95
90)	Benzyl Chloride	11.53	91	1684	1.7876	ppb	#	70
91)	1,3-DCB	11.30	146	13812	1.9495	ppb		98
92)	1,4-DCB	11.39	146	15421	1.9287	ppb		85
93)	n-Butylbenzene	11.77	91	15361	1.7592	ppb		95
94)	1,2-DCB	11.74	146	14678	2.0120	ppb		96
95)	Hexachloroethane	12.00	117	3667	1.1577	ppb		82
96)	1,2-Dibromo-3-chloropropan	12.51	157	2536	2.2685	ppb	#	63
97)	1,2,4-Trichlorobenzene	13.34	180	9240	1.9793	ppb		84
98)	Hexachlorobutadiene	13.53	225	5118	2.2382	ppb		98
99)	Naphthalene	13.57	128	19059	1.8906	ppb		95
100)	1,2,3-Trichlorobenzene	13.81	180	9264	1.8615	ppb		94

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\THOR\DATA\T190423\0424T22.D
Acq On : 24 Apr 19 20:47
Sample : 2.0ug/L VOC STD 04/24/19
Misc : IS &S 4/2/19

Vial: 19
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 10:44 2019

Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T23.D Vial: 20
Acq On : 24 Apr 19 21:15 Operator: DG,SV, CMM.PM,KV
Sample : 5.0ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	352832	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	353920	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	212288	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.97	111	189710	25.4149 ppb		0.00
Spiked Amount 25.000			Recovery	= 101.660%		
41) 1,2-DCA-D4(S)	5.37	65	217906	25.5934 ppb		0.00
Spiked Amount 25.000			Recovery	= 102.372%		
61) Toluene-D8(S)	7.59	98	631810	25.2223 ppb		0.00
Spiked Amount 25.000			Recovery	= 100.888%		
69) 4-Bromofluorobenzene(S)	10.23	95	223183	24.6742 ppb		0.00
Spiked Amount 25.000			Recovery	= 98.696%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	15517	4.4506 ppb		93
4) Freon 114	1.05	135	8788	4.1382 ppb		77
5) Chloromethane	1.08	50	17252	4.6566 ppb		96
6) Vinyl chloride	1.16	62	17000	4.9049 ppb		97
8) Bromomethane	1.38	94	20537	4.1475 ppb		97
9) Chloroethane	1.46	64	13412	5.3124 ppb		97
10) Dichlorofluoromethane	1.62	67	32381	4.6392 ppb		95
11) Trichlorofluoromethane	1.66	101	30793	4.8397 ppb		91
12) Acrolein	2.00	56	69152	106.7119 ppb		96
13) Acetone	2.14	43	9947	4.8042 ppb		93
14) Freon-113	2.10	101	15200	4.9538 ppb		89
15) 1,1-DCE	2.08	61	20144	4.7888 ppb		91
17) Acetonitrile	2.39	41	25216	100.3720 ppb		94
18) t-Butanol	2.75	59	32532	100.1607 ppb		94
19) Methyl Acetate	2.47	43	15913	3.6222 ppb		90
20) Iodomethane	2.20	142	2850	4.9900 ppb		86
21) Acrylonitrile	2.82	52	9347	7.5067 ppb		86
22) Methylene chloride	2.55	84	18549	4.4705 ppb		97
23) Carbon disulfide	2.26	76	44162	4.4908 ppb		99
24) Methyl t-butyl ether (MtBE	2.89	73	42279	6.4995 ppb	#	94
25) Trans-1,2-DCE	2.85	96	15859	6.2841 ppb		97
26) Hexane	2.88	57	8541	6.0591 ppb	#	95
27) Diisopropyl Ether	3.56	45	13363	4.8610 ppb		91
28) 1,1-DCA	3.37	63	25427	5.8810 ppb	#	91
29) Vinyl Acetate	3.56	87	11135	4.9689 ppb		94
30) Ethyl tert Butyl Ether	4.12	59	16252	4.6962 ppb	#	84
31) MEK (2-Butanone)	4.33	43	8573	5.3321 ppb	#	75
32) Cis-1,2-DCE	4.25	61	21238	5.0938 ppb		93
33) 2,2-Dichloropropane	4.24	77	18703	4.9581 ppb		91
34) Chloroform	4.75	83	30856	5.1106 ppb		92
35) Bromochloromethane	4.59	128	9235	4.8829 ppb		96
37) 1,1,1-TCA	4.95	97	23577	4.8791 ppb		95
38) Cyclohexane	5.01	41	9906	4.6770 ppb		73
39) 1,1-Dichloropropene	5.19	75	15704	4.7510 ppb	#	86
40) 2,2,4-Trimethylpentane	5.60	57	26693	4.4272 ppb		97
42) Carbon Tetrachloride	5.17	117	20142	5.0270 ppb		98
43) Tert Amyl Methyl Ether	5.66	73	11664	5.4299 ppb	#	96
44) 1,2-DCA	5.47	62	23168	4.7243 ppb		95
45) Benzene	5.44	78	56017	4.9671 ppb		95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T23.D Vial: 20
Acq On : 24 Apr 19 21:15 Operator: DG,SV, CMM.PM,KV
Sample : 5.0ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
46)	TCE	6.24	95	15742	5.3247 ppb		94
47)	2-Pentanone	6.51	43	234184	104.0950 ppb		98
48)	1,2-Dichloropropane	6.48	63	15016	4.8758 ppb		99
49)	Bromodichloromethane	6.82	83	22142	4.9121 ppb		92
50)	Methyl Cyclohexane	6.45	83	15019	4.2798 ppb		94
51)	Dibromomethane	6.61	93	12302	4.6686 ppb		96
52)	MIBK (methyl isobutyl ket	7.51	58	6011	5.3526 ppb		81
53)	1-Bromo-2-chloroethane	7.12	63	25084	5.3924 ppb		92
54)	2-Chloroethyl vinyl ether	7.12	107	1334	5.7005 ppb	#	1
55)	Cis-1,3-Dichloropropene	7.31	75	22428	5.1846 ppb		98
56)	Toluene	7.65	91	63602	5.1614 ppb		97
57)	Trans-1,3-Dichloropropene	7.91	75	22120	5.1785 ppb		91
58)	1,1,2-TCA	8.09	83	13912	4.9665 ppb		91
59)	2-Hexanone	8.38	58	5367	6.0389 ppb		98
62)	1,2-EDB	8.56	107	18503	5.2639 ppb		90
63)	Tetrachloroethene	8.21	164	15033	4.8480 ppb	#	91
64)	1-Chlorohexane	9.10	91	14370	4.4234 ppb		93
65)	1,1,1,2-Tetrachloroethane	9.17	131	17963	4.8297 ppb		99
66)	m&p-Xylene	9.33	106	45656	9.2772 ppb		98
67)	o-Xylene	9.72	106	22065	4.8368 ppb		85
68)	Styrene	9.73	104	35265	4.7192 ppb		99
70)	1,3-Dichloropropane	8.25	76	26024	5.0416 ppb		97
71)	Dibromochloromethane	8.47	129	18890	4.9621 ppb		89
72)	Chlorobenzene	9.08	112	46789	5.0749 ppb		95
73)	Ethylbenzene	9.21	91	61700	4.8055 ppb		99
74)	Bromoform	9.89	173	15161	5.7153 ppb		93
76)	Isopropylbenzene	10.10	105	54247	4.8767 ppb		91
77)	1,1,2,2-Tetrachloroethane	10.39	83	25072	5.0537 ppb		95
78)	1,2,3-Trichloropropane	10.42	110	8105	5.1826 ppb		82
79)	t-1,4-Dichloro-2-Butene	10.45	53	4988	5.1266 ppb		85
80)	Bromobenzene	10.36	156	21681	5.3528 ppb		100
81)	n-Propylbenzene	10.50	91	67206	5.0490 ppb		99
82)	4-Ethyltoluene	10.62	105	55951	4.8313 ppb		96
83)	2-Chlorotoluene	10.56	91	42321	4.8941 ppb		92
84)	1,3,5-Trimethylbenzene	10.69	105	49728	5.0066 ppb		97
85)	4-Chlorotoluene	10.67	91	50471	5.0682 ppb		98
86)	Tert-Butylbenzene	11.00	119	42231	4.9106 ppb		93
87)	1,2,4-Trimethylbenzene	11.05	105	47442	4.9755 ppb		95
88)	Sec-Butylbenzene	11.22	105	58342	4.9176 ppb		99
89)	p-Isopropyltoluene	11.37	119	53572	4.9529 ppb		92
90)	Benzyl Chloride	11.53	91	4983	5.1701 ppb		98
91)	1,3-DCB	11.30	146	37876	5.2252 ppb		96
92)	1,4-DCB	11.39	146	41264	5.0441 ppb		93
93)	n-Butylbenzene	11.77	91	40484	4.5315 ppb		96
94)	1,2-DCB	11.75	146	37092	4.9695 ppb		98
95)	Hexachloroethane	12.00	117	11592	4.9093 ppb		95
96)	1,2-Dibromo-3-chloropropan	12.51	157	5709	5.2151 ppb		90
97)	1,2,4-Trichlorobenzene	13.34	180	24776	5.1874 ppb		86
98)	Hexachlorobutadiene	13.53	225	11525	4.9260 ppb		96
99)	Naphthalene	13.57	128	45114	4.3740 ppb		100
100)	1,2,3-Trichlorobenzene	13.81	180	26171	5.1397 ppb		90

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\THOR\DATA\T190423\0424T23.D
Acq On : 24 Apr 19 21:15
Sample : 5.0ug/L VOC STD 04/24/19
Misc : IS &S 4/2/19

Vial: 20
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 10:44 2019

Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T24.D Vial: 21
Acq On : 24 Apr 19 21:44 Operator: DG,SV, CMM.PM,KV
Sample : 10ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.81	96	374150	25.0000 ppb	0.00
60) Chlorobenzene-D5 (IS)	9.05	117	374464	25.0000 ppb	0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	237248	25.0000 ppb	0.00
System Monitoring Compounds					
36) Dibromofluoromethane(S)	4.96	111	189563	23.9482 ppb	0.00
Spiked Amount 25.000			Recovery =	95.792%	
41) 1,2-DCA-D4(S)	5.38	65	215922	23.9154 ppb	0.00
Spiked Amount 25.000			Recovery =	95.660%	
61) Toluene-D8(S)	7.59	98	640527	24.1674 ppb	0.00
Spiked Amount 25.000			Recovery =	96.668%	
69) 4-Bromofluorobenzene(S)	10.23	95	229698	24.0013 ppb	0.00
Spiked Amount 25.000			Recovery =	96.004%	
Target Compounds					Qvalue
3) Dichlorodifluoromethane	0.96	85	38378	10.3804 ppb	100
4) Freon 114	1.05	135	21156	9.3947 ppb	100
5) Chloromethane	1.08	50	34248	10.2866 ppb	100
6) Vinyl chloride	1.16	62	36656	9.9735 ppb	100
8) Bromomethane	1.37	94	48226	9.1844 ppb	100
9) Chloroethane	1.46	64	26000	10.0260 ppb	100
10) Dichlorofluoromethane	1.62	67	67399	9.1060 ppb	100
11) Trichlorofluoromethane	1.65	101	66622	9.8744 ppb	100
12) Acrolein	2.00	56	85117	123.8644 ppb	100
13) Acetone	2.14	43	15950	9.3483 ppb	100
14) Freon-113	2.10	101	31123	9.5654 ppb	100
15) 1,1-DCE	2.08	61	42231	9.4675 ppb	100
17) Acetonitrile	2.40	41	35297	132.4940 ppb	99
18) t-Butanol	2.75	59	44477	120.5411 ppb	100
19) Methyl Acetate	2.47	43	36880	10.4847 ppb	100
20) Iodomethane	2.20	142	9009	6.9940 ppb	100
21) Acrylonitrile	2.83	52	11321	8.6666 ppb	100
22) Methylene chloride	2.55	84	37560	9.7179 ppb	100
23) Carbon disulfide	2.26	76	92363	9.7538 ppb	100
24) Methyl t-butyl ether (MtBE	2.89	73	68853	9.3650 ppb	100
25) Trans-1,2-DCE	2.85	96	27282	9.7417 ppb	100
26) Hexane	2.89	57	14331	9.1437 ppb	100
27) Diisopropyl Ether	3.56	45	26890	9.2243 ppb	100
28) 1,1-DCA	3.38	63	47739	10.2768 ppb	100
29) Vinyl Acetate	3.56	87	23793	9.5810 ppb	100
30) Ethyl tert Butyl Ether	4.12	59	30218	8.2344 ppb	100
31) MEK (2-Butanone)	4.33	43	15023	9.5574 ppb	100
32) Cis-1,2-DCE	4.25	61	39650	8.9680 ppb	100
33) 2,2-Dichloropropane	4.23	77	37087	9.2715 ppb	100
34) Chloroform	4.75	83	56263	8.7878 ppb	100
35) Bromochloromethane	4.59	128	18829	10.4937 ppb	100
37) 1,1,1-TCA	4.95	97	47169	9.2051 ppb	100
38) Cyclohexane	5.02	41	20145	9.1612 ppb	100
39) 1,1-Dichloropropene	5.19	75	33693	9.6125 ppb	100
40) 2,2,4-Trimethylpentane	5.60	57	58295	9.1176 ppb	100
42) Carbon Tetrachloride	5.17	117	40974	9.6435 ppb	100
43) Tert Amyl Methyl Ether	5.66	73	25311	8.4694 ppb	100
44) 1,2-DCA	5.47	62	47030	9.0437 ppb	100
45) Benzene	5.44	78	111375	9.3132 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T24.D Vial: 21
Acq On : 24 Apr 19 21:44 Operator: DG,SV, CMM.PM,KV
Sample : 10ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
46)	TCE	6.24	95	30206	9.6350 ppb	100
47)	2-Pentanone	6.51	43	298319	125.0477 ppb	100
48)	1,2-Dichloropropane	6.48	63	29958	9.1733 ppb	100
49)	Bromodichloromethane	6.82	83	46121	9.6488 ppb	100
50)	Methyl Cyclohexane	6.45	83	33211	8.9246 ppb	100
51)	Dibromomethane	6.61	93	25408	9.9143 ppb	100
52)	MIBK (methyl isobutyl ket	7.52	58	11967	10.0491 ppb	100
53)	1-Bromo-2-chloroethane	7.12	63	45350	9.1936 ppb	100
54)	2-Chloroethyl vinyl ether	7.13	107	2795	14.0729 ppb	100
55)	Cis-1,3-Dichloropropene	7.31	75	44796	9.7652 ppb	100
56)	Toluene	7.65	91	124486	9.3892 ppb	100
57)	Trans-1,3-Dichloropropene	7.91	75	43003	9.4939 ppb	100
58)	1,1,2-TCA	8.09	83	26719	9.3815 ppb	100
59)	2-Hexanone	8.38	58	8819	8.7102 ppb	100
62)	1,2-EDB	8.56	107	34442	9.2609 ppb	100
63)	Tetrachloroethene	8.21	164	30564	9.3159 ppb	100
64)	1-Chlorohexane	9.10	91	29460	8.5709 ppb	100
65)	1,1,1,2-Tetrachloroethane	9.17	131	37489	9.5266 ppb	100
66)	m&p-Xylene	9.33	106	97514	18.7275 ppb	100
67)	o-Xylene	9.72	106	45336	9.3927 ppb	100
68)	Styrene	9.73	104	73663	9.3168 ppb	100
70)	1,3-Dichloropropane	8.25	76	49945	9.1449 ppb	100
71)	Dibromochloromethane	8.47	129	37889	9.4067 ppb	100
72)	Chlorobenzene	9.07	112	89564	9.1815 ppb	100
73)	Ethylbenzene	9.21	91	122096	8.9878 ppb	100
74)	Bromoform	9.89	173	30318	9.7340 ppb	100
76)	Isopropylbenzene	10.10	105	114532	9.2129 ppb	100
77)	1,1,2,2-Tetrachloroethane	10.39	83	48174	9.7057 ppb	100
78)	1,2,3-Trichloropropane	10.42	110	15484	9.8026 ppb	100
79)	t-1,4-Dichloro-2-Butene	10.45	53	9614	8.8416 ppb	100
80)	Bromobenzene	10.36	156	42742	9.4423 ppb	100
81)	n-Propylbenzene	10.50	91	135335	9.0978 ppb	100
82)	4-Ethyltoluene	10.62	105	124134	9.5911 ppb	100
83)	2-Chlorotoluene	10.56	91	89666	9.2782 ppb	100
84)	1,3,5-Trimethylbenzene	10.69	105	105860	9.5366 ppb	100
85)	4-Chlorotoluene	10.68	91	105100	9.4436 ppb	100
86)	Tert-Butylbenzene	11.00	119	85585	8.9047 ppb	100
87)	1,2,4-Trimethylbenzene	11.05	105	97544	9.1537 ppb	100
88)	Sec-Butylbenzene	11.22	105	125490	9.4647 ppb	100
89)	p-Isopropyltoluene	11.37	119	111641	9.2356 ppb	100
90)	Benzyl Chloride	11.53	91	9552	8.8680 ppb	100
91)	1,3-DCB	11.30	146	77301	9.5421 ppb	100
92)	1,4-DCB	11.39	146	82074	8.9773 ppb	100
93)	n-Butylbenzene	11.78	91	91309	9.1453 ppb	100
94)	1,2-DCB	11.75	146	75484	9.0492 ppb	100
95)	Hexachloroethane	12.00	117	24800	9.9810 ppb	100
96)	1,2-Dibromo-3-chloropropan	12.52	157	10709	8.8798 ppb	100
97)	1,2,4-Trichlorobenzene	13.34	180	46935	8.7930 ppb	100
98)	Hexachlorobutadiene	13.53	225	24822	9.4933 ppb	100
99)	Naphthalene	13.57	128	96281	8.3529 ppb	100
100)	1,2,3-Trichlorobenzene	13.81	180	51987	9.1356 ppb	100


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T24.D Vial: 21
Acq On : 24 Apr 19 21:44 Operator: DG,SV, CMM.PM,KV
Sample : 10ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T25.D Vial: 22
Acq On : 24 Apr 19 22:12 Operator: DG,SV, CMM.PM,KV
Sample : 20ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	366464	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	372480	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	244672	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.96	111	386443	49.8448 ppb		0.00
Spiked Amount 25.000			Recovery = 199.380%			
41) 1,2-DCA-D4(S)	5.37	65	432106	48.8636 ppb		0.00
Spiked Amount 25.000			Recovery = 195.456%			
61) Toluene-D8(S)	7.59	98	1362418	51.6786 ppb		0.00
Spiked Amount 25.000			Recovery = 206.716%			
69) 4-Bromofluorobenzene(S)	10.23	95	507979	53.3618 ppb		0.00
Spiked Amount 25.000			Recovery = 213.448%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	75744	20.9168 ppb		95
4) Freon 114	1.05	135	44581	20.2122 ppb		94
5) Chloromethane	1.08	50	65143	21.6715 ppb		97
6) Vinyl chloride	1.16	62	75432	20.9542 ppb		99
8) Bromomethane	1.37	94	122330	23.7857 ppb		99
9) Chloroethane	1.46	64	51254	20.5632 ppb		94
10) Dichlorofluoromethane	1.62	67	136589	18.8409 ppb		99
11) Trichlorofluoromethane	1.65	101	130388	19.7308 ppb		98
12) Acrolein	2.00	56	105738	157.0999 ppb		95
13) Acetone	2.14	43	29384	21.1672 ppb	#	82
14) Freon-113	2.10	101	63724	19.9958 ppb		90
15) 1,1-DCE	2.08	61	85425	19.5526 ppb		96
17) Acetonitrile	2.40	41	41347	158.4590 ppb		95
18) t-Butanol	2.75	59	61369	152.3531 ppb		94
19) Methyl Acetate	2.47	43	69357	22.1242 ppb		98
20) Iodomethane	2.20	142	31983	14.9087 ppb	#	90
21) Acrylonitrile	2.83	52	24512	19.9468 ppb		90
22) Methylene chloride	2.55	84	76861	21.7179 ppb		94
23) Carbon disulfide	2.25	76	187133	21.1617 ppb		96
24) Methyl t-butyl ether (MtBE	2.89	73	141875	18.4313 ppb		98
25) Trans-1,2-DCE	2.85	96	55278	19.3749 ppb		96
26) Hexane	2.88	57	30016	18.6858 ppb	#	87
27) Diisopropyl Ether	3.56	45	57813	20.2480 ppb		99
28) 1,1-DCA	3.37	63	99474	21.6646 ppb		93
29) Vinyl Acetate	3.56	87	49290	19.7902 ppb		96
30) Ethyl tert Butyl Ether	4.12	59	71178	19.8028 ppb		100
31) MEK (2-Butanone)	4.33	43	31610	21.8444 ppb		100
32) Cis-1,2-DCE	4.25	61	84709	19.5612 ppb		98
33) 2,2-Dichloropropane	4.23	77	74616	19.0447 ppb		98
34) Chloroform	4.75	83	118147	18.8406 ppb		100
35) Bromochloromethane	4.59	128	36333	21.8358 ppb		90
37) 1,1,1-TCA	4.95	97	99698	19.8642 ppb		94
38) Cyclohexane	5.01	41	43673	20.5310 ppb		93
39) 1,1-Dichloropropene	5.18	75	69625	20.2805 ppb		95
40) 2,2,4-Trimethylpentane	5.60	57	128020	20.4429 ppb		95
42) Carbon Tetrachloride	5.17	117	88457	21.2556 ppb		95
43) Tert Amyl Methyl Ether	5.66	73	64424	17.9726 ppb	#	96
44) 1,2-DCA	5.47	62	97352	19.1130 ppb		95
45) Benzene	5.44	78	232732	19.8692 ppb		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T25.D Vial: 22
Acq On : 24 Apr 19 22:12 Operator: DG,SV, CMM.PM,KV
Sample : 20ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
46)	TCE	6.24	95	61110	19.9014	ppb		94
47)	2-Pentanone	6.51	43	374308	160.1911	ppb		96
48)	1,2-Dichloropropane	6.48	63	61389	19.1919	ppb	#	95
49)	Bromodichloromethane	6.82	83	92061	19.6636	ppb		87
50)	Methyl Cyclohexane	6.45	83	74070	20.3220	ppb		92
51)	Dibromomethane	6.61	93	52024	21.6710	ppb		98
52)	MIBK (methyl isobutyl ket	7.52	58	21378	18.3283	ppb	#	71
53)	1-Bromo-2-chloroethane	7.12	63	90374	18.7055	ppb		100
54)	2-Chloroethyl vinyl ether	7.13	107	4055	22.2309	ppb		89
55)	Cis-1,3-Dichloropropene	7.31	75	89036	19.8163	ppb		96
56)	Toluene	7.65	91	271223	20.6869	ppb		98
57)	Trans-1,3-Dichloropropene	7.91	75	90343	20.3635	ppb		98
58)	1,1,2-TCA	8.09	83	57535	21.1963	ppb		99
59)	2-Hexanone	8.38	58	19536	18.2131	ppb		88
62)	1,2-EDB	8.56	107	71474	19.3205	ppb		95
63)	Tetrachloroethene	8.21	164	63368	19.4173	ppb		93
64)	1-Chlorohexane	9.10	91	66265	19.3813	ppb		95
65)	1,1,1,2-Tetrachloroethane	9.17	131	76867	19.6373	ppb		93
66)	m&p-Xylene	9.33	106	216832	41.8643	ppb		100
67)	o-Xylene	9.72	106	105154	21.9018	ppb		93
68)	Styrene	9.73	104	176147	22.3975	ppb		95
70)	1,3-Dichloropropane	8.25	76	104625	19.2589	ppb		97
71)	Dibromochloromethane	8.47	129	77494	19.3419	ppb		99
72)	Chlorobenzene	9.07	112	187433	19.3167	ppb		94
73)	Ethylbenzene	9.21	91	274434	20.3094	ppb		98
74)	Bromoform	9.89	173	60478	18.3141	ppb		96
76)	Isopropylbenzene	10.10	105	260624	20.3284	ppb		96
77)	1,1,2,2-Tetrachloroethane	10.39	83	102370	21.4984	ppb		94
78)	1,2,3-Trichloropropane	10.42	110	33229	21.8355	ppb		98
79)	t-1,4-Dichloro-2-Butene	10.45	53	22807	20.3382	ppb		90
80)	Bromobenzene	10.36	156	90266	19.3360	ppb		98
81)	n-Propylbenzene	10.50	91	313213	20.4165	ppb		100
82)	4-Ethyltoluene	10.62	105	293593	21.9959	ppb		98
83)	2-Chlorotoluene	10.56	91	200317	20.0990	ppb		100
84)	1,3,5-Trimethylbenzene	10.69	105	252391	22.0472	ppb		97
85)	4-Chlorotoluene	10.68	91	242119	21.0952	ppb		100
86)	Tert-Butylbenzene	11.00	119	199820	20.1595	ppb		99
87)	1,2,4-Trimethylbenzene	11.05	105	236482	21.5186	ppb		99
88)	Sec-Butylbenzene	11.22	105	290871	21.2724	ppb		99
89)	p-Isopropyltoluene	11.37	119	262499	21.0566	ppb		99
90)	Benzyl Chloride	11.53	91	20881	18.7975	ppb		95
91)	1,3-DCB	11.30	146	170255	20.3788	ppb		97
92)	1,4-DCB	11.39	146	176792	18.7508	ppb		94
93)	n-Butylbenzene	11.77	91	213063	20.6924	ppb		99
94)	1,2-DCB	11.75	146	165810	19.2745	ppb		97
95)	Hexachloroethane	12.00	117	52044	20.9699	ppb		92
96)	1,2-Dibromo-3-chloropropan	12.51	157	24049	19.5555	ppb		94
97)	1,2,4-Trichlorobenzene	13.34	180	108888	19.7804	ppb		95
98)	Hexachlorobutadiene	13.53	225	55114	20.4390	ppb		97
99)	Naphthalene	13.57	128	232183	19.5318	ppb		96
100)	1,2,3-Trichlorobenzene	13.81	180	113991	19.4237	ppb		92


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T25.D Vial: 22
Acq On : 24 Apr 19 22:12 Operator: DG,SV, CMM.PM,KV
Sample : 20ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T26.D Vial: 23
Acq On : 24 Apr 19 22:41 Operator: DG,SV, CMM.PM,KV
Sample : 40ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	377856	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	375360	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	252352	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.96	111	382493	47.8479 ppb		0.00
Spiked Amount 25.000			Recovery	= 191.392%		
41) 1,2-DCA-D4(S)	5.38	65	426614	46.7881 ppb		0.00
Spiked Amount 25.000			Recovery	= 187.152%		
61) Toluene-D8(S)	7.58	98	1362740	51.2942 ppb		0.00
Spiked Amount 25.000			Recovery	= 205.176%		
69) 4-Bromofluorobenzene(S)	10.23	95	528554	55.0971 ppb		0.00
Spiked Amount 25.000			Recovery	= 220.388%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	149504	40.0409 ppb		96
4) Freon 114	1.05	135	92493	40.6702 ppb		95
5) Chloromethane	1.08	50	127454	42.7375 ppb		96
6) Vinyl chloride	1.16	62	143149	38.5664 ppb		98
8) Bromomethane	1.37	94	229923	43.3582 ppb		95
9) Chloroethane	1.45	64	100556	39.4696 ppb		97
10) Dichlorofluoromethane	1.62	67	281858	37.7070 ppb		97
11) Trichlorofluoromethane	1.65	101	273813	40.1852 ppb		98
12) Acrolein	2.00	56	123893	178.5239 ppb		97
13) Acetone	2.14	43	55352	42.0360 ppb		91
14) Freon-113	2.10	101	130638	39.7567 ppb		90
15) 1,1-DCE	2.08	61	176208	39.1157 ppb		98
17) Acetonitrile	2.40	41	47087	175.0165 ppb		98
18) t-Butanol	2.76	59	68097	159.8919 ppb		96
19) Methyl Acetate	2.47	43	136642	44.2462 ppb		98
20) Iodomethane	2.20	142	98283	36.5544 ppb		98
21) Acrylonitrile	2.83	52	44732	35.8049 ppb		100
22) Methylene chloride	2.55	84	150252	42.3389 ppb		90
23) Carbon disulfide	2.25	76	380782	42.6597 ppb		98
24) Methyl t-butyl ether (MtBE	2.89	73	279580	34.1770 ppb		96
25) Trans-1,2-DCE	2.85	96	101561	33.9549 ppb		93
26) Hexane	2.89	57	57337	33.9683 ppb	#	85
27) Diisopropyl Ether	3.56	45	114151	38.7741 ppb		99
28) 1,1-DCA	3.37	63	199480	41.9689 ppb		94
29) Vinyl Acetate	3.56	87	99718	38.4212 ppb		97
30) Ethyl tert Butyl Ether	4.12	59	147856	39.8956 ppb		92
31) MEK (2-Butanone)	4.33	43	61491	42.2265 ppb		99
32) Cis-1,2-DCE	4.25	61	169571	37.9771 ppb		96
33) 2,2-Dichloropropane	4.23	77	153474	37.9912 ppb		96
34) Chloroform	4.75	83	230778	35.6921 ppb		96
35) Bromochloromethane	4.59	128	69465	41.5126 ppb		95
37) 1,1,1-TCA	4.95	97	199476	38.5462 ppb		98
38) Cyclohexane	5.02	41	87462	40.0740 ppb		96
39) 1,1-Dichloropropene	5.18	75	138841	39.2226 ppb		97
40) 2,2,4-Trimethylpentane	5.60	57	271081	41.9826 ppb		95
42) Carbon Tetrachloride	5.17	117	175803	40.9707 ppb		93
43) Tert Amyl Methyl Ether	5.66	73	136318	34.2258 ppb	#	92
44) 1,2-DCA	5.47	62	187182	35.6413 ppb		97
45) Benzene	5.43	78	464153	38.4317 ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T26.D Vial: 23
Acq On : 24 Apr 19 22:41 Operator: DG,SV, CMM.PM,KV
Sample : 40ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
46)	TCE	6.24	95	123818	39.1075 ppb		95
47)	2-Pentanone	6.51	43	444265	184.3980 ppb		98
48)	1,2-Dichloropropane	6.49	63	121415	36.8134 ppb	#	94
49)	Bromodichloromethane	6.82	83	185454	38.4175 ppb		93
50)	Methyl Cyclohexane	6.45	83	153455	40.8328 ppb		93
51)	Dibromomethane	6.61	93	99759	41.0477 ppb		95
52)	MIBK (methyl isobutyl ket	7.52	58	48312	40.1711 ppb		85
53)	1-Bromo-2-chloroethane	7.12	63	181924	36.5191 ppb		97
54)	2-Chloroethyl vinyl ether	7.12	107	7436	41.7792 ppb		89
55)	Cis-1,3-Dichloropropene	7.31	75	180585	38.9802 ppb		96
56)	Toluene	7.65	91	542263	39.9603 ppb		98
57)	Trans-1,3-Dichloropropene	7.91	75	182287	39.8492 ppb		96
58)	1,1,2-TCA	8.09	83	111374	40.2120 ppb		94
59)	2-Hexanone	8.38	58	42438	37.0675 ppb		88
62)	1,2-EDB	8.56	107	145952	39.1504 ppb		94
63)	Tetrachloroethene	8.21	164	124816	37.9529 ppb		93
64)	1-Chlorohexane	9.10	91	140671	40.8281 ppb		97
65)	1,1,1,2-Tetrachloroethane	9.17	131	148129	37.5524 ppb		99
66)	m&p-Xylene	9.33	106	462457	88.6027 ppb		97
67)	o-Xylene	9.72	106	218266	45.1124 ppb		92
68)	Styrene	9.74	104	386028	48.7078 ppb		92
70)	1,3-Dichloropropane	8.25	76	209611	38.2882 ppb		99
71)	Dibromochloromethane	8.47	129	159016	39.3847 ppb		99
72)	Chlorobenzene	9.07	112	371679	38.0110 ppb		95
73)	Ethylbenzene	9.21	91	568478	41.7472 ppb		98
74)	Bromoform	9.89	173	127955	37.1308 ppb		98
76)	Isopropylbenzene	10.10	105	555715	42.0261 ppb		98
77)	1,1,2,2-Tetrachloroethane	10.39	83	204688	43.0048 ppb		94
78)	1,2,3-Trichloropropane	10.42	110	65217	42.7519 ppb		98
79)	t-1,4-Dichloro-2-Butene	10.45	53	42950	37.1352 ppb		94
80)	Bromobenzene	10.36	156	182793	37.9648 ppb		99
81)	n-Propylbenzene	10.50	91	676830	42.7759 ppb		100
82)	4-Ethyltoluene	10.62	105	633716	46.0330 ppb		97
83)	2-Chlorotoluene	10.56	91	423059	41.1561 ppb		97
84)	1,3,5-Trimethylbenzene	10.69	105	549444	46.5352 ppb		99
85)	4-Chlorotoluene	10.68	91	510692	43.1411 ppb		95
86)	Tert-Butylbenzene	11.00	119	429812	42.0434 ppb		98
87)	1,2,4-Trimethylbenzene	11.05	105	528826	46.6559 ppb		98
88)	Sec-Butylbenzene	11.22	105	628064	44.5345 ppb		98
89)	p-Isopropyltoluene	11.37	119	575999	44.7981 ppb		98
90)	Benzyl Chloride	11.53	91	45425	39.6480 ppb		97
91)	1,3-DCB	11.30	146	353557	41.0314 ppb		99
92)	1,4-DCB	11.39	146	368053	37.8481 ppb		96
93)	n-Butylbenzene	11.77	91	485178	45.6858 ppb		98
94)	1,2-DCB	11.74	146	347521	39.1679 ppb		96
95)	Hexachloroethane	12.00	117	108204	42.9190 ppb		95
96)	1,2-Dibromo-3-chloropropan	12.51	157	52539	41.6304 ppb		91
97)	1,2,4-Trichlorobenzene	13.34	180	241922	42.6097 ppb		94
98)	Hexachlorobutadiene	13.53	225	115415	41.4990 ppb		95
99)	Naphthalene	13.57	128	557082	45.4369 ppb		96
100)	1,2,3-Trichlorobenzene	13.81	180	258697	42.7396 ppb		93


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T26.D Vial: 23
Acq On : 24 Apr 19 22:41 Operator: DG,SV, CMM.PM,KV
Sample : 40ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T27.D Vial: 24
Acq On : 24 Apr 19 23:09 Operator: DG,SV, CMM.PM,KV
Sample : 100ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	395776	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	393472	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	307392	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.96	111	751312	89.7298 ppb		0.00
Spiked Amount 25.000			Recovery = 358.920%			
41) 1,2-DCA-D4(S)	5.37	65	830167	86.9245 ppb		0.00
Spiked Amount 25.000			Recovery = 347.700%			
61) Toluene-D8(S)	7.59	98	2793500	100.3085 ppb		0.00
Spiked Amount 25.000			Recovery = 401.236%			
69) 4-Bromofluorobenzene(S)	10.23	95	1121815	111.5565 ppb		0.00
Spiked Amount 25.000			Recovery = 446.224%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	365632	93.4915 ppb		95
4) Freon 114	1.05	135	237866	99.8567 ppb		96
5) Chloromethane	1.08	50	300939	98.5979 ppb		95
6) Vinyl chloride	1.16	62	336192	86.4738 ppb		97
8) Bromomethane	1.37	94	507227	91.3204 ppb		95
9) Chloroethane	1.44	64	265541	100.0866 ppb		96
10) Dichlorofluoromethane	1.61	67	678184	86.6196 ppb		98
11) Trichlorofluoromethane	1.65	101	652037	91.3611 ppb		99
12) Acrolein	2.00	56	137012	188.4886 ppb		91
13) Acetone	2.15	43	129651	99.0326 ppb	#	89
14) Freon-113	2.10	101	311575	90.5274 ppb		93
15) 1,1-DCE	2.08	61	427492	90.6004 ppb		97
17) Acetonitrile	2.40	41	43817	155.4882 ppb		96
18) t-Butanol	2.80	59	144553	248.2542 ppb		98
19) Methyl Acetate	2.47	43	308790	97.9697 ppb		97
20) Iodomethane	2.20	142	312856	102.9796 ppb		95
21) Acrylonitrile	2.83	52	131519	101.6825 ppb		90
22) Methylene chloride	2.55	84	360997	98.7984 ppb		91
23) Carbon disulfide	2.25	76	912385	98.7754 ppb		98
24) Methyl t-butyl ether (MtBE	2.89	73	899415	102.5859 ppb		98
25) Trans-1,2-DCE	2.85	96	325721	102.4673 ppb		97
26) Hexane	2.89	57	184285	102.6574 ppb	#	81
27) Diisopropyl Ether	3.56	45	312640	101.3874 ppb		94
28) 1,1-DCA	3.37	63	494389	99.0651 ppb		96
29) Vinyl Acetate	3.56	87	275642	100.6987 ppb		96
30) Ethyl tert Butyl Ether	4.12	59	475272	122.4348 ppb		92
31) MEK (2-Butanone)	4.33	43	148817	99.0654 ppb		98
32) Cis-1,2-DCE	4.25	61	444840	95.1155 ppb		96
33) 2,2-Dichloropropane	4.23	77	395457	93.4596 ppb		96
34) Chloroform	4.75	83	585136	86.3995 ppb		100
35) Bromochloromethane	4.59	128	170707	99.0089 ppb		87
37) 1,1,1-TCA	4.95	97	515393	95.0837 ppb		96
38) Cyclohexane	5.01	41	227798	99.9593 ppb		98
39) 1,1-Dichloropropene	5.18	75	367226	99.0441 ppb		98
40) 2,2,4-Trimethylpentane	5.60	57	722461	106.8222 ppb		95
42) Carbon Tetrachloride	5.17	117	467135	103.9361 ppb		91
43) Tert Amyl Methyl Ether	5.66	73	451561	102.7810 ppb	#	92
44) 1,2-DCA	5.47	62	472378	85.8728 ppb		99
45) Benzene	5.44	78	1202568	95.0638 ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T27.D Vial: 24
Acq On : 24 Apr 19 23:09 Operator: DG,SV, CMM.PM,KV
Sample : 100ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
46)	TCE	6.24	95	322285	97.1837 ppb		98
47)	2-Pentanone	6.51	43	512126	202.9401 ppb		96
48)	1,2-Dichloropropane	6.48	63	302971	87.7023 ppb	#	95
49)	Bromodichloromethane	6.82	83	474948	93.9324 ppb		90
50)	Methyl Cyclohexane	6.45	83	436544	110.9004 ppb		88
51)	Dibromomethane	6.61	93	249686	99.2906 ppb		92
52)	MIBK (methyl isobutyl ket	7.52	58	123752	98.2400 ppb	#	82
53)	1-Bromo-2-chloroethane	7.12	63	473820	90.8072 ppb		99
54)	2-Chloroethyl vinyl ether	7.12	107	17678	98.4826 ppb	#	69
55)	Cis-1,3-Dichloropropene	7.31	75	491440	101.2767 ppb		97
56)	Toluene	7.65	91	1423870	99.9317 ppb		99
57)	Trans-1,3-Dichloropropene	7.91	75	486271	101.4890 ppb		94
58)	1,1,2-TCA	8.09	83	287339	99.7447 ppb		98
59)	2-Hexanone	8.39	58	124343	101.5723 ppb		85
62)	1,2-EDB	8.56	107	375831	96.1728 ppb		94
63)	Tetrachloroethene	8.21	164	328256	95.2185 ppb		91
64)	1-Chlorohexane	9.10	91	394832	109.3203 ppb		90
65)	1,1,1,2-Tetrachloroethane	9.17	131	389465	94.1889 ppb		95
66)	m&p-Xylene	9.33	106	1283191	234.5314 ppb		100
67)	o-Xylene	9.72	106	624830	123.1985 ppb		95
68)	Styrene	9.73	104	1113278	134.0038 ppb		96
70)	1,3-Dichloropropane	8.25	76	529913	92.3400 ppb		97
71)	Dibromochloromethane	8.47	129	430280	101.6652 ppb		100
72)	Chlorobenzene	9.08	112	974943	95.1163 ppb		97
73)	Ethylbenzene	9.21	91	1557503	109.1130 ppb		100
74)	Bromoform	9.89	173	374210	101.4441 ppb		96
76)	Isopropylbenzene	10.10	105	1572122	97.6039 ppb		98
77)	1,1,2,2-Tetrachloroethane	10.40	83	561151	98.5556 ppb		92
78)	1,2,3-Trichloropropane	10.42	110	180046	98.5768 ppb		92
79)	t-1,4-Dichloro-2-Butene	10.46	53	112265	79.6858 ppb		100
80)	Bromobenzene	10.36	156	516229	88.0192 ppb		99
81)	n-Propylbenzene	10.50	91	1864039	96.7139 ppb		98
82)	4-Ethyltoluene	10.62	105	1790844	106.7938 ppb		97
83)	2-Chlorotoluene	10.56	91	1154622	92.2119 ppb		96
84)	1,3,5-Trimethylbenzene	10.69	105	1530000	106.3809 ppb		99
85)	4-Chlorotoluene	10.68	91	1410432	97.8134 ppb		95
86)	Tert-Butylbenzene	11.00	119	1281473	102.9064 ppb		96
87)	1,2,4-Trimethylbenzene	11.05	105	1549657	112.2390 ppb		96
88)	Sec-Butylbenzene	11.22	105	1827115	106.3587 ppb		99
89)	p-Isopropyltoluene	11.37	119	1706174	108.9369 ppb		97
90)	Benzyl Chloride	11.53	91	123196	88.2748 ppb		99
91)	1,3-DCB	11.30	146	1027345	97.8785 ppb		97
92)	1,4-DCB	11.39	146	1064268	89.8460 ppb		95
93)	n-Butylbenzene	11.77	91	1408804	108.9043 ppb		98
94)	1,2-DCB	11.75	146	1040265	96.2514 ppb		98
95)	Hexachloroethane	12.00	117	300520	98.6736 ppb		93
96)	1,2-Dibromo-3-chloropropan	12.52	157	152613	99.5319 ppb	#	88
97)	1,2,4-Trichlorobenzene	13.34	180	738926	106.8437 ppb		95
98)	Hexachlorobutadiene	13.53	225	338641	99.9607 ppb		97
99)	Naphthalene	13.57	128	1807938	121.0564 ppb		96
100)	1,2,3-Trichlorobenzene	13.81	180	778824	105.6313 ppb		93


(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T27.D Vial: 24
Acq On : 24 Apr 19 23:09 Operator: DG,SV, CMM.PM,KV
Sample : 100ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00


Quant Time: Apr 25 10:44 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration







Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019




Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019



Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019



Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019



Method Name: M:\THOR\DATA\T190423\T0424W.M
Calibration Table Last Updated: Thu Apr 25 10:43:03 2019

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Second Source Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/25/19
Matrix: Instrument: Thor
Initial Cal. Date: 04/24/19
Data File: 0424T30.D

		Compound	MEAN	CCRF	%D		%Drift	
1	TM	Freon 1113	0.0000	0.0006	0.00	TM		
2	TM	Dichlorodifluoromethane	0.2470	0.2666	7.9	TM		
3	TM	Freon 114	0.1505	0.1521	1.1	TM		
4	TM**L	Chloromethane	0.2824	0.2331	17	TM**L	5.1	
5	TM*	Vinyl chloride	0.2456	0.2591	5.5	TM*		
6	TM	2-Chloro-1,1,1-trifluoroethane	0.0000	0.0004	0.00	TM		
7	TM	Bromomethane	0.3509	0.2959	16	TM		
8	TML	Chloroethane	0.1911	0.1775	7.1	TML	2.5	
9	TM	Dichlorofluoromethane	0.4946	0.4648	6.0	TM		
10	TM	Trichlorofluoromethane	0.4508	0.4540	0.71	TM		
11	TM	Acrolein	0.0459	0.0429	6.6	TM		
12	TML	Acetone	0.2105	0.1206	43	TML	11	
13	TM	Freon-113	0.2174	0.2207	1.5	TM		
14	TM*	1,1-DCE	0.2980	0.2946	1.2	TM*		
15	TM	2-Propanol	0.0000	0.0047	0.00	TM		
16	TM	Acetonitrile	0.0178	0.0185	4.1	TM		
17	TMQ	t-Butanol	0.0252	0.0243	3.7	TMQ	2.0	
18	TML	Methyl Acetate	0.2924	0.2329	20	TML	2.1	
19	TML	Iodomethane	0.0866	0.0501	42	TML	35	* NT
20	TML	Acrylonitrile	0.1289	0.0873	32	TML	0.99	
21	TML	Methylene chloride	0.2995	0.2976	0.65	TML	18	
22	TML	Carbon disulfide	0.6789	0.6563	3.3	TML	4.3	
23	TML	Methyl t-butyl ether (MtBE)	0.5734	0.4878	15	TML	1.4	
24	TML	Trans-1,2-DCE	0.2246	0.2003	11	TML	6.3	
25	TML	Hexane	0.1437	0.0995	31	TML	5.3	
26	TM	Diisopropyl Ether	0.1948	0.1917	1.6	TM		
27	TM**L	1,1-DCA	0.3324	0.3523	6.0	TM**L	13	
28	TML	Vinyl Acetate	0.1764	0.1724	2.3	TML	3.5	
29	TM	Ethyl tert Butyl Ether	0.2452	0.2239	8.7	TM		
30	TML	MEK (2-Butanone)	0.1151	0.1045	9.3	TML	0.06	
31	TM	Cis-1,2-DCE	0.2954	0.2876	2.7	TM		
32	TM	2,2-Dichloropropane	0.2673	0.2639	1.3	TM		
33	TM*	Chloroform	0.4278	0.4101	4.1	TM*		
34	TML	Bromochloromethane	0.1186	0.1140	3.9	TML	6.1	
35	TM	1,1,1-TCA	0.3424	0.3483	1.7	TM		
36	TML	Cyclohexane	0.1727	0.1533	11	TML	4.6	
37	TM	1,1-Dichloropropene	0.2342	0.2453	4.8	TM		
38	TM	2,2,4-Trimethylpentane	0.4272	0.4339	1.6	TM		
39	TM	Carbon Tetrachloride	0.2839	0.2940	3.6	TM		
40	TML	Tert Amyl Methyl Ether	0.1988	0.1882	5.3	TML	8.6	
		Average			8.6			

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Second Source Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/25/19
Matrix: 0 Instrument: Thor
Cal. Date: 04/24/19
Data File: 0424T30.D

		Compound	MEAN	CCRF	%D		%Drift
41	TM	1,2-DCA	0.3475	0.3213	7.5	TM	
42	TM	Benzene	0.7991	0.7666	4.1	TM	
43	TM	TCE	0.2095	0.2326	11	TM	
44	TM	2-Pentanone	0.1594	0.1599	0.29	TM	
45	TM*	1,2-Dichloropropane	0.2182	0.2088	4.3	TM*	
46	TM	Bromodichloromethane	0.3194	0.3116	2.4	TM	
47	TM	Methyl Cyclohexane	0.2486	0.2513	1.1	TM	
48	TML	Dibromomethane	0.1868	0.1764	5.5	TML	3.4
49	TM	MIBK (methyl isobutyl ketone)	0.0796	0.0751	5.6	TM	
50	TM	1-Bromo-2-chloroethane	0.3296	0.3165	4.0	TM	
51	TML	2-Chloroethyl vinyl ether	0.0155	0.0159	2.4	TML	15
52	TM	Cis-1,3-Dichloropropene	0.3065	0.3016	1.6	TM	
53	TM*L	Toluene	0.7831	0.8985	15	TM*L	1.3
54	TM	Trans-1,3-Dichloropropene	0.3027	0.2977	1.7	TM	
55	TML	1,1,2-TCA	0.2079	0.1867	10	TML	1.7
56	TML	2-Hexanone	0.0753	0.0703	6.7	TML	1.6
57	TM	1,2-EDB	0.2483	0.2410	2.9	TM	
58	TM	Tetrachloroethene	0.2190	0.2219	1.3	TM	
59	TM	1-Chlorohexane	0.2295	0.2275	0.87	TM	
60	TM	1,1,1,2-Tetrachloroethane	0.2627	0.2541	3.3	TM	
61	TM	m&p-Xylene	0.3476	0.3513	1.1	TM	
62	TM	o-Xylene	0.3222	0.3362	4.3	TM	
63	TM	Styrene	0.5279	0.5488	4.0	TM	
64	TM	1,3-Dichloropropane	0.3646	0.3408	6.5	TM	
65	TM	Dibromochloromethane	0.2689	0.2727	1.4	TM	
66	TM**	Chlorobenzene	0.6513	0.6456	0.87	TM**	
67	TM*	Ethylbenzene	0.9069	0.9034	0.39	TM*	
68	TM**L	Bromoform	0.1904	0.2031	6.7	TM**L	2.4
69	TM	Isopropylbenzene	1.310	1.346	2.8	TM	
70	TM**L	1,1,2,2-Tetrachloroethane	0.5760	0.5468	5.1	TM**L	5.6
71	TML	1,2,3-Trichloropropane	0.1758	0.1712	2.6	TML	3.5
72	TM	t-1,4-Dichloro-2-Butene	0.1146	0.1134	1.0	TM	
73	TM	Bromobenzene	0.4770	0.4996	4.7	TM	
74	TM	n-Propylbenzene	1.568	1.604	2.4	TM	
75	TM	4-Ethyltoluene	1.364	1.453	6.5	TM	
76	TM	2-Chlorotoluene	1.018	1.056	3.7	TM	
77	TM	1,3,5-Trimethylbenzene	1.170	1.250	6.8	TM	
78	TM	4-Chlorotoluene	1.173	1.252	6.8	TM	
79	TM	Tert-Butylbenzene	1.013	1.030	1.7	TM	
80	TM	1,2,4-Trimethylbenzene	1.123	1.176	4.7	TM	
		Average			4.1		

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/25/19
Instrument: Thor
Cal. Date: 04/24/19
Data File: 0424T30.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	Sec-Butylbenzene	1.397	1.506	7.8	TM	
82	TM	p-Isopropyltoluene	1.274	1.367	7.3	TM	
83	TM	Benzyl Chloride	0.1135	0.1061	6.6	TM	
84	TM	1,3-DCB	0.8536	0.8731	2.3	TM	
85	TM	1,4-DCB	0.9634	0.9360	2.8	TM	
86	TM	n-Butylbenzene	1.052	1.109	5.4	TM	
87	TM	1,2-DCB	0.8790	0.8820	0.34	TM	
88	TML	Hexachloroethane	0.2368	0.2541	7.3	TML	3.1
89	TML	1,2-Dibromo-3-chloropropane	0.1309	0.1224	6.5	TML	3.5
90	TM	1,2,4-Trichlorobenzene	0.5625	0.5864	4.3	TM	
91	TM	Hexachlorobutadiene	0.2755	0.3107	13	TM	
92	TM	Naphthalene	1.215	1.116	8.1	TM	
93	TM	1,2,3-Trichlorobenzene	0.5996	0.5871	2.1	TM	
94							
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			5.7		

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T30.D Vial: 27
Acq On : 25 Apr 19 00:34 Operator: DG,SV, CMM.PM,KV
Sample : (SS)10ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:43 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	377280	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	373696	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	232384	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.96	111	198562	24.8770 ppb		0.00
Spiked Amount 25.000			Recovery = 99.508%			
41) 1,2-DCA-D4(S)	5.38	65	224706	24.6818 ppb		0.00
Spiked Amount 25.000			Recovery = 98.728%			
61) Toluene-D8(S)	7.59	98	679277	25.6822 ppb		0.00
Spiked Amount 25.000			Recovery = 102.728%			
69) 4-Bromofluorobenzene(S)	10.23	95	245236	25.6775 ppb		0.00
Spiked Amount 25.000			Recovery = 102.712%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	40227	10.7902 ppb		94
4) Freon 114	1.05	135	22960	10.1112 ppb		93
5) Chloromethane	1.08	50	35177	10.5115 ppb		95
6) Vinyl chloride	1.16	62	39096	10.5491 ppb		99
8) Bromomethane	1.38	94	44656	8.4339 ppb		91
9) Chloroethane	1.46	64	26786	10.2516 ppb		93
10) Dichlorofluoromethane	1.62	67	70139	9.3975 ppb		97
11) Trichlorofluoromethane	1.66	101	68515	10.0707 ppb		96
12) Acrolein	2.00	56	80908	116.7626 ppb		91
13) Acetone	2.14	43	18199	11.1131 ppb		94
14) Freon-113	2.10	101	33305	10.1511 ppb		93
15) 1,1-DCE	2.08	61	44461	9.8848 ppb		97
17) Acetonitrile	2.39	41	34957	130.1292 ppb		94
18) t-Butanol	2.75	59	45863	122.4578 ppb		97
19) Methyl Acetate	2.47	43	35150	9.7912 ppb		95
20) Iodomethane	2.20	142	7562	6.4886 ppb		87
21) Acrylonitrile	2.83	52	13171	10.0993 ppb		95
22) Methylene chloride	2.55	84	44909	11.7641 ppb		92
23) Carbon disulfide	2.25	76	99044	10.4311 ppb		99
24) Methyl t-butyl ether (MtBE	2.88	73	73620	9.8608 ppb		99
25) Trans-1,2-DCE	2.85	96	30234	10.6342 ppb		96
26) Hexane	2.88	57	15012	9.4692 ppb	#	97
27) Diisopropyl Ether	3.56	45	28924	9.8397 ppb		96
28) 1,1-DCA	3.37	63	53172	11.3330 ppb	#	90
29) Vinyl Acetate	3.55	87	26018	10.3541 ppb		94
30) Ethyl tert Butyl Ether	4.12	59	33789	9.1311 ppb		88
31) MEK (2-Butanone)	4.33	43	15767	9.9942 ppb	#	86
32) Cis-1,2-DCE	4.25	61	43398	9.7343 ppb		95
33) 2,2-Dichloropropane	4.23	77	39828	9.8741 ppb	#	86
34) Chloroform	4.75	83	61884	9.5856 ppb		93
35) Bromochloromethane	4.59	128	17199	9.3930 ppb		84
37) 1,1,1-TCA	4.95	97	52566	10.1732 ppb		94
38) Cyclohexane	5.01	41	23128	10.4594 ppb		80
39) 1,1-Dichloropropene	5.19	75	37024	10.4752 ppb		97
40) 2,2,4-Trimethylpentane	5.60	57	65482	10.1567 ppb		95
42) Carbon Tetrachloride	5.17	117	44375	10.3573 ppb		91
43) Tert Amyl Methyl Ether	5.66	73	28407	9.1412 ppb		99
44) 1,2-DCA	5.47	62	48484	9.2459 ppb		98
45) Benzene	5.44	78	115693	9.5940 ppb		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T30.D Vial: 27
Acq On : 25 Apr 19 00:34 Operator: DG,SV, CMM.PM,KV
Sample : (SS)10ug/L VOC STD 04/24/19 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 10:43 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
46)	TCE	6.25	95	35106	11.1050 ppb		95
47)	2-Pentanone	6.51	43	301567	125.3605 ppb		100
48)	1,2-Dichloropropane	6.48	63	31511	9.5688 ppb	#	92
49)	Bromodichloromethane	6.82	83	47027	9.7567 ppb		94
50)	Methyl Cyclohexane	6.45	83	37925	10.1069 ppb		92
51)	Dibromomethane	6.61	93	26625	10.3370 ppb		93
52)	MIBK (methyl isobutyl ket	7.51	58	11331	9.4360 ppb	#	84
53)	1-Bromo-2-chloroethane	7.12	63	47767	9.6033 ppb		97
54)	2-Chloroethyl vinyl ether	7.13	107	2398	11.5444 ppb	#	61
55)	Cis-1,3-Dichloropropene	7.31	75	45509	9.8383 ppb		97
56)	Toluene	7.65	91	135602	10.1298 ppb		97
57)	Trans-1,3-Dichloropropene	7.91	75	44920	9.8348 ppb		91
58)	1,1,2-TCA	8.09	83	28176	9.8328 ppb		99
59)	2-Hexanone	8.38	58	10603	10.1587 ppb		81
62)	1,2-EDB	8.56	107	36029	9.7075 ppb		92
63)	Tetrachloroethene	8.21	164	33162	10.1285 ppb		91
64)	1-Chlorohexane	9.10	91	34002	9.9126 ppb		96
65)	1,1,1,2-Tetrachloroethane	9.17	131	37975	9.6700 ppb		99
66)	m&p-Xylene	9.33	106	105038	20.2140 ppb		96
67)	o-Xylene	9.72	106	50257	10.4336 ppb		96
68)	Styrene	9.73	104	82035	10.3970 ppb		98
70)	1,3-Dichloropropane	8.25	76	50943	9.3468 ppb		98
71)	Dibromochloromethane	8.47	129	40766	10.1418 ppb		98
72)	Chlorobenzene	9.07	112	96499	9.9127 ppb		98
73)	Ethylbenzene	9.21	91	135033	9.9605 ppb		100
74)	Bromoform	9.89	173	30365	9.7648 ppb		98
76)	Isopropylbenzene	10.10	105	125121	10.2754 ppb		98
77)	1,1,2,2-Tetrachloroethane	10.39	83	50826	10.5634 ppb		95
78)	1,2,3-Trichloropropane	10.42	110	15916	10.3527 ppb		99
79)	t-1,4-Dichloro-2-Butene	10.46	53	10541	9.8970 ppb		88
80)	Bromobenzene	10.36	156	46442	10.4745 ppb		95
81)	n-Propylbenzene	10.50	91	149137	10.2354 ppb		100
82)	4-Ethyltoluene	10.62	105	135054	10.6533 ppb		98
83)	2-Chlorotoluene	10.56	91	98199	10.3739 ppb		99
84)	1,3,5-Trimethylbenzene	10.69	105	116171	10.6845 ppb		99
85)	4-Chlorotoluene	10.68	91	116418	10.6795 ppb		100
86)	Tert-Butylbenzene	11.00	119	95715	10.1672 ppb		97
87)	1,2,4-Trimethylbenzene	11.05	105	109321	10.4737 ppb		100
88)	Sec-Butylbenzene	11.22	105	139986	10.7790 ppb		97
89)	p-Isopropyltoluene	11.37	119	127096	10.7342 ppb		98
90)	Benzyl Chloride	11.53	91	9858	9.3436 ppb		93
91)	1,3-DCB	11.30	146	81160	10.2282 ppb		95
92)	1,4-DCB	11.39	146	87009	9.7162 ppb		93
93)	n-Butylbenzene	11.77	91	103106	10.5430 ppb		98
94)	1,2-DCB	11.75	146	81987	10.0345 ppb		96
95)	Hexachloroethane	12.00	117	23617	9.6861 ppb		95
96)	1,2-Dibromo-3-chloropropan	12.51	157	11375	9.6452 ppb		91
97)	1,2,4-Trichlorobenzene	13.34	180	54507	10.4252 ppb		91
98)	Hexachlorobutadiene	13.53	225	28882	11.2773 ppb		88
99)	Naphthalene	13.57	128	103741	9.1884 ppb		96
100)	1,2,3-Trichlorobenzene	13.81	180	54577	9.7915 ppb		94

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T30.D
Acq On : 25 Apr 19 00:34
Sample : (SS)10ug/L VOC STD 04/24/19
Misc : IS &S 4/2/19

Vial: 27
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 10:43 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/25/19
Matrix: Instrument: Thor
Initial Cal. Date: 04/24/19
Data File: 0424T54.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Fluorobenzene (IS)	ISTD			I	
2	TM	Freon 1113	0.0000	0.0005	0.00	TM	
3	TM	Dichlorodifluoromethane	0.2470	0.2718	10	TM	
4	TM	Freon 114	0.1505	0.1442	4.1	TM	
5	TM**L	Chloromethane	0.2824	0.2381	16	TM**L	7.7
6	TM*	Vinyl chloride	0.2456	0.2526	2.9	TM*	
7	TM	2-Chloro-1,1,1-trifluoroethane	0.0000	0.0004	0.00	TM	
8	TM	Bromomethane	0.3509	0.2563	27	TM	
9	TML	Chloroethane	0.1911	0.1675	12	TML	3.5
10	TM	Dichlorofluoromethane	0.4946	0.4527	8.5	TM	
11	TM	Trichlorofluoromethane	0.4508	0.4360	3.3	TM	
12	TM	Acrolein	0.0459	0.0365	20	TM	
13	TML	Acetone	0.2105	0.1162	45	TML	5.6
14	TM	Freon-113	0.2174	0.2120	2.5	TM	
15	TM*	1,1-DCE	0.2980	0.2907	2.5	TM*	
16	TM	2-Propanol	0.0000	0.0051	0.00	TM	
17	TM	Acetonitrile	0.0178	0.0169	4.9	TM	
18	TMQ	t-Butanol	0.0252	0.0246	2.7	TMQ	1.3
19	TML	Methyl Acetate	0.2924	0.2289	22	TML	4.2
20	TML	Iodomethane	0.0866	0.0834	3.7	TML	18
21	TML	Acrylonitrile	0.1289	0.0904	30	TML	4.8
22	TML	Methylene chloride	0.2995	0.2940	1.9	TML	16
23	TML	Carbon disulfide	0.6789	0.6063	11	TML	4.3
24	TML	Methyl t-butyl ether (MtBE)	0.5734	0.5649	1.5	TML	12
25	TML	Trans-1,2-DCE	0.2246	0.2089	7.0	TML	11
26	TML	Hexane	0.1437	0.1197	17	TML	12
27	TM	Diisopropyl Ether	0.1948	0.1849	5.1	TM	
28	TM**L	1,1-DCA	0.3324	0.3418	2.8	TM**L	10
29	TML	Vinyl Acetate	0.1764	0.1700	3.6	TML	2.2
30	TM	Ethyl tert Butyl Ether	0.2452	0.2188	11	TM	
31	TML	MEK (2-Butanone)	0.1151	0.1076	6.5	TML	3.3
32	TM	Cis-1,2-DCE	0.2954	0.2808	5.0	TM	
33	TM	2,2-Dichloropropane	0.2673	0.1935	28	TM	
34	TM*	Chloroform	0.4278	0.3981	6.9	TM*	
35	TML	Bromochloromethane	0.1186	0.1242	4.7	TML	3.4
36	S	Dibromofluoromethane(S)	0.5289	0.5167	2.3	S	
37	TM	1,1,1-TCA	0.3424	0.3579	4.5	TM	
38	TML	Cyclohexane	0.1727	0.1523	12	TML	3.9
39	TM	1,1-Dichloropropene	0.2342	0.2336	0.26	TM	
40	TM	2,2,4-Trimethylpentane	0.4272	0.3634	15	TM	
		Average			9.3		

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/25/19
Instrument: Thor
Cal. Date: 04/24/19
Data File: 0424T54.D

		Compound	MEAN	CCRF	%D		%Drift
41	S	1,2-DCA-D4(S)	0.6033	0.5901	2.2	S	
42	TM	Carbon Tetrachloride	0.2839	0.2796	1.5	TM	
43	TML	Tert Amyl Methyl Ether	0.1988	0.1785	10	TML	12
44	TM	1,2-DCA	0.3475	0.3329	4.2	TM	
45	TM	Benzene	0.7991	0.7802	2.4	TM	
46	TM	TCE	0.2095	0.2304	10.0	TM	
47	TM	2-Pentanone	0.1594	0.1634	2.5	TM	
48	TM*	1,2-Dichloropropane	0.2182	0.2011	7.8	TM*	
49	TM	Bromodichloromethane	0.3194	0.3219	0.79	TM	
50	TM	Methyl Cyclohexane	0.2486	0.2347	5.6	TM	
51	TML	Dibromomethane	0.1868	0.1768	5.3	TML	3.6
52	TM	MIBK (methyl isobutyl ketone)	0.0796	0.0787	1.1	TM	
53	TM	1-Bromo-2-chloroethane	0.3296	0.3149	4.5	TM	
54	TML	2-Chloroethyl vinyl ether	0.0155	0.0101	35	TML	37
55	TM	Cis-1,3-Dichloropropene	0.3065	0.2765	9.8	TM	
56	TM*L	Toluene	0.7831	0.8845	13	TM*L	0.26
57	TM	Trans-1,3-Dichloropropene	0.3027	0.2811	7.1	TM	
58	TML	1,1,2-TCA	0.2079	0.1890	9.1	TML	0.41
59	TML	2-Hexanone	0.0753	0.0683	9.4	TML	0.98
60	I	Chlorobenzene-D5 (IS)	ISTD			I	
61	S	Toluene-D8(S)	1.769	1.742	1.6	S	
62	TM	1,2-EDB	0.2483	0.2459	0.97	TM	
63	TM	Tetrachloroethene	0.2190	0.2108	3.8	TM	
64	TM	1-Chlorohexane	0.2295	0.1951	15	TM	
65	TM	1,1,1,2-Tetrachloroethane	0.2627	0.2502	4.8	TM	
66	TM	m&p-Xylene	0.3476	0.3305	4.9	TM	
67	TM	o-Xylene	0.3222	0.3217	0.16	TM	
68	TM	Styrene	0.5279	0.5096	3.5	TM	
69	S	4-Bromofluorobenzene(S)	0.6389	0.6180	3.3	S	
70	TM	1,3-Dichloropropane	0.3646	0.3407	6.6	TM	
71	TM	Dibromochloromethane	0.2689	0.2683	0.21	TM	
72	TM**	Chlorobenzene	0.6513	0.6291	3.4	TM**	
73	TM*	Ethylbenzene	0.9069	0.8664	4.5	TM*	
74	TM**L	Bromoform	0.1904	0.2038	7.0	TM**L	2.1
75	I	1,4-Dichlorobenzene-D4(IS)	ISTD			I	
76	TM	Isopropylbenzene	1.310	1.313	0.22	TM	
77	TM**L	1,1,2,2-Tetrachloroethane	0.5760	0.5164	10	TM**L	1.0
78	TML	1,2,3-Trichloropropane	0.1758	0.1660	5.5	TML	0.03
79	TM	t-1,4-Dichloro-2-Butene	0.1146	0.0879	23	TM	
80	TM	Bromobenzene	0.4770	0.4823	1.1	TM	
		Average			6.3		

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/25/19
Instrument: Thor
Cal. Date: 04/24/19
Data File: 0424T54.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	n-Propylbenzene	1.568	1.539	1.8	TM	
82	TM	4-Ethyltoluene	1.364	1.388	1.8	TM	
83	TM	2-Chlorotoluene	1.018	1.043	2.4	TM	
84	TM	1,3,5-Trimethylbenzene	1.170	1.237	5.8	TM	
85	TM	4-Chlorotoluene	1.173	1.245	6.2	TM	
86	TM	Tert-Butylbenzene	1.013	1.001	1.2	TM	
87	TM	1,2,4-Trimethylbenzene	1.123	1.108	1.3	TM	
88	TM	Sec-Butylbenzene	1.397	1.448	3.6	TM	
89	TM	p-Isopropyltoluene	1.274	1.273	0.07	TM	
90	TM	Benzyl Chloride	0.1135	0.0623	45	TM	
91	TM	1,3-DCB	0.8536	0.8836	3.5	TM	
92	TM	1,4-DCB	0.9634	0.9309	3.4	TM	
93	TM	n-Butylbenzene	1.052	0.9819	6.7	TM	
94	TM	1,2-DCB	0.8790	0.8956	1.9	TM	
95	TML	Hexachloroethane	0.2368	0.2419	2.1	TML	8.1
96	TML	1,2-Dibromo-3-chloropropane	0.1309	0.1299	0.75	TML	2.5
97	TM	1,2,4-Trichlorobenzene	0.5625	0.5576	0.87	TM	
98	TM	Hexachlorobutadiene	0.2755	0.2823	2.5	TM	
99	TM	Naphthalene	1.215	1.129	7.1	TM	
100	TM	1,2,3-Trichlorobenzene	0.5996	0.5916	1.3	TM	
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			5.0		

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T54.D Vial: 51
Acq On : 25 Apr 19 11:59 Operator: DG,SV, CMM.PM,KV
Sample : Ending CCV 10ug/L Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 12:26 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	366848	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	372544	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	224896	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.96	111	189560	24.4245 ppb		0.00
Spiked Amount 25.000			Recovery =	97.700%		
41) 1,2-DCA-D4(S)	5.38	65	216467	24.4530 ppb		0.00
Spiked Amount 25.000			Recovery =	97.812%		
61) Toluene-D8(S)	7.59	98	648948	24.6113 ppb		0.00
Spiked Amount 25.000			Recovery =	98.444%		
69) 4-Bromofluorobenzene(S)	10.23	95	230249	24.1829 ppb		0.00
Spiked Amount 25.000			Recovery =	96.732%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	39880	11.0014 ppb		98
4) Freon 114	1.05	135	21164	9.5853 ppb		100
5) Chloromethane	1.08	50	34934	10.7741 ppb		97
6) Vinyl chloride	1.16	62	37064	10.2852 ppb		99
8) Bromomethane	1.38	94	37613	7.3058 ppb		92
9) Chloroethane	1.46	64	24579	9.6531 ppb		100
10) Dichlorofluoromethane	1.62	67	66433	9.1541 ppb		93
11) Trichlorofluoromethane	1.66	101	63985	9.6723 ppb		99
12) Acrolein	2.00	56	66985	99.4186 ppb		95
13) Acetone	2.14	43	17047	10.5565 ppb	#	86
14) Freon-113	2.10	101	31112	9.7523 ppb		95
15) 1,1-DCE	2.08	61	42663	9.7548 ppb		99
17) Acetonitrile	2.39	41	31042	118.8414 ppb	#	87
18) t-Butanol	2.74	59	45054	123.3430 ppb		94
19) Methyl Acetate	2.47	43	33586	9.5841 ppb		99
20) Iodomethane	2.20	142	12236	8.1557 ppb		97
21) Acrylonitrile	2.82	52	13260	10.4797 ppb		96
22) Methylene chloride	2.55	84	43139	11.6061 ppb		91
23) Carbon disulfide	2.26	76	88963	9.5655 ppb		97
24) Methyl t-butyl ether (MtBE	2.88	73	82896	11.2371 ppb		97
25) Trans-1,2-DCE	2.85	96	30658	11.0588 ppb		98
26) Hexane	2.88	57	17564	11.2391 ppb	#	90
27) Diisopropyl Ether	3.56	45	27128	9.4912 ppb		98
28) 1,1-DCA	3.37	63	50160	11.0003 ppb		95
29) Vinyl Acetate	3.56	87	24952	10.2181 ppb		99
30) Ethyl tert Butyl Ether	4.12	59	32103	8.9222 ppb		97
31) MEK (2-Butanone)	4.33	43	15789	10.3269 ppb		90
32) Cis-1,2-DCE	4.25	61	41199	9.5038 ppb		94
33) 2,2-Dichloropropane	4.23	77	28393	7.2393 ppb		100
34) Chloroform	4.75	83	58415	9.3056 ppb		98
35) Bromochloromethane	4.59	128	18218	10.3395 ppb		92
37) 1,1,1-TCA	4.95	97	52516	10.4526 ppb		96
38) Cyclohexane	5.02	41	22342	10.3899 ppb		76
39) 1,1-Dichloropropene	5.18	75	34279	9.9744 ppb		97
40) 2,2,4-Trimethylpentane	5.60	57	53332	8.5074 ppb		96
42) Carbon Tetrachloride	5.17	117	41029	9.8487 ppb	#	89
43) Tert Amyl Methyl Ether	5.66	73	26191	8.7985 ppb	#	97
44) 1,2-DCA	5.47	62	48853	9.5812 ppb		98
45) Benzene	5.44	78	114488	9.7640 ppb		96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T54.D Vial: 51
Acq On : 25 Apr 19 11:59 Operator: DG,SV, CMM.PM,KV
Sample : Ending CCV 10ug/L Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 12:26 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
46)	TCE	6.24	95	33812	10.9999 ppb		95
47)	2-Pentanone	6.51	43	299746	128.1468 ppb		98
48)	1,2-Dichloropropane	6.48	63	29510	9.2160 ppb	#	91
49)	Bromodichloromethane	6.82	83	47236	10.0787 ppb		98
50)	Methyl Cyclohexane	6.45	83	34445	9.4405 ppb		95
51)	Dibromomethane	6.61	93	25938	10.3583 ppb		93
52)	MIBK (methyl isobutyl ket	7.52	58	11542	9.8851 ppb	#	94
53)	1-Bromo-2-chloroethane	7.12	63	46203	9.5530 ppb		96
54)	2-Chloroethyl vinyl ether	7.13	107	1476	6.2511 ppb	#	1
55)	Cis-1,3-Dichloropropene	7.31	75	40567	9.0194 ppb		90
56)	Toluene	7.65	91	129797	9.9744 ppb		99
57)	Trans-1,3-Dichloropropene	7.91	75	41252	9.2886 ppb		89
58)	1,1,2-TCA	8.09	83	27732	9.9589 ppb		99
59)	2-Hexanone	8.38	58	10015	9.9019 ppb		92
62)	1,2-EDB	8.56	107	36643	9.9035 ppb		90
63)	Tetrachloroethene	8.21	164	31414	9.6243 ppb		85
64)	1-Chlorohexane	9.10	91	29074	8.5022 ppb		96
65)	1,1,1,2-Tetrachloroethane	9.17	131	37290	9.5249 ppb		95
66)	m&p-Xylene	9.33	106	98490	19.0125 ppb		96
67)	o-Xylene	9.72	106	47941	9.9836 ppb		88
68)	Styrene	9.74	104	75938	9.6540 ppb		96
70)	1,3-Dichloropropane	8.25	76	50767	9.3434 ppb		100
71)	Dibromochloromethane	8.47	129	39987	9.9788 ppb		94
72)	Chlorobenzene	9.07	112	93754	9.6606 ppb		96
73)	Ethylbenzene	9.21	91	129116	9.5535 ppb		97
74)	Bromoform	9.89	173	30367	9.7919 ppb		99
76)	Isopropylbenzene	10.10	105	118104	10.0220 ppb		98
77)	1,1,2,2-Tetrachloroethane	10.39	83	46452	9.8971 ppb		93
78)	1,2,3-Trichloropropane	10.42	110	14934	9.9969 ppb		88
79)	t-1,4-Dichloro-2-Butene	10.45	53	7911	7.6750 ppb		93
80)	Bromobenzene	10.36	156	43384	10.1106 ppb		100
81)	n-Propylbenzene	10.50	91	138458	9.8189 ppb		98
82)	4-Ethyltoluene	10.62	105	124899	10.1802 ppb		100
83)	2-Chlorotoluene	10.56	91	93821	10.2414 ppb		100
84)	1,3,5-Trimethylbenzene	10.69	105	111322	10.5795 ppb		96
85)	4-Chlorotoluene	10.68	91	112039	10.6200 ppb		97
86)	Tert-Butylbenzene	11.00	119	90035	9.8822 ppb		97
87)	1,2,4-Trimethylbenzene	11.05	105	99714	9.8713 ppb		94
88)	Sec-Butylbenzene	11.22	105	130260	10.3640 ppb		98
89)	p-Isopropyltoluene	11.37	119	114511	9.9933 ppb		97
90)	Benzyl Chloride	11.53	91	5601	5.4855 ppb		97
91)	1,3-DCB	11.30	146	79486	10.3508 ppb		98
92)	1,4-DCB	11.39	146	83740	9.6625 ppb		93
93)	n-Butylbenzene	11.78	91	88328	9.3326 ppb		99
94)	1,2-DCB	11.75	146	80570	10.1894 ppb		98
95)	Hexachloroethane	12.00	117	21758	9.1902 ppb		93
96)	1,2-Dibromo-3-chloropropan	12.51	157	11684	10.2485 ppb		97
97)	1,2,4-Trichlorobenzene	13.34	180	50157	9.9127 ppb		91
98)	Hexachlorobutadiene	13.53	225	25397	10.2467 ppb		96
99)	Naphthalene	13.57	128	101521	9.2912 ppb		97
100)	1,2,3-Trichlorobenzene	13.81	180	53221	9.8661 ppb		86


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T54.D Vial: 51
Acq On : 25 Apr 19 11:59 Operator: DG,SV, CMM.PM,KV
Sample : Ending CCV 10ug/L Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 12:26 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : M:\THOR\DATA\T190423\0424T37.D Vial: 34
Acq On : 25 Apr 19 3:54 Operator: DG,SV, CMM.PM,KV
Sample : AZ89957W04 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 11:29 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.81	96	364992	25.0000 ppb	0.00
60) Chlorobenzene-D5 (IS)	9.05	117	369984	25.0000 ppb	0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	205184	25.0000 ppb	0.00
System Monitoring Compounds					
36) Dibromofluoromethane(S)	4.96	111	201024	26.0334 ppb	0.00
Spiked Amount 25.000			Recovery	= 104.132%	
41) 1,2-DCA-D4(S)	5.38	65	227135	25.7886 ppb	0.00
Spiked Amount 25.000			Recovery	= 103.156%	
61) Toluene-D8(S)	7.59	98	656398	25.0661 ppb	0.00
Spiked Amount 25.000			Recovery	= 100.264%	
69) 4-Bromofluorobenzene(S)	10.23	95	223749	23.6628 ppb	0.00
Spiked Amount 25.000			Recovery	= 94.652%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\THOR\DATA\T190423\0424T37.D
Acq On : 25 Apr 19 3:54
Sample : AZ89957W04
Misc : IS &S 4/2/19

Vial: 34
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 11:29 2019

Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\THOR\DATA\T190423\0424T39.D Vial: 36
Acq On : 25 Apr 19 4:51 Operator: DG,SV, CMM.PM,KV
Sample : AZ89958W08 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 11:30 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.81	96	352256	25.0000 ppb	0.00
60) Chlorobenzene-D5 (IS)	9.05	117	349632	25.0000 ppb	0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	200320	25.0000 ppb	0.00
System Monitoring Compounds					
36) Dibromofluoromethane(S)	4.96	111	191311	25.6713 ppb	0.00
Spiked Amount 25.000			Recovery = 102.684%		
41) 1,2-DCA-D4(S)	5.38	65	211882	24.9265 ppb	0.00
Spiked Amount 25.000			Recovery = 99.708%		
61) Toluene-D8(S)	7.59	98	613823	24.8048 ppb	0.00
Spiked Amount 25.000			Recovery = 99.220%		
69) 4-Bromofluorobenzene(S)	10.23	95	210646	23.5738 ppb	0.00
Spiked Amount 25.000			Recovery = 94.296%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\THOR\DATA\T190423\0424T39.D
Acq On : 25 Apr 19 4:51
Sample : AZ89958W08
Misc : IS &S 4/2/19

Vial: 36
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 11:30 2019

Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LOKI\DATA\190423\0423L26.D Vial: 25
Acq On : 24 Apr 19 3:49 Operator: PM,DG,SV,CMM,KV
Sample : AZ89959W02 Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 30 7:52 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	6.02	96	400000	25.000	ppb	0.00
63) Chlorobenzene-D5 (IS)	9.52	117	355840	25.000	ppb	0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	164032	25.000	ppb	0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	208847	28.057	ppb	0.00
Spiked Amount 25.000			Recovery = 112.228%			
43) 1,2-DCA-D4(S)	5.57	65	218719	28.304	ppb	0.00
Spiked Amount 25.000			Recovery = 113.216%			
64) Toluene-D8(S)	7.92	98	592714	24.382	ppb	0.00
Spiked Amount 25.000			Recovery = 97.528%			
72) 4-Bromofluorobenzene(S)	10.81	95	194673	21.416	ppb	0.00
Spiked Amount 25.000			Recovery = 85.664%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\LOKI\DATA\190423\0423L26.D
Acq On : 24 Apr 19 3:49
Sample : AZ89959W02
Misc : ISS 3/5/19, 2/11/19

Vial: 25
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 30 7:52 2019 Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\THOR\DATA\T190423\0424T38.D Vial: 35
Acq On : 25 Apr 19 4:23 Operator: DG,SV, CMM.PM,KV
Sample : AZ89960W03 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 11:29 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.81	96	364288	25.0000 ppb	0.00
60) Chlorobenzene-D5 (IS)	9.05	117	360960	25.0000 ppb	0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	204864	25.0000 ppb	0.00
System Monitoring Compounds					
36) Dibromofluoromethane(S)	4.96	111	201902	26.1976 ppb	0.00
Spiked Amount 25.000			Recovery = 104.792%		
41) 1,2-DCA-D4(S)	5.37	65	223725	25.4505 ppb	0.00
Spiked Amount 25.000			Recovery = 101.800%		
61) Toluene-D8(S)	7.59	98	656028	25.6783 ppb	0.00
Spiked Amount 25.000			Recovery = 102.712%		
69) 4-Bromofluorobenzene(S)	10.23	95	224785	24.3666 ppb	0.00
Spiked Amount 25.000			Recovery = 97.468%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T38.D
Acq On : 25 Apr 19 4:23
Sample : AZ89960W03
Misc : IS &S 4/2/19

Vial: 35
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 11:29 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\THOR\DATA\T190423\0424T40.D Vial: 37
Acq On : 25 Apr 19 5:20 Operator: DG,SV, CMM.PM,KV
Sample : AZ89961W03 Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 11:31 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.81	96	346176	25.0000 ppb	0.00
60) Chlorobenzene-D5 (IS)	9.05	117	359872	25.0000 ppb	0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	198464	25.0000 ppb	0.00
System Monitoring Compounds					
36) Dibromofluoromethane(S)	4.96	111	200764	27.4129 ppb	0.00
Spiked Amount 25.000			Recovery = 109.652%		
41) 1,2-DCA-D4(S)	5.38	65	226076	27.0635 ppb	0.00
Spiked Amount 25.000			Recovery = 108.252%		
61) Toluene-D8(S)	7.59	98	643437	25.2616 ppb	0.00
Spiked Amount 25.000			Recovery = 101.048%		
69) 4-Bromofluorobenzene(S)	10.23	95	221338	24.0655 ppb	0.00
Spiked Amount 25.000			Recovery = 96.264%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T40.D
Acq On : 25 Apr 19 5:20
Sample : AZ89961W03
Misc : IS &S 4/2/19

Vial: 37
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 11:31 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LOKI\DATA\190423\0423L20.D Vial: 19
Acq On : 24 Apr 19 00:58 Operator: PM,DG,SV,CMM,KV
Sample : 190423A blk Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 26 9:57 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	6.02	96	442432	25.0000 ppb	0.00
63) Chlorobenzene-D5 (IS)	9.51	117	383360	25.0000 ppb	0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	186048	25.0000 ppb	0.00
System Monitoring Compounds					
38) Dibromofluoromethane(S)	5.15	111	212159	25.7688 ppb	0.00
Spiked Amount 25.000			Recovery = 103.076%		
43) 1,2-DCA-D4(S)	5.57	65	226295	26.4756 ppb	0.00
Spiked Amount 25.000			Recovery = 105.904%		
64) Toluene-D8(S)	7.92	98	635948	24.2823 ppb	0.00
Spiked Amount 25.000			Recovery = 97.128%		
72) 4-Bromofluorobenzene(S)	10.81	95	208747	21.3221 ppb	0.00
Spiked Amount 25.000			Recovery = 85.288%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\LOKI\DATA\190423\0423L20.D
Acq On : 24 Apr 19 00:58
Sample : 190423A blk
Misc : ISS 3/5/19, 2/11/19

Vial: 19
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 26 9:57 2019

Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\THOR\DATA\T190423\0424T35.D Vial: 32
Acq On : 25 Apr 19 2:57 Operator: DG,SV, CMM.PM,KV
Sample : 190424A blk Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 11:28 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.81	96	358848	25.0000 ppb	0.00
60) Chlorobenzene-D5 (IS)	9.05	117	358656	25.0000 ppb	0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	202112	25.0000 ppb	0.00
System Monitoring Compounds					
36) Dibromofluoromethane(S)	4.97	111	203001	26.7395 ppb	0.00
Spiked Amount 25.000			Recovery = 106.956%		
41) 1,2-DCA-D4(S)	5.38	65	226418	26.1473 ppb	0.00
Spiked Amount 25.000			Recovery = 104.588%		
61) Toluene-D8(S)	7.59	98	655328	25.8157 ppb	0.00
Spiked Amount 25.000			Recovery = 103.264%		
69) 4-Bromofluorobenzene(S)	10.23	95	231211	25.2242 ppb	0.00
Spiked Amount 25.000			Recovery = 100.896%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\THOR\DATA\T190423\0424T35.D
Acq On : 25 Apr 19 2:57
Sample : 190424A blk
Misc : IS &S 4/2/19

Vial: 32
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 11:28 2019 Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L17.D Vial: 16
Acq On : 23 Apr 19 23:32 Operator: PM,DG,SV,CMM,KV
Sample : 190423A LCS 10ug/L (4X Ketones) Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	486784	25.0000 ppb		0.00
63) Chlorobenzene-D5 (IS)	9.51	117	405888	25.0000 ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	226432	25.0000 ppb		0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	214896	23.7231 ppb		0.00
Spiked Amount 25.000			Recovery =	94.892%		
43) 1,2-DCA-D4(S)	5.57	65	222341	23.6429 ppb		0.00
Spiked Amount 25.000			Recovery =	94.572%		
64) Toluene-D8(S)	7.92	98	704878	25.4205 ppb		0.00
Spiked Amount 25.000			Recovery =	101.680%		
72) 4-Bromofluorobenzene(S)	10.81	95	240893	23.1127 ppb		0.00
Spiked Amount 25.000			Recovery =	92.452%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	1.00	85	48125	10.4775 ppb		98
4) Freon 114	1.09	85	37288	9.0402 ppb		93
5) Chloromethane	1.12	50	56888	9.4084 ppb		98
6) Vinyl chloride	1.20	62	55744	9.7675 ppb		99
8) Bromomethane	1.44	94	35415	10.9626 ppb		95
9) Chloroethane	1.52	64	26088	10.1660 ppb		98
10) Dichlorofluoromethane	1.69	67	72888	9.3783 ppb		100
11) Trichlorofluoromethane	1.73	101	64513	10.0744 ppb		95
12) Acrolein	2.09	56	89457	111.0263 ppb	#	100
13) Acetone	2.25	43	45328	41.7674 ppb		96
14) Freon-113	2.20	101	35648	9.4902 ppb		94
15) 1,1-DCE	2.18	96	33899	8.9284 ppb		96
16) t-Butanol	2.90	59	35465	114.2000 ppb		97
18) Acetonitrile	2.52	41	70003	111.2709 ppb		96
19) Methyl Acetate	2.60	43	33429	9.4114 ppb		97
20) Iodomethane	2.30	142	57358	10.6357 ppb		96
21) Acrylonitrile	2.97	52	12614	8.5537 ppb		91
22) Methylene chloride	2.67	84	43970	9.1978 ppb		95
23) Carbon disulfide	2.36	76	121347	8.8671 ppb		99
24) Methyl t-butyl ether (MtBE	3.03	73	86586	9.2082 ppb		93
25) Trans-1,2-DCE	3.00	96	35648	9.1396 ppb		95
26) Diisopropyl Ether	3.74	45	85178	9.1413 ppb		98
28) 1,1-DCA	3.54	63	69959	9.7765 ppb		97
29) Vinyl Acetate	3.69	43	93333	8.6976 ppb		98
30) Ethyl tert Butyl Ether	4.32	59	78873	9.5105 ppb		100
31) MEK (2-Butanone)	4.52	43	57492	37.8967 ppb		96
32) Cis-1,2-DCE	4.44	96	40207	9.6498 ppb		94
33) 2,2-Dichloropropane	4.43	77	50452	8.4759 ppb		97
36) Chloroform	4.93	83	71014	9.3835 ppb		94
37) Bromochloromethane	4.78	128	22712	8.8202 ppb		100
39) 1,1,1-TCA	5.14	97	57328	9.1799 ppb		99
40) Cyclohexane	5.21	41	23895	10.1132 ppb		97
41) 1,1-Dichloropropene	5.38	75	38642	9.5143 ppb		95
42) 2,2,4-Trimethylpentane	5.81	57	73853	9.3934 ppb		98
44) Carbon Tetrachloride	5.36	117	52449	9.5711 ppb		97
45) Tert Amyl Methyl Ether	5.87	73	80569	9.4054 ppb		98
47) 1,2-DCA	5.67	62	50878	9.1626 ppb		100
48) Benzene	5.64	78	146179	9.4567 ppb		97
49) TCE	6.48	130	40416	9.6312 ppb		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L17.D
Acq On : 23 Apr 19 23:32
Sample : 190423A LCS 10ug/L (4X Ketones)
Misc : ISS 3/5/19, 2/11/19

Vial: 16
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.76	43	274384	119.9643	ppb		97
51)	1,2-Dichloropropane	6.74	63	41325	9.2884	ppb		99
52)	Bromodichloromethane	7.09	83	56259	9.2010	ppb		95
53)	Methyl Cyclohexane	6.70	83	40083	9.3127	ppb		98
54)	Dibromomethane	6.87	93	27402	8.9478	ppb		94
56)	MIBK (methyl isobutyl ket	7.83	43	107348	39.3955	ppb		97
57)	1-Bromo-2-chloroethane	7.42	63	59365	9.1981	ppb		98
58)	Cis-1,3-Dichloropropene	7.62	75	54044	9.3882	ppb		97
59)	Toluene	7.99	91	153550	9.8579	ppb		97
60)	Trans-1,3-Dichloropropene	8.27	75	49588	9.2931	ppb		92
61)	1,1,2-TCA	8.46	83	34372	9.4938	ppb		95
62)	2-Hexanone	8.78	43	67203	35.2879	ppb	#	88
65)	1,2-EDB	8.98	107	39942	9.4309	ppb		92
66)	Tetrachloroethene	8.60	166	43119	9.3313	ppb		96
67)	1-Chlorohexane	9.56	91	38724	9.4607	ppb		98
68)	1,1,1,2-Tetrachloroethane	9.64	131	43746	9.0064	ppb		98
69)	m&p-Xylene	9.82	91	211667	16.9001	ppb		99
70)	o-Xylene	10.25	106	51345	9.5557	ppb		92
71)	Styrene	10.26	104	85450	8.0712	ppb		98
73)	1,3-Dichloropropane	8.63	76	62260	9.3080	ppb		99
74)	Dibromochloromethane	8.88	129	46481	9.1747	ppb		96
75)	Chlorobenzene	9.54	112	107325	9.4044	ppb		96
76)	Ethylbenzene	9.69	91	143681	9.4217	ppb		97
77)	Bromoform	10.44	173	34013	9.3677	ppb		94
79)	Isopropylbenzene	10.66	105	119469	9.2928	ppb		99
80)	1,1,2,2-Tetrachloroethane	10.99	83	54693	9.5782	ppb		97
81)	1,2,3-Trichloropropane	11.02	110	16448	9.7564	ppb		81
82)	t-1,4-Dichloro-2-Butene	11.05	53	9992	9.6305	ppb		84
83)	Bromobenzene	10.96	156	46371	9.5688	ppb		99
84)	n-Propylbenzene	11.11	91	150703	9.3858	ppb		99
85)	4-Ethyltoluene	11.24	105	135188	9.8161	ppb		98
86)	2-Chlorotoluene	11.18	91	117941	9.9389	ppb		95
87)	1,3,5-Trimethylbenzene	11.31	105	111788	9.6089	ppb		99
88)	4-Chlorotoluene	11.31	91	120936	9.8719	ppb		96
89)	Tert-Butylbenzene	11.66	119	104932	10.2974	ppb		99
90)	1,2,4-Trimethylbenzene	11.71	105	101511	8.8320	ppb		94
91)	Sec-Butylbenzene	11.90	105	131941	9.4714	ppb		100
92)	p-Isopropyltoluene	12.07	119	115597	9.4067	ppb		97
93)	Benzyl Chloride	12.25	91	13151	9.7568	ppb	#	90
94)	1,3-DCB	11.99	146	84815	9.7758	ppb		99
95)	1,4-DCB	12.09	146	89775	9.1955	ppb		95
96)	n-Butylbenzene	12.51	91	97055	8.7068	ppb		99
97)	1,2-DCB	12.49	146	83442	9.1986	ppb		95
98)	Hexachloroethane	12.78	117	18048	11.1617	ppb		90
99)	1,2-Dibromo-3-chloropropan	13.34	75	9427	10.0505	ppb	#	89
100)	1,2,4-Trichlorobenzene	14.25	180	47517	9.1657	ppb		96
101)	Hexachlorobutadiene	14.45	225	26717	9.1895	ppb		90
102)	Naphthalene	14.51	128	93195	8.3882	ppb		98
103)	1,2,3-Trichlorobenzene	14.78	180	48573	8.9520	ppb		96


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LOKI\DATA\190423\0423L17.D Vial: 16
Acq On : 23 Apr 19 23:32 Operator: PM,DG,SV,CMM,KV
Sample : 190423A LCS 10ug/L (4X Ketones) Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424t32.D Vial: 29
Acq On : 25 Apr 19 1:32 Operator: DG,SV, CMM.PM,KV
Sample : 190424A LCS 10ug/L Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 11:07 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	373824	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	371520	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	229632	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.96	111	195948	24.7765 ppb		0.00
Spiked Amount 25.000			Recovery = 99.104%			
41) 1,2-DCA-D4(S)	5.38	65	221934	24.6027 ppb		0.00
Spiked Amount 25.000			Recovery = 98.412%			
61) Toluene-D8(S)	7.59	98	664879	25.2850 ppb		0.00
Spiked Amount 25.000			Recovery = 101.140%			
69) 4-Bromofluorobenzene(S)	10.23	95	245028	25.8060 ppb		0.00
Spiked Amount 25.000			Recovery = 103.224%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	40272	10.9022 ppb		93
4) Freon 114	1.05	135	25571	11.3651 ppb		98
5) Chloromethane	1.08	50	35801	10.8457 ppb		91
6) Vinyl chloride	1.16	62	41704	11.3568 ppb		97
8) Bromomethane	1.38	94	45774	8.7250 ppb		99
9) Chloroethane	1.46	64	25739	9.9305 ppb		94
10) Dichlorofluoromethane	1.62	67	74590	10.0863 ppb		96
11) Trichlorofluoromethane	1.65	101	70857	10.5112 ppb		99
12) Acrolein	2.00	56	91363	133.0697 ppb		100
13) Acetone	2.14	43	15217	8.7429 ppb	#	79
14) Freon-113	2.10	101	37633	11.5763 ppb		94
15) 1,1-DCE	2.08	61	47662	10.6944 ppb		97
17) Acetonitrile	2.40	41	35677	134.0372 ppb		98
18) t-Butanol	2.75	59	38482	108.6899 ppb		97
19) Methyl Acetate	2.47	43	38532	11.0629 ppb		98
20) Iodomethane	2.20	142	11517	7.8369 ppb	#	95
21) Acrylonitrile	2.83	52	13149	10.1806 ppb		100
22) Methylene chloride	2.55	84	48264	12.8698 ppb		86
23) Carbon disulfide	2.25	76	101237	10.7898 ppb		98
24) Methyl t-butyl ether (MtBE	2.89	73	70121	9.5235 ppb		93
25) Trans-1,2-DCE	2.85	96	29243	10.3981 ppb		98
26) Hexane	2.89	57	15451	9.8067 ppb	#	85
27) Diisopropyl Ether	3.56	45	28655	9.8383 ppb		98
28) 1,1-DCA	3.37	63	53077	11.4160 ppb	#	91
29) Vinyl Acetate	3.56	87	26170	10.5044 ppb		91
30) Ethyl tert Butyl Ether	4.12	59	36941	10.0752 ppb		93
31) MEK (2-Butanone)	4.34	43	16091	10.3281 ppb	#	89
32) Cis-1,2-DCE	4.25	61	44010	9.9628 ppb		98
33) 2,2-Dichloropropane	4.23	77	39597	9.9076 ppb		95
34) Chloroform	4.75	83	62430	9.7596 ppb		99
35) Bromochloromethane	4.59	128	19525	10.9364 ppb		90
37) 1,1,1-TCA	4.95	97	51670	10.0923 ppb		95
38) Cyclohexane	5.01	41	24062	10.9929 ppb		91
39) 1,1-Dichloropropene	5.18	75	35991	10.2771 ppb		96
40) 2,2,4-Trimethylpentane	5.60	57	66628	10.4300 ppb		93
42) Carbon Tetrachloride	5.17	117	44075	10.3824 ppb	#	86
43) Tert Amyl Methyl Ether	5.67	73	29567	9.4750 ppb		95
44) 1,2-DCA	5.47	62	49725	9.5702 ppb		97
45) Benzene	5.44	78	120828	10.1124 ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424t32.D Vial: 29
Acq On : 25 Apr 19 1:32 Operator: DG,SV, CMM.PM,KV
Sample : 190424A LCS 10ug/L Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 11:07 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
46)	TCE	6.24	95	33729	10.7681	ppb		97
47)	2-Pentanone	6.51	43	313829	131.6638	ppb		97
48)	1,2-Dichloropropane	6.48	63	32368	9.9199	ppb	#	90
49)	Bromodichloromethane	6.82	83	48714	10.2001	ppb		92
50)	Methyl Cyclohexane	6.45	83	38351	10.3149	ppb		82
51)	Dibromomethane	6.61	93	26536	10.4028	ppb		91
52)	MIBK (methyl isobutyl ket	7.52	58	10258	8.6215	ppb	#	77
53)	1-Bromo-2-chloroethane	7.13	63	49815	10.1076	ppb		100
54)	2-Chloroethyl vinyl ether	7.13	107	2113	9.9476	ppb		96
55)	Cis-1,3-Dichloropropene	7.31	75	46065	10.0506	ppb		96
56)	Toluene	7.65	91	136302	10.2738	ppb		99
57)	Trans-1,3-Dichloropropene	7.91	75	44924	9.9266	ppb		94
58)	1,1,2-TCA	8.09	83	29160	10.2915	ppb		90
59)	2-Hexanone	8.38	58	10228	9.9212	ppb		78
62)	1,2-EDB	8.56	107	37384	10.1316	ppb		90
63)	Tetrachloroethene	8.21	164	34428	10.5768	ppb		96
64)	1-Chlorohexane	9.10	91	32505	9.5317	ppb		94
65)	1,1,1,2-Tetrachloroethane	9.17	131	39248	10.0527	ppb		97
66)	m&p-Xylene	9.33	106	109185	21.1351	ppb		96
67)	o-Xylene	9.72	106	50602	10.5668	ppb		98
68)	Styrene	9.73	104	81491	10.3885	ppb		100
70)	1,3-Dichloropropane	8.25	76	53674	9.9056	ppb		99
71)	Dibromochloromethane	8.47	129	40657	10.1739	ppb		99
72)	Chlorobenzene	9.07	112	99388	10.2693	ppb		93
73)	Ethylbenzene	9.21	91	137061	10.1694	ppb		97
74)	Bromoform	9.89	173	30550	9.8675	ppb		98
76)	Isopropylbenzene	10.10	105	125629	10.4407	ppb		99
77)	1,1,2,2-Tetrachloroethane	10.39	83	51865	10.9547	ppb		93
78)	1,2,3-Trichloropropane	10.42	110	17396	11.5921	ppb		90
79)	t-1,4-Dichloro-2-Butene	10.45	53	9873	9.3809	ppb		96
80)	Bromobenzene	10.36	156	46328	10.5740	ppb		97
81)	n-Propylbenzene	10.50	91	150958	10.4846	ppb		99
82)	4-Ethyltoluene	10.62	105	140500	11.2157	ppb		99
83)	2-Chlorotoluene	10.56	91	101015	10.7992	ppb		98
84)	1,3,5-Trimethylbenzene	10.69	105	119399	11.1130	ppb		95
85)	4-Chlorotoluene	10.68	91	117186	10.8788	ppb		99
86)	Tert-Butylbenzene	11.00	119	99089	10.6517	ppb		99
87)	1,2,4-Trimethylbenzene	11.05	105	110665	10.7295	ppb		99
88)	Sec-Butylbenzene	11.22	105	142804	11.1278	ppb		97
89)	p-Isopropyltoluene	11.37	119	129593	11.0763	ppb		97
90)	Benzyl Chloride	11.53	91	9691	9.2954	ppb	#	95
91)	1,3-DCB	11.30	146	83795	10.6868	ppb		96
92)	1,4-DCB	11.39	146	87475	9.8854	ppb		96
93)	n-Butylbenzene	11.77	91	103735	10.7345	ppb		97
94)	1,2-DCB	11.74	146	84986	10.5262	ppb		98
95)	Hexachloroethane	12.00	117	23741	9.8647	ppb		91
96)	1,2-Dibromo-3-chloropropan	12.51	157	10723	9.1927	ppb		99
97)	1,2,4-Trichlorobenzene	13.34	180	54643	10.5765	ppb		99
98)	Hexachlorobutadiene	13.53	225	29139	11.5140	ppb		97
99)	Naphthalene	13.57	128	113202	10.1465	ppb		92
100)	1,2,3-Trichlorobenzene	13.81	180	59504	10.8034	ppb		96

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\THOR\DATA\T190423\0424t32.D
Acq On : 25 Apr 19 1:32
Sample : 190424A LCS 10ug/L
Misc : IS &S 4/2/19

Vial: 29
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 11:07 2019

Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L18.D Vial: 17
Acq On : 24 Apr 19 00:01 Operator: PM,DG,SV,CMM,KV
Sample : 190423A LCSD 10ug/L (4X Ketones) Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	525952	25.0000	ppb		0.00
63) Chlorobenzene-D5 (IS)	9.52	117	440384	25.0000	ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	246464	25.0000	ppb		0.00
System Monitoring Compounds							
38) Dibromofluoromethane(S)	5.15	111	221796	22.6614	ppb		0.00
Spiked Amount 25.000			Recovery = 90.644%				
43) 1,2-DCA-D4(S)	5.57	65	230246	22.6602	ppb		0.00
Spiked Amount 25.000			Recovery = 90.640%				
64) Toluene-D8(S)	7.92	98	735287	24.4400	ppb		0.00
Spiked Amount 25.000			Recovery = 97.760%				
72) 4-Bromofluorobenzene(S)	10.81	95	252271	22.3576	ppb		0.00
Spiked Amount 25.000			Recovery = 89.432%				
Target Compounds							Qvalue
3) Dichlorodifluoromethane	1.00	85	49455	9.9652	ppb		97
4) Freon 114	1.09	85	39321	8.8231	ppb		96
5) Chloromethane	1.12	50	59504	9.1081	ppb		98
6) Vinyl chloride	1.20	62	59584	9.6629	ppb		96
8) Bromomethane	1.44	94	36095	10.3357	ppb		89
9) Chloroethane	1.52	64	28168	10.1590	ppb		95
10) Dichlorofluoromethane	1.69	67	75152	8.9495	ppb		98
11) Trichlorofluoromethane	1.73	101	66387	9.5950	ppb		96
12) Acrolein	2.09	56	95241	109.4021	ppb		98
13) Acetone	2.25	43	48504	41.3061	ppb		90
14) Freon-113	2.20	101	34915	8.6028	ppb		97
15) 1,1-DCE	2.18	96	33088	8.0658	ppb		95
16) t-Butanol	2.91	59	36993	110.2493	ppb		100
18) Acetonitrile	2.53	41	75477	111.0375	ppb		95
19) Methyl Acetate	2.60	43	36659	9.5781	ppb		100
20) Iodomethane	2.31	142	56211	9.6468	ppb		95
21) Acrylonitrile	2.97	52	13321	8.3604	ppb		89
22) Methylene chloride	2.67	84	44797	8.6114	ppb		100
23) Carbon disulfide	2.36	76	125664	8.4987	ppb		99
24) Methyl t-butyl ether (MtBE	3.03	73	91364	8.9927	ppb		92
25) Trans-1,2-DCE	3.00	96	35972	8.5358	ppb		95
26) Diisopropyl Ether	3.74	45	87263	8.6676	ppb		96
28) 1,1-DCA	3.54	63	68286	8.8320	ppb		97
29) Vinyl Acetate	3.69	43	95883	8.2698	ppb		97
30) Ethyl tert Butyl Ether	4.32	59	79398	8.8608	ppb		94
31) MEK (2-Butanone)	4.52	43	56727	34.5708	ppb		94
32) Cis-1,2-DCE	4.44	96	41203	9.1524	ppb		90
33) 2,2-Dichloropropane	4.43	77	48779	7.5846	ppb		97
36) Chloroform	4.93	83	72875	8.9123	ppb		90
37) Bromochloromethane	4.78	128	23376	8.4020	ppb		97
39) 1,1,1-TCA	5.14	97	57196	8.4767	ppb		97
40) Cyclohexane	5.20	41	23345	9.1446	ppb		89
41) 1,1-Dichloropropene	5.38	75	39734	9.0546	ppb		98
42) 2,2,4-Trimethylpentane	5.81	57	78371	9.2258	ppb	#	86
44) Carbon Tetrachloride	5.36	117	51975	8.7783	ppb		98
45) Tert Amyl Methyl Ether	5.87	73	82728	8.9382	ppb		97
47) 1,2-DCA	5.67	62	52205	8.7014	ppb		100
48) Benzene	5.64	78	145311	8.7005	ppb		98
49) TCE	6.48	130	40818	9.0026	ppb		95

(#) = qualifier out of range (m) = manual integration

Data File : M:\LOKI\DATA\190423\0423L18.D Vial: 17
Acq On : 24 Apr 19 00:01 Operator: PM,DG,SV,CMM,KV
Sample : 190423A LCSD 10ug/L (4X Ketones) Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.76	43	293379	118.7169	ppb		98
51)	1,2-Dichloropropane	6.74	63	40099	8.3417	ppb		98
52)	Bromodichloromethane	7.09	83	57726	8.7379	ppb		95
53)	Methyl Cyclohexane	6.70	83	44293	9.5244	ppb		88
54)	Dibromomethane	6.87	93	28331	8.5622	ppb		90
56)	MIBK (methyl isobutyl ket	7.83	43	111434	37.8523	ppb		98
57)	1-Bromo-2-chloroethane	7.42	63	63072	9.0447	ppb		94
58)	Cis-1,3-Dichloropropene	7.62	75	53359	8.5789	ppb		95
59)	Toluene	7.99	91	158297	9.4059	ppb		100
60)	Trans-1,3-Dichloropropene	8.26	75	51968	9.0138	ppb		99
61)	1,1,2-TCA	8.46	83	34268	8.7602	ppb		98
62)	2-Hexanone	8.78	43	70328	34.1787	ppb	#	91
65)	1,2-EDB	8.98	107	40425	8.7972	ppb		95
66)	Tetrachloroethene	8.60	166	44352	8.8463	ppb		97
67)	1-Chlorohexane	9.56	91	40756	9.1771	ppb		97
68)	1,1,1,2-Tetrachloroethane	9.64	131	46778	8.8762	ppb		95
69)	m&p-Xylene	9.82	91	217737	16.0594	ppb		98
70)	o-Xylene	10.25	106	52750	9.0482	ppb		96
71)	Styrene	10.26	104	89288	7.7948	ppb		96
73)	1,3-Dichloropropane	8.63	76	64387	8.8719	ppb		89
74)	Dibromochloromethane	8.88	129	48000	8.7324	ppb		96
75)	Chlorobenzene	9.54	112	108735	8.7816	ppb		98
76)	Ethylbenzene	9.69	91	150073	9.0700	ppb		98
77)	Bromoform	10.44	173	33700	8.5580	ppb		100
79)	Isopropylbenzene	10.66	105	123863	8.8515	ppb		97
80)	1,1,2,2-Tetrachloroethane	10.98	83	56810	9.1150	ppb		100
81)	1,2,3-Trichloropropane	11.02	110	17265	9.4087	ppb		87
82)	t-1,4-Dichloro-2-Butene	11.05	53	10138	8.9771	ppb		91
83)	Bromobenzene	10.96	156	46106	8.7409	ppb		100
84)	n-Propylbenzene	11.11	91	159877	9.1479	ppb		98
85)	4-Ethyltoluene	11.24	105	139696	9.3190	ppb		100
86)	2-Chlorotoluene	11.18	91	121909	9.4383	ppb		99
87)	1,3,5-Trimethylbenzene	11.31	105	119259	9.4179	ppb		98
88)	4-Chlorotoluene	11.31	91	125782	9.4330	ppb		96
89)	Tert-Butylbenzene	11.66	119	109199	9.8452	ppb		99
90)	1,2,4-Trimethylbenzene	11.71	105	104927	8.3872	ppb		90
91)	Sec-Butylbenzene	11.90	105	142603	9.4047	ppb		99
92)	p-Isopropyltoluene	12.07	119	123876	9.2611	ppb		96
93)	Benzyl Chloride	12.25	91	13486	9.1973	ppb	#	86
94)	1,3-DCB	11.99	146	88736	9.3964	ppb		97
95)	1,4-DCB	12.09	146	94251	8.8694	ppb		95
96)	n-Butylbenzene	12.51	91	105550	8.6993	ppb		97
97)	1,2-DCB	12.49	146	85129	8.6218	ppb		97
98)	Hexachloroethane	12.78	117	19200	10.8974	ppb		91
99)	1,2-Dibromo-3-chloropropan	13.34	75	10170	9.9464	ppb		96
100)	1,2,4-Trichlorobenzene	14.25	180	49091	8.6997	ppb		99
101)	Hexachlorobutadiene	14.45	225	29511	9.3464	ppb		92
102)	Naphthalene	14.51	128	92597	7.6570	ppb		97
103)	1,2,3-Trichlorobenzene	14.78	180	49913	8.4513	ppb		96

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\LOKI\DATA\190423\0423L18.D
Acq On : 24 Apr 19 00:01
Sample : 190423A LCSD 10ug/L (4X Ketones)
Misc : ISS 3/5/19, 2/11/19

Vial: 17
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 24 8:19 2019 Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T33.D Vial: 30
Acq On : 25 Apr 19 2:00 Operator: DG,SV, CMM.PM,KV
Sample : 190424A LCSD 10ug/L Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 11:07 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.81	96	381696	25.0000 ppb		0.00
60) Chlorobenzene-D5 (IS)	9.05	117	381120	25.0000 ppb		0.00
75) 1,4-Dichlorobenzene-D (IS)	11.37	152	243008	25.0000 ppb		0.00
System Monitoring Compounds						
36) Dibromofluoromethane(S)	4.96	111	194771	24.1197 ppb		0.00
Spiked Amount 25.000			Recovery = 96.480%			
41) 1,2-DCA-D4(S)	5.38	65	221549	24.0535 ppb		0.00
Spiked Amount 25.000			Recovery = 96.216%			
61) Toluene-D8(S)	7.59	98	664096	24.6191 ppb		0.00
Spiked Amount 25.000			Recovery = 98.476%			
69) 4-Bromofluorobenzene(S)	10.23	95	243094	24.9574 ppb		0.00
Spiked Amount 25.000			Recovery = 99.828%			
Target Compounds						Qvalue
3) Dichlorodifluoromethane	0.96	85	40544	10.7495 ppb		100
4) Freon 114	1.05	135	25265	10.9975 ppb		97
5) Chloromethane	1.08	50	35484	10.4752 ppb		89
6) Vinyl chloride	1.16	62	41128	10.9690 ppb		96
8) Bromomethane	1.37	94	49470	9.2350 ppb		94
9) Chloroethane	1.46	64	29693	11.2690 ppb		98
10) Dichlorofluoromethane	1.62	67	73052	9.6746 ppb		99
11) Trichlorofluoromethane	1.66	101	74801	10.8675 ppb		95
12) Acrolein	2.00	56	82795	118.1034 ppb		93
13) Acetone	2.14	43	17479	10.3438 ppb	#	89
14) Freon-113	2.10	101	35601	10.7254 ppb		94
15) 1,1-DCE	2.08	61	49518	10.8817 ppb		97
17) Acetonitrile	2.40	41	35579	130.9123 ppb		97
18) t-Butanol	2.75	59	36202	102.3051 ppb		96
19) Methyl Acetate	2.47	43	37673	10.5012 ppb		97
20) Iodomethane	2.20	142	11859	7.8695 ppb	#	37
21) Acrylonitrile	2.83	52	10976	8.2040 ppb		98
22) Methylene chloride	2.55	84	48619	12.6796 ppb		92
23) Carbon disulfide	2.25	76	103702	10.8275 ppb		98
24) Methyl t-butyl ether (MtBE	2.89	73	70044	9.3418 ppb		96
25) Trans-1,2-DCE	2.85	96	28034	9.8071 ppb		96
26) Hexane	2.88	57	14649	9.1603 ppb		99
27) Diisopropyl Ether	3.56	45	30117	10.1270 ppb		96
28) 1,1-DCA	3.37	63	54633	11.5070 ppb		96
29) Vinyl Acetate	3.56	87	24775	9.7704 ppb		89
30) Ethyl tert Butyl Ether	4.12	59	34732	9.2774 ppb	#	84
31) MEK (2-Butanone)	4.34	43	18225	11.5815 ppb	#	89
32) Cis-1,2-DCE	4.25	61	44836	9.9405 ppb		96
33) 2,2-Dichloropropane	4.24	77	39418	9.6594 ppb		96
34) Chloroform	4.75	83	61995	9.4917 ppb		97
35) Bromochloromethane	4.59	128	18288	9.9333 ppb		91
37) 1,1,1-TCA	4.95	97	53695	10.2715 ppb		97
38) Cyclohexane	5.02	41	22734	10.1564 ppb		87
39) 1,1-Dichloropropene	5.19	75	36372	10.1717 ppb		93
40) 2,2,4-Trimethylpentane	5.60	57	66652	10.2186 ppb		93
42) Carbon Tetrachloride	5.17	117	44775	10.3298 ppb		96
43) Tert Amyl Methyl Ether	5.66	73	29563	9.3308 ppb		95
44) 1,2-DCA	5.47	62	51037	9.6202 ppb		98
45) Benzene	5.44	78	124972	10.2435 ppb		96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\THOR\DATA\T190423\0424T33.D Vial: 30
Acq On : 25 Apr 19 2:00 Operator: DG,SV, CMM.PM,KV
Sample : 190424A LCSD 10ug/L Inst : Thor
Misc : IS &S 4/2/19 Multiplr: 1.00

Quant Time: Apr 25 11:07 2019 Quant Results File: T0424W.RES

Quant Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration
DataAcq Meth : T8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
46)	TCE	6.25	95	34139	10.6742	ppb		94
47)	2-Pentanone	6.51	43	307124	126.1934	ppb		98
48)	1,2-Dichloropropane	6.48	63	31754	9.5310	ppb	#	90
49)	Bromodichloromethane	6.82	83	48947	10.0375	ppb		97
50)	Methyl Cyclohexane	6.45	83	38358	10.1040	ppb		94
51)	Dibromomethane	6.61	93	27006	10.3658	ppb		94
52)	MIBK (methyl isobutyl ket	7.52	58	12976	10.6809	ppb		99
53)	1-Bromo-2-chloroethane	7.12	63	48481	9.6341	ppb		95
54)	2-Chloroethyl vinyl ether	7.13	107	2171	10.0279	ppb	#	80
55)	Cis-1,3-Dichloropropene	7.31	75	45710	9.7675	ppb		94
56)	Toluene	7.65	91	136307	10.0657	ppb		100
57)	Trans-1,3-Dichloropropene	7.91	75	43832	9.4856	ppb		95
58)	1,1,2-TCA	8.09	83	29212	10.0882	ppb		97
59)	2-Hexanone	8.38	58	11013	10.3981	ppb		79
62)	1,2-EDB	8.56	107	37952	10.0264	ppb		89
63)	Tetrachloroethene	8.21	164	34400	10.3019	ppb		95
64)	1-Chlorohexane	9.10	91	33366	9.5377	ppb		97
65)	1,1,1,2-Tetrachloroethane	9.17	131	38908	9.7145	ppb		92
66)	m&p-Xylene	9.33	106	109264	20.6176	ppb		96
67)	o-Xylene	9.72	106	52292	10.6446	ppb		95
68)	Styrene	9.74	104	83743	10.4067	ppb		95
70)	1,3-Dichloropropane	8.25	76	55579	9.9988	ppb		93
71)	Dibromochloromethane	8.47	129	40073	9.7752	ppb		99
72)	Chlorobenzene	9.07	112	96883	9.7583	ppb		93
73)	Ethylbenzene	9.21	91	140982	10.1968	ppb		98
74)	Bromoform	9.89	173	31598	9.9390	ppb		100
76)	Isopropylbenzene	10.10	105	130265	10.2301	ppb		94
77)	1,1,2,2-Tetrachloroethane	10.39	83	49723	9.7912	ppb		92
78)	1,2,3-Trichloropropane	10.42	110	16093	9.9662	ppb		96
79)	t-1,4-Dichloro-2-Butene	10.45	53	10468	9.3988	ppb		99
80)	Bromobenzene	10.36	156	46813	10.0966	ppb		95
81)	n-Propylbenzene	10.50	91	155592	10.2116	ppb		100
82)	4-Ethyltoluene	10.62	105	140911	10.6293	ppb		96
83)	2-Chlorotoluene	10.56	91	100403	10.1430	ppb		99
84)	1,3,5-Trimethylbenzene	10.69	105	121000	10.6422	ppb		97
85)	4-Chlorotoluene	10.68	91	119371	10.4717	ppb		100
86)	Tert-Butylbenzene	11.00	119	101672	10.3278	ppb		95
87)	1,2,4-Trimethylbenzene	11.05	105	113978	10.4424	ppb		100
88)	Sec-Butylbenzene	11.22	105	141192	10.3965	ppb		99
89)	p-Isopropyltoluene	11.37	119	127162	10.2702	ppb		98
90)	Benzyl Chloride	11.53	91	8600	7.7949	ppb		93
91)	1,3-DCB	11.30	146	86386	10.4109	ppb		97
92)	1,4-DCB	11.39	146	93208	9.9534	ppb		96
93)	n-Butylbenzene	11.77	91	104446	10.2131	ppb		99
94)	1,2-DCB	11.74	146	83480	9.7705	ppb		96
95)	Hexachloroethane	12.00	117	24259	9.5031	ppb		91
96)	1,2-Dibromo-3-chloropropan	12.51	157	12526	10.1667	ppb		93
97)	1,2,4-Trichlorobenzene	13.34	180	54494	9.9671	ppb		96
98)	Hexachlorobutadiene	13.53	225	28735	10.7293	ppb		98
99)	Naphthalene	13.57	128	110562	9.3644	ppb		92
100)	1,2,3-Trichlorobenzene	13.81	180	55931	9.5957	ppb		89

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\THOR\DATA\T190423\0424T33.D
Acq On : 25 Apr 19 2:00
Sample : 190424A LCSD 10ug/L
Misc : IS &S 4/2/19

Vial: 30
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Quant Time: Apr 25 11:07 2019

Quant Results File: T0424W.RES

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Thu Apr 25 10:43:03 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L36.D Vial: 35
Acq On : 24 Apr 19 8:34 Operator: PM,DG,SV,CMM,KV
Sample : AZ89958W06 MS 10ug/L Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 25 18:17 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	473280	25.0000 ppb		0.00
63) Chlorobenzene-D5 (IS)	9.51	117	388544	25.0000 ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	225216	25.0000 ppb		0.00
System Monitoring Compounds						
38) Dibromofluoromethane(S)	5.15	111	219460	24.9182 ppb		0.00
Spiked Amount 25.000			Recovery =	99.672%		
43) 1,2-DCA-D4(S)	5.57	65	226659	24.7898 ppb		0.00
Spiked Amount 25.000			Recovery =	99.160%		
64) Toluene-D8(S)	7.92	98	660755	24.8929 ppb		0.00
Spiked Amount 25.000			Recovery =	99.572%		
72) 4-Bromofluorobenzene(S)	10.81	95	235716	23.5941 ppb		0.00
Spiked Amount 25.000			Recovery =	94.376%		
Target Compounds						Qvalue
3) Dichlorodifluoromethane	1.00	85	47015	10.5279 ppb		99
4) Freon 114	1.09	85	36327	9.0585 ppb		91
5) Chloromethane	1.12	50	56109	9.5443 ppb		100
6) Vinyl chloride	1.20	62	57080	10.2870 ppb		100
8) Bromomethane	1.44	94	36865	11.7436 ppb		92
9) Chloroethane	1.52	64	25083	10.0513 ppb		97
10) Dichlorofluoromethane	1.69	67	69420	9.1869 ppb		100
11) Trichlorofluoromethane	1.73	101	62751	10.0789 ppb		95
12) Acrolein	2.09	56	90747	115.8410 ppb	#	96
13) Acetone	2.24	43	12970	7.9336 ppb		89
14) Freon-113	2.20	101	32163	8.8067 ppb		98
15) 1,1-DCE	2.18	96	31304	8.4802 ppb		96
16) t-Butanol	2.89	59	34889	115.5508 ppb		99
18) Acetonitrile	2.51	41	73678	120.4539 ppb		96
19) Methyl Acetate	2.59	43	32049	9.2562 ppb		92
20) Iodomethane	2.30	142	38572	7.3563 ppb		94
21) Acrylonitrile	2.97	52	12228	8.5285 ppb		91
22) Methylene chloride	2.67	84	41402	8.8737 ppb		95
23) Carbon disulfide	2.36	76	113163	8.5050 ppb		100
24) Methyl t-butyl ether (MtBE	3.03	73	79197	8.6627 ppb		94
25) Trans-1,2-DCE	3.00	96	33360	8.7970 ppb		97
26) Diisopropyl Ether	3.74	45	77308	8.5334 ppb		100
28) 1,1-DCA	3.54	63	62700	9.0121 ppb		97
29) Vinyl Acetate	3.74	43	84368	8.0865 ppb	#	68
30) Ethyl tert Butyl Ether	4.31	59	69864	8.6645 ppb		96
31) MEK (2-Butanone)	4.52	43	14863	9.7636 ppb		99
32) Cis-1,2-DCE	4.44	96	41899	10.3428 ppb		89
33) 2,2-Dichloropropane	4.42	77	37126	6.4151 ppb		98
36) Chloroform	4.93	83	66805	9.0792 ppb		91
37) Bromochloromethane	4.77	128	20383	8.1416 ppb		99
39) 1,1,1-TCA	5.14	97	52188	8.5953 ppb		98
40) Cyclohexane	5.21	41	19793	8.6161 ppb		90
41) 1,1-Dichloropropene	5.38	75	35279	8.9341 ppb		96
42) 2,2,4-Trimethylpentane	5.81	57	61303	8.0197 ppb		96
44) Carbon Tetrachloride	5.36	117	48917	9.1813 ppb		99
45) Tert Amyl Methyl Ether	5.87	73	70682	8.4866 ppb		98
47) 1,2-DCA	5.67	62	47960	8.8835 ppb		99
48) Benzene	5.64	78	130714	8.6975 ppb		97
49) TCE	6.48	130	37464	9.1824 ppb		96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L36.D
Acq On : 24 Apr 19 8:34
Sample : AZ89958W06 MS 10ug/L
Misc : ISS 3/5/19, 2/11/19

Vial: 35
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 25 18:17 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.76	43	269139	121.0286	ppb		98
51)	1,2-Dichloropropane	6.74	63	37152	8.5888	ppb		99
52)	Bromodichloromethane	7.09	83	53998	9.0832	ppb		92
53)	Methyl Cyclohexane	6.70	83	36404	8.6992	ppb		90
54)	Dibromomethane	6.87	93	27441	9.2162	ppb		98
56)	MIBK (methyl isobutyl ket	7.83	43	26190	9.9383	ppb		97
57)	1-Bromo-2-chloroethane	7.42	63	56442	8.9947	ppb		95
58)	Cis-1,3-Dichloropropene	7.62	75	45723	8.1694	ppb		95
59)	Toluene	7.99	91	137861	9.1032	ppb		100
60)	Trans-1,3-Dichloropropene	8.27	75	44461	8.5700	ppb		97
61)	1,1,2-TCA	8.46	83	30887	8.7746	ppb		96
62)	2-Hexanone	8.78	43	15984	8.6326	ppb	#	98
65)	1,2-EDB	8.98	107	34972	8.6260	ppb		93
66)	Tetrachloroethene	8.60	166	40066	9.0576	ppb		94
67)	1-Chlorohexane	9.56	91	34545	8.8164	ppb		98
68)	1,1,1,2-Tetrachloroethane	9.64	131	40408	8.6905	ppb		91
69)	m&p-Xylene	9.82	91	183761	15.3923	ppb		96
70)	o-Xylene	10.25	106	45905	8.9246	ppb		93
71)	Styrene	10.26	104	72663	7.2354	ppb		98
73)	1,3-Dichloropropane	8.63	76	58222	9.0928	ppb		96
74)	Dibromochloromethane	8.88	129	44519	9.1797	ppb		93
75)	Chlorobenzene	9.54	112	96869	8.8670	ppb		97
76)	Ethylbenzene	9.69	91	124080	8.4996	ppb		99
77)	Bromoform	10.44	173	32125	9.2432	ppb		95
79)	Isopropylbenzene	10.66	105	107630	8.4171	ppb		100
80)	1,1,2,2-Tetrachloroethane	10.99	83	54637	9.6225	ppb		90
81)	1,2,3-Trichloropropane	11.01	110	15757	9.3970	ppb		83
82)	t-1,4-Dichloro-2-Butene	11.05	53	8880	8.6050	ppb		98
83)	Bromobenzene	10.96	156	40203	8.3408	ppb		92
84)	n-Propylbenzene	11.11	91	133211	8.3412	ppb		99
85)	4-Ethyltoluene	11.24	105	115336	8.4199	ppb		99
86)	2-Chlorotoluene	11.18	91	103581	8.7759	ppb		95
87)	1,3,5-Trimethylbenzene	11.31	105	98402	8.5040	ppb		99
88)	4-Chlorotoluene	11.31	91	109130	8.9563	ppb		97
89)	Tert-Butylbenzene	11.66	119	91727	9.0502	ppb		97
90)	1,2,4-Trimethylbenzene	11.71	105	90608	7.9259	ppb		99
91)	Sec-Butylbenzene	11.90	105	116364	8.3983	ppb		98
92)	p-Isopropyltoluene	12.06	119	100245	8.2015	ppb		97
93)	Benzyl Chloride	12.25	91	9598	7.1829	ppb	#	89
94)	1,3-DCB	11.99	146	77470	8.9774	ppb		98
95)	1,4-DCB	12.09	146	82673	8.5138	ppb		97
96)	n-Butylbenzene	12.51	91	86866	7.8348	ppb		98
97)	1,2-DCB	12.49	146	73091	8.1010	ppb		97
98)	Hexachloroethane	12.78	117	18064	11.2352	ppb		88
99)	1,2-Dibromo-3-chloropropan	13.34	75	8570	9.0409	ppb	#	88
100)	1,2,4-Trichlorobenzene	14.25	180	39806	7.7198	ppb		96
101)	Hexachlorobutadiene	14.45	225	25294	8.6790	ppb	#	85
102)	Naphthalene	14.51	128	76331	6.9074	ppb		99
103)	1,2,3-Trichlorobenzene	14.78	180	41036	7.6037	ppb		96

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\LOKI\DATA\190423\0423L36.D
Acq On : 24 Apr 19 8:34
Sample : AZ89958W06 MS 10ug/L
Misc : ISS 3/5/19, 2/11/19

Vial: 35
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 25 18:17 2019

Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L37.D Vial: 36
Acq On : 24 Apr 19 9:03 Operator: PM,DG,SV,CMM,KV
Sample : AZ89958W07 MSD 10ug/L Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 25 18:17 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	6.02	96	486592	25.0000	ppb		0.00
63) Chlorobenzene-D5 (IS)	9.52	117	406016	25.0000	ppb		0.00
78) 1,4-Dichlorobenzene-D (IS)	12.07	152	227136	25.0000	ppb		0.00
System Monitoring Compounds							
38) Dibromofluoromethane(S)	5.15	111	214290	23.6655	ppb		0.00
Spiked Amount 25.000			Recovery = 94.660%				
43) 1,2-DCA-D4(S)	5.57	65	228951	24.3554	ppb		0.00
Spiked Amount 25.000			Recovery = 97.420%				
64) Toluene-D8(S)	7.92	98	663382	23.9164	ppb		0.00
Spiked Amount 25.000			Recovery = 95.664%				
72) 4-Bromofluorobenzene(S)	10.81	95	231878	22.2941	ppb		0.00
Spiked Amount 25.000			Recovery = 89.176%				
Target Compounds							Qvalue
3) Dichlorodifluoromethane	1.00	85	47132	10.2653	ppb		96
4) Freon 114	1.09	85	35885	8.7034	ppb		88
5) Chloromethane	1.12	50	55737	9.2216	ppb		98
6) Vinyl chloride	1.20	62	54488	9.5512	ppb		100
8) Bromomethane	1.44	94	36222	11.2190	ppb		93
9) Chloroethane	1.52	64	25629	9.9881	ppb		96
10) Dichlorofluoromethane	1.69	67	71794	9.2412	ppb		98
11) Trichlorofluoromethane	1.73	101	62671	9.7906	ppb		92
12) Acrolein	2.09	56	95459	118.5223	ppb	#	97
13) Acetone	2.25	43	14068	8.7094	ppb		93
14) Freon-113	2.20	101	34922	9.3006	ppb		95
15) 1,1-DCE	2.18	96	32280	8.5053	ppb		98
16) t-Butanol	2.90	59	37261	120.0306	ppb		93
18) Acetonitrile	2.52	41	77270	122.8704	ppb		91
19) Methyl Acetate	2.60	43	29772	8.1962	ppb		95
20) Iodomethane	2.30	142	39220	7.2753	ppb		91
21) Acrylonitrile	2.97	52	12361	8.3854	ppb		97
22) Methylene chloride	2.67	84	42230	8.7950	ppb		98
23) Carbon disulfide	2.36	76	116988	8.5520	ppb		98
24) Methyl t-butyl ether (MtBE	3.03	73	81105	8.6287	ppb		96
25) Trans-1,2-DCE	3.00	96	34431	8.8310	ppb		89
26) Diisopropyl Ether	3.74	45	78041	8.3786	ppb		99
28) 1,1-DCA	3.54	63	64134	8.9660	ppb		99
29) Vinyl Acetate	3.69	43	84363	7.8648	ppb		92
30) Ethyl tert Butyl Ether	4.32	59	74111	8.9398	ppb		98
31) MEK (2-Butanone)	4.52	43	15644	10.0056	ppb		92
32) Cis-1,2-DCE	4.44	96	40335	9.6843	ppb		93
33) 2,2-Dichloropropane	4.42	77	37820	6.3562	ppb		96
36) Chloroform	4.93	83	68110	9.0033	ppb		95
37) Bromochloromethane	4.77	128	20721	8.0502	ppb		93
39) 1,1,1-TCA	5.14	97	56428	9.0394	ppb		94
40) Cyclohexane	5.21	41	21112	8.9389	ppb		88
41) 1,1-Dichloropropene	5.37	75	35200	8.6702	ppb		99
42) 2,2,4-Trimethylpentane	5.81	57	63036	8.0208	ppb		99
44) Carbon Tetrachloride	5.36	117	50322	9.1866	ppb		94
45) Tert Amyl Methyl Ether	5.87	73	74002	8.6422	ppb		97
47) 1,2-DCA	5.67	62	50801	9.1523	ppb		98
48) Benzene	5.64	78	133829	8.6612	ppb		96
49) TCE	6.48	130	37606	8.9651	ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\LOKI\DATA\190423\0423L37.D Vial: 36
Acq On : 24 Apr 19 9:03 Operator: PM,DG,SV,CMM,KV
Sample : AZ89958W07 MSD 10ug/L Inst : Loki
Misc : ISS 3/5/19, 2/11/19 Multiplr: 1.00

Quant Time: Apr 25 18:17 2019 Quant Results File: L0423W.RES

Quant Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration
DataAcq Meth : L8260

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
50)	2-Pentanone	6.76	43	285330	124.7993	ppb		99
51)	1,2-Dichloropropane	6.74	63	39987	8.9913	ppb		97
52)	Bromodichloromethane	7.09	83	55849	9.1376	ppb	#	93
53)	Methyl Cyclohexane	6.70	83	35960	8.3581	ppb		98
54)	Dibromomethane	6.87	93	26138	8.5384	ppb		95
56)	MIBK (methyl isobutyl ket	7.83	43	27996	10.3302	ppb		94
57)	1-Bromo-2-chloroethane	7.42	63	57623	8.9317	ppb		94
58)	Cis-1,3-Dichloropropene	7.62	75	46461	8.0741	ppb		98
59)	Toluene	7.99	91	140879	9.0480	ppb		95
60)	Trans-1,3-Dichloropropene	8.26	75	44890	8.4160	ppb		100
61)	1,1,2-TCA	8.45	83	32439	8.9634	ppb		97
62)	2-Hexanone	8.78	43	17261	9.0672	ppb		94
65)	1,2-EDB	8.98	107	38609	9.1132	ppb		91
66)	Tetrachloroethene	8.60	166	40901	8.8485	ppb		96
67)	1-Chlorohexane	9.56	91	34155	8.3418	ppb		97
68)	1,1,1,2-Tetrachloroethane	9.65	131	43473	8.9474	ppb		97
69)	m&p-Xylene	9.82	91	188953	15.1573	ppb		100
70)	o-Xylene	10.25	106	45736	8.5091	ppb		99
71)	Styrene	10.26	104	75795	7.2236	ppb		100
73)	1,3-Dichloropropane	8.63	76	58213	8.7002	ppb		89
74)	Dibromochloromethane	8.88	129	42146	8.3164	ppb		90
75)	Chlorobenzene	9.54	112	98456	8.6245	ppb		98
76)	Ethylbenzene	9.69	91	126962	8.3227	ppb		97
77)	Bromoform	10.44	173	33146	9.1271	ppb		90
79)	Isopropylbenzene	10.66	105	109686	8.5054	ppb		97
80)	1,1,2,2-Tetrachloroethane	10.99	83	55288	9.6567	ppb		97
81)	1,2,3-Trichloropropane	11.02	110	16367	9.6783	ppb		84
82)	t-1,4-Dichloro-2-Butene	11.05	53	8608	8.2709	ppb		98
83)	Bromobenzene	10.96	156	41750	8.5886	ppb		98
84)	n-Propylbenzene	11.11	91	139757	8.6771	ppb		96
85)	4-Ethyltoluene	11.24	105	117967	8.5392	ppb		95
86)	2-Chlorotoluene	11.18	91	107551	9.0352	ppb		94
87)	1,3,5-Trimethylbenzene	11.31	105	100918	8.6477	ppb		96
88)	4-Chlorotoluene	11.30	91	109648	8.9227	ppb		95
89)	Tert-Butylbenzene	11.66	119	96207	9.4119	ppb		94
90)	1,2,4-Trimethylbenzene	11.71	105	94648	8.2093	ppb		95
91)	Sec-Butylbenzene	11.90	105	122518	8.7677	ppb		99
92)	p-Isopropyltoluene	12.07	119	104722	8.4954	ppb		98
93)	Benzyl Chloride	12.25	91	9040	6.7140	ppb	#	92
94)	1,3-DCB	11.99	146	76778	8.8220	ppb		99
95)	1,4-DCB	12.09	146	84635	8.6422	ppb		100
96)	n-Butylbenzene	12.51	91	91316	8.1666	ppb		98
97)	1,2-DCB	12.49	146	74261	8.1611	ppb		97
98)	Hexachloroethane	12.78	117	16488	10.1194	ppb		83
99)	1,2-Dibromo-3-chloropropan	13.34	75	9062	9.5610	ppb		90
100)	1,2,4-Trichlorobenzene	14.25	180	42379	8.1493	ppb		98
101)	Hexachlorobutadiene	14.45	225	25393	8.6328	ppb		87
102)	Naphthalene	14.51	128	86733	7.7824	ppb		99
103)	1,2,3-Trichlorobenzene	14.78	180	43712	8.0311	ppb		97

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\LOKI\DATA\190423\0423L37.D
Acq On : 24 Apr 19 9:03
Sample : AZ89958W07 MSD 10ug/L
Misc : ISS 3/5/19, 2/11/19

Vial: 36
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Quant Time: Apr 25 18:17 2019 Quant Results File: L0423W.RES

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed Apr 24 08:19:06 2019
Response via : Initial Calibration




BFB

Data File : M:\LOKI\DATA\190423\0423L01.D
Acq On : 23 Apr 19 16:08
Sample : 25ug/L BFB STD 3/11/19
Misc : 1ul

Vial: 1
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B




Spectrum Information: Scan 287

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	17.7	3122	PASS
75	95	30	60	51.7	9101	PASS
95	95	100	100	100.0	17616	PASS
96	95	5	9	7.0	1228	PASS
173	174	0.00	2	1.8	259	PASS
174	95	50	100	80.6	14201	PASS
175	174	5	9	8.7	1236	PASS
176	174	95	101	95.0	13498	PASS
177	176	5	9	7.3	980	PASS

Data File : M:\LOKI\DATA\190423\0423114.D
Acq On : 23 Apr 19 22:07
Sample : 25ug/L BFB STD 3/11/19
Misc : ISS 3/5/19, 2/11/19

Vial: 13
Operator: PM,DG,SV,CMM,KV
Inst : Loki
Multiplr: 1.00

Method : M:\LOKI\DATA\190423\L0423W.M (RTE Integrator)
Title : METHOD 8260B




AutoFind: Scans 3178, 3179, 3180; Background Corrected with Scan 3162

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	15.6	18269	PASS
75	95	30	60	45.0	52592	PASS
95	95	100	100	100.0	116773	PASS
96	95	5	9	5.9	6944	PASS
173	174	0.00	2	1.5	1609	PASS
174	95	50	100	90.7	105888	PASS
175	174	5	9	7.5	7987	PASS
176	174	95	101	98.8	104619	PASS
177	176	5	9	6.0	6260	PASS

Data File : M:\THOR\DATA\T190423\0424T17.D
Acq On : 24 Apr 19 18:24
Sample : 25ug/L of BFB 03/11/19
Misc : IS &S 4/2/19

Vial: 14
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B




Spectrum Information: Average of 10.224 to 10.230 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	18.1	26267	PASS
75	95	30	60	51.9	75267	PASS
95	95	100	100	100.0	144896	PASS
96	95	5	9	7.0	10144	PASS
173	174	0.00	2	1.8	2526	PASS
174	95	50	100	98.4	142592	PASS
175	174	5	9	8.0	11342	PASS
176	174	95	101	98.4	140245	PASS
177	176	5	9	6.5	9069	PASS

Data File : M:\THOR\DATA\T190423\0424T29.D
Acq On : 25 Apr 19 00:06
Sample : 25ug/L of BFB 03/11/19
Misc : IS &S 4/2/19

Vial: 26
Operator: DG,SV, CMM.PM,KV
Inst : Thor
Multiplr: 1.00

Method : M:\THOR\DATA\T190423\T0424W.M (RTE Integrator)
Title : METHOD 8260B



Spectrum Information: Average of 10.211 to 10.230 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	19.6	20022	PASS
75	95	30	60	51.9	53050	PASS
95	95	100	100	100.0	102251	PASS
96	95	5	9	6.6	6715	PASS
173	174	0.00	2	1.8	1790	PASS
174	95	50	100	97.8	99952	PASS
175	174	5	9	8.3	8266	PASS
176	174	95	101	95.5	95443	PASS
177	176	5	9	7.0	6644	PASS

Loki 8260 Standard Prep

Loki 8260 Water Calibration Curve

0.3ug/L

Prepared: 04/23/19

Expires: 05/23/19

Prepared By (Initials): PC

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	0.3ug/L	5	Prepared 04/19/19	06/18/19	N/A	3uL	50mL	P&T Water	0.3
VOA STD. 10	O2SI		5	Prepared 04/19/19	06/18/19	N/A	3uL			0.3
VOA STD. 12	O2SI		5	Prepared 04/19/19	06/18/19	N/A	3uL			0.3
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	2uL			10

0.5ug/L

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	0.5ug/L	5	Prepared 04/19/19	06/18/19	N/A	5uL	50mL	P&T Water	0.5
VOA STD. 10	O2SI		5	Prepared 04/19/19	06/18/19	N/A	5uL			0.5
VOA STD. 12	O2SI		5	Prepared 04/19/19	06/18/19	N/A	5uL			0.5
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	5uL			25

1.0ug/L

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	1.0ug/L	5	Prepared 04/19/19	06/18/19	N/A	10uL	50mL	P&T Water	1
VOA STD. 10	O2SI		5	Prepared 04/19/19	06/18/19	N/A	10uL			1
VOA STD. 12	O2SI		5	Prepared 04/19/19	06/18/19	N/A	10uL			1
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	10uL			50

2.0ug/L

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	2.0ug/L	5	Prepared 04/19/19	06/18/19	N/A	20uL	50mL	P&T Water	2
VOA STD. 10	O2SI		5	Prepared 04/19/19	06/18/19	N/A	20uL			2
VOA STD. 12	O2SI		5	Prepared 04/19/19	06/18/19	N/A	20uL			2
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	15uL			75

5ug/L

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	5ug/L	50	Prepared 04/19/19	06/18/19	N/A	5uL	50mL	P&T Water	5
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	5uL			5
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	5uL			5
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	5uL			5
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	20uL			100

10ug/L

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	10ug/L	50	Prepared 04/19/19	06/18/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	10uL			10
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	10uL			10
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	10uL			10
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	25uL			125

20ug/L

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	20ug/L	50	Prepared 04/19/19	06/18/19	N/A	20uL	50mL	P&T Water	20
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	20uL			20
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	20uL			20
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	20uL			20
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	30uL			150

40ug/L

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	40ug/L	50	Prepared 04/19/19	06/18/19	N/A	40uL	50mL	P&T Water	40
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	40uL			40
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	40uL			40
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	40uL			40
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	35uL			175

100ug/L

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	100ug/L	50	Prepared 04/19/19	06/18/19	N/A	100uL	50mL	P&T Water	100
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	100uL			100
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	100uL			100
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	100uL			100
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	40uL			200

Loki 8260 Water Second Source (SS)

Prepared: 04/23/19

Prepared By (Initials): PC

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 4	Phenova	8260 Water SS	50	Prepared 04/19/19	06/18/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 5	O2SI	8260 Water SS	50	Prepared 04/19/19	06/18/19	N/A	10uL			10
VOA STD. 6	Various	8260 Water SS	50	Prepared 04/19/19	04/24/19	N/A	10uL			10
Voa STD. TBA	Various	8260 Water SS	250	Prepared 04/19/19	04/24/19	N/A	25uL			250

8260 Water Continuing Calibrations (CCV)/ Lab Control Spikes (LCS)

Prepared: 04/23/19

Prepared By (Initials): PC

Expires: 04/24/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	CCV/ LCS	50	Prepared 04/19/19	06/18/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 8	Phenova	CCV/ LCS	50	Prepared 04/19/19	05/08/19	N/A	10uL			10
VOA STD. 1	O2SI	CCV/ LCS	50	Prepared 04/19/19	06/18/19	N/A	10uL			10
VOA STD. 2	O2SI	CCV/ LCS	50	Prepared 04/19/19	06/18/19	N/A	10uL			10
VOA STD. TBA	Various	CCV/ LCS	250	Prepared 04/19/19	05/08/19	N/A	25uL			125

LCS (X4 Ketones)

Prepared: 04/23/19

Prepared By (Initials): PC

Expires: 04/24/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	LCS X4 Ketones	50	Prepared 04/19/19	06/18/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 8	Phenova	LCS X4 Ketones	50	Prepared 04/19/19	05/08/19	N/A	10uL			10
VOA STD. 1	O2SI	LCS X4 Ketones	50	Prepared 04/19/19	06/18/19	N/A	10uL			10
VOA STD. 2	O2SI	LCS X4 Ketones	50	Prepared 04/19/19	06/18/19	N/A	40uL			40
VOA STD. TBA	Various	LCS X4 Ketones	250	Prepared 04/19/19	05/08/19	N/A	25uL			125

Loki 8260 Water Surrogate

Prepared: 02/11/19 **Prepared By (Initials):** PC

Expires: 07/28/19

Methanol Lot No: 202404-9077

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
8260 Surrogate Solution	O2SI	120002-01	2,000	**384756-39333**	**07/28/19**	**02/10/22**	375uL	15mL	Methanol	50

Loki 8260 Water Internal Standard

Prepared: 03/21/19 **Prepared By (Initials):** DG

Expires: 03/06/20

Methanol Lot No: 202404-9077

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Internal Standard Solution	O2SI	120004-02	2,000	**326533-38436**	**03/06/20**	**04/27/21**	375uL	15mL	Methanol	50

Thor 8260 Soil Calibration Curve

2ug/kg

Prepared: 04/23/19

Expires: 05/23/19

Prepared By (Initials): PC

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 7	Various	2ug/kg	50	Prepared 04/19/19	06/18/19	N/A	1uL	25mL	P&T Water	2
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	1uL			2
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	1uL			2
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	1uL			2
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	5uL			50

5ug/kg

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 7	Various	5ug/kg	50	Prepared 04/19/19	06/18/19	N/A	2.5uL	25mL	P&T Water	5
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	2.5uL			5
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	2.5uL			5
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	2.5uL			5
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	10uL			125

10ug/kg

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 7	Various	10ug/kg	50	Prepared 04/19/19	06/18/19	N/A	5uL	25mL	P&T Water	10
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	5uL			10
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	5uL			10
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	5uL			10
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	15uL			150

20ug/kg

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 7	Various	20ug/kg	50	Prepared 04/19/19	06/18/19	N/A	10uL	25mL	P&T Water	20
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	10uL			20
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	10uL			20
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	10uL			20
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	20uL			200

50ug/kg

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 7	Various	50ug/kg	50	Prepared 04/19/19	06/18/19	N/A	25uL	25mL	P&T Water	50
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	25uL			50
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	25uL			50
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	25uL			50
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	25uL			250

100ug/kg

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 7	Various	100ug/kg	50	Prepared 04/19/19	06/18/19	N/A	50uL	25mL	P&T Water	100
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	50uL			100
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	50uL			100
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	50uL			100
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	30uL			300

150ug/kg

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 7	Various	150ug/kg	50	Prepared 04/19/19	06/18/19	N/A	75uL	25mL	P&T Water	150
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	75uL			150
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	75uL			150
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	75uL			150
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	35uL			350

200ug/kg

Prepared: 04/23/19

Expires: 05/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 7	Various	200ug/kg	50	Prepared 04/19/19	06/18/19	N/A	100uL	25mL	P&T Water	200
VOA STD. 8	Phenova		50	Prepared 04/19/19	05/08/19	N/A	100uL			200
VOA STD. 1	O2SI		50	Prepared 04/19/19	06/18/19	N/A	100uL			200
VOA STD. 2	O2SI		50	Prepared 04/19/19	06/18/19	N/A	100uL			200
VOA STD. TBA	Various		250	Prepared 04/19/19	05/08/19	N/A	40uL			400

Thor 8260 Soil Second Source (SS)

Prepared: 04/23/19

Expires: 05/23/19

Prepared By (Initials): PC

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 4	Phenova	8260 Water SS	50	Prepared 04/19/19	06/18/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 5	O2SI	8260 Water SS	50	Prepared 04/19/19	06/18/19	N/A	10uL			10
VOA STD. 6	Various	8260 Water SS	50	Prepared 04/19/19	04/24/19	N/A	10uL			10
Voa STD. TBA	Various	8260 Water SS	250	Prepared 04/19/19	04/24/19	N/A	25uL			250

8260 Soil Continuing Calibrations (CCV)/ Lab Control Spikes (LCS)

Prepared: 04/23/19

Expires: 04/24/19

Prepared By (Initials): PC

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mg)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/kg)
VOA STD. 7	Various	CCV/ LCS	50	Prepared 04/19/19	06/18/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 8	Phenova	CCV/ LCS	50	Prepared 04/19/19	05/08/19	N/A	10uL			10
VOA STD. 1	O2SI	CCV/ LCS	50	Prepared 04/19/19	06/18/19	N/A	10uL			10
VOA STD. 2	O2SI	CCV/ LCS	50	Prepared 04/19/19	06/18/19	N/A	10uL			10
VOA STD. TBA	Various	CCV/ LCS	250	Prepared 04/19/19	05/08/19	N/A	25uL			125

Thor 8260 Soil Surrogate

Prepared: 01/08/19

Expires: 04/02/19

Methanol Lot No: 707404-00946

Prepared By (Initials): CMM

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
8260 Surrogate Solution	O2SI	120002-01	2,000	348756-39337	01/08/20	04/02/19	375uL	15mL	Methanol	50

Thor 8260 Soil Internal Standard

Prepared: 01/08/19

Expires: 01/08/20

Methanol Lot No: 707404-00946

Prepared By (Initials): CMM

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Internal Standard Solution	O2SI	120004-02	2,000	326533-38443	01/08/20	02/10/22	375uL	15mL	Methanol	50

Primary and Secondary Working Standards

Primary Standards

VOA STD 7

Prepared: 04/19/19 N
Expires: 06/18/19
Prepared By (Initials): PC
Methanol Lot No. 907702-202404

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA Gasses STD	Phenova	ALO-101206	2,000	**CL13248-40496**	**03/21/20**	**02/29/24**	100uL	4mL	Methanol	50
Hexachloroethane	Absolute	70199	1,000	**218051281-40279**	**03/05/20**	**05/14/28**	200uL			50
Benzyl Chloride	O2SI	020228-02	1,000	**120418-40032**	**12/04/19**	**12/04/19**	200uL			50

VOA STD 8

Prepared: 04/19/19 O
Expires: 05/08/19
Prepared By (Initials): PC
Methanol Lot No. 907702-202404

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA Additions STD	Phenova	ALO-130175	2,000	**CL12622-40168**	**03/05/20**	**06/30/20**	100uL	4mL	Methanol	50
502.2 Cal. Std.	Phenova	ALO-101200	2,000	**CL12489-39976**	**03/05/20**	**05/31/23**	100uL			50
Vinyl Acetate	Phenova	ALO-101228	2,000	**CL13499-40665**	**05/08/19**	**05/08/19**	100uL			50

VOA STD TBA

Prepared: 04/19/19 P
Expires: 05/08/19
Prepared By (Initials): PC
Methanol Lot No. 907702-202404

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Custom VOC Mix	Phenova	ALO-130176	2,000	**CL12929-40194**	**03/1620**	**11/30/20**	500uL	4mL	Methanol	250
Acrolein	Phenova	ALO-130549	10,000	**CL13304-40666**	**05/08/19**	**05/08/19**	100uL			250

VOA STD 1

Prepared: 04/19/19 Q
Expires: 06/18/19
Prepared By (Initials): PC
Methanol Lot No. 907702-202404

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
2-CEVE	O2SI	020145-02	2,000	**071018-40688**	**03/05/20**	**07/10/21**	50	2mL	Methanol	50

VOA STD 2

Prepared: 04/19/19 R
Expires: 06/18/19
Prepared By (Initials): PC
Methanol Lot No. 907702-202404

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Ketones Std.	Phenova	ALO-109211	2,000	**CL12729-40604**	**03/05/20**	**08/31/28**	100	4mL	Methanol	50

VOA STD 9

Prepared: 04/19/19 S
Expires: 06/18/19
Prepared By (Initials): PC
Methanol Lot No. 907702-202404

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA STD. 7		VOA STD. 9	50	Prepared 04/19/19	**03/05/20**	N/A	200uL	2mL	Methanol	5
VOA STD. 8			50	Prepared 04/19/19	**03/05/20**	N/A	200uL			5

VOA STD. 10

Prepared: 04/19/19 T
Expires: 06/18/19
Prepared By (Initials): PC
Methanol Lot No. 907702-202404

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA STD. 1		VOA STD. 10	50	Prepared 04/19/19	**03/05/20**	N/A	200uL	2mL	Methanol	5

VOA STD. 12

Prepared: 04/19/19 U
Expires: 06/18/19
Prepared By (Initials): PC
Methanol Lot No. 907702-202404

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA STD. 2		VOA STD. 12	50	Prepared 04/19/19	**03/05/20**	N/A	200uL	2mL	Methanol	5

Second Source (SS) Standards

VOA STD. 3

Prepared: 04/19/19 V
Expires: 06/18/19
Methanol Lot No. 907702-202404

Prepared By (Initials): PC

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Ketones Standard	Phenova	ALO-101211	2,000	CL10955-38858	03/05/20	08/31/23	50uL	2mL	Methanol	50

VOA STD. 5

Prepared: 04/19/19 W
Expires: 06/18/19
Methanol Lot No. 907702-202404

Prepared By (Initials): PC

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
8260 Gases (SS)	Phenova	ALO-101206	2,000	CL12966-40487	03/05/20	10/31/23	50uL	2mL	Methanol	50
2-CEVE (SS)	Absolute	82408	2,000	112917-40208	03/05/20	11/29/20	50uL			50

VOA STD. 6

Prepared: 04/19/19 X
Expires: 04/24/19
Methanol Lot No. 907702-202404

Prepared By (Initials): PC

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
502.2 Calibration STD. (54-compounds)	Phenova	ALO-101200	2,000	CL12490-40598	03/05/20	05/31/23	50uL	2mL	Methanol	50
Vinyl Acetate	Phenova	ALO-101228	2,000	CL13455-40583	04/24/19	04/24/19	50uL			50
Hexachloroethane	Accustan	AS-E0011	1,000	218051281-40277	03/05/20	05/14/28	100uL			50
Benzyl Chloride	Accustan	M-8010-01	200	214101335-04	03/05/20	10/18/20	500uL			50

VOA STD. TBA

Prepared: 04/19/19 Y
Expires: 04/24/19
Methanol Lot No. 907702-202404

Prepared By (Initials): PC

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Custom VOA Mix (4-3)	Phenova	ALO-130176	2,000	CL12929-40187	01/31/20	11/30/20	250uL	2mL	Methanol	250
Acrolein	Phenova	ALO-101224	10,000	CL13322-40462	04/24/19	04/24/19	50uL			250

VOA STD. 0

Prepared: 04/19/19 Z
Expires: 06/18/19
Methanol Lot No. 907702-202404

Prepared By (Initials): PC

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA Addition STD.	Phenova	ALO-130175	2,000	CL12744-40173	03/05/20	08/31/20	50uL	2mL	Methanol	50

BFB Tune

Prepared: 03/11/19
Expires: 12/12/19
Methanol Lot No. 202404-00945

Prepared By (Initials): DG

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
4-Bromofluorobenzene	O2SI	020135-03	2,500	342387-39075	12/12/19	01/19/21	20uL	2mL	Methanol	25

Injection Log

Directory: M:\LOKI\DATA\190423\

Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	0423L01.D	1	25ug/L BFB STD 3/11/19	1ul	23 Apr 19 16:08
3	0423L04.D	1	0.3ug/L VOC STD 04/23/19	ISS 3/5/19, 2/11/19	23 Apr 19 17:21
4	0423L05.D	1	0.5ug/L VOC STD 04/23/19	ISS 3/5/19, 2/11/19	23 Apr 19 17:49
5	0423L06.D	1	1.0ug/L VOC STD 04/23/19	ISS 3/5/19, 2/11/19	23 Apr 19 18:18
6	0423L07.D	1	2.0ug/L VOC STD 04/23/19	ISS 3/5/19, 2/11/19	23 Apr 19 18:46
7	0423L08.D	1	5.0ug/L VOC STD 04/23/19	ISS 3/5/19, 2/11/19	23 Apr 19 19:15
8	0423L09.D	1	10ug/L VOC STD 04/23/19	ISS 3/5/19, 2/11/19	23 Apr 19 19:44
9	0423L10.D	1	20ug/L VOC STD 04/23/19	ISS 3/5/19, 2/11/19	23 Apr 19 20:12
10	0423L11.D	1	40ug/L VOC STD 04/23/19	ISS 3/5/19, 2/11/19	23 Apr 19 20:41
11	0423L12.D	1	100ug/L VOC STD 04/23/19	ISS 3/5/19, 2/11/19	23 Apr 19 21:09
13	0423L14.D	1	25ug/L BFB STD 3/11/19	ISS 3/5/19, 2/11/19	23 Apr 19 22:07
14	0423L15.D	1	(SS)10ug/L VOC STD 04/19/23	ISS 3/5/19, 2/11/19	23 Apr 19 22:35
16	0423L17.D	1	190423A LCS 10ug/L (4X Ketones)	ISS 3/5/19, 2/11/19	23 Apr 19 23:32
17	0423L18.D	1	190423A LCSD 10ug/L (4X Ketones)	ISS 3/5/19, 2/11/19	24 Apr 19 00:01
19	0423L20.D	1	190423A blk	ISS 3/5/19, 2/11/19	24 Apr 19 00:58
25	0423L26.D	1	AZ89959W02	ISS 3/5/19, 2/11/19	24 Apr 19 3:49
35	0423L36.D	1	AZ89958W06 MS 10ug/L	ISS 3/5/19, 2/11/19	24 Apr 19 8:34
36	0423L37.D	1	AZ89958W07 MSD 10ug/L	ISS 3/5/19, 2/11/19	24 Apr 19 9:03
37	0423L38.D	1	Ending CCV 10ug/L	ISS 3/5/19, 2/11/19	24 Apr 19 9:31

Injection Log

Directory: M:\THOR\DATA\T190423\

Vial	FileName	Multiplier	SampleName	Misc Info	Injected
14	0424T17.D	1	25ug/L of BFB 03/11/19	IS &S 4/2/19	24 Apr 19 18:24
16	0424T19.D	1	0.3ug/L VOC STD 04/24/19	IS &S 4/2/19	24 Apr 19 19:21
17	0424T20.D	1	0.5ug/L VOC STD 04/24/19	IS &S 4/2/19	24 Apr 19 19:50
18	0424T21.D	1	1.0ug/L VOC STD 04/24/19	IS &S 4/2/19	24 Apr 19 20:18
19	0424T22.D	1	2.0ug/L VOC STD 04/24/19	IS &S 4/2/19	24 Apr 19 20:47
20	0424T23.D	1	5.0ug/L VOC STD 04/24/19	IS &S 4/2/19	24 Apr 19 21:15
21	0424T24.D	1	10ug/L VOC STD 04/24/19	IS &S 4/2/19	24 Apr 19 21:44
22	0424T25.D	1	20ug/L VOC STD 04/24/19	IS &S 4/2/19	24 Apr 19 22:12
23	0424T26.D	1	40ug/L VOC STD 04/24/19	IS &S 4/2/19	24 Apr 19 22:41
24	0424T27.D	1	100ug/L VOC STD 04/24/19	IS &S 4/2/19	24 Apr 19 23:09
26	0424T29.D	1	25ug/L of BFB 03/11/19	IS &S 4/2/19	25 Apr 19 00:06
27	0424T30.D	1	(SS)10ug/L VOC STD 04/24/19	IS &S 4/2/19	25 Apr 19 00:34
29	0424T32.D	1	190424A LCS 10ug/L	IS &S 4/2/19	25 Apr 19 1:32
30	0424T33.D	1	190424A LCSD 10ug/L	IS &S 4/2/19	25 Apr 19 2:00
32	0424T35.D	1	190424A blk	IS &S 4/2/19	25 Apr 19 2:57
34	0424T37.D	1	AZ89957W04	IS &S 4/2/19	25 Apr 19 3:54
35	0424T38.D	1	AZ89960W03	IS &S 4/2/19	25 Apr 19 4:23
36	0424T39.D	1	AZ89958W08	IS &S 4/2/19	25 Apr 19 4:51
37	0424T40.D	1	AZ89961W03	IS &S 4/2/19	25 Apr 19 5:20
51	0424T54.D	1	Ending CCV 10ug/L	IS &S 4/2/19	25 Apr 19 11:59

ORGANICS
Calibration Data

APPL, INC.

RSK 175

Form 6
Initial Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:
SDG No:
Initial Cal. Date: 03/11/19
Instrument: 7890
Initials: CMO/LP

			19031100.D	19031101.D	19031103.D	19031104.D	19031105.D	19031106.D	19031107.D								
		Compound	1	2	3	4	5	6	7				Avg	%RSD	Type	r^2	Q
1	ATML	Methane	17670	8968	6066	11811	14125	14507	13183				12333	31	ATM	0.999	
2	ATML	Ethane	14730	8189	5526	9883	12114	11368	10522				10333	28	ATM	0.999	
3	ATML	Ethene	12553	7178	4798	8331	10165	9095	8863				8712	28	ATM	1.000	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	
25																	
26																	
27																	
28																	
29																	
30																	
31																	
32																	
33																	
34																	
35																	

2.487833

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031100.D Vial: 1
Acq On : 11 Mar 19 10:21 Operator: cmm
Sample : RSK Std 1 03/11/19 Inst : 7890
Misc : 125uL from RSK Std 3 Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:49 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:48:58 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units
Target Compounds				
1) ATM Methane	0.71	18377	0.442	ppb
3) ATM Ethene	0.91	22909	1.995	ppb
Target Compounds				
2) ATM Ethane	0.83	28797	N.D.	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031100.D
Sample : RSK Std 1 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031101.D Vial: 2
Acq On : 11 Mar 19 10:23 Operator: cmm
Sample : RSK Std 2 03/11/19 Inst : 7890
Misc : 250uL from RSK Std 3 Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:49 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:49:30 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units
Target Compounds				
1) ATM Methane	0.70	18654	0.484	ppb
3) ATM Ethene	0.90	26201	2.738	ppb
Target Compounds				
2) ATM Ethane	0.82	31979	N.D.	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031101.D
Sample : RSK Std 2 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031103.D Vial: 4
Acq On : 11 Mar 19 10:28 Operator: cmm
Sample : RSK Std 3 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:50 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:49:59 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.70	25296	1.488 ppb
2) ATM Ethane	0.83	43104	2.024 ppb
3) ATM Ethene	0.90	35029	4.730 ppb

Target Compounds

Data File: G:\ROCKY\DATA\190311RS\19031103.D
Sample : RSK Std 3 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031104.D Vial: 5
Acq On : 11 Mar 19 10:31 Operator: cmm
Sample : RSK Std 4 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:50 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:50:29 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.71	123132	16.291 ppb
2) ATM Ethane	0.83	193161	30.521 ppb
3) ATM Ethene	0.90	151872	31.095 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031104.D
Sample : RSK Std 4 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031105.D Vial: 6
Acq On : 11 Mar 19 10:33 Operator: cmm
Sample : RSK Std 5 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:51 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:51:01 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units
Target Compounds				
1) ATM Methane	0.70	588996	86.775	ppb
2) ATM Ethane	0.83	946997	173.678	ppb
3) ATM Ethene	0.90	741247	164.087	ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031105.D
Sample : RSK Std 5 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031106.D Vial: 7
Acq On : 11 Mar 19 10:35 Operator: cmm
Sample : RSK Std 6 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:51 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:51:33 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.71	1512363	226.478 ppb
2) ATM Ethane	0.83	2221790	415.768 ppb
3) ATM Ethene	0.91	1658041	370.960 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031106.D
Sample : RSK Std 6 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031107.D Vial: 8
Acq On : 11 Mar 19 10:37 Operator: cmm
Sample : RSK Std 7 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:52 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:52:05 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :


Compound	R.T.	Response	Conc	Units
Target Compounds				
1) ATM Methane	0.71	5497199	829.373	ppb
2) ATM Ethane	0.83	8225741	1555.950	ppb
3) ATM Ethene	0.91	6463235	1455.245	ppb

Target Compounds


(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031107.D
Sample : RSK Std 7 03/11/19






Method Name: G:\ROCKY\DATA\190311RS\RSK0311.M
Calibration Table Last Updated: Mon Mar 11 10:52:05 2019



Method Name: G:\ROCKY\DATA\190311RS\RSK0311.M
Calibration Table Last Updated: Mon Mar 11 10:52:05 2019



Method Name: G:\ROCKY\DATA\190311RS\RSK0311.M
Calibration Table Last Updated: Mon Mar 11 10:52:05 2019

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 03/11/19
Instrument: 7890
Initial Cal. Date: 03/11/19
Data File: 19031108.D

		Compound	MEAN	CCRF	%D		%Drift
1	ATML	Methane	12333	15569	26	ATML	15
2	ATML	Ethane	10333	12628	22	ATML	16
3	ATML	Ethene	8712	10096	16	ATML	12
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			21.3		

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031108.D Vial: 9
Acq On : 11 Mar 19 10:48 Operator: cmm
Sample : SS RSK Std 5 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:59 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:59:14 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.71	649223	95.887 ppb
2) ATM Ethane	0.83	987165	181.306 ppb
3) ATM Ethene	0.91	736184	162.944 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031108.D
Sample : SS RSK Std 5 03/11/19



Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/29/19
Instrument: 7890
Initial Cal. Date: 03/11/19
Data File: 19042900.D

		Compound	MEAN	CCRF	%D		%Drift
1	ATML	Methane	12333	13829	12	ATML	1.8
2	ATML	Ethane	10333	11634	13	ATML	6.5
3	ATML	Ethene	8712	9351	7.3	ATML	3.3
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			10.8		

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042900.D Vial: 1
Acq On : 29 Apr 19 11:03 Operator: cmm
Sample : 190429A LCS/CCV RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:07 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	576667	84.909 ppb
2) ATM Ethane	0.80	909493	166.556 ppb
3) ATM Ethene	0.86	681904	150.696 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042900.D
Sample : 190429A LCS/CCV RSK Std 5



Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 3 May 19 10:33
Instrument: 7890
Initial Cal. Date: 03/11/19
Data File: 19050300.D

		Compound	MEAN	CCRF	%D		%Drift
1	ATML	Methane	12333	11331	8.1	ATML	17
2	ATML	Ethane	10333	9563	7.5	ATML	13
3	ATML	Ethene	8712	7866	9.7	ATML	13
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			8.4		

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19050300.D Vial: 1
Acq On : 3 May 19 10:33 Operator: cmm
Sample : 190503A LCS/CCV RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 3 10:36 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	472503	69.150 ppb
2) ATM Ethane	0.80	747558	135.804 ppb
3) ATM Ethene	0.87	573589	126.255 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19050300.D
Sample : 190503A LCS/CCV RSK Std 5



Form 7

Ending Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/29/19
Instrument: 7890
Initial Cal. Date: 03/11/19
Data File: 19042918.D

		Compound	MEAN	CCRF	%D		%Drift
1	ATML	Methane	12333	10517	15	ATML	23
2	ATML	Ethane	10333	8572	17	ATML	23
3	ATML	Ethene	8712	6817	22	ATML	25
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			18.0		

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042918.D Vial: 19
Acq On : 29 Apr 19 11:54 Operator: cmm
Sample : Ending CCV RSK Std 5 04/29/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:56 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	438547	64.012 ppb
2) ATM Ethane	0.79	670103	121.095 ppb
3) ATM Ethene	0.86	497073	108.989 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042918.D
Sample : Ending CCV RSK Std 5 04/29/19



Form 7

Ending Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 3 May 19 11:36
Instrument: 7890
Initial Cal. Date: 03/11/19
Data File: 19050326.D

		Compound	MEAN	CCRF	%D		%Drift
1	ATML	Methane	12333	12299	0.28	ATML	9.8
2	ATML	Ethane	10333	10297	0.35	ATML	6.2
3	ATML	Ethene	8712	8355	4.1	ATML	7.9
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			1.6		

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19050326.D Vial: 27
Acq On : 3 May 19 11:36 Operator: cmm
Sample : Ending CCV RSK Std 5 05/03/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 3 11:38 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri May 03 11:06:47 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.69	512865	75.256 ppb
2) ATM Ethane	0.80	804929	146.699 ppb
3) ATM Ethene	0.87	609221	134.295 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19050326.D
Sample : Ending CCV RSK Std 5 05/03/19



ORGANICS
Raw Data

APPL, INC.

Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042903.D Vial: 4
Acq On : 29 Apr 19 11:14 Operator: cmm
Sample : AZ89957W03 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:18 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042903.D
Sample : AZ89957W03



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19050303.D Vial: 4
Acq On : 3 May 19 10:41 Operator: cmm
Sample : AZ89959W03 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 3 10:45 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19050303.D
Sample : AZ89959W03



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042904.D Vial: 5
Acq On : 29 Apr 19 11:17 Operator: cmm
Sample : AZ89960W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:21 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

\Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042904.D
Sample : AZ89960W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042905.D Vial: 6
Acq On : 29 Apr 19 11:21 Operator: cmm
Sample : AZ89961W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:24 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042905.D
Sample : AZ89961W04



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19050304.D Vial: 5
Acq On : 3 May 19 10:44 Operator: cmm
Sample : AZ89959W04 MS RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 3 10:47 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	554075	81.491 ppb
2) ATM Ethane	0.80	953887	174.987 ppb
3) ATM Ethene	0.87	755811	167.373 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19050304.D
Sample : AZ89959W04 MS RSK Std 5



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19050306.D Vial: 7
Acq On : 3 May 19 10:49 Operator: cmm
Sample : AZ89959W04 MSD RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 3 10:52 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.69	544236	80.003 ppb
2) ATM Ethane	0.80	887541	162.387 ppb
3) ATM Ethene	0.87	700099	154.802 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19050306.D
Sample : AZ89959W04 MSD RSK Std 5



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042902.D Vial: 3
Acq On : 29 Apr 19 11:12 Operator: cmm
Sample : 190429A Blk Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:15 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042902.D
Sample : 190429A Blk



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19050302.D Vial: 3
Acq On : 3 May 19 10:39 Operator: cmm
Sample : 190503A Blk Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 3 10:43 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19050302.D
Sample : 190503A Blk



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042900.D Vial: 1
Acq On : 29 Apr 19 11:03 Operator: cmm
Sample : 190429A LCS/CCV RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:07 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	576667	84.909 ppb
2) ATM Ethane	0.80	909493	166.556 ppb
3) ATM Ethene	0.86	681904	150.696 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042900.D
Sample : 190429A LCS/CCV RSK Std 5



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19050300.D Vial: 1
Acq On : 3 May 19 10:33 Operator: cmm
Sample : 190503A LCS/CCV RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 3 10:36 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	472503	69.150 ppb
2) ATM Ethane	0.80	747558	135.804 ppb
3) ATM Ethene	0.87	573589	126.255 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19050300.D
Sample : 190503A LCS/CCV RSK Std 5



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042901.D Vial: 2
Acq On : 29 Apr 19 11:07 Operator: cmm
Sample : 190429A LCSD RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:12 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	560268	82.428 ppb
2) ATM Ethane	0.79	865912	158.280 ppb
3) ATM Ethene	0.86	644404	142.234 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042901.D
Sample : 190429A LCSD RSK Std 5



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19050301.D Vial: 2
Acq On : 3 May 19 10:36 Operator: cmm
Sample : 190503A LCSD RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 3 10:38 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	533347	78.355 ppb
2) ATM Ethane	0.80	860868	157.322 ppb
3) ATM Ethene	0.87	660243	145.808 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19050301.D
Sample : 190503A LCSD RSK Std 5



Primary Source Stock Standard 10,000ppmV **Manufacturer Exp Date 9-21-21**

RSK Gas Mix (Scott Specialty Gas) Cat.# 0104E40028`4, Lot # 160-401303031-39773

1% Gas Concentration Moles = 10,000ppmV Methane, Ethane, Ethene

RSK Calibration Curve (prepared in 1.0 L Tedlar Bags at room temp) **Expires 04/11/19** **CMM 03/11/19**

Analye	Conc Std 1 (1/2 = LOD) (ug/L)	Conc Std 2 (LOQ Chk) (ug/L)	Conc Std 3 (ug/L)	Conc Std 4 (ug/L)	Conc Std 5 (ug/L)	Conc Std 6 (ug/L)	Conc Std 7 (ug/L)
Methane (MW 16.04)	2.08	4.16	8.34	20.85	83.40	208.5	834.0
Ethane (MW 30.07)	3.91	7.81	15.6	39.09	156.35	390.9	1563.5
Ethene (MW 28.05)	3.65	7.30	14.6	36.46	145.84	364.6	1458.4
Stock Source	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410
Stock Conc (ppmv)	10,000 ppmV	10,000 ppmV	10,000 ppmV	10,000 ppmV	10,000 ppmV	10,000 ppmV	10,000 ppmV
Stock Aliquot (mL)	0.010	0.020	0.040	0.100	0.400	1.00	4.00
Final Volume P&T Water	32 mL	32 mL	32 mL	32 mL	32 mL	32 mL	32 mL

Second Source Stock Standard 10,000ppmV **Manufacturer Exp date 9-21-2021**

RSK Gas Mix (Scott Specialty Gas) Cat.# 23452, Lot # 160-401303032-1-39774

1% Gas Concentration Moles = 10,000ppmV Methane, Ethane, Ethene

Second Source **Expires 03/12/19** **CMM 03/11/19**

2.0mL of SS from tank into 980 mL Nitrogen

final conc: 13.3ug/L Methane, 25.0 ug/L Ethane, and 23.3 ug/L Ethene

CCV/LCS/LCSD **CMM 04/29/19**

Spike 0.400mL of 10,000ppmV into 32mL DI water, with 8mL Nitrogen headspace

final conc: 83.40ug/L Methane, 156.35ug/L Ethane, and 145.84ug/L Ethene

CCV/LCS/LCSD **CMM 05/03/19**

Spike 0.400mL of 10,000ppmV into 32mL DI water, with 8mL Nitrogen headspace

final conc: 83.40ug/L Methane, 156.35ug/L Ethane, and 145.84ug/L Ethene

AZ89959W04 **CMM 05/03/19**

Spike 0.400mL of 10,000ppmV into 32mL DI water, with 8mL Nitrogen headspace

final conc: 83.40ug/L Methane, 156.35ug/L Ethane, and 145.84ug/L Ethene


Injection Log

Directory: G:\ROCKY\DATA\190311RS\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	19031100.D	1	RSK Std 1 03/11/19	125uL from RSK Std 3	11 Mar 19 10:21
2	2	19031101.D	1	RSK Std 2 03/11/19	250uL from RSK Std 3	11 Mar 19 10:23
3	4	19031103.D	1	RSK Std 3 03/11/19		11 Mar 19 10:28
4	5	19031104.D	1	RSK Std 4 03/11/19		11 Mar 19 10:31
5	6	19031105.D	1	RSK Std 5 03/11/19		11 Mar 19 10:33
6	7	19031106.D	1	RSK Std 6 03/11/19		11 Mar 19 10:35
7	8	19031107.D	1	RSK Std 7 03/11/19		11 Mar 19 10:37
8	9	19031108.D	1	SS RSK Std 5 03/11/19		11 Mar 19 10:48
9	1	19042900.D	1	190429A LCS/CCV RSK Std 5		29 Apr 19 11:03
10	2	19042901.D	1	190429A LCSD RSK Std 5		29 Apr 19 11:07
11	3	19042902.D	1	190429A Blk		29 Apr 19 11:12
12	4	19042903.D	1	AZ89957W03		29 Apr 19 11:14
13	5	19042904.D	1	AZ89960W04		29 Apr 19 11:17
14	6	19042905.D	1	AZ89961W04		29 Apr 19 11:21
15	19	19042918.D	1	Ending CCV RSK Std 5 04/29/19		29 Apr 19 11:54
16	1	19050300.D	1	190503A LCS/CCV RSK Std 5		3 May 19 10:33
17	2	19050301.D	1	190503A LCSD RSK Std 5		3 May 19 10:36
18	3	19050302.D	1	190503A Blk		3 May 19 10:39
19	4	19050303.D	1	AZ89959W03		3 May 19 10:41
20	5	19050304.D	1	AZ89959W04 MS RSK Std 5		3 May 19 10:44
21	7	19050306.D	1	AZ89959W04 MSD RSK Std 5		3 May 19 10:49
22	27	19050326.D	1	Ending CCV RSK Std 5 05/03/19		3 May 19 11:36

INORGANIC ANALYSIS
Calibration Data

Calibration 190424:



Ferrous Iron

Method SM3500Fe | Units mg/L | Instrument: Genisis Spectrometer
Analyte Fe2+ | QCG: 190423A | Wavelength: 510 nm
Analyist FJR | Final Volume: 50mL


Date	Time	Appl ID	[Fe2+]	Absorbance	% Recovery
06/15/18	12:27	ICB	0.00	0.000	
06/15/18	12:27	Ical 1	1.00	0.099	98.7%
06/15/18	12:28	Ical 2	2.00	0.201	100.4%
06/15/18	12:28	Ical 3	4.00	0.396	98.9%
06/15/18	12:29	Ical 4	5.00	0.501	100.1%
06/15/18	12:30	Ical 5	10.00	1.000	100.0%
06/15/18	12:31	ICV	3.00	0.316	105.2%
06/15/18	12:32	ICB	0.00	0.000	

Slope	0.100015306
Intercept	0.000258661
Coefficient of Determination	0.999973247

Algortithm Check:	Appl ID	Absorbance	Result
	190423A LCS	0.303	3.03

Result = (Absorbance-Raw Blk-Intercept)/ Slope

Test:	FJR	04/23/19	3.03



Date	Time	Appl ID	DF	Raw Result	SubSample Amount	Raw BLK	Calc Conc	Result	QC True	% Recovery
04/23/19	16:10	CCV 4.0 190423	1	0.390	25mL		3.90	3.90	4.00	97.4%
04/23/19	16:11	CCB 190423	1	0.000	25mL		0.00	0.00		
04/23/19	16:12	190423A LCS	1	0.303	25mL		3.03	3.03	3.00	100.9%
04/23/19	16:13	190423A LCSD	1	0.309	25mL		3.09	3.09	3.00	102.9%
04/23/19	16:14	AZ89958W21	1	0.008	25mL		0.08	0.08		
04/23/19	16:15	AZ89958W21 ms	1	0.309	25mL		3.09	3.09		
04/23/19	16:16	AZ89958W21 msd	1	0.311	25mL		3.11	3.11		
04/23/19	16:17	AZ89961W17	1	0.005	25mL		0.05	0.05		
04/23/19	16:18	CCV 4.0 190423	1	0.391	25mL		3.91	3.91	4.00	97.7%
04/23/19	16:19	CCB 190423	1	-0.001	25mL		-0.01	-0.01		

A.P.P.L. INC.

2A

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: A.P.P.L. INC. Contract: AECOM

ARF No: 88687 SDG: 88687

Initial Calibration Source: Inorganic Ventures

Continuing Calibration Source: o2si

Analysis Date: 04/24/19

Analyte	Calibration Verification									M
	True ICV	Found 15:32	%R(1)	True CCV1	Found 16:02	%R(1)	True	Found	%R(1)	
TOXN	3	2.9397	98.0	3	2.9511	98.4				

(1) Control Limits: 90-110

ILM02.0

A.P.P.L. INC.
3
BLANKS

Lab Name: A.P.P.L. INC. Contract: AECOM

ARF No.: 88687 SDG: 88687

Preparation Blank Matrix (soil/water): water

Preparation Blank Concentration Units (ug/L or mg/kg): mg/L

Analyte	Calibration Blanks										M
	ICB 04/24/19 15:35	C	CCB 04/24/19 16:03	C		C		C		C	
TOXN	.100	U	.100	U							


TOTAL ORGANIC CARBON

Method: WetChem | Units mg/L | Instrument: Tic Toc

Analyte: DOC | QCG: 190417

Analyist: AR | Final Volume: 40mL

Date	Time	Appl ID	[TOC]	Raw	% Recovery
02/23/19	12:37	QC blank	0.00	2073066.000	
02/23/19	13:11	Ical 1	0.50	6066781.000	
02/23/19	13:43	Ical 2	1.25	12451764.000	
02/23/19	14:15	Ical 3	2.50	22465756.000	
02/23/19	14:48	Ical 4	3.75	31457150.000	
02/23/19	15:21	Ical 5	5.00	39864495.000	
02/23/19	15:56	ICB	0.25	1917909.000	
02/23/19	16:30	ICV	2.97	23239734.000	118.9%
R^2=	0.9984				



Date	Time	Appl ID	DF	Raw Result	SubSample Amount	Calc Conc	Result	QC True	% Recovery
2019-04-24	04:30 PM	CCV	1	22166673	40mL	2.835	2.84	2.50	113.4%
2019-04-24	05:05 PM	CCB	1	1782898	40mL	0.228	0.23		
2019-04-24	05:39 PM	190417A BLK	1	2107669	40mL	0.27	0.27		
2019-04-24	06:13 PM	190417A LCS	1	16506365	40mL	2.111	2.11	2.50	84.4%
2019-04-24	06:48 PM	190417A LCSD	1	16327006	40mL	2.088	2.09	2.50	83.5%
2019-04-24	07:24 PM	AZ89503W06 DF80	80	29356185	40mL	3.704	296.32		
2019-04-24	07:59 PM	AZ89504W04 DF40	40	28903476	40mL	3.646	145.84		
2019-04-24	08:33 PM	AZ89505W04 DF160	160	35679936	40mL	4.513	722.08		
2019-04-24	09:08 PM	AZ89506W04 DF40	40	27210233	40mL	3.43	137.20		
2019-04-24	09:41 PM	AZ89507W04 DF40	40	25581832	40mL	3.221	128.84		
2019-04-24	10:13 PM	AZ89507W04 DUP DF40	40	26377241	40mL	3.373	134.92		
2019-04-24	10:49 PM	AZ89507W04 MS DF40	40	29503736	40mL	3.774	150.96		
2019-04-24	11:28 PM	AZ89507W04 MSD DF4C	40	32872120	40mL	4.204	168.16		
2019-04-25	12:05 AM	AZ89800W01 DF2	2	64624375	40mL	8.214	16.43		
2019-04-25	12:38 AM	AZ89958W12	1	4105523	40mL	0.475	0.48		
2019-04-25	01:09 AM	AZ89961W08	1	4045904	40mL	0.467	0.47		
2019-04-25	01:40 AM	AZ89961W07	1	4451714	40mL	0.569	0.57		
2019-04-25	02:15 AM	AZ89961W12 MS	1	22863032	40mL	2.924	2.92		
2019-04-25	02:50 AM	AZ89961W05 MSD	1	23609553	40mL	3.019	3.02		
2019-04-25	03:25 AM	CCV	1	17790652	40mL	2.275	2.28	2.50	91.0%
2019-04-25	04:00 AM	CCB	1	1958099	40mL	0.251	0.25		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		
			1		40mL		#VALUE!		


TOTAL ORGANIC CARBON

Method: WetChem | Units mg/L | Instrument: Tic Toc

Analyte: TOC | QCG: 190502A

Analyist: AR | Final Volume: 40mL

Date	Time	Appl ID	[TOC]	Raw	% Recovery
02/23/19	12:37	QC blank	0.00	2073066.000	
02/23/19	13:11	Ical 1	0.50	6066781.000	
02/23/19	13:43	Ical 2	1.25	12451764.000	
02/23/19	14:15	Ical 3	2.50	22465756.000	
02/23/19	14:48	Ical 4	3.75	31457150.000	
02/23/19	15:21	Ical 5	5.00	39864495.000	
02/23/19	15:56	ICB	0.25	1917909.000	
02/23/19	16:30	ICV	2.97	23239734.000	118.9%
R^2=	0.9984				



Date	Time	Appl ID	DF	Raw Result	SubSample Amount	Calc Conc	Result	QC True	% Recovery
2019-05-02	04:32 PM	CCV	1	21675369	40mL	2.422	2.42	2.50	96.9%
2019-05-02	05:07 PM	CCB	1	727823	40mL	0	0.00		
2019-05-02	05:40 PM	190502A BLK	1	927374	40mL	0	0.00		
2019-05-02	06:14 PM	190502A LCS	1	21760887	40mL	2.433	2.43	2.50	97.3%
2019-05-02	06:49 PM	190502A LCSD	1	21292907	40mL	2.373	2.37	2.50	94.9%
2019-05-02	07:24 PM	AZ89958W12	1	2719364	40mL	0.298	0.30		
2019-05-02	07:55 PM	AZ89958W09 DUP	1	2096550	40mL	0	0.00		
2019-05-02	08:29 PM	AZ89958W14 MS	1	22354778	40mL	2.508	2.51		
2019-05-02	09:04 PM	AZ89958W11 MSD	1	22821834	40mL	2.568	2.57		
2019-05-02	09:39 PM	AZ90051W13	1	2446110	40mL	0.263	0.26		
2019-05-02	10:10 PM	AZ90051W13 DUP	1	3624059	40mL	0.113	0.11		
2019-05-02	10:45 PM	AZ90051W16 MS	1	23433442	40mL	2.646	2.65		
2019-05-02	11:20 PM	AZ90051W16 MSD	1	23412687	40mL	2.644	2.64		
2019-05-02	11:55 PM	AZ90054W09	1	4072622	40mL	0.471	0.47		
2019-05-03	12:27 AM	AZ90058W05	1	4372254	40mL	0.509	0.51		
2019-05-03	12:58 AM	AZ90060W12	1	7550103	40mL	0.915	0.92		
2019-05-03	01:30 AM	AZ90100W09	1	8006133	40mL	0.974	0.97		
2019-05-03	02:02 AM	AZ90105W08	1	12129049	40mL	1.501	1.50		
2019-05-03	02:33 AM	AZ90109W09	1	2449956	40mL	0.263	0.26		
2019-05-03	03:05 AM	AZ90213W12	1	16936404	40mL	2.115	2.12		
2019-05-03	03:38 AM	CCV	1	21447087	40mL	2.392	2.39	2.50	95.7%
2019-05-03	04:13 AM	CCB	1	882391	40mL	0	0.00		
2019-05-03	04:46 AM	190502B BLK	1	797351	40mL	0	0.00		
2019-05-03	05:20 AM	190502B LCS	1	21956853	40mL	2.458	2.46	2.50	98.3%
2019-05-03	05:55 AM	190502B LCSD	1	21901664	40mL	2.45	2.45	2.50	98.0%
2019-05-03	06:30 AM	AZ89958W43	1	2048429	40mL	0.212	0.21		
2019-05-03	07:01 AM	AZ89958W17 DUP	1	5821945	40mL	0.394	0.39		
2019-05-03	07:36 AM	AZ89958W10 MS	1	21950218	40mL	2.457	2.46		
2019-05-03	08:12 AM	AZ89958W18 MSD	1	22462368	40mL	2.523	2.52		
2019-05-03	08:47 AM	AZ90051W09	1	2995627	40mL	0.333	0.33		
2019-05-03	09:18 AM	AZ90051W09 DUP	1	3326206	40mL	0.075	0.08		
2019-05-03	09:53 AM	AZ90051W10 MS	1	23819230	40mL	2.696	2.70		
2019-05-03	10:29 AM	AZ90051W10 MSD	1	23878289	40mL	2.704	2.70		
2019-05-03	11:04 AM	AZ90056W08	1	4065043	40mL	0.47	0.47		
2019-05-03	11:36 AM	AZ90102W10	1	27567265	40mL	3.475	3.48		
2019-05-03	12:08 PM	AZ90107W10	1	3202077	40mL	0.359	0.36		
2019-05-03	12:39 PM	AZ90215W06	1	4079275	40mL	0.472	0.47		
2019-05-03	01:11 PM	CCV	1	21730719	40mL	2.428	2.43	2.50	97.1%
2019-05-03	01:46 PM	CCB	1	969840	40mL	0	0.00		


Calibration Batch Report

Sequence:	190401	*Injection Volume:*	25.00
Instrument Method:	Anions IM	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:26	*Run Time:*	5

Calibration Summary

Peak Name	Eval.Type	Cal.Type	Points	Offset (C0)	Slope (C1)	Curve (C2)	Coeff.Det. %
F	Area	Lin, WithOffset, 1/A	8.000	-0.017	0.120	0.000	99.4806
Cl	Area	Lin, WithOffset, 1/A	8.000	-0.028	0.107	0.000	99.4166
NO2-N	Area	Lin, WithOffset, 1/A	8.000	-0.001	0.179	0.000	99.9419
BR	Area	Lin, WithOffset, 1/A	8.000	-0.002	0.036	0.000	99.8824
NO3-N	Area	Lin, WithOffset, 1/A	8.000	-0.007	0.222	0.000	99.7096
PO4-P	Area	Lin, WithOffset, 1/A	7.000	-0.032	0.075	0.000	99.3402
SO4	Area	Lin, WithOffset, 1/A	8.000	-0.012	0.069	0.000	99.7352


Injection Name	Amount mg/L CD_1 F	Amount mg/L CD_1 Cl	Amount mg/L CD_1 NO2-N	Amount mg/L CD_1 BR	Amount mg/L CD_1 NO3-N	Amount mg/L CD_1 PO4-P	Amount mg/L CD_1 SO4
i cal 1	0.152	0.5642	0.0447	0.2325	0.1005	0.4778	0.4991
i cal 2	0.223	1.0054	0.1008	0.5019	0.2020	0.6726	1.0108
i cal 3	0.498	2.1345	0.2378	1.1759	0.4556	1.1460	2.2782
i cal 4	1.078	4.1718	0.4757	2.3481	0.8983	2.1327	4.5095
i cal 5	2.245	8.6460	0.9640	4.7379	1.8243	4.3601	9.1640
i cal 6	6.079	24.1535	2.4749	12.2599	4.8399	11.9336	24.2601
i cal 7	8.756	35.0732	3.4778	17.3494	6.9503	17.3831	34.7622
i cal 8	13.194	53.1515	5.1141	25.8443	10.5090	26.6219	52.4162



Peak Integration Report

Sample Name:	CCB	*Inj. Vol.:*	25uL
Injection Type:	Unknown	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:27	*Run Time:*	5.00


No.	Time (min)	Peak Name	Peak Type	Area (µS*min)	Height (µS)	Amount	Amount	Recovery
	min			µS*min	µS	n.a.	n.a.	



Peak Integration Report

Sample Name:	i cal 1	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:34	*Run Time:*	5.00

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB*	0.001	0.032	0.15	0.1000	152.1%
2	1.71	Cl	BMB	0.033	0.547	0.56	0.4000	141.1%
3	2.03	NO2-N	BMB	0.007	0.084	0.04	0.0400	111.8%
4	2.40	BR	BMB	0.007	0.086	0.23	0.2000	116.3%
5	2.67	NO3-N	BMB	0.016	0.173	0.10	0.0800	125.7%
6	3.34	PO4-P	BMB*	0.004	0.034	0.48	0.2000	238.9%
7	3.75	SO4	BMB	0.023	0.151	0.50	0.4000	124.8%




F mi1 HH 190405

Not Manipulated Peak Integration Report

Sample Name:	**I cal 1**	*Inj. Vol.:*	**25uL**
Injection Type:	**Calibration Standard**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**01-Apr-2019 / 18:34**	*Run Time:*	**5.00**


No.	Time min	Peak Name	Peak Type	Area µS*min	Height µS	Ammount mg/L
1	n.a.	F	BMB*	n.a.	n.a.	n.a.
2	1.71	Cl	BMB	0.033	0.547	0.5642
3	2.03	NO2-N	BMB	0.007	0.084	0.0447
4	2.40	BR	BMB	0.007	0.086	0.2325
5	2.67	NO3-N	BMB	0.016	0.173	0.1005
6	n.a.	PO4-P	BMB*	n.a.	n.a.	n.a.
7	3.75	SO4	BMB	0.023	0.151	0.4991



Peak Integration Report

Sample Name:	**i cal 2**	*Inj. Vol.:*	**25uL**
Injection Type:	**Calibration Standard**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**01-Apr-2019 / 18:42**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB*	0.010	0.194	0.22	0.2500	89.3%
2	1.70	Cl	BMB	0.080	1.346	1.01	1.0000	100.5%
3	2.02	NO2-N	BMB	0.017	0.208	0.10	0.1000	100.8%
4	2.39	BR	BMB	0.016	0.211	0.50	0.5000	100.4%
5	2.66	NO3-N	BMB	0.038	0.421	0.20	0.2000	101.0%
7	3.33	PO4-P	BMB	0.018	0.129	0.67	0.5000	134.5%
8	3.75	SO4	BMB	0.058	0.395	1.01	1.0000	101.1%




F mi1 HH 190405

Not Manipulated Peak Integration Report

Sample Name:	i cal 2	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:42	*Run Time:*	5.00


No.	Time min	Peak Name	Peak Type	Area µS*min	Height µS	Ammount mg/L
1	1.23	F	BMB*	0.008	0.177	0.3039
2	1.70	Cl	BMB	0.080	1.346	1.0054
3	2.02	NO2-N	BMB	0.017	0.208	0.1008
4	2.39	BR	BMB	0.016	0.211	0.5019
5	2.66	NO3-N	BMB	0.038	0.421	0.2020
7	3.33	PO4-P	BMB	0.018	0.129	0.6726
8	3.75	SO4	BMB	0.058	0.395	1.0108



Peak Integration Report

Sample Name:	i cal 3	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:49	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.043	0.673	0.50	0.6250	79.7%
2	1.70	Cl	BMB	0.201	3.411	2.13	2.5000	85.4%
3	2.02	NO2-N	BMB	0.041	0.518	0.24	0.2500	95.1%
4	2.39	BR	BMB	0.040	0.524	1.18	1.2500	94.1%
5	2.66	NO3-N	BMB	0.094	1.046	0.46	0.5000	91.1%
7	3.33	PO4-P	BMB	0.053	0.392	1.15	1.2500	91.7%
8	3.76	SO4	BMB	0.145	1.005	2.28	2.5000	91.1%



Peak Integration Report

Sample Name:	i cal 4	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:56	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.112	1.593	1.08	1.2500	86.2%
2	1.70	Cl	BMB	0.420	7.239	4.17	5.0000	83.4%
3	2.02	NO2-N	BMB	0.084	1.054	0.48	0.5000	95.1%
4	2.39	BR	BMB	0.082	1.069	2.35	2.5000	93.9%
5	2.66	NO3-N	BMB	0.193	2.151	0.90	1.0000	89.8%
6	3.33	PO4-P	BMB	0.127	0.939	2.13	2.5000	85.3%
7	3.76	SO4	BMB	0.298	2.093	4.51	5.0000	90.2%



Peak Integration Report

Sample Name:	i cal 5	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:04	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.253	3.584	2.24	2.5000	89.8%
2	1.71	Cl	BMB	0.900	15.899	8.65	10.0000	86.5%
3	2.02	NO2-N	BMB	0.171	2.155	0.96	1.0000	96.4%
4	2.39	BR	BMB	0.167	2.196	4.74	5.0000	94.8%
5	2.66	NO3-N	BMB	0.398	4.491	1.82	2.0000	91.2%
6	3.33	PO4-P	BMB	0.293	2.182	4.36	5.0000	87.2%
7	3.77	SO4	BMB	0.618	4.399	9.16	10.0000	91.6%



Peak Integration Report

Sample Name:	**i cal 6**	*Inj. Vol.:*	**25uL**
Injection Type:	**Calibration Standard**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**01-Apr-2019 / 19:11**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB	0.715	10.279	6.08	6.2500	97.3%
2	1.71	Cl	BMB	2.565	46.518	24.15	25.0000	96.6%
3	2.03	NO2-N	BMB	0.441	5.520	2.47	2.5000	99.0%
4	2.39	BR	BMB	0.436	5.795	12.26	12.5000	98.1%
5	2.66	NO3-N	BMB	1.067	12.256	4.84	5.0000	96.8%
6	3.34	PO4-P	BMB	0.857	6.441	11.93	12.5000	95.5%
7	3.78	SO4	BMB	1.654	12.099	24.26	25.0000	97.0%



Peak Integration Report

Sample Name:	i cal 7	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:19	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB	1.037	14.883	8.76	8.7500	100.1%
2	1.72	Cl	BMB	3.736	67.756	35.07	35.0000	100.2%
3	2.03	NO2-N	BMB	0.621	7.719	3.48	3.5000	99.4%
4	2.39	BR	BMB	0.618	8.268	17.35	17.5000	99.1%
5	2.66	NO3-N	BMB	1.534	17.727	6.95	7.0000	99.3%
6	3.34	PO4-P	BMB	1.263	9.506	17.38	17.5000	99.3%
7	3.79	SO4	BMB	2.375	17.528	34.76	35.0000	99.3%



Peak Integration Report

Sample Name:	i cal 8	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:26	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB	1.571	22.280	13.19	12.5000	105.5%
2	1.72	Cl	BMB	5.677	102.036	53.15	50.0000	106.3%
3	2.03	NO2-N	BMB	0.913	11.224	5.11	5.0000	102.3%
4	2.39	BR	BMB	0.921	12.428	25.84	25.0000	103.4%
5	2.65	NO3-N	BMB	2.324	26.884	10.51	10.0000	105.1%
6	3.33	PO4-P	BMB	1.951	14.669	26.62	25.0000	106.5%
7	3.80	SO4	BMB	3.588	26.635	52.42	50.0000	104.8%



Peak Integration Report

Sample Name:	ICV LCS	*Inj. Vol.:*	25uL
Injection Type:	Check Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:41	*Run Time:*	5.00

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB	0.555	8.015	4.75	5.0000	95.0%
2	1.71	Cl	BMB	2.510	45.585	23.64	25.0000	94.6%
3	2.03	NO2-N	BMB	0.545	6.798	3.06	3.0400	100.6%
4	2.39	BR	BMB	0.450	5.995	12.66	12.5000	101.3%
5	2.66	NO3-N	BMB	1.085	12.464	4.92	5.0000	98.5%
6	3.34	PO4-P	BMB	0.666	4.985	9.37	10.0000	93.7%
7	3.79	SO4	BMB	1.623	11.942	23.81	25.0000	95.2%




Algortith Check:
y = Peak Area
x = mg/L S04

y = 0.0687 x + -0.0115
y = 1.6231 therefor x = 23.8071 190406 HH

Peak Integration Report

Sample Name:	ICVD LCSD	*Inj. Vol.:*	25uL
Injection Type:	Check Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:48	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.558	8.048	4.78	5.0000	95.6%
2	1.71	Cl	BMB	2.509	45.546	23.64	25.0000	94.6%
3	2.02	NO2-N	BMB	0.545	6.797	3.06	3.0400	100.6%
4	2.39	BR	BMB	0.450	5.991	12.66	12.5000	101.3%
5	2.65	NO3-N	BMB	1.085	12.462	4.92	5.0000	98.5%
6	3.34	PO4-P	BMB	0.676	5.055	9.50	10.0000	95.0%
7	3.79	SO4	BMB	1.624	11.941	23.83	25.0000	95.3%



Peak Integration Report

Sample Name:	ICB	*Inj. Vol.:*	25uL
Injection Type:	Unknown	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:33	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
2	3.35	PO4-P	BMB	0.010	0.062	0.56		



Peak Integration Report

Sample Name:	**CCV 190424**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 11:42**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.562	9.274	4.81	5.0000	96.2%
2	1.68	Cl	BMB	2.674	51.872	25.17	25.0000	100.7%
3	1.98	NO2-N	BMB	0.454	6.009	2.54	2.5000	101.8%
4	2.33	BR	BMB	0.466	6.446	13.10	12.5000	104.8%
5	2.57	NO3-N	BMB	1.121	13.787	5.09	5.0000	101.7%
6	3.23	PO4-P	BMB	0.640	5.184	9.03	10.0000	90.3%
7	3.63	SO4	BMB	1.688	13.040	24.75	25.0000	99.0%



Peak Integration Report

Sample Name:	**CCV 190424**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 13:33**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB	0.587	9.843	5.02	5.0000	100.4%
2	1.69	Cl	BMB	2.679	51.486	25.22	25.0000	100.9%
3	1.99	NO2-N	BMB	0.455	5.975	2.55	2.5000	102.0%
4	2.34	BR	BMB	0.465	6.377	13.08	12.5000	104.7%
5	2.59	NO3-N	BMB	1.119	13.653	5.08	5.0000	101.6%
6	3.24	PO4-P	BMB	0.589	4.729	8.34	10.0000	83.4%
7	3.63	SO4	BMB	1.692	12.969	24.81	25.0000	99.2%



Peak Integration Report

Sample Name:	**CCB**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 11:49**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.68	Cl	BMB*	0.001	0.021	0.27		
2	3.59	SO4	BMB*	0.002	0.007	0.19		




Cl SO4 MI5 190502 TH

Not Manipulated Peak Integration Report

Sample Name:	**CCB**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 11:49**	*Run Time:*	**5.00**


No.	Time min	Peak Name	Peak Type	Area µS*min	Height µS	Ammount mg/L
1	n.a.	**Cl**	BMB*	n.a.	n.a.	n.a.
2	n.a.	**SO4**	BMB*	n.a.	n.a.	n.a.



Peak Integration Report

Sample Name:	**CCB**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 13:40**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.69	Cl	BMB*	0.003	0.052	0.29		
2	3.61	SO4	BMB	0.003	0.019	0.21		




Cl MI5 190502 TH

Not Manipulated Peak Integration Report

Sample Name:	**CCB**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 13:40**	*Run Time:*	**5.00**

No.	Time min	Peak Name	Peak Type	Area µS*min	Height µS	Ammount mg/L
1	1.69	Cl	BMB*	0.013	0.069	0.3821
2	3.61	SO4	BMB	0.003	0.019	0.2110



INORGANIC ANALYSIS
Raw Data

Metrohm 814/809 Titrando Data

Sample ID	Analysis Date/Time	Method	Titration Volume (to 8.3)	Titration Volume (total)	OH	CO3	HCO3	Total Alk	Unit	Sample Vol	N	Batch	Initials
AZ89961W15	2019-04-24 21:26:20 UTC-7	Alkalinity	0.000	1.836	0.00	0.00	74.17	74.17	mg/L	25 mL	0.0202	190424A	AR
AZ89958W19 MSD	2019-04-24 18:14:09 UTC-7	Alkalinity	0.000	6.986	0.00	0.00	282.23	282.23	mg/L	25 mL	0.0202	190424A	AR
AZ89958W19 MS	2019-04-24 18:01:36 UTC-7	Alkalinity	0.000	7.070	0.00	0.00	285.63	285.63	mg/L	25 mL	0.0202	190424A	AR
AZ89958W19	2019-04-24 17:50:08 UTC-7	Alkalinity	0.000	1.452	0.00	0.00	58.66	58.66	mg/L	25 mL	0.0202	190424A	AR
190424A LCSD	2019-04-24 17:40:25 UTC-7	Alkalinity	0.000	5.672	0.00	0.00	229.15	229.15	mg/L	25 mL	0.0202	190424A	AR
190424A LCS	2019-04-24 17:30:49 UTC-7	Alkalinity	0.000	5.760	0.00	0.00	232.70	232.70	mg/L	25 mL	0.0202	190424A	AR
190424A BLK	2019-04-24 17:27:49 UTC-7	Alkalinity	0.000	0.072	0.00	0.00	2.91	2.91	mg/L	25 mL	0.0202	190424A	AR

Sample Results Summary

Spl #	Vial #	Sample ID	Num Rep	Act Rep	Method	Type	Dil	Customer ID	Mode	Avg. Area (cts)	Avg. Mass (ug)	Avg. Conc (PPM)	Std. Dev	% RSD	Notes
1	1	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,675,369	4.843	2.422	885,314	4.08	
2	2	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	727,823	0.000	0.000	79,089	10.87	
3	3	190502A BLK	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	927,374	0.000	0.000	130,387	14.06	
4	4	190502A LCS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,760,887	4.865	2.433	173,533	0.80	
5	5	190502A LCSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,292,907	4.745	2.373	166,010	0.78	
6	6	AZ89958W12	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	2,719,364	0.595	0.298	82,200	3.02	Pass
7	7	AZ89958W09 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	2,096,550	0.000	0.000	79,249	3.78	
8	8	AZ89958W14 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	22,354,778	5.017	2.508	153,482	0.69	
9	9	AZ89958W11 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	22,821,834	5.136	2.568	138,263	0.61	
21	21	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,447,087	4.785	2.392	314,866	1.47	
22	22	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	882,391	0.000	0.000	102,678	11.64	
23	23	190502B BLK	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	797,351	0.000	0.000	132,774	16.65	
24	24	190502B LCS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,956,853	4.915	2.458	166,059	0.76	
25	25	190502B LCSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,901,664	4.901	2.451	140,053	0.64	
26	26	AZ89958W43	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	2,048,429	0.424	0.212	154,000	7.52	Pass
27	27	AZ89958W17 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	5,821,945	0.788	0.394	55,453	0.95	
28	28	AZ89958W10 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,950,218	4.913	2.457	218,780	1.00	
29	29	AZ89958W18 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	22,462,368	5.044	2.523	190,356	0.85	
38	38	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,730,719	4.857	2.428	335,238	1.54	
39	39	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	969,840	0.000	0.000	46,958	4.84	
1	1	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	14,459,254	2.997	1.498	3,621,084	25.04	
2	2	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	1,098,638	0.000	0.000	198,500	18.07	
3	3	190506A LCS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	16,930,646	3.630	1.815	220,409	1.30	
4	4	190506A LCSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	15,054,308	3.150	1.575	90,796	0.60	
5	5	AZ90450W12	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	3,760,945	0.862	0.431	120,116	3.19	Pass
6	6	AZ90450W12 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	6,818,047	1.644	0.822	90,106	1.32	Pass
7	7	AZ90450W06 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	22,977,982	5.777	2.888	111,329	0.48	Pass
8	8	AZ90450W06 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	24,398,748	6.140	3.070	140,787	0.58	Pass

9	9	AZ90450W08	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	3,929,475	0.905	0.453	50,653	1.29	Pass
10	10	AZ90450W08 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	4,185,052	0.970	0.485	73,104	1.75	Pass
11	11	AZ90450W05 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	23,601,949	5.936	2.968	96,794	0.41	Pass
12	12	AZ90450W05 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	23,716,487	5.966	2.983	59,931	0.25	Pass
13	13	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	17,219,976	3.704	1.852	151,450	0.88	
14	14	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	1,015,119	0.000	0.000	216,501	21.33	

Sample Results Summary

Spl #	Vial #	Sample ID	Num Rep	Act Rep	Method	Type	Dil	Customer ID	Mode	Avg. Area (cts)	Avg. Mass (ug)	Avg. Conc (PPM)	Std. Dev	% RSD	Notes
1	1	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	22,166,673	5.669	2.835	322,904	1.46	
2	2	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	1,782,898	0.456	0.228	39,282	2.20	
3	3	190417A BLK	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	2,107,669	0.539	0.270	75,430	3.58	
4	4	190417A LCS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	16,506,365	4.222	2.111	328,687	1.99	
5	5	190417A LCSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	16,327,006	4.176	2.088	219,245	1.34	
16	16	AZ89961W08	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	4,045,904	0.935	0.467	50,706	1.25	Pass
17	17	AZ89961W07 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	4,451,714	1.139	0.569	57,886	1.30	
20	20	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	17,790,652	4.550	2.275	163,664	0.92	
21	21	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	1,958,099	0.501	0.251	189,806	9.69	
1	1	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,675,369	4.843	2.422	885,314	4.08	
2	2	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	727,823	0.000	0.000	79,089	10.87	
3	3	190502A BLK	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	927,374	0.000	0.000	130,387	14.06	
4	4	190502A LCS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,760,887	4.865	2.433	173,533	0.80	
5	5	190502A LCSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,292,907	4.745	2.373	166,010	0.78	
6	6	AZ89958W12	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	2,719,364	0.595	0.298	82,200	3.02	Pass
7	7	AZ89958W09 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	2,096,550	0.000	0.000	79,249	3.78	
8	8	AZ89958W14 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	22,354,778	5.017	2.508	153,482	0.69	
9	9	AZ89958W11 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	22,821,834	5.136	2.568	138,263	0.61	
21	21	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,447,087	4.785	2.392	314,866	1.47	
22	22	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	882,391	0.000	0.000	102,678	11.64	
23	23	190502B BLK	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	797,351	0.000	0.000	132,774	16.65	
24	24	190502B LCS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,956,853	4.915	2.458	166,059	0.76	
25	25	190502B LCSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,901,664	4.901	2.451	140,053	0.64	
26	26	AZ89958W43	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	2,048,429	0.424	0.212	154,000	7.52	Pass
27	27	AZ89958W17 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	5,821,945	0.788	0.394	55,453	0.95	
28	28	AZ89958W10 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,950,218	4.913	2.457	218,780	1.00	
29	29	AZ89958W18 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	22,462,368	5.044	2.523	190,356	0.85	
38	38	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,730,719	4.857	2.428	335,238	1.54	

AQ2 Report

Serial Number:	190170
Software Version:	2.1.0
Report Requested By:	Eve V
Date & Time:	2019-04-25 09:18:46
Tray Number:	4
Tray Name:	190424A NO2 NO3 TOXN


Nitrite-N

Calibration Chart

Type	Absorbance	Calc mg/L	Target mg/L	% Error
S1	0.0015	-0.0053	0.0000	
S90	0.1265	0.1456	0.1500	-2.93
S91	0.3189	0.3779	0.3750	0.78
S92	0.6328	0.7568	0.7500	0.91
S93	0.9500	1.1396	1.1250	1.30
S94	1 2365	1.4854	1.5000	-0.98
S0	0 0095	0.0044	0.0000	

Polynomial Order:	1
Correlation Coefficient.	0.9998
Carryover(%):	0.7
Calibration equation:	y = bx + a
y =:	Concentration mg/L
x =:	Measured absorbance
a =:	-7.057582E-003
b =:	1.207005E+000
Date & Time:	2019-04-24 14:30:46

Calibration Graph



Reagents

Name	Batch	Prepared By	Expiry Date
Sulfa-NEDD		Joel	
NO2 Buffer		Joel	

Cup	Type	ID	Result	Units	QC Pro	Raw Data	Auto Dil.	Man Dil.	User	Time/Date
	S1	Standard 1	0.0015			0.001467			Ev	2019-04-24 14:23:01
	S90	Standard 90	0.1265			0.126486			Ev	2019-04-24 14:24:18
	S91	Standard 91	0.3189			0.318946			Ev	2019-04-24 14:25:36
	S92	Standard 92	0.6328			0 632850			Ev	2019-04-24 14:26:53
	S93	Standard 93	0.9500			0.950015			Ev	2019-04-24 14:28:11
	S94	Standard 94	1.2365			1.236456			Ev	2019-04-24 14:29:28
	S0	Standard 0	0.0095			0.009519			Ev	2019-04-24 14.30:46
	CCV	CCV .75	0.7390	mg/L		0.618065			Ev	2019-04-24 14.32:03
	CCB	CCB	0.0002	mg/L		0.006007			Ev	2019-04-24 14:33:20
3	U1	ICV NO2	0.7269	mg/L		0.608121			Ev	2019-04-24 14:34:38
4	U2	ICV NO3 TOXN	0.0012	mg/L		0.006818			Ev	2019-04-24 14:35:56
5	U3	ICB NO2 NO3 TOXN	-0.0051	mg/L		0.001628			Ev	2019-04-24 14.37:14
6	U4	190424A BLK NO2 NO3 TOXN	-0.0054	mg/L		0.001414			Ev	2019-04-24 14:38:32
7	U5	190424A LCS NO2	0.7297	mg/L		0.610396			Ev	2019-04-24 14:39:47
8	U6	190424A LCSD NO2	0.7420	mg/L		0.620615			Ev	2019-04-24 14:41:02
9	U7	190424A LCS NO3 TOXN	0.0009	mg/L		0.006602			Ev	2019-04-24 14:42:20
10	U8	190424A LCSD NO3 TOXN	-0.0051	mg/L		0.001641			Ev	2019-04-24 14:43:39
11	U9	1 ppm NO2	0 9614	mg/L		0.802330			Ev	2019-04-24 14:44:57

12	U10	1 ppm NO3	0.0014	mg/L	0.007048		Ev	2019-04-24 14:46:15
	CCV	CCV .75	0.7207	mg/L	0.602966		Ev	2019-04-24 14:47:34
	CCB	CCB	-0.0001	mg/L	0.005805		Ev	2019-04-24 14:50.12
15	U13	AZ89834W01	0.7191	mg/L	0.601634		Ev	2019-04-24 14:52:26
16	U14	AZ89836W01	0.0004	mg/L	0.006169		Ev	2019-04-24 14:54:43
21	U19	AZ89043W01	-0.0049	mg/L	0.001802		Ev	2019-04-24 14:57:01
22	U20	AZ89044W01	-0.0055	mg/L	0.001320		Ev	2019-04-24 14:59:19
23	U21	AZ89045W01	-0.0056	mg/L	0.001200		Ev	2019-04-24 15:01:37
	CCV	CCV .75	0.6924	mg/L	0.579485		Ev	2019-04-24 15:03:50
	CCB	CCB	-0.0009	mg/L	0.005131		Ev	2019-04-24 15:06:04


TOXN

Calibration Chart

Type	Absorbance	Calc mg/L	Target mg/L	% Error
S1	0.0009	-0.0214	0.0000	
S90	0.0075	0.0941	0.1000	-5.89
S91	0.0713	1.2102	1.2000	0.85
S92	0.1791	3.0964	3.0000	3.21
S93	0.2682	4.6538	4.8000	-3.04
S94	0.3490	6.0668	6.0000	1.11
S0	0.0023	0.0039	0.0000	

Polynomial Order:	1
Correlation Coefficient:	0.9994
Carryover(%):	0.4
Calibration equation:	y = bx + a
y =:	Concentration mg/L
x =:	Measured absorbance
a =:	-3.698912E-002
b =:	1.749100E+001
Date & Time:	2019-04-24 15:24:13

Calibration Graph



Reagents

Name	Batch	Prepared By	Expiry Date
NO3 W Buffer	Algorithm check	Joel	
Sulfa-NEDD		Joel	

y = 17.49100 x 0.170186 - 0.03698912 EV 5/7/19

y = 2.94


Cup	Type	ID	Result	Units	QC Pro	Raw Data	Auto Dil.	Man Dil.	User	Time/Date
	S1	Standard 1	0.0009			0.000893			Ev	2019-04-24 15:11:03
	S90	Standard 90	0.0075			0.007495			Ev	2019-04-24 15:13:15
	S91	Standard 91	0.0713			0.071305			Ev	2019-04-24 15:15:27
	S92	Standard 92	0.1791			0.179145			Ev	2019-04-24 15:17:38
	S93	Standard 93	0.2682			0.268186			Ev	2019-04-24 15:19:50
	S94	Standard 94	0.3490			0.348965			Ev	2019-04-24 15:22:02
	S0	Standard 0	0.0023			0.002337			Ev	2019-04-24 15:24:13
	CCV	CCV	3.0456	mg/L		0.176238			Ev	2019-04-24 15:28:25
	CCB	CCB	-0.0095	mg/L		0.001574			Ev	2019-04-24 15:30:37
4	U2	✓ICV NO3 TOXN	2.9397	mg/L		0.170186			Ev	2019-04-24 15:32:49
5	U3	ICB NO2 NO3 TOXN	0.0006	mg/L		0.002149			Ev	2019-04-24 15:35:01
6	U4	190424A BLK NO2 NO3 TOXN	-0.0155	mg/L		0.001227			Ev	2019-04-24 15:37.14
9	U7	190424A LCS NO3 TOXN	2.8961	mg/L		0.167690			Ev	2019-04-24 15:39:26
10	U8	190424A LCSD NO3 TOXN	3.0246	mg/L		0.175040			Ev	2019-04-24 15:41:38
12	U10	1 ppm NO3	0.9724	mg/L		0.057710			Ev	2019-04-24 15:43:50
13	U11	AZ89660W01	16.2785	mg/L		0.932795			Ev	2019-04-24 15:46:01
14	U12	AZ89661W01	14.9175	mg/L		0.854984			Ev	2019-04-24 15:48:13
16	U14	AZ89836W01	25.8912	mg/L		1.482373			Ev	2019-04-24 15:50:25
17	U15	AZ89958W20	0.6628	mg/L		0.040007			Ev	2019-04-24 15:52:38
	CCV	CCV	2.9812	mg/L		0.172557			Ev	2019-04-24 15:54:51
	CCB	CCB	-0.0029	mg/L		0.001949			Ev	2019-04-24 15:55:29
18	U16	AZ89958W20 MS	3 8582	mg/L		0.222697			Ev	2019-04-24 15:56:34
19	U17	AZ89958W20 MSD	3 9893	mg/L		0.230189			Ev	2019-04-24 15:57:30
20	U18	AZ89961W16	0.5711	mg/L		0.034768			Ev	2019-04-24 15:58:26
21	U19	AZ89043W01	-0.0095	mg/L		0.001574			Ev	2019-04-24 15:59:22
22	U20	AZ89044W01	-0.0188	mg/L		0.001040			Ev	2019-04-24 16:00:18

23	U21	AZ89045W01	0.0079	mg/L	0.002564		Ev	2019-04-24 16:01:15
	CCV	CCV	2.9511	mg/L	0.170836		Ev	2019-04-24 16:02:11
	CCB	CCB	-0.0230	mg/L	0.000800		Ev	2019-04-24 16:03:07
	CCV	CCV	2.9446	mg/L	0.170462			2019-04-24 16:22:46
	CCB	CCB	-0.0045	mg/L	0.001855			2019-04-24 16:23:43
13	U11	AZ89660W01	16.4311	mg/L	0.096055	x 10.000	Ev	2019-04-24 16:24:40
14	U12	AZ89661W01	14.7187	mg/L	0.086265	x 10.000	Ev	2019-04-24 16:25:36
16	U14	AZ89836W01	24.8779	mg/L	0.144347	x 10.000	Ev	2019-04-24 16:26:32
	CCV	CCV	3.0543	mg/L	0.176738			2019-04-24 16:27:28
	CCB	CCB	-0.0197	mg/L	0.000987			2019-04-24 16:28:25

Peak Integration Report

Sample Name:	**AZ89958W19**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 12:41**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.71	Cl	BMB	13.587	245.721	126.86		
2	2.09	NO2-N	BMB	0.010	0.069	0.07		
3	2.34	BR	BMB	0.013	0.174	0.40		
4	2.59	NO3-N	BMB	0.124	1.412	0.59		
5	3.64	SO4	BMB	1.164	9.016	17.11		



Peak Integration Report

Sample Name:	**AZ89958W19 DF 5**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**5.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 12:12**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.69	**Cl**	BMB	2.299	44.343	108.40		
2	2.33	**BR**	BMB	0.003	0.038	0.62		
3	2.58	**NO3-N**	BMB	0.025	0.297	0.72		
4	3.62	**SO4**	BMB	0.219	1.647	16.78		



Peak Integration Report

Sample Name:	**AZ89958W19 MS**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 12:19**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.71	**Cl**	BMB*	16.585	288.616	154.79		
2	2.10	**NO2-N**	BMB	0.010	0.069	0.06		
3	2.33	**BR**	BMB	0.012	0.166	0.38		
4	2.58	**NO3-N**	BMB	1.269	14.912	5.75		
5	3.17	**PO4-P**	BMB	0.020	0.095	0.70		
6	3.65	**SO4**	BMB	3.011	23.492	44.02		




Cl MI1 190502 TH

Not Manipulated Peak Integration Report

Sample Name:	**AZ89958W19 MS**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 12:19**	*Run Time:*	**5.00**


No.	Time min	Peak Name	Peak Type	Area µS*min	Height µS	Ammount mg/L
1	1.71	**Cl**	BMB*	16.230	286.437	151.4875
2	2.10	**NO2-N**	BMB	0.010	0.069	0.0642
3	2.33	**BR**	BMB	0.012	0.166	0.3793
4	2.58	**NO3-N**	BMB	1.269	14.912	5.7520
5	3.17	**PO4-P**	BMB	0.020	0.095	0.7041
6	3.65	**SO4**	BMB	3.011	23.492	44.0210



Peak Integration Report

Sample Name:	**AZ89958W19 MSD**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 12:26**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.72	**Cl**	BMB*	16.576	288.457	154.71		
2	2.10	**NO2-N**	BMB	0.011	0.074	0.07		
3	2.34	**BR**	BMB	0.012	0.165	0.38		
4	2.59	**NO3-N**	BMB	1.270	14.912	5.76		
5	3.17	**PO4-P**	BMB	0.019	0.094	0.69		
6	3.65	**SO4**	BMB	3.011	23.478	44.01		




Cl MI1 190502 TH

Not Manipulated Peak Integration Report

Sample Name:	**AZ89958W19 MSD**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 12:26**	*Run Time:*	**5.00**


No.	Time min	Peak Name	Peak Type	Area µS*min	Height µS	Ammount mg/L
1	1.72	Cl	BMB*	16.222	286.212	151.4113
2	2.10	NO2-N	BMB	0.011	0.074	0.0675
3	2.34	BR	BMB	0.012	0.165	0.3770
4	2.59	NO3-N	BMB	1.270	14.912	5.7570
5	3.17	PO4-P	BMB	0.019	0.094	0.6923
6	3.65	SO4	BMB	3.011	23.478	44.0146



Peak Integration Report

Sample Name:	**AZ89961W15**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 12:49**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.70	Cl	BMB	9.541	178.819	89.16		
2	2.09	NO2-N	BMB	0.007	0.046	0.05		
3	2.34	BR	BMB	0.009	0.124	0.30		
4	2.59	NO3-N	BMB	0.112	1.247	0.53		
5	3.64	SO4	BMB	0.705	5.437	10.43		



Peak Integration Report

Sample Name:	**AZ89961W15 DF 5**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**5.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 12:34**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.69	**Cl**	BMB	1.562	29.768	74.08		
2	2.59	**NO3-N**	BMB	0.023	0.263	0.67		
3	3.62	**SO4**	BMB	0.135	1.008	10.68		



Peak Integration Report

Sample Name:	**190424A LCS**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 11:57**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	**F**	BMB	0.575	9.564	4.92	5.0000	98.5%
2	1.69	**Cl**	BMB	2.639	51.067	24.85	25.0000	99.4%
3	1.99	**NO2-N**	BMB	0.559	7.371	3.14	3.0400	103.1%
4	2.33	**BR**	BMB	0.474	6.544	13.32	12.5000	106.6%
5	2.58	**NO3-N**	BMB	1.126	13.805	5.11	5.0000	102.1%
6	3.24	**PO4-P**	BMB	0.644	5.210	9.08	10.0000	90.8%
7	3.64	**SO4**	BMB	1.683	13.048	24.67	25.0000	98.7%




Algortith Check:
y = Peak Area
x = mg/L S04

y = 0.0687 x + -0.0115
y = 1.6827 therefor x = 24.67 190502 TH

Peak Integration Report

Sample Name:	**190424A LCSD**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**24-Apr-2019 / 12:04**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.585	9.597	5.00	5.0000	100.0%
2	1.69	Cl	BMB	2.657	51.116	25.01	25.0000	100.1%
3	1.98	NO2-N	BMB	0.560	7.366	3.14	3.0400	103.4%
4	2.33	BR	BMB	0.474	6.538	13.33	12.5000	106.7%
5	2.57	NO3-N	BMB	1.127	13.792	5.11	5.0000	102.3%
6	3.23	PO4-P	BMB	0.656	5.304	9.24	10.0000	92.4%
7	3.63	SO4	BMB	1.682	13.034	24.66	25.0000	98.6%



Nitrite

High Point @ 1.5 mg/L

0.075 mL NO2 O2Si lot 142626-24 - 38408 exp: 4/20/19*
50 mL DI Water

CCV @ 0.75 mg/L

0.0375 mL NO2 O2Si lot 142626-24-38408 exp: 4/20/19*
50 mL DI Water

*Nitrite lot 142626-24 – 38408 (O2SI) expiration date was extended to 10/20/19 by in-house re-certification against Nitrite lot M2-NOX660562-39802 (Inorganic Ventures). SD 04/25/19

ICV/LCS @ 0.73 mg/L

0.12mL NO2 Inorganic Ventures lot M2-NOX660562-39802 exp: 10/23/19
50 mL DI Water

1 mg/L NO2

400 uL of High point and 200 uL of DI made directly into a sample cup

Prep 04/23/19
Exp 04/30/19
EV

Nitrate/TOXN

High Point @ 6 mg/L

0.300 mL NO3 O2Si lot 880117-39577 exp: 2/21/20
50 mL DI Water

CCV @ 3.0 mg/L

0.150 mL NO3 O2Si lot 880117-39577 exp: 2/21/20
50 mL DI Water

ICV/LCS @ 3.0 mg/L

0.150 mL NO3 Inorganic Ventures lot N2-NOX667147-39510 exp: 10/23/19
50 mL DI Water

1 mg/L NO3

100 uL of High point and 500 uL of DI made directly into a sample cup

MS @ 2.5 mg/L NO3 and 0.73 mg/L NO2

0.125 mL NO3 Inorganic Ventures lot N2-NOX667147-39510 exp: 10/23/19
and 0.12mL NO2 Inorganic Ventures lot M2-NOX660562-39802 exp: 10/23/19
Final volume 50 mL of sample

Prep 04/23/19
Exp 04/30/19
EV

Tiamo Alkalinity Standard Prep

Prep Date:

Exp Date:

Prep'd By (Initials): AR

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Unit	Conc	Lot Number - QA Number	Prep/Opened	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Standard Conc
Sulfuric Acid (H2SO4)	J.T.Baker	NA	NA	**167828**	**NA**	**NA**	PURCHASED	NA	NA	NA
0.10N Sulfuric Acid (H2SO4)	J.T.Baker	Normality	0.1N	**167828**	**02/18/19**	**02/18/20**	3ml	1L	DI	0.10N
0.02N Sulfuric Acid (H2SO4)	J.T.Baker	Normality	0.02N	**167828**	**01/22/19**	**01/22/20**	200mL	1L	DI	0.02N
Inorganic Spike(NaHCO3)	BDH	NA	NA	**1575C510**	**10/18/18**	**08/14/20**	PURCHASED	NA	NA	NA
Inorganic Spike Solution	BDH	Milligrams/Liters	250mg/L	**1575C510**	**01/29/19**	**01/29/20**	3.5g	500mL	DI	250mg/L
Standarizing Solution(NaCO3)	J.T.Baker	Normality	1N	**178494**	**07/25/17**	**07/25/19**	PURCHASED	NA	NA	NA

Anion Chromatography Working Standard

Prep Date: 04/01/19
Exp Date: 04/02/19
Prep'd By (Initials): TH

Initial Standard Information						Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Standard Conc (ug/mL)
Ion Chromatography Standard Fluoride 1000µg/mL in H2O	o2si	O2SI-062002-01-01	1000	142626-24-38407	04/20/19	312.5 µL	25 mL	Millipore Water	12.5
Ion Chromatography Standard Nitrite as N 1000 ug/mL in H2O	o2si	O2SI-062004-01-01	1000	142626-24-38408	04/20/19	125 µL	25 mL	Millipore Water	5
Ion Chromatography Standard Chloride, 500mL 5,000 mg/L in H2O	o2si	062001-08-03	5000	10084781-1-39578	02/21/20	250 µL	25 mL	Millipore Water	50
Ortho-Phosphate as P Standard	Ultra Scientific	ICC-005A	1000	G34-CP-3323-39057	08/31/23	625 µL	25 mL	Millipore Water	25
Ion Chromatography Standard Nitrate as N, 500mL 1,000 mg/L in H2O	o2si	062003-01-03	1000	880117-4-39577	02/21/20	250 µL	25 mL	Millipore Water	10
Bromide Standard	Ultra Scientific	ICC-001	1000	CR-5372-39521	12/31/21	625 µL	25 mL	Millipore Water	25
Sulfate Standard	Agilent	ICC-006	1000	CS-0688-40047	03/31/22	1250 µL	25 mL	Millipore Water	50

Anion Chromatography Calibration Curve

Prep Date: 04/01/19
Exp Date: 04/02/19
Prep'd By (Initials): TH

Initial Standard Information						Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. Range (ug/mL)	Reference To APPL Prep Date	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Conc. Range (µg/mL)
Ical2	Varries	ICal1	5.0-50.0	Prepared 04/01/19	04/02/19	400 µL	1000 µL	Millipore Water	0.08-0.40
Anion Chromatography Working Standard	Varries	ICal2	5.0-50.0	Prepared 04/01/19	04/02/19	20 µL	1000 µL	Millipore Water	0.1-1.0
Anion Chromatography Working Standard	Varries	ICal3	5.0-50.0	Prepared 04/01/19	04/02/19	50 µL	1000 µL	Millipore Water	0.25-2.5
Anion Chromatography Working Standard	Varries	ICal4	5.0-50.0	Prepared 04/01/19	04/02/19	100 µL	1000 µL	Millipore Water	0.5-5.0
Anion Chromatography Working Standard	Varries	ICal5	5.0-50.0	Prepared 04/01/19	04/02/19	200 µL	1000 µL	Millipore Water	1.0-10.0
Anion Chromatography Working Standard	Varries	ICal6	5.0-50.0	Prepared 04/01/19	04/02/19	500 µL	1000 µL	Millipore Water	2.5-25.0
Anion Chromatography Working Standard	Varries	ICal7	5.0-50.0	Prepared 04/01/19	04/02/19	700 µL	1000 µL	Millipore Water	3.5-35.0
Anion Chromatography Working Standard	Varries	ICal8	5.0-50.0	Prepared 04/01/19	04/02/19	1000 µL	1000 µL	Millipore Water	5.0-50.0

Anion Chromatography LCS/ICV

Prep Date: See injection Log
Exp Date: 24 hours after prep
Prep'd By (Initials): TH

Initial Standard Information						Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. Range (ug/mL)	Lot Number - QA Number	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Standard Conc (ug/mL)
Flouride	Inorganic Ventures	ICF1	993-999	K-F652018-39801	10/23/19	62.5 µL	25 mL	Millipore Water	5
Nitrite	Inorganic Ventures	ICNO21	993-1001	M2-NOX660562-39802	10/23/19	250 µL	25 mL	Millipore Water	3.04
Chloride	Inorganic Ventures	ICCL1	995-1001	NaCL664868-39904	11/26/19	500 µL	25 mL	Millipore Water	20
O-Phosphate as P	Inorganic Ventures	IPPO41	1001-1009	M2-POX655826-39803	10/23/19	125 µL	25 mL	Millipore Water	10
Nitrate as N	Inorganic Ventures	ICNNO31	994-1002	N2-NOX667147-39510	10/23/19	125 µL	25 mL	Millipore Water	5
Ion Chromatography Bromide Standard	CPI International	4400-IC8M	1000	161681-8-39539	02/06/20	312.5 µL	25 mL	Millipore Water	12.5
Sulfate	Inorganic Ventures	ICSO41	998-1006	K2-SOX01111-38875	08/13/19	500 µL	25 mL	Millipore Water	20

Anion Chromatography CCV

Prep Date: See injection Log
Exp Date: 24 hours after prep
Prep'd By (Initials): TH

Initial Standard Information						Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Standard Conc (ug/mL)
Ion Chromatography Standard Fluoride 1000µg/mL in H2O	o2si	O2SI-062002-01-01	1000	142626-24-38407	04/20/19	125 µL	25 mL	Millipore Water	5
Ion Chromatography Standard Nitrite as N 1000 ug/mL in H2O	o2si	O2SI-062004-01-01	1000	142626-24-38408	04/20/19	62.5 µL	25 mL	Millipore Water	2.5
Ion Chromatography Standard Chloride, 500mL 5,000 mg/L in H2O	o2si	062001-08-03	5000	10084781-1-39578	02/21/20	125 µL	25 mL	Millipore Water	25
Ortho-Phosphate as P Standard	Ultra Scientific	ICC-005A	1000	G34-CP-3323-39057	08/31/23	250 µL	25 mL	Millipore Water	10
Ion Chromatography Standard Nitrate as N, 500mL 1,000 mg/L in H2O	o2si	062003-01-03	1000	880117-4-39577	02/21/20	125 µL	25 mL	Millipore Water	5
Bromide Standard	Ultra Scientific	ICC-001	1000	CR-5372-39521	12/31/21	312.5 µL	25 mL	Millipore Water	12.5
Sulfate Standard	Agilent	ICC-006	1000	CS-0688-40047	03/31/22	625 µL	25 mL	Millipore Water	25

Name of Final Standard CCV (TOC) **Prep'd By (Initials)** AR
Prep Date 05/02/19
Exp Date 05/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	100 uL	40 mL	**DI Water**	2.5 ppm

Name of Final Standard TOC_LCS/LCSD **Prep'd By (Initials)** AR
Prep Date 05/02/19
Exp Date 05/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	**02/28/19**	100 uL	40 mL	**DI Water**	2.5 ppm

Name of Final Standard TOC_MS/MSD **Prep'd By (Initials)** AR
Prep Date 05/02/19
Exp Date 05/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	**02/28/19**	100 uL	40 mL	**sample**	2.5 ppm

Name of Final Standard CCV (TOC) **Prep'd By (Initials)** AR
Prep Date 04/17/19
Exp Date 05/15/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	100 uL	40 mL	**DI Water**	2.5 ppm

Name of Final Standard TOC LCS/LCSD **Prep'd By (Initials)** AR
Prep Date 04/17/19
Exp Date 05/15/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	***02/28/2019**	100 uL	40 mL	**DI Water**	2.5 ppm

Name of Final Standard TOC MS/MSD **Prep'd By (Initials)** AR
Prep Date 04/17/19
Exp Date 05/15/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	***02/28/2019**	100 uL	40 mL	**sample**	2.5 ppm

*APPL re-certified TOC Lot CR-0328-37639 and extended the expiration date for 6 months to 8/28/19 per verification with a second source Lot CR-5157-40233 injected on 2/28/19

Standard Prep

	Ferrous Iron Standards		Prep'd By (Initials)		HH		
Prep Date	06/15/18						
Exp Date	06/15/19						
Stock Label	Supplier	Batch Number	Exp Date	Aliquot from Stock	Final Volume	Solvent	Ferrous Iron Concentration
Ferrous Ammonium Sulfate	J.T.Baker	0000184592	08/21/20	0 351	250mL	5ml H2SO4 (0000167828) Diluted with water	200ug/L
Ferrous Sulfate	Mallinckrodt	Lot 5056 KDRX	NA	0.249	250mL	5ml H2SO4 (0000167828) Diluted with water	200ug/L
Ferrous Iron CCV/LCS/MS/ICV			Prep'd By (Initials)		HH		
Prep Date	See Injection Log						
Exp Date	24 Hours						
Initial Standard Information	Supplier	Batch Number	Exp Date	Final Standard Information			
Ferrous Iron CCV	J.T.Baker	0000184592	06/14/19	500uL	25mL	Deionized water	4mg/L
Ferrous Iron ICV/LCS	Mallinckrodt	Lot 5056 KDRX	06/14/19	375uL	25mL	Deionized water	3mg/L
	Ferrous Iron Calibration Curve		Prep'd By (Initials)		HH		
Prep Date	06/15/18						
Exp Date	06/16/18						
Final Standard Information							
Point Label	Supplier	Batch Number	Exp Date	Aliquot from Stock (mL)	Final Volume	Solvent	Ferrous Iron Concentration
CCB	J.T.Baker	0000184592	06/14/19	0	25mL	Deionized water	0mg/L
Ical 1	J T.Baker	0000184592	06/14/19	0.125	25mL	Deionized water	1mg/L
Ical 2	J.T.Baker	0000184592	06/14/19	0 25	25mL	Deionized water	2mg/L
Ical 3	J.T.Baker	0000184592	06/14/19	0.5	25mL	Deionized water	4mg/L
Ical 4	J.T.Baker	0000184592	06/14/19	0 625	25mL	Deionized water	5mg/L
Ical 5	J T.Baker	0000184592	06/14/19	1.25	25mL	Deionized water	10mg/L
ICV	Mallinckrodt	Lot 5056 KDRX	06/14/19	0.375	25mL	Deionized water	3mg/L

Reagent Prep

Reagent	Chemical Lot #	Chemical	Chemical Expiration Date	Amount	Date Prep	Final Volumne
Colorizer	0747C107	1,10-phenanthroline	na	0.2158	04/05/19	200mL
		10% HCL conc	na	enough to dissolve	01/15/19	
Buffer	Z288018	Ammonia Acetate	na	249.2	02/09/19	
	2018071399	Glacial Acetic Acid	06/27/20	700mL		

EPA 353.2 Injection Log

Directory: I:\EVE\Export\2019\

RunID	Injected		Sample Name	Misc Info	FileName	Multiplier
1	24 Apr 2019	15:11	Standard 1 TOXN/NO3		190424A NO	1.
2	24 Apr 2019	15:13	Standard 90 TOXN/NO3		190424A NO	1.
3	24 Apr 2019	15:15	Standard 91 TOXN/NO3		190424A NO	1.
4	24 Apr 2019	15:17	Standard 92 TOXN/NO3		190424A NO	1.
5	24 Apr 2019	15:19	Standard 93 TOXN/NO3		190424A NO	1.
6	24 Apr 2019	15:22	Standard 94 TOXN/NO3		190424A NO	1.
7	24 Apr 2019	15:24	Standard 0 TOXN/NO3		190424A NO	1.
10	24 Apr 2019	15:32	ICV NO3 TOXN		190424A NO	1.
11	24 Apr 2019	15:35	ICB NO2 NO3 TOXN		190424A NO	1.
12	24 Apr 2019	15:37	190424A BLK NO2 NO3 TOXN		190424A NO	1.
13	24 Apr 2019	15:39	190424A LCS NO3 TOXN		190424A NO	1.
14	24 Apr 2019	15:41	190424A LCSD NO3 TOXN		190424A NO	1.
16	24 Apr 2019	15:52	AZ89958W20 TOXN/NO3		190424A NO	1.
19	24 Apr 2019	15:56	AZ89958W20 MS TOXN/NO3		190424A NO	1.
20	24 Apr 2019	15:57	AZ89958W20 MSD TOXN/NO3		190424A NO	1.
21	24 Apr 2019	15:58	AZ89961W16 TOXN/NO3		190424A NO	1.
25	24 Apr 2019	16:02	CCV TOXN/NO3		190424A NO	1.
26	24 Apr 2019	16:03	CCB TOXN/NO3		190424A NO	1.

EPA 300.0 Injection Log

Directory: I:\Dionex\Charlie\

RunID	Injected		Sample Name	Misc Info	FileName	Multiplier
1	01 Apr 2019	18:27	CCB		Anions	1.
2	01 Apr 2019	18:34	i cal 1		Anions	1.
3	01 Apr 2019	18:42	i cal 2		Anions	1.
4	01 Apr 2019	18:49	i cal 3		Anions	1.
5	01 Apr 2019	18:56	i cal 4		Anions	1.
6	01 Apr 2019	19:04	i cal 5		Anions	1.
7	01 Apr 2019	19:11	i cal 6		Anions	1.
8	01 Apr 2019	19:19	i cal 7		Anions	1.
9	01 Apr 2019	19:26	i cal 8		Anions	1.
10	01 Apr 2019	19:33	ICB		Anions	1.
11	01 Apr 2019	19:41	ICV LCS		Anions	1.
12	01 Apr 2019	19:48	ICVD LCSD		Anions	1.

EPA 300.0 Injection Log

Directory: I:\Dionex\Charlie\

RunID	Injected		Sample Name	Misc Info	FileName	Multiplier
9	24 Apr 2019	11:42	CCV 190424		Anions	1.
10	24 Apr 2019	11:49	CCB		Anions	1.
11	24 Apr 2019	11:57	190424A LCS		Anions	1.
12	24 Apr 2019	12:04	190424A LCSD		Anions	1.
13	24 Apr 2019	12:12	AZ89958W19 DF 5		Anions	5.
14	24 Apr 2019	12:19	AZ89958W19 MS		Anions	1.
15	24 Apr 2019	12:26	AZ89958W19 MSD		Anions	1.
16	24 Apr 2019	12:34	AZ89961W15 DF 5		Anions	5.
17	24 Apr 2019	12:41	AZ89958W19		Anions	1.
18	24 Apr 2019	12:49	AZ89961W15		Anions	1.
24	24 Apr 2019	13:33	CCV 190424		Anions	1.
25	24 Apr 2019	13:40	CCB		Anions	1.

908 North Temperance Ave. ∇ Clovis, CA 93611 ∇ Phone 559-275-2175 ∇ Fax 559-275-4422

Certification Number: CA1312
NELAP Certification number: CA00046
DoD-ELAP Certificate number: 4064.01

Data Validatable Report

May 30, 2019

AECOM
1001 Bishop Street, Suite 1600
Honolulu, Hawaii 96813

Attn: Margie Pascua

Title: Report of Data: Case 88701

Project: 60571032 CV18F0126 Red Hill Fuel Storage. HI

Contract #: Prime contract # for DoD: NAVY CLEAN N62742-17-F-1800, CV18F0126
Subcontract: 18S-22209-HI27

Dear Ms. Pascua:

Eleven water samples were received April 24,2019. Revised written results for the requested analyses are being provided on this May 30, 2019.

Results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

If you have any questions or require further information, please contact your APPL Project Manager, Libby Cheeseborough, libby@applinc.com, at your convenience. Thank you for choosing APPL, Inc.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. These test results meet all requirements of NELAC and DoD QSM. Release of the hard copy has been authorized by the Laboratory Manager or her designee, as verified by the following signature.

Paula McCartney, Laboratory Director
APPL, Inc.

PM/lac
Enclosure
cc: File

Data Validation Package
for
60481245 CIV 0053 Red Hill Fuel Storage
APPL SDG 88701
TABLE OF CONTENTS

LABORATORY NAME: *APPL, Inc.*

Case Narrative	3
Sample Management Records	10
Sample Results	25
QC Forms	91
Method 8015B Calibration Data	176
Method 8015B Raw Data	216
Method 8270D SIM Calibration Data	223
Method 8270D SIM Raw Data	256
Method 8270D Calibration Data	276
Method 8270D Raw Data	303
APPL SOP 2-MEE Calibration Data	340
APPL SOP 2-MEE Raw Data	388
Method 8260B Calibration Data	432
Method 8260B Raw Data	456
Method 8260B GRO Calibration Data	492
Method 8260B GRO Raw Data	548
Method RSK-175 Calibration Data	700
Method RSK-175 Raw Data	728
Inorganic Analyses Calibration Data	761
Inorganic Analyses Raw Data	789

CASE NARRATIVE

Case Narrative

ARF: 88701

Project: 60571032 CV18F0126 Red Hill Fuel Storage. HI

Sample Receipt Information:

Eleven water samples were received April 24, 2019, at 3.0°C, 4.5°C, 2.5°C, 4.5°C, 1.0°C, 2.0°C, 4.5°C, and 1.5°C. The sample group was assigned Analytical Request Form (ARF) number 88701.

Sample Preparation and Analysis Information:

For the EPA 8015B analysis, the samples were extracted according to EPA method 3520C. The sample extracts were silica gel cleaned according to APPL's SOP CLN004 and placed on hold.

For the EPA 8270D SIM analysis, the samples were extracted according to EPA method 3520C.

For the EPA 8270D Phenol analysis, the samples were extracted according to EPA method 3520C.

For the APPL SOP ANA2MEE analysis, the samples were extracted according to EPA method 3535.

For the EPA 8260B analysis, the samples were purged according to EPA method 5030B.

For the RSK-175 analysis, the samples were allowed to equilibrate for 10 minutes at 40°C and a portion of the headspace was analyzed.

For the EPA 9060A, 300.0, 353.2, SM 2320B, and SM 3500FeB analyses, the samples were prepared according to the methods.

Only the portion of the injection log relative to these samples is included. A full sequence log is available upon request. Measurement uncertainty can be reported upon request.

Analytical Exceptions, Deviations and Abnormalities.

EPA 8015B: The method blank contained a discrete peak in the TPH-O range which, when analyzed by GC/MS was determined to by a phthalate plasticizer which is not indicative of oil. The samples were re-extracted outside of holding time. Both sets of data are reported.

In the MS/MSD performed on sample ERH785, oil was outside the upper control criterion. Corrective action: the client was notified.

The In the 190502A2 LCS/LCSD re-extract, the diesel RPD exceeded the 30% limit.

Manual integrations were performed in accordance with APPL's SOP. Chromatograms of before and after manual integration are enclosed. In datafile 506004 LCS re-extract, the following was manually integrated: Diesel.

EPA 8270D Phenol: In the MS/MSD performed on sample ERH785, the RPD exceeded the 20% limit. Corrective action: the client was notified.

EPA 8260B: In the MS/MSD performed on sample ERH 785, 3 compounds recovered outside their control limits. Four RPD exceeded the 20% limit. Corrective action: the client was notified

EPA 8260B GRO: In the MS/MSD performed on sample ERH 785, the RPD exceeded the 20% limit. Corrective action: the client was notified.

Inorganic Analyses: Nitrate was analyzed twenty-three days after collection.

SDG	Received	Client ID	APPL ID	Collected DateTime	Matrix	Method	Method Description
88701	04/24/19	ERH784	AZ90050	04/23/19 7:50:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH784	AZ90050	04/23/19 7:50:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH784	AZ90050	04/23/19 7:50:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH784	AZ90050	04/23/19 7:50:00 AM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	SM 2320B	Wetlab 2320B - Water
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	SM3500FeB	Ferrous Iron
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 353.2	EPA 353.2 - WATER
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ RE-EXTRACT
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	SW846 9060A	9060A DOC
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88701	04/24/19	ERH785	AZ90051	04/23/19 8:40:00 AM	WATER	SW846 9060A	9060A TOC
88701	04/24/19	ERH786	AZ90052	04/23/19 8:40:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH786	AZ90052	04/23/19 8:40:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88701	04/24/19	ERH786	AZ90052	04/23/19 8:40:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88701	04/24/19	ERH786	AZ90052	04/23/19 8:40:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88701	04/24/19	ERH786	AZ90052	04/23/19 8:40:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ RE-EXTRACT
88701	04/24/19	ERH786	AZ90052	04/23/19 8:40:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH786	AZ90052	04/23/19 8:40:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH786	AZ90052	04/23/19 8:40:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88701	04/24/19	ERH796	AZ90053	04/22/19 1:00:00 PM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH796	AZ90053	04/22/19 1:00:00 PM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH796	AZ90053	04/22/19 1:00:00 PM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH796	AZ90053	04/22/19 1:00:00 PM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	SM 2320B	Wetlab 2320B - Water
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	SM3500FeB	Ferrous Iron
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	EPA 353.2	EPA 353.2 - WATER
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	EPA 8270D	EPA 8270D WATER

88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	SW846 9060A	9060A DOC
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88701	04/24/19	ERH797	AZ90054	04/22/19 1:40:00 PM	WATER	SW846 9060A	9060A TOC
88701	04/24/19	ERH798	AZ90055	04/22/19 12:00:00 PM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH798	AZ90055	04/22/19 12:00:00 PM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH798	AZ90055	04/22/19 12:00:00 PM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH798	AZ90055	04/22/19 12:00:00 PM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	SM 2320B	Wetlab 2320B - Water
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	SM3500FeB	Ferrous Iron
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	EPA 353.2	EPA 353.2 - WATER
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	EPA 8270D	EPA 8270D WATER
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	SW846 9060A	9060A DOC
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88701	04/24/19	ERH799	AZ90056	04/22/19 1:35:00 PM	WATER	SW846 9060A	9060A TOC
88701	04/24/19	ERH800	AZ90057	04/22/19 3:25:00 PM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH800	AZ90057	04/22/19 3:25:00 PM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH800	AZ90057	04/22/19 3:25:00 PM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH800	AZ90057	04/22/19 3:25:00 PM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	SM 2320B	Wetlab 2320B - Water
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	SM3500FeB	Ferrous Iron
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	EPA 353.2	EPA 353.2 - WATER
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	EPA 8270D	EPA 8270D WATER
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	SW846 9060A	9060A DOC

88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88701	04/24/19	ERH801	AZ90058	04/22/19 4:45:00 PM	WATER	SW846 9060A	9060A TOC
88701	04/24/19	ERH802	AZ90059	04/23/19 9:45:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH802	AZ90059	04/23/19 9:45:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH802	AZ90059	04/23/19 9:45:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH802	AZ90059	04/23/19 9:45:00 AM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	SM 2320B	Wetlab 2320B - Water
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	EPA 300.0	Wetlab 300.0 - Water
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	SM3500FeB	Ferrous Iron
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	EPA 353.2	EPA 353.2 - WATER
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	SW846 9060A	9060A DOC
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	RSK 175	METHANE BY RSK 175
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88701	04/24/19	ERH803	AZ90060	04/23/19 10:45:00 AM	WATER	SW846 9060A	9060A TOC

APPL Inc.
Abbreviations and Flags

FLAG	DESCRIPTION
#	Recovery or RPD outside control limits
*	Recovery or RPD outside control limits
B	Analyte detected in associated method blank
C1	Reason for correction: wrote incorrect response
C2	Reason for correction: calculated incorrectly
C3	Reason for correction: needs to be rechecked
C4	Reason for correction: data not usable
DO	Diluted out
E	Exceeds linear range
F	Estimated value
G1	Includes a wide range of hydrocarbons which does not match our gasoline standard
G10	Includes a match to hydrocarbon profiles within the range of mineral spirits
G11	Includes a match to hydrocarbon profiles within the range of JP-4
G12	Pattern does not match the gasoline standard; the carbon range for this sample is consistent with JP8
G13	Closely resembles the hydrocarbon profile of aviation gasoline
G14	Analyte concentration may be biased due to carry over
G2	Closely resembles the boiling point hydrocarbon profile consistent with weathered gasoline
G3	Includes higher boiling hydrocarbons
G4	Includes dominant peak(s) not indicative of petroleum hydrocarbons
G5	Is mainly dominant peak(s) not indicative of petroleum hydrocarbons
G6	Contains recognizable contaminant peak(s) which has been removed from quantitation
G7	Is mainly a match to hydrocarbons within the range of gasoline
G8	Closely resembles the boiling point hydrocarbon profile consistent with weathered gasoline
G9	Includes hydrocarbons within the range of kerosene
J	Estimated value
M	Matrix effect
MI1	Manual integration: integration does not follow baseline
MI2	Manual integration: non-target peak interference
MI3	Manual integration: to split a peak that was integrated as one peak by the computer.
MI4	Manual integration: to integrate a split peak
MI5	Manual integration: the whole peak or part of the peak was not integrated
MI6	Manual integration: computer integrated wrong peak
MI7	Manual integration: other – (See case narrative)
MDL	Method detection limit
ND	Not detected
NT	Non-target
Q	Acceptance criteria not met
T1 I	Includes wide range of hydrocarbons not indicative of diesel
T1 M	Is mainly wide range of hydrocarbons not necessarily indicative of diesel
T2 I	Includes lower boiling hydrocarbons, e.g. mineral spirits, kerosene, stoddard solvent, white gas
T2 M	Is mainly lower boiling hydrocarbons, e.g. mineral spirits, kerosene, stoddard solvent, white gas
T3 I	Includes higher boiling hydrocarbons, e.g. asphaltene, waste oil, motor oil, or weathered diesel fuel
T3 M	Is mainly higher boiling hydrocarbons, e.g. asphaltene, waste oil, motor oil, or weathered diesel fuel
T4 I	Includes dominant peak(s) not indicative of hydrocarbons
T4 M	Is mainly dominant peak(s) not indicative of hydrocarbons
T5	Contains recognizable contaminant peak(s) which has been removed from quantitation
T6	Is mainly a match to hydrocarbons within range of diesel fuel
T7	Closely resembles the boiling point hydrocarbon profile consistent with diesel fuel
T8	Includes a match to hydrocarbon profiles within range of diesel and kerosene fuel
T9 I	Includes non-diesel hydrocarbons within boiling point range of diesel fuel
T9 M	Is mainly non-diesel hydrocarbons within boiling point range of diesel fuel
U	Not detected
Y	Percent difference between primary and confirmation column > 40%

SAMPLE RECORDS MANAGEMENT

CHAIN OF CUSTODY,

ARF, CRF, AND

CLIENT COMMUNICATION

APPL - Analysis Request Form 88701

Client: **AECOM**
Address: **1001 Bishop Street, Suite 1600**
Honolulu, HI 96813
Attn: **Margie Pascua**
Phone: **808-356-5373** Fax: **808-523-8950**
Job: **60571032 CV18F0126 Red Hill Fuel Storage**
PO #: **18S-22209-HI27 PO# 102604**
Chain of Custody (Y/N): **Y** # **036-039, 045-048**
RAD Screen (Y/N): **Y** pH (Y/N): **Y**
Turn Around Type: **1 WEEK**

Received by: **AAR**
Date Received: **04/24/19** Time: **10:00**
Delivered by: **FEDEX**
Shuttle Custody Seals (Y/N): **Y** Time Zone: **-10**
Chest Temp(s): **SEE CRF**
Color: **VOA/F-Pink**
Samples Chilled until Placed in Refrig/Freezer: **Y**
Project Manager: **Libby Cheesebor**
QC Report Type: **DVP4DOD/EQUIS/HI**
Due Date: **05/01/19**

Comments:
PM: login and F1s to Margie.Pascua@aecom.com
AN: 7 day TAT for Form 1s; 21 day TAT for PKG STYLE 1; DOD v5.1; DOD Forms (LOQ/LOD database/DL)
8260: BTEX & TPH-G only; 8270 SIM: 1-methylnaphthalene, 2-methylnaphthalene & naphthalene only.
TPH D & O both with and w/o SGC, reverse surrogate for the SGC; analyze SGC if detections
RSK: Methane only; 8011: EDB only; $87DC53W5: report phenol; $87DMEEW5: 2-MEE (LCS Spk 80ppb).

FR: HC to LDC, 2 labeled CDs to Margie Pascua.
EDD: AECOM EQuIS EDD 2.5.3 Red Hill 87DMEE->3535A to Margie.Pascua@aecom.com & jecklund@lab-data.com

Sample Distribution:
GC: 6-$87DC53W5, 6-$87DMEEW5, 6-$DOC53W5LIQ, 6-$SIM53LIQ51
Extractions: 6-_LIQ003, 6-_LIQ005, 6-_MWE2MEE
VOA: 11-$86BTOTXDOD5W, 11-$GASBL, 11-$GRO86BW, 10-$RSKMETH
Wetlab: 5-$232W(HCO3,CO3,ALK), 5-$300W(NO3,CL,SO4), 5-$35FE, 5-$35OF, 5-$DOCW53,5-$TOCW53

Charges:

Invoice To:
ACCOUNTS PAYABLE
1001 Bishop Street, Ste 1600
USAPImaging@aecom.com
mary.basano@aecom.com

	Client ID		APPL ID	Sampled	Analyses Requested
1.	ERH784	LCSD	AZ90050W	04/23/19 07:50	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
2.	ERH785	MS/MSD	AZ90051W	04/23/19 08:40	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53
3.	ERH786	LCSD	AZ90052W	04/23/19 08:40	$86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $GASBL, $GRO86BW, $SIM53LIQ51

Note: All times, excluding sample collection times, are Pacific Time Zone unless noted otherwise. Collection times are in: -10 UTC
Page 1 Client Code: AECOM-REDHILL *Printed 05/03/19 8:47:59 AM* Computer: APPL-LC **# 88701**

4.	ERH796	LCSD AZ90053W	04/22/19	13:00	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
5.	ERH797	LCSD AZ90054W	04/22/19	13:40	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53
6.	ERH798	LCSD AZ90055W	04/22/19	12:00	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
7.	ERH799	LCSD AZ90056W	04/22/19	13:35	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53
8.	ERH800	LCSD AZ90057W	04/22/19	15:25	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
9.	ERH801	LCSD AZ90058W	04/22/19	16:45	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53
10.	ERH802	LCSD AZ90059W	04/23/19	09:45	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
11.	ERH803	LCSD AZ90060W	04/23/19	10:45	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53

APPL Sample Receipt Form

ARF# **88701**

Sample	Container Type	Count	p
AZ90050	[13] VOAs - HCL	4	NA
AZ90051	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	8	NA
	[17] Amber Liter	15	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	6	NA
AZ90052	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[40] 500mL Amber, unprsrvd	2	NA
AZ90053	[13] VOAs - HCL	4	NA
AZ90054	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	2	NA
AZ90055	[13] VOAs - HCL	4	NA
AZ90056	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	2	NA
AZ90057	[13] VOAs - HCL	4	NA
AZ90058	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	2	NA
AZ90059	[13] VOAs - HCL	4	NA
AZ90060	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	2	NA

Sample	Container Type	Count	p

88701

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

36 37 38 39

C.O.C. 045 46 47 48

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com AMANDA'S COPY	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number	Sampler (Print)	Purchase Order Number	Sampler (Signature)
CV18F0126 / 60571032	MP for KL, DH, MM	102604	

Date Shipped: 04/22/19
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, ~~TICs~~	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 3010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC, DOC	
ERH784	Trip Blank	04/23/19	0750	HST	4	X			X							X						
ERH785	RHMW2254-01	04/23/19	0840	HST	~~16~~ 40	X			X		X	X*	X	X	X	X	X	X	X		X	MS/MSD: 505, 8260, 8270, 537 see other coolers
ERH786	RHMW2204-01	04/23/19	0840	HST	11	X			X		X	X*	X	X	X							
ERH796	RT Trip Blank	4/22	1300		4	X			X						X							
ERH797	RHMW05	4/22	1340		22	X			X		X	X*	X	X	X	X	X	X	X		X	
ERH798	Trip Blank	4/22	1200		4	X			X						X							
ERH799	RHMW06	4/22	1335		22	X			X		X	X*	X	X	X	X	X	X	X		X	
ERH800	Trip Blank MP 04/22/19	4/22	1525		4	X			X						X							Ferrous iron and DOC are field-filtered.
ERH801	RHMW07	4/22	1645		22	X			X		X	X	X	X	X	X	X	X	X		X	*Analyze TPH w/SGT only if TPH-d/o detected.
																						TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1500					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-24-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 039

Report to: PLEASE PRINT

Company Name: AECOM Phone: 808-356-5373

Address: 1001 Bishop St, Suite 1600
Honolulu, HI 96813
Fax: 808-523-8950

Attn: Margie Pascua

Email: margie.pascua@aecom.com Amanda's Copy

Invoice to: PLEASE PRINT

Company Name: AECOM Phone: 808-529-7249

Address: 1001 Bishop St, Suite 1600
Honolulu, HI 96813
Fax: 808-523-8950

Attn: Mary Basano

Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032

Purchase Order Number: 102604

Sampler (Print): MP for GM, RS, TV

Sampler (Signature):

Date Shipped: 4/23/19

Carrier: FedEx

Waybill No.:

Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Matrix: Sed.	Matrix: Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, Hexa-	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC, Dissolved
ERH802	Trip Blank	04/23/19	0945	HST	4	X			X							X					
ERH803	RHMW08	04/23/19	1045	HST	22	X			X		X	X*	X	X	X	X	X	X	X		X

Analysis Requested/Method Number

MP 4/23/19

Ferrous iron and DOC are field-filtered.

*Analyze TPH w/SGT only if TPH-d/o detected.

TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1500					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-24-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 037

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number	Sampler (Print)	Purchase Order Number	Sampler (Signature)
CV18F0126 / 60571032	MP for GM, RS, TV	102604	

Date Shipped: 04/23/19
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Matrix: Sed.	Matrix: Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, [illegible]	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 3010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC, DOC
ERH 798	Trip Blank	04/22/19	1200	HST	4	X			X							X					
ERH 799	RHMW 06	04/22/19	1335	HST	22	X			X		X	X*	X	X	X	X	X	X	X		X

MP 04/23/19

Ferrous iron and DOC are field-filtered.

*Analyze TPH w/SGT only if TPH-d/o detected.

TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1500					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-24-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 038

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): MP for GM, RG, TV
Sampler (Signature):
Date Shipped: 04/23/19
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX, TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenols-TICs	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC
ERH600	Trip Blank	4/22/19	1525	HST	4	X			X							X					
ERH601	RHMW07	4/22/19	1645	HST	22	X			X		X	X*	X	X	X	X	X	X	X		X

MP 4/23/19

Ferrous iron and DOC are field-filtered.
*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature: 4.5°

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1500					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-24-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 039

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): MP for GM, RS, TV
Sampler (Signature):

Date Shipped: 4/23/19
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Matrix: Sed.	Matrix: Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, ~~Hex~~	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC, ~~DOC~~
ERH802	Trip Blank	04/23/19	0945	HST	4	X			X							X					
ERH803	RHMW08	04/23/19	1045	HST	22	X			X		X	X*	X	X	X	X	X	X	X		X

MP 4/23/19

Ferrous iron and DOC are field-filtered.
*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1500					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-24-19	1000	

See page 2 for Container Preservative and Sampling Information

85701

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 036

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): MP for ~~GM, RS, TN~~ MP 04/23/19 KL, MM, DM
Sampler (Signature):

Date Shipped: 4/23/19
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, ~~Tics~~ Mod	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 5010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC, DOC
ERH796	Trip Blank	04/22/19	1300	HST	4	X			X							X					
ERH797	RHMW05	04/22/19	1340	HST	22	X			X		X	X*	X	X	X	X	X	X	X		X

MP 04/23/19

Ferrous iron and DOC are field-filtered.
*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature: 3.0, 4.5, 2.5, 4.5, 1.0, 2.0, 4.5, 1.5

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other: _____

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1500					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-24-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 045

Report to: PLEASE PRINT

Company Name: AECOM Phone: 808-356-5373

Address: 1001 Bishop St, Suite 1600
Honolulu, HI 96813 Fax: 808-523-8950

Attn: Margie Pascua

Email: margie.pascua@aecom.com

Invoice to: PLEASE PRINT

Company Name: AECOM Phone: 808-529-7249

Address: 1001 Bishop St, Suite 1600
Honolulu, HI 96813 Fax: 808-523-8950

Attn: Mary Basano

Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032

Purchase Order Number: 102604

Sampler (Print): MP for KL, DH, MM

Sampler (Signature):

Date Shipped: 04/22/19

Carrier: FedEx

Waybill No.:

Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Matrix: Sed.	Matrix: Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, ~~Hex~~ SIM	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC	
ERH784	Trip Blank	04/23/19	0750	HST	4	X			X							X						
ERH785	RHMW2254-01	04/23/19	0840	HST	16	X			X							X					X	MS/MSD: 8015, 8260, 8270, 8270 SIM See other coolers
ERH786	RHMW2254-01	04/23/19	0840	HST	11	X			X		X	X*	X	X	X							

MP 04/22/19

Ferrous iron and DOC are field-filtered.

*Analyze TPH w/SGT only if TPH-d/o detected.

TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1500					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-24-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 047

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): MP for KL, DM, MM
Sampler (Signature):

Date Shipped: 4/23/19
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Matrix: Sed.	Matrix: Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, TICs	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 3010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC	
ERH785	RHMW2254-01	4/23/19	0840	HST	8	X					X	X*	X	X	X							MS/MSD: 8015, 8260, 8270, 8270 SIM see other codes.

MP 04/23/19

Ferrous iron and DOC are field-filtered.
*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1500					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-24-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 046

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): MP for KL, DH, MM
Sampler (Signature):

Date Shipped: 4/23/19
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, TICs	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 8010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC, DOC	
ERH785	RHMW2254-01	4/23/19	0940	HST	8	X					X	X*	X	X	X							MS/MSD: 8015, 8260, 8270, 8270 SIM 622 other orders
																						Ferrous iron and DOC are field-filtered.
																						*Analyze TPH w/SGT only if TPH-d/o detected.
																						TPH-d/o & PAHs need liquid-liquid extraction

MP 04/23/19

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1900					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-24-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 048

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): MP for KL, DM, MM
Sampler (Signature):

Date Shipped: 4/23/19
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT*	8270DSIM PAHs short list	8270D Phenol, [illegible]	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC, DOC	
ERH1785	RHMW2254-01	04/23/19	0840	HST	8	X					X	X	X	X	X		X	X	Y		X	MS/MSD: BTEX, 8260, 8270, 8270SIM See other notes

MP 4/23/19

Ferrous iron and DOC are field-filtered.
*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Margie Pascua	04/23/19	1500					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4.24.19	1000	

See page 2 for Container Preservative and Sampling Information

COOLER RECEIPT FORM **ARF: 88701**

1) Project: 60571032 CV18F0126 Red Hill Fuel Storage Date Received: 04/24/19

2) Coolers: Number of Coolers: 8

3) YES Were custody seals present and intact?
How many? 16 Name/Date on seal? SEE BELOW

4) YES Was there a shipping slip? Carrier name: FEDEX

5) Type of packing in cooler: X bubble wrap __ popcorn __ foam X plastic bags __ other
X wet ice __ dry ice __ no ice __ gel ice

6) YES Were cooler temperatures acceptable?

7) Serial number of certified NIST thermometer use R1

8) Cooler temp(s): In °C

1: 3.0°C	2: 4.5°C	3: 2.5°C	4: 4.5°C	5: 1.0°C	6: 2.0°C
7: 4.5°C	8: 1.5°C	9:	10:	11:	12:

Chain of custody:

9) YES Was a chain of custody received?

10) YES Were the custody papers complete/signed in the appropriate places?

Sample Labels:

11) YES Were all sample labels complete (sample ID, date/time of sampling, etc.)?

12) YES Did all container labels agree with custody papers?

Sample Containers:

13) YES Were all containers sealed in separate bags?

14) YES Did all containers arrive in good condition:(unbroken, no leakage, no cracked/broken

15) YES Were correct containers and preservatives used for the tests indicated?

16) YES Was a sufficient amount of sample sent for tests indicated?

17) NA Were bubbles present in volatile samples?
If yes, the following were received with air bubbles:
Larger than a pea:
Smaller than a pea:

Preservation Hold time:

18) Yes Was a sufficient amount of holding time remaining to analyze the samples?

19) Yes Was the pH taken of all non-VOA preserved samples and written on the sample cor

20) Yes Was the pH of acid preserved non-VOA samples < 2?

21) NA Was the pH of sodium hydroxide preserved samples for Cyanide > 12 and Sulfide >

22) NO Were unpreserved VOA Vials received?

23) NA Are unpreserved VOA vials noted in the ADD TEST FIELD on the ARF?
pH strip lot number: 90B2031
Lab notified if pH was not adequate:

Notes/Deficiencies:

CUSTODY SEAL
APPL, Inc.
(559) 275-2175
Date 4/24/19
Initials MP

Personnel receiving samples: ZG Second reviewer:
Personnel labeling samples: ZG
Project manager notified: ZG Date/Time of notification 04/24/19
Name of client notified: Date/Time of notification

Revision: 22, November 5, 2013

SAMPLE RESULTS

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH785

APPL ID: AZ90051

Sample Collection Date: 04/23/19

QCG: #DOC53-190426A2-240138

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	72.5	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	95.2	56-125			%	04/26/19	04/29/19

Quant Method:	DOC0411.M
Run #:	419057
Instrument:	Apollo
Sequence:	190419
Dilution Factor:	1
Initials:	BTI

Printed: 05/16/19 2:41:05 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ RE-EXTRACT

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH785

APPL ID: AZ90051

Sample Collection Date: 04/23/19

QCG: #DOC53-190502A2-240343

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	05/02/19	05/06/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	105	60-142			%	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	97.3	56-125			%	05/02/19	05/06/19

Quant Method: DOC0411.M
Run #: 506013
Instrument: Apollo
Sequence: 190506
Dilution Factor: 1
Initials: BTI

Printed: 05/15/19 4:03:15 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH786

APPL ID: AZ90052

Sample Collection Date: 04/23/19

QCG: #DOC53-190426A2-240138

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	99.9	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	93.3	56-125			%	04/26/19	04/29/19

Quant Method: DOC0411.M
Run #: 419060
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/16/19 2:41:05 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ RE-EXTRACT

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH786

APPL ID: AZ90052

Sample Collection Date: 04/23/19

QCG: #DOC53-190502A2-240343

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	05/02/19	05/06/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	103	60-142			%	05/02/19	05/06/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	98.5	56-125			%	05/02/19	05/06/19

Quant Method: DOC0411.M
Run #: 506014
Instrument: Apollo
Sequence: 190506
Dilution Factor: 1
Initials: BTI

Printed: 05/15/19 4:03:15 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH797
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90054
QCG: #DOC53-190426A2-240138

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	98.8	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	104	56-125			%	04/26/19	04/29/19

Quant Method: DOC0411.M
Run #: 419061
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/16/19 2:41:05 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH799

APPL ID: AZ90056

Sample Collection Date: 04/22/19

QCG: #DOC53-190426A2-240138

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	96.5	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	92.4	56-125			%	04/26/19	04/29/19

Quant Method: DOC0411.M
Run #: 419062
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/16/19 2:41:05 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH801

APPL ID: AZ90058

Sample Collection Date: 04/22/19

QCG: #DOC53-190426A2-240138

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	95.1	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	91.5	56-125			%	04/26/19	04/29/19

Quant Method:	DOC0411.M
Run #:	419064
Instrument:	Apollo
Sequence:	190419
Dilution Factor:	1
Initials:	BTI

Printed: 05/16/19 2:41:05 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH803
Sample Collection Date: 04/23/19

ARF: 88701
APPL ID: AZ90060
QCG: #DOC53-190426A2-240138

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	96.7	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	91.9	56-125			%	04/26/19	04/29/19

Quant Method: DOC0411.M
Run #: 419065
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/16/19 2:41:05 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH785

APPL ID: AZ90051

Sample Collection Date: 04/23/19

QCG: #SIM53-190424A-239856

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	87.7	39-114			%	04/24/19	04/26/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	92.1	58-120			%	04/24/19	04/26/19

Quant Method: L0326.M
Run #: 0426L012
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 04/30/19 3:45:37 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH786

APPL ID: AZ90052

Sample Collection Date: 04/23/19

QCG: #SIM53-190424A-239856

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	87.3	39-114			%	04/24/19	04/26/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	93.7	58-120			%	04/24/19	04/26/19

Quant Method: L0326.M
Run #: 0426L015
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 04/30/19 3:45:37 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH797

APPL ID: AZ90054

Sample Collection Date: 04/22/19

QCG: #SIM53-190424A-239856

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	89.4	39-114			%	04/24/19	04/26/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	91.5	58-120			%	04/24/19	04/26/19

Quant Method: L0326.M
Run #: 0426L016
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 04/30/19 3:45:37 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH799

APPL ID: AZ90056

Sample Collection Date: 04/22/19

QCG: #SIM53-190424A-239856

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	85.3	39-114			%	04/24/19	04/26/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	88.3	58-120			%	04/24/19	04/26/19

Quant Method: L0326.M
Run #: 0426L017
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 04/30/19 3:45:37 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH801
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90058
QCG: #SIM53-190424A-239856

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	85.0	39-114			%	04/24/19	04/26/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	93.9	58-120			%	04/24/19	04/26/19

Quant Method: L0326.M
Run #: 0426L018
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 04/30/19 3:45:37 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH803
Sample Collection Date: 04/23/19

ARF: 88701
APPL ID: AZ90060
QCG: #SIM53-190424A-239856

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	96.2	39-114			%	04/24/19	04/26/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	97.0	58-120			%	04/24/19	04/26/19

Quant Method: L0326.M
Run #: 0426L019
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 04/30/19 3:45:38 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH785

APPL ID: AZ90051

Sample Collection Date: 04/23/19

QCG: #87DC5-190424A-239806

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	86.7	43-140			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	69.6	44-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	83.9	19-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	80.4	44-120			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	80.7	10-115			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	75.7	50-134			%	04/24/19	04/26/19

Quant Method: Y0319NC.M
Run #: 0411Y204
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: JPR

Printed: 04/29/19 4:08:56 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
ARF: 88701
Sample ID: ERH786
APPL ID: AZ90052
Sample Collection Date: 04/23/19
QCG: #87DC5-190424A-239806

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	75.5	43-140			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	61.5	44-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	71.7	19-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	67.9	44-120			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	68.2	10-115			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	63.5	50-134			%	04/24/19	04/26/19

Quant Method: Y0319NC.M
Run #: 0411Y207
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: JPR

Printed: 04/29/19 4:08:56 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH797

APPL ID: AZ90054

Sample Collection Date: 04/22/19

QCG: #87DC5-190424A-239806

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	80.6	43-140			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	65.7	44-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	80.1	19-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	73.2	44-120			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	76.5	10-115			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	68.4	50-134			%	04/24/19	04/26/19

Quant Method: Y0319NC.M
Run #: 0411Y208
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: JPR

Printed: 04/29/19 4:08:56 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH799

APPL ID: AZ90056

Sample Collection Date: 04/22/19

QCG: #87DC5-190424A-239806

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	79.4	43-140			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	66.2	44-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	81.8	19-119			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	75.8	44-120			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	77.0	10-115			%	04/24/19	04/26/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	69.5	50-134			%	04/24/19	04/26/19

Quant Method: Y0319NC.M
Run #: 0411Y209
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: JPR

Printed: 04/29/19 4:08:56 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH801
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90058
QCG: #87DC5-190424A-239806

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/27/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	76.8	43-140			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	63.6	44-119			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	68.2	19-119			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	71.5	44-120			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	65.1	10-115			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	66.1	50-134			%	04/24/19	04/27/19

Quant Method: Y0319NC.M
Run #: 0411Y210
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: JPR

Printed: 04/29/19 4:08:56 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH803

APPL ID: AZ90060

Sample Collection Date: 04/23/19

QCG: #87DC5-190424A-239806

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/27/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	109	43-140			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	87.3	44-119			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	93.3	19-119			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	90.4	44-120			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	88.3	10-115			%	04/24/19	04/27/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	90.9	50-134			%	04/24/19	04/27/19

Quant Method: Y0319NC.M
Run #: 0411Y211
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: JPR

Printed: 04/29/19 4:08:56 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH785

APPL ID: AZ90051

Sample Collection Date: 04/23/19

QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method: YMEE0430.M
Run #: 0430Y021
Instrument: Yoda
Sequence: Y190430M
Dilution Factor: 1
Initials: MA

Printed: 05/01/19 9:33:14 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH786

APPL ID: AZ90052

Sample Collection Date: 04/23/19

QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y024
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:33:14 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH797
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90054
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y025
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:33:14 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH799
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90056
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method: YMEE0430.M
Run #: 0430Y026
Instrument: Yoda
Sequence: Y190430M
Dilution Factor: 1
Initials: MA

Printed: 05/01/19 9:33:14 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH801
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90058
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y027
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:33:14 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH803

APPL ID: AZ90060

Sample Collection Date: 04/23/19

QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y028
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:33:14 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH784

APPL ID: AZ90050

Sample Collection Date: 04/23/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	92.4	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	101	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	102	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	98.4	89-112			%	04/25/19	04/25/19

Quant Method:	M0324.M
Run #:	0425M14
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:52:49 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH785

APPL ID: AZ90051

Sample Collection Date: 04/23/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	92.7	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.5	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	101	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	96.5	89-112			%	04/25/19	04/25/19

Quant Method:	M0324.M
Run #:	0425M17
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:52:49 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH786

APPL ID: AZ90052

Sample Collection Date: 04/23/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	90.6	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	98.4	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	97.8	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	96.9	89-112			%	04/25/19	04/25/19

Quant Method: M0324.M
Run #: 0425M18
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DG

Printed: 04/26/19 12:52:49 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH796

APPL ID: AZ90053

Sample Collection Date: 04/22/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	93.7	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.4	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	102	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	99.8	89-112			%	04/25/19	04/25/19

Quant Method: M0324.M
Run #: 0425M12
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DG

Printed: 04/26/19 12:52:49 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH797

APPL ID: AZ90054

Sample Collection Date: 04/22/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	92.1	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.2	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	99.4	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	96.9	89-112			%	04/25/19	04/25/19

Quant Method:	M0324.M
Run #:	0425M19
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:52:49 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH798

APPL ID: AZ90055

Sample Collection Date: 04/22/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	93.7	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	96.4	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	102	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	99.5	89-112			%	04/25/19	04/25/19

Quant Method: M0324.M
Run #: 0425M15
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DG

Printed: 04/26/19 12:52:49 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH799

APPL ID: AZ90056

Sample Collection Date: 04/22/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	91.1	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.1	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	94.8	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	97.9	89-112			%	04/25/19	04/25/19

Quant Method: M0324.M
Run #: 0425M20
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DG

Printed: 04/26/19 12:52:49 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH800

APPL ID: AZ90057

Sample Collection Date: 04/22/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	93.5	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	98.0	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	99.5	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	97.2	89-112			%	04/25/19	04/25/19

Quant Method: M0324.M
Run #: 0425M16
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DG

Printed: 04/26/19 12:52:49 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH801

APPL ID: AZ90058

Sample Collection Date: 04/22/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	93.3	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.0	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	98.9	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	97.7	89-112			%	04/25/19	04/25/19

Quant Method: M0324.M
Run #: 0425M21
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DG

Printed: 04/26/19 12:52:49 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH802

APPL ID: AZ90059

Sample Collection Date: 04/23/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	93.1	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	100	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	101	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	98.6	89-112			%	04/25/19	04/25/19

Quant Method: M0324.M
Run #: 0425M13
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DG

Printed: 04/26/19 12:52:49 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH803

APPL ID: AZ90060

Sample Collection Date: 04/23/19

QCG: #86BTO-190425AM-239745

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	91.1	81-118			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	95.4	85-114			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	97.1	80-119			%	04/25/19	04/25/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	96.6	89-112			%	04/25/19	04/25/19

Quant Method: M0324.M
Run #: 0425M22
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DG

Printed: 04/26/19 12:52:49 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH784

APPL ID: AZ90050

Sample Collection Date: 04/23/19

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	101	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M14
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:46 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH785

APPL ID: AZ90051

Sample Collection Date: 04/23/19

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.5	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M17
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH786

APPL ID: AZ90052

Sample Collection Date: 04/23/19

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	98.4	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M18
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH796

APPL ID: AZ90053

Sample Collection Date: 04/22/19

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.4	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M12
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH797

APPL ID: AZ90054

Sample Collection Date: 04/22/19

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.2	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M19
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH798

Sample Collection Date: 04/22/19

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

ARF: 88701

APPL ID: AZ90055

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	96.4	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M15
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:47 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH799

Sample Collection Date: 04/22/19

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

ARF: 88701

APPL ID: AZ90056

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.1	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M20
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:47 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH800

APPL ID: AZ90057

Sample Collection Date: 04/22/19

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	98.0	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M16
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH801

APPL ID: AZ90058

Sample Collection Date: 04/22/19

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.0	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M21
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH802

Sample Collection Date: 04/23/19

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

ARF: 88701

APPL ID: AZ90059

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	100	85-114			%	04/25/19	04/25/19

Quant Method: MSUR324.M
Run #: 0425M13
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DG

Printed: 04/26/19 12:07:47 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH803

APPL ID: AZ90060

Sample Collection Date: 04/23/19

QCG: #GRO86-190425AM-239739

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	95.4	85-114			%	04/25/19	04/25/19

Quant Method:	MSUR324.M
Run #:	0425M22
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DG

Printed: 04/26/19 12:07:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH784

APPL ID: AZ90050

Sample Collection Date: 04/23/19

QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method:	RSK0311.M
Run #:	19042906
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 04/29/19 12:12:54 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH785

APPL ID: AZ90051

Sample Collection Date: 04/23/19

QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method:	RSK0311.M
Run #:	19042907
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 04/29/19 12:12:54 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH796

APPL ID: AZ90053

Sample Collection Date: 04/22/19

QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method: RSK0311.M
Run #: 19042910
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 04/29/19 12:12:54 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH797
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90054
QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method:	RSK0311.M
Run #:	19042911
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 04/29/19 12:12:54 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH798
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90055
QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method: RSK0311.M
Run #: 19042912
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 04/29/19 12:12:54 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88701

Sample ID: ERH799

APPL ID: AZ90056

Sample Collection Date: 04/22/19

QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method: RSK0311.M
Run #: 19042913
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 04/29/19 12:12:54 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH800
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90057
QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method: RSK0311.M
Run #: 19042914
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 04/29/19 12:12:54 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH801
Sample Collection Date: 04/22/19

ARF: 88701
APPL ID: AZ90058
QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method:	RSK0311.M
Run #:	19042915
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 04/29/19 12:12:54 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH802
Sample Collection Date: 04/23/19

ARF: 88701
APPL ID: AZ90059
QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method:	RSK0311.M
Run #:	19042916
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 04/29/19 12:12:54 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH803
Sample Collection Date: 04/23/19

ARF: 88701
APPL ID: AZ90060
QCG: #RSKME-190429A-239793

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method: RSK0311.M
Run #: 19042917
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 04/29/19 12:12:54 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH785

APPL ID: AZ90051

Sample Collection Date: 04/23/19

ARF: 88701

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	104	5.0	1.00	0.40	mg/L	5	05/08/19	05/08/19
EPA 300.0	SULFATE	17.1	5.0	1.00	0.45	mg/L	5	05/08/19	05/08/19
EPA 300.0	NITRATE	2.5	0.5	0.18	0.04	mg/L	1	05/07/19	05/07/19
EPA 353.2	NITRATE-NITRITE-N	0.62	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	67.7	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	TOTAL ALKALINITY AS CACO	67.7	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/24/19	04/24/19
SW846 9060A	DISSOLVED ORGANIC CARB	0.33 J	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19
SW846 9060A	TOTAL ORGANIC CARBON	0.26 J	0.93	0.350	0.130	mg/L	1	05/02/19	05/02/19

J = Estimated value.

Printed: 05/16/19 3:26:29 PM

APPL-F1-SC-NoMC-REG MDLs

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH797

APPL ID: AZ90054

Sample Collection Date: 04/22/19

ARF: 88701

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	139	5.0	1.00	0.40	mg/L	5	05/08/19	05/08/19
EPA 300.0	SULFATE	36.5	5.0	1.00	0.45	mg/L	5	05/08/19	05/08/19
EPA 300.0	NITRATE	3.5	0.5	0.18	0.04	mg/L	1	05/07/19	05/07/19
EPA 353.2	NITRATE-NITRITE-N	0.82	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	91.5	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	TOTAL ALKALINITY AS CACO	91.5	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/24/19	04/24/19
SW846 9060A	DISSOLVED ORGANIC CARB	0.72 J	0.93	0.350	0.130	mg/L	1	04/30/19	04/30/19
SW846 9060A	TOTAL ORGANIC CARBON	0.47 J	0.93	0.350	0.130	mg/L	1	05/02/19	05/02/19

J = Estimated value.

Printed: 05/16/19 3:26:29 PM

APPL-F1-SC-NoMC-REG MDLs

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH799

APPL ID: AZ90056

Sample Collection Date: 04/22/19

ARF: 88701

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	403	20.0	4.00	1.60	mg/L	20	05/08/19	05/08/19
EPA 300.0	SULFATE	91.8	20.0	4.00	1.80	mg/L	20	05/08/19	05/08/19
EPA 300.0	NITRATE	2.3	0.5	0.18	0.04	mg/L	1	05/07/19	05/07/19
EPA 353.2	NITRATE-NITRITE-N	0.59	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	105	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	TOTAL ALKALINITY AS CACO	105	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/24/19	04/24/19
SW846 9060A	DISSOLVED ORGANIC CARB	0.47 J	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19
SW846 9060A	TOTAL ORGANIC CARBON	0.45 J	0.93	0.350	0.130	mg/L	1	04/30/19	04/30/19

J = Estimated value.

Printed: 05/16/19 3:26:29 PM

APPL-F1-SC-NoMC-REG MDLs

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH801
Sample Collection Date: 04/22/19

APPL ID: AZ90058
ARF: 88701

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	396	20.0	4.00	1.60	mg/L	20	05/08/19	05/08/19
EPA 300.0	SULFATE	69.3	20.0	4.00	1.80	mg/L	20	05/08/19	05/08/19
EPA 300.0	NITRATE	4.4	0.5	0.18	0.04	mg/L	1	05/07/19	05/07/19
EPA 353.2	NITRATE-NITRITE-N	1.1	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	135	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	TOTAL ALKALINITY AS CACO	135	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/24/19	04/24/19
SW846 9060A	DISSOLVED ORGANIC CARB	0.89 J	0.93	0.350	0.130	mg/L	1	04/30/19	04/30/19
SW846 9060A	TOTAL ORGANIC CARBON	0.51 J	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19

J = Estimated value.

Printed: 05/16/19 3:26:29 PM

APPL-F1-SC-NoMC-REG MDLs

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH803
Sample Collection Date: 04/23/19

APPL ID: AZ90060
ARF: 88701

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	151	5.0	1.00	0.40	mg/L	5	05/08/19	05/08/19
EPA 300.0	SULFATE	46.5	5.0	1.00	0.45	mg/L	5	05/08/19	05/08/19
EPA 300.0	NITRATE	5.0	0.5	0.18	0.04	mg/L	1	05/07/19	05/07/19
EPA 353.2	NITRATE-NITRITE-N	1.2	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	92.8	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM 2320B	TOTAL ALKALINITY AS CACO	92.8	2.0	1.70	0.85	mg/L	1	04/24/19	04/24/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/24/19	04/24/19
SW846 9060A	DISSOLVED ORGANIC CARB	0.350 U	0.93	0.350	0.130	mg/L	1	04/30/19	04/30/19
SW846 9060A	TOTAL ORGANIC CARBON	0.92 J	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19

J = Estimated value.

Printed: 05/16/19 3:26:29 PM

APPL-F1-SC-NoMC-REG MDLs

EPA 300.0

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/07/19

Matrix: WATER Instrument: Charlie

Blank ID: 190506A1-BLK Time Analyzed: 0916

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90051	ERH785	10	05/07/19 1129
AZ90054	ERH797	11	05/07/19 1136
AZ90056	ERH799	12	05/07/19 1143
AZ90058	ERH801	13	05/07/19 1151
AZ90060	ERH803	14	05/07/19 1158
190506A1-BLK	Blank	2	05/07/19 0916
190506A1-LCS	Lab Control Spike	3	05/07/19 0924
190506A1-LCSD	Lab Control SpikeD	4	05/07/19 0931

Comments: Batch: #300W-190506A1

EPA 300.0

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/08/19

Matrix: WATER Instrument: Charlie

Blank ID: 190508A-BLK Time Analyzed: 0831

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90060	ERH803	10	05/08/19 0946
190508A-BLK	Blank	3	05/08/19 0831
190508A-LCS	Lab Control Spike	4	05/08/19 0838
190508A-LCSD	Lab Control SpikeD	5	05/08/19 0845
AZ90051	ERH785	6	05/08/19 0916
AZ90054	ERH797	7	05/08/19 0924
AZ90056	ERH799	8	05/08/19 0931
AZ90058	ERH801	9	05/08/19 0938

Comments: Batch: #300WD-190508A

QC FORMS

EPA 8015B-eLL

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Apollo

APPL ID.	Client Sample No.	SURROGATE: OCTACOSANE (S)			SURROGATE: ORTHO-TERPHENYL (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190426A2-BLK	Blank	60-142	92.6		56-125	90.6	
190426A2-LCS	Lab Control Spike	60-142	88.9		56-125	88.5	
190426A2-LCSD	Lab Control SpikeD	60-142	86.5		56-125	87.9	
AZ90051	ERH785	60-142	72.5		56-125	95.2	
AZ90051-MS	Matrix Spike	60-142	90.3		56-125	88.4	
AZ90051-MSD	Matrix SpikeD	60-142	91.9		56-125	88.5	
AZ90052	ERH786	60-142	99.9		56-125	93.3	
AZ90054	ERH797	60-142	98.8		56-125	104	
AZ90056	ERH799	60-142	96.5		56-125	92.4	
AZ90058	ERH801	60-142	95.1		56-125	91.5	
AZ90060	ERH803	60-142	96.7		56-125	91.9	

Comments: Batch: #DOC53-190426A2

EPA 8015B-eL

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Apollo

Blank ID: 190426A2-BLK Time Analyzed: 1723

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A2-BLK	Blank	419049	04/29/19 1723
190426A2-LCS	Lab Control Spike	419050	04/29/19 1743
190426A2-LCSD	Lab Control SpikeD	419051	04/29/19 1803
AZ90051	ERH785	419057	04/29/19 2003
190426A2-MS	Matrix Spike	419058	04/29/19 2023
190426A2-MSD	Matrix SpikeD	419059	04/29/19 2044
AZ90052	ERH786	419060	04/29/19 2104
AZ90054	ERH797	419061	04/29/19 2123
AZ90056	ERH799	419062	04/29/19 2143
AZ90058	ERH801	419064	04/29/19 2223
AZ90060	ERH803	419065	04/29/19 2243

Comments: Batch: #DOC53-190426A2

Method Blank

EPA 8015B TPH LIQ-LIQ

Blank Name/QCG: **190426W-90051 - 240138**
Batch ID: #DOC53-190426A2

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
BLANK	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
BLANK	SURROGATE: OCTACOSANE (S)	92.6	60-142			%	04/26/19	04/29/19
BLANK	SURROGATE: ORTHO-TERPHEN	90.6	56-125			%	04/26/19	04/29/19

Quant Method: DOC0411.M
Run #: 419049
Instrument: Apollo
Sequence: 190419
Initials: BTI

GC SC-Blank-REG MDLs-DOD
Printed: 05/16/19 2:41:08 PM

EPA 8015B-eL

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Apollo

LCS ID: 190426A2-LCS Time Analyzed: 1743

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A2-BLK	Blank	419049	04/29/19 1723
190426A2-LCS	Lab Control Spike	419050	04/29/19 1743
190426A2-LCSD	Lab Control SpikeD	419051	04/29/19 1803
AZ90051	ERH785	419057	04/29/19 2003
190426A2-MS	Matrix Spike	419058	04/29/19 2023
190426A2-MSD	Matrix SpikeD	419059	04/29/19 2044
AZ90052	ERH786	419060	04/29/19 2104
AZ90054	ERH797	419061	04/29/19 2123
AZ90056	ERH799	419062	04/29/19 2143
AZ90058	ERH801	419064	04/29/19 2223
AZ90060	ERH803	419065	04/29/19 2243

Comments: Batch: #DOC53-190426A2

Laboratory Control Spike Recoveries

EPA 8015B TPH LIQ-LIQ

APPL ID: **190426W-90051 LCS - 240138**
Batch ID: #DOC53-190426A2

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	1120	1070	89.6	85.6	36-132	4.6	30
OIL (C24-C40)	1250	1250	1180	100	94.4	41-113	5.8	30
SURROGATE: OCTACOSANE (S)	75.0	66.7	64.9	88.9	86.5	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	66.4	65.9	88.5	87.9	56-125		

Comments: _____

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	04/26/19	04/26/19
Analysis Date :	04/29/19	04/29/19
Instrument :	Apollo	Apollo
Run :	419050	419051
Initials :	BTI	

Printed: 05/16/19 2:41:01 PM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8015B TPH LIQ-LIQ

APPL ID: **190426W-90051 MS - 240138**
Batch ID: #DOC53-190426A2
Sample ID: AZ90051
Client ID: ERH785

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	ND	1100	1090	88.0	87.2	36-132	0.91	30
OIL (C24-C40)	1250	ND	1420	1200	114 #	96.0	41-113	16.8	30
SURROGATE: OCTACOSANE (S)	75.0	NA	67.7	68.9	90.3	91.9	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	NA	66.3	66.4	88.4	88.5	56-125		

= Recovery is outside QC limits.

Comments:

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	04/26/19	04/26/19
Analysis Date :	04/29/19	04/29/19
Instrument :	Apollo	Apollo
Run :	419058	419059
Initials :	BTI	

Printed: 05/16/19 2:40:57 PM
APPL MSD SCII

EPA 8015B-eLL

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/06/19

Matrix: WATER Instrument: Apollo

APPL ID.	Client Sample No.	SURROGATE: OCTACOSANE (S)			SURROGATE: ORTHO-TERPHENYL (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190502A2-BLK	Blank	60-142	97.3		56-125	93.5	
190502A2-LCS	Lab Control Spike	60-142	90.7		56-125	89.5	
190502A2-LCSD	Lab Control SpikeD	60-142	91.1		56-125	88.8	
AZ90051-MS	Matrix Spike	60-142	91.1		56-125	90.8	
AZ90051-MSD	Matrix SpikeD	60-142	96.7		56-125	87.6	
AZ90051	ERH785	60-142	105		56-125	97.3	
AZ90052	ERH786	60-142	103		56-125	98.5	

Comments: Batch: #DOC53-190502A2

EPA 8015B-eL

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/06/19

Matrix: WATER Instrument: Apollo

Blank ID: 190502A2-BLK Time Analyzed: 1730

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502A2-BLK	Blank	506003	05/06/19 1730
190502A2-LCS	Lab Control Spike	506004	05/06/19 1750
190502A2-LCSD	Lab Control SpikeD	506005	05/06/19 1810
190502A2-MS	Matrix Spike	506011	05/06/19 2009
190502A2-MSD	Matrix SpikeD	506012	05/06/19 2029
AZ90051	ERH785	506013	05/06/19 2049
AZ90052	ERH786	506014	05/06/19 2109

Comments: Batch: #DOC53-190502A2

Method Blank

EPA 8015B TPH LIQ-LIQ RE-EXTRACT

Blank Name/QCG: **190502W-89958 - 240343**
Batch ID: #DOC53-190502A2

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	05/02/19	05/06/19
BLANK	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	05/02/19	05/06/19
BLANK	SURROGATE: OCTACOSANE (S)	97.3	60-142			%	05/02/19	05/06/19
BLANK	SURROGATE: ORTHO-TERPHEN	93.5	56-125			%	05/02/19	05/06/19

Quant Method: DOC0411.M
Run #: 506003
Instrument: Apollo
Sequence: 190506
Initials: BTI

GC SC-Blank-REG MDLs-DOD
Printed: 05/15/19 4:03:20 PM

EPA 8015B-eL

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/06/19

Matrix: WATER Instrument: Apollo

LCS ID: 190502A2-LCS Time Analyzed: 1750

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502A2-BLK	Blank	506003	05/06/19 1730
190502A2-LCS	Lab Control Spike	506004	05/06/19 1750
190502A2-LCSD	Lab Control SpikeD	506005	05/06/19 1810
190502A2-MS	Matrix Spike	506011	05/06/19 2009
190502A2-MSD	Matrix SpikeD	506012	05/06/19 2029
AZ90051	ERH785	506013	05/06/19 2049
AZ90052	ERH786	506014	05/06/19 2109

Comments: Batch: #DOC53-190502A2

Printed: 05/16/19 2:51:06 PM
Form 4, LCS Summary

Laboratory Control Spike Recoveries
EPA 8015B TPH LIQ-LIQ RE-EXTRACT

APPL ID: **190502W-89958 LCS - 240343**
Batch ID: #DOC53-190502A2

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	1480	1080	118	86.4	36-132	31.3 #	30
OIL (C24-C40)	1250	1240	1310	99.2	105	41-113	5.5	30
SURROGATE: OCTACOSANE (S)	75.0	68.0	68.3	90.7	91.1	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	67.1	66.6	89.5	88.8	56-125		

= Recovery is outside QC limits.

Comments:

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	05/02/19	05/02/19
Analysis Date :	05/06/19	05/06/19
Instrument :	Apollo	Apollo
Run :	506004	506005
Initials :	BTI	

Matrix Spike Recoveries

EPA 8015B TPH LIQ-LIQ RE-EXTRACT

APPL ID: **190502W-90051 MS - 240343**
Batch ID: #DOC53-190502A2
Sample ID: AZ90051
Client ID: ERH785

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	ND	1100	1110	88.0	88.8	36-132	0.90	30
OIL (C24-C40)	1250	ND	1360	1290	109	103	41-113	5.3	30
SURROGATE: OCTACOSANE (S)	75.0	NA	68.3	72.5	91.1	96.7	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	NA	68.1	65.7	90.8	87.6	56-125		

Comments:

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	05/02/19	05/02/19
Analysis Date :	05/06/19	05/06/19
Instrument :	Apollo	Apollo
Run :	506011	506012
Initials :	BTI	

Printed: 05/15/19 4:03:29 PM
APPL MSD SCII

8270D-SIM

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Linus

APPL ID.	Client Sample No.	SURROGATE: 2-METHYLNAPHTHALENE-D10 (S)			SURROGATE: FLUORANTHENE-D10 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190424A-BLK	Blank	39-114	68.5		58-120	68.4	
190424A-LCS	Lab Control Spike	39-114	68.6		58-120	73.0	
190424A-LCSD	Lab Control SpikeD	39-114	68.6		58-120	71.8	
AZ90051	ERH785	39-114	87.7		58-120	92.1	
AZ90051-MS	Matrix Spike	39-114	87.0		58-120	90.7	
AZ90051-MSD	Matrix SpikeD	39-114	94.7		58-120	93.4	
AZ90052	ERH786	39-114	87.3		58-120	93.7	
AZ90054	ERH797	39-114	89.4		58-120	91.5	
AZ90056	ERH799	39-114	85.3		58-120	88.3	
AZ90058	ERH801	39-114	85.0		58-120	93.9	
AZ90060	ERH803	39-114	96.2		58-120	97.0	

Comments: Batch: #SIM53-190424A

8270D-SIM

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Linus

Blank ID: 190424A-BLK Time Analyzed: 1545

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	0426L004	04/26/19 1545
190424A-LCS	Lab Control Spike	0426L005	04/26/19 1607
190424A-LCSD	Lab Control SpikeD	0426L006	04/26/19 1629
AZ90051	ERH785	0426L012	04/26/19 1844
190424A-MS	Matrix Spike	0426L013	04/26/19 1906
190424A-MSD	Matrix SpikeD	0426L014	04/26/19 1929
AZ90052	ERH786	0426L015	04/26/19 1951
AZ90054	ERH797	0426L016	04/26/19 2014
AZ90056	ERH799	0426L017	04/26/19 2036
AZ90058	ERH801	0426L018	04/26/19 2058
AZ90060	ERH803	0426L019	04/26/19 2121

Comments: Batch: #SIM53-190424A

Printed: 04/30/19 3:46:00 PM

Form 4, Blank Summary

Method Blank
EPA 8270D SIM LIQ-LIQ

Blank Name/QCG: **190424W-89958 - 239856**
Batch ID: #SIM53-190424A

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
BLANK	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
BLANK	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/24/19	04/26/19
BLANK	SURROGATE: 2-METHYLNAPHT	68.5	39-114			%	04/24/19	04/26/19
BLANK	SURROGATE: FLUORANTHENE-	68.4	58-120			%	04/24/19	04/26/19

Quant Method:L0326.M
Run #:0426L004
Instrument:Linus
Sequence:L190426
Initials:JPR

GC SC-Blank-REG MDLs-DOD
Printed: 04/30/19 3:45:36 PM

8270D-SIM

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Linus

LCS ID: 190424A-LCS Time Analyzed: 1607

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	0426L004	04/26/19 1545
190424A-LCS	Lab Control Spike	0426L005	04/26/19 1607
190424A-LCSD	Lab Control SpikeD	0426L006	04/26/19 1629
AZ90051	ERH785	0426L012	04/26/19 1844
190424A-MS	Matrix Spike	0426L013	04/26/19 1906
190424A-MSD	Matrix SpikeD	0426L014	04/26/19 1929
AZ90052	ERH786	0426L015	04/26/19 1951
AZ90054	ERH797	0426L016	04/26/19 2014
AZ90056	ERH799	0426L017	04/26/19 2036
AZ90058	ERH801	0426L018	04/26/19 2058
AZ90060	ERH803	0426L019	04/26/19 2121

Comments: Batch: #SIM53-190424A

Laboratory Control Spike Recoveries

EPA 8270D SIM LIQ-LIQ

APPL ID: **190424W-89958 LCS - 239856**
Batch ID: #SIM53-190424A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
1-METHYLNAPHTHALENE	6.25	4.34	4.32	69.4	69.1	41-115	0.46	20
2-METHYLNAPHTHALENE	6.25	4.83	4.81	77.3	77.0	39-114	0.41	20
NAPHTHALENE	6.25	4.60	4.59	73.6	73.4	43-114	0.22	20
SURROGATE: 2-METHYLNAPHTHALEN	6.25	4.29	4.29	68.6	68.6	39-114		
SURROGATE: FLUORANTHENE-D10 (S)	6.25	4.56	4.49	73.0	71.8	58-120		

Comments: _____

Primary	SPK	DUP
Quant Method :	L0326.M	L0326.M
Extraction Date :	04/24/19	04/24/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Linus	Linus
Run :	0426L005	0426L006
Initials :	JPR	

Printed: 04/30/19 3:45:43 PM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8270D SIM LIQ-LIQ

APPL ID: **190424W-90051 MS - 239856**
Batch ID: #SIM53-190424A
Sample ID: AZ90051
Client ID: ERH785

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
1-METHYLNAPHTHALENE	6.25	ND	5.50	6.10	88.0	97.6	41-115	10.3	20
2-METHYLNAPHTHALENE	6.25	ND	6.09	6.60	97.4	106	39-114	8.0	20
NAPHTHALENE	6.25	ND	5.90	6.37	94.4	102	43-114	7.7	20
SURROGATE: 2-METHYLNAPHTHALEN	6.25	NA	5.44	5.92	87.0	94.7	39-114		
SURROGATE: FLUORANTHENE-D10 (S)	6.25	NA	5.67	5.84	90.7	93.4	58-120		

Comments: _____

Primary	SPK	DUP
Quant Method :	L0326.M	L0326.M
Extraction Date :	04/24/19	04/24/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Linus	Linus
Run :	0426L013	0426L014
Initials :	JPR	

Printed: 04/30/19 3:45:53 PM
APPL MSD SCII

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Water
ID: 0326L002.D

SDG No:
Date Analyzed: 03/26/19
Instrument: Linus
Time Analyzed: 9:39

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		0.5 SIM 03/06/19	0326L005.D	03/26/19 10:39
2		1 SIM 03/06/19	0326L006.D	03/26/19 11:01
3		5 SIM 03/06/19	0326L007.D	03/26/19 11:23
4		10 SIM 03/06/19	0326L008.D	03/26/19 11:45
5		50 SIM 03/06/19	0326L009.D	03/26/19 12:08
6		100 SIM 03/06/19	0326L010.D	03/26/19 12:30
7		0.2 SIM 01/18/19	0326L012.D	03/26/19 15:55
8		0.1 SIM 01/18/19	0326L013.D	03/26/19 17:05
9		SS SIM 03/06/19	0326L014.D	03/26/19 17:27
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80% of mass 198	45.8
68	0 - 2.05% of mass 69	0.0
70	0 - 2% of mass 69	0.4
127	10 - 80% of mass 198	61.0
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198	100.0
199	5 - 9% of mass 198	6.0
275	10 - 60% of mass 198	18.6
365	1 - 100% of mass 198	2.2
441	0.01 - 24% of mass 442	14.3
442	50 - 150% of mass 198	78.8
443	15 - 24% of mass 442	19.8

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88701
Matrix: Water
ID: 0426L002.D

SDG No: 88701
Date Analyzed: 04/26/19
Instrument: Linus
Time Analyzed: 14:15

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		5 SIM 03/06/19	0426L003.D	04/26/19 14:31
2	Blank	190424A BLK 1/800	0426L004.D	04/26/19 15:45
3	Lab Control Spike	190424A LCS-2 1/800	0426L005.D	04/26/19 16:07
4	Lab Control SpikeD	190424A LCSD-2 1/800	0426L006.D	04/26/19 16:29
5	ERH785	AZ90051W37 1/800	0426L012.D	04/26/19 18:44
6		AZ90051W38 MS-2 1/80	0426L013.D	04/26/19 19:06
7		AZ90051W36 MSD-2 1/8	0426L014.D	04/26/19 19:29
8	ERH786	AZ90052W11 1/800	0426L015.D	04/26/19 19:51
9	ERH797	AZ90054W22 1/800	0426L016.D	04/26/19 20:14
10	ERH799	AZ90056W22 1/800	0426L017.D	04/26/19 20:36
11	ERH801	AZ90058W22 1/800	0426L018.D	04/26/19 20:58
12	ERH803	AZ90060W22 1/800	0426L019.D	04/26/19 21:21
13		5 SIM 03/06/19	0426L020.D	04/26/19 21:43
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80% of mass 198	55.2
68	0 - 2.05% of mass 69	0.0
70	0 - 2% of mass 69	0.6
127	10 - 80% of mass 198	63.7
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198	100.0
199	5 - 9% of mass 198	6.6
275	10 - 60% of mass 198	21.6
365	1 - 100% of mass 198	2.7
441	0.01 - 24% of mass 442	16.7
442	50 - 150% of mass 198	74.2
443	15 - 24% of mass 442	18.4

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88701

Lab File ID (Standard): 0426L003.D Date Analyzed: 04/26/19

Instrument ID: Linus Time Analyzed: 14:31

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Napthalene-D8(IS)		Acenaphthene-D10(IS)		Phenanthrene-D10(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	48849	3.94	20245	5.96	34785	7.69
	UPPER LIMIT	97698	4.11	40490	6.13	69570	7.86
	LOWER LIMIT	24425	3.77	10123	5.79	17393	7.52
	SAMPLE NO.						
01	190424A BLK 1/800	61581	3.92	27671	5.96	51116	7.70
02	190424A LCS-2 1/800	61600	3.92	26296	5.96	49643	7.69
03	190424A LCSD-2 1/800	61904	3.94	27133	5.96	50790	7.69
04	AZ90051W37 1/800	46898	3.94	20972	5.96	38792	7.70
05	AZ90051W38 MS-2 1/8(	50394	3.94	21769	5.96	39937	7.69
06	AZ90051W36 MSD-2 1/	43526	3.94	19312	5.96	37941	7.69
07	AZ90052W11 1/800	47262	3.94	21024	5.96	36499	7.70
08	AZ90054W22 1/800	44195	3.94	19448	5.96	35944	7.70
09	AZ90056W22 1/800	47278	3.94	20437	5.96	37697	7.70
10	AZ90058W22 1/800	46113	3.94	20001	5.96	35683	7.70
11	AZ90060W22 1/800	42355	3.94	19313	5.96	35424	7.70
12	5 SIM 03/06/19	50811	3.94	20724	5.96	34168	7.70
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88701

Lab File ID (Standard): 0426L003.D Date Analyzed: 04/26/19

Instrument ID: Linus Time Analyzed: 14:31

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Chrysene-D12(IS)		Perylene-D12(IS)			
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	49781	10.78	44763	13.17		
	UPPER LIMIT	99562	10.95	89526	13.34		
	LOWER LIMIT	24891	10.61	22382	13.00		
	SAMPLE NO.						
01	190424A BLK 1/800	74152	10.80	72779	13.18		
02	190424A LCS-2 1/800	71987	10.78	68680	13.16		
03	190424A LCSD-2 1/800	73769	10.78	73093	13.16		
04	AZ90051W37 1/800	57477	10.82	55635	13.20		
05	AZ90051W38 MS-2 1/8(	59814	10.79	56078	13.17		
06	AZ90051W36 MSD-2 1/	56419	10.79	54157	13.19		
07	AZ90052W11 1/800	54398	10.82	53093	13.20		
08	AZ90054W22 1/800	53237	10.82	52214	13.20		
09	AZ90056W22 1/800	53172	10.82	53230	13.20		
10	AZ90058W22 1/800	53926	10.82	52452	13.20		
11	AZ90060W22 1/800	53302	10.82	52649	13.20		
12	5 SIM 03/06/19	53412	10.79	50142	13.17		
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

EPA 8270D

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

APPL ID.	Client Sample No.	SURROGATE: 2,4,6-TRIBROMOPHENOL (S)			SURROGATE: 2-FLUORBIPHENYL (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190424A-BLK	Blank	43-140	74.6		44-119	62.7	
190424A-LCS	Lab Control Spike	43-140	82.4		44-119	65.6	
190424A-LCSD	Lab Control SpikeD	43-140	80.8		44-119	66.3	
AZ90051	ERH785	43-140	86.7		44-119	69.6	
AZ90051-MS	Matrix Spike	43-140	91.6		44-119	73.9	
AZ90051-MSD	Matrix SpikeD	43-140	80.0		44-119	64.1	
AZ90052	ERH786	43-140	75.5		44-119	61.5	
AZ90054	ERH797	43-140	80.6		44-119	65.7	
AZ90056	ERH799	43-140	79.4		44-119	66.2	
AZ90058	ERH801	43-140	76.8		44-119	63.6	
AZ90060	ERH803	43-140	109		44-119	87.3	

Comments: Batch: #87DC5-190424A

EPA 8270D

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

APPL ID.	Client Sample No.	SURROGATE: 2-FLUOROPHENOL (S)			SURROGATE: NITROBENZENE-D5 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190424A-BLK	Blank	19-119	81.3		44-120	75.2	
190424A-LCS	Lab Control Spike	19-119	76.8		44-120	71.5	
190424A-LCSD	Lab Control SpikeD	19-119	84.0		44-120	76.1	
AZ90051	ERH785	19-119	83.9		44-120	80.4	
AZ90051-MS	Matrix Spike	19-119	107		44-120	93.6	
AZ90051-MSD	Matrix SpikeD	19-119	74.8		44-120	69.4	
AZ90052	ERH786	19-119	71.7		44-120	67.9	
AZ90054	ERH797	19-119	80.1		44-120	73.2	
AZ90056	ERH799	19-119	81.8		44-120	75.8	
AZ90058	ERH801	19-119	68.2		44-120	71.5	
AZ90060	ERH803	19-119	93.3		44-120	90.4	

Comments: Batch: #87DC5-190424A

EPA 8270D

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

APPL ID.	Client Sample No.	SURROGATE: PHENOL-D6 (S)			SURROGATE: TERPHENYL-D14 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190424A-BLK	Blank	10-115	75.4		50-134	60.2	
190424A-LCS	Lab Control Spike	10-115	70.4		50-134	69.4	
190424A-LCSD	Lab Control SpikeD	10-115	76.8		50-134	69.3	
AZ90051	ERH785	10-115	80.7		50-134	75.7	
AZ90051-MS	Matrix Spike	10-115	102		50-134	77.0	
AZ90051-MSD	Matrix SpikeD	10-115	71.2		50-134	65.7	
AZ90052	ERH786	10-115	68.2		50-134	63.5	
AZ90054	ERH797	10-115	76.5		50-134	68.4	
AZ90056	ERH799	10-115	77.0		50-134	69.5	
AZ90058	ERH801	10-115	65.1		50-134	66.1	
AZ90060	ERH803	10-115	88.3		50-134	90.9	

Comments: Batch: #87DC5-190424A

EPA 8270D

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

Blank ID: 190424A-BLK Time Analyzed: 1746

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	0411Y196	04/26/19 1746
190424A-LCS	Lab Control Spike	0411Y197	04/26/19 1813
190424A-LCSD	Lab Control SpikeD	0411Y198	04/26/19 1841
AZ90051	ERH785	0411Y204	04/26/19 2129
190424A-MS	Matrix Spike	0411Y205	04/26/19 2157
190424A-MSD	Matrix SpikeD	0411Y206	04/26/19 2225
AZ90052	ERH786	0411Y207	04/26/19 2253
AZ90054	ERH797	0411Y208	04/26/19 2321
AZ90056	ERH799	0411Y209	04/26/19 2349
AZ90058	ERH801	0411Y210	04/27/19 0017
AZ90060	ERH803	0411Y211	04/27/19 0045

Comments: Batch: #87DC5-190424A

Method Blank
EPA 8270D WATER

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Blank Name/QCG: **190424W-90051 - 239806**
Batch ID: #87DC5-190424A

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/24/19	04/26/19
BLANK	SURROGATE: 2,4,6-TRIBROMOP	74.6	43-140			%	04/24/19	04/26/19
BLANK	SURROGATE: 2-FLUORBIPHENY	62.7	44-119			%	04/24/19	04/26/19
BLANK	SURROGATE: 2-FLUOROPHENO	81.3	19-119			%	04/24/19	04/26/19
BLANK	SURROGATE: NITROBENZENE-	75.2	44-120			%	04/24/19	04/26/19
BLANK	SURROGATE: PHENOL-D6 (S)	75.4	10-115			%	04/24/19	04/26/19
BLANK	SURROGATE: TERPHENYL-D14 (	60.2	50-134			%	04/24/19	04/26/19

Quant Method:Y0319NC.M
Run #:0411Y196
Instrument:Yoda
Sequence:Y190411
Initials:JPR

GC SC-Blank-REG MDLs-DOD
Printed: 04/29/19 4:08:55 PM

EPA 8270D

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Yoda

LCS ID: 190424A-LCS Time Analyzed: 1813

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	0411Y196	04/26/19 1746
190424A-LCS	Lab Control Spike	0411Y197	04/26/19 1813
190424A-LCSD	Lab Control SpikeD	0411Y198	04/26/19 1841
AZ90051	ERH785	0411Y204	04/26/19 2129
190424A-MS	Matrix Spike	0411Y205	04/26/19 2157
190424A-MSD	Matrix SpikeD	0411Y206	04/26/19 2225
AZ90052	ERH786	0411Y207	04/26/19 2253
AZ90054	ERH797	0411Y208	04/26/19 2321
AZ90056	ERH799	0411Y209	04/26/19 2349
AZ90058	ERH801	0411Y210	04/27/19 0017
AZ90060	ERH803	0411Y211	04/27/19 0045

Comments: Batch: #87DC5-190424A

Laboratory Control Spike Recoveries

EPA 8270D WATER

APPL ID: **190424W-90051 LCS - 239806**
Batch ID: #87DC5-190424A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
PHENOL	62.5	48.6	52.4	77.8	83.8	10-115	7.5	20
SURROGATE: 2,4,6-TRIBROMOPHENOL	250	206	202	82.4	80.8	43-140		
SURROGATE: 2-FLUORBIPHENYL (S)	125	82.0	82.9	65.6	66.3	44-119		
SURROGATE: 2-FLUOROPHENOL (S)	250	192	210	76.8	84.0	19-119		
SURROGATE: NITROBENZENE-D5 (S)	125	89.4	95.1	71.5	76.1	44-120		
SURROGATE: PHENOL-D6 (S)	250	176	192	70.4	76.8	10-115		
SURROGATE: TERPHENYL-D14 (S)	125	86.8	86.6	69.4	69.3	50-134		

Comments:

Primary	SPK	DUP
Quant Method :	Y0319NC.M	Y0319NC.M
Extraction Date :	04/24/19	04/24/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Yoda	Yoda
Run :	0411Y197	0411Y198
Initials :	JPR	

Matrix Spike Recoveries

EPA 8270D WATER

APPL ID: **190424W-90051 MS - 239806**
Batch ID: #87DC5-190424A
Sample ID: AZ90051
Client ID: ERH785

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
PHENOL	62.5	ND	71.2	50.2	114	80.3	10-115	34.6 #	20
SURROGATE: 2,4,6-TRIBROMOPHENOL	250	NA	229	200	91.6	80.0	43-140		
SURROGATE: 2-FLUORBIPHENYL (S)	125	NA	92.4	80.1	73.9	64.1	44-119		
SURROGATE: 2-FLUOROPHENOL (S)	250	NA	267	187	107	74.8	19-119		
SURROGATE: NITROBENZENE-D5 (S)	125	NA	117	86.7	93.6	69.4	44-120		
SURROGATE: PHENOL-D6 (S)	250	NA	254	178	102	71.2	10-115		
SURROGATE: TERPHENYL-D14 (S)	125	NA	96.2	82.1	77.0	65.7	50-134		

= Recovery is outside QC limits.

Comments:

Primary	SPK	DUP
Quant Method :	Y0319NC.M	Y0319NC.M
Extraction Date :	04/24/19	04/24/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Yoda	Yoda
Run :	0411Y205	0411Y206
Initials :	JPR	

Printed: 04/29/19 4:09:11 PM
APPL MSD SCII

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Soil
ID: 0319Y002.D

SDG No:
Date Analyzed: 03/19/19
Instrument: Yoda
Time Analyzed: 18:15

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		50ug/mL 8270 03/13/1	0319Y003.D	03/19/19 18:31
2		4ug/mL 8270 03/13/19	0319Y004.D	03/19/19 18:58
3		5ug/mL 8270 03/13/19	0319Y005.D	03/19/19 19:26
4		10ug/mL 8270 03/13/1	0319Y006.D	03/19/19 19:54
5		20ug/mL 8270 03/13/1	0319Y007.D	03/19/19 20:22
6		40ug/mL 8270 03/13/1	0319Y008.D	03/19/19 20:49
7		60ug/mL 8270 03/13/1	0319Y009.D	03/19/19 21:17
8		80ug/mL 8270 03/13/1	0319Y010.D	03/19/19 21:44
9		100ug/mL 8270 03/13/	0319Y011.D	03/19/19 22:11
10		SS-8270 03/13/19	0319Y012.D	03/19/19 22:39
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80.04% of mass 198	47.2
68	0 - 2% of mass 69	0.0
70	0 - 2% of mass 69	0.6
127	10 - 80% of mass 198	58.4
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198.05	100.0
199	5 - 9% of mass 198	6.7
275	10 - 60% of mass 198	23.1
365	1 - 100% of mass 198	2.4
441	0.01 - 24% of mass 442	16.3
442	50 - 150% of mass 198.05	69.9
443	15 - 24% of mass 442	19.7

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88701
Matrix: Water
ID: 0411Y194.D

SDG No: 88701
Date Analyzed: 04/26/19
Instrument: Yoda
Time Analyzed: 17:03

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		50ug/ml 8270 3/13/19	0411Y195.D	04/26/19 17:18
2	Blank	190424A BLK 1/800	0411Y196.D	04/26/19 17:46
3	Lab Control Spike	190424A LCS-1 1/800	0411Y197.D	04/26/19 18:13
4	Lab Control SpikeD	190424A LCSD-1 1/800	0411Y198.D	04/26/19 18:41
5	ERH785	AZ90051W37 1/800	0411Y204.D	04/26/19 21:29
6		AZ90051W39 MS-1 1/80	0411Y205.D	04/26/19 21:57
7		AZ90051W40 MSD-1 1/8	0411Y206.D	04/26/19 22:25
8	ERH786	AZ90052W11 1/800	0411Y207.D	04/26/19 22:53
9	ERH797	AZ90054W22 1/800	0411Y208.D	04/26/19 23:21
10	ERH799	AZ90056W22 1/800	0411Y209.D	04/26/19 23:49
11	ERH801	AZ90058W22 1/800	0411Y210.D	04/27/19 0:17
12	ERH803	AZ90060W22 1/800	0411Y211.D	04/27/19 0:45
13		50ug/ml 8270 3/13/19	0411Y212.D	04/27/19 1:12
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	10 - 80% of mass 198	49.9
68	0 - 2% of mass 69	0.0
70	0 - 2% of mass 69	0.3
127	10 - 80% of mass 198	60.5
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198	100.0
199	5 - 9% of mass 198	6.3
275	10 - 60% of mass 198	23.2
365	1 - 100% of mass 198	2.5
441	0.01 - 24% of mass 442	16.7
442	50 - 150% of mass 198	65.1
443	17 - 23% of mass 442	20.0

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88701

Lab File ID (Standard): 0411Y195.D Date Analyzed: 04/26/19

Instrument ID: Yoda Time Analyzed: 17:18

GC Column: _____ ID: Heated Purge: (Y/N) _____

		1,4-dichlorobenzene-D4(IS)		Napthalene-D8(IS)		Acenaphthene-D10(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	198066	5.28	854755	6.74	463907	8.77
	UPPER LIMIT	396132	5.45	1709510	6.91	927814	8.94
	LOWER LIMIT	99033	5.11	427378	6.57	231954	8.60
	SAMPLE NO.						
01	50ug/ml 8270 3/13/19	198066	5.28	854755	6.74	463907	8.77
02	190424A BLK 1/800	156918	5.28	730248	6.74	463695	8.77
03	190424A LCS-1 1/800	165950	5.28	746399	6.74	433513	8.77
04	190424A LCSD-1 1/800	155619	5.28	700505	6.74	423707	8.78
05	AZ90051W37 1/800	165799	5.28	731764	6.74	444129	8.77
06	AZ90051W39 MS-1 1/8(	130899	5.28	623251	6.74	420381	8.78
07	AZ90051W40 MSD-1 1/	180514	5.28	795566	6.74	465174	8.78
08	AZ90052W11 1/800	183225	5.28	814756	6.74	469745	8.77
09	AZ90054W22 1/800	160242	5.28	733344	6.74	435297	8.78
10	AZ90056W22 1/800	169817	5.28	751024	6.74	462889	8.78
11	AZ90058W22 1/800	167578	5.28	758107	6.74	451799	8.78
12	AZ90060W22 1/800	153337	5.28	659093	6.74	360567	8.77
13	50ug/ml 8270 3/13/19	172038	5.28	762569	6.74	411365	8.77
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

8A
INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: SDG No.: 88701

Lab File ID (Standard): 0411Y195.D Date Analyzed: 04/26/19

Instrument ID: Yoda Time Analyzed: 17:18

GC Column: ID: Heated Purge: (Y/N)

		Phenanthrene-D10(IS)		Chrysene-D12(IS)		Perylene-D12(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	776149	10.53	676093	13.64	642988	15.49
	UPPER LIMIT	1552298	10.70	1352186	13.81	1285976	15.66
	LOWER LIMIT	388075	10.36	338047	13.47	321494	15.32
	SAMPLE NO.						
01	50ug/ml 8270 3/13/19	776149	10.53	676093	13.64	642988	15.49
02	190424A BLK 1/800	781468	10.53	762900	13.64	695198	15.48
03	190424A LCS-1 1/800	741316	10.53	641284	13.64	492206	15.49
04	190424A LCSD-1 1/800	708836	10.53	626419	13.64	542737	15.48
05	AZ90051W37 1/800	750664	10.53	643056	13.64	606037	15.48
06	AZ90051W39 MS-1 1/8(	725758	10.53	632704	13.64	601862	15.48
07	AZ90051W40 MSD-1 1/	775680	10.53	690164	13.64	657908	15.48
08	AZ90052W11 1/800	807393	10.53	700169	13.64	657852	15.48
09	AZ90054W22 1/800	743716	10.53	643010	13.64	614118	15.48
10	AZ90056W22 1/800	783005	10.53	666589	13.64	643072	15.48
11	AZ90058W22 1/800	766615	10.53	673211	13.64	627494	15.48
12	AZ90060W22 1/800	603056	10.53	524020	13.64	486077	15.47
13	50ug/ml 8270 3/13/19	684409	10.53	609183	13.64	569428	15.49
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

EPA 8270D

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Yoda

Blank ID: 190429A-BLK Time Analyzed: 1413

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-BLK	Blank	0430Y013	04/30/19 1413
190429A-LCS	Lab Control Spike	0430Y014	04/30/19 1437
190429A-LCSD	Lab Control SpikeD	0430Y015	04/30/19 1501
AZ90051	ERH785	0430Y021	04/30/19 1722
190429A-MS	Matrix Spike	0430Y022	04/30/19 1746
190429A-MSD	Matrix SpikeD	0430Y023	04/30/19 1809
AZ90052	ERH786	0430Y024	04/30/19 1833
AZ90054	ERH797	0430Y025	04/30/19 1857
AZ90056	ERH799	0430Y026	04/30/19 1920
AZ90058	ERH801	0430Y027	04/30/19 1944
AZ90060	ERH803	0430Y028	04/30/19 2007

Comments: Batch: #87DME-190429A

Method Blank
EPA 8270D MODIFIED WATER

Blank Name/QCG: **190429W-89958 - 239869**
Batch ID: #87DME-190429A

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	2-(2-METHOXYETHOXY)-ETHAN	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:YMEE0430.M
Run #:0430Y013
Instrument:Yoda
Sequence:Y190430M
Initials:MA

GC SC-Blank-REG MDLs-DOD
Printed: 05/01/19 9:33:12 AM

EPA 8270D

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Yoda

LCS ID: 190429A-LCS Time Analyzed: 1437

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-BLK	Blank	0430Y013	04/30/19 1413
190429A-LCS	Lab Control Spike	0430Y014	04/30/19 1437
190429A-LCSD	Lab Control SpikeD	0430Y015	04/30/19 1501
AZ90051	ERH785	0430Y021	04/30/19 1722
190429A-MS	Matrix Spike	0430Y022	04/30/19 1746
190429A-MSD	Matrix SpikeD	0430Y023	04/30/19 1809
AZ90052	ERH786	0430Y024	04/30/19 1833
AZ90054	ERH797	0430Y025	04/30/19 1857
AZ90056	ERH799	0430Y026	04/30/19 1920
AZ90058	ERH801	0430Y027	04/30/19 1944
AZ90060	ERH803	0430Y028	04/30/19 2007

Comments: Batch: #87DME-190429A

Laboratory Control Spike Recoveries

EPA 8270D MODIFIED WATER

APPL ID: **190429W-89958 LCS - 239869**
Batch ID: #87DME-190429A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
2-(2-METHOXYETHOXY)-ETHANOL	80.0	93.3	124	117	155 #	30-130	28.3 #	20

= Recovery is outside QC limits.

Comments:

Primary	SPK	DUP
Quant Method :	YMEE0430.M	YMEE0430.M
Extraction Date :	04/29/19	04/29/19
Analysis Date :	04/30/19	04/30/19
Instrument :	Yoda	Yoda
Run :	0430Y014	0430Y015
Initials :	MA	

Printed: 05/01/19 9:33:21 AM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8270D MODIFIED WATER

APPL ID: **190429W-90051 MS - 239869**
Batch ID: #87DME-190429A
Sample ID: AZ90051
Client ID: ERH785

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
2-(2-METHOXYETHOXY)-ETHANOL	80.0	ND	71.9	86.1	89.9	108	30-130	18.0	20

Comments: _____

Primary	SPK	DUP
Quant Method :	YMEE0430.M	YMEE0430.M
Extraction Date :	04/29/19	04/29/19
Analysis Date :	04/30/19	04/30/19
Instrument :	Yoda	Yoda
Run :	0430Y022	0430Y023
Initials :	MA	

Printed: 05/01/19 9:33:31 AM
APPL MSD SCII

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Max

APPL ID.	Client Sample No.	SURROGATE: 1,2-DICHLOROETHANE-D4 (S)			SURROGATE: 4-BROMOFLUOROBENZENE (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190425AM-LCS	Lab Control Spike	81-118	95.6		85-114	103	
190425AM-LCSD	Lab Control SpikeD	81-118	97.2		85-114	104	
190425AM-BLK	Blank	81-118	93.7		85-114	99.9	
AZ90053	ERH796	81-118	93.7		85-114	99.4	
AZ90059	ERH802	81-118	93.1		85-114	100	
AZ90050	ERH784	81-118	92.4		85-114	101	
AZ90055	ERH798	81-118	93.7		85-114	96.4	
AZ90057	ERH800	81-118	93.5		85-114	98.0	
AZ90051	ERH785	81-118	92.7		85-114	99.5	
AZ90052	ERH786	81-118	90.6		85-114	98.4	
AZ90054	ERH797	81-118	92.1		85-114	97.2	
AZ90056	ERH799	81-118	91.1		85-114	97.1	
AZ90058	ERH801	81-118	93.3		85-114	99.0	
AZ90060	ERH803	81-118	91.1		85-114	95.4	
AZ90051-MS	Matrix Spike	81-118	96.0		85-114	100	
AZ90051-MSD	Matrix SpikeD	81-118	90.0		85-114	96.4	

Comments: Batch: #86BTO-190425AM

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Max

APPL ID.	Client Sample No.	SURROGATE: DIBROMOFLUOROMETHANE (S)			SURROGATE: TOLUENE-D8 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190425AM-LCS	Lab Control Spike	80-119	106		89-112	96.0	
190425AM-LCSD	Lab Control SpikeD	80-119	105		89-112	98.0	
190425AM-BLK	Blank	80-119	102		89-112	97.3	
AZ90053	ERH796	80-119	102		89-112	99.8	
AZ90059	ERH802	80-119	101		89-112	98.6	
AZ90050	ERH784	80-119	102		89-112	98.4	
AZ90055	ERH798	80-119	102		89-112	99.5	
AZ90057	ERH800	80-119	99.5		89-112	97.2	
AZ90051	ERH785	80-119	101		89-112	96.5	
AZ90052	ERH786	80-119	97.8		89-112	96.9	
AZ90054	ERH797	80-119	99.4		89-112	96.9	
AZ90056	ERH799	80-119	94.8		89-112	97.9	
AZ90058	ERH801	80-119	98.9		89-112	97.7	
AZ90060	ERH803	80-119	97.1		89-112	96.6	
AZ90051-MS	Matrix Spike	80-119	104		89-112	98.4	
AZ90051-MSD	Matrix SpikeD	80-119	94.8		89-112	95.6	

Comments: Batch: #86BTO-190425AM

EPA 8260B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Max

Blank ID: 190425AM-BLK Time Analyzed: 1708

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190425AM-LCS	Lab Control Spike	0425M04	04/25/19 1417
190425AM-LCSD	Lab Control SpikeD	0425M05	04/25/19 1446
190425AM-BLK	Blank	0425M10	04/25/19 1708
AZ90053	ERH796	0425M12	04/25/19 1805
AZ90059	ERH802	0425M13	04/25/19 1834
AZ90050	ERH784	0425M14	04/25/19 1902
AZ90055	ERH798	0425M15	04/25/19 1931
AZ90057	ERH800	0425M16	04/25/19 1959
AZ90051	ERH785	0425M17	04/25/19 2028
AZ90052	ERH786	0425M18	04/25/19 2056
AZ90054	ERH797	0425M19	04/25/19 2125
AZ90056	ERH799	0425M20	04/25/19 2153
AZ90058	ERH801	0425M21	04/25/19 2222
AZ90060	ERH803	0425M22	04/25/19 2250
190425AM-MS	Matrix Spike	0425M23	04/25/19 2319
190425AM-MSD	Matrix SpikeD	0425M24	04/25/19 2347

Comments: Batch: #86BTO-190425AM

Method Blank
EPA 8260B BTEX WATER

Blank Name/QCG: **190425W-90051 - 239745**
Batch ID: #86BTO-190425AM

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
BLANK	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/25/19	04/25/19
BLANK	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/25/19	04/25/19
BLANK	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/25/19	04/25/19
BLANK	SURROGATE: 1,2-DICHLOROET	93.7	81-118			%	04/25/19	04/25/19
BLANK	SURROGATE: 4-BROMOFLUORO	99.9	85-114			%	04/25/19	04/25/19
BLANK	SURROGATE: DIBROMOFLUOR	102	80-119			%	04/25/19	04/25/19
BLANK	SURROGATE: TOLUENE-D8 (S)	97.3	89-112			%	04/25/19	04/25/19

Quant Method: M0324.M
Run #: 0425M10
Instrument: Max
Sequence: M190401
Initials: DG

GC SC-Blank-REG MDLs-DOD
Printed: 04/26/19 12:52:51 PM

EPA 8260B

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Max

LCS ID: 190425AM-LCS Time Analyzed: 1417

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190425AM-LCS	Lab Control Spike	0425M04	04/25/19 1417
190425AM-LCSD	Lab Control SpikeD	0425M05	04/25/19 1446
190425AM-BLK	Blank	0425M10	04/25/19 1708
AZ90053	ERH796	0425M12	04/25/19 1805
AZ90059	ERH802	0425M13	04/25/19 1834
AZ90050	ERH784	0425M14	04/25/19 1902
AZ90055	ERH798	0425M15	04/25/19 1931
AZ90057	ERH800	0425M16	04/25/19 1959
AZ90051	ERH785	0425M17	04/25/19 2028
AZ90052	ERH786	0425M18	04/25/19 2056
AZ90054	ERH797	0425M19	04/25/19 2125
AZ90056	ERH799	0425M20	04/25/19 2153
AZ90058	ERH801	0425M21	04/25/19 2222
AZ90060	ERH803	0425M22	04/25/19 2250
190425AM-MS	Matrix Spike	0425M23	04/25/19 2319
190425AM-MSD	Matrix SpikeD	0425M24	04/25/19 2347

Comments: Batch: #86BTO-190425AM

Printed: 04/26/19 12:52:32 PM

Form 4, LCS Summary

Laboratory Control Spike Recoveries
EPA 8260B BTEX WATER

APPL ID: **190425W-90051 LCS - 239745**
Batch ID: #86BTO-190425AM

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
BENZENE	10.00	9.99	10.0	99.9	100	79-120	0.10	20
ETHYLBENZENE	10.00	10.1	10.0	101	100	79-121	1.00	20
TOLUENE	10.00	10.2	10.2	102	102	80-121	0.0	20
XYLENES (TOTAL)	30.0	30.5	30.5	102	102	79-121	0.0	20
SURROGATE: 1,2-DICHLOROETHANE-D	25.0	23.9	24.3	95.6	97.2	81-118		
SURROGATE: 4-BROMOFLUOROBENZE	25.0	25.7	25.9	103	104	85-114		
SURROGATE: DIBROMOFLUOROMETH	25.0	26.4	26.2	106	105	80-119		
SURROGATE: TOLUENE-D8 (S)	25.0	24.0	24.5	96.0	98.0	89-112		

Comments:

Primary	SPK	DUP
Quant Method :	M0324.M	M0324.M
Extraction Date :	04/25/19	04/25/19
Analysis Date :	04/25/19	04/25/19
Instrument :	Max	Max
Run :	0425M04	0425M05
Initials :	DG	

Printed: 04/26/19 12:52:46 PM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8260B BTEX WATER

APPL ID: **190425W-90051 MS - 239745**
Batch ID: #86BTO-190425AM
Sample ID: AZ90051
Client ID: ERH785

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
BENZENE	10.00	ND	12.0	8.39	120	83.9	79-120	35.4 #	20
ETHYLBENZENE	10.00	ND	12.5	8.85	125 #	88.5	79-121	34.2 #	20
TOLUENE	10.00	ND	15.7	11.4	157 #	114	80-121	31.7 #	20
XYLENES (TOTAL)	30.0	ND	39.7	28.6	132 #	95.3	79-121	32.5 #	20
SURROGATE: 1,2-DICHLOROETHANE-D	25.0	NA	24.0	22.5	96.0	90.0	81-118		
SURROGATE: 4-BROMOFLUOROBENZE	25.0	NA	25.0	24.1	100	96.4	85-114		
SURROGATE: DIBROMOFLUOROMETH	25.0	NA	25.9	23.7	104	94.8	80-119		
SURROGATE: TOLUENE-D8 (S)	25.0	NA	24.6	23.9	98.4	95.6	89-112		

= Recovery is outside QC limits.

Comments: _____

Primary	SPK	DUP
Quant Method :	M0324.M	M0324.M
Extraction Date :	04/25/19	04/25/19
Analysis Date :	04/25/19	04/25/19
Instrument :	Max	Max
Run :	0425M23	0425M24
Initials :	DG	

Printed: 04/26/19 12:52:40 PM
APPL MSD SCII

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Water
ID: 0324M01.D

SDG No:
Date Analyzed: 03/24/19
Instrument: Max
Time Analyzed: 10:39

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		0.3ug/L VOC STD 3/24	0324M05.D	03/24/19 12:56
2		0.5ug/L VOC STD 3/24	0324M06.D	03/24/19 13:25
3		1.0ug/L VOC STD 3/24	0324M07.D	03/24/19 13:54
4		2.0ug/L VOC STD 3/24	0324M08.D	03/24/19 14:22
5		5.0ug/L VOC STD 3/24	0324M09.D	03/24/19 14:51
6		10ug/L VOC STD 3/24/	0324M10.D	03/24/19 15:19
7		20ug/L VOC STD 3/24/	0324M11.D	03/24/19 15:48
8		40ug/L VOC STD 3/24/	0324M12.D	03/24/19 16:17
9		100ug/L VOC STD 3/24	0324M13.D	03/24/19 16:45
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
50	15 - 40% of mass 95	18.1
75	30 - 60% of mass 95	49.1
95	100 - 100% of mass 95	100.0
96	5 - 9% of mass 95	6.9
173	0 - 2% of mass 174	0.4
174	50 - 100% of mass 95	92.4
175	5 - 9% of mass 174	7.8
176	95.06 - 101% of mass 174	96.4
177	5 - 9% of mass 176	7.4

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Water
ID: 0324M15.D

SDG No:
Date Analyzed: 03/24/19
Instrument: Max
Time Analyzed: 17:43

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		(SS)10ug/L VOC STD 3	0324M16.D	03/24/19 18:11
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
50	15 - 40% of mass 95	18.7
75	30 - 60% of mass 95	48.5
95	100 - 100% of mass 95	100.0
96	5 - 9% of mass 95	6.7
173	0 - 2% of mass 174	0.0
174	50 - 100% of mass 95	88.8
175	5 - 9% of mass 174	8.1
176	95.06 - 101% of mass 174	98.3
177	5 - 9% of mass 176	6.7

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88701
Matrix: Water
ID: 0425M01.D

SDG No: 88701
Date Analyzed: 04/25/19
Instrument: Max
Time Analyzed: 12:55

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		190425A CCV 10ug/L	0425M03.D	04/25/19 13:49
2	Lab Control Spike	190425A LCS 10ug/L	0425M04.D	04/25/19 14:17
3	Lab Control SpikeD	190425A LCSD 10ug/L	0425M05.D	04/25/19 14:46
4	Blank	190425A blk	0425M10.D	04/25/19 17:08
5	ERH796	AZ90053W01	0425M12.D	04/25/19 18:05
6	ERH802	AZ90059W01	0425M13.D	04/25/19 18:34
7	ERH784	AZ90050W01	0425M14.D	04/25/19 19:02
8	ERH798	AZ90055W01	0425M15.D	04/25/19 19:31
9	ERH800	AZ90057W01	0425M16.D	04/25/19 19:59
10	ERH785	AZ90051W01	0425M17.D	04/25/19 20:28
11	ERH786	AZ90052W01	0425M18.D	04/25/19 20:56
12	ERH797	AZ90054W01	0425M19.D	04/25/19 21:25
13	ERH799	AZ90056W01	0425M20.D	04/25/19 21:53
14	ERH801	AZ90058W01	0425M21.D	04/25/19 22:22
15	ERH803	AZ90060W01	0425M22.D	04/25/19 22:50
16		AZ90051W04 MS 10ug/L	0425M23.D	04/25/19 23:19
17		AZ90051W05 MSD 10ug/	0425M24.D	04/25/19 23:47
18		Ending CCV 10ug/L	0425M27.D	04/26/19 1:13
19				
20				
21				
22				

m/e		
50	15 - 40% of mass 95	16.1
75	30 - 60% of mass 95	47.8
95	100 - 100% of mass 95	100.0
96	5 - 9% of mass 95	8.4
173	0 - 2% of mass 174	0.3
174	50 - 100% of mass 95	98.4
175	5 - 9% of mass 174	7.7
176	95.06 - 101% of mass 174	95.8
177	5 - 9% of mass 176	8.3

8A
INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88701

Lab File ID (Standard): 0425M03.D Date Analyzed: 04/25/19

Instrument ID: Max Time Analyzed: 13:49

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Fluorobenzene (IS)		Chlorobenzene-D5 (IS)		1,4-Dichlorobenzene-D (IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	775435	5.20	610368	8.80	335796	11.99
	UPPER LIMIT	1550870	5.37	1220736	8.97	671592	12.16
	LOWER LIMIT	387718	5.03	305184	8.63	167898	11.82
	SAMPLE NO.						
01	190425A LCS 10ug/L	729105	5.20	584018	8.80	329157	11.99
02	190425A LCSD 10ug/L	726393	5.20	574203	8.80	317313	11.99
03	190425A blk	724713	5.21	561675	8.80	294075	11.99
04	AZ90053W01	748240	5.21	561096	8.80	287803	11.99
05	AZ90059W01	705837	5.20	541846	8.80	286214	11.99
06	AZ90050W01	698522	5.20	538780	8.80	279935	11.99
07	AZ90055W01	783726	5.21	585818	8.80	284947	11.99
08	AZ90057W01	744311	5.21	558880	8.80	286784	11.99
09	AZ90051W01	701384	5.21	545261	8.80	281141	11.99
10	AZ90052W01	709606	5.21	539685	8.80	276195	11.99
11	AZ90054W01	701624	5.20	541522	8.80	283034	11.99
12	AZ90056W01	768638	5.21	578151	8.80	294599	11.99
13	AZ90058W01	746252	5.20	571073	8.80	295723	11.99
14	AZ90060W01	809717	5.21	608003	8.80	304633	11.99
15	AZ90051W04 MS 10ug/	746831	5.21	566526	8.80	297794	11.99
16	AZ90051W05 MSD 10u	755025	5.21	570656	8.80	301145	11.99
17	Ending CCV 10ug/L	778804	5.21	603493	8.80	316720	11.99
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Max

APPL ID.	Client Sample No.	SURROGATE: 4-BROMOFLUOROBENZENE (S)					
		Limits	Result	Qualifier	Limits	Result	Qualifier
190425AM-LCS	Lab Control Spike	85-114	103				
190425AM-LCSD	Lab Control SpikeD	85-114	101				
190425AM-BLK	Blank	85-114	99.9				
AZ90053	ERH796	85-114	99.4				
AZ90059	ERH802	85-114	100				
AZ90050	ERH784	85-114	101				
AZ90055	ERH798	85-114	96.4				
AZ90057	ERH800	85-114	98.0				
AZ90051	ERH785	85-114	99.5				
AZ90052	ERH786	85-114	98.4				
AZ90054	ERH797	85-114	97.2				
AZ90056	ERH799	85-114	97.1				
AZ90058	ERH801	85-114	99.0				
AZ90060	ERH803	85-114	95.4				
AZ90051-MS	Matrix Spike	85-114	98.0				
AZ90051-MSD	Matrix SpikeD	85-114	100				

Comments: Batch: #GRO86-190425AM

EPA 8260B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Max

Blank ID: 190425AM-BLK Time Analyzed: 1708

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190425AM-LCS	Lab Control Spike	0425M07	04/25/19 1543
190425AM-LCSD	Lab Control SpikeD	0425M08	04/25/19 1611
190425AM-BLK	Blank	0425M10	04/25/19 1708
AZ90053	ERH796	0425M12	04/25/19 1805
AZ90059	ERH802	0425M13	04/25/19 1834
AZ90050	ERH784	0425M14	04/25/19 1902
AZ90055	ERH798	0425M15	04/25/19 1931
AZ90057	ERH800	0425M16	04/25/19 1959
AZ90051	ERH785	0425M17	04/25/19 2028
AZ90052	ERH786	0425M18	04/25/19 2056
AZ90054	ERH797	0425M19	04/25/19 2125
AZ90056	ERH799	0425M20	04/25/19 2153
AZ90058	ERH801	0425M21	04/25/19 2222
AZ90060	ERH803	0425M22	04/25/19 2250
190425AM-MS	Matrix Spike	0425M25	04/26/19 0016
190425AM-MSD	Matrix SpikeD	0425M26	04/26/19 0044

Comments: Batch: #GRO86-190425AM

Printed: 04/26/19 12:07:33 PM
Form 4, Blank Summary

Method Blank
EPA 8260B GRO WATER

Blank Name/QCG: **190425W-90051 - 239739**
Batch ID: #GRO86-190425AM

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/25/19	04/25/19
BLANK	SURROGATE: 4-BROMOFLUORO	99.9	85-114			%	04/25/19	04/25/19

Quant Method: MSUR324.M
Run #: 0425M10
Instrument: Max
Sequence: M190401
Initials: DG

GC SC-Blank-REG MDLs-DOD
Printed: 04/26/19 12:07:49 PM

EPA 8260B

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Max

LCS ID: 190425AM-LCS Time Analyzed: 1543

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190425AM-LCS	Lab Control Spike	0425M07	04/25/19 1543
190425AM-LCSD	Lab Control SpikeD	0425M08	04/25/19 1611
190425AM-BLK	Blank	0425M10	04/25/19 1708
AZ90053	ERH796	0425M12	04/25/19 1805
AZ90059	ERH802	0425M13	04/25/19 1834
AZ90050	ERH784	0425M14	04/25/19 1902
AZ90055	ERH798	0425M15	04/25/19 1931
AZ90057	ERH800	0425M16	04/25/19 1959
AZ90051	ERH785	0425M17	04/25/19 2028
AZ90052	ERH786	0425M18	04/25/19 2056
AZ90054	ERH797	0425M19	04/25/19 2125
AZ90056	ERH799	0425M20	04/25/19 2153
AZ90058	ERH801	0425M21	04/25/19 2222
AZ90060	ERH803	0425M22	04/25/19 2250
190425AM-MS	Matrix Spike	0425M25	04/26/19 0016
190425AM-MSD	Matrix SpikeD	0425M26	04/26/19 0044

Comments: Batch: #GRO86-190425AM

Laboratory Control Spike Recoveries
EPA 8260B GRO WATER

APPL ID: **190425W-90051 LCS - 239739**
Batch ID: #GRO86-190425AM

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
GASOLINE RANGE ORGANICS	300	352	330	117	110	78-122	6.5	20
SURROGATE: 4-BROMOFLUOROBENZE	25.0	25.7	25.2	103	101	85-114		

Comments: _____

Primary	SPK	DUP
Quant Method :	MSUR324.M	MSUR324.M
Extraction Date :	04/25/19	04/25/19
Analysis Date :	04/25/19	04/25/19
Instrument :	Max	Max
Run :	0425M07	0425M08
Initials :	DG	

Printed: 04/26/19 12:07:43 PM
APPL Standard LCSD

Matrix Spike Recoveries

EPA 8260B GRO WATER

APPL ID: **190426W-90051 MS - 239739**
Batch ID: #GRO86-190425AM
Sample ID: AZ90051
Client ID: ERH785

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
GASOLINE RANGE ORGANICS	300	ND	249	323	83.0	108	78-122	25.9 #	20
SURROGATE: 4-BROMOFLUOROBENZE	25.0	NA	24.5	25.1	98.0	100	85-114		

= Recovery is outside QC limits.

Comments: _____

Primary	SPK	DUP
Quant Method :	MSUR324.M	MSUR324.M
Extraction Date :	04/26/19	04/26/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Max	Max
Run :	0425M25	0425M26
Initials :	DG	

Printed: 04/26/19 12:07:39 PM
APPL MSD SCII

RSK 175

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Rocky

Blank ID: 190429A-BLK Time Analyzed: 1112

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-LCS	Lab Control Spike	19042900	04/29/19 1103
190429A-LCSD	Lab Control SpikeD	19042901	04/29/19 1107
190429A-BLK	Blank	19042902	04/29/19 1112
AZ90050	ERH784	19042906	04/29/19 1123
AZ90051	ERH785	19042907	04/29/19 1127
190429A-MS	Matrix Spike	19042908	04/29/19 1129
190429A-MSD	Matrix SpikeD	19042909	04/29/19 1132
AZ90053	ERH796	19042910	04/29/19 1136
AZ90054	ERH797	19042911	04/29/19 1138
AZ90055	ERH798	19042912	04/29/19 1140
AZ90056	ERH799	19042913	04/29/19 1143
AZ90057	ERH800	19042914	04/29/19 1145
AZ90058	ERH801	19042915	04/29/19 1147
AZ90059	ERH802	19042916	04/29/19 1149
AZ90060	ERH803	19042917	04/29/19 1151

Comments: Batch: #RSKME-190429A

Method Blank
METHANE

Blank Name/QCG: **190429W-90051 - 239793**
Batch ID: #RSKME-190429A

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	METHANE	1.00 U	5.0	1.00	0.25	ug/L	04/29/19	04/29/19

Quant Method: RSK0311.M
Run #: 19042902
Instrument: Rocky
Sequence: 190311
Initials: CMO

GC SC-Blank-REG MDLs-DOD
Printed: 04/29/19 12:12:57 PM

RSK 175

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Rocky

LCS ID: 190429A-LCS Time Analyzed: 1103

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-LCS	Lab Control Spike	19042900	04/29/19 1103
190429A-LCSD	Lab Control SpikeD	19042901	04/29/19 1107
190429A-BLK	Blank	19042902	04/29/19 1112
AZ90050	ERH784	19042906	04/29/19 1123
AZ90051	ERH785	19042907	04/29/19 1127
190429A-MS	Matrix Spike	19042908	04/29/19 1129
190429A-MSD	Matrix SpikeD	19042909	04/29/19 1132
AZ90053	ERH796	19042910	04/29/19 1136
AZ90054	ERH797	19042911	04/29/19 1138
AZ90055	ERH798	19042912	04/29/19 1140
AZ90056	ERH799	19042913	04/29/19 1143
AZ90057	ERH800	19042914	04/29/19 1145
AZ90058	ERH801	19042915	04/29/19 1147
AZ90059	ERH802	19042916	04/29/19 1149
AZ90060	ERH803	19042917	04/29/19 1151

Comments: Batch: #RSKME-190429A

Laboratory Control Spike Recoveries
METHANE

APPL ID: **190429W-90051 LCS - 239793**
Batch ID: #RSKME-190429A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
METHANE	83.4	84.9	82.4	102	98.8	72-125	3.0	30

Comments: _____

Primary	SPK	DUP
Quant Method :	RSK0311.M	RSK0311.M
Extraction Date :	04/29/19	04/29/19
Analysis Date :	04/29/19	04/29/19
Instrument :	Rocky	Rocky
Run :	19042900	19042901
Initials :	CMO	

Printed: 04/29/19 12:12:50 PM
APPL Standard LCSD

Matrix Spike Recoveries

METHANE

APPL ID: **190429W-90051 MS - 239793**
Batch ID: #RSKME-190429A
Sample ID: AZ90051
Client ID: ERH785

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	Matrix Result ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
METHANE	83.4	ND	83.2	86.7	99.8	104	72-125	4.1	30

Comments: _____

Primary	SPK	DUP
Quant Method :	RSK0311.M	RSK0311.M
Extraction Date :	04/29/19	04/29/19
Analysis Date :	04/29/19	04/29/19
Instrument :	Rocky	Rocky
Run :	19042908	19042909
Initials :	CMO	

Printed: 04/29/19 12:12:45 PM
APPL MSD SCII

EPA 353.2

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/01/19

Matrix: WATER Instrument: EVE

Blank ID: 190501A-BLK Time Analyzed: 1817

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190501A-BLK	Blank	16	05/01/19 1817
190501A-LCS	Lab Control Spike	17	05/01/19 1819
190501A-LCSD	Lab Control SpikeD	18	05/01/19 1821
AZ90051	ERH785	19	05/01/19 1823
190501A-MS	Matrix Spike	20	05/01/19 1825
190501A-MSD	Matrix SpikeD	21	05/01/19 1828
AZ90054	ERH797	22	05/01/19 1830
AZ90056	ERH799	23	05/01/19 1832
AZ90058	ERH801	24	05/01/19 1834
AZ90060	ERH803	25	05/01/19 1836

Comments: Batch: #35OF-190501A

SM 2320B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Tiamo

Blank ID: 190424A-BLK Time Analyzed: 1727

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	1	04/24/19 1727
190424A-LCS	Lab Control Spike	2	04/24/19 1730
AZ90054	ERH797	21	04/24/19 2132
AZ90056	ERH799	22	04/24/19 2137
AZ90058	ERH801	23	04/24/19 2144
AZ90060	ERH803	24	04/24/19 2157
190424A-LCSD	Lab Control SpikeD	3	04/24/19 1740

Comments: Batch: #232W-190424A

SM 2320B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Tiamo

Blank ID: 190430A-BLK Time Analyzed: 1008

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	1	04/30/19 1008
190430A-LCS	Lab Control Spike	2	04/30/19 1011
190430A-LCSD	Lab Control SpikeD	3	04/30/19 1021
AZ90051	ERH785	4	04/30/19 1031
190430A-MS	Matrix Spike	6	04/30/19 1043
190430A-MSD	Matrix SpikeD	7	04/30/19 1054

Comments: Batch: #232W-190430A

SM3500FeB

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190424A-BLK Time Analyzed: 1959

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	21	04/24/19 1959
190424A-LCS	Lab Control Spike	22	04/24/19 2000
190424A-LCSD	Lab Control SpikeD	23	04/24/19 2001
AZ90051	ERH785	24	04/24/19 2002
190424A-MS	Matrix Spike	25	04/24/19 2003
190424A-MSD	Matrix SpikeD	26	04/24/19 2004
AZ90054	ERH797	27	04/24/19 2005
AZ90056	ERH799	28	04/24/19 2006
AZ90058	ERH801	29	04/24/19 2007
AZ90060	ERH803	30	04/24/19 2008

Comments: Batch: #35FE-190424A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190429A-BLK Time Analyzed: 1451

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-LCSD	Lab Control SpikeD	10	04/29/19 1600
AZ90054	ERH797	35	04/30/19 0547
AZ90058	ERH801	37	04/30/19 0650
AZ90060	ERH803	38	04/30/19 0722
190429A-BLK	Blank	8	04/29/19 1451
190429A-LCS	Lab Control Spike	9	04/29/19 1525

Comments: Batch: #DOCW5-190429A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/03/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190502B-BLK Time Analyzed: 0446

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502B-BLK	Blank	24	05/03/19 0446
190502B-LCS	Lab Control Spike	25	05/03/19 0520
190502B-LCSD	Lab Control SpikeD	26	05/03/19 0555
AZ90051	ERH785	31	05/03/19 0847
AZ90056	ERH799	35	05/03/19 1104

Comments: Batch: #DOCW5-190502B

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190429A-BLK Time Analyzed: 1451

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-LCSD	Lab Control SpikeD	10	04/29/19 1600
AZ90056	ERH799	36	04/30/19 0618
190429A-BLK	Blank	8	04/29/19 1451
190429A-LCS	Lab Control Spike	9	04/29/19 1525

Comments: Batch: #TOCW5-190429A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190502A-BLK Time Analyzed: 1740

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90051	ERH785	11	05/02/19 2139
AZ90054	ERH797	15	05/02/19 2355
AZ90058	ERH801	16	05/03/19 0027
AZ90060	ERH803	17	05/03/19 0058
190502A-BLK	Blank	4	05/02/19 1740
190502A-LCS	Lab Control Spike	5	05/02/19 1814
190502A-LCSD	Lab Control SpikeD	6	05/02/19 1849

Comments: Batch: #TOCW5-190502A

WETLAB BLANK

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Analyte	Result	LOQ	LOD	DL	Units	Prep Date	Analysis Date	QC Group
SM 2320B	BICARBONATE AS	3.9	2.0	1.70	0.85	mg/L	04/30/19	04/30/19	#232W-190430A-AZ90051
SM 2320B	CARBONATE AS C	1.70 U	2.0	1.70	0.85	mg/L	04/30/19	04/30/19	#232W-190430A-AZ90051
SM 2320B	TOTAL ALKALINITY	3.9	2.0	1.70	0.85	mg/L	04/30/19	04/30/19	#232W-190430A-AZ90051
EPA 300.0	NITRATE	0.18 U	0.5	0.18	0.04	mg/L	05/07/19	05/07/19	#300W-190506A1-AZ90051
EPA 300.0	CHLORIDE	0.30 J	1.0	0.20	0.08	mg/L	05/08/19	05/08/19	#300WD-190508A-AZ90051
EPA 300.0	SULFATE	0.20 U	1.0	0.20	0.09	mg/L	05/08/19	05/08/19	#300WD-190508A-AZ90051
SM3500Fe	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	04/24/19	04/24/19	#35FE-190424A-AZ90051
EPA 353.2	NITRATE-NITRITE-	0.090 U	0.10	0.090	0.028	mg/L	05/01/19	05/01/19	#35OF-190501A-AZ90051
SW846 90	DISSOLVED ORGA	0.350 U	0.93	0.350	0.130	mg/L	05/03/19	05/03/19	#DOCW5-190502B-AZ89958
SW846 90	TOTAL ORGANIC C	0.350 U	0.93	0.350	0.130	mg/L	05/02/19	05/02/19	#TOCW5-190502A-AZ89958
SM 2320B	BICARBONATE AS	2.9	2.0	1.70	0.85	mg/L	04/24/19	04/24/19	#232W-190424A-AZ89958
SM 2320B	CARBONATE AS C	1.70 U	2.0	1.70	0.85	mg/L	04/24/19	04/24/19	#232W-190424A-AZ89958
SM 2320B	TOTAL ALKALINITY	2.9	2.0	1.70	0.85	mg/L	04/24/19	04/24/19	#232W-190424A-AZ89958
SW846 90	DISSOLVED ORGA	0.350 U	0.93	0.350	0.130	mg/L	04/29/19	04/29/19	#DOCW5-190429A-AZ90054
SW846 90	TOTAL ORGANIC C	0.350 U	0.93	0.350	0.130	mg/L	04/29/19	04/29/19	#TOCW5-190429A-AZ90056

Wetlab SC-Blank-REG MDLs
Printed: 05/16/19 3:26:57 PM

EPA 300.0

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/07/19

Matrix: WATER Instrument: Charlie

LCS ID: 190506A1-LCS Time Analyzed: 0924

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90051	ERH785	10	05/07/19 1129
AZ90054	ERH797	11	05/07/19 1136
AZ90056	ERH799	12	05/07/19 1143
AZ90058	ERH801	13	05/07/19 1151
AZ90060	ERH803	14	05/07/19 1158
190506A1-BLK	Blank	2	05/07/19 0916
190506A1-LCS	Lab Control Spike	3	05/07/19 0924
190506A1-LCSD	Lab Control SpikeD	4	05/07/19 0931

Comments: Batch: #300W-190506A1

EPA 300.0

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/08/19

Matrix: WATER Instrument: Charlie

LCS ID: 190508A-LCS Time Analyzed: 0838

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90060	ERH803	10	05/08/19 0946
190508A-BLK	Blank	3	05/08/19 0831
190508A-LCS	Lab Control Spike	4	05/08/19 0838
190508A-LCSD	Lab Control SpikeD	5	05/08/19 0845
AZ90051	ERH785	6	05/08/19 0916
AZ90054	ERH797	7	05/08/19 0924
AZ90056	ERH799	8	05/08/19 0931
AZ90058	ERH801	9	05/08/19 0938

Comments: Batch: #300WD-190508A

EPA 353.2

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/01/19

Matrix: WATER Instrument: EVE

LCS ID: 190501A-LCS Time Analyzed: 1819

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190501A-BLK	Blank	16	05/01/19 1817
190501A-LCS	Lab Control Spike	17	05/01/19 1819
190501A-LCSD	Lab Control SpikeD	18	05/01/19 1821
AZ90051	ERH785	19	05/01/19 1823
190501A-MS	Matrix Spike	20	05/01/19 1825
190501A-MSD	Matrix SpikeD	21	05/01/19 1828
AZ90054	ERH797	22	05/01/19 1830
AZ90056	ERH799	23	05/01/19 1832
AZ90058	ERH801	24	05/01/19 1834
AZ90060	ERH803	25	05/01/19 1836

Comments: Batch: #35OF-190501A

SM 2320B

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Tiamo

LCS ID: 190430A-LCS Time Analyzed: 1011

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	1	04/30/19 1008
190430A-LCS	Lab Control Spike	2	04/30/19 1011
190430A-LCSD	Lab Control SpikeD	3	04/30/19 1021
AZ90051	ERH785	4	04/30/19 1031
190430A-MS	Matrix Spike	6	04/30/19 1043
190430A-MSD	Matrix SpikeD	7	04/30/19 1054

Comments: Batch: #232W-190430A

SM3500FeB

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190424A-LCS Time Analyzed: 2000

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	21	04/24/19 1959
190424A-LCS	Lab Control Spike	22	04/24/19 2000
190424A-LCSD	Lab Control SpikeD	23	04/24/19 2001
AZ90051	ERH785	24	04/24/19 2002
190424A-MS	Matrix Spike	25	04/24/19 2003
190424A-MSD	Matrix SpikeD	26	04/24/19 2004
AZ90054	ERH797	27	04/24/19 2005
AZ90056	ERH799	28	04/24/19 2006
AZ90058	ERH801	29	04/24/19 2007
AZ90060	ERH803	30	04/24/19 2008

Comments: Batch: #35FE-190424A

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/03/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190502B-LCS Time Analyzed: 0520

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502B-BLK	Blank	24	05/03/19 0446
190502B-LCS	Lab Control Spike	25	05/03/19 0520
190502B-LCSD	Lab Control SpikeD	26	05/03/19 0555
AZ90051	ERH785	31	05/03/19 0847
AZ90056	ERH799	35	05/03/19 1104

Comments: Batch: #DOCW5-190502B

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190502A-LCS Time Analyzed: 1814

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90051	ERH785	11	05/02/19 2139
AZ90054	ERH797	15	05/02/19 2355
AZ90058	ERH801	16	05/03/19 0027
AZ90060	ERH803	17	05/03/19 0058
190502A-BLK	Blank	4	05/02/19 1740
190502A-LCS	Lab Control Spike	5	05/02/19 1814
190502A-LCSD	Lab Control SpikeD	6	05/02/19 1849

Comments: Batch: #TOCW5-190502A

Laboratory Control Spike Recoveries

WETLAB

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recov	DUP % Recov	RPD	RPD Max	QC Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group
EPA 300.0	CHLORIDE	25.0	24.4	24.4	97.6	97.6	0.0	20	90-110	05/08/19	05/08/19	05/08/19	05/08/19	#300WD-190508A-AZ9005
EPA 300.0	SULFATE	25.0	26.0	26.0	104	104	0.0	20	90-110	05/08/19	05/08/19	05/08/19	05/08/19	#300WD-190508A-AZ9005
EPA 300.0	NITRATE	22.1	22.9	22.9	104	104	0.0	20	90-110	05/07/19	05/07/19	05/07/19	05/07/19	#300W-190506A1-AZ9005
EPA 353.2	NITRATE-NITRITE-N	3.00	3.14	3.12	105	104	0.64	20	90-110	05/01/19	05/01/19	05/01/19	05/01/19	#35OF-190501A-AZ90051
SM 2320B	BICARBONATE AS CACO3	250	238	239	95.2	95.6	0.42	20	90-110	04/30/19	04/30/19	04/30/19	04/30/19	#232W-190430A-AZ90051
SM 2320B	TOTAL ALKALINITY AS CA	250	238	239	95.2	95.6	0.42	20	90-110	04/30/19	04/30/19	04/30/19	04/30/19	#232W-190430A-AZ90051
SM3500Fe	FERROUS IRON	3.00	3.06	3.08	102	103	0.65	20	80-120	04/24/19	04/24/19	04/24/19	04/24/19	#35FE-190424A-AZ90051
SW846 90	DISSOLVED ORGANIC CA	2.5	2.46	2.45	98.4	98.0	0.41	20	90-110	05/03/19	05/03/19	05/03/19	05/03/19	#DOCW5-190502B-AZ899
SW846 90	TOTAL ORGANIC CARBO		2.43	2.37	NA	NA		20	90-110	05/02/19	05/02/19	05/02/19	05/02/19	#TOCW5-190502A-AZ899

Comments: _____

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190429A-LCS Time Analyzed: 1525

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-LCSD	Lab Control SpikeD	10	04/29/19 1600
AZ90054	ERH797	35	04/30/19 0547
AZ90058	ERH801	37	04/30/19 0650
AZ90060	ERH803	38	04/30/19 0722
190429A-BLK	Blank	8	04/29/19 1451
190429A-LCS	Lab Control Spike	9	04/29/19 1525

Comments: Batch: #DOCW5-190429A

SM 2320B

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/24/19

Matrix: WATER Instrument: Tiamo

LCS ID: 190424A-LCS Time Analyzed: 1730

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190424A-BLK	Blank	1	04/24/19 1727
190424A-LCS	Lab Control Spike	2	04/24/19 1730
AZ90054	ERH797	21	04/24/19 2132
AZ90056	ERH799	22	04/24/19 2137
AZ90058	ERH801	23	04/24/19 2144
AZ90060	ERH803	24	04/24/19 2157
190424A-LCSD	Lab Control SpikeD	3	04/24/19 1740

Comments: Batch: #232W-190424A

Laboratory Control Spike Recoveries

WETLAB

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recov	DUP % Recov	RPD	RPD Max	QC Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group
SM 2320B	BICARBONATE AS CACO3	250	233	229	93.2	91.6	1.7	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#232W-190424A-AZ89958
SM 2320B	TOTAL ALKALINITY AS CA	250	233	229	93.2	91.6	1.7	20	90-110	04/24/19	04/24/19	04/24/19	04/24/19	#232W-190424A-AZ89958
SW846 90	DISSOLVED ORGANIC CA	2.50	2.58	2.60	103	104	0.77	20	90-110	04/29/19	04/29/19	04/29/19	04/29/19	#DOCW5-190429A-AZ900

Comments:

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88701

Case No: 88701 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190429A-LCS Time Analyzed: 1525

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-LCSD	Lab Control SpikeD	10	04/29/19 1600
AZ90056	ERH799	36	04/30/19 0618
190429A-BLK	Blank	8	04/29/19 1451
190429A-LCS	Lab Control Spike	9	04/29/19 1525

Comments: Batch: #TOCW5-190429A

Laboratory Control Spike Recoveries

WETLAB

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recov	DUP % Recov	RPD	RPD Max	QC Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group
SW846 90	TOTAL ORGANIC CARBO		2.58	2.60	NA	NA		20	90-110	04/29/19	04/29/19	04/29/19	04/29/19	#TOCW5-190429A-AZ900

Comments: _____

Matrix Spike Recoveries

WETLAB

APPL ID: **190501W-90051 MS - 239906**

Sample ID: AZ90051

Client ID: ERH785

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	Matrix Res mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recovery	DUP % Recovery	RPD	RPD Max	Recovery Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group	QC Sample
EPA 353.2	NITRATE-NITRITE-N	2.50	0.62	3.04	3.19	96.8	103	4.8	20	90-110	05/01/19	05/01/19	05/01/19	05/01/19	239906	AZ90051
SM 2320B	BICARBONATE AS CA	250	67.7	286	283	87.3 #	86.1 #	1.1	20	90-110	04/30/19	04/30/19	04/30/19	04/30/19	239877	AZ90051
SM 2320B	TOTAL ALKALINITY A	250	67.7	286	283	87.3 #	86.1 #	1.1	20	90-110	04/30/19	04/30/19	04/30/19	04/30/19	239877	AZ90051
SM3500Fe	FERROUS IRON	3.00	0.036	3.08	3.06	101	101	0.65	20	80-120	04/24/19	04/24/19	04/24/19	04/24/19	239727	AZ90051

= Recovery is outside QC limits.

Comments:

ORGANICS
Calibration Data

TPH Extractables
DOC0411

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/11/19
Matrix: Water Instrument: Apollo
Initials: D.P.

Diesel / Motor Oil:	411002.D	411003.D	411004.D	411005.D	411006.D	411007.D										
Decanoic Acid:	411009.D	411010.D	411011.D	411012.D	411013.D	411014.D										

		Compound	1	2	3	4	5	6					Avg	%RSD	Type	r^2	Q
1	HATM	Diesel (C10-C24)	1479257	1066406	1154027	1149804	1155026	1151191					1192619	12	HATM		
2	HBTM	Motor Oil (C24-C40)	1115442	902464	913566	920399	937513	921175					951760	8.5	HBTM		
3	SCL	Decanoic Acid(S)	185262	314603	492479	537134	542867	560663					438835	35	SC	0.999	
4	SA	Ortho-Terphenyl(S)	2331995	1997948	2029193	1934422	1946955	1901973					2023748	7.8	SA		
5	SA	Octacosane(S)	2126705	1844471	1831603	1894540	1808281	1847266					1892144	6.3	SA		
6																	
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	
25																	
26																	
27																	
28																	
29																	
30																	
31																	
32																	
33																	
34																	
35																	

1.990883

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411002.D Vial: 2
Acq On : 4-11-19 12:41:17 Operator: DP
Sample : Diesel / Motor Oil - 1 1/15/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	2331995	0.576 ppb
Surrogate Spike 30.000	Recovery =		1.92%
5) SA Octacosane(S)	8.23	2126705	0.562 ppb
Surrogate Spike 30.000	Recovery =		1.87%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	29585142	12.403 ppb
2) HBTM Motor Oil (C24-C40)	9.20	22308844	11.720 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.
411002.D DOC0411.M Fri Apr 12 10:32:50 2019 Page 1

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411002.D
Sample : Diesel / Motor Oil - 1 1/15/19





411002.D DOC0411.M Fri Apr 12 10:32:52 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411003.D Vial: 3
Acq On : 4-11-19 13:00:16 Operator: DP
Sample : Diesel / Motor Oil - 2 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	9989738	2.468 ppb
Surrogate Spike 30.000	Recovery =		8.23%
5) SA Octacosane(S)	8.22	9222354	2.437 ppb
Surrogate Spike 30.000	Recovery =		8.12%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	106640632	44.709 ppb
2) HBTM Motor Oil (C24-C40)	9.20	90246355	47.410 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.
411003.D DOC0411.M Fri Apr 12 10:32:54 2019 Page 1

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411003.D
Sample : Diesel / Motor Oil - 2 4/11/19





411003.D DOC0411.M Fri Apr 12 10:32:56 2019 Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411004.D Vial: 4
Acq On : 4-11-19 13:19:58 Operator: DP
Sample : Diesel / Motor Oil - 3 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	50729819	12.534 ppb
Surrogate Spike 30.000	Recovery =		41.78%
5) SA Octacosane(S)	8.23	45790065	12.100 ppb
Surrogate Spike 30.000	Recovery =		40.33%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	577013623	241.910 ppb
2) HBTM Motor Oil (C24-C40)	9.20	456782905	239.968 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411004.D
Sample : Diesel / Motor Oil - 3 4/11/19





411004.D DOC0411.M Fri Apr 12 10:33:00 2019

Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411005.D Vial: 5
Acq On : 4-11-19 13:39:40 Operator: DP
Sample : Diesel / Motor Oil - 4 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.34	193442220	47.793 ppb
Surrogate Spike 30.000		Recovery =	159.31%
5) SA Octacosane(S)	8.24	189453974	50.063 ppb
Surrogate Spike 30.000		Recovery =	166.88%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	2299608823	964.101 ppb
2) HBTM Motor Oil (C24-C40)	9.20	1840797531	967.050 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411005.D
Sample : Diesel / Motor Oil - 4 4/11/19





411005.D DOC0411.M Fri Apr 12 10:33:04 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411006.D Vial: 6
Acq On : 4-11-19 13:59:26 Operator: DP
Sample : Diesel / Motor Oil - 5 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.35	292043263	72.154 ppb
Surrogate Spike 30.000	Recovery =		240.51%
5) SA Octacosane(S)	8.25	271242076	71.676 ppb
Surrogate Spike 30.000	Recovery =		238.92%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	3465077974	1452.718 ppb
2) HBTM Motor Oil (C24-C40)	9.20	2812537957	1477.546 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.
411006.D DOC0411.M Fri Apr 12 10:33:06 2019 Page 1

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411006.D
Sample : Diesel / Motor Oil - 5 4/11/19





411006.D DOC0411.M Fri Apr 12 10:33:08 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411007.D Vial: 7
Acq On : 4-11-19 14:19:10 Operator: DP
Sample : Diesel / Motor Oil - 6 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.35	380394582	93.983 ppb
Surrogate Spike 30.000		Recovery =	313.28%
5) SA Octacosane(S)	8.25	369453158	97.628 ppb
Surrogate Spike 30.000		Recovery =	325.43%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	4604763920	1930.527 ppb
2) HBTM Motor Oil (C24-C40)	9.20	3684700650	1935.731 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.
411007.D DOC0411.M Fri Apr 12 10:33:10 2019 Page 1

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411007.D
Sample : Diesel / Motor Oil - 6 4/11/19





411007.D DOC0411.M Fri Apr 12 10:33:12 2019

TPH Extractables
DOC0411

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/11/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 411008.D

		Compound	MEAN	CCRF	%D		%Drift
1	HATM	Diesel (C10-C24)	1192620	1089150	8.7	HATM	
2	HBTM	Motor Oil (C24-C40)	951760	887564	6.7	HBTM	
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			7.7		

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411008.D Vial: 8
Acq On : 4-11-19 14:39:01 Operator: DP
Sample : Diesel / Motor Oil - 2nd Source 1/15/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	544574759	228.311 ppb
2) HBTM Motor Oil (C24-C40)	9.20	443782147	233.138 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.
411008.D DOC0411.M Fri Apr 12 10:33:13 2019 Page 1

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411008.D
Sample : Diesel / Motor Oil - 2nd Source 1/15/19



Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411009.D Vial: 9
Acq On : 4-11-19 15:57:31 Operator: DP
Sample : Decanoic Acid - 1 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	4.95	1111571	3.678 ppb m
Surrogate Spike 24.000	Recovery =		15.33%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411009.D
Sample : Decanoic Acid - 1 4/11/19






411009.D DOC0411.M Fri Apr 12 10:33:19 2019 Page 2

Quantitation Report

Data File : G:\APOLLO\DATA\190411\411009.D Vial: 9
Acq On : 4-11-19 15:57:31 Operator: DP
Sample : Decanoic Acid - 1 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:30 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:30:24 2019
Response via : Multiple Level Calibration




(+) = Expected Retention Time
411009.D DOC0411.M Fri Apr 12 10:31:28 2019

Quantitation Report

Data File : G:\APOLLO\DATA\190411\411009.D Vial: 9
Acq On : 4-11-19 15:57:31 Operator: DP
Sample : Decanoic Acid - 1 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:30 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:30:24 2019
Response via : Multiple Level Calibration



MI
D.P. 4/12/19
4/12/19

(+) = Expected Retention Time
411009.D DOC0411.M Fri Apr 12 10:31:34 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411010.D Vial: 10
Acq On : 4-11-19 16:16:26 Operator: DP
Sample : Decanoic Acid - 2 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	4.94	3775239	5.972 ppb
Surrogate Spike 24.000	Recovery =		24.88%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.
411010.D DOC0411.M Fri Apr 12 10:33:21 2019 Page 1

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411010.D
Sample : Decanoic Acid - 2 4/11/19





411010.D DOC0411.M Fri Apr 12 10:33:23 2019 Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411011.D Vial: 11
Acq On : 4-11-19 16:36:04 Operator: DP
Sample : Decanoic Acid - 3 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	4.97	23638982	23.075 ppb
Surrogate Spike 24.000		Recovery =	96.15%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.
411011.D DOC0411.M Fri Apr 12 10:33:24 2019 Page 1

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411011.D
Sample : Decanoic Acid - 3 4/11/19





411011.D DOC0411.M Fri Apr 12 10:33:26 2019

Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411012.D Vial: 12
Acq On : 4-11-19 16:55:47 Operator: DP
Sample : Decanoic Acid - 4 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	4.99	38673628	36.020 ppb
Surrogate Spike 24.000	Recovery =		150.08%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.
411012.D DOC0411.M Fri Apr 12 10:33:28 2019 Page 1

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411012.D
Sample : Decanoic Acid - 4 4/11/19





411012.D DOC0411.M Fri Apr 12 10:33:30 2019

Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411013.D Vial: 13
Acq On : 4-11-19 17:15:26 Operator: DP
Sample : Decanoic Acid - 5 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	5.00	52115206	47.594 ppb
Surrogate Spike 24.000	Recovery	=	198.31%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411013.D
Sample : Decanoic Acid - 5 4/11/19





411013.D DOC0411.M Fri Apr 12 10:33:33 2019 Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411014.D Vial: 14
Acq On : 4-11-19 17:35:11 Operator: DP
Sample : Decanoic Acid - 6 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	5.02	67279572	60.651 ppb
Surrogate Spike 24.000	Recovery	=	252.71%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.
411014.D DOC0411.M Fri Apr 12 10:33:35 2019 Page 1

Quantitation Report

Data File: G:\APOLLO\DATA\190411\411014.D
Sample : Decanoic Acid - 6 4/11/19





411014.D DOC0411.M Fri Apr 12 10:33:37 2019

Page 2

TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/29/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 419048.D

		Compound	MEAN	CCRF	%D	%Drift		
1	HATM	Diesel (C10-C24)	1192620	1196390	0.32	HATM		
2	HBTM	Motor Oil (C24-C40)	951760	1033720	8.6	HBTM		
3	SCL	Decanoic Acid(S)	438835	156063	64	SCL	62	*NT
4	SA	Ortho-Terphenyl(S)	2023750	2174580	7.5	SA		
5	SA	Octacosane(S)	1892140	1924300	1.7	SA		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			16.4			

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419048.D Vial: 48
Acq On : 4-29-19 17:02:59 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 30 11:55 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	54364392	13.432 ppb
Surrogate Spike 30.000	Recovery =		44.77%
5) SA Octacosane(S)	8.22	48107479	12.712 ppb
Surrogate Spike 30.000	Recovery =		42.37%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	598195091	250.791 ppb
2) HBTM Motor Oil (C24-C40)	9.20	516860794	271.529 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419048.D
Sample : Diesel/Motor Oil 3 4/16/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/29/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 419063.D

		Compound	MEAN	CCRF	%D	%Drift		
1	HATM	Diesel (C10-C24)	1192620	1260280	5.7	HATM		
2	HBTM	Motor Oil (C24-C40)	951760	1039990	9.3	HBTM		
3	SCL	Decanoic Acid(S)	438835	167417	62	SCL	60	*NT
4	SA	Ortho-Terphenyl(S)	2023750	2196810	8.6	SA		
5	SA	Octacosane(S)	1892140	2121890	12	SA		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			19.5			

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419063.D Vial: 63
Acq On : 4-29-19 22:03:37 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 30 11:54 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	54920127	13.569 ppb
Surrogate Spike 30.000	Recovery =		45.23%
5) SA Octacosane(S)	8.22	53047159	14.018 ppb
Surrogate Spike 30.000	Recovery =		46.73%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	630142056	264.184 ppb
2) HBTM Motor Oil (C24-C40)	9.20	519994867	273.176 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419063.D
Sample : Diesel/Motor Oil 3 4/16/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/30/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 419072.D

		Compound	MEAN	CCRF	%D	%Drift		
1	HATM	Diesel (C10-C24)	1192620	1290500	8.2	HATM		
2	HBTM	Motor Oil (C24-C40)	951760	1047300	10	HBTM		
3	SCL	Decanoic Acid(S)	438835	162486	63	SCL	61	*NT
4	SA	Ortho-Terphenyl(S)	2023750	2206830	9.0	SA		
5	SA	Octacosane(S)	1892140	1987990	5.1	SA		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			19.1			

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419072.D Vial: 72
Acq On : 4-30-19 1:02:05 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 30 11:55 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	55170675	13.631 ppb
Surrogate Spike 30.000	Recovery =		45.44%
5) SA Octacosane(S)	8.22	49699754	13.133 ppb
Surrogate Spike 30.000	Recovery =		43.78%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	645250913	270.519 ppb
2) HBTM Motor Oil (C24-C40)	9.20	523649904	275.096 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419072.D
Sample : Diesel/Motor Oil 3 4/16/19





ORGANICS
Calibration Data

TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 05/06/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 506002.D

		Compound	MEAN	CCRF	%D	%Drift	
1	HATM	Diesel (C10-C24)	1192620	1189150	0.29	HATM	
2	HBTM	Motor Oil (C24-C40)	951760	1039930	9.3	HBTM	
3	SA	Ortho-Terphenyl(S)	2023750	2093620	3.5	SA	
4	SA	Octacosane(S)	1892140	1954310	3.3	SA	
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			4.1		

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506002.D Vial: 2
Acq On : 5-6-19 17:10:08 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: May 15 15:39 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	52340610	12.932 ppb
Surrogate Spike 30.000	Recovery =		43.11%
5) SA Octacosane(S)	8.22	48857718	12.911 ppb
Surrogate Spike 30.000	Recovery =		43.04%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	594574599	249.273 ppb
2) HBTM Motor Oil (C24-C40)	9.20	519962705	273.159 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506002.D
Sample : Diesel/Motor Oil 3 4/16/19





506002.D DOC0411.M Wed May 15 16:32:00 2019 Page 2

TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 05/06/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 506016.D

		Compound	MEAN	CCRF	%D	%Drift	
1	HATM	Diesel (C10-C24)	1192620	1231640	3.3	HATM	
2	HBTM	Motor Oil (C24-C40)	951760	1057410	11	HBTM	
3	SA	Ortho-Terphenyl(S)	2023750	2197200	8.6	SA	
4	SA	Octacosane(S)	1892140	2145190	13	SA	
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			9.0		

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506016.D Vial: 16
Acq On : 5-6-19 21:49:32 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: May 8 8:26 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	54930035	13.571 ppb
Surrogate Spike 30.000	Recovery =		45.24%
5) SA Octacosane(S)	8.22	53629644	14.172 ppb
Surrogate Spike 30.000	Recovery =		47.24%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	615821869	258.181 ppb
2) HBTM Motor Oil (C24-C40)	9.20	528706645	277.752 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506016.D
Sample : Diesel/Motor Oil 3 4/16/19





506016.D DOC0411.M Wed May 15 16:33:03 2019

ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419057.D Vial: 57
Acq On : 4-29-19 20:03:53 Operator: DP
Sample : AZ90051W29 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 8 13:38 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	115596375	71.400 ppb
Surrogate Spike 75.000		Recovery =	95.20%
5) SA Octacosane(S)	8.22	82316106	54.380 ppb
Surrogate Spike 75.000		Recovery =	72.51%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419057.D
Sample : AZ90051W29 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419060.D Vial: 60
Acq On : 4-29-19 21:04:10 Operator: DP
Sample : AZ90052W09 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 8 13:38 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	113290167	69.975	ppb
Surrogate Spike 75.000		Recovery =	93.30%	
5) SA Octacosane(S)	8.22	113377839	74.900	ppb
Surrogate Spike 75.000		Recovery =	99.87%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419060.D
Sample : AZ90052W09 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419061.D Vial: 61
Acq On : 4-29-19 21:23:33 Operator: DP
Sample : AZ90054W19 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:34 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	125824954	77.718	ppb
Surrogate Spike 75.000		Recovery =	103.62%	
5) SA Octacosane(S)	8.22	112135234	74.079	ppb
Surrogate Spike 75.000		Recovery =	98.77%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419061.D
Sample : AZ90054W19 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419062.D Vial: 62
Acq On : 4-29-19 21:43:34 Operator: DP
Sample : AZ90056W20 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:35 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	112180043	69.290	ppb
Surrogate Spike 75.000		Recovery =	92.39%	
5) SA Octacosane(S)	8.22	109551834	72.373	ppb
Surrogate Spike 75.000		Recovery =	96.50%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419062.D
Sample : AZ90056W20 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419064.D Vial: 64
Acq On : 4-29-19 22:23:38 Operator: DP
Sample : AZ90058W19 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:35 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	111091862	68.618	ppb
Surrogate Spike 75.000		Recovery =	91.49%	
5) SA Octacosane(S)	8.22	107950143	71.315	ppb
Surrogate Spike 75.000		Recovery =	95.09%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419064.D
Sample : AZ90058W19 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419065.D Vial: 65
Acq On : 4-29-19 22:43:36 Operator: DP
Sample : AZ90060W21 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:35 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	111628890	68.949 ppb
Surrogate Spike 75.000	Recovery =		91.93%
5) SA Octacosane(S)	8.22	109780102	72.524 ppb
Surrogate Spike 75.000	Recovery =		96.70%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419065.D
Sample : AZ90060W21 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419049.D Vial: 49
Acq On : 4-29-19 17:23:01 Operator: DP
Sample : 190426A BLK 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 8 13:37 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A


Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	110002294	67.945	ppb
Surrogate Spike 75.000	Recovery =		90.59%	
5) SA Octacosane(S)	8.22	105116559	69.443	ppb
Surrogate Spike 75.000	Recovery =		92.59%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Quantitation Report

Data File: G:\APOLLO\DATA\190419\419049.D
Sample : 190426A BLK 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419050.D Vial: 50
Acq On : 4-29-19 17:43:06 Operator: DP
Sample : 190426A LCS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:04 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	107443194	66.364 ppb
Surrogate Spike 75.000	Recovery =		88.49%
5) SA Octacosane(S)	8.23	101025878	66.740 ppb
Surrogate Spike 75.000	Recovery =		88.99%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1068693657	1120.112 ppb
2) HBTM Motor Oil (C24-C40)	9.20	954916564	1254.146 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419050.D
Sample : 190426A LCS-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419051.D Vial: 51
Acq On : 4-29-19 18:03:12 Operator: DP
Sample : 190426A LCSD-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:05 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	106639193	65.867 ppb
Surrogate Spike 75.000	Recovery =		87.82%
5) SA Octacosane(S)	8.23	98198519	64.873 ppb
Surrogate Spike 75.000	Recovery =		86.50%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1025097325	1074.419 ppb
2) HBTM Motor Oil (C24-C40)	9.20	901976261	1184.617 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419051.D
Sample : 190426A LCSD-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419058.D Vial: 58
Acq On : 4-29-19 20:23:59 Operator: DP
Sample : AZ90051W26 MS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:33 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	107418562	66.349	ppb
Surrogate Spike 75.000	Recovery =		88.47%	
5) SA Octacosane(S)	8.22	102409269	67.654	ppb
Surrogate Spike 75.000	Recovery =		90.21%	
Target Compounds				
1) HATM Diesel (C10-C24)	4.66	1049034015	1099.507	ppb
2) HBTM Motor Oil (C24-C40)	9.20	1081165766	1419.956	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419058.D
Sample : AZ90051W26 MS-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419059.D Vial: 59
Acq On : 4-29-19 20:44:06 Operator: DP
Sample : AZ90051W31 MSD-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:33 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	107535496	66.421 ppb
Surrogate Spike 75.000		Recovery =	88.56%
5) SA Octacosane(S)	8.22	104290312	68.897 ppb
Surrogate Spike 75.000		Recovery =	91.86%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1035515121	1085.338 ppb
2) HBTM Motor Oil (C24-C40)	9.20	917208902	1204.622 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419059.D
Sample : AZ90051W31 MSD-1 2/800





Diesel / Motor Oil Calibration Curve

Prepared: 04/11/19

Expires: 10/11/19

Prepared By (Initials): BT

Methylene Chloride Lot No. 57278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference to APPL Prep Date	Exp. Date	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 1	2,000	Prepared 04/11/19	01/15/20	N/A	5uL	1mL	MC	10
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil -2	2,000	Prepared 04/11/19	01/15/20	N/A	25uL	1mL	MC	50
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 3	2,000	Prepared 04/11/19	01/15/20	N/A	125uL	1mL	MC	250
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 4	2,000	Prepared 04/11/19	01/15/20	N/A	500uL	1mL	MC	1000
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 5	2,000	Prepared 04/11/19	01/15/20	N/A	750uL	1mL	MC	1500
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 6	2,000	Prepared 04/11/19	01/15/20	N/A	100uL	100uL	N/A	2,000

Diesel / Motor Oil Second Source (SS)

Prepared: 01/15/19

Expires: 01/15/20

Prepared By (Initials): DP

Methylene Chloride Lot No. 56278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel Fuel #2	O2SI	G34-011598-03	50,000	**G34-319187-38958**	**08/02/19**	**09/29/21**	50uL	10mL	MC	250
Motor Oil Second Source	O2SI	116390-02-SS	50,000	**301142-37652**	**07/13/19**	**03/05/22**	50uL			

Diesel / Motor Oil Calibration Standard

Prepared: 01/15/19 **Prepared By (Initials): DP**

Expires: 01/15/20

Methylene Chloride Lot No. 56278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel Fuel #2	Restek	31258	50,000	**A0135614-39409**	**01/15/20**	**03/31/25**	400uL	10mL	MC	2000
Motor Oil	Restek	31464	50,000	**A0135245-39351**	**01/15/20**	**03/31/25**	400uL			2000
THC Surrogate	Phenova	ALO-130161	600	**CL12572-39691**	**08/13/19**	**06/30/23**	1666uL			100

Diesel / Motor Oil CCV

Prepared: 04/16/19

Expires: 10/16/19

Prepared By (Initials): BT

Methylene Chloride Lot No. 58059

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference to APPL Prep Date	Exp. Date	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel / Motor Oil STD	APPL	Diesel / Motor Oil CCV	2,000	Prepared 01/15/19	01/15/20	N/A	1250uL	10mL	MC	250

Diesel Spike

Prepared: 04/26/19

Expires: 04/25/20

Prepared By (Initials): DP

Initial Standard Information							Final Standard Information			
(QAU Label)	Supplier	No.	(ug/mL)	Number	(1 yr.)	(Manufacturer)	From	Volume	Solvent	Conc. (ug/mL)
Diesel Fuel #2	Restek	31258	50,000	**A0135614-39408**	**04/26/20**	**03/31/25**	N/A	N/A	N/A	50,000

Motor Oil Spike

Prepared: 04/08/19

Expires: 04/07/20

Prepared By (Initials): DP

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Motor Oil Composite	Restek	31464	50,000	**A0141636-40470**	**04/09/20**	**10/20/25**	N/A	N/A	N/A	50,000

THC Surrogate

Prepared: 04/17/19 **Prepared By (Initials): BT**

Expires: 04/16/20

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
O-terphenyl / Octacosane Mix	Phenova	ALO-130161	600	**CL13256-40363**	**04/17/20**	**02/28/24**	N/A	N/A	N/A	600

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH-Diesel/MO 3520C	Extraction Set	190426A	Extraction Method	LIQ005	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 EXP 4-26-20		Surrogate ID 1	THC Surrogate 4-17-19 EXP 4-17-20	
Spiked ID 2	Motor Oil Spike 4-8-19 EXP 4-8-20		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/26/19 13:00	
Spiked ID 8			Ext. End Time:	04/27/19 10:13 ,04/29/19 14:35	
			GC Requires Extract By:	**04/30/19 0:00**	

pH1	2	4/26/19 10:15:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: KY **Date** 04/26/19 **Witnessed By:** DL **Date** 04/26/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190426A Blk				0.100	1	800	2	2	04/26/19 10:20	
						equip	E-HP51 E-WB1				
2	190426A LCS-1		0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	
						equip	E-HP50 E-WB2				
3	190426A LCSD-1		0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	
						equip	E-HP49 E-WB3				
4	AZ89958 MS-1	AZ89958W32	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP48 E-WB1				
5	AZ89958 MSD-1	AZ89958W42	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP47 E-WB2				
6	AZ89958	AZ89958W29			0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP25 E-WB3				
7	AZ89959	AZ89959W10			0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP26 E-WB1				
8	AZ89961	AZ89961W13			0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP27 E-WB2				
9	AZ90051 MS-1	AZ90051W26	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP28 E-WB3				
10	AZ90051 MSD-1	AZ90051W31	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP29 E-WB1				
11	AZ90051	AZ90051W29			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP30 E-WB2				
12	AZ90052	AZ90052W09			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP17 E-WB3				
13	AZ90054	AZ90054W19			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP16 E-WB1				
14	AZ90056	AZ90056W20			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP15 E-WB2				
15	AZ90058	AZ90058W19			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP14 E-WB3				
16	AZ90060	AZ90060W21			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP13 E-WB1				

Solvent and Lot#	
1+1 HCL	3-1-19
PH Strips	HC 863463
Dicholormethane (DCM)	58240
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	4/29/19
Time	15:10
Refrigerator	Hobart 1

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:53:34 PM

Reviewed By: Ky **Date** 4/30/19

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH-Diesel/MO 3520C	Extraction Set	190426A	Extraction Method	LIQ005	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 EXP 4-26-20		Surrogate ID 1	THC Surrogate 4-17-19 EXP 4-17-20	
Spiked ID 2	Motor Oil Spike 4-8-19 EXP 4-8-20		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/26/19 13:00	
Spiked ID 8			Ext. End Time:	04/27/19 10:13 , 04/29/19 14:35	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	4/26/19 10:15:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: KY **Date** 04/26/19 **Witnessed By:** DL **Date** 04/26/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90100	AZ90100W20			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP12 E-WB2				
18	AZ90102	AZ90102W18			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP11 E-WB3				
19	AZ90103	AZ90103W09			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP10 E-WB1				
20	AZ90105	AZ90105W22			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP9 E-WB2				
21	AZ90107	AZ90107W19			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP7 E-WB3				
22	AZ90109	AZ90109W22			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP6 E-WB1				

KY 4/30/19

Solvent and Lot#	
1+1 HCL	3-1-19
PH Strips	HC 863463
Dicholormethane (DCM)	58240
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:53:34 PM

Reviewed By: Ky **Date** 4/30/19

Injection Log

Directory: G:\APOLLO\DATA\190411\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	411002.D	1	Diesel / Motor Oil - 1 1/15/19	water	4-11-19 12:41:17
2	3	411003.D	1	Diesel / Motor Oil - 2 4/11/19	water	4-11-19 13:00:16
3	4	411004.D	1	Diesel / Motor Oil - 3 4/11/19	water	4-11-19 13:19:58
4	5	411005.D	1	Diesel / Motor Oil - 4 4/11/19	water	4-11-19 13:39:40
5	6	411006.D	1	Diesel / Motor Oil - 5 4/11/19	water	4-11-19 13:59:26
6	7	411007.D	1	Diesel / Motor Oil - 6 4/11/19	water	4-11-19 14:19:10
7	8	411008.D	1	Diesel / Motor Oil - 2nd Source 1/15/19	water	4-11-19 14:39:01
8	48	419048.D	1	Diesel/Motor Oil 3 4/16/19	water	4-29-19 17:02:59
9	49	419049.D	2.5	190426A BLK 2/800	water	4-29-19 17:23:01
10	50	419050.D	2.5	190426A LCS-1 2/800	water	4-29-19 17:43:06
11	51	419051.D	2.5	190426A LCSD-1 2/800	water	4-29-19 18:03:12
12	57	419057.D	2.5	AZ90051W29 2/800	water	4-29-19 20:03:53
13	58	419058.D	2.5	AZ90051W26 MS-1 2/800	water	4-29-19 20:23:59
14	59	419059.D	2.5	AZ90051W31 MSD-1 2/800	water	4-29-19 20:44:06
15	60	419060.D	2.5	AZ90052W09 2/800	water	4-29-19 21:04:10
16	61	419061.D	2.5	AZ90054W19 2/800	water	4-29-19 21:23:33
17	62	419062.D	2.5	AZ90056W20 2/800	water	4-29-19 21:43:34
18	63	419063.D	1	Diesel/Motor Oil 3 4/16/19	water	4-29-19 22:03:37
19	64	419064.D	2.5	AZ90058W19 2/800	water	4-29-19 22:23:38
20	65	419065.D	2.5	AZ90060W21 2/800	water	4-29-19 22:43:36
21	72	419072.D	1	Diesel/Motor Oil 3 4/16/19	water	4-30-19 1:02:05

ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506013.D Vial: 13
Acq On : 5-6-19 20:49:47 Operator: DP
Sample : AZ90051W34 2/810 Inst : Apollo
Misc : water Multiplr: 2.47
IntFile : events.e
Quant Time: May 15 15:49 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	118135981	72.068	ppb
Surrogate Spike 74.074		Recovery =	97.29%	
5) SA Octacosane(S)	8.22	118671157	77.430	ppb
Surrogate Spike 74.074		Recovery =	104.53%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506013.D
Sample : AZ90051W34 2/810





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506014.D Vial: 14
Acq On : 5-6-19 21:09:42 Operator: DP
Sample : AZ90052W08 2/790 Inst : Apollo
Misc : water Multiplr: 2.53
IntFile : events.e
Quant Time: May 15 15:50 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	119619692	74.820	ppb
Surrogate Spike 75.949		Recovery =	98.51%	
5) SA Octacosane(S)	8.22	116891621	78.199	ppb
Surrogate Spike 75.949		Recovery =	102.96%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506014.D
Sample : AZ90052W08 2/790





506014.D DOC0411.M Wed May 15 16:18:12 2019 Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506003.D Vial: 3
Acq On : 5-6-19 17:30:03 Operator: DP
Sample : 190502A BLK 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:32 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.32	113486320	70.097	ppb
Surrogate Spike 75.000		Recovery =	93.46%	
5) SA Octacosane(S)	8.22	110426276	72.950	ppb
Surrogate Spike 75.000		Recovery =	97.27%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506003.D
Sample : 190502A BLK 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506004.D Vial: 4
Acq On : 5-6-19 17:50:07 Operator: DP
Sample : 190502A LCS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:42 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.32	108692501	67.136	ppb
Surrogate Spike 75.000	Recovery =		89.51%	
5) SA Octacosane(S)	8.22	102955317	68.015	ppb
Surrogate Spike 75.000	Recovery =		90.69%	
Target Compounds				
1) HATM Diesel (C10-C24)	4.66	1416561534	1484.718	ppb
2) HBTM Motor Oil (C24-C40)	9.20	944760089	1240.807	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506004.D
Sample : 190502A LCS-1 2/800






Quantitation Report

Data File : G:\APOLLO\DATA\190506\506004.D Vial: 4
Acq On : 5-6-19 17:50:07 Operator: DP
Sample : 190502A LCS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:33 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration



(1) Diesel (C10-C24) (HATM)

4.66min 1678.079ppb m

response 1601046609


(+) = Expected Retention Time

506004.D DOC0411.M Wed May 15 15:41:43 2019

Quantitation Report

Data File : G:\APOLLO\DATA\190506\506004.D Vial: 4
Acq On : 5-6-19 17:50:07 Operator: DP
Sample : 190502A LCS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:42 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration



(1) Diesel (C10-C24) (HATM)

4.66min 1484.718ppb m

response 1416561534

(+) = Expected Retention Time

506004.D DOC0411.M Wed May 15 15:42:32 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506005.D Vial: 5
Acq On : 5-6-19 18:10:08 Operator: DP
Sample : 190502A LCSD-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:42 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	107765211	66.563	ppb
Surrogate Spike 75.000		Recovery =	88.75%	
5) SA Octacosane(S)	8.23	103354341	68.279	ppb
Surrogate Spike 75.000		Recovery =	91.04%	
Target Compounds				
1) HATM Diesel (C10-C24)	4.66	1030429392	1080.007	ppb
2) HBTM Motor Oil (C24-C40)	9.20	1000358478	1313.828	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506005.D
Sample : 190502A LCSD-1 2/800





506005.D DOC0411.M Wed May 15 16:17:41 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506011.D Vial: 11
Acq On : 5-6-19 20:09:50 Operator: DP
Sample : AZ90051W32 MS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:48 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	110214323	68.076	ppb
Surrogate Spike 75.000	Recovery =		90.77%	
5) SA Octacosane(S)	8.22	103422354	68.324	ppb
Surrogate Spike 75.000	Recovery =		91.10%	
Target Compounds				
1) HATM Diesel (C10-C24)	4.66	1053348497	1104.029	ppb
2) HBTM Motor Oil (C24-C40)	9.20	1036772946	1361.653	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506011.D
Sample : AZ90051W32 MS-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190506\506012.D Vial: 12
Acq On : 5-6-19 20:29:51 Operator: DP
Sample : AZ90051W28 MSD-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 15 15:48 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	106301648	65.659 ppb
Surrogate Spike 75.000		Recovery =	87.55%
5) SA Octacosane(S)	8.22	109762330	72.512 ppb
Surrogate Spike 75.000		Recovery =	96.68%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1063486849	1114.655 ppb
2) HBTM Motor Oil (C24-C40)	9.20	985430157	1294.221 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190506\506012.D
Sample : AZ90051W28 MSD-1 2/800





506012.D DOC0411.M Wed May 15 16:18:05 2019 Page 2

_LIQ005SGC

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH- 3520C w/SGC	Extraction Set	190502A	Extraction Method	LIQ005SGC	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 exp 4-26-20	Surrogate ID 1	THC Surrogate 4-17-19 exp 4-17-20
Spiked ID 2	Motor Oil Spike 4-8-19 exp 4-8-20	Surrogate ID 2	
Spiked ID 3		Surrogate ID 3	
Spiked ID 4		Surrogate ID 4	
Spiked ID 5		Surrogate ID 5	
Spiked ID 6		Sufficient Vol for Matrix QC:	YES
Spiked ID 7		Ext. Start Time:	05/02/19 14:00
Spiked ID 8		Ext. End Time:	05/03/19 8:30 , 05/03/19 11:55
		GC Requires Extract By:	04/30/19 0:00

pH1	2	5/02/19 11:19:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: DL **Date** 05/02/19 **Witnessed By:** YL **Date** 05/02/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190502A Blk				0.100	1	800	2	2	05/02/19 11:30	
						equip	e-hp51 e-wb1				
2	190502A LCS-1		0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	
						equip	E-HP50 E-WB2				
3	190502A LCSD-1		0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	
						equip	E-HP49 E-WB3				
4	AZ89958 MS-1	AZ89958W39	0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	88687
						equip	E-HP47 E-WB1				
5	AZ89958 MSD-1	AZ89958W38	0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	88687
						equip	E-HP25 E-WB2				
6	AZ89958	AZ89958W40			0.100	1	800	2	2	05/02/19 11:30	88687
						equip	E-HP48 E-WB3				
7	AZ89959	AZ89959W08			0.100	1	790	2	2	05/02/19 11:30	88687
						equip	E-HP26 E-WB1				
8	AZ89961	AZ89961W21			0.100	1	800	2	2	05/02/19 11:30	88687
						equip	E-HP27 E-WB2				
9	AZ90051 MS-1	AZ90051W32	0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	88701
						equip	E-HP29 E-WB3				
10	AZ90051 MSD-1	AZ90051W28	0.020	1,2	0.100	1	800	2	2	05/02/19 11:30	88701
						equip	E-HP30 E-WB1				
11	AZ90051	AZ90051W34			0.100	1	810	2	2	05/02/19 11:30	88701
						equip	E-HP28 E-WB2				
12	AZ90052	AZ90052W08			0.100	1	790	2	2	05/02/19 11:30	88701
						equip	E-HP17 E-WB3				
13	AZ90213	AZ90213W18			0.100	1	800	2	2	05/02/19 11:30	88736
						equip	E-HP16 E-WB1				
14	AZ90215	AZ90215W21			0.100	1	800	2	2	05/02/19 11:30	88736
						equip	E-HP15 E-WB2				
15	AZ90447	AZ90447W11			0.100	1	800	2	2	05/02/19 11:30	88764
						equip	E-HP14 E-WB3				
16	AZ90448	AZ90448W08			0.100	1	800	2	2	05/02/19 11:30	88764
						equip	E-HP13 E-WB1				

Solvent and Lot#	
1+1 HCL (5mLs)	3-1-19
PH Strips	HC 601354
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	BT
Date	5/3/19
Time	13:08
Refrigerator	Hibard

	Technician's Initials
Scanned By	DL,FM
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	05/06/19 9:28:41 AM

Reviewed By: Kg **Date** 5/6/19

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH- 3520C w/SGC	Extraction Set	190502A	Extraction Method	LIQ005SGC	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 exp 4-26-20		Surrogate ID 1	THC Surrogate 4-17-19 exp 4-17-20	
Spiked ID 2	Motor Oil Spike 4-8-19 exp 4-8-20		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	05/02/19 14:00	
Spiked ID 8			Ext. End Time:	05/03/19 8:30 ,05/03/19 11:55	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	5/02/19 11:19:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: DL **Date** 05/02/19 **Witnessed By:** YL **Date** 05/02/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90450	AZ90450W21			0.100	1	800	2	2	05/02/19 11:30	88764
						equip	E-HP12 E-WB2				

KY 5/6/19

Solvent and Lot#	
1+1 HCL (5mLs)	3-1-19
PH Strips	HC 601354
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL,FM
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	05/06/19 9:28:41 AM

Reviewed By: KY **Date** 5/6/19

Injection Log

Directory: G:\APOLLO\DATA\190411\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	411002.D	1	Diesel / Motor Oil - 1 1/15/19	water	4-11-19 12:41:17
2	3	411003.D	1	Diesel / Motor Oil - 2 4/11/19	water	4-11-19 13:00:16
3	4	411004.D	1	Diesel / Motor Oil - 3 4/11/19	water	4-11-19 13:19:58
4	5	411005.D	1	Diesel / Motor Oil - 4 4/11/19	water	4-11-19 13:39:40
5	6	411006.D	1	Diesel / Motor Oil - 5 4/11/19	water	4-11-19 13:59:26
6	7	411007.D	1	Diesel / Motor Oil - 6 4/11/19	water	4-11-19 14:19:10
7	8	411008.D	1	Diesel / Motor Oil - 2nd Source 1/15/19	water	4-11-19 14:39:01
8	2	506002.D	1	Diesel/Motor Oil 3 4/16/19	water	5-6-19 17:10:08
9	3	506003.D	2.5	190502A BLK 2/800	water	5-6-19 17:30:03
10	4	506004.D	2.5	190502A LCS-1 2/800	water	5-6-19 17:50:07
11	5	506005.D	2.5	190502A LCSD-1 2/800	water	5-6-19 18:10:08
12	11	506011.D	2.5	AZ90051W32 MS-1 2/800	water	5-6-19 20:09:50
13	12	506012.D	2.5	AZ90051W28 MSD-1 2/800	water	5-6-19 20:29:51
14	13	506013.D	2.46914	AZ90051W34 2/810	water	5-6-19 20:49:47
15	14	506014.D	2.53165	AZ90052W08 2/790	water	5-6-19 21:09:42
16	16	506016.D	1	Diesel/Motor Oil 3 4/16/19	water	5-6-19 21:49:32

ORGANICS
Calibration Data

PAH by GCMS SIM
EPA 8270 SIM

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/26/19
Matrix: Instrument: Linus
Initials: MA

			0326L013.D	0326L012.D	0326L005 D	0326L006 D	0326L007.D	0326L008.D	0326L009.D	0326L010 D								
		Compound	0.1	0.2	0.5	1	5	10	50	100			Avg	%RSD	Type	r^2	Q	MRF
1	I	Napthalene-D8(IS)																
2	S	Surrogate Recovery (NBZ)		0.3927	0.5340	0.4444	0.4714	0.4510	0.4089	0.4199			0.45	11	S			
3	TM	Naphthalene	1.529	1.407	1.448	1.163	1.400	1.287	1.154	1.122			1.3	12	TM			0.700
4	S	2-Methylnaphthalene-D10 (2M	1.387	1.168	1.650	1.306	1.518	1.400	1.203	1.197			1.4	13	S			
5	TM	2-Methylnaphthalene	0.7306	0.7642	0.8355	0.6668	0.8429	0.7635	0.6758	0.6477			0.74	10	TM			0.400
6	TM	1-Methylnaphthalene	0.9900	0.8580	0.9185	0.7134	0.8390	0.7536	0.6593				0.82	14	TM			
7	I	Acenaphthene-D10(IS)																
8	S	Surrogate Recovery (FBP)	1.722	1.658	2.258	1.803	2.110	1.951	1.630	1.592			1.8	13	S			
9	TM	Acenaphthylene	5.900	5.710	6.401	5.037	6.465	5.885	4.974	4.865			5.7	11	TM			0.900
10	*TM	Acenaphthene	1.794	1.633	1.703	1.318	1.581	1.463	1.266	1.170			1.5	15	*TM			0.900
11	TM	Fluorene	2.218	1.880	2.093	1.632	2.029	1.885	1.631	1.570			1.9	13	TM			0.900
12	I	Phenanthrene-D10(IS)																
13	TM	Phenanthrene	1.607	1.544	1.673	1.305	1.635	1.484	1.218	1.160			1.5	14	TM			0.700
14	TM	Anthracene	1.486	1.420	1.591	1.220	1.624	1.473	1.238	1.116			1.4	13	TM			0.700
15	S	Fluoranthene-D10 (FRT)	1.901	1.831	2.624	2.092	2.484	2.311	1.987	1.872			2.1	14	S			
16	*TM	Fluoranthene	2.537	2.471	2.787	2.228	2.784	2.506	2.112	1.908			2.4	13	*TM			0.600
17	I	Chrysene-D12(IS)																
18	TM	Pyrene	1.899	1.728	1.916	1.501	1.868	1.718	1.481	1.425			1.7	12	TM			0.600
19	S	Surrogate Recovery (TPH)	0.8126	0.7648	1.100	0.8569	0.9951	0.9476	0.8279	0.7820			0.89	13	S			
20	TM	Benz (a) anthracene	1.413	1.328	1.559	1.165	1.523	1.457	1.326	1.311			1.4	9.3	TM			0.800
21	TM	Chrysene	1.693	1.584	1.532	1.291	1.505	1.343	1.166	1.155			1.4	14	TM			0.700
22	TM	Indeno (1,2,3-cd) pyrene	1.684	1.533	1.535	1.269	1.597	1.490	1.366	1.338			1.5	9.5	TM			0.500
23	I	Perylene-D12(IS)																
24	TM	Benzo (b) fluoranthene	1.158	1.272	1.365	1.090	1.474	1.408	1.281	1.294			1.3	9.8	TM			0.700
25	TM	Benzo (k) fluoranthene	1.676	1.496	1.659	1.361	1.632	1.459	1.255	1.199			1.5	13	TM			0.700
26	*TM	Benzo (a) pyrene	1.243	1.369	1.446	1.176	1.471	1.369	1.224	1.197			1.3	8.8	*TM			0.700
27	TM	Dibenz (a,h) anthracene	1.391	1.269	1.295	1.077	1.349	1.244	1.099	1.054			1.2	11	TM			0.400
28	TM	Benzo (g,h,i) perylene	1.468	1.326	1.320	1.090	1.361	1.265	1.118	1.085			1.3	11	TM			0.500
29																		
30																		
31																		
32																		
33																		
34																		
35																		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L005.D Vial: 5
Acq On : 26 Mar 19 10:39 Operator: MA
Sample : 0.5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:51:40 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	29983	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	14175	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	23888	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	35718	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	34636	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.14	82	1601	0.30171 ppb		0.01
Spiked Amount 5.000			Recovery =	6.040%		
4) 2-Methylnaphthalene-D10 (2	4.75	152	4947	0.35041 ppb		0.01
Spiked Amount 5.000			Recovery =	7.000%		
8) Surrogate Recovery (FBP)	5.23	172	3201	0.31519 ppb		0.01
Spiked Amount 5.000			Recovery =	6.300%		
15) Fluoranthene-D10 (FRT)	9.09	212	6268	0.36113 ppb		0.00
Spiked Amount 5.000			Recovery =	7.220%		
19) Surrogate Recovery (TPH)	9.58	244	3930	0.33442 ppb		0.00
Spiked Amount 5.000			Recovery =	6.680%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	8684	0.57398 ppb		98
5) 2-Methylnaphthalene	4.78	142	5010	0.55092 ppb		99
6) 1-Methylnaphthalene	4.89	142	5508	0.59694 ppb		95
9) Acenaphthylene	5.82	152	18147	0.56976 ppb		100
10) Acenaphthene	6.01	154	4827	0.52888 ppb		97
11) Fluorene	6.63	166	5934	0.55241 ppb		99
13) Phenanthrene	7.73	178	7991	0.59247 ppb		99
14) Anthracene	7.80	178	7601	0.57039 ppb		99
16) Fluoranthene	9.11	202	13317	0.62414 ppb	#	89
18) Pyrene	9.37	202	13684	0.61385 ppb		98
20) Benz (a) anthracene	10.78	228	11134	0.56445 ppb		99
21) Chrysene	10.84	228	10947	0.57620 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.70	276	10967	0.55654 ppb	#	98
24) Benzo (b) fluoranthene	12.50	252	9458	0.50818 ppb		99
25) Benzo (k) fluoranthene	12.54	252	11491	0.59936 ppb		96
26) Benzo (a) pyrene	13.08	252	10016	0.55876 ppb		99
27) Dibenz (a,h) anthracene	14.72	278	8973	0.54057 ppb		99
28) Benzo (g,h,i) perylene	15.04	276	9141	0.54410 ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L005.D Vial: 5
Acq On : 26 Mar 19 10:39 Operator: MA
Sample : 0.5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L006.D Vial: 6
Acq On : 26 Mar 19 11:01 Operator: MA
Sample : 1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:51:40 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	35893	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	17165	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	29866	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	43804	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	41942	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.15	82	3190	0.50218 ppb		0.02
Spiked Amount 5.000			Recovery = 10.040%			
4) 2-Methylnaphthalene-D10 (2	4.74	152	9372	0.55454 ppb		0.01
Spiked Amount 5.000			Recovery = 11.100%			
8) Surrogate Recovery (FBP)	5.22	172	6188	0.50317 ppb		0.00
Spiked Amount 5.000			Recovery = 10.060%			
15) Fluoranthene-D10 (FRT)	9.09	212	12497	0.57589 ppb		0.00
Spiked Amount 5.000			Recovery = 11.520%			
19) Surrogate Recovery (TPH)	9.58	244	7507	0.52088 ppb		0.00
Spiked Amount 5.000			Recovery = 10.420%			
Target Compounds						Qvalue
3) Naphthalene	3.96	128	16693	0.92168 ppb		100
5) 2-Methylnaphthalene	4.78	142	9573	0.87935 ppb		98
6) 1-Methylnaphthalene	4.89	142	10243	0.92731 ppb		95
9) Acenaphthylene	5.82	152	34586	0.89675 ppb		99
10) Acenaphthene	6.01	154	9052	0.81904 ppb		96
11) Fluorene	6.62	166	11205	0.86141 ppb		93
13) Phenanthrene	7.73	178	15588	0.92440 ppb		98
14) Anthracene	7.80	178	14573	0.87468 ppb		99
16) Fluoranthene	9.11	202	26618	0.99782 ppb	#	93
18) Pyrene	9.37	202	26304	0.96215 ppb		95
20) Benz (a) anthracene	10.78	228	20420	0.84412 ppb		98
21) Chrysene	10.84	228	22628	0.97118 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.68	276	22236	0.92011 ppb		98
24) Benzo (b) fluoranthene	12.49	252	18288	0.81146 ppb		99
25) Benzo (k) fluoranthene	12.54	252	22834	0.98354 ppb		98
26) Benzo (a) pyrene	13.07	252	19723	0.90862 ppb	#	95
27) Dibenz (a,h) anthracene	14.71	278	18076	0.89928 ppb		98
28) Benzo (g,h,i) perylene	15.03	276	18288	0.89893 ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L006.D Vial: 6
Acq On : 26 Mar 19 11:01 Operator: MA
Sample : 1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L007.D Vial: 7
Acq On : 26 Mar 19 11:23 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:55 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	31036	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	14429	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	24630	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	36703	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	35401	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.13	82	14629	2.66335 ppb		0.00
Spiked Amount 5.000			Recovery	= 53.260%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	47125	3.22473 ppb		0.00
Spiked Amount 5.000			Recovery	= 64.500%		
8) Surrogate Recovery (FBP)	5.22	172	30446	2.94510 ppb		0.00
Spiked Amount 5.000			Recovery	= 58.900%		
15) Fluoranthene-D10 (FRT)	9.09	212	61183	3.41884 ppb		0.00
Spiked Amount 5.000			Recovery	= 68.380%		
19) Surrogate Recovery (TPH)	9.58	244	36522	3.02438 ppb		0.00
Spiked Amount 5.000			Recovery	= 60.480%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	86912	5.54970 ppb		100
5) 2-Methylnaphthalene	4.77	142	52323	5.55839 ppb		100
6) 1-Methylnaphthalene	4.88	142	52078	5.45251 ppb		100
9) Acenaphthylene	5.81	152	186553	5.75411 ppb		100
10) Acenaphthene	6.01	154	45619	4.91037 ppb		100
11) Fluorene	6.62	166	58567	5.35620 ppb		100
13) Phenanthrene	7.73	178	80559	5.79291 ppb		100
14) Anthracene	7.79	178	80019	5.82381 ppb		100
16) Fluoranthene	9.11	202	137128	6.23327 ppb		100
18) Pyrene	9.36	202	137146	5.98710 ppb		100
20) Benz (a) anthracene	10.78	228	111765	5.51397 ppb		100
21) Chrysene	10.83	228	110485	5.65939 ppb		100
22) Indeno (1,2,3-cd) pyrene	14.66	276	117203	5.78805 ppb	#	100
24) Benzo (b) fluoranthene	12.48	252	104380	5.48718 ppb		100
25) Benzo (k) fluoranthene	12.53	252	115527	5.89556 ppb	#	82
26) Benzo (a) pyrene	13.07	252	104139	5.68402 ppb		100
27) Dibenz (a,h) anthracene	14.70	278	95496	5.62874 ppb		100
28) Benzo (g,h,i) perylene	15.01	276	96360	5.61166 ppb		100


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L007.D Vial: 7
Acq On : 26 Mar 19 11:23 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:55 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L008.D Vial: 8
Acq On : 26 Mar 19 11:45 Operator: MA
Sample : 10 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:03 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	35838	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	16640	2.50000	ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	28622	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.79	240	41948	2.50000	ppb		0.00
23) Perylene-D12(IS)	13.16	264	40987	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.13	82	32326	5.09668	ppb		0.00
Spiked Amount 5.000			Recovery	= 101.940%			
4) 2-Methylnaphthalene-D10 (2	4.73	152	100381	5.94861	ppb		0.00
Spiked Amount 5.000			Recovery	= 118.980%			
8) Surrogate Recovery (FBP)	5.22	172	64921	5.44551	ppb		0.00
Spiked Amount 5.000			Recovery	= 108.920%			
15) Fluoranthene-D10 (FRT)	9.08	212	132302	6.36178	ppb		-0.01
Spiked Amount 5.000			Recovery	= 127.240%			
19) Surrogate Recovery (TPH)	9.58	244	79496	5.75993	ppb		0.00
Spiked Amount 5.000			Recovery	= 115.200%			
Target Compounds							Qvalue
3) Naphthalene	3.96	128	184477	10.20127	ppb		100
5) 2-Methylnaphthalene	4.77	142	109454	10.06955	ppb		99
6) 1-Methylnaphthalene	4.88	142	108031	9.79519	ppb		98
9) Acenaphthylene	5.81	152	391698	10.47636	ppb		100
10) Acenaphthene	6.01	154	97387	9.08975	ppb		99
11) Fluorene	6.62	166	125480	9.95086	ppb		99
13) Phenanthrene	7.73	178	169913	10.51414	ppb		100
14) Anthracene	7.79	178	168680	10.56433	ppb		100
16) Fluoranthene	9.10	202	286894	11.22214	ppb	#	86
18) Pyrene	9.36	202	288195	11.00804	ppb		99
20) Benz (a) anthracene	10.78	228	244430	10.55125	ppb		100
21) Chrysene	10.83	228	225305	10.09781	ppb		99
22) Indeno (1,2,3-cd) pyrene	14.66	276	249983	10.80176	ppb		99
24) Benzo (b) fluoranthene	12.48	252	230916	10.48469	ppb		99
25) Benzo (k) fluoranthene	12.53	252	239205	10.54342	ppb	#	81
26) Benzo (a) pyrene	13.05	252	224453	10.58124	ppb	#	96
27) Dibenz (a,h) anthracene	14.70	278	203908	10.38077	ppb		96
28) Benzo (g,h,i) perylene	15.01	276	207384	10.43132	ppb		94


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L008.D Vial: 8
Acq On : 26 Mar 19 11:45 Operator: MA
Sample : 10 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:03 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L009.D Vial: 9
Acq On : 26 Mar 19 12:08 Operator: MA
Sample : 50 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:40 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	34439	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	16178	2.50000	ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	28297	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.80	240	40379	2.50000	ppb		0.01
23) Perylene-D12(IS)	13.16	264	41022	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.12	82	140833	21.64154	ppb		-0.01
Spiked Amount 5.000			Recovery = 432.840%				
4) 2-Methylnaphthalene-D10 (2	4.73	152	414181	23.25797	ppb		0.00
Spiked Amount 5.000			Recovery = 465.160%				
8) Surrogate Recovery (FBP)	5.20	172	263684	21.46228	ppb		-0.01
Spiked Amount 5.000			Recovery = 429.240%				
15) Fluoranthene-D10 (FRT)	9.09	212	562390	24.48515	ppb		0.00
Spiked Amount 5.000			Recovery = 489.700%				
19) Surrogate Recovery (TPH)	9.58	244	334289	23.27858	ppb		0.00
Spiked Amount 5.000			Recovery = 465.580%				
Target Compounds							Qvalue
3) Naphthalene	3.96	128	794731	44.68961	ppb		100
5) 2-Methylnaphthalene	4.77	142	465489	44.02234	ppb		99
6) 1-Methylnaphthalene	4.88	142	454120	41.81636	ppb		98
9) Acenaphthylene	5.81	152	1609229	43.19390	ppb		100
10) Acenaphthene	6.01	154	409705	39.67961	ppb		97
11) Fluorene	6.62	166	527629	42.63457	ppb		99
13) Phenanthrene	7.73	178	689088	41.97703	ppb		99
14) Anthracene	7.79	178	700455	43.39211	ppb		99
16) Fluoranthene	9.11	202	1195144	44.94761	ppb	#	89
18) Pyrene	9.37	202	1195645	45.32840	ppb		94
20) Benz (a) anthracene	10.79	228	1070977	46.57534	ppb		99
21) Chrysene	10.84	228	941256	42.83259	ppb		98
22) Indeno (1,2,3-cd) pyrene	14.68	276	1103036	48.39365	ppb		100
24) Benzo (b) fluoranthene	12.50	252	1050669	47.36694	ppb		99
25) Benzo (k) fluoranthene	12.55	252	1029810	43.39875	ppb	#	85
26) Benzo (a) pyrene	13.09	252	1003811	46.19453	ppb	#	97
27) Dibenz (a,h) anthracene	14.72	278	901711	45.25262	ppb		96
28) Benzo (g,h,i) perylene	15.04	276	917218	45.43228	ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L009.D Vial: 9
Acq On : 26 Mar 19 12:08 Operator: MA
Sample : 50 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:40 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L010.D Vial: 10
Acq On : 26 Mar 19 12:30 Operator: MA
Sample : 100 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 13:47 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	32479	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	15565	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	27637	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.82	240	38239	2.50000 ppb		0.02
23) Perylene-D12(IS)	13.17	264	38545	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.10	82	272771	44.44570 ppb		-0.02
Spiked Amount 5.000			Recovery = 888.920%			
4) 2-Methylnaphthalene-D10 (2	4.73	152	777276	46.28122 ppb		0.00
Spiked Amount 5.000			Recovery = 925.620%			
8) Surrogate Recovery (FBP)	5.20	172	495434	41.91347 ppb		-0.01
Spiked Amount 5.000			Recovery = 838.260%			
15) Fluoranthene-D10 (FRT)	9.09	212	1034959	46.13577 ppb		0.00
Spiked Amount 5.000			Recovery = 922.720%			
19) Surrogate Recovery (TPH)	9.58	244	598059	43.97719 ppb		0.00
Spiked Amount 5.000			Recovery = 879.540%			
Target Compounds						Qvalue
3) Naphthalene	3.96	128	1458290	86.95172 ppb		99
5) 2-Methylnaphthalene	4.77	142	841432	84.37826 ppb		100
6) 1-Methylnaphthalene	4.89	142	836950	81.71899 ppb		93
9) Acenaphthylene	5.81	152	3029044	84.50567 ppb		99
10) Acenaphthene	6.01	154	728333	73.31651 ppb		92
11) Fluorene	6.62	166	977411	82.08923 ppb		98
13) Phenanthrene	7.74	178	1281823	79.94928 ppb		99
14) Anthracene	7.80	178	1233503	78.23844 ppb		99
16) Fluoranthene	9.12	202	2109540	81.23134 ppb	#	89
18) Pyrene	9.38	202	2180307	87.28404 ppb		96
20) Benz (a) anthracene	10.80	228	2005960	92.11857 ppb		98
21) Chrysene	10.86	228	1765953	84.85838 ppb	#	96
22) Indeno (1,2,3-cd) pyrene	14.73	276	2046970	94.83293 ppb	#	92
24) Benzo (b) fluoranthene	12.52	252	1994752	95.70774 ppb		99
25) Benzo (k) fluoranthene	12.59	252	1848388	82.90143 ppb	#	85
26) Benzo (a) pyrene	13.11	252	1845710	90.39635 ppb		98
27) Dibenz (a,h) anthracene	14.75	278	1624819	86.78209 ppb		100
28) Benzo (g,h,i) perylene	15.08	276	1672824	88.18424 ppb	#	87


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L010.D Vial: 10
Acq On : 26 Mar 19 12:30 Operator: MA
Sample : 100 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 13:47 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L012.D Vial: 12
Acq On : 26 Mar 19 15:55 Operator: MA
Sample : 0.2 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 16:21 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	48893	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	22990	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	39076	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	57596	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	55456	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.16	82	768	0.08673 ppb		0.04
Spiked Amount 5.000			Recovery =	1.740%		
4) 2-Methylnaphthalene-D10 (2	4.76	152	2284	0.08927 ppb		0.02
Spiked Amount 5.000			Recovery =	1.780%		
8) Surrogate Recovery (FBP)	5.23	172	1525	0.08934 ppb		0.01
Spiked Amount 5.000			Recovery =	1.780%		
15) Fluoranthene-D10 (FRT)	9.10	212	2862	0.08813 ppb		0.01
Spiked Amount 5.000			Recovery =	1.760%		
19) Surrogate Recovery (TPH)	9.59	244	1762	0.08457 ppb		0.01
Spiked Amount 5.000			Recovery =	1.700%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	5503	0.21825 ppb		98
5) 2-Methylnaphthalene	4.78	142	2989	0.19863 ppb		98
6) 1-Methylnaphthalene	4.89	142	3356	0.21862 ppb		97
9) Acenaphthylene	5.82	152	10502	0.19841 ppb		100
10) Acenaphthene	6.01	154	3004	0.20647 ppb		96
11) Fluorene	6.63	166	3457	0.19696 ppb		96
13) Phenanthrene	7.73	178	4828	0.20973 ppb		97
14) Anthracene	7.80	178	4438	0.19743 ppb		98
16) Fluoranthene	9.12	202	7726	0.20526 ppb	#	95
18) Pyrene	9.38	202	7961	0.20588 ppb		93
20) Benz (a) anthracene	10.78	228	6119	0.18540 ppb		97
21) Chrysene	10.84	228	7299	0.22752 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.70	276	7062	0.17330 ppb	#	92
24) Benzo (b) fluoranthene	12.51	252	5643	0.19039 ppb		99
25) Benzo (k) fluoranthene	12.55	252	6638	0.19712 ppb	#	84
26) Benzo (a) pyrene	13.08	252	6073	0.18974 ppb	#	94
27) Dibenz (a,h) anthracene	14.72	278	5632	0.16786 ppb	#	91
28) Benzo (g,h,i) perylene	15.05	276	5883	0.17144 ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L012.D Vial: 12
Acq On : 26 Mar 19 15:55 Operator: MA
Sample : 0.2 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 16:21 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L013.D Vial: 13
Acq On : 26 Mar 19 17:05 Operator: MA
Sample : 0.1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 17:22 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.95	136	33055	2.50000 ppb		0.01
7) Acenaphthene-D10(IS)	5.98	164	15242	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	26118	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	37102	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	35689	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.16	82	174	0.02974 ppb		0.04
Spiked Amount 5.000			Recovery = 0.600%			
4) 2-Methylnaphthalene-D10 (2	4.77	152	917	0.05892 ppb		0.04
Spiked Amount 5.000			Recovery = 1.180%			
8) Surrogate Recovery (FBP)	5.24	172	525	0.04808 ppb		0.02
Spiked Amount 5.000			Recovery = 0.960%			
15) Fluoranthene-D10 (FRT)	9.11	212	993	0.05233 ppb		0.02
Spiked Amount 5.000			Recovery = 1.040%			
19) Surrogate Recovery (TPH)	9.59	244	603	0.04940 ppb		0.01
Spiked Amount 5.000			Recovery = 0.980%			
Target Compounds						Qvalue
3) Naphthalene	3.97	128	2021	0.12117 ppb		98
5) 2-Methylnaphthalene	4.79	142	966	0.09635 ppb		93
6) 1-Methylnaphthalene	4.90	142	1309	0.12868 ppb		97
9) Acenaphthylene	5.83	152	3597	0.10503 ppb		100
10) Acenaphthene	6.01	154	1094	0.11148 ppb		97
11) Fluorene	6.64	166	1352	0.11705 ppb		98
13) Phenanthrene	7.74	178	1679	0.11386 ppb		98
14) Anthracene	7.81	178	1552	0.10652 ppb		99
16) Fluoranthene	9.13	202	2650	0.11360 ppb	#	94
18) Pyrene	9.39	202	2818	0.12170 ppb	#	94
20) Benz (a) anthracene	10.79	228	2097	0.10234 ppb		97
21) Chrysene	10.84	228	2513	0.12734 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.73	276	2499	0.12209 ppb	#	81
24) Benzo (b) fluoranthene	12.52	252	1653	0.08620 ppb		97
25) Benzo (k) fluoranthene	12.58	252	2393	0.12113 ppb	#	82
26) Benzo (a) pyrene	13.09	252	1774	0.09605 ppb		98
27) Dibenz (a,h) anthracene	14.74	278	1986	0.11611 ppb	#	91
28) Benzo (g,h,i) perylene	15.09	276	2096	0.12108 ppb		92


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L013.D Vial: 13
Acq On : 26 Mar 19 17:05 Operator: MA
Sample : 0.1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 17:22 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 03/26/19
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0326L014.D

		Compound	MEAN	CCRF	%D		%Drift
1	TM	Naphthalene	1.314	1.344	2.3	TM	
2	TM	2-Methylnaphthalene	0.7409	0.8066	8.9	TM	
3	TM	1-Methylnaphthalene	0.8188	0.8287	1.2	TM	
4	TM	Acenaphthylene	5.655	5.927	4.8	TM	
5	*TM	Acenaphthene	1.491	1.500	0.63	*TM	
6	TM	Fluorene	1.867	1.894	1.4	TM	
7	TM	Phenanthrene	1.453	1.496	2.9	TM	
8	TM	Anthracene	1.396	1.451	4.0	TM	
9	*TM	Fluoranthene	2.417	2.498	3.4	*TM	
10	TM	Pyrene	1.692	1.717	1.5	TM	
11	TM	Benz (a) anthracene	1.385	1.403	1.3	TM	
12	TM	Chrysene	1.409	1.442	2.3	TM	
13	TM	Indeno (1,2,3-cd) pyrene	1.476	1.465	0.75	TM	
14	TM	Benzo (b) fluoranthene	1.293	1.413	9.3	TM	
15	TM	Benzo (k) fluoranthene	1.467	1.533	4.5	TM	
16	*TM	Benzo (a) pyrene	1.312	1.326	1.1	*TM	
17	TM	Dibenz (a,h) anthracene	1.222	1.285	5.1	TM	
18	TM	Benzo (g,h,i) perylene	1.254	1.309	4.4	TM	
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
		Average			3.3		

PAH by GCMS SIM
EPA 8270 SIM

Form 7

Second Source Calibration

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L014.D Vial: 14
Acq On : 26 Mar 19 17:27 Operator: MA
Sample : SS SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 27 9:04 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	37593	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	17018	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	29145	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	42587	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	40320	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.15	82	89	0.01327 ppb		0.02
Spiked Amount 5.000			Recovery =	0.260%		
4) 2-Methylnaphthalene-D10 (2	4.74	152	61	0.00300 ppb		0.01
Spiked Amount 5.000			Recovery =	0.060%		
8) Surrogate Recovery (FBP)	5.26	172	21	0.00168 ppb		0.05
Spiked Amount 5.000			Recovery =	0.040%		
15) Fluoranthene-D10 (FRT)	9.09	212	62	0.00249 ppb		0.00
Spiked Amount 5.000			Recovery =	0.040%		
19) Surrogate Recovery (TPH)	9.60	244	51	0.00338 ppb		0.02
Spiked Amount 5.000			Recovery =	0.060%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	101084	5.11703 ppb		100
5) 2-Methylnaphthalene	4.77	142	60648	5.44385 ppb		98
6) 1-Methylnaphthalene	4.88	142	62305	5.06007 ppb		99
9) Acenaphthylene	5.81	152	201720	5.24063 ppb		99
10) Acenaphthene	6.01	154	51069	5.03134 ppb		100
11) Fluorene	6.62	166	64459	5.07138 ppb		99
13) Phenanthrene	7.73	178	87187	5.14639 ppb		100
14) Anthracene	7.79	178	84584	5.19763 ppb		100
16) Fluoranthene	9.11	202	145598	5.16794 ppb		98
18) Pyrene	9.36	202	146253	5.07448 ppb		99
20) Benz (a) anthracene	10.78	228	119541	5.06587 ppb		98
21) Chrysene	10.83	228	122783	5.11679 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.66	276	124805	4.96230 ppb		98
24) Benzo (b) fluoranthene	12.47	252	113984	5.46678 ppb	#	96
25) Benzo (k) fluoranthene	12.52	252	123617	5.22426 ppb	#	84
26) Benzo (a) pyrene	13.05	252	106932	5.05468 ppb	#	94
27) Dibenz (a,h) anthracene	14.70	278	103583	5.25425 ppb		99
28) Benzo (g,h,i) perylene	15.01	276	105592	5.22057 ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L014.D Vial: 14
Acq On : 26 Mar 19 17:27 Operator: MA
Sample : SS SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 27 9:04 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/26/19
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0426L003.D

		Compound	MEAN	CCRF	%D		%Drift	
1	I	Napthalene-D8(IS)	ISTD			I		
2	S	Surrogate Recovery (NBZ)	0.4460	0.4406	1.2	S		
3	TM	Naphthalene	1.314	1.225	6.8	TM		
4	S	2-Methylnaphthalene-D10 (2MN)	1.354	1.236	8.7	S		
5	TM	2-Methylnaphthalene	0.7409	0.6982	5.8	TM		
6	TM	1-Methylnaphthalene	0.8188	0.7382	9.9	TM		
7	I	Acenaphthene-D10(IS)	ISTD			I		
8	S	Surrogate Recovery (FBP)	1.840	1.901	3.3	S		
9	TM	Acenaphthylene	5.655	5.185	8.3	TM		
10	*TM	Acenaphthene	1.491	1.502	0.70	*TM		
11	TM	Fluorene	1.867	1.903	1.9	TM		
12	I	Phenanthrene-D10(IS)	ISTD			I		
13	TM	Phenanthrene	1.453	1.435	1.3	TM		
14	TM	Anthracene	1.396	1.418	1.6	TM		
15	S	Fluoranthene-D10 (FRT)	2.138	2.150	0.56	S		
16	*TM	Fluoranthene	2.417	2.385	1.3	*TM		
17	I	Chrysene-D12(IS)	ISTD			I		
18	TM	Pyrene	1.692	1.666	1.5	TM		
19	S	Surrogate Recovery (TPH)	0.8859	0.8756	1.2	S		
20	TM	Benz (a) anthracene	1.385	1.360	1.8	TM		
21	TM	Chrysene	1.409	1.364	3.1	TM		
22	TM	Indeno (1,2,3-cd) pyrene	1.476	1.496	1.3	TM		
23	I	Perylene-D12(IS)	ISTD			I		
24	TM	Benzo (b) fluoranthene	1.293	1.245	3.7	TM		
25	TM	Benzo (k) fluoranthene	1.467	1.779	21	TM		*NT
26	*TM	Benzo (a) pyrene	1.312	1.322	0.80	*TM		
27	TM	Dibenz (a,h) anthracene	1.222	1.373	12	TM		
28	TM	Benzo (g,h,i) perylene	1.254	1.338	6.7	TM		
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			4.5			

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L003.D Vial: 3
Acq On : 26 Apr 19 14:31 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 26 14:50 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	48849	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	20245	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	34785	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	49781	2.50000 ppb		-0.01
23) Perylene-D12(IS)	13.17	264	44763	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.13	82	21522	2.46943 ppb		0.00
Spiked Amount 5.000			Recovery	= 49.380%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	60391	2.28337 ppb		0.00
Spiked Amount 5.000			Recovery	= 45.660%		
8) Surrogate Recovery (FBP)	5.22	172	38480	2.58189 ppb		0.00
Spiked Amount 5.000			Recovery	= 51.640%		
15) Fluoranthene-D10 (FRT)	9.08	212	74783	2.51398 ppb		-0.01
Spiked Amount 5.000			Recovery	= 50.280%		
19) Surrogate Recovery (TPH)	9.57	244	43590	2.47107 ppb		-0.01
Spiked Amount 5.000			Recovery	= 49.420%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	119673	4.66212 ppb		100
5) 2-Methylnaphthalene	4.77	142	68212	4.71196 ppb		98
6) 1-Methylnaphthalene	4.88	142	72118	4.50743 ppb		94
9) Acenaphthylene	5.81	152	209953	4.58508 ppb		100
10) Acenaphthene	6.00	154	60800	5.03525 ppb		98
11) Fluorene	6.60	166	77042	5.09519 ppb		93
13) Phenanthrene	7.71	178	99832	4.93734 ppb		98
14) Anthracene	7.79	178	98649	5.07904 ppb		99
16) Fluoranthene	9.10	202	165920	4.93438 ppb	#	89
18) Pyrene	9.36	202	165882	4.92379 ppb		100
20) Benz (a) anthracene	10.77	228	135401	4.90877 ppb		97
21) Chrysene	10.82	228	135847	4.84309 ppb	#	95
22) Indeno (1,2,3-cd) pyrene	14.68	276	148900	5.06476 ppb	#	82
24) Benzo (b) fluoranthene	12.48	252	111470	4.81556 ppb		99
25) Benzo (k) fluoranthene	12.53	252	159254	6.06231 ppb		99
26) Benzo (a) pyrene	13.08	252	118369	5.03994 ppb	#	96
27) Dibenz (a,h) anthracene	14.70	278	122926	5.61652 ppb	#	93
28) Benzo (g,h,i) perylene	15.03	276	119820	5.33602 ppb		96


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L003.D Vial: 3
Acq On : 26 Apr 19 14:31 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 26 14:50 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/26/19
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0426L020.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Napthalene-D8(IS)	ISTD			I	
2	S	Surrogate Recovery (NBZ)	0.4460	0.4621	3.6	S	
3	TM	Naphthalene	1.314	1.435	9.3	TM	
4	S	2-Methylnaphthalene-D10 (2MN)	1.354	1.218	10	S	
5	TM	2-Methylnaphthalene	0.7409	0.8233	11	TM	
6	TM	1-Methylnaphthalene	0.8188	0.8586	4.9	TM	
7	I	Acenaphthene-D10(IS)	ISTD			I	
8	S	Surrogate Recovery (FBP)	1.840	1.935	5.1	S	
9	TM	Acenaphthylene	5.655	6.783	20	TM	
10	*TM	Acenaphthene	1.491	1.740	17	*TM	
11	TM	Fluorene	1.867	2.174	16	TM	
12	I	Phenanthrene-D10(IS)	ISTD			I	
13	TM	Phenanthrene	1.453	1.679	16	TM	
14	TM	Anthracene	1.396	1.791	28	TM	
15	S	Fluoranthene-D10 (FRT)	2.138	2.323	8.6	S	
16	*TM	Fluoranthene	2.417	2.950	22	*TM	
17	I	Chrysene-D12(IS)	ISTD			I	
18	TM	Pyrene	1.692	1.874	11	TM	
19	S	Surrogate Recovery (TPH)	0.8859	0.8338	5.9	S	
20	TM	Benz (a) anthracene	1.385	1.439	3.9	TM	
21	TM	Chrysene	1.409	1.616	15	TM	
22	TM	Indeno (1,2,3-cd) pyrene	1.476	1.663	13	TM	
23	I	Perylene-D12(IS)	ISTD			I	
24	TM	Benzo (b) fluoranthene	1.293	1.311	1.4	TM	
25	TM	Benzo (k) fluoranthene	1.467	1.944	33	TM	
26	*TM	Benzo (a) pyrene	1.312	1.515	16	*TM	
27	TM	Dibenz (a,h) anthracene	1.222	1.455	19	TM	
28	TM	Benzo (g,h,i) perylene	1.254	1.408	12	TM	
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			13.1		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L020.D Vial: 20
Acq On : 26 Apr 19 21:43 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:46 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	50811	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	20724	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.70	188	34168	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	53412	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.17	264	50142	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.15	82	23480	2.59006 ppb		0.02
Spiked Amount 5.000			Recovery	= 51.800%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	61864	2.24875 ppb		0.00
Spiked Amount 5.000			Recovery	= 44.980%		
8) Surrogate Recovery (FBP)	5.22	172	40094	2.62801 ppb		0.00
Spiked Amount 5.000			Recovery	= 52.560%		
15) Fluoranthene-D10 (FRT)	9.08	212	79363	2.71612 ppb		-0.01
Spiked Amount 5.000			Recovery	= 54.320%		
19) Surrogate Recovery (TPH)	9.58	244	44533	2.35290 ppb		0.00
Spiked Amount 5.000			Recovery	= 47.060%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	145856	5.46272 ppb		100
5) 2-Methylnaphthalene	4.77	142	83669	5.55653 ppb		99
6) 1-Methylnaphthalene	4.88	142	87257	5.24304 ppb		97
9) Acenaphthylene	5.81	152	281149	5.99799 ppb		99
10) Acenaphthene	6.00	154	72126	5.83517 ppb		91
11) Fluorene	6.62	166	90110	5.82170 ppb		98
13) Phenanthrene	7.73	178	114720	5.77610 ppb		99
14) Anthracene	7.79	178	122423	6.41689 ppb		99
16) Fluoranthene	9.10	202	201579	6.10311 ppb	#	84
18) Pyrene	9.36	202	200163	5.53744 ppb		96
20) Benz (a) anthracene	10.78	228	153766	5.19560 ppb		100
21) Chrysene	10.83	228	172595	5.73490 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.69	276	177616	5.63081 ppb	#	83
24) Benzo (b) fluoranthene	12.48	252	131487	5.07095 ppb		99
25) Benzo (k) fluoranthene	12.53	252	194962	6.62545 ppb		99
26) Benzo (a) pyrene	13.08	252	151959	5.77605 ppb	#	95
27) Dibenz (a,h) anthracene	14.71	278	145864	5.94962 ppb		95
28) Benzo (g,h,i) perylene	15.04	276	141222	5.61446 ppb		92


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L020.D Vial: 20
Acq On : 26 Apr 19 21:43 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:46 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L012.D Vial: 12
Acq On : 26 Apr 19 18:44 Operator: MA
Sample : AZ90051W37 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:18 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	46898	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	20972	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	38792	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.82	240	57477	2.50000 ppb	0.02
23) Perylene-D12(IS)	13.20	264	55635	2.50000 ppb	0.03
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	731859	109.33352 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1749.344%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	111346	5.48139 ppb	0.00
Spiked Amount 6.250			Recovery	= 87.696%	
8) Surrogate Recovery (FBP)	5.20	172	1131116	91.57938 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1465.264%	
15) Fluoranthene-D10 (FRT)	9.08	212	152823	5.75847 ppb	-0.01
Spiked Amount 6.250			Recovery	= 92.128%	
19) Surrogate Recovery (TPH)	9.57	244	1302423	79.93352 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1278.944%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L012.D Vial: 12
Acq On : 26 Apr 19 18:44 Operator: MA
Sample : AZ90051W37 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:18 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L015.D Vial: 15
Acq On : 26 Apr 19 19:51 Operator: MA
Sample : AZ90052W11 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:19 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	47262	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	21024	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	36499	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.82	240	54398	2.50000 ppb	0.02
23) Perylene-D12(IS)	13.20	264	53093	2.50000 ppb	0.03
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	737494	109.32680 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1749.232%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	111719	5.45739 ppb	0.00
Spiked Amount 6.250			Recovery	= 87.312%	
8) Surrogate Recovery (FBP)	5.20	172	1114909	90.04394 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1440.704%	
15) Fluoranthene-D10 (FRT)	9.09	212	146242	5.85669 ppb	0.00
Spiked Amount 6.250			Recovery	= 93.712%	
19) Surrogate Recovery (TPH)	9.57	244	1312674	85.12261 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1361.968%	


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Data File : M:\LINUS\DATA\L190426\0426L015.D Vial: 15
Acq On : 26 Apr 19 19:51 Operator: MA
Sample : AZ90052W11 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:19 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L016.D Vial: 16
Acq On : 26 Apr 19 20:14 Operator: MA
Sample : AZ90054W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	44195	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	19448	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	35944	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.82	240	53237	2.50000 ppb	0.02
23) Perylene-D12(IS)	13.20	264	52214	2.50000 ppb	0.03
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	718848	113.95783 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1823.328%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	106915	5.58516 ppb	0.00
Spiked Amount 6.250			Recovery	= 89.360%	
8) Surrogate Recovery (FBP)	5.20	172	1116244	97.45735 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1559.312%	
15) Fluoranthene-D10 (FRT)	9.09	212	140629	5.71886 ppb	0.00
Spiked Amount 6.250			Recovery	= 91.504%	
19) Surrogate Recovery (TPH)	9.57	244	1299588	86.11188 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1377.792%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L016.D Vial: 16
Acq On : 26 Apr 19 20:14 Operator: MA
Sample : AZ90054W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L017.D Vial: 17
Acq On : 26 Apr 19 20:36 Operator: MA
Sample : AZ90056W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	47278	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	20437	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	37697	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.82	240	53172	2.50000 ppb	0.02
23) Perylene-D12(IS)	13.20	264	53230	2.50000 ppb	0.03
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	736490	109.14102 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1746.256%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	109149	5.33005 ppb	0.00
Spiked Amount 6.250			Recovery	= 85.280%	
8) Surrogate Recovery (FBP)	5.20	172	1111933	92.38296 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1478.128%	
15) Fluoranthene-D10 (FRT)	9.09	212	142254	5.51593 ppb	0.00
Spiked Amount 6.250			Recovery	= 88.256%	
19) Surrogate Recovery (TPH)	9.57	244	1372312	91.04180 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1456.672%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L017.D Vial: 17
Acq On : 26 Apr 19 20:36 Operator: MA
Sample : AZ90056W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L018.D Vial: 18
Acq On : 26 Apr 19 20:58 Operator: MA
Sample : AZ90058W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:20 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	46113	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	20001	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	35683	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.82	240	53926	2.50000 ppb	0.02
23) Perylene-D12(IS)	13.20	264	52452	2.50000 ppb	0.03
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	721183	109.57269 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1753.168%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	106134	5.31375 ppb	0.00
Spiked Amount 6.250			Recovery	= 85.024%	
8) Surrogate Recovery (FBP)	5.20	172	1100054	93.38835 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1494.208%	
15) Fluoranthene-D10 (FRT)	9.09	212	143239	5.86760 ppb	0.00
Spiked Amount 6.250			Recovery	= 93.888%	
19) Surrogate Recovery (TPH)	9.57	244	1247001	81.57171 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1305.152%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L018.D Vial: 18
Acq On : 26 Apr 19 20:58 Operator: MA
Sample : AZ90058W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:20 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L019.D Vial: 19
Acq On : 26 Apr 19 21:21 Operator: MA
Sample : AZ90060W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:20 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	42355	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	19313	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	35424	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.82	240	53302	2.50000 ppb	0.02
23) Perylene-D12(IS)	13.20	264	52649	2.50000 ppb	0.03
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	741185	122.60330 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1961.648%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	110291	6.01182 ppb	0.00
Spiked Amount 6.250			Recovery	= 96.192%	
8) Surrogate Recovery (FBP)	5.20	172	1115868	98.10553 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1569.696%	
15) Fluoranthene-D10 (FRT)	9.09	212	146990	6.06528 ppb	0.00
Spiked Amount 6.250			Recovery	= 97.040%	
19) Surrogate Recovery (TPH)	9.57	244	1343525	88.91463 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1422.640%	
Target Compounds					Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L019.D Vial: 19
Acq On : 26 Apr 19 21:21 Operator: MA
Sample : AZ90060W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:20 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L004.D Vial: 4
Acq On : 26 Apr 19 15:45 Operator: MA
Sample : 190424A BLK 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:17 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.92	136	61581	2.50000 ppb	-0.01
7) Acenaphthene-D10(IS)	5.96	164	27671	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	51116	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.80	240	74152	2.50000 ppb	0.01
23) Perylene-D12(IS)	13.18	264	72779	2.50000 ppb	0.02
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.09	82	725628	82.55579 ppb	-0.04
Spiked Amount 6.250			Recovery	= 1320.896%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	114213	4.28193 ppb	0.00
Spiked Amount 6.250			Recovery	= 68.512%	
8) Surrogate Recovery (FBP)	5.20	172	1109405	68.07626 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1089.216%	
15) Fluoranthene-D10 (FRT)	9.08	212	149516	4.27555 ppb	-0.01
Spiked Amount 6.250			Recovery	= 68.416%	
19) Surrogate Recovery (TPH)	9.57	244	1299739	61.83071 ppb	-0.01
Spiked Amount 6.250			Recovery	= 989.296%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L004.D Vial: 4
Acq On : 26 Apr 19 15:45 Operator: MA
Sample : 190424A BLK 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:17 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L005.D Vial: 5
Acq On : 26 Apr 19 16:07 Operator: MA
Sample : 190424A LCS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.92	136	61600	2.50000 ppb		-0.01
7) Acenaphthene-D10(IS)	5.96	164	26296	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	49643	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	71987	2.50000 ppb		-0.01
23) Perylene-D12(IS)	13.16	264	68680	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	0.00	82	0	0.00000 ppb		
Spiked Amount 6.250			Recovery	= 0.000%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	114360	4.28611 ppb		0.00
Spiked Amount 6.250			Recovery	= 68.576%		
8) Surrogate Recovery (FBP)	5.22	172	68	0.00439 ppb		0.00
Spiked Amount 6.250			Recovery	= 0.064%		
15) Fluoranthene-D10 (FRT)	9.08	212	154945	4.56226 ppb		-0.01
Spiked Amount 6.250			Recovery	= 72.992%		
19) Surrogate Recovery (TPH)	9.59	244	427	0.02092 ppb		0.01
Spiked Amount 6.250			Recovery	= 0.336%		
Target Compounds						Qvalue
3) Naphthalene	3.95	128	119158	4.60145 ppb		100
5) 2-Methylnaphthalene	4.77	142	70469	4.82530 ppb		98
6) 1-Methylnaphthalene	4.88	142	70028	4.33852 ppb		95
9) Acenaphthylene	5.81	152	236354	4.96736 ppb		99
10) Acenaphthene	6.00	154	62571	4.98687 ppb		100
11) Fluorene	6.60	166	81645	5.19638 ppb		97
13) Phenanthrene	7.71	178	107061	4.63765 ppb		98
14) Anthracene	7.79	178	100226	4.51974 ppb		100
16) Fluoranthene	9.10	202	172578	4.49535 ppb	#	91
18) Pyrene	9.36	202	178576	4.58187 ppb		95
20) Benz (a) anthracene	10.77	228	133526	4.18443 ppb		98
21) Chrysene	10.82	228	153531	4.73138 ppb	#	97
22) Indeno (1,2,3-cd) pyrene	14.67	276	157926	4.64341 ppb	#	82
24) Benzo (b) fluoranthene	12.48	252	124752	4.39072 ppb		99
25) Benzo (k) fluoranthene	12.52	252	162449	5.03807 ppb		98
26) Benzo (a) pyrene	13.08	252	125100	4.33954 ppb		97
27) Dibenz (a,h) anthracene	14.70	278	130275	4.84935 ppb	#	92
28) Benzo (g,h,i) perylene	15.03	276	128476	4.66133 ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L005.D Vial: 5
Acq On : 26 Apr 19 16:07 Operator: MA
Sample : 190424A LCS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L006.D Vial: 6
Acq On : 26 Apr 19 16:29 Operator: MA
Sample : 190424A LCSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	61904	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	27133	2.50000	ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	50790	2.50000	ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	73769	2.50000	ppb		-0.01
23) Perylene-D12(IS)	13.16	264	73093	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	0.00	82	0	0.00000	ppb		
Spiked Amount 6.250			Recovery	= 0.000%			
4) 2-Methylnaphthalene-D10 (2	4.73	152	115101	4.29270	ppb		0.00
Spiked Amount 6.250			Recovery	= 68.688%			
8) Surrogate Recovery (FBP)	5.23	172	61	0.00382	ppb		0.01
Spiked Amount 6.250			Recovery	= 0.064%			
15) Fluoranthene-D10 (FRT)	9.08	212	156005	4.48974	ppb		-0.01
Spiked Amount 6.250			Recovery	= 71.840%			
19) Surrogate Recovery (TPH)	9.59	244	265	0.01267	ppb		0.01
Spiked Amount 6.250			Recovery	= 0.208%			
Target Compounds							Qvalue
3) Naphthalene	3.96	128	119326	4.58531	ppb		100
5) 2-Methylnaphthalene	4.77	142	70567	4.80828	ppb		97
6) 1-Methylnaphthalene	4.88	142	70112	4.32239	ppb		97
9) Acenaphthylene	5.81	152	236980	4.82688	ppb		99
10) Acenaphthene	6.00	154	62873	4.85637	ppb		100
11) Fluorene	6.60	166	83195	5.13169	ppb		96
13) Phenanthrene	7.71	178	105658	4.47352	ppb		98
14) Anthracene	7.79	178	100191	4.41613	ppb		100
16) Fluoranthene	9.10	202	174429	4.44095	ppb	#	92
18) Pyrene	9.36	202	175430	4.39242	ppb		98
20) Benz (a) anthracene	10.77	228	132176	4.04206	ppb		98
21) Chrysene	10.82	228	152369	4.58215	ppb		97
22) Indeno (1,2,3-cd) pyrene	14.68	276	156504	4.49045	ppb	#	81
24) Benzo (b) fluoranthene	12.48	252	122959	4.06633	ppb		98
25) Benzo (k) fluoranthene	12.53	252	163967	4.77813	ppb		99
26) Benzo (a) pyrene	13.08	252	126932	4.13725	ppb		97
27) Dibenz (a,h) anthracene	14.70	278	129586	4.53247	ppb	#	93
28) Benzo (g,h,i) perylene	15.03	276	127250	4.33810	ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L006.D Vial: 6
Acq On : 26 Apr 19 16:29 Operator: MA
Sample : 190424A LCSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L013.D Vial: 13
Acq On : 26 Apr 19 19:06 Operator: MA
Sample : AZ90051W38 MS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	50394	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	21769	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	39937	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.79	240	59814	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.17	264	56078	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	0.00	82	0	0.00000 ppb		
Spiked Amount 6.250			Recovery	= 0.000%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	118797	5.44248 ppb		0.00
Spiked Amount 6.250			Recovery	= 87.072%		
8) Surrogate Recovery (FBP)	5.22	172	227	0.01771 ppb		0.00
Spiked Amount 6.250			Recovery	= 0.288%		
15) Fluoranthene-D10 (FRT)	9.08	212	154968	5.67188 ppb		-0.01
Spiked Amount 6.250			Recovery	= 90.752%		
19) Surrogate Recovery (TPH)	9.59	244	777	0.04582 ppb		0.01
Spiked Amount 6.250			Recovery	= 0.736%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	124964	5.89873 ppb		100
5) 2-Methylnaphthalene	4.77	142	72761	6.09013 ppb		99
6) 1-Methylnaphthalene	4.88	142	72659	5.50252 ppb		96
9) Acenaphthylene	5.81	152	242782	6.16355 ppb		100
10) Acenaphthene	6.00	154	64140	6.17498 ppb		95
11) Fluorene	6.62	166	84417	6.49011 ppb		99
13) Phenanthrene	7.73	178	105941	5.70445 ppb		99
14) Anthracene	7.79	178	105434	5.91012 ppb		99
16) Fluoranthene	9.10	202	177350	5.74237 ppb	#	88
18) Pyrene	9.36	202	180912	5.58648 ppb		99
20) Benz (a) anthracene	10.77	228	141438	5.33443 ppb		97
21) Chrysene	10.83	228	147730	5.47914 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.68	276	160500	5.67950 ppb	#	83
24) Benzo (b) fluoranthene	12.48	252	132512	5.71190 ppb		99
25) Benzo (k) fluoranthene	12.53	252	162283	6.16393 ppb		100
26) Benzo (a) pyrene	13.08	252	126449	5.37204 ppb	#	95
27) Dibenz (a,h) anthracene	14.71	278	132572	6.04382 ppb		96
28) Benzo (g,h,i) perylene	15.04	276	126995	5.64302 ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L013.D Vial: 13
Acq On : 26 Apr 19 19:06 Operator: MA
Sample : AZ90051W38 MS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L014.D Vial: 14
Acq On : 26 Apr 19 19:29 Operator: MA
Sample : AZ90051W36 MSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	43526	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	19312	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	37941	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.79	240	56419	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.18	264	54157	2.50000 ppb		0.02
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	0.00	82	0	0.00000 ppb		
Spiked Amount 6.250			Recovery	= 0.000%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	111557	5.91723 ppb		0.00
Spiked Amount 6.250			Recovery	= 94.672%		
8) Surrogate Recovery (FBP)	5.22	172	217	0.01908 ppb		0.00
Spiked Amount 6.250			Recovery	= 0.304%		
15) Fluoranthene-D10 (FRT)	9.08	212	151559	5.83894 ppb		-0.01
Spiked Amount 6.250			Recovery	= 93.424%		
19) Surrogate Recovery (TPH)	9.59	244	645	0.04033 ppb		0.01
Spiked Amount 6.250			Recovery	= 0.640%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	116531	6.36862 ppb		100
5) 2-Methylnaphthalene	4.77	142	68086	6.59805 ppb		100
6) 1-Methylnaphthalene	4.88	142	69561	6.09913 ppb		96
9) Acenaphthylene	5.81	152	230541	6.59741 ppb		99
10) Acenaphthene	6.00	154	60684	6.58555 ppb		95
11) Fluorene	6.62	166	79534	6.89265 ppb		99
13) Phenanthrene	7.73	178	98976	5.60978 ppb		99
14) Anthracene	7.79	178	95978	5.66310 ppb		99
16) Fluoranthene	9.10	202	159054	5.42090 ppb	#	82
18) Pyrene	9.36	202	172790	5.65675 ppb		95
20) Benz (a) anthracene	10.78	228	131492	5.25773 ppb		99
21) Chrysene	10.83	228	145154	5.70755 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.69	276	149330	5.60221 ppb	#	82
24) Benzo (b) fluoranthene	12.48	252	121271	5.41278 ppb		98
25) Benzo (k) fluoranthene	12.53	252	149757	5.88993 ppb		98
26) Benzo (a) pyrene	13.08	252	119929	5.27577 ppb	#	94
27) Dibenz (a,h) anthracene	14.71	278	123357	5.82320 ppb	#	94
28) Benzo (g,h,i) perylene	15.04	276	120517	5.54513 ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L014.D Vial: 14
Acq On : 26 Apr 19 19:29 Operator: MA
Sample : AZ90051W36 MSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25


Quant Time: Apr 30 9:10 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Data File : M:\LINUS\DATA\L190326\0326L002.D Vial: 2
Acq On : 26 Mar 19 9:39 Operator: MA
Sample : SV Tune 10/11/18 Inst : Linus
Misc : Multiplr: 1.00

Method : M:\LINUS\DATA\L190326\L0122.M (RTE Integrator)
Title : EPA 8270



AutoFind: Scans 1511, 1512, 1513; Background Corrected with Scan 1501

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	45.8	129276	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.4	622	PASS
127	198	10	80	61.0	172437	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	282517	PASS
199	198	5	9	6.0	17040	PASS
275	198	10	60	18.6	52443	PASS
365	198	1	100	2.2	6254	PASS
441	442	0.01	24	14.3	31867	PASS
442	198	50	150	78.8	222613	PASS
443	442	15	24	19.8	44029	PASS

Data File Name:	**0326L002.D**
Data File Path:	**M:\LINUS\DATA\L190326**
Operator:	**MA**
Date Acquired:	**26 Mar 2019 09:39**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 10/11/18**
Vial Number:	**2**
Instrument Name:	**Linus**

#	Name	Ret Time	Target Response
1)	DDT	7.88	26061300
2)	DDD	7.65	254374
3)	DDE	7.70	0


Breakdown **0.97**

DFTPP

Data File : M:\LINUS\DATA\L190426\0426L002.D
Acq On : 26 Apr 19 14:15
Sample : SV Tune 10/11/18
Misc :

Vial: 2
Operator: MA
Inst : Linus
Multiplr: 1.00

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270



AutoFind: Scans 1506, 1507, 1508; Background Corrected with Scan 1497

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	55.2	201498	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.6	1295	PASS
127	198	10	80	63.7	232811	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	365355	PASS
199	198	5	9	6.6	23994	PASS
275	198	10	60	21.6	78763	PASS
365	198	1	100	2.7	9938	PASS
441	442	0.01	24	16.7	45291	PASS
442	198	50	150	74.2	271168	PASS
443	442	15	24	18.4	49955	PASS

0426L002.D L0326.M Fri Apr 26 14:50:49 2019

Data File Name:	**0426L002.D**
Data File Path:	**M:\LINUS\DATA\L190426**
Operator:	**MA**
Date Acquired:	**26 Apr 2019 14:15**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 10/11/18**
Vial Number:	**2**
Instrument Name:	**Linus**

#	Name	Ret Time	Target Response
1)	DDT	7.88	36076400
2)	DDD	7.65	1238690
3)	DDE	7.70	0

Breakdown **3.32**

Name of Final Standard	Semivolatile (SV) Tuning Solution	Prep'd By (Initials)	GA
Prep Date	10/11/18		
Exp Date	09/30/19		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Semivolatile GC/MS Tuning Standard	Ultra Scientific	GCM-150-1	1,000 ug/mL	CR3789-38879	**09/30/19**	1,250 uL	25 mL	**MC #56258**	50 ug/mL

Name of Final Standard: **SIM Curve** Prep'd By (Initials): GA

Prep Date: 03/06/19

Exp Date: 06/01/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	03/06/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.1 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	03/06/19	06/01/19	20 uL	100uL	MC 56258 80uL	0.2 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	Phenova	5.0 ug/mL SIM	5.0 ug/mL	03/06/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	APPL	5.0 ug/mL SIM	5.0 ug/mL	03/06/19	06/01/19	20 uL	100uL	MC 56258 80 uL	1.0 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	5 uL	200uL	MC 56258 190 uL	5.0 ug/mL
Sim 2S Surrogate	Restek	SIM 2S SURR	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	2.5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	5 uL	100 uL	MC 56258 90 uL	10 ug/mL
Sim 2S Surrogate	APPL	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	25 uL	100uL	MC 56258 50 uL	50 ug/mL
Sim 2S Surrogate	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	25 uL	*	*	25 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	50 uL	100uL	na	100 ug/mL
Sim 2S Surrogate	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	50 uL	*	*	50 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL

Name of Final Standard: **8270 PAH SIM Second Source** Prep'd By (Initials): GA

Prep Date: 03/06/19

Exp Date: 11/06/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
PAH SIM SS Stock	Phenova	AL0-130490	200 ug/mL	12/28/18	12/28/19	5 uL	200uL	MC 56258 195uL	5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL

Name of Final Standard: **SIM Curve** Prep'd By (Initials): GA

Prep Date: 01/18/19

Exp Date: 06/01/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	01/18/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.1 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	01/18/19	06/01/19	20 uL	100uL	MC 56258 80uL	0.2 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	Phenova	5.0 ug/mL SIM	5.0 ug/mL	01/18/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	APPL	5.0 ug/mL SIM	5.0 ug/mL	01/18/19	06/01/19	20 uL	100uL	MC 56258 80 uL	1.0 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	CL13117-40078	12/28/19	5 uL	200uL	MC 56258 190 uL	5.0 ug/mL
SIM 2S SURROGATE	Restek	SIM 2S SURR	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	5.0 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	CL13117-40078	12/28/19	5 uL	100 uL	MC 56258 90 uL	10 ug/mL
SIM 2S SURROGATE	APPL	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	10 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200	CL13117-40078	12/28/19	25 uL	100uL	MC 56258 50 uL	50 ug/mL
SIM 2S SURROGATE	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	25 uL	*	*	50 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	CL13117-40078	12/28/19	50 uL	100uL	na	100 ug/mL
SIM 2S SURROGATE	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	50 uL	*	*	100 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL

Name of Final Standard: **8270 PAH SIM Second Source** Prep'd By (Initials): GA

Prep Date: 01/18/19

Exp Date: 06/01/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
PAH SIM SS Stock	Phenova	AL0-130490	200 ug/mL	CL13121 - 40082	12/28/19	5 uL	200uL	MC 56258 195uL	5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL

Name of Final Standard **SIM 2S Surrogate** **Prep'd By (Initials)** **GA**

Prep Date **06/07/18**
Exp Date **06/01/19**

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
SIM Surrogate Mix	Restek	33913	2000 ug/mL	**A0131716-38553 & 38554**	**06/01/19 06/07/19**	250 uL	5 mL	**Acetone #030817A**	100 ug/mL
8270 B/N surrog mix	Restek	31086	5000 ug/mL	**A0135243-39162**	**06/04/19**	100 uL	*	*	*

Name of Final Standard 8270 SIM PAH Internal Standard **Prep'd By (Initials)** GA

Prep Date 11/06/18

Exp Date 11/06/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
SV Internal Standard	Restek	31206	2000 ug/mL	**A0130603-38560**	**11/06/19**	350 uL	5,600 uL	**MC 56258 5,250 uL**	125 ug/mL

Name of Final Standard PAH SIM Spike (Ampules) **Prep'd By (Initials)** OA

Prep Date 12/17/18

Exp Date 12/17/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270D PAH SIM	O2SI	110780-01	200 ug/mL	**353450-39730**	**12/17/19**	1 mL	1 mL	**NA**	200ug/mL

Name of Final Standard **SIM Surrogate** **Prep'd By (Initials)** **GA**

Prep Date **01/24/19**

Exp Date **06/07/19**

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Sim Surrogate Deuterated	Restek	33913	2000 ug/mL	**A0131716 - 38554 A0137718 - 39318**	**06/07/19 01/24/20**	1250 uL	25 mL	**Acetone #101717I**	100 ug/mL

Name of Final Standard **PAH SIM Spike (Ampules)** **Prep'd By (Initials)** **OA**

Prep Date **02/22/19**
Exp Date **02/22/20**

Initial Standard Information						Final Standard		
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Standard Conc (range)
8270D PAH SIM	O2SI	110780-01	200 ug/mL	**355613-39771**	**02/22/20**	1 mL	1 mL	200ug/mL

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190424A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 EXP 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 EXP 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 EXP 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 EXP 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	yes	
Spiked ID 7			Ext. Start Time:	04/24/19 14:25, 04/25/19 11:20	
Spiked ID 8			Ext. End Time:	04/25/19 9:30, 04/26/19 17:30, 4/26/19 14:30	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	04/24/19 1:05:00 PM	Water Bath Temp Criteria	75,70 °C
pH2	14	4/24/19 11:10:00 AM		
pH3				

Spiked By: KY **Date** 04/24/19 **Witnessed By:** DL **Date** 04/24/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190424A Blk				1,0.050	1,2	800	1	2/1	04/24/19 13:00	
						equip	E-HP51 e-wb6				
2	190424A LCS-1		0.250	1	1	1	800	1	2/1	04/24/19 13:00	
						equip	E-HP50 E-WB6				
3	190424A LCS-2		0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	
						equip	E-HP49 E-WB6				
4	190424A LCSD-1		0.250	1	1	1	800	1	2/1	04/24/19 13:00	
						equip	E-HP48 E-WB6				
5	190424A LCSD-2		0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	
						equip	E-HP47 E-WB6				
6	AZ89958 MS-1	AZ89958W28	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP25 E-WB6				
7	AZ89958 MSD-1	AZ89958W34	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP26 E-WB6				
8	AZ89958 MS-2	AZ89958W33	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP27 E-WB6				
9	AZ89958 MSD-2	AZ89958W36	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP28 E-WB6				
10	AZ89958	AZ89958W30			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP29 E-WB6				
11	AZ89959	AZ89959W07			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP30 E-WB5				
12	AZ89961	AZ89961W14			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP17 E-WB5				
13	AZ90051 MS-1	AZ90051W39	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP10 E-WB5				
14	AZ90051 MSD-1	AZ90051W40	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP9 E-WB5				
15	AZ90051 MS-2	AZ90051W38	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP7 E-WB5				
16	AZ90051 MSD-2	AZ90051W36	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP6 E-WB5				

Solvent and Lot#	
PH Strips	HC 863463
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	4/26/19
Time	1100
Refrigerator	GC-C

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:47:43 PM

Reviewed By: KS **Date** 4/30/19

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190424A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 EXP 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 EXP 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 EXP 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 EXP 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	yes	
Spiked ID 7			Ext. Start Time:	04/24/19 14:25 , 04/25/19 11:20	
Spiked ID 8			Ext. End Time:	04/25/19 9:30 , 04/26/19 17:30 , 4/26/19 14:20	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	04/24/19 1:05:00 PM	Water Bath Temp Criteria	75,70 °C
pH2	14	4/24/19 11:10:00 AM		
pH3				

Spiked By: KY **Date** 04/24/19 **Witnessed By:** DL **Date** 04/24/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90051	AZ90051W37			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP11 E-WB5				
18	AZ90052	AZ90052W11			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP13 E-WB5				
19	AZ90054	AZ90054W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP16 E-WB5				
20	AZ90056	AZ90056W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP15 E-WB5				
21	AZ90058	AZ90058W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP14 E-WB5				
22	AZ90060	AZ90060W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP12 E-WB5				

KS 4/30/19

Solvent and Lot#	
PH Strips	HC 863463
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:47:43 PM

Reviewed By: KS **Date** 4/30/19

Injection Log

Directory: M:\LINUS\DATA\L190326\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	0326L002.D	1	SV Tune 10/11/18		26 Mar 19 9:39
2	5	0326L005.D	1	0.5 SIM 03/06/19		26 Mar 19 10:39
3	6	0326L006.D	1	1 SIM 03/06/19		26 Mar 19 11:01
4	7	0326L007.D	1	5 SIM 03/06/19		26 Mar 19 11:23
5	8	0326L008.D	1	10 SIM 03/06/19		26 Mar 19 11:45
6	9	0326L009.D	1	50 SIM 03/06/19		26 Mar 19 12:08
7	10	0326L010.D	1	100 SIM 03/06/19		26 Mar 19 12:30
8	12	0326L012.D	1	0.2 SIM 01/18/19		26 Mar 19 15:55
9	13	0326L013.D	1	0.1 SIM 01/18/19		26 Mar 19 17:05
10	14	0326L014.D	1	SS SIM 03/06/19		26 Mar 19 17:27
11	2	0426L002.D	1	SV Tune 10/11/18		26 Apr 19 14:15
12	3	0426L003.D	1	5 SIM 03/06/19		26 Apr 19 14:31
13	4	0426L004.D	1.25	190424A BLK 1/800		26 Apr 19 15:45
14	5	0426L005.D	1.25	190424A LCS-2 1/800		26 Apr 19 16:07
15	6	0426L006.D	1.25	190424A LCSD-2 1/800		26 Apr 19 16:29
16	12	0426L012.D	1.25	AZ90051W37 1/800		26 Apr 19 18:44
17	13	0426L013.D	1.25	AZ90051W38 MS-2 1/800		26 Apr 19 19:06
18	14	0426L014.D	1.25	AZ90051W36 MSD-2 1/800		26 Apr 19 19:29
19	15	0426L015.D	1.25	AZ90052W11 1/800		26 Apr 19 19:51
20	16	0426L016.D	1.25	AZ90054W22 1/800		26 Apr 19 20:14
21	17	0426L017.D	1.25	AZ90056W22 1/800		26 Apr 19 20:36
22	18	0426L018.D	1.25	AZ90058W22 1/800		26 Apr 19 20:58
23	19	0426L019.D	1.25	AZ90060W22 1/800		26 Apr 19 21:21
24	20	0426L020.D	1	5 SIM 03/06/19		26 Apr 19 21:43

ORGANICS
Calibration Data

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/19/19
Matrix: Instrument: Yoda
Initials: MA/JMP

		Compound	4	5	10	20	40	50	60	80	100		Avg	%RSD	Type	r^2	Q	MRF
			0319Y004.D	0319Y005.D	0319Y006.D	0319Y007.D	0319Y008.D	0319Y003.D	0319Y009.D	0319Y010 D	0319Y011.D							
1	I	1,4-dichlorobenzene-D4(IS)	ISTD															
2		1,4-Dioxane		0.2083	0.2289	0.2577	0.2765	0.3092	0.3137	0.3004	0.2718		0.27	14				
3	TM	n-Nitrosodimethylamine		0.6432	0.5399	0.5100	0.4462	0.5113	0.4873	0.4661	0.4623		0.51	12	TM			
4	TM	Pyridine		1.255	1.395	1.213	1.241	1.247	1.229	1.101	1.098		1.2	7.7	TM			
5	S	2-Fluorophenol (S)		1.375	1.526	1.553	1.455	1.536	1.549	1.482	1.487		1.5	4.0	S			
6	S	Phenol-D6 (S)		1.849	2.006	2.053	1.890	2.013	2.009	1.900	1.917		2.0	3.8	S			
7	*TM	Phenol		2.418	2.403	2.277	2.046	2.081	2.107	2.009	1.961		2.2	8.3	*TM			0.800
8	TM	Aniline		2.284	2.346	2.196	2.060	2.006	2.081	1.961	1.933		2.1	7.2	TM			
9	TM	Bis (2-chloroethyl) ether		1.068	1.038	0.9839	0.9400	0.9369	0.9481	0.8915	0.8834		0.96	6.8	TM			0.700
10	TM	2-Chlorophenol		1.699	1.735	1.606	1.517	1.552	1.559	1.477	1.441		1.6	6.5	TM			0.800
11	TM	1,3-DCB		1.869	1.829	1.683	1.591	1.607	1.620	1.523	1.490		1.7	8.2	TM			
12	*TM	1,4-DCB		1.996	1.861	1.738	1.623	1.664	1.647	1.546	1.513		1.7	9.5	*TM			
13	TM	Benzyl alcohol		0.9401	0.9733	0.9065	0.8909	0.9247	0.9210	0.8902	0.8725		0.91	3.5	TM			
14	TM	1,2-DCB		1.824	1.731	1.617	1.495	1.541	1.517	1.451	1.417		1.6	9.0	TM			
15	TM	2-Methylphenol		1.623	1.481	1.389	1.309	1.330	1.329	1.261	1.243		1.4	9.2	TM			0.700
16	TM	Bis (2-chloroisopropyl) ether		1.614	1.589	1.448	1.349	1.383	1.381	1.296	1.267		1.4	9.0	TM			0.010
17	TM	Acetophenone		2.397	2.321	2.123	2.020	2.056	2.039	1.942	1.896		2.1	8.4	TM			0.010
18	TM	3&4-Methylphenol		1.847	1.780	1.676	1.580	1.620	1.613	1.541	1.506		1.6	7.1	TM			0.600
19	**TM	n-Nitrosodi-n-propylamine		1.325	1.288	1.159	1.114	1.129	1.116	1.050	1.037		1.2	9.0	**TM			0.500
20	TM	Hexachloroethane		0.7326	0.7189	0.6438	0.6187	0.6212	0.6148	0.5862	0.5788		0.64	8.9	TM			0.300
21	I	Napthalene-D8(IS)	ISTD															
22	S	Nitrobenzene-D5(S)		0.4036	0.4481	0.4428	0.4092	0.4401	0.4199	0.4120	0.4051		0.42	4.3	S			
23	TM	Nitrobenzene		0.4636	0.4541	0.4209	0.3913	0.4042	0.3893	0.3799	0.3626		0.41	8.7	TM			0.200
24	TM	Isophorone		0.7995	0.7871	0.7264	0.6740	0.7092	0.6839	0.6638	0.6355		0.71	8.2	TM			0.400
25	*TM	2-Nitrophenol		0.2130	0.2243	0.2061	0.2032	0.2140	0.2031	0.1972	0.1946		0.21	4.7	*TM			0.100
26	TM	2,4-Dimethylphenol		0.3719	0.3513	0.3249	0.3195	0.3247	0.3133	0.3054	0.2986		0.33	7.4	TM			0.200
27	TM	Benzoic acid			0.1610	0.2025	0.2286	0.2242	0.2467	0.2499	0.2474		0.22	14	TM			
28	TM	Bis (2-chloroethoxy) methane		0.4841	0.4859	0.4404	0.4136	0.4319	0.4182	0.4019	0.3931		0.43	8.1	TM			0.300
29	*TM	2,4-Dichlorophenol		0.2934	0.2985	0.2811	0.2683	0.2800	0.2689	0.2659	0.2569		0.28	5.2	*TM			0.200
30	TM	1,2,4-Trichlorobenzene		0.3367	0.3392	0.3144	0.2936	0.3050	0.2892	0.2812	0.2699		0.30	8.3	TM			
31	TM	3,4-Dimethylphenol		0.5587	0.5474	0.4891	0.4564	0.4760	0.4559	0.4449	0.4308		0.48	9.8	TM			
32	TM	Naphthalene		1.237	1.222	1.100	1.039	1.078	1.023	0.9927	0.9676		1.1	9.3	TM			0.700
33	TM	4-Chloroaniline		0.4513	0.4768	0.4305	0.3918	0.3933	0.3784	0.3518	0.3185		0.40	13	TM			0.010
34	TM	2,6-Dichlorophenol		0.3085	0.3065	0.2861	0.2670	0.2807	0.2665	0.2580	0.2515		0.28	7.7	TM			
35	TM	Hexachloropropene		0.1687	0.1744	0.1722	0.1660	0.1739	0.1681	0.1639	0.1625		0.17	2.7	TM			

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/19/19
Matrix: Instrument: Yoda Initials:

		Compound	4	5	10	20	40	50	60	80	100		Avg	%RSD	Type		Q	
36	*TM	Hexachlorobutadiene		0.1694	0.1661	0.1534	0.1428	0.1491	0.1420	0.1371	0.1317		0.15	9.0	*TM			0.010
37	TM	Caprolactum		0.1478	0.1541	0.1397	0.1352	0.1418	0.1370	0.1308	0.1287		0.14	6.1	TM			0.010
38	*TM	4-Chloro-3-methylphenol		0.3629	0.3613	0.3391	0.3259	0.3411	0.3277	0.3136	0.3108		0.34	5.9	*TM			0.200
39	TM	2-Methylnaphthalene		0.7804	0.7657	0.7030	0.6569	0.6856	0.6652	0.6437	0.6212		0.69	8.2	TM			0.400
40	TM	1-Methylnaphthalene		0.8230	0.8014	0.7233	0.6897	0.6992	0.6841	0.6613	0.6407		0.72	9.1	TM			
41	I	Acenaphthene-D10(IS)	ISTD															
42	**TMQ	Hexachlorocyclopentadiene				0.0301	0.0672	0.0885	0.1000	0.1257	0.1432		0.09	44	**TMQ	0.999		0.050
43	TM	1,2,4,5-Tetrachlorobenzene		0.5827	0.5952	0.5304	0.5097	0.5190	0.4978	0.4794	0.4637		0.52	8.9	TM			0.010
44	*TM	2,4,6-Trichlorophenol		0.3548	0.3607	0.3334	0.3325	0.3415	0.3279	0.3212	0.3146		0.34	4.7	*TM			0.200
45	TM	2,4,5-Trichlorophenol		0.3961	0.4059	0.3592	0.3559	0.3567	0.3419	0.3391	0.3327		0.36	7.4	TM			0.200
46	S	2-Fluorobiphenyl(S)		1.491	1.616	1.556	1.423	1.484	1.458	1.405	1.382		1.5	5.3	S			
47	TM	1,1'-Biphenyl		1.864	1.851	1.700	1.616	1.634	1.564	1.518	1.480		1.7	8.7	TM			0.010
48	TM	2-Chloronaphthalene		1.393	1.437	1.279	1.200	1.220	1.182	1.129	1.109		1.2	9.5	TM			0.800
49	TM	2-Nitroaniline		0.4278	0.4515	0.4195	0.4009	0.4153	0.3909	0.3810	0.3738		0.41	6.4	TM			0.010
50	TM	Dimethyl phthalate		1.618	1.625	1.487	1.404	1.413	1.384	1.328	1.306		1.4	8.4	TM			0.010
51	TM	2,6-DNT		0.3572	0.3611	0.3439	0.3373	0.3359	0.3312	0.3188	0.3185		0.34	4.7	TM			0.200
52	TM	Acenaphthylene		2.241	2.183	2.017	1.915	1.932	1.881	1.811	1.765		2.0	8.6	TM			0.900
53	TM	3-Nitroaniline		0.3751	0.4164	0.3837	0.3767	0.3749	0.3636	0.3469	0.3348		0.37	6.6	TM			0.010
54	*TM	Acenaphthene		1.477	1.436	1.295	1.236	1.235	1.192	1.154	1.118		1.3	10	*TM			0.900
55	**TML	2,4-Dinitrophenol			0.0629	0.0984	0.1325	0.1407	0.1477	0.1554	0.1622		0.13	28	**TML	0.998		0.010
56	**TMQ	4-Nitrophenol				0.0399	0.2038	0.2264	0.2092	0.2146	0.2178		0.19	39	**TMQ	0.993		0.010
57	TM	Dibenzofuran		2.010	1.948	1.757	1.676	1.685	1.610	1.564	1.514		1.7	10	TM			0.800
58	TM	2,4-DNT		0.4665	0.4994	0.4758	0.4552	0.4666	0.4495	0.4242	0.4174		0.46	5.9	TM			0.200
59	TM	2,3,4,6-Tetrachlorophenol		0.1873	0.2274	0.2275	0.2353	0.2494	0.2360	0.2358	0.2348		0.23	8.0	TM			0.010
60	TM	Diethyl phthalate		1.622	1.615	1.470	1.404	1.397	1.359	1.303	1.243		1.4	9.6	TM			0.010
61	TM	4-Chlorophenyl phenyl ether		0.7793	0.7448	0.6754	0.6269	0.6475	0.6168	0.5875	0.5816		0.66	11	TM			0.400
62	TM	Fluorene		1.649	1.624	1.484	1.408	1.404	1.348	1.297	1.268		1.4	9.9	TM			0.900
63	TM	4-Nitroaniline		0.4183	0.4299	0.3988	0.3690	0.3701	0.3531	0.3384	0.3290		0.38	9.8	TM			0.010
64	S	2,4,6-Tribromophenol(S)		0.1108	0.1312	0.1374	0.1314	0.1423	0.1391	0.1326	0.1359		0.13	7.3	S			
65	I	Phenanthrene-D10(IS)	ISTD															
66	TM	4,6-Dinitro-2-methylphenol		0.1114	0.1353	0.1511	0.1561	0.1630	0.1612	0.1567	0.1592		0.15	12	TM			0.010
67	TM	Diphenyl amine		0.7664	0.7653	0.6881	0.6527	0.6549	0.6478	0.6004	0.5930		0.67	9.8	TM			
68	*TM	n-Nitrosodiphenylamine		0.7664	0.7653	0.6881	0.6527	0.6549	0.6478	0.6004	0.5930		0.67	9.8	*TM			0.010
69	TM	1,2-Diphenylhydrazine		1.063	1.009	0.9258	0.8681	0.8924	0.8755	0.9545	0.9253		0.94	7.2	TM			
70	TM	4-Bromophenyl phenyl ether		0.2299	0.2348	0.2119	0.2034	0.2080	0.2040	0.1924	0.1907		0.21	7.6	TM			0.100

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/19/19
Matrix: Instrument: Yoda Initials:

		Compound	4	5	10	20	40	50	60	80	100		Avg	%RSD	Type		Q	
71	TM	Hexachlorobenzene		0.2203	0.2151	0.1979	0.1863	0.1927	0.1876	0.1800	0.1758		0.19	8.2	TM			0.100
72	TM	Atrazine		0.2516	0.2617	0.2290	0.2249	0.2273	0.2233	0.2103	0.2067		0.23	8.2	TM			0.010
73	*TML	Pentachlorophenol			0.0405	0.0499	0.0629	0.0766	0.0666	0.0749	0.0786		0.06	22	*TML	0.992		0.050
74	TM	Phenanthrene		1.407	1.374	1.246	1.173	1.199	1.179	1.110	1.091		1.2	9.4	TM			0.700
75	TM	Anthracene		1.450	1.477	1.323	1.248	1.258	1.248	1.175	1.149		1.3	9.2	TM			0.700
76	TM	Carbazol		1.339	1.327	1.220	1.149	1.156	1.154	1.094	1.073		1.2	8.3	TM			0.010
77	TM	Di-n-butylphthalate		1.692	1.656	1.541	1.434	1.489	1.439	1.338	1.322		1.5	9.1	TM			0.010
78	*TM	Fluoranthene		1.452	1.418	1.303	1.222	1.251	1.241	1.173	1.163		1.3	8.4	*TM			0.600
79	I	Chrysene-D12(IS)	ISTD															
80	TM	Benzidine			0.3883	0.3450	0.3138	0.2584	0.2922	0.2852	0.2777		0.31	14	TM			
81	TM	Pyrene		1.688	1.628	1.498	1.401	1.432	1.421	1.381	1.349		1.5	8.3	TM			0.600
82	S	Terphenyl-D14(S)		0.9769	1.028	1.015	0.9194	1.003	0.9914	0.9548	0.9326		0.98	4.0	S			
83	TM	Butyl benzylphthalate		0.8445	0.8254	0.7609	0.7102	0.7295	0.7236	0.6958	0.6822		0.75	8.0	TM			0.010
84	TM	3,3'-Dichlorobenzidine		0.4221	0.4411	0.3868	0.3566	0.3523	0.3532	0.3364	0.3177		0.37	11	TM			0.010
85	TM	Benz (a) anthracene		1.494	1.457	1.322	1.242	1.268	1.253	1.228	1.169		1.3	8.8	TM			0.800
86	TM	Bis (2-ethylhexyl) phthalate		1.282	1.208	1.089	1.013	1.026	1.009	0.9879	0.9390		1.1	11	TM			0.010
87	TM	Chrysene		1.439	1.441	1.255	1.188	1.232	1.198	1.174	1.132		1.3	9.4	TM			0.700
88	*TM	Di-n-octylphthalate		2.085	2.047	1.847	1.759	1.816	1.786	1.722	1.688		1.8	7.9	*TM			0.010
89	I	Perylene-D12(IS)	ISTD															
90	TM	Benzo (b) fluoranthene		1.414	1.260	1.197	1.198	1.062	1.197	1.065	1.130		1.2	9.6	TM			0.700
91	TM	Benzo (k) fluoranthene		1.414	1.260	1.197	1.198	1.062	1.197	1.065	1.130		1.2	9.6	TM			0.700
92	*TM	Benzo (a) pyrene	1.251	1.297	1.304	1.187	1.138	1.172	1.144	1.099	1.079		1.2	6.9	*TM			0.700
93	TM	Indeno (1,2,3-cd) pyrene		1.420	1.445	1.291	1.214	1.272	1.218	1.182	1.164		1.3	8.3	TM			0.500
94	TM	Dibenz (a,h) anthracene	1.172	1.224	1.230	1.116	1.072	1.115	1.074	1.043	1.019		1.1	6.8	TM			0.400
95	TM	Benzo (g,h,i) perylene		1.143	1.124	1.035	0.9798	1.010	0.9780	0.9425	0.9325		1.0	7.7	TM			0.500
96																		
97																		
98																		
99																		
100																		
101																		
102																		
103																		
104																		
105																		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y003.D Vial: 3
Acq On : 19 Mar 19 18:31 Operator: MA
Sample : 50ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:46 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	114637	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	472309	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	256108	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	425827	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	388787	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	380454	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	440131	102.72345 ppb	0.00
Spiked Amount 200.000			Recovery =	51.362%	
6) Phenol-D6 (S)	5.01	99	576782	102.96746 ppb	0.00
Spiked Amount 200.000			Recovery =	51.484%	
22) Nitrobenzene-D5(S)	6.03	82	259817	52.06712 ppb	0.00
Spiked Amount 100.000			Recovery =	52.067%	
46) 2-Fluorobiphenyl(S)	8.08	172	475108	50.24297 ppb	0.00
Spiked Amount 100.000			Recovery =	50.243%	
64) 2,4,6-Tribromophenol(S)	9.79	330	91088	107.31607 ppb	0.00
Spiked Amount 200.000			Recovery =	53.658%	
82) Terphenyl-D14(S)	12.46	244	487603	51.30654 ppb	0.00
Spiked Amount 100.000			Recovery =	51.307%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	4430	5.70818	100
3) n-Nitrosodimethylamine	1.94	42	73272	50.29680 ppb	100
4) Pyridine	1.95	79	178684	51.00094 ppb	100
7) Phenol	5.03	94	298210	48.11297 ppb	100
8) Aniline	5.03	93	287448	47.57204 ppb	100
9) Bis (2-chloroethyl) ether	5.10	63	134256	48.73577 ppb	100
10) 2-Chlorophenol	5.17	128	222358	49.31260 ppb	100
11) 1,3-DCB	5.33	146	230327	48.65913 ppb	100
12) 1,4-DCB	5.42	146	238399	48.97673 ppb	100
13) Benzyl alcohol	5.57	108	132506	50.53539 ppb	100
14) 1,2-DCB	5.59	146	220888	48.96362 ppb	100
15) 2-Methylphenol	5.71	107	190581	48.51630 ppb	100
16) Bis (2-chloroisopropyl) et	5.70	45	198207	48.84754 ppb	100
17) Acetophenone	5.87	105	294577	48.96670 ppb	100
18) 3&4-Methylphenol	5.88	107	464156	98.43562 ppb	100
19) n-Nitrosodi-n-propylamine	5.87	70	161718	48.97969 ppb	100
20) Hexachloroethane	5.96	117	89016	48.57976 ppb	100
23) Nitrobenzene	6.06	77	238631	49.50538 ppb	100
24) Isophorone	6.32	82	418697	49.94868 ppb	100
25) 2-Nitrophenol	6.41	139	126352	51.70904 ppb	100
26) 2,4-Dimethylphenol	6.46	122	191726	49.77633 ppb	100
27) Benzoic acid	6.61	105	132350	50.34444 ppb	100
28) Bis (2-chloroethoxy) metha	6.56	93	254996	49.79802 ppb	100
29) 2,4-Dichlorophenol	6.69	162	165330	50.62002 ppb	100
30) 1,2,4-Trichlorobenzene	6.78	180	180070	50.22423 ppb	100
31) 3,4-Dimethylphenol	6.80	107	280998	49.33330 ppb	100
32) Naphthalene	6.86	128	636316	49.78667 ppb	100
33) 4-Chloroaniline	6.93	127	232189	49.27866 ppb	100
34) 2,6-Dichlorophenol	6.94	162	165733	50.46907 ppb	100
35) Hexachloropropene	6.95	213	102692	51.54934 ppb	100
36) Hexachlorobutadiene	6.99	225	88022	50.04871 ppb	100
37) Caprolactum	7.37	55	83739	50.88266 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y003.D Vial: 3
Acq On : 19 Mar 19 18:31 Operator: MA
Sample : 50ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:46 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
38) 4-Chloro-3-methylphenol	7.51	107	201357	50.85987 ppb	100
39) 2-Methylnaphthalene	7.65	142	404769	49.66629 ppb	100
40) 1-Methylnaphthalene	7.77	142	412817	48.87466 ppb	100
42) Hexachlorocyclopentadiene	7.82	237	28347	50.32166 ppb	100
43) 1,2,4,5-Tetrachlorobenzene	7.84	216	166150	49.69069 ppb	100
44) 2,4,6-Trichlorophenol	7.99	196	109340	50.84958 ppb	100
45) 2,4,5-Trichlorophenol	8.05	196	114208	49.41944 ppb	100
47) 1,1'-Biphenyl	8.19	154	523036	49.40623 ppb	100
48) 2-Chloronaphthalene	8.21	162	390686	49.06511 ppb	100
49) 2-Nitroaniline	8.35	65	132948	50.94556 ppb	100
50) Dimethyl phthalate	8.54	163	452410	48.88515 ppb	100
51) 2,6-DNT	8.63	165	107526	49.68734 ppb	100
52) Acenaphthylene	8.70	152	618641	49.08888 ppb	100
53) 3-Nitroaniline	8.84	138	120032	50.46037 ppb	100
54) Acenaphthene	8.90	154	395327	48.70090 ppb	100
55) 2,4-Dinitrophenol	8.98	184	45050	48.81434 ppb	96
56) 4-Nitrophenol	9.10	65	72463	52.83268 ppb	100
57) Dibenzofuran	9.10	168	539583	48.98033 ppb	100
58) 2,4-DNT	9.11	165	149368	51.06896 ppb	100
59) 2,3,4,6-Tetrachlorophenol	9.25	232	79846	54.41028 ppb	100
60) Diethyl phthalate	9.36	149	447162	48.96183 ppb	100
61) 4-Chlorophenyl phenyl ethe	9.50	204	207297	49.24255 ppb	100
62) Fluorene	9.50	166	449417	48.90581 ppb	100
63) 4-Nitroaniline	9.55	138	118496	49.24349 ppb	100
66) 4,6-Dinitro-2-methylphenol	9.58	198	86742	54.59940 ppb	100
67) Diphenyl amine	9.64	169	697220	97.59456 ppb	100
68) n-Nitrosodiphenylamine	9.64	169	697220	97.59456 ppb	100
69) 1,2-Diphenylhydrazine	9.68	77	474998	47.50747 ppb	100
70) 4-Bromophenyl phenyl ether	10.06	248	110691	49.65994 ppb	100
71) Hexachlorobenzene	10.14	284	102559	49.54057 ppb	100
72) Atrazine	10.26	200	60502	24.78178 ppb	100
73) Pentachlorophenol	10.40	266	40781	53.51964 ppb	100
74) Phenanthrene	10.63	178	638282	49.05585 ppb	100
75) Anthracene	10.68	178	669670	48.72190 ppb	100
76) Carbazol	10.88	167	615499	48.62748 ppb	100
77) Di-n-butylphthalate	11.26	149	792368	49.99257 ppb	100
78) Fluoranthene	12.02	202	666118	48.96306 ppb	100
80) Benzidine	12.19	184	125559	40.87845 ppb	100
81) Pyrene	12.28	202	695754	48.54023 ppb	100
83) Butyl benzylphthalate	13.01	149	354521	48.86000 ppb	100
84) 3,3'-Dichlorobenzidine	13.65	252	171204	47.50798 ppb	100
85) Benz (a) anthracene	13.68	228	616195	48.61545 ppb	100
86) Bis (2-ethylhexyl) phthala	13.66	149	498649	47.98090 ppb	100
87) Chrysene	13.73	228	598755	48.99615 ppb	100
88) Di-n-octylphthalate	14.42	149	882741	49.26053 ppb	100
90) Benzo (b) fluoranthene	15.04	252	505099	44.60811 ppb	100
91) Benzo (k) fluoranthene	15.04	252	505099	44.60811 ppb	100
92) Benzo (a) pyrene	15.46	252	557254	49.41467 ppb	100
93) Indeno (1,2,3-cd) pyrene	17.47	276	605012	49.86727 ppb	100
94) Dibenz (a,h) anthracene	17.49	278	530453	49.86829 ppb	100
95) Benzo (g,h,i) perylene	18.05	276	480148	49.59085 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\YODA\DATA\Y190319\0319Y003.D
Acq On : 19 Mar 19 18:31
Sample : 50ug/mL 8270 03/13/19
Misc :

Vial: 3
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 20 9:46 2019

Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y004.D Vial: 4
Acq On : 19 Mar 19 18:58 Operator: MA
Sample : 4ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 19 20:40 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 20:39:51 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	114954	40.00000	ppb	0.00
21) Napthalene-D8(IS)	6.83	136	490093	40.00000	ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	262404	40.00000	ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	432886	40.00000	ppb	0.00
79) Chrysene-D12(IS)	13.69	240	405658	40.00000	ppb	0.00
89) Perylene-D12(IS)	15.55	264	394479	40.00000	ppb	0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	0.00	112	0d	0.00000	ppb	
Spiked Amount 200.000			Recovery =	0.000%		
6) Phenol-D6 (S)	0.00	99	0d	0.00000	ppb	
Spiked Amount 200.000			Recovery =	0.000%		
22) Nitrobenzene-D5(S)	0.00	82	0d	0.00000	ppb	
Spiked Amount 100.000			Recovery =	0.000%		
46) 2-Fluorobiphenyl(S)	0.00	172	0d	0.00000	ppb	
Spiked Amount 100.000			Recovery =	0.000%		
64) 2,4,6-Tribromophenol(S)	0.00	330	0d	0.00000	ppb	
Spiked Amount 200.000			Recovery =	0.000%		
82) Terphenyl-D14(S)	0.00	244	0d	0.00000	ppb	
Spiked Amount 100.000			Recovery =	0.000%		
Target Compounds						Qvalue
92) Benzo (a) pyrene	15.47	252	49367	4.21111	ppb	97
94) Dibenz (a,h) anthracene	17.49	278	46216	4.19356	ppb	97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y004.D Vial: 4
Acq On : 19 Mar 19 18:58 Operator: MA
Sample : 4ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 19 20:40 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y005.D Vial: 5
Acq On : 19 Mar 19 19:26 Operator: MA
Sample : 5ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	115611	40.00000	ppb	0.00
21) Napthalene-D8(IS)	6.84	136	503407	40.00000	ppb	0.00
41) Acenaphthene-D10(IS)	8.85	164	266346	40.00000	ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	439621	40.00000	ppb	0.00
79) Chrysene-D12(IS)	13.69	240	399547	40.00000	ppb	0.00
89) Perylene-D12(IS)	15.55	264	399700	40.00000	ppb	0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.86	112	39728	9.19412	ppb	0.02
Spiked Amount 200.000			Recovery	= 4.597%		
6) Phenol-D6 (S)	5.03	99	53431	9.45817	ppb	0.02
Spiked Amount 200.000			Recovery	= 4.729%		
22) Nitrobenzene-D5(S)	6.03	82	25398	4.77532	ppb	0.00
Spiked Amount 100.000			Recovery	= 4.775%		
46) 2-Fluorobiphenyl(S)	8.07	172	49637	5.04737	ppb	0.00
Spiked Amount 100.000			Recovery	= 5.047%		
64) 2,4,6-Tribromophenol(S)	9.79	330	7376	8.35606	ppb	0.00
Spiked Amount 200.000			Recovery	= 4.178%		
82) Terphenyl-D14(S)	12.45	244	48790	4.99552	ppb	-0.01
Spiked Amount 100.000			Recovery	= 4.996%		
Target Compounds						Qvalue
2) 1,4-Dioxane	1.72	58	301	0.38458		# 1
3) n-Nitrosodimethylamine	1.95	42	9295	6.32670	ppb	67
4) Pyridine	1.98	79	18131	5.13145	ppb	98
7) Phenol	5.05	94	34943	5.59018	ppb	97
8) Aniline	5.04	93	33010	5.41706	ppb	90
9) Bis (2-chloroethyl) ether	5.10	63	15432	5.55472	ppb	98
10) 2-Chlorophenol	5.19	128	24557	5.40015	ppb	97
11) 1,3-DCB	5.34	146	27006	5.65725	ppb	98
12) 1,4-DCB	5.42	146	28848	5.87661	ppb	99
13) Benzyl alcohol	5.58	108	13586	5.13780	ppb	98
14) 1,2-DCB	5.59	146	26355	5.79282	ppb	98
15) 2-Methylphenol	5.71	107	23457	5.92115	ppb	96
16) Bis (2-chloroisopropyl) et	5.71	45	23325	5.69995	ppb	91
17) Acetophenone	5.86	105	34635	5.70877	ppb	78
18) 3&4-Methylphenol	5.88	107	53388	11.22684	ppb	97
19) n-Nitrosodi-n-propylamine	5.86	70	19145	5.74961	ppb	96
20) Hexachloroethane	5.96	117	10587	5.72909	ppb	94
23) Nitrobenzene	6.06	77	29173	5.67824	ppb	94
24) Isophorone	6.32	82	50308	5.63078	ppb	96
25) 2-Nitrophenol	6.42	139	13403	5.14628	ppb	98
26) 2,4-Dimethylphenol	6.47	122	23401	5.70011	ppb	96
27) Benzoic acid	6.63	105	6735	2.38744	ppb	94
28) Bis (2-chloroethoxy) metha	6.56	93	30463	5.58160	ppb	96
29) 2,4-Dichlorophenol	6.73	162	18460	5.30285	ppb	96
30) 1,2,4-Trichlorobenzene	6.77	180	21184	5.54354	ppb	99
31) 3,4-Dimethylphenol	6.81	107	35156	5.79086	ppb	100
32) Naphthalene	6.86	128	77852	5.71501	ppb	98
33) 4-Chloroaniline	6.93	127	28396	5.65433	ppb	97
34) 2,6-Dichlorophenol	6.94	162	19414	5.54675	ppb	98
35) Hexachloropropene	6.95	213	10616	4.99982	ppb	98
36) Hexachlorobutadiene	6.99	225	10662	5.68784	ppb	94
37) Caprolactum	7.32	55	9298	5.30076	ppb	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y005.D Vial: 5
Acq On : 19 Mar 19 19:26 Operator: MA
Sample : 5ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
38) 4-Chloro-3-methylphenol	7.51	107	22835	5.41149 ppb		95
39) 2-Methylnaphthalene	7.66	142	49109	5.65357 ppb		94
40) 1-Methylnaphthalene	7.77	142	51788	5.75258 ppb		100
43) 1,2,4,5-Tetrachlorobenzene	7.84	216	19399	5.57867 ppb		97
44) 2,4,6-Trichlorophenol	8.00	196	11813	5.28257 ppb		89
45) 2,4,5-Trichlorophenol	8.07	196	13189	5.48770 ppb		93
47) 1,1'-Biphenyl	8.19	154	62061	5.63697 ppb		100
48) 2-Chloronaphthalene	8.21	162	46372	5.59987 ppb		99
49) 2-Nitroaniline	8.35	65	14244	5.24848 ppb		91
50) Dimethyl phthalate	8.54	163	53870	5.59717 ppb		99
51) 2,6-DNT	8.63	165	11891	5.28357 ppb		97
52) Acenaphthylene	8.70	152	74622	5.69362 ppb		98
53) 3-Nitroaniline	8.84	138	12488	5.04805 ppb	#	88
54) Acenaphthene	8.89	154	49162	5.82354 ppb		99
55) 2,4-Dinitrophenol	9.05	184	114	7.13477 ppb	#	33
56) 4-Nitrophenol	9.10	65	1432	17.24815 ppb	#	26
57) Dibenzofuran	9.10	168	66911	5.84034 ppb		94
58) 2,4-DNT	9.10	165	15531	5.10594 ppb		82
59) 2,3,4,6-Tetrachlorophenol	9.26	232	6236	4.08612 ppb		95
60) Diethyl phthalate	9.36	149	53987	5.68406 ppb		98
61) 4-Chlorophenyl phenyl ethe	9.49	204	25947	5.92668 ppb		94
62) Fluorene	9.49	166	54887	5.74325 ppb		97
63) 4-Nitroaniline	9.57	138	13928	5.56559 ppb		86
66) 4,6-Dinitro-2-methylphenol	9.60	198	6121	3.73195 ppb		87
67) Diphenyl amine	9.63	169	84233	11.42070 ppb		98
68) n-Nitrosodiphenylamine	9.63	169	84233	11.42070 ppb		98
69) 1,2-Diphenylhydrazine	9.68	77	58429	5.66048 ppb		95
70) 4-Bromophenyl phenyl ether	10.06	248	12632	5.48935 ppb		97
71) Hexachlorobenzene	10.14	284	12105	5.66379 ppb		92
72) Atrazine	10.26	200	6913	2.74274 ppb		94
73) Pentachlorophenol	10.43	266	696	7.10872 ppb	#	57
74) Phenanthrene	10.62	178	77308	5.75516 ppb		98
75) Anthracene	10.68	178	79708	5.61720 ppb		99
76) Carbazol	10.89	167	73559	5.62918 ppb		98
77) Di-n-butylphthalate	11.26	149	92978	5.68216 ppb		99
78) Fluoranthene	12.02	202	79788	5.68080 ppb		98
80) Benzidine	12.20	184	18852	5.94895 ppb		96
81) Pyrene	12.28	202	84308	5.72346 ppb		100
83) Butyl benzylphthalate	13.01	149	42179	5.65655 ppb		94
84) 3,3'-Dichlorobenzidine	13.65	252	21081	5.69230 ppb		97
85) Benz (a) anthracene	13.68	228	74607	5.72769 ppb		98
86) Bis (2-ethylhexyl) phthala	13.66	149	64037	5.99582 ppb		98
87) Chrysene	13.72	228	71859	5.72187 ppb		97
88) Di-n-octylphthalate	14.41	149	104149	5.65542 ppb	#	94
90) Benzo (b) fluoranthene	15.03	252	70654	5.93939 ppb	#	94
91) Benzo (k) fluoranthene	15.03	252	70654	5.93939 ppb	#	94
92) Benzo (a) pyrene	15.46	252	64822	5.47133 ppb		99
93) Indeno (1,2,3-cd) pyrene	17.47	276	70934	5.56511 ppb		97
94) Dibenz (a,h) anthracene	17.49	278	61171	5.47383 ppb		98
95) Benzo (g,h,i) perylene	18.05	276	57086	5.61208 ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y005.D Vial: 5
Acq On : 19 Mar 19 19:26 Operator: MA
Sample : 5ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y006.D Vial: 6
Acq On : 19 Mar 19 19:54 Operator: MA
Sample : 10ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:17 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	121984	40.00000	ppb		0.00
21) Napthalene-D8(IS)	6.83	136	512288	40.00000	ppb		0.00
41) Acenaphthene-D10(IS)	8.86	164	269599	40.00000	ppb		0.00
65) Phenanthrene-D10(IS)	10.59	188	449398	40.00000	ppb		0.00
79) Chrysene-D12(IS)	13.69	240	410594	40.00000	ppb		0.00
89) Perylene-D12(IS)	15.55	264	404320	40.00000	ppb		0.00
System Monitoring Compounds							
5) 2-Fluorophenol (S)	3.85	112	93067	20.41293	ppb		0.01
Spiked Amount 200.000			Recovery = 10.207%				
6) Phenol-D6 (S)	5.01	99	122377	20.53100	ppb		0.00
Spiked Amount 200.000			Recovery = 10.266%				
22) Nitrobenzene-D5(S)	6.04	82	57383	10.60208	ppb		0.00
Spiked Amount 100.000			Recovery = 10.602%				
46) 2-Fluorobiphenyl(S)	8.07	172	108893	10.93926	ppb		0.00
Spiked Amount 100.000			Recovery = 10.939%				
64) 2,4,6-Tribromophenol(S)	9.79	330	17684	19.79197	ppb		0.00
Spiked Amount 200.000			Recovery = 9.896%				
82) Terphenyl-D14(S)	12.45	244	105565	10.51781	ppb		0.00
Spiked Amount 100.000			Recovery = 10.518%				
Target Compounds							Qvalue
2) 1,4-Dioxane	1.71	58	698	0.84522		#	3
3) n-Nitrosodimethylamine	1.94	42	16466	10.62215	ppb		92
4) Pyridine	1.96	79	42557	11.41525	ppb		95
7) Phenol	5.03	94	73295	11.11313	ppb		86
8) Aniline	5.03	93	71536	11.12600	ppb		91
9) Bis (2-chloroethyl) ether	5.11	63	31653	10.79819	ppb		96
10) 2-Chlorophenol	5.18	128	52907	11.02656	ppb		97
11) 1,3-DCB	5.33	146	55787	11.07578	ppb		99
12) 1,4-DCB	5.42	146	56752	10.95692	ppb		96
13) Benzyl alcohol	5.57	108	29683	10.63873	ppb		98
14) 1,2-DCB	5.59	146	52788	10.99660	ppb		98
15) 2-Methylphenol	5.70	107	45159	10.80374	ppb		93
16) Bis (2-chloroisopropyl) et	5.70	45	48455	11.22236	ppb		96
17) Acetophenone	5.86	105	70767	11.05490	ppb		79
18) 3&4-Methylphenol	5.88	107	108589	21.64194	ppb		99
19) n-Nitrosodi-n-propylamine	5.85	70	39282	11.18081	ppb		94
20) Hexachloroethane	5.96	117	21924	11.24421	ppb		98
23) Nitrobenzene	6.05	77	58158	11.12364	ppb		95
24) Isophorone	6.31	82	100807	11.08733	ppb		100
25) 2-Nitrophenol	6.42	139	28728	10.83931	ppb		96
26) 2,4-Dimethylphenol	6.46	122	44991	10.76910	ppb		99
27) Benzoic acid	6.60	105	20618	7.18201	ppb		90
28) Bis (2-chloroethoxy) metha	6.56	93	62236	11.20553	ppb		98
29) 2,4-Dichlorophenol	6.71	162	38227	10.79078	ppb		94
30) 1,2,4-Trichlorobenzene	6.77	180	43440	11.17053	ppb		97
31) 3,4-Dimethylphenol	6.81	107	70107	11.34776	ppb		98
32) Naphthalene	6.86	128	156443	11.28518	ppb		99
33) 4-Chloroaniline	6.94	127	61067	11.94912	ppb		99
34) 2,6-Dichlorophenol	6.94	162	39255	11.02106	ppb	#	95
35) Hexachloropropene	6.95	213	22334	10.33630	ppb		98
36) Hexachlorobutadiene	6.98	225	21272	11.15121	ppb		98
37) Caprolactum	7.33	55	19734	11.05527	ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y006.D Vial: 6
Acq On : 19 Mar 19 19:54 Operator: MA
Sample : 10ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:17 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	46274	10.77600 ppb		96
39)	2-Methylnaphthalene	7.65	142	98063	11.09358 ppb		100
40)	1-Methylnaphthalene	7.76	142	102639	11.20342 ppb		99
42)	Hexachlorocyclopentadiene	7.82	237	696	15.95530 ppb	#	86
43)	1,2,4,5-Tetrachlorobenzene	7.85	216	40116	11.39717 ppb		99
44)	2,4,6-Trichlorophenol	7.99	196	24311	10.74029 ppb		99
45)	2,4,5-Trichlorophenol	8.06	196	27355	11.24457 ppb		97
47)	1,1'-Biphenyl	8.19	154	124754	11.19462 ppb		97
48)	2-Chloronaphthalene	8.22	162	96857	11.55529 ppb		93
49)	2-Nitroaniline	8.35	65	30428	11.07651 ppb		88
50)	Dimethyl phthalate	8.54	163	109505	11.24045 ppb		98
51)	2,6-DNT	8.63	165	24341	10.68503 ppb		88
52)	Acenaphthylene	8.70	152	147145	11.09161 ppb		100
53)	3-Nitroaniline	8.83	138	28068	11.20907 ppb		90
54)	Acenaphthene	8.89	154	96774	11.32515 ppb		99
55)	2,4-Dinitrophenol	9.02	184	4240	10.29161 ppb	#	33
56)	4-Nitrophenol	9.10	65	2643	17.74907 ppb	#	57
57)	Dibenzofuran	9.10	168	131289	11.32131 ppb		90
58)	2,4-DNT	9.10	165	33662	10.93312 ppb	#	71
59)	2,3,4,6-Tetrachlorophenol	9.26	232	15327	9.92179 ppb		94
60)	Diethyl phthalate	9.35	149	108817	11.31864 ppb		98
61)	4-Chlorophenyl phenyl ethe	9.49	204	50202	11.32853 ppb		91
62)	Fluorene	9.50	166	109490	11.31854 ppb		97
63)	4-Nitroaniline	9.55	138	28975	11.43862 ppb		96
66)	4,6-Dinitro-2-methylphenol	9.58	198	15197	9.06397 ppb		93
67)	Diphenyl amine	9.64	169	171955	22.80723 ppb		98
68)	n-Nitrosodiphenylamine	9.64	169	171955	22.80723 ppb		98
69)	1,2-Diphenylhydrazine	9.67	77	113332	10.74050 ppb		96
70)	4-Bromophenyl phenyl ether	10.06	248	26382	11.21511 ppb		88
71)	Hexachlorobenzene	10.14	284	24168	11.06191 ppb	#	85
72)	Atrazine	10.26	200	14699	5.70496 ppb		97
73)	Pentachlorophenol	10.42	266	4554	11.29771 ppb		96
74)	Phenanthrene	10.62	178	154357	11.24104 ppb		99
75)	Anthracene	10.69	178	165890	11.43630 ppb		99
76)	Carbazol	10.88	167	149122	11.16344 ppb		98
77)	Di-n-butylphthalate	11.26	149	186080	11.12450 ppb		99
78)	Fluoranthene	12.01	202	159257	11.09221 ppb		97
80)	Benzidine	12.19	184	39860	12.23984 ppb		99
81)	Pyrene	12.28	202	167082	11.03761 ppb		98
83)	Butyl benzylphthalate	13.01	149	84725	11.05662 ppb		94
84)	3,3'-Dichlorobenzidine	13.65	252	45275	11.89626 ppb	#	97
85)	Benz (a) anthracene	13.68	228	149542	11.17168 ppb		99
86)	Bis (2-ethylhexyl) phthala	13.66	149	124012	11.29890 ppb	#	97
87)	Chrysene	13.72	228	147918	11.46127 ppb		97
88)	Di-n-octylphthalate	14.41	149	210080	11.10068 ppb		97
90)	Benzo (b) fluoranthene	15.03	252	127409	10.58801 ppb		100
91)	Benzo (k) fluoranthene	15.03	252	127409	10.58801 ppb		100
92)	Benzo (a) pyrene	15.47	252	131774	10.99536 ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.46	276	146088	11.33034 ppb		98
94)	Dibenz (a,h) anthracene	17.48	278	124313	10.99692 ppb		98
95)	Benzo (g,h,i) perylene	18.04	276	113616	11.04188 ppb		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\YODA\DATA\Y190319\0319Y006.D
Acq On : 19 Mar 19 19:54
Sample : 10ug/mL 8270 03/13/19
Misc :

Vial: 6
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 20 9:17 2019

Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y007.D Vial: 7
Acq On : 19 Mar 19 20:22 Operator: MA
Sample : 20ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	118806	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	501030	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	264687	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	443329	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	402412	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	394461	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	184447	41.53801 ppb	0.00
Spiked Amount 200.000			Recovery =	20.769%	
6) Phenol-D6 (S)	5.01	99	243905	42.01414 ppb	0.00
Spiked Amount 200.000			Recovery =	21.007%	
22) Nitrobenzene-D5(S)	6.03	82	110927	20.95539 ppb	0.00
Spiked Amount 100.000			Recovery =	20.955%	
46) 2-Fluorobiphenyl(S)	8.07	172	205898	21.06811 ppb	0.00
Spiked Amount 100.000			Recovery =	21.068%	
64) 2,4,6-Tribromophenol(S)	9.78	330	36355	41.44368 ppb	0.00
Spiked Amount 200.000			Recovery =	20.722%	
82) Terphenyl-D14(S)	12.45	244	204305	20.76951 ppb	0.00
Spiked Amount 100.000			Recovery =	20.770%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	1531	1.90351	# 1
3) n-Nitrosodimethylamine	1.94	42	30296	20.06661 ppb	87
4) Pyridine	1.96	79	72084	19.85262 ppb	93
7) Phenol	5.03	94	135235	21.05307 ppb	90
8) Aniline	5.04	93	130467	20.83433 ppb	83
9) Bis (2-chloroethyl) ether	5.11	63	58445	20.47142 ppb	98
10) 2-Chlorophenol	5.17	128	95389	20.41220 ppb	98
11) 1,3-DCB	5.33	146	99950	20.37458 ppb	99
12) 1,4-DCB	5.42	146	103214	20.46023 ppb	98
13) Benzyl alcohol	5.57	108	53846	19.81527 ppb	99
14) 1,2-DCB	5.59	146	96064	20.54700 ppb	98
15) 2-Methylphenol	5.70	107	82532	20.27295 ppb	98
16) Bis (2-chloroisopropyl) et	5.70	45	86001	20.45096 ppb	96
17) Acetophenone	5.86	105	126134	20.23115 ppb	85
18) 3&4-Methylphenol	5.88	107	199094	40.74112 ppb	98
19) n-Nitrosodi-n-propylamine	5.86	70	68841	20.11830 ppb	98
20) Hexachloroethane	5.96	117	38241	20.13738 ppb	95
23) Nitrobenzene	6.05	77	105433	20.61886 ppb	93
24) Isophorone	6.32	82	181974	20.46426 ppb	96
25) 2-Nitrophenol	6.41	139	51636	19.92046 ppb	96
26) 2,4-Dimethylphenol	6.46	122	81380	19.91691 ppb	98
27) Benzoic acid	6.61	105	50723	18.06571 ppb	94
28) Bis (2-chloroethoxy) metha	6.55	93	110336	20.31227 ppb	98
29) 2,4-Dichlorophenol	6.70	162	70409	20.32176 ppb	98
30) 1,2,4-Trichlorobenzene	6.78	180	78773	20.71151 ppb	95
31) 3,4-Dimethylphenol	6.80	107	122536	20.27977 ppb	99
32) Naphthalene	6.86	128	275604	20.32770 ppb	99
33) 4-Chloroaniline	6.93	127	107839	21.57524 ppb	98
34) 2,6-Dichlorophenol	6.93	162	71676	20.57560 ppb	93
35) Hexachloropropene	6.95	213	43151	20.41925 ppb	96
36) Hexachlorobutadiene	6.99	225	38425	20.59577 ppb	100
37) Caprolactum	7.34	55	35007	20.05208 ppb	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y007.D Vial: 7
Acq On : 19 Mar 19 20:22 Operator: MA
Sample : 20ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	84939	20.22452	ppb		96
39)	2-Methylnaphthalene	7.65	142	176107	20.37012	ppb		100
40)	1-Methylnaphthalene	7.76	142	181203	20.22340	ppb		99
42)	Hexachlorocyclopentadiene	7.83	237	3981	20.96140	ppb		89
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	70192	20.31201	ppb		99
44)	2,4,6-Trichlorophenol	7.99	196	44129	19.85742	ppb		98
45)	2,4,5-Trichlorophenol	8.06	196	47541	19.90491	ppb		92
47)	1,1'-Biphenyl	8.19	154	225012	20.56583	ppb		99
48)	2-Chloronaphthalene	8.22	162	169311	20.57409	ppb		97
49)	2-Nitroaniline	8.35	65	55513	20.58305	ppb		88
50)	Dimethyl phthalate	8.54	163	196774	20.57326	ppb		99
51)	2,6-DNT	8.62	165	45513	20.34971	ppb		86
52)	Acenaphthylene	8.70	152	266936	20.49472	ppb		100
53)	3-Nitroaniline	8.83	138	50779	20.65514	ppb	#	84
54)	Acenaphthene	8.89	154	171432	20.43445	ppb		99
55)	2,4-Dinitrophenol	8.99	184	13024	17.19958	ppb	#	52
56)	4-Nitrophenol	9.10	65	5285	18.90553	ppb	#	65
57)	Dibenzofuran	9.10	168	232569	20.42706	ppb		91
58)	2,4-DNT	9.10	165	62972	20.83231	ppb	#	75
59)	2,3,4,6-Tetrachlorophenol	9.25	232	30114	19.85577	ppb		99
60)	Diethyl phthalate	9.36	149	194484	20.60474	ppb		98
61)	4-Chlorophenyl phenyl ethe	9.49	204	89386	20.54507	ppb		89
62)	Fluorene	9.50	166	196332	20.67248	ppb		98
63)	4-Nitroaniline	9.55	138	52779	21.22251	ppb		95
66)	4,6-Dinitro-2-methylphenol	9.58	198	33489	20.24732	ppb		94
67)	Diphenyl amine	9.64	169	305041	41.01295	ppb		98
68)	n-Nitrosodiphenylamine	9.64	169	305041	41.01295	ppb		98
69)	1,2-Diphenylhydrazine	9.67	77	205211	19.71414	ppb		93
70)	4-Bromophenyl phenyl ether	10.06	248	46973	20.24181	ppb		94
71)	Hexachlorobenzene	10.14	284	43877	20.35782	ppb		93
72)	Atrazine	10.26	200	25376	9.98374	ppb		97
73)	Pentachlorophenol	10.41	266	11068	18.56422	ppb		94
74)	Phenanthrene	10.62	178	276104	20.38252	ppb		99
75)	Anthracene	10.68	178	293214	20.49062	ppb		99
76)	Carbazol	10.88	167	270495	20.52677	ppb		100
77)	Di-n-butylphthalate	11.26	149	341694	20.70728	ppb		99
78)	Fluoranthene	12.01	202	288849	20.39367	ppb	#	95
80)	Benzidine	12.19	184	69416	21.74901	ppb		98
81)	Pyrene	12.28	202	301452	20.31913	ppb		99
83)	Butyl benzylphthalate	13.01	149	153106	20.38659	ppb		90
84)	3,3'-Dichlorobenzidine	13.65	252	77820	20.86338	ppb	#	96
85)	Benz (a) anthracene	13.68	228	266081	20.28200	ppb		98
86)	Bis (2-ethylhexyl) phthala	13.66	149	219023	20.36123	ppb		98
87)	Chrysene	13.72	228	252603	19.97064	ppb		99
88)	Di-n-octylphthalate	14.41	149	371572	20.03317	ppb	#	94
90)	Benzo (b) fluoranthene	15.03	252	236137	20.11405	ppb		99
91)	Benzo (k) fluoranthene	15.03	252	236137	20.11405	ppb		99
92)	Benzo (a) pyrene	15.47	252	234062	20.01851	ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.46	276	254606	20.24037	ppb		98
94)	Dibenz (a,h) anthracene	17.48	278	220046	19.95212	ppb		97
95)	Benzo (g,h,i) perylene	18.04	276	204083	20.32972	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y007.D Vial: 7
Acq On : 19 Mar 19 20:22 Operator: MA
Sample : 20ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y008.D Vial: 8
Acq On : 19 Mar 19 20:49 Operator: MA
Sample : 40ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	120598	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	508253	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.85	164	266643	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	448301	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	408816	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	402433	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	350844	77.83705 ppb	0.00
Spiked Amount 200.000			Recovery =	38.919%	
6) Phenol-D6 (S)	5.01	99	455781	77.34446 ppb	0.00
Spiked Amount 200.000			Recovery =	38.672%	
22) Nitrobenzene-D5(S)	6.03	82	208001	38.73536 ppb	0.00
Spiked Amount 100.000			Recovery =	38.735%	
46) 2-Fluorobiphenyl(S)	8.07	172	379372	38.53374 ppb	0.00
Spiked Amount 100.000			Recovery =	38.534%	
64) 2,4,6-Tribromophenol(S)	9.79	330	70048	79.26698 ppb	0.00
Spiked Amount 200.000			Recovery =	39.634%	
82) Terphenyl-D14(S)	12.45	244	375873	37.61243 ppb	0.00
Spiked Amount 100.000			Recovery =	37.612%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	3334	4.08361	70
3) n-Nitrosodimethylamine	1.94	42	53816	35.11547 ppb	99
4) Pyridine	1.96	79	149718	40.62106 ppb	94
7) Phenol	5.03	94	246766	37.84513 ppb	93
8) Aniline	5.03	93	248414	39.07988 ppb	97
9) Bis (2-chloroethyl) ether	5.10	63	113368	39.11914 ppb	97
10) 2-Chlorophenol	5.17	128	182996	38.57726 ppb	98
11) 1,3-DCB	5.34	146	191910	38.53912 ppb	99
12) 1,4-DCB	5.42	146	195735	38.22422 ppb	98
13) Benzyl alcohol	5.57	108	107441	38.95066 ppb	97
14) 1,2-DCB	5.59	146	180303	37.99173 ppb	98
15) 2-Methylphenol	5.70	107	157863	38.20086 ppb	97
16) Bis (2-chloroisopropyl) et	5.71	45	162678	38.10985 ppb	95
17) Acetophenone	5.87	105	243630	38.49616 ppb	96
18) 3&4-Methylphenol	5.87	107	381090	76.82465 ppb	98
19) n-Nitrosodi-n-propylamine	5.86	70	134357	38.68144 ppb	96
20) Hexachloroethane	5.96	117	74608	38.70414 ppb	97
23) Nitrobenzene	6.06	77	198863	38.33767 ppb	99
24) Isophorone	6.32	82	342537	37.97327 ppb	98
25) 2-Nitrophenol	6.41	139	103270	39.27397 ppb	99
26) 2,4-Dimethylphenol	6.46	122	162398	39.18039 ppb	95
27) Benzoic acid	6.60	105	116208	40.80091 ppb	97
28) Bis (2-chloroethoxy) metha	6.56	93	210236	38.15330 ppb	99
29) 2,4-Dichlorophenol	6.69	162	136350	38.79467 ppb	97
30) 1,2,4-Trichlorobenzene	6.78	180	149205	38.67244 ppb	98
31) 3,4-Dimethylphenol	6.80	107	231946	37.84165 ppb	100
32) Naphthalene	6.86	128	528234	38.40722 ppb	100
33) 4-Chloroaniline	6.93	127	199123	39.27218 ppb	100
34) 2,6-Dichlorophenol	6.94	162	135706	38.40269 ppb	99
35) Hexachloropropene	6.95	213	84365	39.35456 ppb	99
36) Hexachlorobutadiene	6.99	225	72578	38.34890 ppb	97
37) Caprolactum	7.36	55	68694	38.78887 ppb	99

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190319\0319Y008.D Vial: 8
Acq On : 19 Mar 19 20:49 Operator: MA
Sample : 40ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	165627	38.87639	ppb		94
39)	2-Methylnaphthalene	7.65	142	333856	38.06799	ppb		100
40)	1-Methylnaphthalene	7.77	142	350525	38.56483	ppb		98
42)	Hexachlorocyclopentadiene	7.82	237	17908	38.38937	ppb		96
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	135909	39.04054	ppb		100
44)	2,4,6-Trichlorophenol	7.99	196	88646	39.59683	ppb		97
45)	2,4,5-Trichlorophenol	8.05	196	94897	39.44090	ppb		98
47)	1,1'-Biphenyl	8.19	154	430945	39.09893	ppb		98
48)	2-Chloronaphthalene	8.21	162	320001	38.60017	ppb		99
49)	2-Nitroaniline	8.34	65	106898	39.34478	ppb		88
50)	Dimethyl phthalate	8.54	163	374261	38.84296	ppb		99
51)	2,6-DNT	8.63	165	89947	39.92197	ppb		94
52)	Acenaphthylene	8.70	152	510591	38.91442	ppb		99
53)	3-Nitroaniline	8.83	138	100451	40.56025	ppb		86
54)	Acenaphthene	8.90	154	329590	38.99847	ppb		98
55)	2,4-Dinitrophenol	8.98	184	35320	34.37892	ppb		89
56)	4-Nitrophenol	9.10	65	54344	41.65344	ppb		98
57)	Dibenzofuran	9.10	168	447008	38.97371	ppb		95
58)	2,4-DNT	9.10	165	121371	39.85725	ppb	#	63
59)	2,3,4,6-Tetrachlorophenol	9.25	232	62752	41.07223	ppb		95
60)	Diethyl phthalate	9.36	149	374381	39.37309	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	167169	38.14137	ppb		99
62)	Fluorene	9.50	166	375496	39.24725	ppb		99
63)	4-Nitroaniline	9.55	138	98403	39.27774	ppb		93
66)	4,6-Dinitro-2-methylphenol	9.58	198	69984	41.84279	ppb		97
67)	Diphenyl amine	9.63	169	585175	77.80455	ppb		98
68)	n-Nitrosodiphenylamine	9.63	169	585175	77.80455	ppb		98
69)	1,2-Diphenylhydrazine	9.68	77	389175	36.97247	ppb		98
70)	4-Bromophenyl phenyl ether	10.06	248	91164	38.84908	ppb		98
71)	Hexachlorobenzene	10.14	284	83502	38.31313	ppb		95
72)	Atrazine	10.26	200	50408	19.61218	ppb		98
73)	Pentachlorophenol	10.40	266	28214	37.16629	ppb		95
74)	Phenanthrene	10.63	178	525732	38.38010	ppb		100
75)	Anthracene	10.68	178	559632	38.67492	ppb		99
76)	Carbazol	10.88	167	515005	38.64820	ppb		99
77)	Di-n-butylphthalate	11.26	149	642809	38.52335	ppb		100
78)	Fluoranthene	12.01	202	547930	38.25656	ppb	#	94
80)	Benzidine	12.18	184	128293	39.56635	ppb		99
81)	Pyrene	12.28	202	572657	37.99483	ppb		99
83)	Butyl benzylphthalate	13.01	149	290328	38.05260	ppb		95
84)	3,3'-Dichlorobenzidine	13.65	252	145766	38.46739	ppb	#	96
85)	Benz (a) anthracene	13.68	228	507691	38.09250	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.66	149	413948	37.87940	ppb		99
87)	Chrysene	13.72	228	485669	37.79523	ppb		99
88)	Di-n-octylphthalate	14.42	149	718957	38.15510	ppb		99
90)	Benzo (b) fluoranthene	15.03	252	482020	40.24491	ppb		97
91)	Benzo (k) fluoranthene	15.03	252	482020	40.24491	ppb		97
92)	Benzo (a) pyrene	15.46	252	458006	38.39569	ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.46	276	488450	38.06101	ppb		98
94)	Dibenz (a,h) anthracene	17.48	278	431503	38.35040	ppb		98
95)	Benzo (g,h,i) perylene	18.04	276	394295	38.49960	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y008.D Vial: 8
Acq On : 19 Mar 19 20:49 Operator: MA
Sample : 40ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y009.D Vial: 9
Acq On : 19 Mar 19 21:17 Operator: MA
Sample : 60ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	119422	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	509759	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	274152	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	446170	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	403300	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	398594	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	554819	124.30237 ppb	0.00
Spiked Amount 200.000			Recovery =	62.151%	
6) Phenol-D6 (S)	5.01	99	719608	123.31751 ppb	0.00
Spiked Amount 200.000			Recovery =	61.659%	
22) Nitrobenzene-D5(S)	6.03	82	321087	59.61836 ppb	0.00
Spiked Amount 100.000			Recovery =	59.618%	
46) 2-Fluorobiphenyl(S)	8.08	172	599687	59.24331 ppb	0.00
Spiked Amount 100.000			Recovery =	59.243%	
64) 2,4,6-Tribromophenol(S)	9.79	330	114414	125.92573 ppb	0.00
Spiked Amount 200.000			Recovery =	62.963%	
82) Terphenyl-D14(S)	12.45	244	599770	60.83796 ppb	0.00
Spiked Amount 100.000			Recovery =	60.838%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	5619	6.95014	81
3) n-Nitrosodimethylamine	1.94	42	87300	57.52505 ppb	97
4) Pyridine	1.95	79	220241	60.34360 ppb	99
7) Phenol	5.03	94	377378	58.44629 ppb	98
8) Aniline	5.03	93	372737	59.21550 ppb	99
9) Bis (2-chloroethyl) ether	5.11	63	169839	59.18233 ppb	94
10) 2-Chlorophenol	5.17	128	279330	59.46524 ppb	99
11) 1,3-DCB	5.33	146	290271	58.86587 ppb	98
12) 1,4-DCB	5.42	146	295031	58.18265 ppb	99
13) Benzyl alcohol	5.57	108	164974	60.39709 ppb	99
14) 1,2-DCB	5.59	146	271735	57.82124 ppb	98
15) 2-Methylphenol	5.70	107	238089	58.18189 ppb	98
16) Bis (2-chloroisopropyl) et	5.70	45	247456	58.54127 ppb	93
17) Acetophenone	5.87	105	365171	58.26916 ppb	97
18) 3&4-Methylphenol	5.88	107	577737	117.61399 ppb	99
19) n-Nitrosodi-n-propylamine	5.87	70	199853	58.10437 ppb	98
20) Hexachloroethane	5.96	117	110136	57.69751 ppb	98
23) Nitrobenzene	6.06	77	297656	57.21389 ppb	96
24) Isophorone	6.32	82	522924	57.79950 ppb	99
25) 2-Nitrophenol	6.41	139	155294	58.88441 ppb	98
26) 2,4-Dimethylphenol	6.46	122	239596	57.63452 ppb	98
27) Benzoic acid	6.62	105	188602	66.02299 ppb	96
28) Bis (2-chloroethoxy) metha	6.56	93	319808	57.86678 ppb	99
29) 2,4-Dichlorophenol	6.69	162	205603	58.32590 ppb	97
30) 1,2,4-Trichlorobenzene	6.78	180	221096	57.13656 ppb	99
31) 3,4-Dimethylphenol	6.80	107	348609	56.70702 ppb	97
32) Naphthalene	6.86	128	782266	56.70953 ppb	100
33) 4-Chloroaniline	6.93	127	289331	56.89493 ppb	99
34) 2,6-Dichlorophenol	6.94	162	203765	57.49197 ppb	98
35) Hexachloropropene	6.95	213	128538	59.78323 ppb	98
36) Hexachlorobutadiene	6.99	225	108569	57.19641 ppb	97
37) Caprolactum	7.37	55	104723	58.95836 ppb	99

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190319\0319Y009.D Vial: 9
Acq On : 19 Mar 19 21:17 Operator: MA
Sample : 60ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	250598	58.64722	ppb		95
39)	2-Methylnaphthalene	7.65	142	508641	57.82653	ppb		99
40)	1-Methylnaphthalene	7.77	142	523067	57.37792	ppb		100
42)	Hexachlorocyclopentadiene	7.83	237	41106	59.83288	ppb		99
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	204706	57.19222	ppb		98
44)	2,4,6-Trichlorophenol	7.99	196	134842	58.58213	ppb		99
45)	2,4,5-Trichlorophenol	8.05	196	140586	56.82967	ppb		97
47)	1,1'-Biphenyl	8.19	154	643208	56.75881	ppb		99
48)	2-Chloronaphthalene	8.22	162	486021	57.02059	ppb		98
49)	2-Nitroaniline	8.35	65	160739	57.54102	ppb		97
50)	Dimethyl phthalate	8.54	163	568962	57.43277	ppb		99
51)	2,6-DNT	8.63	165	136200	58.79510	ppb		95
52)	Acenaphthylene	8.70	152	773677	57.35032	ppb		99
53)	3-Nitroaniline	8.84	138	149508	58.71506	ppb		99
54)	Acenaphthene	8.90	154	490001	56.39093	ppb		98
55)	2,4-Dinitrophenol	8.98	184	60741	52.76357	ppb		97
56)	4-Nitrophenol	9.10	65	86024	57.49889	ppb		98
57)	Dibenzofuran	9.10	168	661897	56.12878	ppb		99
58)	2,4-DNT	9.11	165	184830	59.03420	ppb		98
59)	2,3,4,6-Tetrachlorophenol	9.26	232	97056	61.78484	ppb		99
60)	Diethyl phthalate	9.36	149	558668	57.14501	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	253625	56.28224	ppb		98
62)	Fluorene	9.50	166	554278	56.34694	ppb		100
63)	4-Nitroaniline	9.55	138	145202	56.37019	ppb		98
66)	4,6-Dinitro-2-methylphenol	9.58	198	107862	64.79772	ppb		95
67)	Diphenyl amine	9.65	169	867131	115.84393	ppb		99
68)	n-Nitrosodiphenylamine	9.65	169	867131	115.84393	ppb		99
69)	1,2-Diphenylhydrazine	9.68	77	585945	55.93193	ppb		98
70)	4-Bromophenyl phenyl ether	10.06	248	136546	58.46632	ppb		98
71)	Hexachlorobenzene	10.14	284	125566	57.88847	ppb		98
72)	Atrazine	10.26	200	74712	29.20694	ppb		98
73)	Pentachlorophenol	10.39	266	44547	55.24805	ppb		97
74)	Phenanthrene	10.63	178	788815	57.86103	ppb		100
75)	Anthracene	10.69	178	835558	58.01934	ppb		100
76)	Carbazol	10.88	167	772017	58.21221	ppb		99
77)	Di-n-butylphthalate	11.26	149	963212	58.00071	ppb		100
78)	Fluoranthene	12.01	202	830711	58.27740	ppb	#	93
80)	Benzidine	12.18	184	176783	55.26666	ppb		97
81)	Pyrene	12.28	202	859734	57.82208	ppb		100
83)	Butyl benzylphthalate	13.02	149	437718	58.15532	ppb		96
84)	3,3'-Dichlorobenzidine	13.65	252	213681	57.16130	ppb	#	96
85)	Benz (a) anthracene	13.68	228	757726	57.63043	ppb		100
86)	Bis (2-ethylhexyl) phthala	13.67	149	610683	56.64646	ppb		99
87)	Chrysene	13.72	228	724548	57.15621	ppb		99
88)	Di-n-octylphthalate	14.42	149	1080420	58.12218	ppb		99
90)	Benzo (b) fluoranthene	15.04	252	715694	60.33039	ppb		99
91)	Benzo (k) fluoranthene	15.04	252	715694	60.33039	ppb		99
92)	Benzo (a) pyrene	15.47	252	683990	57.89271	ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.47	276	728010	57.27438	ppb		98
94)	Dibenz (a,h) anthracene	17.49	278	642062	57.61372	ppb		99
95)	Benzo (g,h,i) perylene	18.05	276	584721	57.64299	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y009.D Vial: 9
Acq On : 19 Mar 19 21:17 Operator: MA
Sample : 60ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y010.D Vial: 10
Acq On : 19 Mar 19 21:44 Operator: MA
Sample : 80ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	124639	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	522881	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	282109	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	471351	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	412376	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	411654	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	738693	158.57052 ppb	0.00
Spiked Amount 200.000			Recovery =	79.286%	
6) Phenol-D6 (S)	5.01	99	947457	155.56742 ppb	0.00
Spiked Amount 200.000			Recovery =	77.784%	
22) Nitrobenzene-D5(S)	6.04	82	430884	77.99732 ppb	0.01
Spiked Amount 100.000			Recovery =	77.997%	
46) 2-Fluorobiphenyl(S)	8.08	172	792997	76.13085 ppb	0.00
Spiked Amount 100.000			Recovery =	76.131%	
64) 2,4,6-Tribromophenol(S)	9.79	330	149661	160.07313 ppb	0.00
Spiked Amount 200.000			Recovery =	80.037%	
82) Terphenyl-D14(S)	12.46	244	787455	78.11789 ppb	0.00
Spiked Amount 100.000			Recovery =	78.118%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	7489	8.87541	91
3) n-Nitrosodimethylamine	1.94	42	116191	73.35769 ppb	100
4) Pyridine	1.95	79	274406	72.03723 ppb	95
7) Phenol	5.03	94	500767	74.30987 ppb	88
8) Aniline	5.04	93	488876	74.41526 ppb	86
9) Bis (2-chloroethyl) ether	5.12	63	222242	74.20123 ppb	98
10) 2-Chlorophenol	5.17	128	368198	75.10302 ppb	99
11) 1,3-DCB	5.34	146	379628	73.76470 ppb	98
12) 1,4-DCB	5.42	146	385398	72.82252 ppb	99
13) Benzyl alcohol	5.58	108	221913	77.84194 ppb	91
14) 1,2-DCB	5.59	146	361603	73.72321 ppb	99
15) 2-Methylphenol	5.71	107	314233	73.57507 ppb	98
16) Bis (2-chloroisopropyl) et	5.71	45	323030	73.22129 ppb	96
17) Acetophenone	5.87	105	483988	73.99586 ppb	97
18) 3&4-Methylphenol	5.88	107	768184	149.83886 ppb	98
19) n-Nitrosodi-n-propylamine	5.87	70	261635	72.88269 ppb	95
20) Hexachloroethane	5.96	117	146122	73.34555 ppb	97
23) Nitrobenzene	6.06	77	397299	74.45028 ppb	95
24) Isophorone	6.33	82	694207	74.80602 ppb	97
25) 2-Nitrophenol	6.42	139	206201	76.22518 ppb	97
26) 2,4-Dimethylphenol	6.46	122	319334	74.88767 ppb	99
27) Benzoic acid	6.64	105	261327	89.18570 ppb	98
28) Bis (2-chloroethoxy) metha	6.56	93	420280	74.13799 ppb	98
29) 2,4-Dichlorophenol	6.69	162	278019	76.88976 ppb	96
30) 1,2,4-Trichlorobenzene	6.78	180	294061	74.08541 ppb	99
31) 3,4-Dimethylphenol	6.81	107	465258	73.78263 ppb	99
32) Naphthalene	6.86	128	1038095	73.36699 ppb	100
33) 4-Chloroaniline	6.93	127	367949	70.53883 ppb	98
34) 2,6-Dichlorophenol	6.94	162	269825	74.22015 ppb	98
35) Hexachloropropene	6.95	213	171358	77.69879 ppb	99
36) Hexachlorobutadiene	6.99	225	143366	73.63278 ppb	99
37) Caprolactum	7.39	55	136816	75.09349 ppb	94

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y010.D Vial: 10
Acq On : 19 Mar 19 21:44 Operator: MA
Sample : 80ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	327934	74.82010 ppb		96
39)	2-Methylnaphthalene	7.65	142	673129	74.60640 ppb		98
40)	1-Methylnaphthalene	7.77	142	691557	73.95670 ppb		100
42)	Hexachlorocyclopentadiene	7.83	237	70940	80.93094 ppb		99
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	270466	73.43339 ppb		100
44)	2,4,6-Trichlorophenol	7.99	196	181249	76.52267 ppb		99
45)	2,4,5-Trichlorophenol	8.05	196	191311	75.15320 ppb		96
47)	1,1'-Biphenyl	8.19	154	856636	73.46029 ppb		100
48)	2-Chloronaphthalene	8.23	162	636805	72.60351 ppb		95
49)	2-Nitroaniline	8.36	65	214971	74.78434 ppb		99
50)	Dimethyl phthalate	8.55	163	749146	73.48817 ppb		99
51)	2,6-DNT	8.63	165	179882	75.46163 ppb		92
52)	Acenaphthylene	8.70	152	1021819	73.60792 ppb		99
53)	3-Nitroaniline	8.84	138	195736	74.70167 ppb		97
54)	Acenaphthene	8.90	154	651107	72.81806 ppb		99
55)	2,4-Dinitrophenol	8.98	184	87654	71.15902 ppb		95
56)	4-Nitrophenol	9.10	65	121095	77.09489 ppb		94
57)	Dibenzofuran	9.10	168	882579	72.73162 ppb		98
58)	2,4-DNT	9.11	165	239317	74.28125 ppb		91
59)	2,3,4,6-Tetrachlorophenol	9.26	232	133018	82.28950 ppb		99
60)	Diethyl phthalate	9.37	149	735163	73.07732 ppb		98
61)	4-Chlorophenyl phenyl ethe	9.50	204	331462	71.48049 ppb		99
62)	Fluorene	9.51	166	731875	72.30262 ppb		99
63)	4-Nitroaniline	9.56	138	190904	72.02220 ppb		96
66)	4,6-Dinitro-2-methylphenol	9.59	198	147764	84.02641 ppb		89
67)	Diphenyl amine	9.65	169	1131969	143.14595 ppb		99
68)	n-Nitrosodiphenylamine	9.65	169	1131969	143.14595 ppb		99
69)	1,2-Diphenylhydrazine	9.68	77	899802	81.30286 ppb		97
70)	4-Bromophenyl phenyl ether	10.06	248	181349	73.50178 ppb		99
71)	Hexachlorobenzene	10.14	284	169696	74.05384 ppb		96
72)	Atrazine	10.27	200	99114	36.67639 ppb		95
73)	Pentachlorophenol	10.39	266	70646	79.76194 ppb		98
74)	Phenanthrene	10.63	178	1046291	72.64729 ppb		100
75)	Anthracene	10.69	178	1107324	72.78248 ppb		100
76)	Carbazol	10.88	167	1031382	73.61438 ppb		100
77)	Di-n-butylphthalate	11.26	149	1261013	71.87650 ppb		99
78)	Fluoranthene	12.02	202	1105666	73.42266 ppb		99
80)	Benzidine	12.18	184	235199	71.91062 ppb		98
81)	Pyrene	12.28	202	1139228	74.93335 ppb		99
83)	Butyl benzylphthalate	13.02	149	573895	74.56968 ppb		99
84)	3,3'-Dichlorobenzidine	13.65	252	277452	72.58701 ppb	#	96
85)	Benz (a) anthracene	13.68	228	1012545	75.31628 ppb		99
86)	Bis (2-ethylhexyl) phthala	13.67	149	814809	73.91756 ppb		99
87)	Chrysene	13.73	228	967964	74.67760 ppb		99
88)	Di-n-octylphthalate	14.42	149	1420300	74.72471 ppb		98
90)	Benzo (b) fluoranthene	15.04	252	876462	71.53857 ppb		97
91)	Benzo (k) fluoranthene	15.04	252	876462	71.53857 ppb		97
92)	Benzo (a) pyrene	15.48	252	904838	74.15550 ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.48	276	972746	74.10046 ppb		96
94)	Dibenz (a,h) anthracene	17.50	278	858807	74.61788 ppb		98
95)	Benzo (g,h,i) perylene	18.06	276	775963	74.06913 ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y010.D Vial: 10
Acq On : 19 Mar 19 21:44 Operator: MA
Sample : 80ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y011.D Vial: 11
Acq On : 19 Mar 19 22:11 Operator: MA
Sample : 100ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	128999	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	546463	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	293849	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	490122	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.70	240	432203	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	424247	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	958858	198.87509 ppb	0.00
Spiked Amount 200.000			Recovery =	99.438%	
6) Phenol-D6 (S)	5.02	99	1236542	196.17137 ppb	0.00
Spiked Amount 200.000			Recovery =	98.086%	
22) Nitrobenzene-D5(S)	6.04	82	553462	95.86260 ppb	0.00
Spiked Amount 100.000			Recovery =	95.863%	
46) 2-Fluorobiphenyl(S)	8.08	172	1015497	93.59670 ppb	0.00
Spiked Amount 100.000			Recovery =	93.597%	
64) 2,4,6-Tribromophenol(S)	9.79	330	199616	204.97357 ppb	0.00
Spiked Amount 200.000			Recovery =	102.487%	
82) Terphenyl-D14(S)	12.46	244	1007645	95.37573 ppb	0.00
Spiked Amount 100.000			Recovery =	95.376%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	8764	10.03540	79
3) n-Nitrosodimethylamine	1.94	42	149106	90.95695 ppb	96
4) Pyridine	1.95	79	353962	89.78167 ppb	96
7) Phenol	5.03	94	632343	90.66321 ppb	92
8) Aniline	5.04	93	623311	91.67179 ppb	97
9) Bis (2-chloroethyl) ether	5.11	63	284907	91.90851 ppb	99
10) 2-Chlorophenol	5.18	128	464858	91.61443 ppb	94
11) 1,3-DCB	5.34	146	480677	90.24254 ppb	99
12) 1,4-DCB	5.42	146	487952	89.08426 ppb	99
13) Benzyl alcohol	5.58	108	281389	95.36865 ppb	95
14) 1,2-DCB	5.59	146	456948	90.01328 ppb	99
15) 2-Methylphenol	5.71	107	400929	90.70140 ppb	99
16) Bis (2-chloroisopropyl) et	5.71	45	408465	89.45755 ppb	93
17) Acetophenone	5.87	105	611533	90.33590 ppb	88
18) 3&4-Methylphenol	5.89	107	971454	183.08343 ppb	100
19) n-Nitrosodi-n-propylamine	5.88	70	334389	90.00116 ppb	99
20) Hexachloroethane	5.96	117	186656	90.52483 ppb	95
23) Nitrobenzene	6.06	77	495416	88.83027 ppb	94
24) Isophorone	6.33	82	868215	89.51935 ppb	99
25) 2-Nitrophenol	6.41	139	265905	94.05379 ppb	94
26) 2,4-Dimethylphenol	6.47	122	407998	91.55147 ppb	95
27) Benzoic acid	6.66	105	338030	110.38455 ppb	97
28) Bis (2-chloroethoxy) metha	6.56	93	537091	90.65506 ppb	99
29) 2,4-Dichlorophenol	6.69	162	350974	92.87762 ppb	99
30) 1,2,4-Trichlorobenzene	6.78	180	368788	88.90253 ppb	99
31) 3,4-Dimethylphenol	6.80	107	588474	89.29551 ppb	100
32) Naphthalene	6.87	128	1321905	89.39350 ppb	99
33) 4-Chloroaniline	6.94	127	435084	79.80973 ppb	96
34) 2,6-Dichlorophenol	6.94	162	343607	90.43650 ppb	98
35) Hexachloropropene	6.95	213	221953	96.29705 ppb	98
36) Hexachlorobutadiene	6.99	225	179910	88.41428 ppb	97
37) Caprolactum	7.40	55	175756	92.30339 ppb	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y011.D
Acq On : 19 Mar 19 22:11
Sample : 100ug/mL 8270 03/13/19
Misc :

Vial: 11
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.51	107	424655	92.70650	ppb		99
39)	2-Methylnaphthalene	7.66	142	848678	90.00421	ppb		100
40)	1-Methylnaphthalene	7.77	142	875232	89.56016	ppb		99
42)	Hexachlorocyclopentadiene	7.83	237	105184	99.60718	ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	340674	88.79992	ppb		97
44)	2,4,6-Trichlorophenol	7.99	196	231114	93.67710	ppb		99
45)	2,4,5-Trichlorophenol	8.05	196	244412	92.17705	ppb		99
47)	1,1'-Biphenyl	8.20	154	1087136	89.50203	ppb		98
48)	2-Chloronaphthalene	8.22	162	814565	89.15991	ppb		97
49)	2-Nitroaniline	8.35	65	274610	91.71489	ppb		94
50)	Dimethyl phthalate	8.55	163	959118	90.32661	ppb		99
51)	2,6-DNT	8.63	165	233972	94.23128	ppb		82
52)	Acenaphthylene	8.70	152	1296743	89.68034	ppb		99
53)	3-Nitroaniline	8.84	138	245951	90.11579	ppb		92
54)	Acenaphthene	8.90	154	821465	88.19999	ppb		98
55)	2,4-Dinitrophenol	8.98	184	119143	90.70931	ppb		96
56)	4-Nitrophenol	9.07	65	159994	102.32682	ppb	#	76
57)	Dibenzofuran	9.11	168	1112137	87.98744	ppb		93
58)	2,4-DNT	9.11	165	306608	91.36542	ppb		79
59)	2,3,4,6-Tetrachlorophenol	9.26	232	172487	102.44319	ppb		96
60)	Diethyl phthalate	9.37	149	913366	87.16387	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	427282	88.46288	ppb		95
62)	Fluorene	9.51	166	931717	88.36777	ppb		99
63)	4-Nitroaniline	9.57	138	241665	87.53018	ppb		93
66)	4,6-Dinitro-2-methylphenol	9.60	198	195017	106.64976	ppb	#	79
67)	Diphenyl amine	9.65	169	1453305	176.74271	ppb		99
68)	n-Nitrosodiphenylamine	9.65	169	1453305	176.74271	ppb		99
69)	1,2-Diphenylhydrazine	9.68	77	1133772	98.52009	ppb		94
70)	4-Bromophenyl phenyl ether	10.07	248	233692	91.08917	ppb		86
71)	Hexachlorobenzene	10.15	284	215413	90.40410	ppb		86
72)	Atrazine	10.27	200	126617	45.05924	ppb		97
73)	Pentachlorophenol	10.39	266	96308	102.60104	ppb		98
74)	Phenanthrene	10.63	178	1336863	89.26765	ppb		99
75)	Anthracene	10.69	178	1408486	89.03175	ppb		99
76)	Carbazol	10.89	167	1314585	90.23438	ppb		97
77)	Di-n-butylphthalate	11.26	149	1619389	88.76847	ppb		100
78)	Fluoranthene	12.02	202	1425227	91.01866	ppb		97
80)	Benzidine	12.19	184	300037	87.52618	ppb		98
81)	Pyrene	12.29	202	1457256	91.45468	ppb		99
83)	Butyl benzylphthalate	13.01	149	737088	91.38077	ppb		96
84)	3,3'-Dichlorobenzidine	13.66	252	343274	85.68751	ppb		99
85)	Benz (a) anthracene	13.68	228	1263351	89.66112	ppb		98
86)	Bis (2-ethylhexyl) phthala	13.66	149	1014608	87.82046	ppb		98
87)	Chrysene	13.73	228	1222782	90.00896	ppb		98
88)	Di-n-octylphthalate	14.42	149	1823445	91.53399	ppb		96
90)	Benzo (b) fluoranthene	15.05	252	1198995	94.95943	ppb		99
91)	Benzo (k) fluoranthene	15.05	252	1198995	94.95943	ppb		99
92)	Benzo (a) pyrene	15.47	252	1144046	90.97657	ppb		100
93)	Indeno (1,2,3-cd) pyrene	17.49	276	1234147	91.22249	ppb		97
94)	Dibenz (a,h) anthracene	17.52	278	1080909	91.12762	ppb		96
95)	Benzo (g,h,i) perylene	18.07	276	989000	91.60224	ppb		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\YODA\DATA\Y190319\0319Y011.D
Acq On : 19 Mar 19 22:11
Sample : 100ug/mL 8270 03/13/19
Misc :

Vial: 11
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 20 9:19 2019

Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 03/19/19
Matrix: Instrument: Yoda
Initial Cal. Date: 03/19/19
Data File: 0319Y012.D

		Compound	MEAN	CCRF	%D		%Drift
1		1,4-Dioxane	0.2708	0.2758	1.8		
2	TM	n-Nitrosodimethylamine	0.5083	0.4536	11	TM	
3	TM	Pyridine	1.222	1.245	1.9	TM	
4	*TM	Phenol	2.163	2.182	0.89	*TM	
5	TM	Aniline	2.108	2.063	2.2	TM	
6	TM	Bis (2-chloroethyl) ether	0.9612	0.9227	4.0	TM	
7	TM	2-Chlorophenol	1.573	1.558	1.00	TM	
8	TM	1,3-DCB	1.652	1.633	1.2	TM	
9	*TM	1,4-DCB	1.698	1.688	0.62	*TM	
10	TM	Benzyl alcohol	0.9149	0.9011	1.5	TM	
11	TM	1,2-DCB	1.574	1.577	0.17	TM	
12	TM	2-Methylphenol	1.371	1.313	4.2	TM	
13	TM	Bis (2-chloroisopropyl) ether	1.416	1.347	4.8	TM	
14	TM	Acetophenone	2.099	2.045	2.6	TM	
15	TM	3&4-Methylphenol	1.645	1.624	1.3	TM	
16	**TM	n-Nitrosodi-n-propylamine	1.152	1.099	4.6	**TM	
17	TM	Hexachloroethane	0.6394	0.6376	0.27	TM	
18	TM	Nitrobenzene	0.4082	0.3946	3.3	TM	
19	TM	Isophorone	0.7099	0.7016	1.2	TM	
20	*TM	2-Nitrophenol	0.2069	0.2042	1.3	*TM	
21	TM	2,4-Dimethylphenol	0.3262	0.3125	4.2	TM	
22	TM	Benzoic acid	0.2229	0.2510	13	TM	
23	TM	Bis (2-chloroethoxy) methane	0.4337	0.4143	4.5	TM	
24	*TM	2,4-Dichlorophenol	0.2766	0.2784	0.65	*TM	
25	TM	1,2,4-Trichlorobenzene	0.3036	0.2987	1.6	TM	
26	TM	3,4-Dimethylphenol	0.4824	0.4656	3.5	TM	
27	TM	Naphthalene	1.082	1.057	2.3	TM	
28	TM	4-Chloroaniline	0.3990	0.3874	2.9	TM	
29	TM	2,6-Dichlorophenol	0.2781	0.2704	2.8	TM	
30	TM	Hexachloropropene	0.1687	0.1705	1.1	TM	
31	*TM	Hexachlorobutadiene	0.1489	0.1463	1.8	*TM	
32	TM	Caprolactum	0.1394	0.1341	3.8	TM	
33	*TM	4-Chloro-3-methylphenol	0.3353	0.3256	2.9	*TM	
34	TM	2-Methylnaphthalene	0.6902	0.6654	3.6	TM	
35	TM	1-Methylnaphthalene	0.7153	0.6853	4.2	TM	
36	**TMQ	Hexachlorocyclopentadiene	0.0924	0.0990	7.1	**TMQ	7.2
37	TM	1,2,4,5-Tetrachlorobenzene	0.5222	0.4998	4.3	TM	
38	*TM	2,4,6-Trichlorophenol	0.3358	0.3306	1.5	*TM	
39	TM	2,4,5-Trichlorophenol	0.3609	0.3495	3.2	TM	
40	TM	1,1'-Biphenyl	1.653	1.591	3.7	TM	
		Average			3.1		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 03/19/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0319Y012.D

		Compound	MEAN	CCRF	%D		%Drift	
41	TM	2-Chloronaphthalene	1.244	1.232	0.90	TM		
42	TM	2-Nitroaniline	0.4076	0.3927	3.6	TM		
43	TM	Dimethyl phthalate	1.445	1.387	4.1	TM		
44	TM	2,6-DNT	0.3380	0.3438	1.7	TM		
45	TM	Acenaphthylene	1.968	1.931	1.9	TM		
46	TM	3-Nitroaniline	0.3715	0.3753	1.0	TM		
47	*TM	Acenaphthene	1.268	1.234	2.7	*TM		
48	**TML	2,4-Dinitrophenol	0.1285	0.1399	8.8	**TML	2.8	
49	**TMQ	4-Nitrophenol	0.1853	0.2146	16	**TMQ	1.4	
50	TM	Dibenzofuran	1.721	1.642	4.6	TM		
51	TM	2,4-DNT	0.4568	0.4638	1.5	TM		
52	TM	2,3,4,6-Tetrachlorophenol	0.2292	0.2538	11	TM		
53	TM	Diethyl phthalate	1.426	1.368	4.1	TM		
54	TM	4-Chlorophenyl phenyl ether	0.6575	0.6283	4.4	TM		
55	TM	Fluorene	1.435	1.405	2.1	TM		
56	TM	4-Nitroaniline	0.3758	0.3660	2.6	TM		
57	TM	4,6-Dinitro-2-methylphenol	0.1492	0.1589	6.5	TM		
58	TM	Diphenyl amine	0.6711	0.6712	0.01	TM		
59	*TM	n-Nitrosodiphenylamine	0.6711	0.6712	0.01	*TM		
60	TM	1,2-Diphenylhydrazine	0.9392	0.9000	4.2	TM		
61	TM	4-Bromophenyl phenyl ether	0.2094	0.2004	4.3	TM		
62	TM	Hexachlorobenzene	0.1945	0.1915	1.5	TM		
63	TM	Atrazine	0.2293	0.2249	1.9	TM		
64	*TML	Pentachlorophenol	0.0643	0.0638	0.80	*TML	8.4	
65	TM	Phenanthrene	1.222	1.192	2.5	TM		
66	TM	Anthracene	1.291	1.238	4.1	TM		
67	TM	Carbazol	1.189	1.175	1.2	TM		
68	TM	Di-n-butylphthalate	1.489	1.422	4.5	TM		
69	*TM	Fluoranthene	1.278	1.252	2.0	*TM		
70	TM	Benzidine	0.3087	0.4238	37	TM		*
71	TM	Pyrene	1.475	1.477	0.19	TM		
72	TM	Butyl benzylphthalate	0.7465	0.7432	0.45	TM		
73	TM	3,3'-Dichlorobenzidine	0.3708	0.4245	14	TM		
74	TM	Benz (a) anthracene	1.304	1.287	1.3	TM		
75	TM	Bis (2-ethylhexyl) phthalate	1.069	1.047	2.1	TM		
76	TM	Chrysene	1.257	1.249	0.66	TM		
77	*TM	Di-n-octylphthalate	1.844	1.830	0.75	*TM		
78	TM	Benzo (b) fluoranthene	1.190	1.224	2.8	TM		
79	TM	Benzo (k) fluoranthene	1.190	1.224	2.8	TM		
80	*TM	Benzo (a) pyrene	1.186	1.173	1.1	*TM		
		Average			4.2			

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 03/19/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0319Y012.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	Indeno (1,2,3-cd) pyrene	1.276	1.260	1.2	TM	
82	TM	Dibenz (a,h) anthracene	1.118	1.109	0.80	TM	
83	TM	Benzo (g,h,i) perylene	1.018	1.004	1.4	TM	
84							
85							
86							
87							
88							
89							
90							
91							
92							
93							
94							
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			1.1		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y012.D Vial: 12
Acq On : 19 Mar 19 22:39 Operator: MA
Sample : SS-8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:51 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	119662	40.00000 ppb		0.00
21) Napthalene-D8(IS)	6.84	136	503749	40.00000 ppb		0.00
41) Acenaphthene-D10(IS)	8.86	164	265971	40.00000 ppb		0.00
65) Phenanthrene-D10(IS)	10.59	188	441976	40.00000 ppb		0.00
79) Chrysene-D12(IS)	13.69	240	392951	40.00000 ppb		0.00
89) Perylene-D12(IS)	15.55	264	389935	40.00000 ppb		0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	0.00	112	0	0.00000 ppb		
Spiked Amount 200.000			Recovery	= 0.000%		
6) Phenol-D6 (S)	0.00	99	0	0.00000 ppb		
Spiked Amount 200.000			Recovery	= 0.000%		
22) Nitrobenzene-D5(S)	5.96	82	20266	3.80782 ppb		-0.07
Spiked Amount 100.000			Recovery	= 3.808%		
46) 2-Fluorobiphenyl(S)	0.00	172	0	0.00000 ppb		
Spiked Amount 100.000			Recovery	= 0.000%		
64) 2,4,6-Tribromophenol(S)	0.00	330	0	0.00000 ppb		
Spiked Amount 200.000			Recovery	= 0.000%		
82) Terphenyl-D14(S)	12.46	244	154	0.01603 ppb		0.00
Spiked Amount 100.000			Recovery	= 0.016%		
Target Compounds						Qvalue
2) 1,4-Dioxane	1.71	58	4125	5.09198		81
3) n-Nitrosodimethylamine	1.94	42	67841	44.61317 ppb		100
4) Pyridine	1.95	79	186260	50.93082 ppb		99
7) Phenol	5.03	94	326371	50.44522 ppb		99
8) Aniline	5.03	93	308538	48.91811 ppb	#	95
9) Bis (2-chloroethyl) ether	5.11	63	138021	47.99852 ppb		100
10) 2-Chlorophenol	5.17	128	232989	49.50044 ppb		99
11) 1,3-DCB	5.33	146	244193	49.42211 ppb		99
12) 1,4-DCB	5.42	146	252474	49.69018 ppb		99
13) Benzyl alcohol	5.57	108	134784	49.24555 ppb		98
14) 1,2-DCB	5.59	146	235856	50.08606 ppb		99
15) 2-Methylphenol	5.70	107	196356	47.88735 ppb		99
16) Bis (2-chloroisopropyl) et	5.70	45	201555	47.58672 ppb		89
17) Acetophenone	5.87	105	305876	48.70976 ppb		91
18) 3&4-Methylphenol	5.88	107	485858	98.71116 ppb		100
19) n-Nitrosodi-n-propylamine	5.86	70	164419	47.70657 ppb		97
20) Hexachloroethane	5.96	117	95375	49.86438 ppb		97
23) Nitrobenzene	6.05	77	248485	48.33233 ppb		93
24) Isophorone	6.32	82	441766	49.41155 ppb		100
25) 2-Nitrophenol	6.41	139	128567	49.33168 ppb		97
26) 2,4-Dimethylphenol	6.46	122	196783	47.90065 ppb		98
27) Benzoic acid	6.61	105	158025	56.29546 ppb		98
28) Bis (2-chloroethoxy) metha	6.55	93	260894	47.76995 ppb		98
29) 2,4-Dichlorophenol	6.69	162	175316	50.32737 ppb		95
30) 1,2,4-Trichlorobenzene	6.77	180	188098	49.18901 ppb		96
31) 3,4-Dimethylphenol	6.80	107	293191	48.26136 ppb		97
32) Naphthalene	6.86	128	665697	48.83474 ppb		100
33) 4-Chloroaniline	6.93	127	243911	48.53563 ppb		100
34) 2,6-Dichlorophenol	6.94	162	170257	48.61086 ppb		98
35) Hexachloropropene	6.95	213	107365	50.53139 ppb		100
36) Hexachlorobutadiene	6.99	225	92116	49.10760 ppb		98
37) Caprolactum	7.37	55	84463	48.11944 ppb		95

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190319\0319Y012.D Vial: 12
Acq On : 19 Mar 19 22:39 Operator: MA
Sample : SS-8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:51 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	205002	48.54881 ppb		95
39)	2-Methylnaphthalene	7.65	142	418993	48.20291 ppb		100
40)	1-Methylnaphthalene	7.77	142	431516	47.89996 ppb		99
42)	Hexachlorocyclopentadiene	7.83	237	32915	53.59927 ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	166181	47.85694 ppb		98
44)	2,4,6-Trichlorophenol	7.99	196	109924	49.22545 ppb		96
45)	2,4,5-Trichlorophenol	8.05	196	116191	48.41308 ppb		95
47)	1,1'-Biphenyl	8.19	154	529104	48.12603 ppb		99
48)	2-Chloronaphthalene	8.22	162	409749	49.55092 ppb		98
49)	2-Nitroaniline	8.34	65	130571	48.17926 ppb		89
50)	Dimethyl phthalate	8.54	163	461073	47.97371 ppb		100
51)	2,6-DNT	8.63	165	114309	50.86295 ppb		96
52)	Acenaphthylene	8.70	152	641976	49.05147 ppb		99
53)	3-Nitroaniline	8.83	138	124765	50.50507 ppb		89
54)	Acenaphthene	8.89	154	410164	48.65494 ppb		99
55)	2,4-Dinitrophenol	8.98	184	46512	48.57875 ppb		100
56)	4-Nitrophenol	9.10	65	71354	50.68015 ppb		100
57)	Dibenzofuran	9.10	168	545810	47.70829 ppb		98
58)	2,4-DNT	9.11	165	154197	50.76498 ppb		96
59)	2,3,4,6-Tetrachlorophenol	9.25	232	84375	55.36438 ppb		99
60)	Diethyl phthalate	9.36	149	454872	47.95908 ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	208880	47.77858 ppb		97
62)	Fluorene	9.50	166	467270	48.96296 ppb		97
63)	4-Nitroaniline	9.55	138	121690	48.69551 ppb		94
66)	4,6-Dinitro-2-methylphenol	9.58	198	87770	53.22786 ppb		97
67)	Diphenyl amine	9.64	169	741606	100.01462 ppb		98
68)	n-Nitrosodiphenylamine	9.64	169	741606	100.01462 ppb		98
69)	1,2-Diphenylhydrazine	9.68	77	497223	47.91327 ppb		99
70)	4-Bromophenyl phenyl ether	10.06	248	110718	47.85713 ppb		95
71)	Hexachlorobenzene	10.14	284	105782	49.23042 ppb		96
72)	Atrazine	10.26	200	62133	24.51996 ppb		98
73)	Pentachlorophenol	10.39	266	35240	45.78765 ppb		95
74)	Phenanthrene	10.63	178	658612	48.76883 ppb		100
75)	Anthracene	10.68	178	683995	47.94582 ppb		99
76)	Carbazol	10.88	167	649223	49.41773 ppb		98
77)	Di-n-butylphthalate	11.26	149	785841	47.76918 ppb		100
78)	Fluoranthene	12.01	202	691935	49.00238 ppb	#	94
80)	Benzidine	12.18	184	208143	68.64547 ppb		98
81)	Pyrene	12.28	202	725716	50.09405 ppb		99
83)	Butyl benzylphthalate	13.01	149	365037	49.77620 ppb		94
84)	3,3'-Dichlorobenzidine	13.65	252	208493	57.24235 ppb	#	94
85)	Benz (a) anthracene	13.68	228	632354	49.36166 ppb		99
86)	Bis (2-ethylhexyl) phthala	13.66	149	514327	48.96504 ppb		99
87)	Chrysene	13.72	228	613494	49.67026 ppb		99
88)	Di-n-octylphthalate	14.42	149	898831	49.62690 ppb		99
90)	Benzo (b) fluoranthene	15.03	252	596428	51.39316 ppb		97
91)	Benzo (k) fluoranthene	15.03	252	596428	51.39316 ppb		97
92)	Benzo (a) pyrene	15.47	252	571604	49.45474 ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.46	276	613999	49.37752 ppb		99
94)	Dibenz (a,h) anthracene	17.49	278	540732	49.59861 ppb		98
95)	Benzo (g,h,i) perylene	18.04	276	489260	49.30331 ppb		98

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y012.D
Acq On : 19 Mar 19 22:39
Sample : SS-8270 03/13/19
Misc :

Vial: 12
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Mar 20 9:51 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/26/19
Instrument: Yoda
Initial Cal. Date: 03/19/19
Data File: 0411Y195.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	1,4-dichlorobenzene-D4(IS)	ISTD			I	
2		1,4-Dioxane	0.2708	0.2679	1.1		
3	TM	n-Nitrosodimethylamine	0.5083	0.5181	1.9	TM	
4	S	2-Fluorophenol (S)	1.495	1.568	4.9	S	
5	S	Phenol-D6 (S)	1.955	2.079	6.4	S	
6	*TM	Phenol	2.163	2.185	1.0	*TM	
7	TM	Aniline	2.108	2.306	9.4	TM	
8	TM	Bis (2-chloroethyl) ether	0.9612	0.9507	1.1	TM	
9	TM	2-Chlorophenol	1.573	1.585	0.74	TM	
10	TM	1,3-DCB	1.652	1.615	2.2	TM	
11	*TM	1,4-DCB	1.698	1.670	1.7	*TM	
12	TM	Benzyl alcohol	0.9149	0.9732	6.4	TM	
13	TM	1,2-DCB	1.574	1.540	2.2	TM	
14	TM	2-Methylphenol	1.371	1.387	1.2	TM	
15	TM	Bis (2-chloroisopropyl) ether	1.416	1.381	2.5	TM	
16	TM	Acetophenone	2.099	2.121	1.0	TM	
17	TM	3&4-Methylphenol	1.645	1.691	2.8	TM	
18	**TM	n-Nitrosodi-n-propylamine	1.152	1.156	0.34	**TM	
19	TM	Hexachloroethane	0.6394	0.6201	3.0	TM	
20	I	Napthalene-D8(IS)	ISTD			I	
21	S	Nitrobenzene-D5(S)	0.4226	0.4356	3.1	S	
22	TM	Nitrobenzene	0.4082	0.3965	2.9	TM	
23	TM	Isophorone	0.7099	0.6945	2.2	TM	
24	*TM	2-Nitrophenol	0.2069	0.2095	1.2	*TM	
25	TM	2,4-Dimethylphenol	0.3262	0.3299	1.1	TM	
26	TM	Benzoic acid	0.2242	0.2340	4.4	TM	
27	TM	Bis (2-chloroethoxy) methane	0.4337	0.4223	2.6	TM	
28	*TM	2,4-Dichlorophenol	0.2766	0.2833	2.4	*TM	
29	TM	1,2,4-Trichlorobenzene	0.3036	0.2993	1.4	TM	
30	TM	3,4-Dimethylphenol	0.4824	0.4821	0.07	TM	
31	TM	Naphthalene	1.082	1.063	1.8	TM	
32	TM	4-Chloroaniline	0.3990	0.4184	4.9	TM	
33	TM	2,6-Dichlorophenol	0.2781	0.2787	0.22	TM	
34	TM	Hexachloropropene	0.1687	0.1704	1.0	TM	
35	*TM	Hexachlorobutadiene	0.1489	0.1486	0.20	*TM	
36	TM	Caprolactum	0.1394	0.1314	5.7	TM	
37	*TM	4-Chloro-3-methylphenol	0.3353	0.3411	1.7	*TM	
38	TM	2-Methylnaphthalene	0.6902	0.6837	0.94	TM	
39	TM	1-Methylnaphthalene	0.7153	0.7043	1.5	TM	
40	I	Acenaphthene-D10(IS)	ISTD			I	
		Average			2.4		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/26/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y195.D

		Compound	MEAN	CCRF	%D		%Drift	
41	**TMQ	Hexachlorocyclopentadiene	0.0924	0.0792	14	**TMQ	5.5	
42	TM	1,2,4,5-Tetrachlorobenzene	0.5222	0.5114	2.1	TM		
43	*TM	2,4,6-Trichlorophenol	0.3358	0.3397	1.2	*TM		
44	TM	2,4,5-Trichlorophenol	0.3609	0.3604	0.15	TM		
45	S	2-Fluorobiphenyl(S)	1.477	1.481	0.27	S		
46	TM	1,1'-Biphenyl	1.653	1.603	3.1	TM		
47	TM	2-Chloronaphthalene	1.244	1.215	2.3	TM		
48	TM	2-Nitroaniline	0.4076	0.4042	0.84	TM		
49	TM	Dimethyl phthalate	1.445	1.426	1.4	TM		
50	TM	2,6-DNT	0.3380	0.3480	3.0	TM		
51	TM	Acenaphthylene	1.968	1.919	2.5	TM		
52	TM	3-Nitroaniline	0.3715	0.3876	4.3	TM		
53	*TM	Acenaphthene	1.268	1.221	3.7	*TM		
54	**TML	2,4-Dinitrophenol	0.1301	0.1001	23	**TML	34	*NT
55	**TMQ	4-Nitrophenol	0.1853	0.2469	33	**TMQ	13	
56	TM	Dibenzofuran	1.721	1.686	2.0	TM		
57	TM	2,4-DNT	0.4568	0.4587	0.41	TM		
58	TM	2,3,4,6-Tetrachlorophenol	0.2292	0.2596	13	TM		
59	TM	Diethyl phthalate	1.426	1.383	3.1	TM		
60	TM	4-Chlorophenyl phenyl ether	0.6575	0.6486	1.3	TM		
61	TM	Fluorene	1.435	1.395	2.8	TM		
62	TM	4-Nitroaniline	0.3758	0.3454	8.1	TM		
63	S	2,4,6-Tribromophenol(S)	0.1326	0.1486	12	S		
64	I	Phenanthrene-D10(IS)	ISTD			I		
65	TM	4,6-Dinitro-2-methylphenol	0.1492	0.1471	1.4	TM		
66	TM	Diphenyl amine	0.6711	0.6564	2.2	TM		
67	*TM	n-Nitrosodiphenylamine	0.6711	0.6564	2.2	*TM		
68	TM	1,2-Diphenylhydrazine	0.9392	1.026	9.3	TM		
69	TM	4-Bromophenyl phenyl ether	0.2094	0.2085	0.40	TM		
70	TM	Hexachlorobenzene	0.1945	0.1960	0.77	TM		
71	TM	Atrazine	0.2293	0.2209	3.7	TM		
72	*TML	Pentachlorophenol	0.0578	0.0787	36	*TML	9.1	
73	TM	Phenanthrene	1.222	1.168	4.4	TM		
74	TM	Anthracene	1.291	1.243	3.7	TM		
75	TM	Carbazol	1.189	1.151	3.2	TM		
76	TM	Di-n-butylphthalate	1.489	1.454	2.3	TM		
77	*TM	Fluoranthene	1.278	1.263	1.1	*TM		
78	I	Chrysene-D12(IS)	ISTD			I		
79	TM	Benzidine	0.3173	0.3473	9.5	TM		
80	TM	Pyrene	1.475	1.481	0.45	TM		
		Average			5.7			

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/26/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y195.D

		Compound	MEAN	CCRF	%D		%Drift
81	S	Terphenyl-D14(S)	0.9778	1.027	5.0	S	
82	TM	Butyl benzylphthalate	0.7465	0.7285	2.4	TM	
83	TM	3,3'-Dichlorobenzidine	0.3708	0.3631	2.1	TM	
84	TM	Benz (a) anthracene	1.304	1.276	2.2	TM	
85	TM	Bis (2-ethylhexyl) phthalate	1.069	1.021	4.5	TM	
86	TM	Chrysene	1.257	1.218	3.1	TM	
87	*TM	Di-n-octylphthalate	1.844	1.745	5.3	*TM	
88	I	Perylene-D12(IS)	ISTD			I	
89	TM	Benzo (b) fluoranthene	1.190	1.366	15	TM	
90	TM	Benzo (k) fluoranthene	1.190	1.147	3.7	TM	
91	*TM	Benzo (a) pyrene	1.186	1.174	0.98	*TM	
92	TM	Indeno (1,2,3-cd) pyrene	1.276	1.225	4.0	TM	
93	TM	Dibenz (a,h) anthracene	1.118	1.060	5.2	TM	
94	TM	Benzo (g,h,i) perylene	1.018	0.9792	3.8	TM	
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			4.4		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y195.D Vial: 95
Acq On : 26 Apr 19 17:18 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 26 17:24 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	198066	40.00000 ppb		-0.05
21) Napthalene-D8(IS)	6.74	136	854755	40.00000 ppb		-0.03
41) Acenaphthene-D10(IS)	8.77	164	463907	40.00000 ppb		-0.02
65) Phenanthrene-D10(IS)	10.53	188	776149	40.00000 ppb		0.00
79) Chrysene-D12(IS)	13.64	240	676093	40.00000 ppb		0.00
89) Perylene-D12(IS)	15.49	264	642988	40.00000 ppb		0.02
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.68	112	776312	104.86699 ppb		-0.11
Spiked Amount 200.000			Recovery =	52.434%		
6) Phenol-D6 (S)	4.89	99	1029552	106.37791 ppb		-0.05
Spiked Amount 200.000			Recovery =	53.189%		
22) Nitrobenzene-D5(S)	5.93	82	465381	51.53344 ppb		-0.04
Spiked Amount 100.000			Recovery =	51.533%		
46) 2-Fluorobiphenyl(S)	7.99	172	858712	50.13289 ppb		-0.03
Spiked Amount 100.000			Recovery =	50.133%		
64) 2,4,6-Tribromophenol(S)	9.72	330	172348	112.09908 ppb		0.00
Spiked Amount 200.000			Recovery =	56.049%		
82) Terphenyl-D14(S)	12.40	244	867655	52.49993 ppb		0.00
Spiked Amount 100.000			Recovery =	52.500%		
Target Compounds						Qvalue
3) n-Nitrosodimethylamine	1.85	42	128267	50.96032 ppb		93
7) Phenol	4.90	94	540999	50.51860 ppb		86
8) Aniline	4.91	93	570915	54.68633 ppb	#	89
9) Bis (2-chloroethyl) ether	5.00	63	235387	49.45515 ppb		98
10) 2-Chlorophenol	5.04	128	392440	50.37247 ppb		99
11) 1,3-DCB	5.21	146	399790	48.88395 ppb		99
12) 1,4-DCB	5.30	146	413350	49.14940 ppb		97
13) Benzyl alcohol	5.46	108	240952	53.18700 ppb		97
14) 1,2-DCB	5.47	146	381262	48.91474 ppb		99
15) 2-Methylphenol	5.59	107	343442	50.60301 ppb		98
16) Bis (2-chloroisopropyl) et	5.60	45	341904	48.76887 ppb		86
17) Acetophenone	5.76	105	525099	50.51939 ppb		91
18) 3&4-Methylphenol	5.78	107	837529	102.80236 ppb		98
19) n-Nitrosodi-n-propylamine	5.76	70	286211	50.17171 ppb		96
20) Hexachloroethane	5.85	117	153535	48.49641 ppb		94
23) Nitrobenzene	5.95	77	423589	48.55732 ppb		93
24) Isophorone	6.23	82	741995	48.91136 ppb		96
25) 2-Nitrophenol	6.31	139	223794	50.60779 ppb		99
26) 2,4-Dimethylphenol	6.36	122	352511	50.57071 ppb		99
27) Benzoic acid	6.54	105	250014	52.19591 ppb		98
28) Bis (2-chloroethoxy) metha	6.46	93	451189	48.68798 ppb		98
29) 2,4-Dichlorophenol	6.59	162	302678	51.20780 ppb		97
30) 1,2,4-Trichlorobenzene	6.68	180	319775	49.28344 ppb		98
31) 3,4-Dimethylphenol	6.71	107	515057	49.96625 ppb		97
32) Naphthalene	6.77	128	1135825	49.10619 ppb		99
33) 4-Chloroaniline	6.84	127	447082	52.43111 ppb		98
34) 2,6-Dichlorophenol	6.84	162	297789	50.10828 ppb		96
35) Hexachloropropene	6.85	213	182092	50.50821 ppb		99
36) Hexachlorobutadiene	6.89	225	158819	49.89864 ppb		99
37) Caprolactum	7.29	55	140409	47.14347 ppb		96
38) 4-Chloro-3-methylphenol	7.41	107	364474	50.86975 ppb		96
39) 2-Methylnaphthalene	7.56	142	730540	49.53167 ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y195.D Vial: 95
Acq On : 26 Apr 19 17:18 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 26 17:24 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
40)	1-Methylnaphthalene	7.68	142	752537	49.23100	ppb		99
42)	Hexachlorocyclopentadiene	7.73	237	45907	47.27284	ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.75	216	296546	48.96198	ppb		98
44)	2,4,6-Trichlorophenol	7.90	196	197007	50.58039	ppb		98
45)	2,4,5-Trichlorophenol	7.96	196	208985	49.92392	ppb		94
47)	1,1'-Biphenyl	8.11	154	929378	48.46572	ppb		99
48)	2-Chloronaphthalene	8.13	162	704725	48.86038	ppb		98
49)	2-Nitroaniline	8.26	65	234371	49.58161	ppb		86
50)	Dimethyl phthalate	8.47	163	826702	49.31579	ppb		99
51)	2,6-DNT	8.55	165	201778	51.47523	ppb		84
52)	Acenaphthylene	8.62	152	1112814	48.74827	ppb		100
53)	3-Nitroaniline	8.76	138	224754	52.16186	ppb		95
54)	Acenaphthene	8.82	154	708295	48.17114	ppb		98
55)	2,4-Dinitrophenol	8.90	184	58073	32.87689	ppb		97
56)	4-Nitrophenol	8.98	65	143164	56.70184	ppb	#	73
57)	Dibenzofuran	9.02	168	977855	49.00384	ppb		100
58)	2,4-DNT	9.03	165	265994	50.20691	ppb		94
59)	2,3,4,6-Tetrachlorophenol	9.17	232	150529	56.62917	ppb		97
60)	Diethyl phthalate	9.29	149	801834	48.46960	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.42	204	376138	49.32726	ppb		90
62)	Fluorene	9.42	166	808898	48.59560	ppb		99
63)	4-Nitroaniline	9.49	138	200271	45.94682	ppb		90
66)	4,6-Dinitro-2-methylphenol	9.52	198	142742	49.29448	ppb		93
67)	Diphenyl amine	9.57	169	1273690	97.81548	ppb		99
68)	n-Nitrosodiphenylamine	9.57	169	1273690	97.81548	ppb		99
69)	1,2-Diphenylhydrazine	9.61	77	995681	54.63594	ppb		97
70)	4-Bromophenyl phenyl ether	9.99	248	202314	49.79755	ppb		99
71)	Hexachlorobenzene	10.07	284	190110	50.38256	ppb		95
72)	Atrazine	10.19	200	107150	24.07926	ppb		98
73)	Pentachlorophenol	10.32	266	76394	54.55426	ppb		97
74)	Phenanthrene	10.56	178	1133474	47.79449	ppb		99
75)	Anthracene	10.61	178	1206013	48.13971	ppb		99
76)	Carbazol	10.82	167	1116520	48.39594	ppb		97
77)	Di-n-butylphthalate	11.20	149	1410513	48.82517	ppb		99
78)	Fluoranthene	11.96	202	1225613	49.42639	ppb		99
80)	Benzidine	12.12	184	293506	54.73454	ppb		99
81)	Pyrene	12.22	202	1251894	50.22489	ppb		100
83)	Butyl benzylphthalate	12.96	149	615632	48.79081	ppb		99
84)	3,3'-Dichlorobenzidine	13.59	252	306879	48.96944	ppb	#	95
85)	Benz (a) anthracene	13.63	228	1078031	48.90944	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	862789	47.74010	ppb		98
87)	Chrysene	13.68	228	1029169	48.42892	ppb		99
88)	Di-n-octylphthalate	14.36	149	1474901	47.32972	ppb		94
90)	Benzo (b) fluoranthene	14.94	252	1097987	57.37647	ppb		99
91)	Benzo (k) fluoranthene	14.98	252	921695	48.16415	ppb		98
92)	Benzo (a) pyrene	15.40	252	943614	49.51039	ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.39	276	984309	48.00455	ppb		99
94)	Dibenz (a,h) anthracene	17.41	278	851772	47.38056	ppb		99
95)	Benzo (g,h,i) perylene	17.96	276	787011	48.09573	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y195.D Vial: 95
Acq On : 26 Apr 19 17:18 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 26 17:24 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/27/19
Instrument: Yoda
Initial Cal. Date: 03/19/19
Data File: 0411Y212.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	1,4-dichlorobenzene-D4(IS)	ISTD			I	
2		1,4-Dioxane	0.2708	0.2501	7.6		
3	TM	n-Nitrosodimethylamine	0.5083	0.5037	0.92	TM	
4	S	2-Fluorophenol (S)	1.495	1.560	4.4	S	
5	S	Phenol-D6 (S)	1.955	2.124	8.7	S	
6	*TM	Phenol	2.163	2.217	2.5	*TM	
7	TM	Aniline	2.108	2.265	7.4	TM	
8	TM	Bis (2-chloroethyl) ether	0.9612	0.9642	0.31	TM	
9	TM	2-Chlorophenol	1.573	1.609	2.3	TM	
10	TM	1,3-DCB	1.652	1.610	2.5	TM	
11	*TM	1,4-DCB	1.698	1.634	3.8	*TM	
12	TM	Benzyl alcohol	0.9149	0.9845	7.6	TM	
13	TM	1,2-DCB	1.574	1.550	1.5	TM	
14	TM	2-Methylphenol	1.371	1.403	2.3	TM	
15	TM	Bis (2-chloroisopropyl) ether	1.416	1.411	0.35	TM	
16	TM	Acetophenone	2.099	2.156	2.7	TM	
17	TM	3&4-Methylphenol	1.645	1.740	5.8	TM	
18	**TM	n-Nitrosodi-n-propylamine	1.152	1.196	3.8	**TM	
19	TM	Hexachloroethane	0.6394	0.6160	3.7	TM	
20	I	Napthalene-D8(IS)	ISTD			I	
21	S	Nitrobenzene-D5(S)	0.4226	0.4327	2.4	S	
22	TM	Nitrobenzene	0.4082	0.3929	3.8	TM	
23	TM	Isophorone	0.7099	0.6873	3.2	TM	
24	*TM	2-Nitrophenol	0.2069	0.2073	0.17	*TM	
25	TM	2,4-Dimethylphenol	0.3262	0.3288	0.79	TM	
26	TM	Benzoic acid	0.2242	0.2600	16	TM	
27	TM	Bis (2-chloroethoxy) methane	0.4337	0.4195	3.3	TM	
28	*TM	2,4-Dichlorophenol	0.2766	0.2809	1.5	*TM	
29	TM	1,2,4-Trichlorobenzene	0.3036	0.2900	4.5	TM	
30	TM	3,4-Dimethylphenol	0.4824	0.4805	0.39	TM	
31	TM	Naphthalene	1.082	1.043	3.7	TM	
32	TM	4-Chloroaniline	0.3990	0.4254	6.6	TM	
33	TM	2,6-Dichlorophenol	0.2781	0.2744	1.3	TM	
34	TM	Hexachloropropene	0.1687	0.1610	4.5	TM	
35	*TM	Hexachlorobutadiene	0.1489	0.1477	0.86	*TM	
36	TM	Caprolactum	0.1394	0.1330	4.6	TM	
37	*TM	4-Chloro-3-methylphenol	0.3353	0.3452	2.9	*TM	
38	TM	2-Methylnaphthalene	0.6902	0.6753	2.2	TM	
39	TM	1-Methylnaphthalene	0.7153	0.7013	2.0	TM	
40	I	Acenaphthene-D10(IS)	ISTD			I	
		Average			3.6		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/27/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y212.D

		Compound	MEAN	CCRF	%D		%Drift
41	**TMQ	Hexachlorocyclopentadiene	0.0924	0.0565	39	**TMQ	21
42	TM	1,2,4,5-Tetrachlorobenzene	0.5222	0.5161	1.2	TM	
43	*TM	2,4,6-Trichlorophenol	0.3358	0.3387	0.86	*TM	
44	TM	2,4,5-Trichlorophenol	0.3609	0.3633	0.64	TM	
45	S	2-Fluorobiphenyl(S)	1.477	1.474	0.21	S	
46	TM	1,1'-Biphenyl	1.653	1.603	3.1	TM	
47	TM	2-Chloronaphthalene	1.244	1.190	4.3	TM	
48	TM	2-Nitroaniline	0.4076	0.4066	0.23	TM	
49	TM	Dimethyl phthalate	1.445	1.431	1.0	TM	
50	TM	2,6-DNT	0.3380	0.3371	0.27	TM	
51	TM	Acenaphthylene	1.968	1.900	3.5	TM	
52	TM	3-Nitroaniline	0.3715	0.3856	3.8	TM	
53	*TM	Acenaphthene	1.268	1.224	3.4	*TM	
54	**TML	2,4-Dinitrophenol	0.1301	0.1160	11	**TML	26
55	**TMQ	4-Nitrophenol	0.1853	0.2466	33	**TMQ	13
56	TM	Dibenzofuran	1.721	1.663	3.4	TM	
57	TM	2,4-DNT	0.4568	0.4617	1.1	TM	
58	TM	2,3,4,6-Tetrachlorophenol	0.2292	0.2597	13	TM	
59	TM	Diethyl phthalate	1.426	1.383	3.1	TM	
60	TM	4-Chlorophenyl phenyl ether	0.6575	0.6386	2.9	TM	
61	TM	Fluorene	1.435	1.397	2.7	TM	
62	TM	4-Nitroaniline	0.3758	0.3576	4.9	TM	
63	S	2,4,6-Tribromophenol(S)	0.1326	0.1490	12	S	
64	I	Phenanthrene-D10(IS)	ISTD			I	
65	TM	4,6-Dinitro-2-methylphenol	0.1492	0.1527	2.3	TM	
66	TM	Diphenyl amine	0.6711	0.6652	0.88	TM	
67	*TM	n-Nitrosodiphenylamine	0.6711	0.6652	0.88	*TM	
68	TM	1,2-Diphenylhydrazine	0.9392	0.8830	6.0	TM	
69	TM	4-Bromophenyl phenyl ether	0.2094	0.2081	0.63	TM	
70	TM	Hexachlorobenzene	0.1945	0.1926	0.98	TM	
71	TM	Atrazine	0.2293	0.2015	12	TM	
72	*TML	Pentachlorophenol	0.0578	0.0719	24	*TML	0.78
73	TM	Phenanthrene	1.222	1.190	2.6	TM	
74	TM	Anthracene	1.291	1.244	3.7	TM	
75	TM	Carbazol	1.189	1.153	3.0	TM	
76	TM	Di-n-butylphthalate	1.489	1.451	2.5	TM	
77	*TM	Fluoranthene	1.278	1.249	2.3	*TM	
78	I	Chrysene-D12(IS)	ISTD			I	
79	TM	Benzidine	0.3173	0.2390	25	TM	
80	TM	Pyrene	1.475	1.464	0.71	TM	
		Average			6.2		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 04/27/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y212.D

		Compound	MEAN	CCRF	%D	%Drift	
81	S	Terphenyl-D14(S)	0.9778	1.010	3.3	S	
82	TM	Butyl benzylphthalate	0.7465	0.7298	2.2	TM	
83	TM	3,3'-Dichlorobenzidine	0.3708	0.3920	5.7	TM	
84	TM	Benz (a) anthracene	1.304	1.249	4.3	TM	
85	TM	Bis (2-ethylhexyl) phthalate	1.069	1.009	5.6	TM	
86	TM	Chrysene	1.257	1.214	3.4	TM	
87	*TM	Di-n-octylphthalate	1.844	1.763	4.4	*TM	
88	I	Perylene-D12(IS)	ISTD			I	
89	TM	Benzo (b) fluoranthene	1.190	1.214	2.0	TM	
90	TM	Benzo (k) fluoranthene	1.190	1.268	6.5	TM	
91	*TM	Benzo (a) pyrene	1.186	1.191	0.43	*TM	
92	TM	Indeno (1,2,3-cd) pyrene	1.276	1.245	2.4	TM	
93	TM	Dibenz (a,h) anthracene	1.118	1.068	4.5	TM	
94	TM	Benzo (g,h,i) perylene	1.018	0.9785	3.9	TM	
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			3.7		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y212.D Vial: 12
Acq On : 27 Apr 19 1:12 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:22 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	172038	40.00000 ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	762569	40.00000 ppb	-0.03
41) Acenaphthene-D10(IS)	8.77	164	411365	40.00000 ppb	-0.02
65) Phenanthrene-D10(IS)	10.53	188	684409	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.64	240	609183	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.49	264	569428	40.00000 ppb	0.02
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.68	112	671002	104.35466 ppb	-0.11
Spiked Amount 200.000			Recovery =	52.178%	
6) Phenol-D6 (S)	4.89	99	913448	108.66071 ppb	-0.06
Spiked Amount 200.000			Recovery =	54.331%	
22) Nitrobenzene-D5(S)	5.93	82	412415	51.18910 ppb	-0.04
Spiked Amount 100.000			Recovery =	51.189%	
46) 2-Fluorobiphenyl(S)	7.99	172	757835	49.89459 ppb	-0.03
Spiked Amount 100.000			Recovery =	49.895%	
64) 2,4,6-Tribromophenol(S)	9.71	330	153208	112.37788 ppb	-0.01
Spiked Amount 200.000			Recovery =	56.189%	
82) Terphenyl-D14(S)	12.40	244	768966	51.63896 ppb	0.00
Spiked Amount 100.000			Recovery =	51.639%	
Target Compounds					Qvalue
3) n-Nitrosodimethylamine	1.85	42	108310	49.54174 ppb	91
7) Phenol	4.90	94	476829	51.26288 ppb	87
8) Aniline	4.91	93	487170	53.72463 ppb	86
9) Bis (2-chloroethyl) ether	4.99	63	207344	50.15405 ppb	93
10) 2-Chlorophenol	5.04	128	345986	51.12862 ppb	97
11) 1,3-DCB	5.21	146	346289	48.74820 ppb	98
12) 1,4-DCB	5.30	146	351435	48.10950 ppb	98
13) Benzyl alcohol	5.46	108	211711	53.80268 ppb	96
14) 1,2-DCB	5.47	146	333289	49.22920 ppb	98
15) 2-Methylphenol	5.59	107	301633	51.16669 ppb	99
16) Bis (2-chloroisopropyl) et	5.60	45	303418	49.82708 ppb	85
17) Acetophenone	5.76	105	463696	51.36127 ppb	96
18) 3&4-Methylphenol	5.77	107	748514	105.77638 ppb	97
19) n-Nitrosodi-n-propylamine	5.76	70	257219	51.91121 ppb	96
20) Hexachloroethane	5.85	117	132463	48.17063 ppb	93
23) Nitrobenzene	5.95	77	374481	48.11742 ppb	95
24) Isophorone	6.22	82	655186	48.41009 ppb	100
25) 2-Nitrophenol	6.31	139	197601	50.08649 ppb	98
26) 2,4-Dimethylphenol	6.36	122	313413	50.39714 ppb	98
27) Benzoic acid	6.55	105	247839	57.99684 ppb	99
28) Bis (2-chloroethoxy) metha	6.46	93	399869	48.36637 ppb	99
29) 2,4-Dichlorophenol	6.59	162	267737	50.77222 ppb	95
30) 1,2,4-Trichlorobenzene	6.68	180	276476	47.76133 ppb	99
31) 3,4-Dimethylphenol	6.70	107	458044	49.80709 ppb	99
32) Naphthalene	6.77	128	994065	48.17282 ppb	99
33) 4-Chloroaniline	6.84	127	405526	53.30686 ppb	97
34) 2,6-Dichlorophenol	6.84	162	261547	49.33023 ppb	97
35) Hexachloropropene	6.85	213	153514	47.72892 ppb	98
36) Hexachlorobutadiene	6.89	225	140763	49.57209 ppb	99
37) Caprolactum	7.28	55	126795	47.71899 ppb	98
38) 4-Chloro-3-methylphenol	7.41	107	329021	51.47297 ppb	96
39) 2-Methylnaphthalene	7.56	142	643687	48.91885 ppb	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y212.D Vial: 12
Acq On : 27 Apr 19 1:12 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:22 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
40)	1-Methylnaphthalene	7.68	142	668468	49.01781 ppb		99
42)	Hexachlorocyclopentadiene	7.74	237	29034	39.39398 ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.75	216	265398	49.41606 ppb		98
44)	2,4,6-Trichlorophenol	7.90	196	174182	50.43214 ppb		99
45)	2,4,5-Trichlorophenol	7.96	196	186793	50.32198 ppb		94
47)	1,1'-Biphenyl	8.11	154	824101	48.46479 ppb		98
48)	2-Chloronaphthalene	8.13	162	612080	47.85738 ppb		98
49)	2-Nitroaniline	8.26	65	209093	49.88384 ppb		87
50)	Dimethyl phthalate	8.47	163	735586	49.48505 ppb		99
51)	2,6-DNT	8.55	165	173319	49.86252 ppb		85
52)	Acenaphthylene	8.62	152	977158	48.27308 ppb		99
53)	3-Nitroaniline	8.76	138	198285	51.89662 ppb		94
54)	Acenaphthene	8.82	154	629440	48.27593 ppb		99
55)	2,4-Dinitrophenol	8.90	184	59651	36.96763 ppb		92
56)	4-Nitrophenol	8.98	65	126813	56.65103 ppb	#	74
57)	Dibenzofuran	9.02	168	855052	48.32277 ppb		98
58)	2,4-DNT	9.03	165	237393	50.53162 ppb		90
59)	2,3,4,6-Tetrachlorophenol	9.17	232	133523	56.64736 ppb		97
60)	Diethyl phthalate	9.29	149	711042	48.47121 ppb		98
61)	4-Chlorophenyl phenyl ethe	9.42	204	328387	48.56566 ppb		89
62)	Fluorene	9.42	166	718316	48.66562 ppb		98
63)	4-Nitroaniline	9.48	138	183864	47.57049 ppb		97
66)	4,6-Dinitro-2-methylphenol	9.52	198	130652	51.16724 ppb		90
67)	Diphenyl amine	9.57	169	1138099	99.11817 ppb		99
68)	n-Nitrosodiphenylamine	9.57	169	1138099	99.11817 ppb		99
69)	1,2-Diphenylhydrazine	9.61	77	755385	47.00628 ppb		98
70)	4-Bromophenyl phenyl ether	9.99	248	177991	49.68319 ppb		99
71)	Hexachlorobenzene	10.07	284	164738	49.51063 ppb		96
72)	Atrazine	10.20	200	86180	21.96275 ppb		98
73)	Pentachlorophenol	10.32	266	61547	50.39007 ppb		99
74)	Phenanthrene	10.56	178	1018161	48.68690 ppb		100
75)	Anthracene	10.61	178	1064012	48.16453 ppb		99
76)	Carbazol	10.82	167	986352	48.48460 ppb		97
77)	Di-n-butylphthalate	11.20	149	1241452	48.73332 ppb		99
78)	Fluoranthene	11.96	202	1068240	48.85440 ppb		99
80)	Benzidine	12.12	184	181976	37.66320 ppb		99
81)	Pyrene	12.22	202	1115007	49.64639 ppb		99
83)	Butyl benzylphthalate	12.96	149	555724	48.88039 ppb		99
84)	3,3'-Dichlorobenzidine	13.59	252	298530	52.86943 ppb	#	97
85)	Benz (a) anthracene	13.63	228	950764	47.87324 ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	768620	47.20077 ppb		97
87)	Chrysene	13.67	228	924660	48.29018 ppb		99
88)	Di-n-octylphthalate	14.36	149	1342564	47.81506 ppb		96
90)	Benzo (b) fluoranthene	14.93	252	863909	50.97634 ppb		97
91)	Benzo (k) fluoranthene	14.98	252	902341	53.24408 ppb		97
92)	Benzo (a) pyrene	15.40	252	847542	50.21428 ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.38	276	886337	48.81057 ppb		97
94)	Dibenz (a,h) anthracene	17.40	278	760294	47.75539 ppb		98
95)	Benzo (g,h,i) perylene	17.96	276	696506	48.06341 ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y212.D Vial: 12
Acq On : 27 Apr 19 1:12 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Apr 29 8:22 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y204.D Vial: 4
Acq On : 26 Apr 19 21:29 Operator: MA
Sample : AZ90051W37 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	165799	40.0000	ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	731764	40.0000	ppb	-0.03
41) Acenaphthene-D10(IS)	8.77	164	444129	40.0000	ppb	-0.02
65) Phenanthrene-D10(IS)	10.53	188	750664	40.0000	ppb	0.00
79) Chrysene-D12(IS)	13.64	240	643056	40.0000	ppb	0.00
89) Perylene-D12(IS)	15.48	264	606037	40.0000	ppb	0.02
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.71	112	1039331	209.6498	ppb	-0.08
Spiked Amount 250.000			Recovery = 83.860%			
6) Phenol-D6 (S)	4.90	99	1307424	201.7240	ppb	-0.04
Spiked Amount 250.000			Recovery = 80.690%			
22) Nitrobenzene-D5(S)	5.93	82	621270	100.4481	ppb	-0.04
Spiked Amount 125.000			Recovery = 80.358%			
46) 2-Fluorobiphenyl(S)	7.98	172	1141008	86.9752	ppb	-0.04
Spiked Amount 125.000			Recovery = 69.580%			
64) 2,4,6-Tribromophenol(S)	9.71	330	255132	216.6669	ppb	-0.01
Spiked Amount 250.000			Recovery = 86.667%			
82) Terphenyl-D14(S)	12.39	244	1189824	94.6155	ppb	0.00
Spiked Amount 125.000			Recovery = 75.692%			
Target Compounds						Qvalue
26) 2,4-Dimethylphenol	6.39	122	34188	7.1611	ppb	89
31) 3,4-Dimethylphenol	6.59	107	126328	17.8938	ppb	90
86) Bis (2-ethylhexyl) phthala	13.62	149	39204	2.8509	ppb	99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y204.D Vial: 4
Acq On : 26 Apr 19 21:29 Operator: MA
Sample : AZ90051W37 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y207.D Vial: 7
Acq On : 26 Apr 19 22:53 Operator: MA
Sample : AZ90052W11 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:21 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	183225	40.0000	ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	814756	40.0000	ppb	-0.03
41) Acenaphthene-D10(IS)	8.77	164	469745	40.0000	ppb	-0.02
65) Phenanthrene-D10(IS)	10.53	188	807393	40.0000	ppb	0.00
79) Chrysene-D12(IS)	13.64	240	700169	40.0000	ppb	0.00
89) Perylene-D12(IS)	15.48	264	657852	40.0000	ppb	0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.69	112	982272	179.2955	ppb	-0.10
Spiked Amount 250.000			Recovery =	71.718%		
6) Phenol-D6 (S)	4.89	99	1221627	170.5599	ppb	-0.05
Spiked Amount 250.000			Recovery =	68.224%		
22) Nitrobenzene-D5(S)	5.92	82	584404	84.8629	ppb	-0.05
Spiked Amount 125.000			Recovery =	67.890%		
46) 2-Fluorobiphenyl(S)	7.98	172	1066267	76.8458	ppb	-0.03
Spiked Amount 125.000			Recovery =	61.477%		
64) 2,4,6-Tribromophenol(S)	9.71	330	235051	188.7282	ppb	-0.01
Spiked Amount 250.000			Recovery =	75.491%		
82) Terphenyl-D14(S)	12.39	244	1086219	79.3309	ppb	0.00
Spiked Amount 125.000			Recovery =	63.465%		
Target Compounds						Qvalue
26) 2,4-Dimethylphenol	6.39	122	21666	4.0760	ppb	86
31) 3,4-Dimethylphenol	6.59	107	81372	10.3519	ppb	87


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y207.D Vial: 7
Acq On : 26 Apr 19 22:53 Operator: MA
Sample : AZ90052W11 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:21 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y208.D Vial: 8
Acq On : 26 Apr 19 23:21 Operator: MA
Sample : AZ90054W22 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:24 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	160242	40.0000 ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	733344	40.0000 ppb	-0.03
41) Acenaphthene-D10(IS)	8.78	164	435297	40.0000 ppb	-0.01
65) Phenanthrene-D10(IS)	10.53	188	743716	40.0000 ppb	0.00
79) Chrysene-D12(IS)	13.64	240	643010	40.0000 ppb	0.00
89) Perylene-D12(IS)	15.48	264	614118	40.0000 ppb	0.02
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.72	112	959548	200.2686 ppb	-0.07
Spiked Amount 250.000			Recovery =	80.108%	
6) Phenol-D6 (S)	4.90	99	1197630	191.1919 ppb	-0.05
Spiked Amount 250.000			Recovery =	76.477%	
22) Nitrobenzene-D5(S)	5.93	82	567220	91.5116 ppb	-0.04
Spiked Amount 125.000			Recovery =	73.210%	
46) 2-Fluorobiphenyl(S)	7.99	172	1055832	82.1155 ppb	-0.03
Spiked Amount 125.000			Recovery =	65.693%	
64) 2,4,6-Tribromophenol(S)	9.71	330	232459	201.4176 ppb	-0.02
Spiked Amount 250.000			Recovery =	80.567%	
82) Terphenyl-D14(S)	12.40	244	1075047	85.4944 ppb	0.00
Spiked Amount 125.000			Recovery =	68.395%	
Target Compounds					Qvalue
26) 2,4-Dimethylphenol	6.39	122	18764	3.9219 ppb	91
31) 3,4-Dimethylphenol	6.59	107	52253	7.3854 ppb	88


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y208.D Vial: 8
Acq On : 26 Apr 19 23:21 Operator: MA
Sample : AZ90054W22 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:24 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y209.D Vial: 9
Acq On : 26 Apr 19 23:49 Operator: MA
Sample : AZ90056W22 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:26 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	169817	40.0000	ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	751024	40.0000	ppb	-0.03
41) Acenaphthene-D10(IS)	8.78	164	462889	40.0000	ppb	-0.01
65) Phenanthrene-D10(IS)	10.53	188	783005	40.0000	ppb	0.00
79) Chrysene-D12(IS)	13.64	240	666589	40.0000	ppb	0.00
89) Perylene-D12(IS)	15.48	264	643072	40.0000	ppb	0.01
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.70	112	1038385	204.5030	ppb	-0.09
Spiked Amount 250.000			Recovery = 81.801%			
6) Phenol-D6 (S)	4.89	99	1277662	192.4677	ppb	-0.06
Spiked Amount 250.000			Recovery = 76.987%			
22) Nitrobenzene-D5(S)	5.93	82	601331	94.7310	ppb	-0.04
Spiked Amount 125.000			Recovery = 75.785%			
46) 2-Fluorobiphenyl(S)	7.99	172	1131466	82.7524	ppb	-0.03
Spiked Amount 125.000			Recovery = 66.202%			
64) 2,4,6-Tribromophenol(S)	9.71	330	243711	198.5798	ppb	-0.02
Spiked Amount 250.000			Recovery = 79.432%			
82) Terphenyl-D14(S)	12.39	244	1132946	86.9119	ppb	0.00
Spiked Amount 125.000			Recovery = 69.530%			
Target Compounds						Qvalue
26) 2,4-Dimethylphenol	6.38	122	15108	3.0834	ppb	85
31) 3,4-Dimethylphenol	6.59	107	41381	5.7111	ppb	90


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y209.D Vial: 9
Acq On : 26 Apr 19 23:49 Operator: MA
Sample : AZ90056W22 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:26 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y210.D Vial: 10
Acq On : 27 Apr 19 00:17 Operator: MA
Sample : AZ90058W22 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: May 6 16:18 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	167578	40.00000 ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	758107	40.00000 ppb	-0.03
41) Acenaphthene-D10(IS)	8.78	164	451799	40.00000 ppb	-0.01
65) Phenanthrene-D10(IS)	10.53	188	766615	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.64	240	673211	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.48	264	627494	40.00000 ppb	0.01
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.68	112	854522	170.54095 ppb	-0.11
Spiked Amount 250.000			Recovery	= 68.216%	
6) Phenol-D6 (S)	4.89	99	1065961	162.72243 ppb	-0.06
Spiked Amount 250.000			Recovery	= 65.089%	
22) Nitrobenzene-D5(S)	5.93	82	572680	89.37452 ppb	-0.04
Spiked Amount 125.000			Recovery	= 71.500%	
46) 2-Fluorobiphenyl(S)	7.99	172	1061543	79.54419 ppb	-0.03
Spiked Amount 125.000			Recovery	= 63.635%	
64) 2,4,6-Tribromophenol(S)	9.71	330	230053	192.05224 ppb	-0.02
Spiked Amount 250.000			Recovery	= 76.821%	
82) Terphenyl-D14(S)	12.40	244	1087496	82.60467 ppb	0.00
Spiked Amount 125.000			Recovery	= 66.084%	
Target Compounds					Qvalue
86) Bis (2-ethylhexyl) phthala	13.62	149	251767	17.48811 ppb	99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y210.D Vial: 10
Acq On : 27 Apr 19 00:17 Operator: MA
Sample : AZ90058W22 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y211.D Vial: 11
Acq On : 27 Apr 19 00:45 Operator: MA
Sample : AZ90060W22 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:28 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	153337	40.0000	ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	659093	40.0000	ppb	-0.03
41) Acenaphthene-D10(IS)	8.77	164	360567	40.0000	ppb	-0.02
65) Phenanthrene-D10(IS)	10.53	188	603056	40.0000	ppb	0.00
79) Chrysene-D12(IS)	13.64	240	524020	40.0000	ppb	0.00
89) Perylene-D12(IS)	15.47	264	486077	40.0000	ppb	0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.70	112	1068860	233.1290	ppb	-0.09
Spiked Amount 250.000			Recovery =	93.252%		
6) Phenol-D6 (S)	4.89	99	1323118	220.7368	ppb	-0.05
Spiked Amount 250.000			Recovery =	88.295%		
22) Nitrobenzene-D5(S)	5.93	82	629793	113.0533	ppb	-0.04
Spiked Amount 125.000			Recovery =	90.442%		
46) 2-Fluorobiphenyl(S)	7.99	172	1162777	109.1758	ppb	-0.03
Spiked Amount 125.000			Recovery =	87.341%		
64) 2,4,6-Tribromophenol(S)	9.71	330	259842	271.8067	ppb	-0.01
Spiked Amount 250.000			Recovery =	108.723%		
82) Terphenyl-D14(S)	12.39	244	1164704	113.6569	ppb	0.00
Spiked Amount 125.000			Recovery =	90.926%		
Target Compounds						Qvalue
26) 2,4-Dimethylphenol	6.39	122	18458	4.2926	ppb	92
31) 3,4-Dimethylphenol	6.59	107	51502	8.0994	ppb	87


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y211.D Vial: 11
Acq On : 27 Apr 19 00:45 Operator: MA
Sample : AZ90060W22 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 13:28 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y196.D Vial: 96
Acq On : 26 Apr 19 17:46 Operator: MA
Sample : 190424A BLK 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: May 6 15:49 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	156918	40.00000 ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	730248	40.00000 ppb	-0.03
41) Acenaphthene-D10(IS)	8.77	164	463695	40.00000 ppb	-0.02
65) Phenanthrene-D10(IS)	10.53	188	781468	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.64	240	762900	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.48	264	695198	40.00000 ppb	0.02
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.68	112	953562	203.23505 ppb	-0.11
Spiked Amount 250.000			Recovery =	81.294%	
6) Phenol-D6 (S)	4.89	99	1156335	188.50984 ppb	-0.05
Spiked Amount 250.000			Recovery =	75.404%	
22) Nitrobenzene-D5(S)	5.93	82	579911	93.95571 ppb	-0.04
Spiked Amount 125.000			Recovery =	75.165%	
46) 2-Fluorobiphenyl(S)	7.98	172	1073107	78.34779 ppb	-0.04
Spiked Amount 125.000			Recovery =	62.678%	
64) 2,4,6-Tribromophenol(S)	9.71	330	229267	186.48585 ppb	-0.02
Spiked Amount 250.000			Recovery =	74.594%	
82) Terphenyl-D14(S)	12.39	244	1121804	75.19302 ppb	0.00
Spiked Amount 125.000			Recovery =	60.154%	


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190411\0411Y196.D Vial: 96
Acq On : 26 Apr 19 17:46 Operator: MA
Sample : 190424A BLK 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: May 6 15:49 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Mon May 06 14:42:09 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y197.D Vial: 97
Acq On : 26 Apr 19 18:13 Operator: MA
Sample : 190424A LCS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	165950	40.0000	ppb		-0.05
21) Napthalene-D8(IS)	6.74	136	746399	40.0000	ppb		-0.03
41) Acenaphthene-D10(IS)	8.77	164	433513	40.0000	ppb		-0.02
65) Phenanthrene-D10(IS)	10.53	188	741316	40.0000	ppb		0.00
79) Chrysene-D12(IS)	13.64	240	641284	40.0000	ppb		0.00
89) Perylene-D12(IS)	15.49	264	492206	40.0000	ppb		0.02
System Monitoring Compounds							
5) 2-Fluorophenol (S)	3.69	112	951775	191.8136	ppb		-0.10
Spiked Amount 250.000			Recovery =	76.726%			
6) Phenol-D6 (S)	4.89	99	1139938	175.7224	ppb		-0.05
Spiked Amount 250.000			Recovery =	70.289%			
22) Nitrobenzene-D5(S)	5.93	82	563951	89.3928	ppb		-0.04
Spiked Amount 125.000			Recovery =	71.514%			
46) 2-Fluorobiphenyl(S)	7.99	172	1050416	82.0305	ppb		-0.02
Spiked Amount 125.000			Recovery =	65.624%			
64) 2,4,6-Tribromophenol(S)	9.71	330	236232	205.5291	ppb		-0.01
Spiked Amount 250.000			Recovery =	82.212%			
82) Terphenyl-D14(S)	12.39	244	1088462	86.7943	ppb		0.00
Spiked Amount 125.000			Recovery =	69.435%			
Target Compounds							Qvalue
2) 1,4-Dioxane	1.62	58	6785	7.5492			57
3) n-Nitrosodimethylamine	1.85	42	80842	47.9178	ppb		94
4) Pyridine	1.90	79	66907	16.4900	ppb		93
7) Phenol	4.91	94	349146	48.6412	ppb	#	61
8) Aniline	4.93	93	57616	8.2337	ppb	#	96
9) Bis (2-chloroethyl) ether	4.99	63	160568	50.3304	ppb		93
10) 2-Chlorophenol	5.05	128	264809	50.7102	ppb		94
11) 1,3-DCB	5.21	146	246025	44.8804	ppb		100
12) 1,4-DCB	5.30	146	255268	45.2834	ppb		99
13) Benzyl alcohol	5.46	108	113606	37.4127	ppb		99
14) 1,2-DCB	5.47	146	244960	46.8872	ppb		99
15) 2-Methylphenol	5.59	107	230746	50.7224	ppb		98
16) Bis (2-chloroisopropyl) et	5.60	45	231895	49.3483	ppb		94
17) Acetophenone	5.76	105	361193	51.8440	ppb		93
18) 3&4-Methylphenol	5.77	107	564144	103.3085	ppb		97
19) n-Nitrosodi-n-propylamine	5.76	70	198910	52.0202	ppb		95
20) Hexachloroethane	5.85	117	82892	39.0623	ppb		92
23) Nitrobenzene	5.95	77	299358	49.1226	ppb		94
24) Isophorone	6.22	82	522726	49.3246	ppb		99
25) 2-Nitrophenol	6.31	139	154365	49.9687	ppb		98
26) 2,4-Dimethylphenol	6.36	122	246659	50.6529	ppb		98
27) Benzoic acid	6.55	105	205531	61.4229	ppb		99
28) Bis (2-chloroethoxy) metha	6.46	93	148184	22.8900	ppb		98
29) 2,4-Dichlorophenol	6.59	162	214128	51.8572	ppb		97
30) 1,2,4-Trichlorobenzene	6.68	180	198400	43.7702	ppb		98
31) 3,4-Dimethylphenol	6.70	107	314711	43.7033	ppb		99
32) Naphthalene	6.77	128	762730	47.2037	ppb		99
33) 4-Chloroaniline	6.84	127	14786	2.4822	ppb	#	49
34) 2,6-Dichlorophenol	6.84	162	203645	49.0518	ppb		99
35) Hexachloropropene	6.85	213	70752	28.0925	ppb		97
36) Hexachlorobutadiene	6.89	225	82288	37.0087	ppb		99
37) Caprolactum	7.27	55	83419	40.0933	ppb		95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y197.D Vial: 97
Acq On : 26 Apr 19 18:13 Operator: MA
Sample : 190424A LCS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.42	107	260512	52.0477	ppb		95
39)	2-Methylnaphthalene	7.57	142	478634	46.4540	ppb		99
40)	1-Methylnaphthalene	7.68	142	497073	46.5491	ppb		98
42)	Hexachlorocyclopentadiene	7.73	237	1599	20.5237	ppb	#	88
43)	1,2,4,5-Tetrachlorobenzene	7.75	216	190545	42.0827	ppb		97
44)	2,4,6-Trichlorophenol	7.90	196	144783	49.7229	ppb		99
45)	2,4,5-Trichlorophenol	7.96	196	153263	48.9745	ppb		99
47)	1,1'-Biphenyl	8.11	154	624951	43.5940	ppb		99
48)	2-Chloronaphthalene	8.13	162	474067	43.9659	ppb		97
49)	2-Nitroaniline	8.27	65	72890	20.6264	ppb		97
50)	Dimethyl phthalate	8.47	163	602246	48.0562	ppb		99
51)	2,6-DNT	8.55	165	139356	47.5542	ppb		86
52)	Acenaphthylene	8.62	152	651659	38.1853	ppb		100
53)	3-Nitroaniline	8.76	138	11303	3.5090	ppb	#	80
54)	Acenaphthene	8.82	154	476381	43.3377	ppb		98
55)	2,4-Dinitrophenol	8.89	184	62757	46.1467	ppb		95
56)	4-Nitrophenol	8.98	65	113373	62.1270	ppb	#	76
57)	Dibenzofuran	9.02	168	666160	44.6553	ppb		91
58)	2,4-DNT	9.02	165	189528	47.8524	ppb	#	73
59)	2,3,4,6-Tetrachlorophenol	9.17	232	110960	55.8374	ppb		99
60)	Diethyl phthalate	9.29	149	587568	47.5097	ppb		97
61)	4-Chlorophenyl phenyl ethe	9.41	204	254939	44.7213	ppb		87
62)	Fluorene	9.42	166	558342	44.8686	ppb		100
63)	4-Nitroaniline	9.48	138	26086	8.0054	ppb		95
66)	4,6-Dinitro-2-methylphenol	9.51	198	112165	50.6939	ppb		98
67)	Diphenyl amine	9.56	169	226142	22.7288	ppb		98
68)	n-Nitrosodiphenylamine	9.56	169	226142	22.7288	ppb		98
69)	1,2-Diphenylhydrazine	9.60	77	226370	16.2566	ppb		91
70)	4-Bromophenyl phenyl ether	9.99	248	142864	46.0211	ppb		96
71)	Hexachlorobenzene	10.06	284	132785	46.0549	ppb		95
72)	Atrazine	10.31	200	13111	3.8560	ppb	#	33
73)	Pentachlorophenol	10.31	266	66810	63.1078	ppb		98
74)	Phenanthrene	10.56	178	801651	44.2388	ppb		100
75)	Anthracene	10.61	178	782714	40.8890	ppb		99
76)	Carbazol	10.82	167	284625	16.1461	ppb		98
77)	Di-n-butylphthalate	11.20	149	999538	45.2812	ppb		99
78)	Fluoranthene	11.96	202	826824	43.6385	ppb		99
81)	Pyrene	12.22	202	845747	44.7155	ppb		99
83)	Butyl benzylphthalate	12.96	149	427657	44.6661	ppb		97
85)	Benz (a) anthracene	13.62	228	730421	43.6718	ppb		98
86)	Bis (2-ethylhexyl) phthala	13.61	149	629983	45.9382	ppb	#	95
87)	Chrysene	13.67	228	716334	44.4222	ppb		98
88)	Di-n-octylphthalate	14.36	149	1101691	46.5905	ppb		97
90)	Benzo (b) fluoranthene	14.93	252	675903	57.6749	ppb		98
91)	Benzo (k) fluoranthene	14.97	252	672940	57.4221	ppb		97
92)	Benzo (a) pyrene	15.40	252	555555	47.5987	ppb		97
93)	Indeno (1,2,3-cd) pyrene	17.38	276	614800	48.9611	ppb		97
94)	Dibenz (a,h) anthracene	17.40	278	571331	51.8956	ppb		99
95)	Benzo (g,h,i) perylene	17.96	276	506746	50.5687	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y197.D Vial: 97
Acq On : 26 Apr 19 18:13 Operator: MA
Sample : 190424A LCS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y198.D Vial: 98
Acq On : 26 Apr 19 18:41 Operator: MA
Sample : 190424A LCSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	155619	40.0000	ppb		-0.05
21) Napthalene-D8(IS)	6.74	136	700505	40.0000	ppb		-0.03
41) Acenaphthene-D10(IS)	8.78	164	423707	40.0000	ppb		-0.01
65) Phenanthrene-D10(IS)	10.53	188	708836	40.0000	ppb		0.00
79) Chrysene-D12(IS)	13.64	240	626419	40.0000	ppb		0.00
89) Perylene-D12(IS)	15.48	264	542737	40.0000	ppb		0.02
System Monitoring Compounds							
5) 2-Fluorophenol (S)	3.68	112	978638	210.3206	ppb		-0.11
Spiked Amount 250.000			Recovery = 84.128%				
6) Phenol-D6 (S)	4.89	99	1167251	191.8778	ppb		-0.05
Spiked Amount 250.000			Recovery = 76.751%				
22) Nitrobenzene-D5(S)	5.93	82	562891	95.0704	ppb		-0.04
Spiked Amount 125.000			Recovery = 76.056%				
46) 2-Fluorobiphenyl(S)	7.99	172	1037411	82.8898	ppb		-0.03
Spiked Amount 125.000			Recovery = 66.312%				
64) 2,4,6-Tribromophenol(S)	9.72	330	226642	201.7491	ppb		0.00
Spiked Amount 250.000			Recovery = 80.700%				
82) Terphenyl-D14(S)	12.39	244	1061317	86.6380	ppb		0.00
Spiked Amount 125.000			Recovery = 69.310%				
Target Compounds							Qvalue
2) 1,4-Dioxane	1.61	58	4498	5.3369			93
3) n-Nitrosodimethylamine	1.85	42	85665	54.1474	ppb		92
4) Pyridine	1.90	79	74979	19.7063	ppb		93
7) Phenol	4.91	94	352403	52.3542	ppb	#	63
8) Aniline	4.93	93	64751	9.8676	ppb		94
9) Bis (2-chloroethyl) ether	4.99	63	162617	54.3566	ppb		96
10) 2-Chlorophenol	5.05	128	275314	56.2219	ppb		95
11) 1,3-DCB	5.22	146	254872	49.5808	ppb		98
12) 1,4-DCB	5.30	146	261415	49.4525	ppb		99
13) Benzyl alcohol	5.46	108	144164	50.6278	ppb		99
14) 1,2-DCB	5.48	146	253856	51.8157	ppb		97
15) 2-Methylphenol	5.59	107	234407	54.9479	ppb		98
16) Bis (2-chloroisopropyl) et	5.60	45	233902	53.0799	ppb		97
17) Acetophenone	5.76	105	362437	55.4762	ppb		87
18) 3&4-Methylphenol	5.77	107	575418	112.3683	ppb		97
19) n-Nitrosodi-n-propylamine	5.76	70	197490	55.0776	ppb		96
20) Hexachloroethane	5.85	117	87818	44.1309	ppb		100
23) Nitrobenzene	5.95	77	299297	52.3303	ppb		94
24) Isophorone	6.22	82	514605	51.7396	ppb		100
25) 2-Nitrophenol	6.31	139	155006	53.4636	ppb		94
26) 2,4-Dimethylphenol	6.37	122	251965	55.1324	ppb		96
27) Benzoic acid	6.53	105	187634	59.7481	ppb		96
28) Bis (2-chloroethoxy) metha	6.46	93	276991	45.5900	ppb		99
29) 2,4-Dichlorophenol	6.60	162	211415	54.5546	ppb		95
30) 1,2,4-Trichlorobenzene	6.67	180	202257	47.5445	ppb		98
31) 3,4-Dimethylphenol	6.71	107	349137	51.6604	ppb		97
32) Naphthalene	6.77	128	764675	50.4246	ppb		100
33) 4-Chloroaniline	6.84	127	13604	2.4334	ppb	#	67
34) 2,6-Dichlorophenol	6.84	162	205497	52.7408	ppb		97
35) Hexachloropropene	6.85	213	73152	30.9484	ppb		97
36) Hexachlorobutadiene	6.89	225	81534	39.0720	ppb		95
37) Caprolactum	7.27	55	96857	49.6019	ppb		99

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190411\0411Y198.D Vial: 98
Acq On : 26 Apr 19 18:41 Operator: MA
Sample : 190424A LCSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.42	107	259346	55.2094	ppb		98
39)	2-Methylnaphthalene	7.57	142	477235	49.3528	ppb		98
40)	1-Methylnaphthalene	7.68	142	499450	49.8360	ppb		99
42)	Hexachlorocyclopentadiene	7.73	237	1127	19.9853	ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.76	216	191138	43.1906	ppb		98
44)	2,4,6-Trichlorophenol	7.91	196	145581	51.1541	ppb		98
45)	2,4,5-Trichlorophenol	7.96	196	150435	49.1833	ppb		90
47)	1,1'-Biphenyl	8.10	154	622136	44.4020	ppb		99
48)	2-Chloronaphthalene	8.13	162	468885	44.4917	ppb		99
49)	2-Nitroaniline	8.27	65	98480	28.5128	ppb		98
50)	Dimethyl phthalate	8.47	163	597381	48.7712	ppb		99
51)	2,6-DNT	8.55	165	138194	48.2491	ppb	#	81
52)	Acenaphthylene	8.61	152	729504	43.7361	ppb		100
53)	3-Nitroaniline	8.77	138	7364	2.3390	ppb	#	25
54)	Acenaphthene	8.82	154	483321	44.9867	ppb		99
55)	2,4-Dinitrophenol	8.89	184	71538	52.3562	ppb		99
56)	4-Nitrophenol	8.98	65	111323	62.3461	ppb		82
57)	Dibenzofuran	9.02	168	666116	45.6858	ppb		92
58)	2,4-DNT	9.03	165	187109	48.3350	ppb		94
59)	2,3,4,6-Tetrachlorophenol	9.17	232	106549	54.8586	ppb		97
60)	Diethyl phthalate	9.29	149	573352	47.4331	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.42	204	258125	46.3282	ppb		98
62)	Fluorene	9.42	166	560222	46.0616	ppb		99
63)	4-Nitroaniline	9.48	138	33787	10.6087	ppb		98
66)	4,6-Dinitro-2-methylphenol	9.51	198	108354	51.2154	ppb		83
67)	Diphenyl amine	9.56	169	365615	38.4306	ppb		99
68)	n-Nitrosodiphenylamine	9.56	169	365615	38.4306	ppb		99
69)	1,2-Diphenylhydrazine	9.61	77	396353	29.7680	ppb		99
70)	4-Bromophenyl phenyl ether	9.99	248	137791	46.4208	ppb		96
71)	Hexachlorobenzene	10.06	284	131424	47.6716	ppb		99
73)	Pentachlorophenol	10.31	266	64538	63.6739	ppb		99
74)	Phenanthrene	10.55	178	783244	45.2036	ppb		99
75)	Anthracene	10.62	178	814511	44.4998	ppb		99
76)	Carbazol	10.81	167	541591	32.1309	ppb		98
77)	Di-n-butylphthalate	11.20	149	990441	46.9250	ppb		99
78)	Fluoranthene	11.96	202	836205	46.1559	ppb		99
81)	Pyrene	12.23	202	859229	46.5063	ppb		99
83)	Butyl benzylphthalate	12.96	149	446892	47.7827	ppb		97
85)	Benz (a) anthracene	13.63	228	735376	45.0114	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	630168	47.0421	ppb		99
87)	Chrysene	13.67	228	725283	46.0444	ppb		99
88)	Di-n-octylphthalate	14.37	149	1074952	46.5384	ppb		96
90)	Benzo (b) fluoranthene	14.94	252	749168	57.9748	ppb		98
91)	Benzo (k) fluoranthene	14.97	252	638051	49.3760	ppb		97
92)	Benzo (a) pyrene	15.40	252	599089	46.5497	ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.38	276	651390	47.0452	ppb		97
94)	Dibenz (a,h) anthracene	17.40	278	588155	48.4498	ppb		98
95)	Benzo (g,h,i) perylene	17.95	276	537908	48.6807	ppb		100


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y198.D Vial: 98
Acq On : 26 Apr 19 18:41 Operator: MA
Sample : 190424A LCSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y205.D Vial: 5
Acq On : 26 Apr 19 21:57 Operator: MA
Sample : AZ90051W39 MS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	130899	40.0000	ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	623251	40.0000	ppb	-0.03
41) Acenaphthene-D10(IS)	8.78	164	420381	40.0000	ppb	-0.01
65) Phenanthrene-D10(IS)	10.53	188	725758	40.0000	ppb	0.00
79) Chrysene-D12(IS)	13.64	240	632704	40.0000	ppb	0.00
89) Perylene-D12(IS)	15.48	264	601862	40.0000	ppb	0.02
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.70	112	1044180	266.7850	ppb	-0.09
Spiked Amount 250.000			Recovery	= 106.714%		
6) Phenol-D6 (S)	4.90	99	1298410	253.7457	ppb	-0.05
Spiked Amount 250.000			Recovery	= 101.498%		
22) Nitrobenzene-D5(S)	5.93	82	615804	116.8992	ppb	-0.04
Spiked Amount 125.000			Recovery	= 93.519%		
46) 2-Fluorobiphenyl(S)	7.99	172	1147511	92.4123	ppb	-0.03
Spiked Amount 125.000			Recovery	= 73.930%		
64) 2,4,6-Tribromophenol(S)	9.72	330	255092	228.8709	ppb	0.00
Spiked Amount 250.000			Recovery	= 91.548%		
82) Terphenyl-D14(S)	12.40	244	1189670	96.1511	ppb	0.00
Spiked Amount 125.000			Recovery	= 76.921%		
Target Compounds						Qvalue
2) 1,4-Dioxane	1.61	58	6400	9.0276		65
3) n-Nitrosodimethylamine	1.85	42	96050	72.1769	ppb	99
7) Phenol	4.91	94	403370	71.2430	ppb	90
8) Aniline	4.92	93	342190	61.9952	ppb	94
9) Bis (2-chloroethyl) ether	4.99	63	178826	71.0630	ppb	98
10) 2-Chlorophenol	5.05	128	296492	71.9808	ppb	99
11) 1,3-DCB	5.22	146	288997	66.8361	ppb	98
12) 1,4-DCB	5.30	146	292785	65.8465	ppb	98
13) Benzyl alcohol	5.47	108	183704	76.6968	ppb	92
14) 1,2-DCB	5.48	146	279399	67.7992	ppb	99
15) 2-Methylphenol	5.60	107	258041	71.9110	ppb	99
16) Bis (2-chloroisopropyl) et	5.60	45	257151	69.3762	ppb	90
17) Acetophenone	5.75	105	402898	73.3155	ppb	83
18) 3&4-Methylphenol	5.77	107	631425	146.5914	ppb	99
19) n-Nitrosodi-n-propylamine	5.75	70	219506	72.7784	ppb	94
20) Hexachloroethane	5.85	117	101180	60.4478	ppb	100
23) Nitrobenzene	5.96	77	326960	64.2530	ppb	99
24) Isophorone	6.23	82	569137	64.3153	ppb	95
25) 2-Nitrophenol	6.31	139	170209	65.9842	ppb	92
26) 2,4-Dimethylphenol	6.37	122	279574	68.7562	ppb	96
27) Benzoic acid	6.54	105	213264	76.3270	ppb	99
28) Bis (2-chloroethoxy) metha	6.47	93	349565	64.6666	ppb	100
29) 2,4-Dichlorophenol	6.60	162	234759	68.0873	ppb	94
30) 1,2,4-Trichlorobenzene	6.67	180	229376	60.6029	ppb	98
31) 3,4-Dimethylphenol	6.71	107	389840	64.8331	ppb	99
32) Naphthalene	6.77	128	857934	63.5869	ppb	100
33) 4-Chloroaniline	6.84	127	205767	41.3682	ppb	98
34) 2,6-Dichlorophenol	6.84	162	223959	64.6038	ppb	95
35) Hexachloropropene	6.86	213	103689	49.3052	ppb	99
36) Hexachlorobutadiene	6.89	225	101812	54.8370	ppb	100
37) Caprolactum	7.28	55	109600	63.0850	ppb	92
38) 4-Chloro-3-methylphenol	7.42	107	286139	68.4635	ppb	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y205.D Vial: 5
Acq On : 26 Apr 19 21:57 Operator: MA
Sample : AZ90051W39 MS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
39)	2-Methylnaphthalene	7.56	142	537631	62.4902	ppb		100
40)	1-Methylnaphthalene	7.68	142	558079	62.5886	ppb		99
42)	Hexachlorocyclopentadiene	7.73	237	1107	19.9713	ppb	#	84
43)	1,2,4,5-Tetrachlorobenzene	7.76	216	214373	48.8242	ppb		99
44)	2,4,6-Trichlorophenol	7.91	196	159315	56.4229	ppb		99
45)	2,4,5-Trichlorophenol	7.96	196	166151	54.7513	ppb		92
47)	1,1'-Biphenyl	8.10	154	696197	50.0809	ppb		99
48)	2-Chloronaphthalene	8.13	162	531533	50.8353	ppb		99
49)	2-Nitroaniline	8.27	65	175469	51.2053	ppb		98
50)	Dimethyl phthalate	8.47	163	659828	54.2957	ppb		100
51)	2,6-DNT	8.56	165	153176	53.9030	ppb		95
52)	Acenaphthylene	8.61	152	829003	50.0946	ppb		99
53)	3-Nitroaniline	8.75	138	147574	47.2447	ppb		91
54)	Acenaphthene	8.82	154	539705	50.6322	ppb		99
55)	2,4-Dinitrophenol	8.89	184	61689	46.6578	ppb		92
56)	4-Nitrophenol	8.98	65	121520	67.1813	ppb		81
57)	Dibenzofuran	9.02	168	737304	50.9683	ppb		94
58)	2,4-DNT	9.03	165	208555	54.3013	ppb		95
59)	2,3,4,6-Tetrachlorophenol	9.17	232	118223	61.3507	ppb		96
60)	Diethyl phthalate	9.29	149	622195	51.8811	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.42	204	282803	51.1590	ppb		99
62)	Fluorene	9.42	166	616259	51.0698	ppb		99
63)	4-Nitroaniline	9.49	138	145462	46.0346	ppb		91
66)	4,6-Dinitro-2-methylphenol	9.51	198	117067	54.0436	ppb		97
67)	Diphenyl amine	9.57	169	910652	93.4888	ppb		100
68)	n-Nitrosodiphenylamine	9.57	169	910652	93.4888	ppb		100
69)	1,2-Diphenylhydrazine	9.61	77	626045	45.9227	ppb		97
70)	4-Bromophenyl phenyl ether	10.00	248	156105	51.3644	ppb		84
71)	Hexachlorobenzene	10.06	284	142026	50.3160	ppb		93
72)	Atrazine	10.19	200	80020	24.0388	ppb		97
73)	Pentachlorophenol	10.31	266	62807	60.9132	ppb		99
74)	Phenanthrene	10.55	178	858034	48.3653	ppb		99
75)	Anthracene	10.62	178	894739	47.7432	ppb		99
76)	Carbazol	10.81	167	839667	48.6534	ppb		98
77)	Di-n-butylphthalate	11.20	149	1067173	49.3816	ppb		99
78)	Fluoranthene	11.96	202	915841	49.3729	ppb		98
80)	Benzidine	12.12	184	40553	10.1014	ppb		95
81)	Pyrene	12.23	202	949522	50.8830	ppb		99
83)	Butyl benzylphthalate	12.96	149	480970	50.9156	ppb		95
84)	3,3'-Dichlorobenzidine	13.59	252	160292	34.1653	ppb	#	93
85)	Benz (a) anthracene	13.63	228	808547	48.9985	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	716298	52.9405	ppb		100
87)	Chrysene	13.67	228	797001	50.0948	ppb		99
88)	Di-n-octylphthalate	14.37	149	1161088	49.7682	ppb		98
90)	Benzo (b) fluoranthene	14.94	252	784402	54.7383	ppb		100
91)	Benzo (k) fluoranthene	14.97	252	714805	49.8816	ppb		99
92)	Benzo (a) pyrene	15.41	252	694076	48.6323	ppb		96
93)	Indeno (1,2,3-cd) pyrene	17.39	276	731569	47.6455	ppb		99
94)	Dibenz (a,h) anthracene	17.41	278	651036	48.3613	ppb		97
95)	Benzo (g,h,i) perylene	17.95	276	607534	49.5807	ppb		97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y205.D Vial: 5
Acq On : 26 Apr 19 21:57 Operator: MA
Sample : AZ90051W39 MS-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y206.D Vial: 6
Acq On : 26 Apr 19 22:25 Operator: MA
Sample : AZ90051W40 MSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	180514	40.0000 ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	795566	40.0000 ppb	-0.03
41) Acenaphthene-D10(IS)	8.78	164	465174	40.0000 ppb	-0.01
65) Phenanthrene-D10(IS)	10.53	188	775680	40.0000 ppb	0.00
79) Chrysene-D12(IS)	13.64	240	690164	40.0000 ppb	0.00
89) Perylene-D12(IS)	15.48	264	657908	40.0000 ppb	0.02
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.69	112	1009228	186.9824 ppb	-0.10
Spiked Amount 250.000			Recovery =	74.793%	
6) Phenol-D6 (S)	4.90	99	1255729	177.9542 ppb	-0.04
Spiked Amount 250.000			Recovery =	71.182%	
22) Nitrobenzene-D5(S)	5.93	82	583153	86.7238 ppb	-0.04
Spiked Amount 125.000			Recovery =	69.379%	
46) 2-Fluorobiphenyl(S)	7.99	172	1100027	80.0579 ppb	-0.03
Spiked Amount 125.000			Recovery =	64.046%	
64) 2,4,6-Tribromophenol(S)	9.72	330	246603	199.9492 ppb	0.00
Spiked Amount 250.000			Recovery =	79.980%	
82) Terphenyl-D14(S)	12.39	244	1107912	82.0883 ppb	0.00
Spiked Amount 125.000			Recovery =	65.670%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.61	58	4063	4.1559	94
3) n-Nitrosodimethylamine	1.85	42	90236	49.1707 ppb	94
4) Pyridine	1.87	79	156071	35.3622 ppb	97
7) Phenol	4.91	94	392120	50.2207 ppb	86
8) Aniline	4.92	93	338957	44.5309 ppb	97
9) Bis (2-chloroethyl) ether	4.99	63	173135	49.8911 ppb	99
10) 2-Chlorophenol	5.05	128	286020	50.3530 ppb	97
11) 1,3-DCB	5.22	146	260643	43.7109 ppb	99
12) 1,4-DCB	5.30	146	271167	44.2228 ppb	98
13) Benzyl alcohol	5.47	108	171382	51.8859 ppb	93
14) 1,2-DCB	5.48	146	258826	45.5442 ppb	98
15) 2-Methylphenol	5.60	107	249840	50.4887 ppb	99
16) Bis (2-chloroisopropyl) et	5.60	45	245722	48.0719 ppb	92
17) Acetophenone	5.75	105	383805	50.6450 ppb	86
18) 3&4-Methylphenol	5.77	107	607240	102.2287 ppb	98
19) n-Nitrosodi-n-propylamine	5.75	70	210050	50.5015 ppb	94
20) Hexachloroethane	5.85	117	89444	38.7492 ppb	98
23) Nitrobenzene	5.95	77	311569	47.9667 ppb	91
24) Isophorone	6.23	82	540677	47.8654 ppb	96
25) 2-Nitrophenol	6.31	139	164552	49.9744 ppb	95
26) 2,4-Dimethylphenol	6.37	122	282192	54.3684 ppb	97
27) Benzoic acid	6.56	105	231751	64.9784 ppb	98
28) Bis (2-chloroethoxy) metha	6.47	93	332134	48.1340 ppb	100
29) 2,4-Dichlorophenol	6.60	162	223378	50.7541 ppb	94
30) 1,2,4-Trichlorobenzene	6.67	180	211036	43.6806 ppb	97
31) 3,4-Dimethylphenol	6.71	107	374134	48.7443 ppb	100
32) Naphthalene	6.77	128	809901	47.0254 ppb	100
33) 4-Chloroaniline	6.84	127	166555	26.2322 ppb	98
34) 2,6-Dichlorophenol	6.84	162	216624	48.9534 ppb	97
35) Hexachloropropene	6.86	213	91406	34.0503 ppb	98
36) Hexachlorobutadiene	6.89	225	90769	38.3000 ppb	98
37) Caprolactum	7.28	55	112075	50.5372 ppb	92

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y206.D Vial: 6
Acq On : 26 Apr 19 22:25 Operator: MA
Sample : AZ90051W40 MSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.42	107	274662	51.4834	ppb		99
39)	2-Methylnaphthalene	7.57	142	507859	46.2442	ppb		100
40)	1-Methylnaphthalene	7.68	142	534875	46.9936	ppb		97
42)	Hexachlorocyclopentadiene	7.73	237	1168	19.9069	ppb	#	79
43)	1,2,4,5-Tetrachlorobenzene	7.76	216	207846	42.7793	ppb		99
44)	2,4,6-Trichlorophenol	7.91	196	150423	48.1438	ppb		99
45)	2,4,5-Trichlorophenol	7.96	196	159899	47.6173	ppb		90
47)	1,1'-Biphenyl	8.10	154	660496	42.9376	ppb		98
48)	2-Chloronaphthalene	8.13	162	501978	43.3858	ppb		98
49)	2-Nitroaniline	8.27	65	169543	44.7118	ppb		95
50)	Dimethyl phthalate	8.47	163	627160	46.6381	ppb		99
51)	2,6-DNT	8.55	165	144709	46.0199	ppb	#	74
52)	Acenaphthylene	8.61	152	793550	43.3348	ppb		99
53)	3-Nitroaniline	8.75	138	137000	39.6362	ppb		89
54)	Acenaphthene	8.82	154	513709	43.5527	ppb		100
55)	2,4-Dinitrophenol	8.89	184	68608	46.8496	ppb		86
56)	4-Nitrophenol	8.98	65	117193	60.4084	ppb		80
57)	Dibenzofuran	9.02	168	704122	43.9875	ppb		92
58)	2,4-DNT	9.03	165	196443	46.2225	ppb		95
59)	2,3,4,6-Tetrachlorophenol	9.17	232	114038	53.4805	ppb		95
60)	Diethyl phthalate	9.29	149	599861	45.2024	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.42	204	272145	44.4903	ppb		98
62)	Fluorene	9.42	166	588732	44.0906	ppb		99
63)	4-Nitroaniline	9.48	138	134985	38.6054	ppb		93
66)	4,6-Dinitro-2-methylphenol	9.51	198	113285	48.9318	ppb		92
67)	Diphenyl amine	9.57	169	845090	81.1744	ppb		99
68)	n-Nitrosodiphenylamine	9.57	169	845090	81.1744	ppb		99
69)	1,2-Diphenylhydrazine	9.61	77	621842	42.6787	ppb		99
70)	4-Bromophenyl phenyl ether	10.00	248	146158	44.9963	ppb	#	81
71)	Hexachlorobenzene	10.06	284	137192	45.4754	ppb		99
72)	Atrazine	10.19	200	75316	21.1695	ppb		98
73)	Pentachlorophenol	10.31	266	63223	57.8308	ppb		97
74)	Phenanthrene	10.55	178	827806	43.6584	ppb		100
75)	Anthracene	10.62	178	861056	42.9888	ppb		100
76)	Carbazol	10.81	167	809193	43.8699	ppb		98
77)	Di-n-butylphthalate	11.20	149	1030345	44.6089	ppb		99
78)	Fluoranthene	11.96	202	898205	45.3058	ppb		99
80)	Benzidine	12.12	184	31977	7.3021	ppb		94
81)	Pyrene	12.23	202	930999	45.7367	ppb		98
83)	Butyl benzylphthalate	12.96	149	464710	45.0986	ppb		99
84)	3,3'-Dichlorobenzidine	13.59	252	152732	29.8437	ppb	#	96
85)	Benz (a) anthracene	13.63	228	784699	43.5942	ppb		98
86)	Bis (2-ethylhexyl) phthala	13.62	149	663065	44.9261	ppb		100
87)	Chrysene	13.67	228	760831	43.8400	ppb		100
88)	Di-n-octylphthalate	14.37	149	1110146	43.6230	ppb		97
90)	Benzo (b) fluoranthene	14.94	252	770659	49.1979	ppb		99
91)	Benzo (k) fluoranthene	14.97	252	682558	43.5736	ppb		98
92)	Benzo (a) pyrene	15.40	252	677411	43.4212	ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.39	276	705311	42.0222	ppb		99
94)	Dibenz (a,h) anthracene	17.40	278	631556	42.9177	ppb		98
95)	Benzo (g,h,i) perylene	17.95	276	584198	43.6148	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y206.D Vial: 6
Acq On : 26 Apr 19 22:25 Operator: MA
Sample : AZ90051W40 MSD-1 1/800 Inst : Yoda
Misc : Multiplr: 1.25

Quant Time: Apr 29 9:23 2019 Quant Results File: Y0319NC.RES


Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 23 17:24:10 2019
Response via : Initial Calibration



DFTPP

Data File : M:\YODA\DATA\Y190319\0319Y002.D Vial: 2
Acq On : 19 Mar 19 18:15 Operator: MA
Sample : SV Tune 11/10/18 Inst : Yoda
Misc : Multiplr: 1.00

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C



AutoFind: Scans 833, 834, 835; Background Corrected with Scan 824

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	47.2	73142	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.6	492	PASS
127	198	10	80	58.4	90499	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	154987	PASS
199	198	5	9	6.7	10387	PASS
275	198	10	60	23.1	35872	PASS
365	198	1	100	2.4	3731	PASS
441	442	0.01	24	16.3	17617	PASS
442	198	50	150	69.9	108320	PASS
443	442	15	24	19.7	21288	PASS

Data File Name:	**0319Y002.D**
Data File Path:	**M:\YODA\DATA\Y190319**
Operator:	**MA**
Date Acquired:	**19 Mar 2019 18:15**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 11/10/18**
Vial Number:	**2**
Instrument Name:	**Yoda**


#	Name	Ret Time	Target Response
1)	DDT	7.01	15502300
2)	DDD	6.80	149561
3)	DDE	6.95	46466


Breakdown **1.25**

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y002.D Vial: 2
Acq On : 19 Mar 19 18:15 Operator: MA
Sample : SV Tune 11/10/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Mar 19 19:13 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190319\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Wed Mar 20 00:14:48 2019
Response via : Single Level Calibration





TIC: 0319Y002.D

(5) Pentachlorophenol

5.39min 0.0000


response 676097


Ion	Exp%	Act%
266.00	100	100
264.00	63.10	59.85
268.00	64.40	64.59
0.00	0.00	0.00

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y002.D Vial: 2
Acq On : 19 Mar 19 18:15 Operator: MA
Sample : SV Tune 11/10/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Mar 19 19:13 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190319\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Wed Mar 20 00:14:48 2019
Response via : Single Level Calibration





TIC: 0319Y002.D

(6) Benzidine

6.43min 0.0000


response 6732623

Ion	Exp%	Act%
184.00	100	100
92.00	13.20	13.26
185.00	13.60	13.98
0.00	0.00	0.00

DFTPP

Data File : M:\YODA\DATA\Y190411\0411Y194.D Vial: 94
Acq On : 26 Apr 19 17:03 Operator: MA
Sample : SV TUNE 10/11/18 Inst : Yoda
Misc : Multiplr: 1.00

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C



AutoFind: Scans 819, 820, 821; Background Corrected with Scan 812

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	49.9	75560	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.3	272	PASS
127	198	10	80	60.5	91643	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	151403	PASS
199	198	5	9	6.3	9568	PASS
275	198	10	60	23.2	35051	PASS
365	198	1	100	2.5	3766	PASS
441	442	0.01	24	16.7	16471	PASS
442	198	50	150	65.1	98613	PASS
443	442	15	24	20.0	19727	PASS

Data File Name:	**0411Y194.D**
Data File Path:	**M:\YODA\DATA\Y190411**
Operator:	**MA**
Date Acquired:	**26 Apr 2019 17:03**
Method File:	**DFTPP2.M**
Sample Name:	**SV TUNE 10/11/18**
Vial Number:	**94**
Instrument Name:	**Yoda**


#	Name	Ret Time	Target Response
1)	DDT	7.08	14939900
2)	DDD	6.75	114696
3)	DDE	6.86	0

Breakdown **0.76**

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y194.D Vial: 94
Acq On : 26 Apr 19 17:03 Operator: MA
Sample : SV TUNE 10/11/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Apr 26 16:57 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190411\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration



TIC: 0411Y194.D

(5) Pentachlorophenol

5.35min 0.0000


response 676111


Ion	Exp%	Act%
266.00	100	100
264.00	61.20	58.82
268.00	65.20	61.30
0.00	0.00	0.00

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y194.D Vial: 94
Acq On : 26 Apr 19 17:03 Operator: MA
Sample : SV TUNE 10/11/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Apr 26 16:57 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190411\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration





TIC: 0411Y194.D

(6) Benzidine

6.59min 0.0000

response 0

Ion	Exp%	Act%
184.00	100	0.00
92.00	13.60	0.00#
185.00	14.10	0.00#
0.00	0.00	0.00

Name of Final Standard	8270 Full Scan Standard Curve	**Prep'd By (Initials)**	**GA**
Prep Date	**03/13/19**		
Exp Date	**09/13/19**		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270 Stock	APPL	8270 Stock	200 ug/mL	**03/05/19**	**10/20/19**	4 uL	200uL	**MC 56258 192uL**	4 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	**10/17/18**	**09/27/19**	4 uL	*	*	*
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**02/09/19**	**02/09/20**	4 uL	*	*	*
8270 Stock	APPL	8270 Stock	200 ug/mL	**03/05/19**	**10/20/19**	5 uL	200uL	**MC 56258 190uL**	5 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	**10/17/18**	**09/27/19**	5 uL	*	*	*
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**02/09/19**	**02/09/20**	4 uL	*	*	*
8270 Stock	APPL	8270 Stock	200 ug/mL	**03/05/19**	**10/20/19**	5 uL	100uL	**MC 56258 90uL**	10 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	**10/17/18**	**09/27/19**	5 uL	*	*	*
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**02/09/19**	**02/09/20**	2 uL	*	*	*
8270 Stock	APPL	8270 Stock	200 ug/mL	**03/05/19**	**10/20/19**	10 uL	100uL	**MC 56258 80uL**	20 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	**10/17/18**	**09/27/19**	10 uL	*	*	*
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**02/09/19**	**02/09/20**	2 uL	*	*	*
8270 Stock	APPL	8270 Stock	200 ug/mL	**03/05/19**	**10/20/19**	20 uL	100uL	**MC 56258 60uL**	40 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	**10/17/18**	**09/27/19**	20 uL	*	*	*
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**02/09/19**	**02/09/20**	2 uL	*	*	*
8270 Stock	APPL	8270 Stock	200 ug/mL	**03/05/19**	**10/20/19**	50 uL	200 uL	**MC 56258 100uL**	50 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	**10/17/18**	**09/27/19**	50 uL	*	*	*
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**02/09/19**	**02/09/20**	4 uL	*	*	*
8270 Stock	APPL	8270 Stock	200 ug/mL	**03/05/19**	**10/20/19**	30 uL	100uL	**MC 56258 40uL**	60 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	**10/17/18**	**09/27/19**	30 uL	*	*	*
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**02/09/19**	**02/09/20**	2 uL	*	*	*
8270 Stock	APPL	8270 Stock	200 ug/mL	**03/05/19**	**10/20/19**	40 uL	100uL	**MC 56258 20uL**	80 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	**10/17/18**	**09/27/19**	40 uL	*	*	*
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**02/09/19**	**02/09/20**	2 uL	*	*	*
8270 Stock	APPL	8270 Stock	200 ug/mL	**03/05/19**	**10/20/19**	50 uL	100uL	**na**	100 ug/mL
8270 Surrogate	APPL	8270 Surrogate	200/400 ug/mL	**10/17/18**	**09/27/19**	50 uL	*	*	*
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**02/09/19**	**02/09/20**	2 uL	*	*	*

Name of Final Standard	8270 Full Scan Second Source	**Prep'd By (Initials)**	**GA**
Prep Date	**03/13/19**		
Exp Date	**09/13/19**		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270 SS Stock	o2si	8270 SS Stock	200 ug/mL	**03/05/19**	**01/08/20**	50 uL	200uL	**MC 56258 150uL**	50 ug/mL
SV Internal Standard	APPL	SV Internal Standard	2000 ug/mL	**01/16/19**	**01/16/20**	4 uL	*	*	*

Name of Final Standard	8270 Full Scan Spike	Prep'd By (Initials)	GA
Prep Date	03/05/19		
Exp Date	10/20/19		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
10001	Absolute	10001	2000	051018-39827 051018-39828	03/05/20	2.0 mL	20 mL	NA	200 ug/mL
10002	Absolute	10002	2000	051018-39832 051018-39833	03/05/20	2.0 mL	*	*	200 ug/mL
10004	Absolute	10004	2000	031618-39836 031618-39839	01/30/20	2.0 mL	*	*	200 ug/mL
10005	Absolute	10005	2000	032018-40011 032018-40012	01/30/20	2.0 mL	*	*	200 ug/mL
10006	Absolute	10006	2000	071318-39842 071318-39843	01/30/20	2.0 mL	*	*	200 ug/mL
10007	Absolute	10007	2000	080116-40016 080116-40017	01/30/20	2.0 mL	*	*	200 ug/mL
10018	Absolute	10018	2000	062718-39847 062718-39848	01/30/20	2.0 mL	*	*	200 ug/mL
70023	Absolute	70023	1000	091217-39852 091217-39853	01/30/20	2.0 mL	*	*	100 ug/mL
82705	Absolute	82705	2000	081418-40020 081418-40021	01/30/20	2.0 mL	*	*	200 ug/mL
94552	Absolute	94552	various	102017-40026 102017-40027	10/20/19	2.0 mL	*	*	various

Name of Final Standard	8270 SS STOCK	Prep'd By (Initials)	GA
Prep Date	03/05/19		
Exp Date	01/08/20		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
10001	Absolute	10001	2000	031618-39202	03/05/20	1.0 mL	10 mL	NA	200 ug/mL
10002	Absolute	10002	2000	G34-020217-38182	02/02/20	1.0 mL	*	*	200 ug/mL
10004	Absolute	10004	2000	010815-38625	01/08/20	1.0 mL	*	*	200 ug/mL
10005	Absolute	10005	2000	041317-37804	03/05/20	1.0 mL	*	*	200 ug/mL
10006	Absolute	10006	2000	011718-38827	03/05/20	1.0 mL	*	*	200 ug/mL
10007	Absolute	10007	2000	020515-38627	02/05/20	1.0 mL	*	*	200 ug/mL
10018	Absolute	10018	2000	G34-030216-38195	03/05/20	1.0 mL	*	*	200 ug/mL
70023	Absolute	70023	1000	013118-38830	03/05/20	1.0 mL	*	*	100 ug/mL
82705	Absolute	82705	2000	090617-38832	03/05/20	1.0 mL	*	*	200 ug/mL
94552	Absolute	94552	various	013118-40453	01/31/20	1.0 mL	*	*	various

Name of Final Standard	8270 Internal Standard (Ampule)	**Prep'd By (Initials)**	**GA**
Prep Date	**02/09/19**		
Exp Date	**02/09/20**		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Semivolatile Internal Standard	Restek	31206	2mg/mL	**A0138585-39540**	**01/16/20**	1 mL	1 mL	NA	2mg/mL

Name of Final Standard	**8270 Surrogate 200/400 ppm**
Prep Date	**10/17/18**
Exp Date	**09/27/19**

Prep'd By (Initials) **GA**

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270 Acid Surrogate Mix	Restek	33029	10,000 ug/mL	**A0136352-39395**	**10/17/19**	200 uL	5 mL	**MC 56258**	400 ug/mL
8270 B/N Surrogate Mix	Restek	31086	5000 ug/mL	**A0135243-39166**	**09/27/19**	200 uL	"	"	200 ug/mL

Name of Final Standard	8270 Full Scan Spike
Prep Date	01/30/19
Exp Date	10/20/19

Prep'd By (Initials) GA

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
10001	Absolute	10001	2000	051018-39825 051018-39826	01/30/20	2.0 mL	20 mL	NA	200 ug/mL
10002	Absolute	10002	2000	051018-39830 051018-39831	01/30/20	2.0 mL	*	*	200 ug/mL
10004	Absolute	10004	2000	031618-39834 031618-39835	01/30/20	2.0 mL	*	*	200 ug/mL
10005	Absolute	10005	2000	032018-39611 032018-40010	01/30/20	2.0 mL	*	*	200 ug/mL
10006	Absolute	10006	2000	071318-39840 071318-39841	01/30/20	2.0 mL	*	*	200 ug/mL
10007	Absolute	10007	2000	080116-39616 080116-40015	01/30/20	2.0 mL	*	*	200 ug/mL
10018	Absolute	10018	2000	062718-39845 062718-39846	01/30/20	2.0 mL	*	*	200 ug/mL
70023	Absolute	70023	1000	091217-39850 091217-39851	01/30/20	2.0 mL	*	*	100 ug/mL
82705	Absolute	82705	2000	081418-39620 081418-39621	01/30/20	2.0 mL	*	*	200 ug/mL
94552	Absolute	94552	various	102017-40025 102017-40225	10/20/19	2.0 mL	*	*	various

Name of Final Standard	8270 Surrogate 100/200 ppm
Prep Date	01/30/19
Exp Date	12/06/19

Prep'd By (Initials) GA

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270 Acid Surrogate Mix	Restek	33029	10,000 ug/mL	A0132399 -39396	01/30/20	5.0 mL	250 mL	Acetone #101717I	200 ug/mL
8270 B/N Surrogate Mix	Restek	31086	5000 ug/mL	A0140132 - 39546 & 39547	12/06/19 01/30/20	5.0 mL	250 mL	*	100 ug/mL

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190424A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 EXP 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 EXP 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 EXP 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 EXP 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	yes	
Spiked ID 7			Ext. Start Time:	04/24/19 14:25, 04/25/19 11:20	
Spiked ID 8			Ext. End Time:	04/25/19 9:30, 04/26/19 17:30. 4/26/19 14:30	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	04/24/19 1:05:00 PM	Water Bath Temp Criteria	75,70 °C
pH2	14	4/24/19 11:10:00 AM		
pH3				

Spiked By: KY **Date** 04/24/19 **Witnessed By:** DL **Date** 04/24/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190424A Blk				1,0.050	1,2	800	1	2/1	04/24/19 13:00	
						equip	E-HP51 e-wb6				
2	190424A LCS-1		0.250	1	1	1	800	1	2/1	04/24/19 13:00	
						equip	E-HP50 E-WB6				
3	190424A LCS-2		0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	
						equip	E-HP49 E-WB6				
4	190424A LCSD-1		0.250	1	1	1	800	1	2/1	04/24/19 13:00	
						equip	E-HP48 E-WB6				
5	190424A LCSD-2		0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	
						equip	E-HP47 E-WB6				
6	AZ89958 MS-1	AZ89958W28	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP25 E-WB6				
7	AZ89958 MSD-1	AZ89958W34	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP26 E-WB6				
8	AZ89958 MS-2	AZ89958W33	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP27 E-WB6				
9	AZ89958 MSD-2	AZ89958W36	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP28 E-WB6				
10	AZ89958	AZ89958W30			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP29 E-WB6				
11	AZ89959	AZ89959W07			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP30 E-WB5				
12	AZ89961	AZ89961W14			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88687
						equip	E-HP17 E-WB5				
13	AZ90051 MS-1	AZ90051W39	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP10 E-WB5				
14	AZ90051 MSD-1	AZ90051W40	0.250	1	1	1	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP9 E-WB5				
15	AZ90051 MS-2	AZ90051W38	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP7 E-WB5				
16	AZ90051 MSD-2	AZ90051W36	0.0250	2	0.050	2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP6 E-WB5				

Solvent and Lot#	
PH Strips	HC 863463
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	4/26/19
Time	1100
Refrigerator	GC-C

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:47:43 PM

Reviewed By: KS **Date** 4/30/19

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190424A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 EXP 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 EXP 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 EXP 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 EXP 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	yes	
Spiked ID 7			Ext. Start Time:	04/24/19 14:25 , 04/25/19 11:20	
Spiked ID 8			Ext. End Time:	04/25/19 9:30 , 04/26/19 17:30 , 4/26/19 14:20	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	04/24/19 1:05:00 PM	Water Bath Temp Criteria	75,70 °C
pH2	14	4/24/19 11:10:00 AM		
pH3				

Spiked By: KY **Date** 04/24/19 **Witnessed By:** DL **Date** 04/24/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90051	AZ90051W37			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP11 E-WB5				
18	AZ90052	AZ90052W11			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP13 E-WB5				
19	AZ90054	AZ90054W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP16 E-WB5				
20	AZ90056	AZ90056W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP15 E-WB5				
21	AZ90058	AZ90058W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP14 E-WB5				
22	AZ90060	AZ90060W22			1,0.050	1,2	800	1	2/1	04/24/19 13:00	88701
						equip	E-HP12 E-WB5				

KS 4/30/19

Solvent and Lot#	
PH Strips	HC 863463
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:47:43 PM

Reviewed By: KS **Date** 4/30/19

Injection Log

Directory: M:\YODA\DATA\Y190319\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	0319Y002.D	1	SV Tune 11/10/18		19 Mar 19 18:15
2	3	0319Y003.D	1	50ug/mL 8270 03/13/19		19 Mar 19 18:31
3	4	0319Y004.D	1	4ug/mL 8270 03/13/19		19 Mar 19 18:58
4	5	0319Y005.D	1	5ug/mL 8270 03/13/19		19 Mar 19 19:26
5	6	0319Y006.D	1	10ug/mL 8270 03/13/19		19 Mar 19 19:54
6	7	0319Y007.D	1	20ug/mL 8270 03/13/19		19 Mar 19 20:22
7	8	0319Y008.D	1	40ug/mL 8270 03/13/19		19 Mar 19 20:49
8	9	0319Y009.D	1	60ug/mL 8270 03/13/19		19 Mar 19 21:17
9	10	0319Y010.D	1	80ug/mL 8270 03/13/19		19 Mar 19 21:44
10	11	0319Y011.D	1	100ug/mL 8270 03/13/19		19 Mar 19 22:11
11	12	0319Y012.D	1	SS-8270 03/13/19		19 Mar 19 22:39
12	94	0411Y194.D	1	SV TUNE 10/11/18		26 Apr 19 17:03
13	95	0411Y195.D	1	50ug/ml 8270 3/13/19		26 Apr 19 17:18
14	96	0411Y196.D	1.25	190424A BLK 1/800		26 Apr 19 17:46
15	97	0411Y197.D	1.25	190424A LCS-1 1/800		26 Apr 19 18:13
16	98	0411Y198.D	1.25	190424A LCSD-1 1/800		26 Apr 19 18:41
17	4	0411Y204.D	1.25	AZ90051W37 1/800		26 Apr 19 21:29
18	5	0411Y205.D	1.25	AZ90051W39 MS-1 1/800		26 Apr 19 21:57
19	6	0411Y206.D	1.25	AZ90051W40 MSD-1 1/800		26 Apr 19 22:25
20	7	0411Y207.D	1.25	AZ90052W11 1/800		26 Apr 19 22:53
21	8	0411Y208.D	1.25	AZ90054W22 1/800		26 Apr 19 23:21
22	9	0411Y209.D	1.25	AZ90056W22 1/800		26 Apr 19 23:49
23	10	0411Y210.D	1.25	AZ90058W22 1/800		27 Apr 19 00:17
24	11	0411Y211.D	1.25	AZ90060W22 1/800		27 Apr 19 00:45
25	12	0411Y212.D	1	50ug/ml 8270 3/13/19		27 Apr 19 1:12

ORGANICS
Calibration Data

2MEE
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/30/19
Matrix: Instrument: Yoda
Initials: MH/LP

			0430Y003.D	0430Y004.D	0430Y005.D	0430Y006.D	0430Y007.D	0430Y008.D	0430Y009.D	0430Y010.D								
		Compound	1	2	3	4	5	6	7	8			Avg	%RSD	Type	r^2	Q	MRF
1	I	1,4-dichlorobenzene-D4(IS)																
2	TML	2-(2-Methoxyethoxy)ethanol	0.0855	0.1071	0.1202	0.1690	0.1716	0.1510	0.1681	0.1572			0.14	23	TML	0.992		
3	I	Napthalene-D8(IS)																
4	I	Acenaphthene-D10(IS)																
5	I	Phenanthrene-D10(IS)																
6	I	Chrysene-D12(IS)																
7	I	Perylene-D12(IS)																
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		
16																		
17																		
18																		
19																		
20																		
21																		
22																		
23																		
24																		
25																		
26																		
27																		
28																		
29																		
30																		
31																		
32																		
33																		
34																		
35																		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y003.D Vial: 3
Acq On : 30 Apr 19 9:27 Operator: MA
Sample : 50ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 12:16 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	184530	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	792854	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	436769	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	740242	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	652884	40.00000	ppb	0.01
7) Perylene-D12(IS)	15.14	264	661360	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.31	45	19721	51.20047	ppb	92

(#) = qualifier out of range (m) = manual integration
0430Y003.D YMEE0430.M Wed May 01 09:22:16 2019 Page 1


Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y003.D
Acq On : 30 Apr 19 9:27
Sample : 50ug/ml MEE 04/30/19
Misc : soil

Vial: 3
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Apr 30 12:16 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y004.D Vial: 4
Acq On : 30 Apr 19 9:50 Operator: MA
Sample : 100ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	187806	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	863865	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	468856	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	791427	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.38	240	668649	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	626815	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.27	45	50283	84.61640	ppb	97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y004.D Vial: 4
Acq On : 30 Apr 19 9:50 Operator: MA
Sample : 100ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y005.D Vial: 5
Acq On : 30 Apr 19 10:13 Operator: MA
Sample : 200ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	198152	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	841205	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	466203	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	786056	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.38	240	706531	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	682388	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.25	45	119065	189.90155	ppb	99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y005.D Vial: 5
Acq On : 30 Apr 19 10:13 Operator: MA
Sample : 200ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y006.D Vial: 6
Acq On : 30 Apr 19 10:37 Operator: MA
Sample : 400ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	181654	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	797784	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	446801	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	742976	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.38	240	658989	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	628149	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.25	45	307070	534.23860	ppb	99

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y006.D
Acq On : 30 Apr 19 10:37
Sample : 400ug/ml MEE 04/30/19
Misc : soil

Vial: 6
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y007.D Vial: 7
Acq On : 30 Apr 19 11:00 Operator: MA
Sample : 500ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	165959	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	714594	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	398927	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	678369	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.38	240	607331	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.14	264	593257	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.25	45	356062	678.05928	ppb	100


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y007.D Vial: 7
Acq On : 30 Apr 19 11:00 Operator: MA
Sample : 500ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y008.D Vial: 8
Acq On : 30 Apr 19 11:23 Operator: MA
Sample : 600ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	192050	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	832030	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	456909	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	771492	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.38	240	686371	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	672431	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.26	45	435053	715.93023	ppb	98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y008.D Vial: 8
Acq On : 30 Apr 19 11:23 Operator: MA
Sample : 600ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y009.D Vial: 9
Acq On : 30 Apr 19 11:47 Operator: MA
Sample : 800ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:48 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:44:52 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.07	152	177494	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	809241	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	446680	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	765580	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.38	240	677822	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	648459	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.26	45	596711	1062.48599	ppb	99


(#) = qualifier out of range (m) = manual integration
0430Y009.D YMEE0430.M Wed May 01 09:22:39 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y009.D Vial: 9
Acq On : 30 Apr 19 11:47 Operator: MA
Sample : 800ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 11:48 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y010.D Vial: 10
Acq On : 30 Apr 19 12:10 Operator: MA
Sample : 1000ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 12:15 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 11:49:24 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	194543	40.00000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	824746	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	455154	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.29	188	763926	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	675051	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	668405	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.29	45	764768	949.70790	ppb	98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y010.D Vial: 10
Acq On : 30 Apr 19 12:10 Operator: MA
Sample : 1000ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 12:15 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



2MEE
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/30/19
Instrument: Yoda
Initial Cal. Date: 04/30/19
Data File: 0430Y011.D

		Compound	MEAN	CCRF	%D	%Drift	
1	TML	2-(2-Methoxyethoxy)ethanol	0.1412	0.1842	30	TML	16
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			30.0		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y011.D Vial: 11
Acq On : 30 Apr 19 13:30 Operator: MA
Sample : SS ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 13:31 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	176322	40.00000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	756659	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	427777	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	702800	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	636036	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.14	264	617157	40.00000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.26	45	406011	577.68332	ppb	99

(#) = qualifier out of range (m) = manual integration
0430Y011.D YMEE0430.M Wed May 01 09:22:46 2019 Page 1


Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y011.D
Acq On : 30 Apr 19 13:30
Sample : SS ug/ml MEE 04/30/19
Misc : soil

Vial: 11
Operator: MA
Inst : Yoda
Multiplr: 1.00

Quant Time: Apr 30 13:31 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



2MEE
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/30/19
Instrument: Yoda
Initial Cal. Date: 04/30/19
Data File: 0430Y037.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	1,4-dichlorobenzene-D4(IS)	ISTD			I	
2	TML	2-(2-Methoxyethoxy)ethanol	0.1412	0.1831	30	TML	15
3	I	Napthalene-D8(IS)	ISTD			I	
4	I	Acenaphthene-D10(IS)	ISTD			I	
5	I	Phenanthrene-D10(IS)	ISTD			I	
6	I	Chrysene-D12(IS)	ISTD			I	
7	I	Perylene-D12(IS)	ISTD			I	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			30.0		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y037.D Vial: 37
Acq On : 30 Apr 19 23:38 Operator: MA
Sample : 500ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:39 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	148022	40.00000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	650008	40.00000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	364717	40.00000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	610351	40.00000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	544837	40.00000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	526754	40.00000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.28	45	338753	574.29385	ppb	97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y037.D Vial: 37
Acq On : 30 Apr 19 23:38 Operator: MA
Sample : 500ug/ml MEE 04/30/19 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:39 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y021.D Vial: 21
Acq On : 30 Apr 19 17:22 Operator: MA
Sample : AZ90051W22 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	156596	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	702051	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	393448	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	673322	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	588670	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	585446	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y021.D Vial: 21
Acq On : 30 Apr 19 17:22 Operator: MA
Sample : AZ90051W22 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y024.D Vial: 24
Acq On : 30 Apr 19 18:33 Operator: MA
Sample : AZ90052W05 2/505 Inst : Yoda
Misc : soil Multiplr: 0.99

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	143773	40.0000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	658684	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	412548	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	713678	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	625446	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	669212	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y024.D Vial: 24
Acq On : 30 Apr 19 18:33 Operator: MA
Sample : AZ90052W05 2/505 Inst : Yoda
Misc : soil Multiplr: 0.99

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y025.D Vial: 25
Acq On : 30 Apr 19 18:57 Operator: MA
Sample : AZ90054W16 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	159671	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	713917	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	411720	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	708566	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	626978	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	610268	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y025.D Vial: 25
Acq On : 30 Apr 19 18:57 Operator: MA
Sample : AZ90054W16 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y026.D Vial: 26
Acq On : 30 Apr 19 19:20 Operator: MA
Sample : AZ90056W16 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	173313	40.0000	ppb	0.00
3) Napthalene-D8(IS)	6.50	136	749376	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	405702	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	690474	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	601958	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	587472	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y026.D Vial: 26
Acq On : 30 Apr 19 19:20 Operator: MA
Sample : AZ90056W16 2/510 Inst : Yoda
Misc : soil Multiplr: 0.98

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y027.D Vial: 27
Acq On : 30 Apr 19 19:44 Operator: MA
Sample : AZ90058W17 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	148947	40.0000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	671699	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	398175	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	683572	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	570200	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.14	264	665546	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y027.D Vial: 27
Acq On : 30 Apr 19 19:44 Operator: MA
Sample : AZ90058W17 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y028.D Vial: 28
Acq On : 30 Apr 19 20:07 Operator: MA
Sample : AZ90060W17 2/505 Inst : Yoda
Misc : soil Multiplr: 0.99

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	124917	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	589020	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	395475	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	672860	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	569250	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	539888	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y028.D Vial: 28
Acq On : 30 Apr 19 20:07 Operator: MA
Sample : AZ90060W17 2/505 Inst : Yoda
Misc : soil Multiplr: 0.99

Quant Time: May 1 8:47 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y013.D Vial: 13
Acq On : 30 Apr 19 14:13 Operator: MA
Sample : 190429A BLK 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	144443	40.0000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	680229	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	444226	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	771508	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	661861	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.14	264	641475	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y013.D Vial: 13
Acq On : 30 Apr 19 14:13 Operator: MA
Sample : 190429A BLK 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y014.D Vial: 14
Acq On : 30 Apr 19 14:37 Operator: MA
Sample : 190429A LCS-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	137259	40.0000 ppb	0.01
3) Napthalene-D8(IS)	6.51	136	622694	40.0000 ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	381830	40.0000 ppb	0.00
5) Phenanthrene-D10(IS)	10.29	188	657938	40.0000 ppb	0.00
6) Chrysene-D12(IS)	13.39	240	540582	40.0000 ppb	0.00
7) Perylene-D12(IS)	15.13	264	562285	40.0000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.34	45	38771	93.3025 ppb	98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y014.D Vial: 14
Acq On : 30 Apr 19 14:37 Operator: MA
Sample : 190429A LCS-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y015.D Vial: 15
Acq On : 30 Apr 19 15:01 Operator: MA
Sample : 190429A LCSD-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	114459	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	589204	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	427518	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	743005	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	629015	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	587575	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.34	45	47160	124.3667	ppb	97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y015.D Vial: 15
Acq On : 30 Apr 19 15:01 Operator: MA
Sample : 190429A LCSD-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: Apr 30 15:16 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y022.D Vial: 22
Acq On : 30 Apr 19 17:46 Operator: MA
Sample : AZ90051W21 MS-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	170847	40.0000	ppb	0.00
3) Napthalene-D8(IS)	6.51	136	740471	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	407908	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.28	188	684406	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	601063	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	575657	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.34	45	33035	71.9377	ppb	99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y022.D Vial: 22
Acq On : 30 Apr 19 17:46 Operator: MA
Sample : AZ90051W21 MS-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190430M\0430Y023.D Vial: 23
Acq On : 30 Apr 19 18:09 Operator: MA
Sample : AZ90051W25 MSD-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES

Quant Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration
DataAcq Meth : GED

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.08	152	147973	40.0000	ppb	0.01
3) Napthalene-D8(IS)	6.51	136	663660	40.0000	ppb	0.00
4) Acenaphthene-D10(IS)	8.54	164	416179	40.0000	ppb	0.00
5) Phenanthrene-D10(IS)	10.29	188	717787	40.0000	ppb	0.00
6) Chrysene-D12(IS)	13.39	240	624710	40.0000	ppb	0.00
7) Perylene-D12(IS)	15.13	264	659515	40.0000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) 2-(2-Methoxyethoxy)ethanol	4.34	45	37330	86.0638	ppb	98


(#) = qualifier out of range (m) = manual integration
0430Y023.D YMEE0430.M Fri May 10 15:19:53 2019 Page 1

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y023.D Vial: 23
Acq On : 30 Apr 19 18:09 Operator: MA
Sample : AZ90051W25 MSD-1 2/500 Inst : Yoda
Misc : soil Multiplr: 1.00

Quant Time: May 1 8:46 2019 Quant Results File: YMEE0430.RES


Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Apr 30 12:16:17 2019
Response via : Initial Calibration



DFTPP

Data File : M:\YODA\DATA\Y190430M\0430Y002.D Vial: 2
Acq On : 30 Apr 19 9:12 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : Multiplr: 1.00

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C



AutoFind: Scans 841, 842, 843; Background Corrected with Scan 833

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	49.7	93941	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.3	275	PASS
127	198	10	80	60.7	114675	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	189013	PASS
199	198	5	9	6.7	12705	PASS
275	198	10	60	23.7	44776	PASS
365	198	1	100	2.5	4785	PASS
441	442	0.01	24	16.0	20059	PASS
442	198	50	150	66.3	125365	PASS
443	442	15	24	19.3	24168	PASS

Data File Name:	**0430Y002.D**
Data File Path:	**M:\YODA\DATA\Y190430M**
Operator:	**MA**
Date Acquired:	**30 Apr 2019 09:12**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 03/07/18**
Vial Number:	**2**
Instrument Name:	**Yoda**


#	Name	Ret Time	Target Response
1)	DDT	7.08	19086100
2)	DDD	6.75	104656
3)	DDE	6.86	0


Breakdown **0.55**

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y002.D Vial: 2
Acq On : 30 Apr 19 9:12 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Apr 30 9:33 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190430M\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration





TIC: 0430Y002.D

(5) Pentachlorophenol

5.39min 0.0000


response 830307

Ion	Exp%	Act%
266.00	100	100
264.00	61.20	61.48
268.00	65.20	62.81
0.00	0.00	0.00

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y002.D Vial: 2
Acq On : 30 Apr 19 9:12 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: Apr 30 9:33 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190430M\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration



TIC: 0430Y002.D

(6) Benzidine


6.49min 0.0000

response 8412205

Ion	Exp%	Act%
184.00	100	100
92.00	13.60	13.24
185.00	14.10	13.47
0.00	0.00	0.00

Data File : M:\YODA\DATA\Y190430M\0430Y012.D Vial: 12
Acq On : 30 Apr 19 13:58 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : soil Multiplr: 1.00

Method : M:\YODA\DATA\Y190430M\YMEE0430.M (RTE Integrator)
Title : EPA 8270C



AutoFind: Scans 841, 842, 843; Background Corrected with Scan 833

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	47.4	89739	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.2	195	PASS
127	198	10	80	60.8	115021	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	189312	PASS
199	198	5	9	6.9	12995	PASS
275	198	10	60	24.1	45557	PASS
365	198	1	100	2.6	4955	PASS
441	442	0.01	24	15.7	20524	PASS
442	198	50	150	69.2	131056	PASS
443	442	15	24	19.4	25461	PASS

Data File Name:	**0430Y012.D**
Data File Path:	**M:\YODA\DATA\Y190430M**
Operator:	**MA**
Date Acquired:	**30 Apr 2019 13:58**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 03/07/18**
Vial Number:	**12**
Instrument Name:	**Yoda**


#	Name	Ret Time	Target Response
1)	DDT	7.08	18965500
2)	DDD	6.75	0
3)	DDE	6.86	0

Breakdown **0.00**

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y012.D Vial: 12
Acq On : 30 Apr 19 13:58 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : soil Multiplr: 1.00
Quant Time: Apr 30 15:14 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190430M\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration



TIC: 0430Y012.D

(5) Pentachlorophenol

5.39min 0.0000


response 903595

Ion	Exp%	Act%
266.00	100	100
264.00	61.20	63.20
268.00	65.20	62.05
0.00	0.00	0.00

Quantitation Report

Data File : M:\YODA\DATA\Y190430M\0430Y012.D Vial: 12
Acq On : 30 Apr 19 13:58 Operator: MA
Sample : SV Tune 03/07/18 Inst : Yoda
Misc : soil Multiplr: 1.00
Quant Time: Apr 30 15:14 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190430M\DFTPP2.M (Chemstation Integrator)
Title :
Last Update : Mon Apr 22 13:05:57 2019
Response via : Single Level Calibration



TIC: 0430Y012.D

(6) Benzidine

6.49min 0.0000

response 8376584

Ion	Exp%	Act%
184.00	100	100
92.00	13.60	12.73
185.00	14.10	13.75
0.00	0.00	0.00

Organic Extraction Worksheet

Method	Solid Phase Extraction of 2MEE in Water	Extraction Set	190429A	Extraction Method	MWE2MEE	Units	mL

Spiked ID 1	Diethylene Glycol 1-31-19 EXP 1-31-20		Surrogate ID 1		
Spiked ID 2	2MEE SS 10320ug/mL 8-3-18 exp 8-3-19		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/29/19 10:50	
Spiked ID 8			Ext. End Time:	04/29/19 16:40	
			GC Requires Extract By:	04/30/19 0:00	

pH1			Water Bath Temp Criteria
pH2			
pH3			

Spiked By: KY **Date** 04/29/19 **Witnessed By:** DL **Date** 04/29/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190429A Blk				NA	NA equip	500	2	7	04/29/19 10:50	
2	190429A LCS-1		0.040	1	NA	NA equip	500	2	7	04/29/19 10:50	
3	190429A LCSD-1		0.040	1	NA	NA equip	500	2	7	04/29/19 10:50	
4	AZ89958 MS-1	AZ89958W23	0.040	1	NA	NA equip	510	2	7	04/29/19 10:50	88687
5	AZ89958 MSD-1	AZ89958W22	0.040	1	NA	NA equip	510	2	7	04/29/19 10:50	88687
6	AZ89958	AZ89958W24			NA	NA equip	500	2	7	04/29/19 10:50	88687
7	AZ89959	AZ89959W06			NA	NA equip	480	2	7	04/29/19 10:50	88687
8	AZ89961	AZ89961W22			NA	NA equip	510	2	7	04/29/19 10:50	88687
9	AZ90051 MS-1	AZ90051W21	0.040	1	NA	NA equip	500	2	7	04/29/19 10:50	88701
10	AZ90051 MSD-1	AZ90051W25	0.040	1	NA	NA equip	500	2	7	04/29/19 10:50	88701
11	AZ90051	AZ90051W22			NA	NA equip	500	2	7	04/29/19 10:50	88701
12	AZ90052	AZ90052W05			NA	NA equip	505	2	7	04/29/19 10:50	88701
13	AZ90054	AZ90054W16			NA	NA equip	510	2	7	04/29/19 10:50	88701
14	AZ90056	AZ90056W16			NA	NA equip	510	2	7	04/29/19 10:50	88701
15	AZ90058	AZ90058W17			NA	NA equip	500	2	7	04/29/19 10:50	88701
16	AZ90060	AZ90060W17			NA	NA equip	505	2	7	04/29/19 10:50	88701

Solvent and Lot#	
ENVI-Carb Plus 400MG/1ML	
Reverible Tube Lot:	11225702
PH Strip	HC 863463
Di Water	4-29-19
Dichloromethane	58240
Methanol	58179

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	4/30/19
Time	11:30
Refrigerator	6C-C

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/29/19 2:46:49 PM

Reviewed By: KY **Date** 4/30/19

Organic Extraction Worksheet

Method	Solid Phase Extraction of 2MEE in Water	Extraction Set	190429A	Extraction Method	MWE2MEE	Units	mL

Spiked ID 1	Diethylene Glycol 1-31-19 EXP 1-31-20		Surrogate ID 1		
Spiked ID 2	2MEE SS 10320ug/mL 8-3-18 exp 8-3-19		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/29/19 10:50	
Spiked ID 8			Ext. End Time:	04/29/19 16:40	
			GC Requires Extract By:	04/30/19 0:00	

pH1			Water Bath Temp Criteria
pH2			
pH3			

Spiked By: KY **Date** 04/29/19 **Witnessed By:** DL **Date** 04/29/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90100	AZ90100W17			NA	NA equip	510	2	7	04/29/19 10:50	88714
18	AZ90102	AZ90102W16			NA	NA equip	395	2	7	04/29/19 10:50	88714
19	AZ90103	AZ90103W04			NA	NA equip	250	2	7	04/29/19 10:50	88714
20	AZ90105	AZ90105W16			NA	NA equip	500	2	7	04/29/19 10:50	88714
21	AZ90107	AZ90107W16			NA	NA equip	510	2	7	04/29/19 10:50	88714
22	AZ90109	AZ90109W17			NA	NA equip	505	2	7	04/29/19 10:50	88714
23	AZ90213	AZ90213W15			NA	NA equip	505	2	7	04/29/19 10:50	88736
24	AZ90215	AZ90215W16			NA	NA equip	500	2	7	04/29/19 10:50	88736
25	M STD		1	1	NA	NA equip	500	2	7	04/29/19 10:50	
26	SS		0.097	2	NA	NA equip	500	2	7	04/29/19 10:50	

KS 4/30/19

Solvent and Lot#	
ENVI-Carb Plus 400MG/1ML	
Reverible Tube Lot:	11225702
PH Strip	HC 863463
Di Water	4-29-19
Dichloromethane	58240
Methanol	58179

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/29/19 2:46:49 PM

Reviewed By: KS **Date** 4/30/19

04/30/19 12:56:21 PM Ext_ID 62632

Name of Final Standard MEE Curve — **Prep'd By (Initials)** SS

Prep Date 04/30/19

Exp Date 10/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	5 uL	200uL	Methanol 195uL Lot# 208858	50 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	4 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	5 uL	100uL	Methanol 95uL Lot# 208858	100 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	10 uL	100uL	Methanol 90uL Lot# 208858	200 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	20 uL	100uL	Methanol 80 uL Lot# 208858	400 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	50 uL	200 uL	Methanol 150 uL	500 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	4 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	30 uL	100uL	Methanol 70 uL Lot# 208858	600 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	40 uL	100uL	Methanol 60 uL Lot# 208858	800 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"
MEE M STD Stock	APPL		2000 ug/mL	04/29/19	01/31/20	50 uL	100uL	Methanol 50uL Lot# 208858	1000 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	2 uL	"	"	"

Name of Final Standard MEE Second Source — **Prep'd By (Initials)** SS

Prep Date 04/30/19

Exp Date 08/03/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
MEE SS	APPL		2000 ug/mL	04/29/19	08/03/19	50 uL	200uL	Methanol 150uL Lot# 208858	500 ug/mL
SV Internal Standard	APPL	8270 I.S.	2000 ug/mL	03/12/19	03/12/20	4 uL	"	"	"

Name of Final Standard 2MEE Second Source Stock

Prep'd By (Initials) GA

Prep Date 08/03/18

Exp Date 08/03/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Methoxyethanol-Neat	Chem Service	N-12404-1G	Neat 99.5%	**7079100 - 39417**	**08/03/19**	0.1035g	10 mL	**MC #56258**	10320 ug/mL

Given to Extraction to do **MEE SS** (used for ICAL SS)

0.097ml were spiked in 500ml of water and extracted on 04/29/19 . Final concentration is 2000ug/L

Injection Log

Directory: M:\YODA\DATA\Y190430M\

Vial	FileName	Multiplier	SampleName	Misc Info	Injected
2	0430Y002.D	1	SV Tune 03/07/18		30 Apr 19 9:12
3	0430Y003.D	1	50ug/ml MEE 04/30/19	soil	30 Apr 19 9:27
4	0430Y004.D	1	100ug/ml MEE 04/30/19	soil	30 Apr 19 9:50
5	0430Y005.D	1	200ug/ml MEE 04/30/19	soil	30 Apr 19 10:13
6	0430Y006.D	1	400ug/ml MEE 04/30/19	soil	30 Apr 19 10:37
7	0430Y007.D	1	500ug/ml MEE 04/30/19	soil	30 Apr 19 11:00
8	0430Y008.D	1	600ug/ml MEE 04/30/19	soil	30 Apr 19 11:23
9	0430Y009.D	1	800ug/ml MEE 04/30/19	soil	30 Apr 19 11:47
10	0430Y010.D	1	1000ug/ml MEE 04/30/19	soil	30 Apr 19 12:10
11	0430Y011.D	1	SS ug/ml MEE 04/30/19	soil	30 Apr 19 13:30
12	0430Y012.D	1	SV Tune 03/07/18	soil	30 Apr 19 13:58
13	0430Y013.D	1	190429A BLK 2/500	soil	30 Apr 19 14:13
14	0430Y014.D	1	190429A LCS-1 2/500	soil	30 Apr 19 14:37
15	0430Y015.D	1	190429A LCSD-1 2/500	soil	30 Apr 19 15:01
21	0430Y021.D	1	AZ90051W22 2/500	soil	30 Apr 19 17:22
22	0430Y022.D	1	AZ90051W21 MS-1 2/500	soil	30 Apr 19 17:46
23	0430Y023.D	1	AZ90051W25 MSD-1 2/500	soil	30 Apr 19 18:09
24	0430Y024.D	0.9901	AZ90052W05 2/505	soil	30 Apr 19 18:33
25	0430Y025.D	0.98039	AZ90054W16 2/510	soil	30 Apr 19 18:57
26	0430Y026.D	0.98039	AZ90056W16 2/510	soil	30 Apr 19 19:20
27	0430Y027.D	1	AZ90058W17 2/500	soil	30 Apr 19 19:44
28	0430Y028.D	0.9901	AZ90060W17 2/505	soil	30 Apr 19 20:07
37	0430Y037.D	1	500ug/ml MEE 04/30/19	soil	30 Apr 19 23:38

ORGANICS
Calibration Data

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/24/19
Matrix: water Instrument: Max
Initials: DG/AP

		Compound	0324M05.D 1	0324M06.D 2	0324M07.D 3	0324M08.D 4	0324M09.D 5	0324M10.D 6	0324M11.D 7	0324M12.D 8	0324M13.D 9		Avg	%RSD	Type	r^2	Q	MRF
1	I	Fluorobenzene (IS)																
2	TM	Dichlorodifluoromethane		0.0635	0.0693	0.0675	0.0762	0.0701	0.0732	0.0679	0.0629		0.07	6.5	TM			
3	TM	Freon 114		0.1012	0.0938	0.1001	0.0949	0.0941	0.0972	0.0920	0.0843		0.09	5.5	TM			
4	TM**L	Chloromethane		0.1465	0.1082	0.0912	0.1126	0.0971	0.1082	0.1038			0.11	16	TM**L	0.999		
5	TM*	Vinyl chloride		0.0921	0.1255	0.1141	0.1198	0.1125	0.1195	0.1149	0.1094		0.11	8.8	TM*			
6	TM	Bromomethane		0.0818	0.0854	0.0731	0.0733	0.0643	0.0669	0.0635	0.0624		0.07	12	TM			
7	TML	Chloroethane		0.2608	0.1278	0.1208	0.0863	0.0806	0.0784	0.0764			0.12	56	TML	1.000		
8	TM	Dichlorofluoromethane		0.2144	0.1899	0.1886	0.2066	0.1941	0.1977	0.1954	0.1869		0.20	4.8	TM			
9	TM	Trichlorofluoromethane		0.1220	0.1310	0.1535	0.1525	0.1474	0.1564	0.1458	0.1373		0.14	8.4	TM			
10	TM	Acrolein		0.0027	0.0027	0.0030	0.0033	0.0033	0.0033	0.0035	0.0038		0.00	12	TM			
11	TML	Acetone			0.0728	0.0437	0.0341	0.0279	0.0233	0.0223	0.0211		0.04	53	TML	1.000		
12	TM	Freon-113		0.0733	0.0795	0.0877	0.0905	0.0836	0.0867	0.0807	0.0749		0.08	7.5	TM			
13	TM*	1,1-DCE		0.1365	0.1369	0.1396	0.1471	0.1437	0.1492	0.1446	0.1392		0.14	3.3	TM*			
14	TM	Acetonitrile		0.0112	0.0108	0.0103	0.0109	0.0106	0.0101	0.0100	0.0104		0.01	3.8	TM			
15	TM	t-Butanol			0.0027	0.0061	0.0067	0.0066	0.0070	0.0081			0.01	29	TM		*	NT
16	TM	Methyl Acetate			0.0343	0.0339	0.0334	0.0337	0.0334	0.0341	0.0366		0.03	3.2	TM			
17	TML	Iodomethane			0.0380	0.0453	0.0823	0.0984	0.1177	0.1200	0.1246		0.09	40	TML	1.000		
18	TM	Acrylonitrile			0.0238	0.0269	0.0338	0.0338	0.0342	0.0327	0.0327		0.03	13	TM			
19	TM	Methylene chloride		0.1124	0.1130	0.1074	0.1110	0.1105	0.1131	0.1108	0.1078		0.11	2.0	TM			
20	TM	Carbon disulfide		0.2714	0.2784	0.2600	0.2731	0.2572	0.2695	0.2670	0.2589		0.27	2.8	TM			
21	TM	Methyl t-butyl ether (MtBE)		0.1080	0.1265	0.1233	0.1331	0.1368	0.1382	0.1365	0.1312		0.13	7.8	TM			
22	TM	Trans-1,2-DCE		0.0922	0.0912	0.1013	0.1079	0.0990	0.1071	0.1050	0.1002		0.10	6.3	TM			
23	TM	Diisopropyl Ether		0.3654	0.3588	0.3727	0.3917	0.3900	0.3978	0.3900	0.3787		0.38	3.7	TM			
24	TM**	1,1-DCA		0.1911	0.1986	0.1887	0.1987	0.1972	0.2065	0.2020	0.1969		0.20	2.9	TM**			
25	TM	Vinyl Acetate		0.1057	0.1017	0.0997	0.1034	0.0993	0.1021	0.0957	0.0928		0.10	4.2	TM			
26	TM	Ethyl tert Butyl Ether		0.2829	0.2984	0.3079	0.3469	0.3344	0.3473	0.3458	0.3331		0.32	7.7	TM			
27	TML	MEK (2-Butanone)			0.0418	0.0435	0.0341	0.0373	0.0367	0.0328	0.0307		0.04	13	TML	0.998		
28	TM	Cis-1,2-DCE		0.1286	0.1102	0.1136	0.1247	0.1221	0.1283	0.1235	0.1195		0.12	5.4	TM			
29	TM	2,2-Dichloropropane		0.1644	0.1669	0.1604	0.1758	0.1618	0.1659	0.1622	0.1561		0.16	3.5	TM			
30	TM*	Chloroform		0.1964	0.1951	0.1983	0.1965	0.1895	0.1967	0.1942	0.1916		0.19	1.5	TM*			
31	TM	Bromochloromethane		0.0572	0.0491	0.0591	0.0569	0.0568	0.0572	0.0577	0.0566		0.06	5.3	TM			
32	S	Dibromofluoromethane(S)	0.2250	0.2190	0.1683	0.1791	0.1920	0.1877	0.1903	0.1887	0.1712		0.19	10	S			
33	TM	1,1,1-TCA		0.1676	0.1700	0.1580	0.1656	0.1615	0.1700	0.1652	0.1589		0.16	2.9	TM			
34	TM	Cyclohexane		0.1238	0.1054	0.1110	0.0999	0.0994	0.1006	0.0952	0.0868		0.10	11	TM			
35	TM	1,1-Dichloropropene		0.1274	0.1225	0.1418	0.1441	0.1383	0.1430	0.1365	0.1317		0.14	5.8	TM			

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/24/19
Matrix: water Instrument: Max Initials:

		Compound	1	2	3	4	5	6	7	8	9		Avg	%RSD	Type		Q	MRF
36	TM	2,2,4-Trimethylpentane		0.2900	0.2859	0.2834	0.2934	0.2904	0.2956	0.2826	0.2625		0.29	3.6	TM			
37	S	1,2-DCA-D4(S)	0.2745	0.2518	0.1982	0.2074	0.2233	0.2148	0.2139	0.2111	0.1879		0.22	12	S			
38	TM	Carbon Tetrachloride		0.1036	0.0876	0.0946	0.1165	0.1108	0.1186	0.1230	0.1236		0.11	12	TM			
39	TM	Tert-Amyl Methyl Ether		0.2612	0.2618	0.2601	0.2943	0.2946	0.2968	0.2906	0.2815		0.28	5.9	TM			
40	TM	1,2-DCA		0.1580	0.1390	0.1485	0.1564	0.1465	0.1506	0.1438	0.1389		0.15	4.9	TM			
41	TM	Benzene		0.4595	0.4486	0.4417	0.4619	0.4486	0.4553	0.4459	0.4341		0.45	2.1	TM			
42	TM	TCE		0.1094	0.1243	0.1104	0.1213	0.1164	0.1167	0.1154	0.1121		0.12	4.5	TM			
43	TM	2-Pentanone		0.0608	0.0558	0.0582	0.0625	0.0599	0.0614	0.0619	0.0590		0.06	3.7	TM			
44	TM*	1,2-Dichloropropane		0.1058	0.1126	0.1148	0.1142	0.1112	0.1144	0.1134	0.1097		0.11	2.7	TM*			
45	TM	Bromodichloromethane		0.1195	0.1215	0.1184	0.1328	0.1332	0.1346	0.1373	0.1426		0.13	6.9	TM			
46	TM	Methyl Cyclohexane		0.1706	0.1612	0.1645	0.1612	0.1596	0.1669	0.1614	0.1482		0.16	4.1	TM			
47	TM	Dibromomethane		0.0524	0.0523	0.0548	0.0612	0.0625	0.0609	0.0594	0.0574		0.06	7.0	TM			
48	TM	MIBK (methyl isobutyl ketone)		0.1016	0.0970	0.0727	0.0867	0.0805	0.0779	0.0764	0.0725		0.08	13	TM			
49	TM	1-Bromo-2-chloroethane		0.0789	0.0670	0.0676	0.0765	0.0725	0.0727	0.0724	0.0713		0.07	5.5	TM			
50	TM	2-Chloroethyl vinyl ether													TM			
51	TM	Cis-1,3-Dichloropropene		0.1663	0.1617	0.1587	0.1772	0.1789	0.1831	0.1824	0.1817		0.17	5.7	TM			
52	TM*	Toluene		0.4972	0.5110	0.5025	0.5105	0.5015	0.5148	0.5034	0.4921		0.50	1.5	TM*			
53	TM	Trans-1,3-Dichloropropene		0.1422	0.1303	0.1237	0.1466	0.1492	0.1569	0.1565	0.1575		0.15	8.7	TM			
54	TM	1,1,2-TCA		0.0660	0.0734	0.0673	0.0743	0.0721	0.0741	0.0732	0.0703		0.07	4.5	TM			
55	TM	2-Hexanone		0.0653	0.0549	0.0591	0.0564	0.0513	0.0500	0.0505	0.0463		0.05	11	TM			
56	I	Chlorobenzene-D5 (IS)																
57	S	Toluene-D8(S)	1.394	1.286	1.018	1.062	1.091	1.071	1.080	1.053	0.9367		1.1	13	S			
58	TM	1,2-EDB		0.1072	0.0990	0.1151	0.1223	0.1169	0.1185	0.1179	0.1118		0.11	6.5	TM			
59	TM	Tetrachloroethene		0.1523	0.1391	0.1369	0.1398	0.1349	0.1391	0.1320	0.1259		0.14	5.5	TM			
60	TM	1-Chlorohexane		0.1831	0.1948	0.1894	0.1920	0.1956	0.1983	0.1902	0.1801		0.19	3.3	TM			
61	TM	1,1,1,2-Tetrachloroethane		0.1278	0.1216	0.1226	0.1358	0.1371	0.1423	0.1472	0.1494		0.14	7.9	TM			
62	TM	m&p-Xylene		0.2826	0.2684	0.2631	0.2947	0.2836	0.2942	0.2860	0.2788		0.28	4.0	TM			
63	TM	o-Xylene		0.2816	0.2864	0.2793	0.2899	0.2899	0.2942	0.2872	0.2852		0.29	1.7	TM			
64	TM	Styrene		0.4550	0.4494	0.4297	0.4913	0.4738	0.4960	0.4861	0.4829		0.47	5.0	TM			
65	S	4-Bromofluorobenzene(S)	0.5102	0.4809	0.3610	0.3788	0.3957	0.3966	0.4009	0.3904	0.3516		0.41	13	S			
66	TM	1,3-Dichloropropane		0.2080	0.1956	0.2014	0.2199	0.2170	0.2165	0.2080	0.1968		0.21	4.5	TM			
67	TM	Dibromochloromethane		0.1050	0.0989	0.0879	0.1026	0.1069	0.1163	0.1191	0.1267		0.11	11	TM			
68	TM**	Chlorobenzene		0.4564	0.4155	0.4047	0.4545	0.4416	0.4497	0.4354	0.4311		0.44	4.2	TM**			
69	TM*	Ethylbenzene		0.6772	0.7012	0.6789	0.7466	0.7340	0.7446	0.7080	0.6930		0.71	4.0	TM*			
70	TM**L	Bromoform		0.0491	0.0562	0.0495	0.0546	0.0580	0.0640	0.0700	0.0774		0.06	17	TM**L	0.998		

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/24/19
Matrix: water Instrument: Max Initials:

		Compound	1	2	3	4	5	6	7	8	9		Avg	%RSD	Type		Q	MRF
71	I	1,4-Dichlorobenzene-D (IS)																
72	TM	Isopropylbenzene		1.387	1.372	1.385	1.421	1.361	1.388	1.352	1.319		1.4	2.2	TM			
73	TM**	1,1,2,2-Tetrachloroethane		0.3157	0.3309	0.3307	0.3468	0.3458	0.3351	0.3370	0.3415		0.34	3.0	TM**			
74	TM	1,2,3-Trichloropropane		0.0725	0.0794	0.0764	0.0889	0.0841	0.0838	0.0819	0.0763		0.08	6.6	TM			
75	TM	t-1,4-Dichloro-2-Butene			0.0382	0.0276	0.0301	0.0284	0.0303	0.0320	0.0303		0.03	11	TM			
76	TM	Bromobenzene		0.3670	0.3936	0.3568	0.3853	0.3711	0.3772	0.3683	0.3633		0.37	3.2	TM			
77	TM	n-Propylbenzene		1.569	1.539	1.580	1.559	1.529	1.547	1.507	1.461		1.5	2.5	TM			
78	TM	4-Ethyltoluene		1.305	1.346	1.365	1.395	1.380	1.390	1.355	1.322		1.4	2.4	TM			
79	TM	2-Chlorotoluene		0.9027	1.006	1.002	0.9602	0.9521	0.9493	0.9180	0.8984		0.95	4.3	TM			
80	TM	1,3,5-Trimethylbenzene		1.144	1.154	1.193	1.197	1.165	1.165	1.128	1.093		1.2	2.9	TM			
81	TM	4-Chlorotoluene		1.108	1.112	1.136	1.119	1.116	1.124	1.072	1.054		1.1	2.5	TM			
82	TM	Tert-Butylbenzene		0.9405	1.211	1.007	1.092	1.019	1.018	0.9872	0.9548		1.0	8.4	TM			
83	TM	1,2,4-Trimethylbenzene		1.178	1.136	1.152	1.199	1.188	1.177	1.154	1.128		1.2	2.2	TM			
84	TM	Sec-Butylbenzene		1.282	1.376	1.398	1.430	1.378	1.379	1.352	1.305		1.4	3.5	TM			
85	TM	p-Isopropyltoluene		0.5856	0.6249	0.6134	0.6694	0.6475	0.6492	0.6225	0.6144		0.63	4.2	TM			
86	TM	Benzyl Chloride		0.2555	0.2395	0.2479	0.2873	0.2808	0.3131	0.3202	0.3306		0.28	12	TM			
87	TM	1,3-DCB		0.6855	0.6569	0.6628	0.6869	0.6823	0.6942	0.6750	0.6746		0.68	1.9	TM			
88	TM	1,4-DCB		0.3624	0.3348	0.3208	0.3509	0.3475	0.3468	0.3505	0.3432		0.34	3.6	TM			
89	TM	n-Butylbenzene		0.4922	0.5100	0.4955	0.5388	0.5024	0.5237	0.5207	0.5078		0.51	3.1	TM			
90	TM	1,2-DCB		0.5627	0.5926	0.6208	0.6461	0.6553	0.6508	0.6445	0.6293		0.63	5.2	TM			
91	TML	Hexachloroethane		0.0561	0.0479	0.0556	0.0463	0.0447	0.0582	0.0613	0.0730		0.06	17	TML	0.995		
92	TM	1,2-Dibromo-3-chloropropane			0.0397	0.0356	0.0470	0.0461	0.0484	0.0521	0.0491		0.05	13	TM			
93	TM	1,2,4-Trichlorobenzene		0.3600	0.3690	0.3442	0.4149	0.3972	0.4184	0.4272	0.4113		0.39	7.9	TM			
94	TM	Hexachlorobutadiene		0.1929	0.2069	0.2007	0.2166	0.1970	0.2136	0.2059	0.1911		0.20	4.6	TM			
95	TM	Naphthalene		0.6138	0.5370	0.5736	0.6586	0.6984	0.7193	0.7531	0.6922		0.66	11	TM			
96	TM	1,2,3-Trichlorobenzene		0.3268	0.2954	0.3072	0.3453	0.3525	0.3672	0.3725	0.3520		0.34	8.1	TM			
97																		
98																		
99																		
100																		
101																		
102																		
103																		
104																		
105																		

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M05.D Vial: 3
Acq On : 24 Mar 19 12:56 Operator: PM,DG,SV,CMM,KV
Sample : 0.3ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	5.31	96	567297	25.000	ppb		0.00
56) Chlorobenzene-D5 (IS)	8.93	117	414490	25.000	ppb		0.00
71) 1,4-Dichlorobenzene-D (IS)	12.12	152	209079	25.000	ppb		0.00
System Monitoring Compounds							
32) Dibromofluoromethane(S)	4.60	111	25529	5.883	ppb		0.00
Spiked Amount 25.000			Recovery =	23.532%			
37) 1,2-DCA-D4(S)	4.95	65	31146	6.230	ppb		0.00
Spiked Amount 25.000			Recovery =	24.920%			
57) Toluene-D8(S)	7.13	98	115538	6.278	ppb		0.00
Spiked Amount 25.000			Recovery =	25.112%			
65) 4-Bromofluorobenzene(S)	10.52	95	42297	6.263	ppb		0.00
Spiked Amount 25.000			Recovery =	25.052%			
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.13	85	521	0.334	ppb		98
3) Freon 114	1.23	85	638	0.297	ppb	#	68
4) Chloromethane	1.27	50	1219	0.471	ppb	#	81
5) Vinyl chloride	1.36	62	684	0.266	ppb	#	1
6) Bromomethane	1.61	94	684	0.423	ppb	#	69
7) Chloroethane	1.70	64	5267	2.132	ppb		93
8) Dichlorofluoromethane	1.87	67	1440	0.323	ppb	#	82
9) Trichlorofluoromethane	1.91	101	999	0.307	ppb		99
10) Acrolein	2.30	56	723	9.988	ppb	#	81
11) Acetone	2.46	43	1016	-0.762	ppb		86
12) Freon-113	2.39	101	454	0.244	ppb	#	91
13) 1,1-DCE	2.37	61	896	0.278	ppb		98
14) Acetonitrile	2.71	41	2892	12.104	ppb	#	74
15) t-Butanol	3.03	59	550	3.905	ppb		94
16) Methyl Acetate	2.79	43	274	0.353	ppb	#	53
18) Acrylonitrile	3.10	53	107	0.151	ppb	#	18
19) Methylene chloride	2.83	84	730	0.291	ppb		87
20) Carbon disulfide	2.55	76	1906	0.315	ppb		96
21) Methyl t-butyl ether (MtBE	3.14	73	822	0.280	ppb	#	89
22) Trans-1,2-DCE	3.11	96	735	0.322	ppb	#	53
23) Diisopropyl Ether	3.64	45	2392	0.277	ppb	#	77
24) 1,1-DCA	3.50	63	1312	0.293	ppb	#	87
25) Vinyl Acetate	3.61	43	774	0.341	ppb		100
26) Ethyl tert Butyl Ether	4.00	59	2080	0.282	ppb		98
27) MEK (2-Butanone)	4.15	43	388	-1.150	ppb	#	46
28) Cis-1,2-DCE	4.10	96	838	0.304	ppb		90
29) 2,2-Dichloropropane	4.09	77	1154	0.310	ppb	#	88
30) Chloroform	4.44	83	1186	0.268	ppb		84
31) Bromochloromethane	4.34	128	248	0.194	ppb	#	67
33) 1,1,1-TCA	4.60	97	967	0.259	ppb	#	83
34) Cyclohexane	4.66	41	926	0.397	ppb	#	61
35) 1,1-Dichloropropene	4.79	75	825	0.268	ppb	#	68
36) 2,2,4-Trimethylpentane	5.12	57	2329	0.360	ppb	#	76
38) Carbon Tetrachloride	4.78	117	622	0.250	ppb	#	68
39) Tert Amyl Methyl Ether	5.18	73	1967	0.309	ppb	#	79
40) 1,2-DCA	5.03	62	894	0.267	ppb	#	65
41) Benzene	5.01	78	3056	0.300	ppb	#	87
42) TCE	5.73	95	1066	0.406	ppb	#	64
43) 2-Pentanone	5.97	43	14419	10.601	ppb		90

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M05.D Vial: 3
Acq On : 24 Mar 19 12:56 Operator: PM,DG,SV,CMM,KV
Sample : 0.3ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
44) 1,2-Dichloropropane	5.97	63	637	0.251 ppb	#	89
45) Bromodichloromethane	6.28	83	905	0.307 ppb		84
46) Methyl Cyclohexane	5.94	83	1260	0.343 ppb		99
47) Dibromomethane	6.09	93	409	0.313 ppb	#	69
48) MIBK (methyl isobutyl ket	7.06	43	523	0.277 ppb	#	47
49) 1-Bromo-2-chloroethane	6.64	63	494	0.301 ppb		94
51) Cis-1,3-Dichloropropene	6.82	75	824	0.209 ppb	#	39
52) Toluene	7.21	91	3481	0.304 ppb		92
53) Trans-1,3-Dichloropropene	7.51	75	879	0.266 ppb		89
54) 1,1,2-TCA	7.71	83	473	0.292 ppb	#	90
55) 2-Hexanone	8.11	43	650	0.528 ppb	#	32
58) 1,2-EDB	8.32	107	581	0.309 ppb		93
59) Tetrachloroethene	7.87	164	541	0.237 ppb	#	77
60) 1-Chlorohexane	8.99	91	904	0.286 ppb		84
61) 1,1,1,2-Tetrachloroethane	9.09	131	507	0.226 ppb	#	56
62) m&p-Xylene	9.30	106	2560	0.549 ppb		91
63) o-Xylene	9.82	106	1337	0.281 ppb		85
64) Styrene	9.84	104	2251	0.289 ppb		96
66) 1,3-Dichloropropane	7.92	76	994	0.288 ppb	#	65
67) Dibromochloromethane	8.19	129	428	0.239 ppb		90
68) Chlorobenzene	8.97	112	2341	0.324 ppb		92
69) Ethylbenzene	9.14	91	3488	0.296 ppb	#	80
70) Bromoform	10.05	173	244	1.798 ppb	#	29
72) Isopropylbenzene	10.34	105	3178	0.277 ppb		96
73) 1,1,2,2-Tetrachloroethane	6.28	83	905	0.323 ppb	#	84
74) 1,2,3-Trichloropropane	10.78	110	201	0.299 ppb	#	17
76) Bromobenzene	10.70	156	784	0.251 ppb		75
77) n-Propylbenzene	10.91	91	3937	0.306 ppb		95
78) 4-Ethyltoluene	11.06	105	3158	0.278 ppb		89
79) 2-Chlorotoluene	10.98	91	2361	0.298 ppb		92
80) 1,3,5-Trimethylbenzene	11.16	105	2869	0.297 ppb		81
81) 4-Chlorotoluene	11.14	91	2795	0.302 ppb		93
82) Tert-Butylbenzene	11.61	119	2561	0.298 ppb		91
83) 1,2,4-Trimethylbenzene	11.68	105	2952	0.303 ppb		94
84) Sec-Butylbenzene	11.91	105	3308	0.290 ppb		93
85) p-Isopropyltoluene	12.14	119	1509	0.287 ppb		93
86) Benzyl Chloride	12.36	91	632	0.266 ppb	#	62
87) 1,3-DCB	12.02	146	1645	0.290 ppb	#	80
88) 1,4-DCB	12.15	146	931	0.323 ppb	#	85
89) n-Butylbenzene	12.72	91	1221	0.285 ppb		83
90) 1,2-DCB	12.67	146	1513	0.289 ppb		88
91) Hexachloroethane	13.01	117	168	2.403 ppb	#	4
93) 1,2,4-Trichlorobenzene	14.99	180	796	0.242 ppb	#	85
94) Hexachlorobutadiene	15.28	225	528	0.311 ppb	#	74
95) Naphthalene	15.32	128	1254	0.229 ppb	#	75
96) 1,2,3-Trichlorobenzene	15.67	180	808	0.284 ppb		94


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M05.D Vial: 3
Acq On : 24 Mar 19 12:56 Operator: PM,DG,SV,CMM,KV
Sample : 0.3ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M06.D Vial: 4
Acq On : 24 Mar 19 13:25 Operator: PM,DG,SV,CMM,KV
Sample : 0.5ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	5.31	96	548649	25.000	ppb		0.00
56) Chlorobenzene-D5 (IS)	8.93	117	408005	25.000	ppb		0.00
71) 1,4-Dichlorobenzene-D (IS)	12.12	152	207647	25.000	ppb		0.00
System Monitoring Compounds							
32) Dibromofluoromethane(S)	4.60	111	24026	5.724	ppb		0.00
Spiked Amount 25.000			Recovery =	22.896%			
37) 1,2-DCA-D4(S)	4.95	65	27628	5.714	ppb		0.00
Spiked Amount 25.000			Recovery =	22.856%			
57) Toluene-D8(S)	7.13	98	104917	5.791	ppb		0.00
Spiked Amount 25.000			Recovery =	23.164%			
65) 4-Bromofluorobenzene(S)	10.52	95	39240	5.903	ppb		0.00
Spiked Amount 25.000			Recovery =	23.612%			
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.14	85	697	0.461	ppb	#	80
3) Freon 114	1.23	85	1110	0.534	ppb		98
4) Chloromethane	1.27	50	1607	0.658	ppb		96
5) Vinyl chloride	1.36	62	1011	0.406	ppb	#	1
6) Bromomethane	1.61	94	898	0.574	ppb		85
7) Chloroethane	1.69	64	2862	0.767	ppb	#	79
8) Dichlorofluoromethane	1.87	67	2353	0.545	ppb		86
9) Trichlorofluoromethane	1.91	101	1339	0.426	ppb		79
10) Acrolein	2.30	56	1455	20.784	ppb		95
11) Acetone	2.45	43	1189	-0.303	ppb		89
12) Freon-113	2.39	101	804	0.446	ppb	#	86
13) 1,1-DCE	2.37	61	1498	0.480	ppb		97
14) Acetonitrile	2.71	41	6123	26.498	ppb	#	83
15) t-Butanol	3.03	59	3404	24.991	ppb	#	75
16) Methyl Acetate	2.77	43	412	0.549	ppb	#	53
17) Iodomethane	2.50	142	127	1.552	ppb	#	45
18) Acrylonitrile	3.08	53	98	0.143	ppb	#	81
19) Methylene chloride	2.84	84	1233	0.507	ppb		94
20) Carbon disulfide	2.55	76	2978	0.508	ppb		97
21) Methyl t-butyl ether (MtBE	3.14	73	1185	0.418	ppb		91
22) Trans-1,2-DCE	3.10	96	1012	0.459	ppb		77
23) Diisopropyl Ether	3.63	45	4009	0.480	ppb		94
24) 1,1-DCA	3.51	63	2097	0.484	ppb		92
25) Vinyl Acetate	3.62	43	1160	0.528	ppb		100
26) Ethyl tert Butyl Ether	4.00	59	3104	0.436	ppb	#	86
27) MEK (2-Butanone)	4.14	43	656	-0.729	ppb	#	46
28) Cis-1,2-DCE	4.10	96	1411	0.530	ppb		87
29) 2,2-Dichloropropane	4.09	77	1804	0.501	ppb		93
30) Chloroform	4.44	83	2155	0.504	ppb		85
31) Bromochloromethane	4.34	128	628	0.508	ppb	#	66
33) 1,1,1-TCA	4.62	97	1839	0.509	ppb	#	89
34) Cyclohexane	4.67	41	1358	0.602	ppb		85
35) 1,1-Dichloropropene	4.79	75	1398	0.470	ppb	#	86
36) 2,2,4-Trimethylpentane	5.12	57	3182	0.508	ppb	#	72
38) Carbon Tetrachloride	4.78	117	1137	0.472	ppb		81
39) Tert Amyl Methyl Ether	5.17	73	2866	0.466	ppb	#	91
40) 1,2-DCA	5.03	62	1734	0.535	ppb	#	73
41) Benzene	5.00	78	5042	0.511	ppb		94
42) TCE	5.72	95	1200	0.472	ppb		93

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M06.D Vial: 4
Acq On : 24 Mar 19 13:25 Operator: PM,DG,SV,CMM,KV
Sample : 0.5ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
43)	2-Pentanone	5.97	43	33358	25.360	ppb		95
44)	1,2-Dichloropropane	5.96	63	1161	0.472	ppb	#	89
45)	Bromodichloromethane	6.29	83	1311	0.460	ppb		98
46)	Methyl Cyclohexane	5.94	83	1872	0.528	ppb		85
47)	Dibromomethane	6.09	93	575	0.455	ppb	#	69
48)	MIBK (methyl isobutyl ket	7.06	43	1115	0.611	ppb	#	47
49)	1-Bromo-2-chloroethane	6.63	63	866	0.545	ppb		93
51)	Cis-1,3-Dichloropropene	6.82	75	1825	0.479	ppb		88
52)	Toluene	7.21	91	5456	0.493	ppb		97
53)	Trans-1,3-Dichloropropene	7.50	75	1560	0.489	ppb		97
54)	1,1,2-TCA	7.71	83	724	0.463	ppb		73
55)	2-Hexanone	8.09	43	717	0.603	ppb	#	32
58)	1,2-EDB	8.30	107	875	0.472	ppb		87
59)	Tetrachloroethene	7.88	164	1243	0.554	ppb	#	79
60)	1-Chlorohexane	8.99	91	1494	0.481	ppb		85
61)	1,1,1,2-Tetrachloroethane	9.08	131	1043	0.472	ppb		89
62)	m&p-Xylene	9.30	106	4612	1.004	ppb		88
63)	o-Xylene	9.82	106	2298	0.491	ppb		66
64)	Styrene	9.85	104	3713	0.484	ppb		90
66)	1,3-Dichloropropane	7.91	76	1697	0.500	ppb		100
67)	Dibromochloromethane	8.19	129	857	0.487	ppb	#	71
68)	Chlorobenzene	8.97	112	3724	0.523	ppb		99
69)	Ethylbenzene	9.14	91	5526	0.477	ppb		88
70)	Bromoform	10.05	173	401	1.925	ppb		89
72)	Isopropylbenzene	10.34	105	5759	0.505	ppb		98
73)	1,1,2,2-Tetrachloroethane	6.29	83	1311	0.471	ppb	#	98
74)	1,2,3-Trichloropropane	10.79	110	301	0.451	ppb		86
75)	t-1,4-Dichloro-2-Butene	10.84	53	170	0.661	ppb	#	31
76)	Bromobenzene	10.69	156	1524	0.492	ppb		89
77)	n-Propylbenzene	10.90	91	6514	0.510	ppb		88
78)	4-Ethyltoluene	11.07	105	5419	0.481	ppb		94
79)	2-Chlorotoluene	10.98	91	3749	0.476	ppb		93
80)	1,3,5-Trimethylbenzene	11.16	105	4749	0.495	ppb		92
81)	4-Chlorotoluene	11.14	91	4601	0.501	ppb		100
82)	Tert-Butylbenzene	11.61	119	3906	0.457	ppb	#	90
83)	1,2,4-Trimethylbenzene	11.68	105	4891	0.506	ppb		88
84)	Sec-Butylbenzene	11.92	105	5324	0.471	ppb		91
85)	p-Isopropyltoluene	12.15	119	2432	0.466	ppb	#	87
86)	Benzyl Chloride	12.36	91	1061	0.449	ppb	#	85
87)	1,3-DCB	12.02	146	2847	0.506	ppb		90
88)	1,4-DCB	12.16	146	1505	0.526	ppb		92
89)	n-Butylbenzene	12.72	91	2044	0.481	ppb		98
90)	1,2-DCB	12.66	146	2337	0.450	ppb		95
91)	Hexachloroethane	13.03	117	233	2.512	ppb		92
92)	1,2-Dibromo-3-chloropropan	13.77	157	85	0.225	ppb	#	9
93)	1,2,4-Trichlorobenzene	14.98	180	1495	0.458	ppb		92
94)	Hexachlorobutadiene	15.27	225	801	0.475	ppb	#	72
95)	Naphthalene	15.31	128	2549	0.468	ppb		97
96)	1,2,3-Trichlorobenzene	15.67	180	1357	0.481	ppb	#	59


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M06.D Vial: 4
Acq On : 24 Mar 19 13:25 Operator: PM,DG,SV,CMM,KV
Sample : 0.5ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Data File : M:\MAX\DATA\M190324\0324M07.D
Acq On : 24 Mar 19 13:54
Sample : 1.0ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	5.32	96	562637	25.000	ppb		0.00
56) Chlorobenzene-D5 (IS)	8.93	117	415204	25.000	ppb		0.00
71) 1,4-Dichlorobenzene-D4 (IS)	12.12	152	206662	25.000	ppb		0.00
System Monitoring Compounds							
32) Dibromofluoromethane(S)	4.60	111	37879	8.801	ppb		0.00
Spiked Amount 25.000			Recovery =	35.204%			
37) 1,2-DCA-D4(S)	4.95	65	44603	8.995	ppb		0.00
Spiked Amount 25.000			Recovery =	35.980%			
57) Toluene-D8(S)	7.14	98	169003	9.167	ppb		0.00
Spiked Amount 25.000			Recovery =	36.668%			
65) 4-Bromofluorobenzene(S)	10.52	95	59950	8.862	ppb		0.00
Spiked Amount 25.000			Recovery =	35.448%			
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.14	85	1559	1.006	ppb		95
3) Freon 114	1.24	85	2112	0.991	ppb		93
4) Chloromethane	1.27	50	2436	0.994	ppb		96
5) Vinyl chloride	1.36	62	2825	1.106	ppb		96
6) Bromomethane	1.61	94	1922	1.197	ppb		82
7) Chloroethane	1.70	64	2876	0.732	ppb		99
8) Dichlorofluoromethane	1.88	67	4274	0.965	ppb		94
9) Trichlorofluoromethane	1.92	101	2948	0.915	ppb		77
10) Acrolein	2.30	56	3055	42.554	ppb		98
11) Acetone	2.46	43	1639	0.605	ppb		87
12) Freon-113	2.40	101	1789	0.968	ppb		95
13) 1,1-DCE	2.38	61	3081	0.963	ppb		90
14) Acetonitrile	2.71	41	12157	51.302	ppb		88
15) t-Butanol	3.03	59	3092	22.136	ppb	#	53
16) Methyl Acetate	2.78	43	773	1.004	ppb		91
17) Iodomethane	2.51	142	856	1.808	ppb	#	86
18) Acrylonitrile	3.10	53	536	0.765	ppb		94
19) Methylene chloride	2.84	84	2542	1.020	ppb		97
20) Carbon disulfide	2.56	76	6265	1.043	ppb		97
21) Methyl t-butyl ether (MtBE	3.14	73	2848	0.980	ppb		99
22) Trans-1,2-DCE	3.10	96	2052	0.907	ppb		96
23) Diisopropyl Ether	3.64	45	8074	0.943	ppb		95
24) 1,1-DCA	3.51	63	4470	1.006	ppb		97
25) Vinyl Acetate	3.63	43	2288	1.016	ppb		100
26) Ethyl tert Butyl Ether	4.00	59	6716	0.919	ppb		94
27) MEK (2-Butanone)	4.16	43	940	-0.339	ppb	#	46
28) Cis-1,2-DCE	4.10	96	2479	0.908	ppb		98
29) 2,2-Dichloropropane	4.09	77	3757	1.017	ppb		95
30) Chloroform	4.44	83	4390	1.001	ppb		99
31) Bromochloromethane	4.34	128	1106	0.873	ppb		96
33) 1,1,1-TCA	4.62	97	3827	1.033	ppb	#	79
34) Cyclohexane	4.67	41	2373	1.026	ppb		91
35) 1,1-Dichloropropene	4.79	75	2757	0.903	ppb	#	88
36) 2,2,4-Trimethylpentane	5.13	57	6435	1.002	ppb	#	70
38) Carbon Tetrachloride	4.79	117	1972	0.798	ppb		82
39) Tert Amyl Methyl Ether	5.18	73	5893	0.935	ppb		94
40) 1,2-DCA	5.03	62	3129	0.941	ppb		99
41) Benzene	5.00	78	10097	0.998	ppb		96
42) TCE	5.72	95	2798	1.074	ppb		87

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M07.D Vial: 5
Acq On : 24 Mar 19 13:54 Operator: PM,DG,SV,CMM,KV
Sample : 1.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
43)	2-Pentanone	5.97	43	62762	46.528	ppb		98
44)	1,2-Dichloropropane	5.96	63	2533	1.005	ppb	#	89
45)	Bromodichloromethane	6.29	83	2735	0.935	ppb		92
46)	Methyl Cyclohexane	5.93	83	3627	0.997	ppb		86
47)	Dibromomethane	6.09	93	1178	0.908	ppb		95
48)	MIBK (methyl isobutyl ket	7.04	43	2183	1.166	ppb		97
49)	1-Bromo-2-chloroethane	6.64	63	1508	0.926	ppb		97
51)	Cis-1,3-Dichloropropene	6.82	75	3638	0.930	ppb		94
52)	Toluene	7.21	91	11501	1.014	ppb		94
53)	Trans-1,3-Dichloropropene	7.51	75	2933	0.897	ppb		99
54)	1,1,2-TCA	7.72	83	1653	1.030	ppb		81
55)	2-Hexanone	8.08	43	1236	1.013	ppb	#	65
58)	1,2-EDB	8.31	107	1645	0.872	ppb		89
59)	Tetrachloroethene	7.88	164	2311	1.012	ppb		88
60)	1-Chlorohexane	8.99	91	3236	1.023	ppb		88
61)	1,1,1,2-Tetrachloroethane	9.09	131	2020	0.898	ppb		95
62)	m&p-Xylene	9.30	106	8914	1.907	ppb		92
63)	o-Xylene	9.82	106	4756	0.999	ppb		88
64)	Styrene	9.85	104	7463	0.955	ppb		86
66)	1,3-Dichloropropane	7.92	76	3248	0.941	ppb		89
67)	Dibromochloromethane	8.19	129	1642	0.916	ppb	#	67
68)	Chlorobenzene	8.97	112	6900	0.953	ppb		99
69)	Ethylbenzene	9.14	91	11645	0.987	ppb		96
70)	Bromoform	10.04	173	934	2.333	ppb		96
72)	Isopropylbenzene	10.34	105	11343	0.999	ppb		95
73)	1,1,2,2-Tetrachloroethane	6.29	83	2735	0.986	ppb	#	92
74)	1,2,3-Trichloropropane	10.79	110	656	0.987	ppb		92
75)	t-1,4-Dichloro-2-Butene	10.84	53	316	1.234	ppb	#	31
76)	Bromobenzene	10.69	156	3254	1.056	ppb		95
77)	n-Propylbenzene	10.90	91	12720	1.002	ppb		96
78)	4-Ethyltoluene	11.07	105	11130	0.992	ppb		99
79)	2-Chlorotoluene	10.98	91	8319	1.061	ppb		98
80)	1,3,5-Trimethylbenzene	11.16	105	9540	0.999	ppb		92
81)	4-Chlorotoluene	11.14	91	9191	1.006	ppb		86
82)	Tert-Butylbenzene	11.61	119	10009	1.177	ppb		96
83)	1,2,4-Trimethylbenzene	11.68	105	9393	0.976	ppb		99
84)	Sec-Butylbenzene	11.92	105	11374	1.010	ppb		99
85)	p-Isopropyltoluene	12.14	119	5166	0.995	ppb		89
86)	Benzyl Chloride	12.36	91	1980	0.842	ppb	#	82
87)	1,3-DCB	12.02	146	5430	0.970	ppb		92
88)	1,4-DCB	12.16	146	2768	0.972	ppb		94
89)	n-Butylbenzene	12.72	91	4216	0.997	ppb		90
90)	1,2-DCB	12.66	146	4899	0.948	ppb		95
91)	Hexachloroethane	13.02	117	396	2.784	ppb		83
92)	1,2-Dibromo-3-chloropropan	13.78	157	328	0.873	ppb	#	49
93)	1,2,4-Trichlorobenzene	14.98	180	3050	0.939	ppb		82
94)	Hexachlorobutadiene	15.28	225	1710	1.019	ppb		81
95)	Naphthalene	15.31	128	4439	0.819	ppb	#	90
96)	1,2,3-Trichlorobenzene	15.67	180	2442	0.869	ppb		84


(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M07.D
Acq On : 24 Mar 19 13:54
Sample : 1.0ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M08.D Vial: 6
Acq On : 24 Mar 19 14:22 Operator: PM,DG,SV,CMM,KV
Sample : 2.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.32	96	588239	25.000 ppb		0.00
56) Chlorobenzene-D5 (IS)	8.93	117	428656	25.000 ppb		0.00
71) 1,4-Dichlorobenzene-D (IS)	12.12	152	210603	25.000 ppb		0.00
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.60	111	42136	9.364 ppb		0.00
Spiked Amount 25.000			Recovery =	37.456%		
37) 1,2-DCA-D4(S)	4.95	65	48794	9.412 ppb		0.00
Spiked Amount 25.000			Recovery =	37.648%		
57) Toluene-D8(S)	7.14	98	182083	9.567 ppb		0.00
Spiked Amount 25.000			Recovery =	38.268%		
65) 4-Bromofluorobenzene(S)	10.52	95	64942	9.298 ppb		0.00
Spiked Amount 25.000			Recovery =	37.192%		
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.14	85	3178	1.962 ppb		89
3) Freon 114	1.24	85	4711	2.114 ppb		100
4) Chloromethane	1.27	50	4290	1.705 ppb		95
5) Vinyl chloride	1.36	62	5368	2.010 ppb		91
6) Bromomethane	1.61	94	3440	2.049 ppb		93
7) Chloroethane	1.70	64	5687	2.261 ppb		95
8) Dichlorofluoromethane	1.87	67	8877	1.918 ppb		100
9) Trichlorofluoromethane	1.92	101	7224	2.143 ppb		97
10) Acrolein	2.30	56	5228	69.654 ppb		99
11) Acetone	2.46	43	2055	1.313 ppb	#	81
12) Freon-113	2.40	101	4128	2.137 ppb		95
13) 1,1-DCE	2.38	61	6569	1.965 ppb		94
14) Acetonitrile	2.71	41	18140	73.218 ppb		96
15) t-Butanol	3.02	59	10710	73.337 ppb	#	81
16) Methyl Acetate	2.77	43	1594	1.981 ppb		89
17) Iodomethane	2.50	142	2131	2.224 ppb		91
18) Acrylonitrile	3.09	53	1267	1.730 ppb	#	84
19) Methylene chloride	2.84	84	5054	1.940 ppb		93
20) Carbon disulfide	2.55	76	12237	1.948 ppb		99
21) Methyl t-butyl ether (MtBE	3.14	73	5803	1.909 ppb		98
22) Trans-1,2-DCE	3.10	96	4767	2.016 ppb		95
23) Diisopropyl Ether	3.63	45	17540	1.958 ppb		93
24) 1,1-DCA	3.51	63	8879	1.911 ppb		97
25) Vinyl Acetate	3.63	43	4691	1.993 ppb	#	100
26) Ethyl tert Butyl Ether	4.00	59	14488	1.897 ppb		96
27) MEK (2-Butanone)	4.15	43	2047	1.147 ppb		88
28) Cis-1,2-DCE	4.10	96	5346	1.873 ppb		82
29) 2,2-Dichloropropane	4.09	77	7550	1.954 ppb		98
30) Chloroform	4.44	83	9332	2.036 ppb		96
31) Bromochloromethane	4.34	128	2781	2.098 ppb		82
33) 1,1,1-TCA	4.61	97	7435	1.920 ppb	#	85
34) Cyclohexane	4.67	41	5222	2.160 ppb		87
35) 1,1-Dichloropropene	4.79	75	6674	2.091 ppb		98
36) 2,2,4-Trimethylpentane	5.12	57	13336	1.985 ppb	#	86
38) Carbon Tetrachloride	4.78	117	4451	1.723 ppb		96
39) Tert Amyl Methyl Ether	5.18	73	12240	1.857 ppb		98
40) 1,2-DCA	5.03	62	6987	2.010 ppb		98
41) Benzene	5.00	78	20785	1.965 ppb		98
42) TCE	5.72	95	5193	1.907 ppb		95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M08.D Vial: 6
Acq On : 24 Mar 19 14:22 Operator: PM,DG,SV,CMM,KV
Sample : 2.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
43)	2-Pentanone	5.97	43	102655	72.789	ppb		99
44)	1,2-Dichloropropane	5.97	63	5402	2.050	ppb		97
45)	Bromodichloromethane	6.29	83	5572	1.822	ppb		90
46)	Methyl Cyclohexane	5.93	83	7740	2.034	ppb		87
47)	Dibromomethane	6.09	93	2579	1.902	ppb		99
48)	MIBK (methyl isobutyl ket	7.04	43	3419	1.747	ppb		95
49)	1-Bromo-2-chloroethane	6.64	63	3180	1.868	ppb		97
51)	Cis-1,3-Dichloropropene	6.82	75	7469	1.827	ppb		96
52)	Toluene	7.22	91	23646	1.993	ppb		96
53)	Trans-1,3-Dichloropropene	7.50	75	5820	1.702	ppb		95
54)	1,1,2-TCA	7.71	83	3165	1.886	ppb		96
55)	2-Hexanone	8.08	43	2780	2.179	ppb		90
58)	1,2-EDB	8.31	107	3946	2.026	ppb		96
59)	Tetrachloroethene	7.88	164	4696	1.992	ppb		97
60)	1-Chlorohexane	8.99	91	6496	1.989	ppb		96
61)	1,1,1,2-Tetrachloroethane	9.08	131	4204	1.810	ppb		97
62)	m&p-Xylene	9.30	106	18048	3.740	ppb		95
63)	o-Xylene	9.82	106	9578	1.948	ppb		89
64)	Styrene	9.84	104	14735	1.826	ppb		98
66)	1,3-Dichloropropane	7.92	76	6905	1.937	ppb		95
67)	Dibromochloromethane	8.19	129	3016	1.630	ppb		89
68)	Chlorobenzene	8.97	112	13877	1.856	ppb		88
69)	Ethylbenzene	9.14	91	23281	1.911	ppb		93
70)	Bromoform	10.05	173	1698	2.885	ppb		91
72)	Isopropylbenzene	10.34	105	23339	2.018	ppb		99
73)	1,1,2,2-Tetrachloroethane	6.29	83	5572	1.972	ppb	#	90
74)	1,2,3-Trichloropropane	10.79	110	1288	1.901	ppb	#	79
75)	t-1,4-Dichloro-2-Butene	10.84	53	465	1.782	ppb		84
76)	Bromobenzene	10.69	156	6011	1.914	ppb		91
77)	n-Propylbenzene	10.90	91	26618	2.057	ppb		99
78)	4-Ethyltoluene	11.07	105	23000	2.012	ppb		97
79)	2-Chlorotoluene	10.98	91	16881	2.112	ppb		92
80)	1,3,5-Trimethylbenzene	11.17	105	20103	2.066	ppb		95
81)	4-Chlorotoluene	11.14	91	19132	2.055	ppb		100
82)	Tert-Butylbenzene	11.60	119	16970	1.958	ppb		97
83)	1,2,4-Trimethylbenzene	11.67	105	19402	1.979	ppb		99
84)	Sec-Butylbenzene	11.92	105	23552	2.052	ppb		98
85)	p-Isopropyltoluene	12.14	119	10335	1.952	ppb		97
86)	Benzyl Chloride	12.36	91	4177	1.744	ppb	#	87
87)	1,3-DCB	12.02	146	11167	1.957	ppb		99
88)	1,4-DCB	12.15	146	5405	1.862	ppb		95
89)	n-Butylbenzene	12.72	91	8348	1.938	ppb		92
90)	1,2-DCB	12.67	146	10459	1.986	ppb		100
91)	Hexachloroethane	13.03	117	936	3.650	ppb	#	71
92)	1,2-Dibromo-3-chloropropan	13.78	157	599	1.565	ppb	#	81
93)	1,2,4-Trichlorobenzene	14.98	180	5799	1.753	ppb		100
94)	Hexachlorobutadiene	15.28	225	3382	1.977	ppb		93
95)	Naphthalene	15.32	128	9664	1.749	ppb		95
96)	1,2,3-Trichlorobenzene	15.67	180	5175	1.808	ppb		92


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M08.D Vial: 6
Acq On : 24 Mar 19 14:22 Operator: PM,DG,SV,CMM,KV
Sample : 2.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M09.D Vial: 7
Acq On : 24 Mar 19 14:51 Operator: PM,DG,SV,CMM,KV
Sample : 5.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.32	96	551421	25.000 ppb		0.00
56) Chlorobenzene-D5 (IS)	8.93	117	414802	25.000 ppb		0.00
71) 1,4-Dichlorobenzene-D (IS)	12.12	152	211221	25.000 ppb		0.00
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.60	111	105862	25.096 ppb		0.00
Spiked Amount 25.000			Recovery = 100.384%			
37) 1,2-DCA-D4(S)	4.95	65	123145	25.340 ppb		0.00
Spiked Amount 25.000			Recovery = 101.360%			
57) Toluene-D8(S)	7.13	98	452516	24.569 ppb		0.00
Spiked Amount 25.000			Recovery = 98.276%			
65) 4-Bromofluorobenzene(S)	10.52	95	164122	24.284 ppb		0.00
Spiked Amount 25.000			Recovery = 97.136%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.14	85	8400	5.533 ppb		99
3) Freon 114	1.24	85	10470	5.012 ppb		98
4) Chloromethane	1.27	50	12414	5.356 ppb		98
5) Vinyl chloride	1.36	62	13216	5.280 ppb		99
6) Bromomethane	1.60	94	8082	5.137 ppb		90
7) Chloroethane	1.70	64	9504	4.801 ppb		88
8) Dichlorofluoromethane	1.88	67	22787	5.252 ppb		100
9) Trichlorofluoromethane	1.92	101	16814	5.322 ppb		96
10) Acrolein	2.30	56	7202	102.360 ppb		99
11) Acetone	2.46	43	3766	5.377 ppb		85
12) Freon-113	2.40	101	9986	5.514 ppb		96
13) 1,1-DCE	2.38	61	16225	5.176 ppb		98
14) Acetonitrile	2.71	41	23981	103.257 ppb		96
15) t-Butanol	3.03	59	14849	108.468 ppb	#	79
16) Methyl Acetate	2.78	43	3679	4.877 ppb		94
17) Iodomethane	2.50	142	9077	4.766 ppb		95
18) Acrylonitrile	3.09	53	3732	5.435 ppb		96
19) Methylene chloride	2.84	84	12241	5.012 ppb		93
20) Carbon disulfide	2.55	76	30123	5.116 ppb		99
21) Methyl t-butyl ether (MtBE	3.14	73	14677	5.150 ppb		98
22) Trans-1,2-DCE	3.10	96	11896	5.367 ppb		86
23) Diisopropyl Ether	3.63	45	43194	5.145 ppb		93
24) 1,1-DCA	3.51	63	21912	5.031 ppb		97
25) Vinyl Acetate	3.63	43	11403	5.167 ppb	#	100
26) Ethyl tert Butyl Ether	4.00	59	38262	5.344 ppb		97
27) MEK (2-Butanone)	4.15	43	3760	3.889 ppb	#	83
28) Cis-1,2-DCE	4.10	96	13750	5.139 ppb		99
29) 2,2-Dichloropropane	4.09	77	19384	5.352 ppb		97
30) Chloroform	4.44	83	21669	5.044 ppb		95
31) Bromochloromethane	4.33	128	6273	5.049 ppb		93
33) 1,1,1-TCA	4.61	97	18258	5.029 ppb		98
34) Cyclohexane	4.67	41	11019	4.862 ppb		83
35) 1,1-Dichloropropene	4.79	75	15895	5.312 ppb		93
36) 2,2,4-Trimethylpentane	5.13	57	32360	5.139 ppb		94
38) Carbon Tetrachloride	4.78	117	12850	5.307 ppb		99
39) Tert Amyl Methyl Ether	5.18	73	32453	5.253 ppb		98
40) 1,2-DCA	5.03	62	17247	5.293 ppb		96
41) Benzene	5.01	78	50937	5.138 ppb		96
42) TCE	5.72	95	13379	5.241 ppb		91

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M09.D Vial: 7
Acq On : 24 Mar 19 14:51 Operator: PM,DG,SV,CMM,KV
Sample : 5.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
43)	2-Pentanone	5.96	43	137846	104.268	ppb		97
44)	1,2-Dichloropropane	5.97	63	12592	5.097	ppb	#	94
45)	Bromodichloromethane	6.29	83	14651	5.110	ppb		100
46)	Methyl Cyclohexane	5.93	83	17775	4.984	ppb		98
47)	Dibromomethane	6.09	93	6749	5.311	ppb		93
48)	MIBK (methyl isobutyl ket	7.04	43	9566	5.214	ppb	#	88
49)	1-Bromo-2-chloroethane	6.63	63	8435	5.285	ppb		91
51)	Cis-1,3-Dichloropropene	6.82	75	19537	5.098	ppb		96
52)	Toluene	7.21	91	56304	5.063	ppb		95
53)	Trans-1,3-Dichloropropene	7.50	75	16165	5.042	ppb		94
54)	1,1,2-TCA	7.72	83	8189	5.205	ppb		95
55)	2-Hexanone	8.08	43	6221	5.202	ppb	#	87
58)	1,2-EDB	8.31	107	10143	5.382	ppb		96
59)	Tetrachloroethene	7.88	164	11596	5.082	ppb		97
60)	1-Chlorohexane	8.99	91	15925	5.040	ppb		92
61)	1,1,1,2-Tetrachloroethane	9.08	131	11268	5.012	ppb		97
62)	m&p-Xylene	9.30	106	48891	10.470	ppb		99
63)	o-Xylene	9.82	106	24051	5.056	ppb		95
64)	Styrene	9.84	104	40762	5.221	ppb		91
66)	1,3-Dichloropropane	7.92	76	18240	5.288	ppb		97
67)	Dibromochloromethane	8.19	129	8513	4.754	ppb		84
68)	Chlorobenzene	8.96	112	37706	5.211	ppb		96
69)	Ethylbenzene	9.14	91	61936	5.254	ppb		96
70)	Bromoform	10.04	173	4526	5.124	ppb		97
72)	Isopropylbenzene	10.34	105	60050	5.176	ppb		99
73)	1,1,2,2-Tetrachloroethane	6.29	83	14651	5.170	ppb	#	100
74)	1,2,3-Trichloropropane	10.79	110	3755	5.526	ppb		96
75)	t-1,4-Dichloro-2-Butene	10.84	53	1271	4.856	ppb		98
76)	Bromobenzene	10.69	156	16277	5.167	ppb		98
77)	n-Propylbenzene	10.90	91	65854	5.073	ppb		98
78)	4-Ethyltoluene	11.07	105	58921	5.138	ppb		98
79)	2-Chlorotoluene	10.98	91	40561	5.061	ppb		100
80)	1,3,5-Trimethylbenzene	11.17	105	50570	5.183	ppb		99
81)	4-Chlorotoluene	11.14	91	47268	5.063	ppb		96
82)	Tert-Butylbenzene	11.61	119	46125	5.307	ppb		96
83)	1,2,4-Trimethylbenzene	11.68	105	50665	5.152	ppb		97
84)	Sec-Butylbenzene	11.92	105	60389	5.247	ppb		99
85)	p-Isopropyltoluene	12.14	119	28280	5.327	ppb		98
86)	Benzyl Chloride	12.36	91	12136	5.051	ppb		97
87)	1,3-DCB	12.02	146	29019	5.071	ppb		96
88)	1,4-DCB	12.15	146	14822	5.091	ppb		99
89)	n-Butylbenzene	12.72	91	22760	5.268	ppb		96
90)	1,2-DCB	12.66	146	27296	5.167	ppb		96
91)	Hexachloroethane	13.02	117	1955	5.298	ppb		91
92)	1,2-Dibromo-3-chloropropan	13.79	157	1986	5.175	ppb	#	84
93)	1,2,4-Trichlorobenzene	14.98	180	17529	5.282	ppb		97
94)	Hexachlorobutadiene	15.28	225	9148	5.332	ppb		92
95)	Naphthalene	15.31	128	27823	5.022	ppb		99
96)	1,2,3-Trichlorobenzene	15.67	180	14585	5.080	ppb		93

(#) = qualifier out of range (m) = manual integration
0324M09.D M0324.M Mon Mar 25 09:22:55 2019

Data File : M:\MAX\DATA\M190324\0324M09.D Vial: 7
Acq On : 24 Mar 19 14:51 Operator: PM,DG,SV,CMM,KV
Sample : 5.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M10.D Vial: 8
Acq On : 24 Mar 19 15:19 Operator: PM,DG,SV,CMM,KV
Sample : 10ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.32	96	563465	25.000 ppb	0.00
56) Chlorobenzene-D5 (IS)	8.93	117	422362	25.000 ppb	0.00
71) 1,4-Dichlorobenzene-D (IS)	12.12	152	217007	25.000 ppb	0.00
System Monitoring Compounds					
32) Dibromofluoromethane(S)	4.60	111	105764	24.536 ppb	0.00
Spiked Amount 25.000			Recovery =	98.144%	
37) 1,2-DCA-D4(S)	4.95	65	121024	24.371 ppb	0.00
Spiked Amount 25.000			Recovery =	97.484%	
57) Toluene-D8(S)	7.14	98	452289	24.118 ppb	0.00
Spiked Amount 25.000			Recovery =	96.472%	
65) 4-Bromofluorobenzene(S)	10.52	95	167493	24.339 ppb	0.00
Spiked Amount 25.000			Recovery =	97.356%	
Target Compounds					Qvalue
2) Dichlorodifluoromethane	1.14	85	15800	10.185 ppb	100
3) Freon 114	1.24	85	21216	9.939 ppb	100
4) Chloromethane	1.27	50	21888	9.274 ppb	100
5) Vinyl chloride	1.36	62	25361	9.915 ppb	100
6) Bromomethane	1.60	94	14483	9.008 ppb	100
7) Chloroethane	1.69	64	18171	9.839 ppb	100
8) Dichlorofluoromethane	1.87	67	43755	9.869 ppb	100
9) Trichlorofluoromethane	1.92	101	33228	10.293 ppb	100
10) Acrolein	2.30	56	9328	129.743 ppb	100
11) Acetone	2.46	43	6298	10.673 ppb	100
12) Freon-113	2.40	101	18841	10.181 ppb	100
13) 1,1-DCE	2.38	61	32398	10.115 ppb	100
14) Acetonitrile	2.71	41	29850	125.781 ppb	100
15) t-Butanol	3.03	59	18506	132.292 ppb	100
16) Methyl Acetate	2.77	43	7593	9.850 ppb	100
17) Iodomethane	2.50	142	22167	9.296 ppb	100
18) Acrylonitrile	3.08	53	7626	10.868 ppb	100
19) Methylene chloride	2.84	84	24902	9.977 ppb	100
20) Carbon disulfide	2.55	76	57963	9.635 ppb	100
21) Methyl t-butyl ether (MtBE	3.14	73	30824	10.586 ppb	100
22) Trans-1,2-DCE	3.10	96	22303	9.848 ppb	100
23) Diisopropyl Ether	3.63	45	87895	10.246 ppb	100
24) 1,1-DCA	3.51	63	44441	9.986 ppb	100
25) Vinyl Acetate	3.63	43	22384	9.927 ppb	100
26) Ethyl tert Butyl Ether	4.00	59	75361	10.301 ppb	100
27) MEK (2-Butanone)	4.15	43	8407	10.542 ppb	100
28) Cis-1,2-DCE	4.10	96	27525	10.068 ppb	100
29) 2,2-Dichloropropane	4.09	77	36458	9.852 ppb	100
30) Chloroform	4.44	83	42720	9.731 ppb	100
31) Bromochloromethane	4.34	128	12804	10.086 ppb	100
33) 1,1,1-TCA	4.61	97	36404	9.813 ppb	100
34) Cyclohexane	4.67	41	22400	9.672 ppb	100
35) 1,1-Dichloropropene	4.79	75	31180	10.197 ppb	100
36) 2,2,4-Trimethylpentane	5.12	57	65443	10.171 ppb	100
38) Carbon Tetrachloride	4.79	117	24974	10.093 ppb	100
39) Tert Amyl Methyl Ether	5.18	73	66393	10.516 ppb	100
40) 1,2-DCA	5.03	62	33023	9.919 ppb	100
41) Benzene	5.01	78	101103	9.981 ppb	100
42) TCE	5.72	95	26233	10.056 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M10.D Vial: 8
Acq On : 24 Mar 19 15:19 Operator: PM,DG,SV,CMM,KV
Sample : 10ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
43)	2-Pentanone	5.96	43	168816	124.965 ppb	100
44)	1,2-Dichloropropane	5.96	63	25058	9.927 ppb	100
45)	Bromodichloromethane	6.29	83	30017	10.245 ppb	100
46)	Methyl Cyclohexane	5.93	83	35970	9.870 ppb	100
47)	Dibromomethane	6.09	93	14086	10.847 ppb	100
48)	MIBK (methyl isobutyl ket	7.04	43	18152	9.683 ppb	100
49)	1-Bromo-2-chloroethane	6.63	63	16331	10.013 ppb	100
51)	Cis-1,3-Dichloropropene	6.82	75	40326	10.297 ppb	100
52)	Toluene	7.21	91	113034	9.948 ppb	100
53)	Trans-1,3-Dichloropropene	7.50	75	33629	10.264 ppb	100
54)	1,1,2-TCA	7.71	83	16256	10.112 ppb	100
55)	2-Hexanone	8.08	43	11554	9.454 ppb	100
58)	1,2-EDB	8.31	107	19743	10.289 ppb	100
59)	Tetrachloroethene	7.88	164	22799	9.813 ppb	100
60)	1-Chlorohexane	8.99	91	33041	10.269 ppb	100
61)	1,1,1,2-Tetrachloroethane	9.08	131	23168	10.121 ppb	100
62)	m&p-Xylene	9.30	106	95832	20.155 ppb	100
63)	o-Xylene	9.82	106	48979	10.112 ppb	100
64)	Styrene	9.84	104	80042	10.069 ppb	100
66)	1,3-Dichloropropane	7.92	76	36664	10.440 ppb	100
67)	Dibromochloromethane	8.19	129	18059	9.904 ppb	100
68)	Chlorobenzene	8.96	112	74610	10.127 ppb	100
69)	Ethylbenzene	9.14	91	124010	10.332 ppb	100
70)	Bromoform	10.04	173	9803	9.087 ppb	100
72)	Isopropylbenzene	10.34	105	118164	9.913 ppb	100
73)	1,1,2,2-Tetrachloroethane	6.29	83	30017	10.309 ppb	100
74)	1,2,3-Trichloropropane	10.79	110	7302	10.460 ppb	100
75)	t-1,4-Dichloro-2-Butene	10.84	53	2461	9.152 ppb	100
76)	Bromobenzene	10.69	156	32214	9.954 ppb	100
77)	n-Propylbenzene	10.90	91	132686	9.950 ppb	100
78)	4-Ethyltoluene	11.07	105	119764	10.165 ppb	100
79)	2-Chlorotoluene	10.98	91	82647	10.037 ppb	100
80)	1,3,5-Trimethylbenzene	11.16	105	101151	10.090 ppb	100
81)	4-Chlorotoluene	11.14	91	96860	10.099 ppb	100
82)	Tert-Butylbenzene	11.61	119	88438	9.904 ppb	100
83)	1,2,4-Trimethylbenzene	11.67	105	103147	10.208 ppb	100
84)	Sec-Butylbenzene	11.92	105	119618	10.115 ppb	100
85)	p-Isopropyltoluene	12.14	119	56208	10.305 ppb	100
86)	Benzyl Chloride	12.36	91	24375	9.875 ppb	100
87)	1,3-DCB	12.02	146	59227	10.074 ppb	100
88)	1,4-DCB	12.15	146	30160	10.083 ppb	100
89)	n-Butylbenzene	12.72	91	43608	9.824 ppb	100
90)	1,2-DCB	12.66	146	56886	10.481 ppb	100
91)	Hexachloroethane	13.02	117	3883	8.257 ppb	100
92)	1,2-Dibromo-3-chloropropan	13.78	157	4000	10.144 ppb	100
93)	1,2,4-Trichlorobenzene	14.98	180	34480	10.113 ppb	100
94)	Hexachlorobutadiene	15.28	225	17104	9.703 ppb	100
95)	Naphthalene	15.32	128	60622	10.650 ppb	100
96)	1,2,3-Trichlorobenzene	15.67	180	30594	10.371 ppb	100


(#) = qualifier out of range (m) = manual integration
0324M10.D M0324.M Mon Mar 25 09:22:59 2019 Page 2

Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M10.D Vial: 8
Acq On : 24 Mar 19 15:19 Operator: PM,DG,SV,CMM,KV
Sample : 10ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Data File : M:\MAX\DATA\M190324\0324M11.D
Acq On : 24 Mar 19 15:48
Sample : 20ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.31	96	554172	25.000 ppb		0.00
56) Chlorobenzene-D5 (IS)	8.93	117	421724	25.000 ppb		0.00
71) 1,4-Dichlorobenzene-D (IS)	12.12	152	222616	25.000 ppb		0.00
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.60	111	210921	49.753 ppb		0.00
Spiked Amount 25.000			Recovery = 199.012%			
37) 1,2-DCA-D4(S)	4.94	65	237117	48.550 ppb		0.00
Spiked Amount 25.000			Recovery = 194.200%			
57) Toluene-D8(S)	7.14	98	910661	48.633 ppb		0.00
Spiked Amount 25.000			Recovery = 194.532%			
65) 4-Bromofluorobenzene(S)	10.52	95	338144	49.211 ppb		0.00
Spiked Amount 25.000			Recovery = 196.844%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.14	85	32456	21.273 ppb		97
3) Freon 114	1.23	85	43098	20.528 ppb		96
4) Chloromethane	1.27	50	47984	20.726 ppb		98
5) Vinyl chloride	1.36	62	52982	21.062 ppb		93
6) Bromomethane	1.60	94	29675	18.766 ppb		94
7) Chloroethane	1.69	64	34768	20.072 ppb		96
8) Dichlorofluoromethane	1.87	67	87633	20.098 ppb		100
9) Trichlorofluoromethane	1.91	101	69322	21.833 ppb		99
10) Acrolein	2.30	56	10928	154.546 ppb		91
11) Acetone	2.46	43	10315	19.732 ppb		98
12) Freon-113	2.39	101	38430	21.114 ppb		98
13) 1,1-DCE	2.37	61	66156	21.001 ppb		97
14) Acetonitrile	2.71	41	33503	143.541 ppb		96
15) t-Butanol	3.03	59	23389	170.002 ppb	#	89
16) Methyl Acetate	2.77	43	14827	19.556 ppb		96
17) Iodomethane	2.50	142	52162	20.144 ppb		97
18) Acrylonitrile	3.08	53	15159	21.967 ppb		97
19) Methylene chloride	2.84	84	50150	20.430 ppb		96
20) Carbon disulfide	2.55	76	119461	20.190 ppb		100
21) Methyl t-butyl ether (MtBE	3.13	73	61256	21.389 ppb		98
22) Trans-1,2-DCE	3.10	96	47491	21.321 ppb		98
23) Diisopropyl Ether	3.63	45	176365	20.903 ppb		98
24) 1,1-DCA	3.51	63	91543	20.915 ppb		98
25) Vinyl Acetate	3.63	43	45272	20.414 ppb	#	100
26) Ethyl tert Butyl Ether	4.00	59	153977	21.400 ppb		99
27) MEK (2-Butanone)	4.14	43	16260	22.386 ppb		90
28) Cis-1,2-DCE	4.10	96	56873	21.152 ppb		96
29) 2,2-Dichloropropane	4.09	77	73546	20.207 ppb		98
30) Chloroform	4.43	83	87196	20.194 ppb		97
31) Bromochloromethane	4.33	128	25339	20.295 ppb		99
33) 1,1,1-TCA	4.61	97	75383	20.660 ppb		95
34) Cyclohexane	4.67	41	44609	19.584 ppb		99
35) 1,1-Dichloropropene	4.79	75	63411	21.085 ppb		97
36) 2,2,4-Trimethylpentane	5.12	57	131033	20.707 ppb		99
38) Carbon Tetrachloride	4.78	117	52560	21.598 ppb		95
39) Tert Amyl Methyl Ether	5.18	73	131590	21.193 ppb		99
40) 1,2-DCA	5.03	62	66760	20.388 ppb		98
41) Benzene	5.00	78	201862	20.261 ppb		99
42) TCE	5.72	95	51727	20.162 ppb		97

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M11.D
Acq On : 24 Mar 19 15:48
Sample : 20ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
43)	2-Pentanone	5.96	43	204142	153.649 ppb	100
44)	1,2-Dichloropropane	5.96	63	50739	20.437 ppb	98
45)	Bromodichloromethane	6.29	83	59679	20.711 ppb	96
46)	Methyl Cyclohexane	5.93	83	74014	20.650 ppb	100
47)	Dibromomethane	6.09	93	27008	21.147 ppb	98
48)	MIBK (methyl isobutyl ket	7.04	43	34524	18.725 ppb	92
49)	1-Bromo-2-chloroethane	6.63	63	32240	20.100 ppb	99
51)	Cis-1,3-Dichloropropene	6.82	75	81196	21.081 ppb	99
52)	Toluene	7.21	91	228223	20.422 ppb	100
53)	Trans-1,3-Dichloropropene	7.50	75	69565	21.589 ppb	97
54)	1,1,2-TCA	7.71	83	32831	20.765 ppb	96
55)	2-Hexanone	8.08	43	22187	18.459 ppb	98
58)	1,2-EDB	8.31	107	39973	20.864 ppb	96
59)	Tetrachloroethene	7.88	164	46918	20.225 ppb	97
60)	1-Chlorohexane	8.99	91	66913	20.828 ppb	96
61)	1,1,1,2-Tetrachloroethane	9.08	131	48015	21.008 ppb	89
62)	m&p-Xylene	9.30	106	198547	41.822 ppb	98
63)	o-Xylene	9.82	106	99251	20.521 ppb	99
64)	Styrene	9.84	104	167349	21.084 ppb	96
66)	1,3-Dichloropropane	7.92	76	73028	20.826 ppb	99
67)	Dibromochloromethane	8.19	129	39222	21.543 ppb	92
68)	Chlorobenzene	8.97	112	151717	20.623 ppb	98
69)	Ethylbenzene	9.14	91	251207	20.961 ppb	97
70)	Bromoform	10.04	173	21577	18.095 ppb	100
72)	Isopropylbenzene	10.34	105	247238	20.219 ppb	98
73)	1,1,2,2-Tetrachloroethane	6.29	83	59679	19.980 ppb	96
74)	1,2,3-Trichloropropane	10.79	110	14930	20.848 ppb	95
75)	t-1,4-Dichloro-2-Butene	10.84	53	5394	19.553 ppb	99
76)	Bromobenzene	10.69	156	67184	20.236 ppb	99
77)	n-Propylbenzene	10.90	91	275598	20.145 ppb	97
78)	4-Ethyltoluene	11.07	105	247637	20.489 ppb	99
79)	2-Chlorotoluene	10.98	91	169070	20.015 ppb	100
80)	1,3,5-Trimethylbenzene	11.17	105	207449	20.173 ppb	96
81)	4-Chlorotoluene	11.14	91	200132	20.341 ppb	100
82)	Tert-Butylbenzene	11.61	119	181301	19.793 ppb	96
83)	1,2,4-Trimethylbenzene	11.68	105	209675	20.229 ppb	100
84)	Sec-Butylbenzene	11.92	105	245529	20.240 ppb	96
85)	p-Isopropyltoluene	12.14	119	115616	20.662 ppb	98
86)	Benzyl Chloride	12.36	91	55766	22.023 ppb	97
87)	1,3-DCB	12.02	146	123627	20.499 ppb	98
88)	1,4-DCB	12.15	146	61768	20.129 ppb	99
89)	n-Butylbenzene	12.72	91	93272	20.483 ppb	98
90)	1,2-DCB	12.66	146	115898	20.816 ppb	98
91)	Hexachloroethane	13.02	117	10369	18.082 ppb	85
92)	1,2-Dibromo-3-chloropropan	13.78	157	8622	21.315 ppb	89
93)	1,2,4-Trichlorobenzene	14.98	180	74515	21.305 ppb	99
94)	Hexachlorobutadiene	15.28	225	38038	21.035 ppb	90
95)	Naphthalene	15.32	128	128095	21.937 ppb	97
96)	1,2,3-Trichlorobenzene	15.67	180	65395	21.610 ppb	94


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M11.D Vial: 9
Acq On : 24 Mar 19 15:48 Operator: PM,DG,SV,CMM,KV
Sample : 20ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M12.D Vial: 10
Acq On : 24 Mar 19 16:17 Operator: PM,DG,SV,CMM,KV
Sample : 40ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.31	96	561800	25.000 ppb		0.00
56) Chlorobenzene-D5 (IS)	8.93	117	434917	25.000 ppb		0.00
71) 1,4-Dichlorobenzene-D (IS)	12.12	152	228943	25.000 ppb		0.00
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.60	111	212017	49.332 ppb		0.00
Spiked Amount 25.000			Recovery = 197.328%			
37) 1,2-DCA-D4(S)	4.94	65	237213	47.910 ppb		0.00
Spiked Amount 25.000			Recovery = 191.640%			
57) Toluene-D8(S)	7.14	98	916073	47.438 ppb		0.00
Spiked Amount 25.000			Recovery = 189.752%			
65) 4-Bromofluorobenzene(S)	10.52	95	339596	47.923 ppb		0.00
Spiked Amount 25.000			Recovery = 191.692%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.14	85	61040	39.465 ppb		98
3) Freon 114	1.23	85	82667	38.841 ppb		98
4) Chloromethane	1.27	50	93284	39.787 ppb		99
5) Vinyl chloride	1.36	62	103251	40.488 ppb		92
6) Bromomethane	1.60	94	57092	35.615 ppb		92
7) Chloroethane	1.68	64	68637	40.018 ppb		92
8) Dichlorofluoromethane	1.87	67	175602	39.726 ppb		100
9) Trichlorofluoromethane	1.91	101	131043	40.712 ppb		100
10) Acrolein	2.30	56	13694	191.034 ppb		99
11) Acetone	2.46	43	20045	40.524 ppb		95
12) Freon-113	2.39	101	72554	39.321 ppb		99
13) 1,1-DCE	2.37	61	129990	40.704 ppb		99
14) Acetonitrile	2.71	41	39413	166.569 ppb		96
15) t-Butanol	3.03	59	31806	228.042 ppb	#	85
16) Methyl Acetate	2.77	43	30692	39.932 ppb		100
17) Iodomethane	2.50	142	107903	39.536 ppb		100
18) Acrylonitrile	3.08	53	29354	41.959 ppb		93
19) Methylene chloride	2.83	84	99605	40.027 ppb		94
20) Carbon disulfide	2.55	76	239958	40.004 ppb		99
21) Methyl t-butyl ether (MtBE	3.13	73	122736	42.275 ppb		99
22) Trans-1,2-DCE	3.10	96	94398	41.805 ppb		96
23) Diisopropyl Ether	3.63	45	350532	40.982 ppb		97
24) 1,1-DCA	3.51	63	181585	40.923 ppb		99
25) Vinyl Acetate	3.63	43	86048	38.273 ppb		100
26) Ethyl tert Butyl Ether	4.00	59	310789	42.608 ppb		100
27) MEK (2-Butanone)	4.14	43	29468	41.368 ppb		97
28) Cis-1,2-DCE	4.09	96	110995	40.721 ppb		96
29) 2,2-Dichloropropane	4.09	77	145822	39.521 ppb		97
30) Chloroform	4.43	83	174599	39.888 ppb		95
31) Bromochloromethane	4.33	128	51826	40.946 ppb		96
33) 1,1,1-TCA	4.61	97	148474	40.140 ppb		96
34) Cyclohexane	4.67	41	85551	37.049 ppb		94
35) 1,1-Dichloropropene	4.79	75	122662	40.233 ppb		97
36) 2,2,4-Trimethylpentane	5.12	57	254047	39.601 ppb		99
38) Carbon Tetrachloride	4.78	117	110536	44.804 ppb		99
39) Tert Amyl Methyl Ether	5.17	73	261189	41.494 ppb		99
40) 1,2-DCA	5.03	62	129253	38.937 ppb		98
41) Benzene	5.00	78	400821	39.685 ppb		99
42) TCE	5.72	95	103735	39.885 ppb		97

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M12.D Vial: 10
Acq On : 24 Mar 19 16:17 Operator: PM,DG,SV,CMM,KV
Sample : 40ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
43)	2-Pentanone	5.96	43	243540	180.813	ppb		98
44)	1,2-Dichloropropane	5.96	63	101915	40.493	ppb		98
45)	Bromodichloromethane	6.29	83	123459	42.263	ppb		98
46)	Methyl Cyclohexane	5.93	83	145054	39.920	ppb		99
47)	Dibromomethane	6.09	93	53361	41.213	ppb		96
48)	MIBK (methyl isobutyl ket	7.04	43	68710	36.762	ppb		95
49)	1-Bromo-2-chloroethane	6.63	63	65064	40.013	ppb		98
51)	Cis-1,3-Dichloropropene	6.82	75	163972	41.995	ppb		98
52)	Toluene	7.21	91	452511	39.943	ppb		98
53)	Trans-1,3-Dichloropropene	7.50	75	140709	43.075	ppb		99
54)	1,1,2-TCA	7.71	83	65831	41.071	ppb		97
55)	2-Hexanone	8.08	43	45355	37.222	ppb		96
58)	1,2-EDB	8.31	107	82030	41.516	ppb		97
59)	Tetrachloroethene	7.88	164	91886	38.408	ppb		99
60)	1-Chlorohexane	8.99	91	132369	39.953	ppb		96
61)	1,1,1,2-Tetrachloroethane	9.09	131	102425	43.454	ppb		93
62)	m&p-Xylene	9.30	106	398084	81.308	ppb		98
63)	o-Xylene	9.82	106	199887	40.075	ppb		98
64)	Styrene	9.84	104	338288	41.327	ppb		96
66)	1,3-Dichloropropane	7.92	76	144730	40.021	ppb		98
67)	Dibromochloromethane	8.19	129	82867	44.135	ppb		89
68)	Chlorobenzene	8.97	112	302994	39.937	ppb		99
69)	Ethylbenzene	9.14	91	492702	39.865	ppb		96
70)	Bromoform	10.04	173	48718	37.705	ppb		99
72)	Isopropylbenzene	10.34	105	495168	39.375	ppb		99
73)	1,1,2,2-Tetrachloroethane	6.29	83	123459	40.190	ppb		98
74)	1,2,3-Trichloropropane	10.79	110	30003	40.739	ppb		97
75)	t-1,4-Dichloro-2-Butene	10.84	53	11730	41.346	ppb		91
76)	Bromobenzene	10.69	156	134922	39.517	ppb		96
77)	n-Propylbenzene	10.90	91	552100	39.241	ppb		97
78)	4-Ethyltoluene	11.07	105	496226	39.922	ppb		100
79)	2-Chlorotoluene	10.98	91	336270	38.708	ppb		100
80)	1,3,5-Trimethylbenzene	11.17	105	413065	39.057	ppb		100
81)	4-Chlorotoluene	11.14	91	392528	38.793	ppb		100
82)	Tert-Butylbenzene	11.61	119	361635	38.389	ppb		96
83)	1,2,4-Trimethylbenzene	11.68	105	422646	39.648	ppb		99
84)	Sec-Butylbenzene	11.92	105	495078	39.683	ppb		97
85)	p-Isopropyltoluene	12.14	119	228032	39.627	ppb		97
86)	Benzyl Chloride	12.36	91	117274	45.034	ppb		94
87)	1,3-DCB	12.02	146	247268	39.866	ppb		99
88)	1,4-DCB	12.15	146	128376	40.679	ppb		98
89)	n-Butylbenzene	12.72	91	190720	40.725	ppb		99
90)	1,2-DCB	12.66	146	236081	41.229	ppb		98
91)	Hexachloroethane	13.02	117	22456	35.726	ppb		91
92)	1,2-Dibromo-3-chloropropan	13.78	157	19089	45.888	ppb	#	86
93)	1,2,4-Trichlorobenzene	14.98	180	156495	43.508	ppb		99
94)	Hexachlorobutadiene	15.28	225	75416	40.552	ppb		94
95)	Naphthalene	15.31	128	275870	45.939	ppb		98
96)	1,2,3-Trichlorobenzene	15.67	180	136454	43.846	ppb		93


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M12.D Vial: 10
Acq On : 24 Mar 19 16:17 Operator: PM,DG,SV,CMM,KV
Sample : 40ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M13.D Vial: 11
Acq On : 24 Mar 19 16:45 Operator: PM,DG,SV,CMM,KV
Sample : 100ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	5.31	96	562288	25.000	ppb		0.00
56) Chlorobenzene-D5 (IS)	8.93	117	441644	25.000	ppb		0.00
71) 1,4-Dichlorobenzene-D (IS)	12.12	152	234726	25.000	ppb		0.00
System Monitoring Compounds							
32) Dibromofluoromethane(S)	4.60	111	385089	89.525	ppb		0.00
Spiked Amount 25.000			Recovery = 358.100%				
37) 1,2-DCA-D4(S)	4.94	65	422708	85.300	ppb		0.00
Spiked Amount 25.000			Recovery = 341.200%				
57) Toluene-D8(S)	7.14	98	1654770	84.385	ppb		0.00
Spiked Amount 25.000			Recovery = 337.540%				
65) 4-Bromofluorobenzene(S)	10.52	95	621203	86.328	ppb		0.00
Spiked Amount 25.000			Recovery = 345.312%				
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.14	85	141504	91.408	ppb		98
3) Freon 114	1.23	85	189686	89.046	ppb		96
4) Chloromethane	1.27	50	217005	92.534	ppb		100
5) Vinyl chloride	1.36	62	246040	96.396	ppb		93
6) Bromomethane	1.60	94	140237	87.406	ppb		95
7) Chloroethane	1.68	64	142292	83.944	ppb		95
8) Dichlorofluoromethane	1.87	67	420339	95.009	ppb		99
9) Trichlorofluoromethane	1.90	101	308827	95.863	ppb		99
10) Acrolein	2.30	56	17296	241.073	ppb		98
11) Acetone	2.46	43	47410	99.775	ppb		100
12) Freon-113	2.39	101	168362	91.165	ppb		98
13) 1,1-DCE	2.37	61	313029	97.935	ppb		99
14) Acetonitrile	2.71	41	46901	198.044	ppb		95
15) t-Butanol	3.04	59	24312	174.160	ppb	#	82
16) Methyl Acetate	2.77	43	82240	106.905	ppb		100
17) Iodomethane	2.50	142	280343	100.226	ppb		98
18) Acrylonitrile	3.08	53	73450	104.899	ppb		96
19) Methylene chloride	2.83	84	242384	97.318	ppb		98
20) Carbon disulfide	2.55	76	582222	96.980	ppb		100
21) Methyl t-butyl ether (MtBE	3.14	73	294976	101.513	ppb		98
22) Trans-1,2-DCE	3.10	96	225377	99.723	ppb		99
23) Diisopropyl Ether	3.63	45	851835	99.504	ppb		98
24) 1,1-DCA	3.51	63	442785	99.703	ppb		99
25) Vinyl Acetate	3.63	43	208640	92.720	ppb		100
26) Ethyl tert Butyl Ether	4.00	59	749297	102.638	ppb		100
27) MEK (2-Butanone)	4.15	43	68956	99.007	ppb		97
28) Cis-1,2-DCE	4.09	96	268688	98.488	ppb		98
29) 2,2-Dichloropropane	4.09	77	351154	95.088	ppb		98
30) Chloroform	4.43	83	430922	98.360	ppb		95
31) Bromochloromethane	4.33	128	127342	100.522	ppb		99
33) 1,1,1-TCA	4.61	97	357387	96.535	ppb		96
34) Cyclohexane	4.67	41	195213	84.465	ppb		94
35) 1,1-Dichloropropene	4.79	75	296173	97.060	ppb		97
36) 2,2,4-Trimethylpentane	5.12	57	590419	91.955	ppb		99
38) Carbon Tetrachloride	4.78	117	278015	112.591	ppb		98
39) Tert Amyl Methyl Ether	5.18	73	633172	100.502	ppb		99
40) 1,2-DCA	5.03	62	312479	94.052	ppb		99
41) Benzene	5.00	78	976315	96.581	ppb		100
42) TCE	5.72	95	252098	96.844	ppb		98

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M13.D
Acq On : 24 Mar 19 16:45
Sample : 100ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
43) 2-Pentanone	5.97	43	265459	196.916 ppb	100
44) 1,2-Dichloropropane	5.96	63	246652	97.915 ppb	98
45) Bromodichloromethane	6.29	83	320630	109.664 ppb	99
46) Methyl Cyclohexane	5.93	83	333414	91.679 ppb	99
47) Dibromomethane	6.09	93	129115	99.635 ppb	98
48) MIBK (methyl isobutyl ket	7.04	43	163137	87.207 ppb	94
49) 1-Bromo-2-chloroethane	6.63	63	160448	98.585 ppb	99
51) Cis-1,3-Dichloropropene	6.82	75	408670	104.574 ppb	99
52) Toluene	7.21	91	1106799	97.612 ppb	98
53) Trans-1,3-Dichloropropene	7.50	75	354248	108.352 ppb	97
54) 1,1,2-TCA	7.71	83	158016	98.499 ppb	98
55) 2-Hexanone	8.08	43	104066	85.332 ppb	98
58) 1,2-EDB	8.31	107	197465	98.417 ppb	98
59) Tetrachloroethene	7.88	164	222398	91.546 ppb	99
60) 1-Chlorohexane	8.99	91	318198	94.579 ppb	97
61) 1,1,1,2-Tetrachloroethane	9.09	131	263958	110.280 ppb	95
62) m&p-Xylene	9.30	106	984994	198.120 ppb	99
63) o-Xylene	9.82	106	503762	99.460 ppb	97
64) Styrene	9.84	104	853008	102.621 ppb	94
66) 1,3-Dichloropropane	7.92	76	347648	94.668 ppb	98
67) Dibromochloromethane	8.19	129	223894	117.429 ppb	93
68) Chlorobenzene	8.97	112	761539	98.849 ppb	99
69) Ethylbenzene	9.14	91	1224261	97.548 ppb	97
70) Bromoform	10.05	173	136695	101.346 ppb	100
72) Isopropylbenzene	10.34	105	1238296	96.042 ppb	99
73) 1,1,2,2-Tetrachloroethane	6.29	83	320630	101.805 ppb	99
74) 1,2,3-Trichloropropane	10.79	110	71676	94.925 ppb	94
75) t-1,4-Dichloro-2-Butene	10.84	53	28432	97.749 ppb	87
76) Bromobenzene	10.69	156	341099	97.442 ppb	97
77) n-Propylbenzene	10.91	91	1372090	95.121 ppb	98
78) 4-Ethyltoluene	11.07	105	1241665	97.432 ppb	98
79) 2-Chlorotoluene	10.98	91	843554	94.709 ppb	99
80) 1,3,5-Trimethylbenzene	11.17	105	1026534	94.671 ppb	98
81) 4-Chlorotoluene	11.14	91	989465	95.379 ppb	99
82) Tert-Butylbenzene	11.61	119	896498	92.822 ppb	95
83) 1,2,4-Trimethylbenzene	11.68	105	1058993	96.896 ppb	100
84) Sec-Butylbenzene	11.92	105	1225293	95.794 ppb	97
85) p-Isopropyltoluene	12.15	119	576832	97.771 ppb	98
86) Benzyl Chloride	12.36	91	310395	116.258 ppb	96
87) 1,3-DCB	12.02	146	633430	99.610 ppb	100
88) 1,4-DCB	12.15	146	322240	99.594 ppb	99
89) n-Butylbenzene	12.72	91	476800	99.305 ppb	99
90) 1,2-DCB	12.66	146	590836	100.641 ppb	99
91) Hexachloroethane	13.02	117	68568	102.192 ppb	90
92) 1,2-Dibromo-3-chloropropan	13.78	157	46126	108.150 ppb	89
93) 1,2,4-Trichlorobenzene	14.99	180	386125	104.705 ppb	99
94) Hexachlorobutadiene	15.28	225	179423	94.101 ppb	93
95) Naphthalene	15.32	128	649926	105.562 ppb	97
96) 1,2,3-Trichlorobenzene	15.67	180	330464	103.569 ppb	95


(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M13.D Vial: 11
Acq On : 24 Mar 19 16:45 Operator: PM,DG,SV,CMM,KV
Sample : 100ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00


Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration







Method Name: M:\MAX\DATA\M190324\M0324.M
Calibration Table Last Updated: Mon Mar 25 09:13:52 2019




Method Name: M:\MAX\DATA\M190324\M0324.M
Calibration Table Last Updated: Mon Mar 25 09:13:52 2019




Method Name: M:\MAX\DATA\M190324\M0324.M
Calibration Table Last Updated: Mon Mar 25 09:13:52 2019




Method Name: M:\MAX\DATA\M190324\M0324.M
Calibration Table Last Updated: Mon Mar 25 09:13:52 2019



Method Name: M:\MAX\DATA\M190324\M0324.M
Calibration Table Last Updated: Mon Mar 25 09:13:52 2019



Method Name: M:\MAX\DATA\M190324\M0324.M
Calibration Table Last Updated: Mon Mar 25 09:13:52 2019



Method Name: M:\MAX\DATA\M190324\M0324.M
Calibration Table Last Updated: Mon Mar 25 09:13:52 2019

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 03/24/19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0324M16.D

		Compound	MEAN	CCRF	%D	%Drift		
1	TM	Dichlorodifluoromethane	0.0688	0.0632	8.2	TM		
2	TM	Freon 114	0.0947	0.0851	10	TM		
3	TM**L	Chloromethane	0.1096	0.0838	24	TM**L	20	
4	TM*	Vinyl chloride	0.1135	0.1122	1.1	TM*		
5	TM	Bromomethane	0.0713	0.0802	12	TM		
6	TML	Chloroethane	0.1187	0.0822	31	TML	0.49	
7	TM	Dichlorofluoromethane	0.1967	0.1749	11	TM		
8	TM	Trichlorofluoromethane	0.1432	0.1484	3.6	TM		
9	TM	Acrolein	0.0032	0.0026	17	TM		
10	TML	Acetone	0.0350	0.0292	17	TML	13	
11	TM	Freon-113	0.0821	0.0785	4.4	TM		
12	TM*	1,1-DCE	0.1421	0.1449	1.9	TM*		
13	TM	Acetonitrile	0.0105	0.0109	3.3	TM		
14	TM	t-Butanol	0.0062	0.0070	12	TM		
15	TM	Methyl Acetate	0.0342	0.0326	4.8	TM		
16	TML	Iodomethane	0.0895	0.0495	45	TML	46	*NT
17	TM	Acrylonitrile	0.0311	0.0313	0.47	TM		
18	TM	Methylene chloride	0.1107	0.1106	0.17	TM		
19	TM	Carbon disulfide	0.2669	0.2543	4.7	TM		
20	TM	Methyl t-butyl ether (MtBE)	0.1292	0.1199	7.2	TM		
21	TM	Trans-1,2-DCE	0.1005	0.1049	4.4	TM		
22	TM	Diisopropyl Ether	0.3806	0.3636	4.5	TM		
23	TM**	1,1-DCA	0.1975	0.1948	1.4	TM**		
24	TM	Vinyl Acetate	0.1000	0.0921	8.0	TM		
25	TM	Ethyl tert Butyl Ether	0.3246	0.2397	26	TM		*NT
26	TML	MEK (2-Butanone)	0.0367	0.0325	12	TML	10	
27	TM	Cis-1,2-DCE	0.1213	0.1200	1.1	TM		
28	TM	2,2-Dichloropropane	0.1642	0.1398	15	TM		
29	TM*	Chloroform	0.1948	0.1876	3.7	TM*		
30	TM	Bromochloromethane	0.0563	0.0564	0.09	TM		
31	TM	1,1,1-TCA	0.1646	0.1562	5.1	TM		
32	TM	Cyclohexane	0.1028	0.0880	14	TM		
33	TM	1,1-Dichloropropene	0.1357	0.1368	0.87	TM		
34	TM	2,2,4-Trimethylpentane	0.2855	0.2538	11	TM		
35	TM	Carbon Tetrachloride	0.1098	0.1132	3.1	TM		
36	TM	Tert Amyl Methyl Ether	0.2801	0.1964	30	TM		*NT
37	TM	1,2-DCA	0.1477	0.1455	1.5	TM		
38	TM	Benzene	0.4494	0.4446	1.1	TM		
39	TM	TCE	0.1157	0.1144	1.1	TM		
40	TM	2-Pentanone	0.0599	0.0589	1.8	TM		
		Average			9.1			

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 03/24/19
Instrument: Max
Cal. Date: 03/24/19
Data File: 0324M16.D

		Compound	MEAN	CCRF	%D		%Drift
41	TM*	1,2-Dichloropropane	0.1120	0.1087	3.0	TM*	
42	TM	Bromodichloromethane	0.1300	0.1284	1.2	TM	
43	TM	Methyl Cyclohexane	0.1617	0.1470	9.1	TM	
44	TM	Dibromomethane	0.0576	0.0585	1.5	TM	
45	TM	MIBK (methyl isobutyl ketone)	0.0832	0.0771	7.4	TM	
46	TM	1-Bromo-2-chloroethane	0.0724	0.0719	0.62	TM	
47	TM	Cis-1,3-Dichloropropene	0.1738	0.1672	3.8	TM	
48	TM*	Toluene	0.5041	0.4832	4.2	TM*	
49	TM	Trans-1,3-Dichloropropene	0.1454	0.1436	1.2	TM	
50	TM	1,1,2-TCA	0.0713	0.0708	0.75	TM	
51	TM	2-Hexanone	0.0542	0.0529	2.5	TM	
52	TM	1,2-EDB	0.1136	0.1155	1.7	TM	
53	TM	Tetrachloroethene	0.1375	0.1435	4.3	TM	
54	TM	1-Chlorohexane	0.1904	0.1803	5.3	TM	
55	TM	1,1,1,2-Tetrachloroethane	0.1355	0.1364	0.65	TM	
56	TM	m&p-Xylene	0.2814	0.2781	1.2	TM	
57	TM	o-Xylene	0.2867	0.2848	0.66	TM	
58	TM	Styrene	0.4705	0.4642	1.3	TM	
59	TM	1,3-Dichloropropane	0.2079	0.2127	2.3	TM	
60	TM	Dibromochloromethane	0.1079	0.1171	8.5	TM	
61	TM**	Chlorobenzene	0.4361	0.4280	1.9	TM**	
62	TM*	Ethylbenzene	0.7104	0.6953	2.1	TM*	
63	TM**L	Bromoform	0.0599	0.0610	1.9	TM**L	5.3
64	TM	Isopropylbenzene	1.373	1.350	1.7	TM	
65	TM**	1,1,2,2-Tetrachloroethane	0.3354	0.3546	5.7	TM**	
66	TM	1,2,3-Trichloropropane	0.0804	0.0853	6.1	TM	
67	TM	t-1,4-Dichloro-2-Butene	0.0310	0.0255	18	TM	
68	TM	Bromobenzene	0.3728	0.3790	1.6	TM	
69	TM	n-Propylbenzene	1.536	1.507	1.9	TM	
70	TM	4-Ethyltoluene	1.357	1.309	3.6	TM	
71	TM	2-Chlorotoluene	0.9486	0.9365	1.3	TM	
72	TM	1,3,5-Trimethylbenzene	1.155	1.132	2.0	TM	
73	TM	4-Chlorotoluene	1.105	1.111	0.53	TM	
74	TM	Tert-Butylbenzene	1.029	0.9621	6.5	TM	
75	TM	1,2,4-Trimethylbenzene	1.164	1.154	0.87	TM	
76	TM	Sec-Butylbenzene	1.362	1.316	3.4	TM	
77	TM	p-Isopropyltoluene	0.6284	0.6035	4.0	TM	
78	TM	Benzyl Chloride	0.2844	0.2339	18	TM	
79	TM	1,3-DCB	0.6773	0.6759	0.20	TM	
80	TM	1,4-DCB	0.3446	0.3402	1.3	TM	
		Average			3.6		

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 03/24/19
Instrument: Max
Cal. Date: 03/24/19
Data File: 0324M16.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	n-Butylbenzene	0.5114	0.5051	1.2	TM	
82	TM	1,2-DCB	0.6253	0.6438	3.0	TM	
83	TML	Hexachloroethane	0.0554	0.0491	11	TML	12
84	TM	1,2-Dibromo-3-chloropropane	0.0454	0.0499	9.8	TM	
85	TM	1,2,4-Trichlorobenzene	0.3928	0.4060	3.4	TM	
86	TM	Hexachlorobutadiene	0.2031	0.2008	1.1	TM	
87	TM	Naphthalene	0.6557	0.7529	15	TM	
88	TM	1,2,3-Trichlorobenzene	0.3398	0.3644	7.2	TM	
89							
90							
91							
92							
93							
94							
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			6.5		

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M16.D
Acq On : 24 Mar 19 18:11
Sample : (SS)10ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 14
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	5.31	96	636618	25.000	ppb		0.00
56) Chlorobenzene-D5 (IS)	8.93	117	461911	25.000	ppb		0.00
71) 1,4-Dichlorobenzene-D (IS)	12.12	152	230470	25.000	ppb		0.00
System Monitoring Compounds							
32) Dibromofluoromethane(S)	4.60	111	117539	24.135	ppb		0.00
Spiked Amount 25.000			Recovery =	96.540%			
37) 1,2-DCA-D4(S)	4.95	65	135697	24.186	ppb		0.00
Spiked Amount 25.000			Recovery =	96.744%			
57) Toluene-D8(S)	7.13	98	501525	24.453	ppb		0.00
Spiked Amount 25.000			Recovery =	97.812%			
65) 4-Bromofluorobenzene(S)	10.52	95	179120	23.800	ppb		0.00
Spiked Amount 25.000			Recovery =	95.200%			
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.14	85	16084	9.177	ppb		97
3) Freon 114	1.24	85	21659	8.980	ppb		99
4) Chloromethane	1.28	50	21328	7.992	ppb		98
5) Vinyl chloride	1.36	62	28568	9.886	ppb		96
6) Bromomethane	1.60	94	20431	11.247	ppb		93
7) Chloroethane	1.69	64	20929	10.049	ppb		94
8) Dichlorofluoromethane	1.87	67	44537	8.891	ppb		99
9) Trichlorofluoromethane	1.92	101	37802	10.364	ppb		99
10) Acrolein	2.30	56	8386	103.237	ppb		94
11) Acetone	2.46	43	7441	11.296	ppb		97
12) Freon-113	2.39	101	19990	9.560	ppb		98
13) 1,1-DCE	2.37	61	36891	10.194	ppb		98
14) Acetonitrile	2.71	41	34637	129.181	ppb		93
15) t-Butanol	3.03	59	22188	140.387	ppb	#	80
16) Methyl Acetate	2.78	43	8294	9.523	ppb		99
17) Iodomethane	2.50	142	12595	5.424	ppb		98
18) Acrylonitrile	3.09	53	7965	10.047	ppb		96
19) Methylene chloride	2.84	84	28152	9.983	ppb		99
20) Carbon disulfide	2.55	76	64768	9.529	ppb		99
21) Methyl t-butyl ether (MtBE	3.14	73	30536	9.282	ppb		100
22) Trans-1,2-DCE	3.10	96	26725	10.444	ppb		93
23) Diisopropyl Ether	3.63	45	92593	9.553	ppb		99
24) 1,1-DCA	3.51	63	49597	9.864	ppb		99
25) Vinyl Acetate	3.63	43	23448	9.204	ppb	#	100
26) Ethyl tert Butyl Ether	4.00	59	61028	7.384	ppb		99
27) MEK (2-Butanone)	4.15	43	8266	8.952	ppb		91
28) Cis-1,2-DCE	4.10	96	30548	9.890	ppb		98
29) 2,2-Dichloropropane	4.09	77	35610	8.517	ppb		97
30) Chloroform	4.44	83	47761	9.629	ppb		96
31) Bromochloromethane	4.34	128	14356	10.009	ppb		97
33) 1,1,1-TCA	4.61	97	39788	9.492	ppb		97
34) Cyclohexane	4.67	41	22404	8.562	ppb		96
35) 1,1-Dichloropropene	4.79	75	34848	10.087	ppb		97
36) 2,2,4-Trimethylpentane	5.12	57	64625	8.890	ppb		99
38) Carbon Tetrachloride	4.78	117	28832	10.313	ppb		99
39) Tert Amyl Methyl Ether	5.18	73	50015	7.012	ppb		98
40) 1,2-DCA	5.03	62	37055	9.851	ppb		98
41) Benzene	5.00	78	113225	9.893	ppb		99
42) TCE	5.72	95	29142	9.888	ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M16.D Vial: 14
Acq On : 24 Mar 19 18:11 Operator: PM,DG,SV,CMM,KV
Sample : (SS)10ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
43)	2-Pentanone	5.97	43	187364	122.758	ppb	99
44)	1,2-Dichloropropane	5.96	63	27668	9.701	ppb	100
45)	Bromodichloromethane	6.29	83	32690	9.875	ppb	96
46)	Methyl Cyclohexane	5.93	83	37429	9.090	ppb	99
47)	Dibromomethane	6.09	93	14892	10.150	ppb	99
48)	MIBK (methyl isobutyl ket	7.04	43	19621	9.264	ppb	93
49)	1-Bromo-2-chloroethane	6.63	63	18312	9.938	ppb	96
51)	Cis-1,3-Dichloropropene	6.82	75	42580	9.624	ppb	100
52)	Toluene	7.21	91	123036	9.584	ppb	100
53)	Trans-1,3-Dichloropropene	7.50	75	36570	9.879	ppb	98
54)	1,1,2-TCA	7.72	83	18027	9.925	ppb	94
55)	2-Hexanone	8.08	43	13468	9.754	ppb	89
58)	1,2-EDB	8.31	107	21337	10.168	ppb	97
59)	Tetrachloroethene	7.88	164	26511	10.434	ppb	93
60)	1-Chlorohexane	8.99	91	33310	9.466	ppb	98
61)	1,1,1,2-Tetrachloroethane	9.08	131	25196	10.065	ppb	91
62)	m&p-Xylene	9.30	106	102776	19.765	ppb	97
63)	o-Xylene	9.82	106	52622	9.934	ppb	99
64)	Styrene	9.84	104	85774	9.866	ppb	99
66)	1,3-Dichloropropane	7.92	76	39295	10.231	ppb	99
67)	Dibromochloromethane	8.19	129	21631	10.847	ppb	88
68)	Chlorobenzene	8.96	112	79083	9.815	ppb	98
69)	Ethylbenzene	9.14	91	128459	9.786	ppb	95
70)	Bromoform	10.04	173	11268	9.469	ppb	97
72)	Isopropylbenzene	10.34	105	124478	9.833	ppb	98
73)	1,1,2,2-Tetrachloroethane	6.29	83	32690	10.571	ppb	96
74)	1,2,3-Trichloropropane	10.79	110	7863	10.606	ppb	86
75)	t-1,4-Dichloro-2-Butene	10.84	53	2350	8.228	ppb	100
76)	Bromobenzene	10.69	156	34936	10.164	ppb	93
77)	n-Propylbenzene	10.90	91	138882	9.806	ppb	99
78)	4-Ethyltoluene	11.07	105	120672	9.644	ppb	98
79)	2-Chlorotoluene	10.98	91	86335	9.872	ppb	97
80)	1,3,5-Trimethylbenzene	11.16	105	104342	9.801	ppb	99
81)	4-Chlorotoluene	11.14	91	102394	10.053	ppb	99
82)	Tert-Butylbenzene	11.61	119	88695	9.353	ppb	97
83)	1,2,4-Trimethylbenzene	11.67	105	106379	9.913	ppb	98
84)	Sec-Butylbenzene	11.92	105	121287	9.657	ppb	95
85)	p-Isopropyltoluene	12.14	119	55632	9.604	ppb	98
86)	Benzyl Chloride	12.36	91	21564	8.226	ppb	97
87)	1,3-DCB	12.02	146	62314	9.980	ppb	97
88)	1,4-DCB	12.15	146	31360	9.871	ppb	99
89)	n-Butylbenzene	12.72	91	46560	9.876	ppb	97
90)	1,2-DCB	12.66	146	59351	10.296	ppb	99
91)	Hexachloroethane	13.02	117	4522	8.848	ppb	95
92)	1,2-Dibromo-3-chloropropan	13.78	157	4599	10.982	ppb	90
93)	1,2,4-Trichlorobenzene	14.98	180	37424	10.336	ppb	99
94)	Hexachlorobutadiene	15.28	225	18511	9.888	ppb	92
95)	Naphthalene	15.31	128	69409	11.482	ppb	97
96)	1,2,3-Trichlorobenzene	15.67	180	33589	10.721	ppb	97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M16.D Vial: 14
Acq On : 24 Mar 19 18:11 Operator: PM,DG,SV,CMM,KV
Sample : (SS)10ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Mar 25 9:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/25/19
Matrix: water Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0425M03.D

		Compound	MEAN	CCRF	%D	%Drift		
1	I	Fluorobenzene (IS)	ISTD			I		
2	TM	Dichlorodifluoromethane	0.0688	0.0874	27	TM		*NT
3	TM	Freon 114	0.0947	0.1039	9.7	TM		
4	TM**L	Chloromethane	0.1096	0.1192	8.7	TM**L	14	
5	TM*	Vinyl chloride	0.1135	0.1365	20	TM*		
6	TM	Bromomethane	0.0713	0.0898	26	TM		*NT
7	TML	Chloroethane	0.1187	0.0883	26	TML	8.7	
8	TM	Dichlorofluoromethane	0.1967	0.1902	3.3	TM		
9	TM	Trichlorofluoromethane	0.1432	0.1634	14	TM		
10	TM	Acrolein	0.0032	0.0073	129	TM		*NT
11	TML	Acetone	0.0350	0.0255	27	TML	5.3	
12	TM*	1,1-DCE	0.1421	0.1356	4.5	TM*		
13	TM	Acetonitrile	0.0105	0.0110	4.4	TM		
14	TM	t-Butanol	0.0062	0.0063	1.4	TM		
15	TM	Methyl Acetate	0.0342	0.0300	12	TM		
16	TML	Iodomethane	0.0895	0.0907	1.4	TML	13	
17	TM	Acrylonitrile	0.0311	0.0348	12	TM		
18	TM	Methylene chloride	0.1107	0.1140	3.0	TM		
19	TM	Carbon disulfide	0.2669	0.2832	6.1	TM		
20	TM	Methyl t-butyl ether (MtBE)	0.1292	0.1230	4.8	TM		
21	TM	Trans-1,2-DCE	0.1005	0.1014	0.93	TM		
22	TM	Diisopropyl Ether	0.3806	0.3864	1.5	TM		
23	TM**	1,1-DCA	0.1975	0.1894	4.1	TM**		
24	TM	Vinyl Acetate	0.1000	0.0904	9.6	TM		
25	TM	Ethyl tert Butyl Ether	0.3246	0.3433	5.8	TM		
26	TML	MEK (2-Butanone)	0.0367	0.0398	8.5	TML	14	
27	TM	Cis-1,2-DCE	0.1213	0.1198	1.2	TM		
28	TM	2,2-Dichloropropane	0.1642	0.1694	3.2	TM		
29	TM*	Chloroform	0.1948	0.1899	2.5	TM*		
30	TM	Bromochloromethane	0.0563	0.0590	4.7	TM		
31	S	Dibromofluoromethane(S)	0.1912	0.1957	2.3	S		
32	TM	1,1,1-TCA	0.1646	0.1645	0.04	TM		
33	TM	Cyclohexane	0.1028	0.0937	8.8	TM		
34	TM	1,1-Dichloropropene	0.1357	0.1341	1.1	TM		
35	TM	2,2,4-Trimethylpentane	0.2855	0.2863	0.28	TM		
36	S	1,2-DCA-D4(S)	0.2203	0.2033	7.7	S		
37	TM	Carbon Tetrachloride	0.1098	0.1185	7.9	TM		
38	TM	Tert Amyl Methyl Ether	0.2801	0.3204	14	TM		
39	TM	1,2-DCA	0.1477	0.1360	7.9	TM		
40	TM	Benzene	0.4494	0.4460	0.77	TM		
		Average			11.1			

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/25/19
Matrix: water Instrument: Max
Cal. Date: 03/24/19
Data File: 0425M03.D

		Compound	MEAN	CCRF	%D		%Drift
41	TM	TCE	0.1157	0.1085	6.2	TM	
42	TM	2-Pentanone	0.0599	0.0571	4.7	TM	
43	TM*	1,2-Dichloropropane	0.1120	0.1091	2.6	TM*	
44	TM	Bromodichloromethane	0.1300	0.1335	2.7	TM	
45	TM	Methyl Cyclohexane	0.1617	0.1611	0.37	TM	
46	TM	Dibromomethane	0.0576	0.0587	1.9	TM	
47	TM	MIBK (methyl isobutyl ketone)	0.0832	0.0781	6.1	TM	
48	TM	1-Bromo-2-chloroethane	0.0724	0.0726	0.37	TM	
49	TM	Cis-1,3-Dichloropropene	0.1738	0.1741	0.22	TM	
50	TM*	Toluene	0.5041	0.5000	0.81	TM*	
51	TM	Trans-1,3-Dichloropropene	0.1454	0.1487	2.3	TM	
52	TM	1,1,2-TCA	0.0713	0.0705	1.2	TM	
53	TM	2-Hexanone	0.0542	0.0511	5.7	TM	
54	I	Chlorobenzene-D5 (IS)	ISTD			I	
55	S	Toluene-D8(S)	1.110	1.054	5.1	S	
56	TM	1,2-EDB	0.1136	0.1083	4.6	TM	
57	TM	Tetrachloroethene	0.1375	0.1386	0.80	TM	
58	TM	1-Chlorohexane	0.1904	0.1942	2.0	TM	
59	TM	1,1,1,2-Tetrachloroethane	0.1355	0.1421	4.9	TM	
60	TM	m&p-Xylene	0.2814	0.2820	0.21	TM	
61	TM	o-Xylene	0.2867	0.2814	1.8	TM	
62	TM	Styrene	0.4705	0.4718	0.28	TM	
63	S	4-Bromofluorobenzene(S)	0.4073	0.3993	2.0	S	
64	TM	1,3-Dichloropropane	0.2079	0.1963	5.5	TM	
65	TM	Dibromochloromethane	0.1079	0.1163	7.8	TM	
66	TM**	Chlorobenzene	0.4361	0.4231	3.0	TM**	
67	TM*	Ethylbenzene	0.7104	0.6945	2.2	TM*	
68	TM**L	Bromoform	0.0599	0.0716	20	TM**L	8.3
69	I	1,4-Dichlorobenzene-D (IS)	ISTD			I	
70	TM	Isopropylbenzene	1.373	1.258	8.4	TM	
71	TM**	1,1,2,2-Tetrachloroethane	0.3354	0.3082	8.1	TM**	
72	TM	1,2,3-Trichloropropane	0.0804	0.0753	6.4	TM	
73	TM	t-1,4-Dichloro-2-Butene	0.0310	0.0306	1.3	TM	
74	TM	Bromobenzene	0.3728	0.3421	8.3	TM	
75	TM	n-Propylbenzene	1.536	1.393	9.3	TM	
76	TM	4-Ethyltoluene	1.357	1.276	6.0	TM	
77	TM	2-Chlorotoluene	0.9486	0.8312	12	TM	
78	TM	1,3,5-Trimethylbenzene	1.155	1.049	9.2	TM	
79	TM	4-Chlorotoluene	1.105	0.9905	10	TM	
80	TM	Tert-Butylbenzene	1.029	0.9215	10	TM	
		Average			4.9		

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/25/19
Instrument: Max
Cal. Date: 03/24/19
Data File: 0425M03.D

		Compound	MEAN	CCRF	%D		%Drift	
81	TM	1,2,4-Trimethylbenzene	1.164	1.067	8.3	TM		
82	TM	Sec-Butylbenzene	1.362	1.258	7.7	TM		
83	TM	p-Isopropyltoluene	0.6284	0.5793	7.8	TM		
84	TM	Benzyl Chloride	0.2844	0.0730	74	TM		*NT
85	TM	1,3-DCB	0.6773	0.6346	6.3	TM		
86	TM	1,4-DCB	0.3446	0.3332	3.3	TM		
87	TM	n-Butylbenzene	0.5114	0.4606	9.9	TM		
88	TM	1,2-DCB	0.6253	0.5947	4.9	TM		
89	TML	Hexachloroethane	0.0554	0.0580	4.7	TML	0.76	
90	TM	1,2-Dibromo-3-chloropropane	0.0454	0.0467	2.8	TM		
91	TM	1,2,4-Trichlorobenzene	0.3928	0.3321	15	TM		
92	TM	Hexachlorobutadiene	0.2031	0.1833	9.7	TM		
93	TM	Naphthalene	0.6557	0.4484	32	TM		*NT
94	TM	1,2,3-Trichlorobenzene	0.3398	0.2653	22	TM		*NT
95								
96								
97								
98								
99								
100								
101								
102								
103								
104								
105								
106								
107								
108								
109								
110								
111								
112								
113								
114								
115								
116								
117								
118								
119								
120								
		Average			14.9			

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M03.D Vial: 2
Acq On : 25 Apr 19 13:49 Operator: PM,DG,SV,CMM,KV
Sample : 190425A CCV 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 25 14:08 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.20	96	775435	25.000 ppb		-0.12
56) Chlorobenzene-D5 (IS)	8.80	117	610368	25.000 ppb		-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	335796	25.000 ppb		-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	151775	25.586 ppb		-0.11
Spiked Amount 25.000			Recovery = 102.344%			
37) 1,2-DCA-D4(S)	4.83	65	157666	23.071 ppb		-0.12
Spiked Amount 25.000			Recovery = 92.284%			
57) Toluene-D8(S)	7.01	98	643186	23.733 ppb		-0.12
Spiked Amount 25.000			Recovery = 94.932%			
65) 4-Bromofluorobenzene(S)	10.39	95	243723	24.507 ppb		-0.13
Spiked Amount 25.000			Recovery = 98.028%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.10	85	27120	12.703 ppb		97
3) Freon 114	1.18	85	32218	10.967 ppb		97
4) Chloromethane	1.23	50	36976	11.394 ppb		97
5) Vinyl chloride	1.31	62	42347	12.031 ppb		93
6) Bromomethane	1.55	94	27842	12.583 ppb		91
7) Chloroethane	1.63	64	27397	10.874 ppb		93
8) Dichlorofluoromethane	1.81	67	59001	9.670 ppb		94
9) Trichlorofluoromethane	1.84	101	50674	11.406 ppb		98
10) Acrolein	2.21	56	28360	286.630 ppb		99
11) Acetone	2.38	43	7904	9.474 ppb		97
13) 1,1-DCE	2.29	61	42074	9.545 ppb		97
14) Acetonitrile	2.63	41	42623	130.508 ppb	#	88
15) t-Butanol	2.95	59	24389	126.688 ppb	#	78
16) Methyl Acetate	2.68	43	9318	8.783 ppb		93
17) Iodomethane	2.42	142	28148	8.694 ppb		100
18) Acrylonitrile	2.99	53	10802	11.187 ppb		99
19) Methylene chloride	2.75	84	35371	10.298 ppb		91
20) Carbon disulfide	2.46	76	87833	10.609 ppb		100
21) Methyl t-butyl ether (MtBE	3.04	73	38160	9.523 ppb		99
22) Trans-1,2-DCE	3.00	96	31456	10.093 ppb		97
23) Diisopropyl Ether	3.53	45	119844	10.151 ppb		98
24) 1,1-DCA	3.41	63	58737	9.590 ppb		100
25) Vinyl Acetate	3.53	43	28039	9.035 ppb	#	100
26) Ethyl tert Butyl Ether	3.89	59	106494	10.578 ppb		98
27) MEK (2-Butanone)	4.05	43	12350	11.369 ppb		100
28) Cis-1,2-DCE	3.99	96	37153	9.875 ppb		98
29) 2,2-Dichloropropane	3.98	77	52543	10.317 ppb		99
30) Chloroform	4.33	83	58911	9.751 ppb		97
31) Bromochloromethane	4.22	128	18293	10.471 ppb		94
33) 1,1,1-TCA	4.50	97	51035	9.996 ppb		91
34) Cyclohexane	4.55	41	29073	9.122 ppb		98
35) 1,1-Dichloropropene	4.68	75	41608	9.887 ppb		95
36) 2,2,4-Trimethylpentane	5.01	57	88790	10.028 ppb		98
38) Carbon Tetrachloride	4.67	117	36755	10.794 ppb		99
39) Tert Amyl Methyl Ether	5.06	73	99375	11.438 ppb		99
40) 1,2-DCA	4.91	62	42191	9.208 ppb		100
41) Benzene	4.89	78	138327	9.923 ppb		99
42) TCE	5.60	95	33665	9.378 ppb		99
43) 2-Pentanone	5.85	43	221508	119.148 ppb		97

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190401\0425M03.D
Acq On : 25 Apr 19 13:49
Sample : 190425A CCV 10ug/L
Misc : IS,Surr 03/24/19

Vial: 2
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 25 14:08 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
44)	1,2-Dichloropropane	5.84	63	33842	9.742	ppb	#	93
45)	Bromodichloromethane	6.17	83	41400	10.268	ppb		96
46)	Methyl Cyclohexane	5.81	83	49968	9.963	ppb		98
47)	Dibromomethane	5.97	93	18217	10.194	ppb		88
48)	MIBK (methyl isobutyl ket	6.93	43	24216	9.387	ppb		98
49)	1-Bromo-2-chloroethane	6.51	63	22528	10.037	ppb		98
51)	Cis-1,3-Dichloropropene	6.70	75	54011	10.022	ppb		96
52)	Toluene	7.09	91	155099	9.919	ppb		98
53)	Trans-1,3-Dichloropropene	7.38	75	46136	10.233	ppb		97
54)	1,1,2-TCA	7.60	83	21867	9.884	ppb		91
55)	2-Hexanone	7.96	43	15853	9.426	ppb		99
58)	1,2-EDB	8.19	107	26446	9.537	ppb		99
59)	Tetrachloroethene	7.76	164	33844	10.080	ppb		91
60)	1-Chlorohexane	8.87	91	47410	10.196	ppb		98
61)	1,1,1,2-Tetrachloroethane	8.96	131	34684	10.485	ppb		99
62)	m&p-Xylene	9.17	106	137717	20.043	ppb		95
63)	o-Xylene	9.69	106	68707	9.815	ppb		94
64)	Styrene	9.71	104	115198	10.028	ppb		94
66)	1,3-Dichloropropane	7.79	76	47936	9.445	ppb		97
67)	Dibromochloromethane	8.06	129	28395	10.776	ppb		95
68)	Chlorobenzene	8.84	112	103301	9.702	ppb		99
69)	Ethylbenzene	9.01	91	169572	9.776	ppb		96
70)	Bromoform	9.91	173	17470	10.831	ppb		98
72)	Isopropylbenzene	10.21	105	168955	9.160	ppb		99
73)	1,1,2,2-Tetrachloroethane	6.17	83	41400	9.189	ppb		96
74)	1,2,3-Trichloropropane	10.66	110	10116	9.365	ppb		100
75)	t-1,4-Dichloro-2-Butene	10.71	53	4108	9.872	ppb		94
76)	Bromobenzene	10.56	156	45946	9.175	ppb		100
77)	n-Propylbenzene	10.78	91	187139	9.069	ppb		98
78)	4-Ethyltoluene	10.94	105	171390	9.401	ppb		96
79)	2-Chlorotoluene	10.85	91	111643	8.762	ppb		99
80)	1,3,5-Trimethylbenzene	11.04	105	140915	9.084	ppb		98
81)	4-Chlorotoluene	11.01	91	133038	8.964	ppb		98
82)	Tert-Butylbenzene	11.48	119	123774	8.958	ppb		92
83)	1,2,4-Trimethylbenzene	11.55	105	143350	9.169	ppb		99
84)	Sec-Butylbenzene	11.79	105	168950	9.233	ppb		95
85)	p-Isopropyltoluene	12.01	119	77808	9.219	ppb		98
86)	Benzyl Chloride	12.23	91	9810	2.568	ppb		93
87)	1,3-DCB	11.89	146	85243	9.370	ppb		97
88)	1,4-DCB	12.02	146	44752	9.668	ppb		99
89)	n-Butylbenzene	12.59	91	61872	9.008	ppb		98
90)	1,2-DCB	12.53	146	79878	9.511	ppb		98
91)	Hexachloroethane	12.89	117	7792	10.076	ppb		91
92)	1,2-Dibromo-3-chloropropan	13.64	157	6270	10.276	ppb		88
93)	1,2,4-Trichlorobenzene	14.84	180	44610	8.456	ppb		99
94)	Hexachlorobutadiene	15.15	225	24619	9.025	ppb		94
95)	Naphthalene	15.18	128	60224	6.838	ppb		99
96)	1,2,3-Trichlorobenzene	15.53	180	35629	7.805	ppb		93


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M03.D Vial: 2
Acq On : 25 Apr 19 13:49 Operator: PM,DG,SV,CMM,KV
Sample : 190425A CCV 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 25 14:08 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS BY
CLP

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/26/19
Matrix: Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0425M27.D

		Compound	MEAN	CCRF	%D		%Drift	
1	I	Fluorobenzene (IS)	ISTD			I		
2	TM	Dichlorodifluoromethane	0.0688	0.0716	4.0	TM		
3	TM	Freon 114	0.0947	0.1023	8.0	TM		
4	TM**L	Chloromethane	0.1096	0.0693	37	TM**L	34	
5	TM*	Vinyl chloride	0.1135	0.1463	29	TM*		
6	TM	Bromomethane	0.0713	0.0900	26	TM		
7	TML	Chloroethane	0.1187	0.0947	20	TML	17	
8	TM	Dichlorofluoromethane	0.1967	0.2024	2.9	TM		
9	TM	Trichlorofluoromethane	0.1432	0.1764	23	TM		
10	TM	Acrolein	0.0032	0.0075	134	TM		*NT
11	TML	Acetone	0.0350	0.0265	24	TML	0.24	
12	TM*	1,1-DCE	0.1421	0.1430	0.59	TM*		
13	TM	Acetonitrile	0.0105	0.0107	1.9	TM		
14	TM	t-Butanol	0.0062	0.0075	21	TM		
15	TM	Methyl Acetate	0.0342	0.0359	4.9	TM		
16	TML	Iodomethane	0.0895	0.0420	53	TML	52	*NT
17	TM	Acrylonitrile	0.0311	0.0359	15	TM		
18	TM	Methylene chloride	0.1107	0.1144	3.3	TM		
19	TM	Carbon disulfide	0.2669	0.2870	7.5	TM		
20	TM	Methyl t-butyl ether (MtBE)	0.1292	0.1457	13	TM		
21	TM	Trans-1,2-DCE	0.1005	0.1104	9.8	TM		
22	TM	Diisopropyl Ether	0.3806	0.3999	5.1	TM		
23	TM**	1,1-DCA	0.1975	0.2046	3.6	TM**		
24	TM	Vinyl Acetate	0.1000	0.1009	0.84	TM		
25	TM	Ethyl tert Butyl Ether	0.3246	0.3488	7.5	TM		
26	TML	MEK (2-Butanone)	0.0367	0.0390	6.2	TML	11	
27	TM	Cis-1,2-DCE	0.1213	0.1298	7.0	TM		
28	TM	2,2-Dichloropropane	0.1642	0.1318	20	TM		
29	TM*	Chloroform	0.1948	0.2030	4.2	TM*		
30	TM	Bromochloromethane	0.0563	0.0622	10	TM		
31	S	Dibromofluoromethane(S)	0.1912	0.1923	0.56	S		
32	TM	1,1,1-TCA	0.1646	0.1719	4.5	TM		
33	TM	Cyclohexane	0.1028	0.0995	3.2	TM		
34	TM	1,1-Dichloropropene	0.1357	0.1463	7.8	TM		
35	TM	2,2,4-Trimethylpentane	0.2855	0.2715	4.9	TM		
36	S	1,2-DCA-D4(S)	0.2203	0.2054	6.8	S		
37	TM	Carbon Tetrachloride	0.1098	0.1288	17	TM		
38	TM	Tert Amyl Methyl Ether	0.2801	0.3133	12	TM		
39	TM	1,2-DCA	0.1477	0.1461	1.1	TM		
40	TM	Benzene	0.4494	0.4709	4.8	TM		
		Average			14.5			

VOLATILE ORGANIC ANALYSIS BY
CLP

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/26/19
Matrix: 0 Instrument: Max
Cal. Date: 03/24/19
Data File: 0425M27.D

		Compound	MEAN	CCRF	%D		%Drift
41	TM	TCE	0.1157	0.1212	4.7	TM	
42	TM	2-Pentanone	0.0599	0.0607	1.3	TM	
43	TM*	1,2-Dichloropropane	0.1120	0.1192	6.5	TM*	
44	TM	Bromodichloromethane	0.1300	0.1443	11	TM	
45	TM	Methyl Cyclohexane	0.1617	0.1675	3.6	TM	
46	TM	Dibromomethane	0.0576	0.0616	6.9	TM	
47	TM	MIBK (methyl isobutyl ketone)	0.0832	0.0815	2.0	TM	
48	TM	1-Bromo-2-chloroethane	0.0724	0.0747	3.2	TM	
49	TM	Cis-1,3-Dichloropropene	0.1738	0.1798	3.5	TM	
50	TM*	Toluene	0.5041	0.5392	7.0	TM*	
51	TM	Trans-1,3-Dichloropropene	0.1454	0.1458	0.27	TM	
52	TM	1,1,2-TCA	0.0713	0.0764	7.2	TM	
53	TM	2-Hexanone	0.0542	0.0523	3.5	TM	
54	I	Chlorobenzene-D5 (IS)	ISTD			I	
55	S	Toluene-D8(S)	1.110	1.065	4.0	S	
56	TM	1,2-EDB	0.1136	0.1178	3.7	TM	
57	TM	Tetrachloroethene	0.1375	0.1508	9.6	TM	
58	TM	1-Chlorohexane	0.1904	0.1950	2.4	TM	
59	TM	1,1,1,2-Tetrachloroethane	0.1355	0.1507	11	TM	
60	TM	m&p-Xylene	0.2814	0.3075	9.3	TM	
61	TM	o-Xylene	0.2867	0.3025	5.5	TM	
62	TM	Styrene	0.4705	0.4982	5.9	TM	
63	S	4-Bromofluorobenzene(S)	0.4073	0.3993	2.0	S	
64	TM	1,3-Dichloropropane	0.2079	0.2143	3.1	TM	
65	TM	Dibromochloromethane	0.1079	0.1227	14	TM	
66	TM**	Chlorobenzene	0.4361	0.4538	4.1	TM**	
67	TM*	Ethylbenzene	0.7104	0.7436	4.7	TM*	
68	TM**L	Bromoform	0.0599	0.0750	25	TM**L	13
69	I	1,4-Dichlorobenzene-D (IS)	ISTD			I	
70	TM	Isopropylbenzene	1.373	1.407	2.5	TM	
71	TM**	1,1,2,2-Tetrachloroethane	0.3354	0.3548	5.8	TM**	
72	TM	1,2,3-Trichloropropane	0.0804	0.0851	5.8	TM	
73	TM	t-1,4-Dichloro-2-Butene	0.0310	0.0237	23	TM	
74	TM	Bromobenzene	0.3728	0.3873	3.9	TM	
75	TM	n-Propylbenzene	1.536	1.523	0.86	TM	
76	TM	4-Ethyltoluene	1.357	1.417	4.4	TM	
77	TM	2-Chlorotoluene	0.9486	0.9328	1.7	TM	
78	TM	1,3,5-Trimethylbenzene	1.155	1.161	0.49	TM	
79	TM	4-Chlorotoluene	1.105	1.131	2.4	TM	
80	TM	Tert-Butylbenzene	1.029	1.004	2.4	TM	
		Average			5.7		

VOLATILE ORGANIC ANALYSIS BY
CLP

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/26/19
Matrix: 0 Instrument: Max
Cal. Date: 03/24/19
Data File: 0425M27.D

		Compound	MEAN	CCRF	%D		%Drift	
81	TM	1,2,4-Trimethylbenzene	1.164	1.156	0.71	TM		
82	TM	Sec-Butylbenzene	1.362	1.347	1.1	TM		
83	TM	p-Isopropyltoluene	0.6284	0.6128	2.5	TM		
84	TM	Benzyl Chloride	0.2844	0.0461	84	TM		*NT
85	TM	1,3-DCB	0.6773	0.7002	3.4	TM		
86	TM	1,4-DCB	0.3446	0.3632	5.4	TM		
87	TM	n-Butylbenzene	0.5114	0.4773	6.7	TM		
88	TM	1,2-DCB	0.6253	0.6472	3.5	TM		
89	TML	Hexachloroethane	0.0554	0.0657	19	TML	11	
90	TM	1,2-Dibromo-3-chloropropane	0.0454	0.0458	0.77	TM		
91	TM	1,2,4-Trichlorobenzene	0.3928	0.3190	19	TM		
92	TM	Hexachlorobutadiene	0.2031	0.1808	11	TM		
93	TM	Naphthalene	0.6557	0.3889	41	TM		
94	TM	1,2,3-Trichlorobenzene	0.3398	0.2311	32	TM		
95								
96								
97								
98								
99								
100								
101								
102								
103								
104								
105								
106								
107								
108								
109								
110								
111								
112								
113								
114								
115								
116								
117								
118								
119								
120								
		Average			16.4			

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M27.D Vial: 26
Acq On : 26 Apr 19 1:13 Operator: PM,DG,SV,CMM,KV
Sample : Ending CCV 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.21	96	778804	25.000 ppb		-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	603493	25.000 ppb		-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	316720	25.000 ppb		-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	149780	25.140 ppb		-0.11
Spiked Amount 25.000			Recovery = 100.560%			
37) 1,2-DCA-D4(S)	4.83	65	160005	23.312 ppb		-0.11
Spiked Amount 25.000			Recovery = 93.248%			
57) Toluene-D8(S)	7.01	98	642922	23.993 ppb		-0.12
Spiked Amount 25.000			Recovery = 95.972%			
65) 4-Bromofluorobenzene(S)	10.39	95	240959	24.505 ppb		-0.13
Spiked Amount 25.000			Recovery = 98.020%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.10	85	22304	10.402 ppb		99
3) Freon 114	1.19	85	31866	10.800 ppb		99
4) Chloromethane	1.24	50	21576	6.601 ppb		96
5) Vinyl chloride	1.31	62	45563	12.888 ppb		97
6) Bromomethane	1.55	94	28045	12.620 ppb		100
7) Chloroethane	1.64	64	29497	11.727 ppb		96
8) Dichlorofluoromethane	1.81	67	63065	10.292 ppb		99
9) Trichlorofluoromethane	1.85	101	54946	12.314 ppb		98
10) Acrolein	2.22	56	29040	292.233 ppb		100
11) Acetone	2.37	43	8259	9.976 ppb		97
13) 1,1-DCE	2.29	61	44533	10.059 ppb		95
14) Acetonitrile	2.62	41	41789	127.401 ppb	#	84
15) t-Butanol	2.94	59	29324	151.664 ppb	#	88
16) Methyl Acetate	2.68	43	11174	10.487 ppb		96
17) Iodomethane	2.42	142	13097	4.836 ppb		99
18) Acrylonitrile	2.99	53	11186	11.534 ppb		95
19) Methylene chloride	2.75	84	35634	10.330 ppb		95
20) Carbon disulfide	2.47	76	89407	10.752 ppb		99
21) Methyl t-butyl ether (MtBE	3.04	73	45400	11.280 ppb		97
22) Trans-1,2-DCE	3.01	96	34381	10.983 ppb		92
23) Diisopropyl Ether	3.54	45	124567	10.506 ppb		98
24) 1,1-DCA	3.41	63	63728	10.360 ppb		99
25) Vinyl Acetate	3.53	43	31430	10.084 ppb	#	100
26) Ethyl tert Butyl Ether	3.90	59	108673	10.747 ppb		100
27) MEK (2-Butanone)	4.04	43	12141	11.092 ppb		91
28) Cis-1,2-DCE	3.99	96	40437	10.701 ppb		93
29) 2,2-Dichloropropane	3.99	77	41056	8.027 ppb		100
30) Chloroform	4.33	83	63240	10.422 ppb		96
31) Bromochloromethane	4.23	128	19369	11.039 ppb		88
33) 1,1,1-TCA	4.51	97	53561	10.445 ppb		94
34) Cyclohexane	4.56	41	31000	9.684 ppb		97
35) 1,1-Dichloropropene	4.68	75	45574	10.783 ppb		96
36) 2,2,4-Trimethylpentane	5.02	57	84567	9.509 ppb		99
38) Carbon Tetrachloride	4.68	117	40138	11.736 ppb		100
39) Tert Amyl Methyl Ether	5.06	73	97602	11.185 ppb		99
40) 1,2-DCA	4.92	62	45518	9.891 ppb		94
41) Benzene	4.89	78	146695	10.477 ppb		98
42) TCE	5.61	95	37748	10.470 ppb		98
43) 2-Pentanone	5.85	43	236465	126.643 ppb		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M27.D Vial: 26
Acq On : 26 Apr 19 1:13 Operator: PM,DG,SV,CMM,KV
Sample : Ending CCV 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
44)	1,2-Dichloropropane	5.85	63	37145	10.646	ppb		97
45)	Bromodichloromethane	6.17	83	44950	11.100	ppb		96
46)	Methyl Cyclohexane	5.82	83	52182	10.359	ppb		96
47)	Dibromomethane	5.97	93	19186	10.689	ppb		96
48)	MIBK (methyl isobutyl ket	6.93	43	25391	9.800	ppb	#	90
49)	1-Bromo-2-chloroethane	6.51	63	23256	10.317	ppb		98
51)	Cis-1,3-Dichloropropene	6.70	75	55999	10.346	ppb		96
52)	Toluene	7.10	91	167966	10.695	ppb		99
53)	Trans-1,3-Dichloropropene	7.38	75	45407	10.027	ppb		99
54)	1,1,2-TCA	7.60	83	23815	10.718	ppb		97
55)	2-Hexanone	7.96	43	16306	9.653	ppb		98
58)	1,2-EDB	8.19	107	28434	10.371	ppb		97
59)	Tetrachloroethene	7.76	164	36392	10.963	ppb		97
60)	1-Chlorohexane	8.87	91	47063	10.237	ppb		97
61)	1,1,1,2-Tetrachloroethane	8.96	131	36377	11.122	ppb		97
62)	m&p-Xylene	9.17	106	148462	21.853	ppb		98
63)	o-Xylene	9.69	106	73024	10.551	ppb		95
64)	Styrene	9.71	104	120267	10.588	ppb		94
66)	1,3-Dichloropropane	7.79	76	51720	10.307	ppb		98
67)	Dibromochloromethane	8.07	129	29630	11.373	ppb		93
68)	Chlorobenzene	8.84	112	109549	10.406	ppb		98
69)	Ethylbenzene	9.01	91	179503	10.467	ppb		95
70)	Bromoform	9.92	173	18116	11.281	ppb		99
72)	Isopropylbenzene	10.21	105	178263	10.247	ppb		99
73)	1,1,2,2-Tetrachloroethane	6.17	83	44950	10.577	ppb		96
74)	1,2,3-Trichloropropane	10.66	110	10782	10.583	ppb		88
75)	t-1,4-Dichloro-2-Butene	10.71	53	3003	7.651	ppb		95
76)	Bromobenzene	10.56	156	49069	10.389	ppb		95
77)	n-Propylbenzene	10.78	91	192956	9.914	ppb		96
78)	4-Ethyltoluene	10.94	105	179542	10.441	ppb		96
79)	2-Chlorotoluene	10.85	91	118177	9.833	ppb		99
80)	1,3,5-Trimethylbenzene	11.04	105	147031	10.049	ppb		97
81)	4-Chlorotoluene	11.01	91	143296	10.237	ppb		97
82)	Tert-Butylbenzene	11.48	119	127155	9.757	ppb		94
83)	1,2,4-Trimethylbenzene	11.55	105	146420	9.929	ppb		98
84)	Sec-Butylbenzene	11.79	105	170643	9.887	ppb		97
85)	p-Isopropyltoluene	12.01	119	77640	9.753	ppb		99
86)	Benzyl Chloride	12.23	91	5837	1.620	ppb		100
87)	1,3-DCB	11.89	146	88707	10.338	ppb		97
88)	1,4-DCB	12.02	146	46016	10.540	ppb		96
89)	n-Butylbenzene	12.59	91	60472	9.334	ppb		99
90)	1,2-DCB	12.53	146	81989	10.350	ppb		99
91)	Hexachloroethane	12.89	117	8320	11.126	ppb		86
92)	1,2-Dibromo-3-chloropropan	13.64	157	5799	10.077	ppb		95
93)	1,2,4-Trichlorobenzene	14.85	180	40409	8.121	ppb		97
94)	Hexachlorobutadiene	15.14	225	22903	8.902	ppb		87
95)	Naphthalene	15.18	128	49273	5.931	ppb		95
96)	1,2,3-Trichlorobenzene	15.53	180	29276	6.800	ppb		91


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M27.D Vial: 26
Acq On : 26 Apr 19 1:13 Operator: PM,DG,SV,CMM,KV
Sample : Ending CCV 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M14.D Vial: 13
Acq On : 25 Apr 19 19:02 Operator: PM,DG,SV,CMM,KV
Sample : AZ90050W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:17 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	698522	25.000	ppb	-0.12
56) Chlorobenzene-D5 (IS)	8.80	117	538780	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	279935	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	136536	25.551	ppb	-0.11
Spiked Amount 25.000			Recovery = 102.204%			
37) 1,2-DCA-D4(S)	4.84	65	142153	23.091	ppb	-0.11
Spiked Amount 25.000			Recovery = 92.364%			
57) Toluene-D8(S)	7.01	98	588401	24.596	ppb	-0.12
Spiked Amount 25.000			Recovery = 98.384%			
65) 4-Bromofluorobenzene(S)	10.39	95	220886	25.162	ppb	-0.13
Spiked Amount 25.000			Recovery = 100.648%			

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M14.D Vial: 13
Acq On : 25 Apr 19 19:02 Operator: PM,DG,SV,CMM,KV
Sample : AZ90050W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:17 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M17.D Vial: 16
Acq On : 25 Apr 19 20:28 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	701384	25.000	ppb	-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	545261	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	281141	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	135286	25.214	ppb	-0.11
Spiked Amount 25.000			Recovery =	100.856%		
37) 1,2-DCA-D4(S)	4.84	65	143322	23.186	ppb	-0.11
Spiked Amount 25.000			Recovery =	92.744%		
57) Toluene-D8(S)	7.02	98	584131	24.127	ppb	-0.12
Spiked Amount 25.000			Recovery =	96.508%		
65) 4-Bromofluorobenzene(S)	10.39	95	221042	24.880	ppb	-0.13
Spiked Amount 25.000			Recovery =	99.520%		

Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M17.D Vial: 16
Acq On : 25 Apr 19 20:28 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M18.D Vial: 17
Acq On : 25 Apr 19 20:56 Operator: PM,DG,SV,CMM,KV
Sample : AZ90052W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:19 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	709606	25.000	ppb	-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	539685	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	276195	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	132664	24.439	ppb	-0.11
Spiked Amount 25.000			Recovery =	97.756%		
37) 1,2-DCA-D4(S)	4.84	65	141695	22.657	ppb	-0.11
Spiked Amount 25.000			Recovery =	90.628%		
57) Toluene-D8(S)	7.02	98	580539	24.227	ppb	-0.12
Spiked Amount 25.000			Recovery =	96.908%		
65) 4-Bromofluorobenzene(S)	10.39	95	216394	24.609	ppb	-0.13
Spiked Amount 25.000			Recovery =	98.436%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M18.D Vial: 17
Acq On : 25 Apr 19 20:56 Operator: PM,DG,SV,CMM,KV
Sample : AZ90052W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:19 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M12.D Vial: 11
Acq On : 25 Apr 19 18:05 Operator: PM,DG,SV,CMM,KV
Sample : AZ90053W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:15 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	748240	25.000	ppb	-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	561096	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	287803	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	146645	25.619	ppb	-0.11
Spiked Amount 25.000			Recovery =	102.476%		
37) 1,2-DCA-D4(S)	4.83	65	154416	23.416	ppb	-0.11
Spiked Amount 25.000			Recovery =	93.664%		
57) Toluene-D8(S)	7.01	98	621817	24.959	ppb	-0.12
Spiked Amount 25.000			Recovery =	99.836%		
65) 4-Bromofluorobenzene(S)	10.39	95	227191	24.851	ppb	-0.13
Spiked Amount 25.000			Recovery =	99.404%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M12.D
Acq On : 25 Apr 19 18:05
Sample : AZ90053W01
Misc : IS,Surr 03/24/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 12:15 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M19.D Vial: 18
Acq On : 25 Apr 19 21:25 Operator: PM,DG,SV,CMM,KV
Sample : AZ90054W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:19 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	701624	25.000	ppb	-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	541522	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	283034	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	133403	24.854	ppb	-0.11
Spiked Amount 25.000			Recovery =	99.416%		
37) 1,2-DCA-D4(S)	4.83	65	142438	23.035	ppb	-0.11
Spiked Amount 25.000			Recovery =	92.140%		
57) Toluene-D8(S)	7.01	98	582352	24.220	ppb	-0.12
Spiked Amount 25.000			Recovery =	96.880%		
65) 4-Bromofluorobenzene(S)	10.39	95	214300	24.288	ppb	-0.13
Spiked Amount 25.000			Recovery =	97.152%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M19.D Vial: 18
Acq On : 25 Apr 19 21:25 Operator: PM,DG,SV,CMM,KV
Sample : AZ90054W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:19 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M15.D Vial: 14
Acq On : 25 Apr 19 19:31 Operator: PM,DG,SV,CMM,KV
Sample : AZ90055W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:17 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	783726	25.000	ppb	-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	585818	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	284947	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	153077	25.532	ppb	-0.11
Spiked Amount 25.000			Recovery = 102.128%			
37) 1,2-DCA-D4(S)	4.84	65	161786	23.423	ppb	-0.11
Spiked Amount 25.000			Recovery = 93.692%			
57) Toluene-D8(S)	7.01	98	647264	24.884	ppb	-0.12
Spiked Amount 25.000			Recovery = 99.536%			
65) 4-Bromofluorobenzene(S)	10.39	95	230012	24.098	ppb	-0.13
Spiked Amount 25.000			Recovery = 96.392%			

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M15.D Vial: 14
Acq On : 25 Apr 19 19:31 Operator: PM,DG,SV,CMM,KV
Sample : AZ90055W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:17 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M20.D Vial: 19
Acq On : 25 Apr 19 21:53 Operator: PM,DG,SV,CMM,KV
Sample : AZ90056W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:23 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	768638	25.000	ppb	-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	578151	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	294599	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	139339	23.697	ppb	-0.11
Spiked Amount 25.000			Recovery =	94.788%		
37) 1,2-DCA-D4(S)	4.84	65	154285	22.776	ppb	-0.11
Spiked Amount 25.000			Recovery =	91.104%		
57) Toluene-D8(S)	7.02	98	628181	24.471	ppb	-0.12
Spiked Amount 25.000			Recovery =	97.884%		
65) 4-Bromofluorobenzene(S)	10.39	95	228644	24.272	ppb	-0.13
Spiked Amount 25.000			Recovery =	97.088%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M20.D Vial: 19
Acq On : 25 Apr 19 21:53 Operator: PM,DG,SV,CMM,KV
Sample : AZ90056W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:23 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M16.D Vial: 15
Acq On : 25 Apr 19 19:59 Operator: PM,DG,SV,CMM,KV
Sample : AZ90057W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:18 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	744311	25.000	ppb	-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	558880	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	286784	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	141704	24.887	ppb	-0.11
Spiked Amount 25.000			Recovery =	99.548%		
37) 1,2-DCA-D4(S)	4.84	65	153295	23.369	ppb	-0.11
Spiked Amount 25.000			Recovery =	93.476%		
57) Toluene-D8(S)	7.02	98	603069	24.302	ppb	-0.12
Spiked Amount 25.000			Recovery =	97.208%		
65) 4-Bromofluorobenzene(S)	10.39	95	223097	24.500	ppb	-0.13
Spiked Amount 25.000			Recovery =	98.000%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M16.D Vial: 15
Acq On : 25 Apr 19 19:59 Operator: PM,DG,SV,CMM,KV
Sample : AZ90057W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:18 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M21.D Vial: 20
Acq On : 25 Apr 19 22:22 Operator: PM,DG,SV,CMM,KV
Sample : AZ90058W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:24 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	746252	25.000	ppb	-0.12
56) Chlorobenzene-D5 (IS)	8.80	117	571073	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	295723	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	141141	24.723	ppb	-0.11
Spiked Amount 25.000			Recovery =	98.892%		
37) 1,2-DCA-D4(S)	4.83	65	153371	23.320	ppb	-0.11
Spiked Amount 25.000			Recovery =	93.280%		
57) Toluene-D8(S)	7.02	98	619629	24.437	ppb	-0.12
Spiked Amount 25.000			Recovery =	97.748%		
65) 4-Bromofluorobenzene(S)	10.39	95	230203	24.740	ppb	-0.13
Spiked Amount 25.000			Recovery =	98.960%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M21.D
Acq On : 25 Apr 19 22:22
Sample : AZ90058W01
Misc : IS,Surr 03/24/19

Vial: 20
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 12:24 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M13.D Vial: 12
Acq On : 25 Apr 19 18:34 Operator: PM,DG,SV,CMM,KV
Sample : AZ90059W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:16 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	705837	25.000	ppb	-0.12
56) Chlorobenzene-D5 (IS)	8.80	117	541846	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	286214	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	136138	25.212	ppb	-0.11
Spiked Amount 25.000			Recovery = 100.848%			
37) 1,2-DCA-D4(S)	4.83	65	144819	23.280	ppb	-0.11
Spiked Amount 25.000			Recovery = 93.120%			
57) Toluene-D8(S)	7.02	98	593321	24.661	ppb	-0.12
Spiked Amount 25.000			Recovery = 98.644%			
65) 4-Bromofluorobenzene(S)	10.39	95	221532	25.093	ppb	-0.13
Spiked Amount 25.000			Recovery = 100.372%			

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M13.D Vial: 12
Acq On : 25 Apr 19 18:34 Operator: PM,DG,SV,CMM,KV
Sample : AZ90059W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:16 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M22.D Vial: 21
Acq On : 25 Apr 19 22:50 Operator: PM,DG,SV,CMM,KV
Sample : AZ90060W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:26 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	809717	25.000	ppb	-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	608003	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	304633	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	150387	24.278	ppb	-0.11
Spiked Amount 25.000			Recovery =	97.112%		
37) 1,2-DCA-D4(S)	4.83	65	162505	22.772	ppb	-0.11
Spiked Amount 25.000			Recovery =	91.088%		
57) Toluene-D8(S)	7.01	98	651641	24.138	ppb	-0.12
Spiked Amount 25.000			Recovery =	96.552%		
65) 4-Bromofluorobenzene(S)	10.39	95	236256	23.849	ppb	-0.13
Spiked Amount 25.000			Recovery =	95.396%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M22.D
Acq On : 25 Apr 19 22:50
Sample : AZ90060W01
Misc : IS,Surr 03/24/19

Vial: 21
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 12:26 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M10.D Vial: 9
Acq On : 25 Apr 19 17:08 Operator: PM,DG,SV,CMM,KV
Sample : 190425A blk Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 12:13 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	724713	25.000	ppb	-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	561675	25.000	ppb	-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	294075	25.000	ppb	-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	141762	25.570	ppb	-0.11
Spiked Amount 25.000			Recovery = 102.280%			
37) 1,2-DCA-D4(S)	4.83	65	149599	23.422	ppb	-0.11
Spiked Amount 25.000			Recovery = 93.688%			
57) Toluene-D8(S)	7.01	98	606922	24.336	ppb	-0.12
Spiked Amount 25.000			Recovery = 97.344%			
65) 4-Bromofluorobenzene(S)	10.39	95	228485	24.967	ppb	-0.13
Spiked Amount 25.000			Recovery = 99.868%			

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190401\0425M10.D
Acq On : 25 Apr 19 17:08
Sample : 190425A blk
Misc : IS,Surr 03/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 12:13 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M04.D Vial: 3
Acq On : 25 Apr 19 14:17 Operator: PM,DG,SV,CMM,KV
Sample : 190425A LCS 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	5.20	96	729105	25.000	ppb		-0.12
56) Chlorobenzene-D5 (IS)	8.80	117	584018	25.000	ppb		-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	329157	25.000	ppb		-0.13
System Monitoring Compounds							
32) Dibromofluoromethane(S)	4.49	111	147212	26.393	ppb		-0.11
Spiked Amount 25.000			Recovery = 105.572%				
37) 1,2-DCA-D4(S)	4.83	65	153529	23.893	ppb		-0.12
Spiked Amount 25.000			Recovery = 95.572%				
57) Toluene-D8(S)	7.01	98	621695	23.975	ppb		-0.12
Spiked Amount 25.000			Recovery = 95.900%				
65) 4-Bromofluorobenzene(S)	10.39	95	244121	25.655	ppb		-0.13
Spiked Amount 25.000			Recovery = 102.620%				
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.10	85	24728	12.319	ppb		98
3) Freon 114	1.18	85	29286	10.602	ppb		91
4) Chloromethane	1.22	50	38432	12.600	ppb		97
5) Vinyl chloride	1.31	62	42200	12.751	ppb		89
6) Bromomethane	1.55	94	25495	12.255	ppb		95
7) Chloroethane	1.63	64	23421	9.797	ppb		93
8) Dichlorofluoromethane	1.80	67	56426	9.836	ppb		97
9) Trichlorofluoromethane	1.84	101	48175	11.533	ppb		97
10) Acrolein	2.21	56	29672	318.947	ppb		96
11) Acetone	2.37	43	7129	8.968	ppb		97
13) 1,1-DCE	2.29	61	39610	9.557	ppb		93
14) Acetonitrile	2.62	41	38000	123.746	ppb	#	87
15) t-Butanol	2.94	59	22475	124.164	ppb	#	90
16) Methyl Acetate	2.68	43	9881	9.906	ppb		93
17) Iodomethane	2.42	142	32381	10.300	ppb		98
18) Acrylonitrile	2.99	53	10788	11.882	ppb		94
19) Methylene chloride	2.74	84	33392	10.340	ppb		93
20) Carbon disulfide	2.46	76	83299	10.700	ppb		99
21) Methyl t-butyl ether (MtBE	3.04	73	40880	10.850	ppb		99
22) Trans-1,2-DCE	3.00	96	30354	10.358	ppb		98
23) Diisopropyl Ether	3.53	45	117418	10.578	ppb		97
24) 1,1-DCA	3.40	63	56244	9.767	ppb		99
25) Vinyl Acetate	3.50	43	28973	9.930	ppb	#	100
26) Ethyl tert Butyl Ether	3.89	59	107981	11.407	ppb		98
27) MEK (2-Butanone)	4.04	43	11066	10.754	ppb		94
28) Cis-1,2-DCE	3.99	96	37405	10.574	ppb		97
29) 2,2-Dichloropropane	3.98	77	49496	10.336	ppb		99
30) Chloroform	4.33	83	57068	10.046	ppb		94
31) Bromochloromethane	4.23	128	17603	10.716	ppb		93
33) 1,1,1-TCA	4.50	97	46798	9.749	ppb		95
34) Cyclohexane	4.55	41	26944	8.991	ppb		87
35) 1,1-Dichloropropene	4.68	75	39975	10.103	ppb		93
36) 2,2,4-Trimethylpentane	5.01	57	82615	9.923	ppb		98
38) Carbon Tetrachloride	4.67	117	35535	11.098	ppb		96
39) Tert Amyl Methyl Ether	5.06	73	98141	12.014	ppb		99
40) 1,2-DCA	4.91	62	42071	9.766	ppb		99
41) Benzene	4.89	78	131011	9.995	ppb		99
42) TCE	5.60	95	33092	9.804	ppb		99
43) 2-Pentanone	5.85	43	229436	131.254	ppb		99

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190401\0425M04.D Vial: 3
Acq On : 25 Apr 19 14:17 Operator: PM,DG,SV,CMM,KV
Sample : 190425A LCS 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA


	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
44)	1,2-Dichloropropane	5.84	63	33423	10.232 ppb	98
45)	Bromodichloromethane	6.17	83	40452	10.670 ppb	97
46)	Methyl Cyclohexane	5.81	83	47419	10.056 ppb	98
47)	Dibromomethane	5.97	93	18351	10.921 ppb	95
48)	MIBK (methyl isobutyl ket	6.93	43	24762	10.208 ppb	94
49)	1-Bromo-2-chloroethane	6.51	63	23096	10.944 ppb	97
51)	Cis-1,3-Dichloropropene	6.70	75	54457	10.747 ppb	96
52)	Toluene	7.09	91	150179	10.214 ppb	98
53)	Trans-1,3-Dichloropropene	7.38	75	45753	10.792 ppb	100
54)	1,1,2-TCA	7.59	83	22612	10.870 ppb	89
55)	2-Hexanone	7.96	43	16943	10.714 ppb	97
58)	1,2-EDB	8.18	107	27760	10.463 ppb	100
59)	Tetrachloroethene	7.76	164	31899	9.930 ppb	96
60)	1-Chlorohexane	8.87	91	44051	9.901 ppb	98
61)	1,1,1,2-Tetrachloroethane	8.96	131	33028	10.435 ppb	95
62)	m&p-Xylene	9.17	106	134658	20.482 ppb	99
63)	o-Xylene	9.69	106	67275	10.044 ppb	96
64)	Styrene	9.71	104	114693	10.434 ppb	93
66)	1,3-Dichloropropane	7.79	76	48715	10.032 ppb	96
67)	Dibromochloromethane	8.06	129	28569	11.331 ppb	92
68)	Chlorobenzene	8.84	112	102959	10.106 ppb	99
69)	Ethylbenzene	9.01	91	167680	10.103 ppb	95
70)	Bromoform	9.92	173	17551	11.292 ppb	99
72)	Isopropylbenzene	10.21	105	163096	9.021 ppb	96
73)	1,1,2,2-Tetrachloroethane	6.17	83	40452	9.159 ppb	97
74)	1,2,3-Trichloropropane	10.66	110	10442	9.862 ppb	97
75)	t-1,4-Dichloro-2-Butene	10.71	53	4154	10.184 ppb	91
76)	Bromobenzene	10.56	156	46487	9.470 ppb	97
77)	n-Propylbenzene	10.78	91	185207	9.156 ppb	95
78)	4-Ethyltoluene	10.94	105	171834	9.615 ppb	98
79)	2-Chlorotoluene	10.85	91	114167	9.141 ppb	95
80)	1,3,5-Trimethylbenzene	11.04	105	138060	9.080 ppb	95
81)	4-Chlorotoluene	11.01	91	135262	9.298 ppb	98
82)	Tert-Butylbenzene	11.48	119	122021	9.009 ppb	95
83)	1,2,4-Trimethylbenzene	11.55	105	141967	9.263 ppb	100
84)	Sec-Butylbenzene	11.79	105	164503	9.171 ppb	95
85)	p-Isopropyltoluene	12.01	119	76192	9.209 ppb	98
86)	Benzyl Chloride	12.23	91	10196	2.723 ppb	98
87)	1,3-DCB	11.89	146	86488	9.699 ppb	97
88)	1,4-DCB	12.02	146	46032	10.145 ppb	99
89)	n-Butylbenzene	12.59	91	63968	9.501 ppb	97
90)	1,2-DCB	12.53	146	81717	9.926 ppb	98
91)	Hexachloroethane	12.89	117	7819	10.264 ppb	96
92)	1,2-Dibromo-3-chloropropan	13.64	157	6199	10.365 ppb	96
93)	1,2,4-Trichlorobenzene	14.85	180	50613	9.787 ppb	96
94)	Hexachlorobutadiene	15.15	225	25018	9.357 ppb	89
95)	Naphthalene	15.18	128	72340	8.379 ppb	95
96)	1,2,3-Trichlorobenzene	15.53	180	40094	8.961 ppb	94

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190401\0425M04.D Vial: 3
Acq On : 25 Apr 19 14:17 Operator: PM,DG,SV,CMM,KV
Sample : 190425A LCS 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M05.D Vial: 4
Acq On : 25 Apr 19 14:46 Operator: PM,DG,SV,CMM,KV
Sample : 190425A LCSD 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.20	96	726393	25.000 ppb		-0.12
56) Chlorobenzene-D5 (IS)	8.80	117	574203	25.000 ppb		-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	317313	25.000 ppb		-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	145516	26.187 ppb		-0.11
Spiked Amount 25.000			Recovery = 104.748%			
37) 1,2-DCA-D4(S)	4.83	65	155328	24.263 ppb		-0.12
Spiked Amount 25.000			Recovery = 97.052%			
57) Toluene-D8(S)	7.01	98	625101	24.518 ppb		-0.12
Spiked Amount 25.000			Recovery = 98.072%			
65) 4-Bromofluorobenzene(S)	10.39	95	242189	25.887 ppb		-0.13
Spiked Amount 25.000			Recovery = 103.548%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.10	85	25968	12.985 ppb		94
3) Freon 114	1.19	85	29766	10.816 ppb		92
4) Chloromethane	1.23	50	35264	11.601 ppb		97
5) Vinyl chloride	1.31	62	42471	12.881 ppb		92
6) Bromomethane	1.55	94	25092	12.106 ppb		95
7) Chloroethane	1.64	64	23197	9.734 ppb		92
8) Dichlorofluoromethane	1.81	67	55929	9.786 ppb		96
9) Trichlorofluoromethane	1.84	101	48239	11.591 ppb		97
10) Acrolein	2.21	56	27648	298.300 ppb		95
11) Acetone	2.37	43	7311	9.318 ppb		93
13) 1,1-DCE	2.29	61	41172	9.971 ppb		97
14) Acetonitrile	2.63	41	38021	124.277 ppb		94
15) t-Butanol	2.96	59	22540	124.988 ppb	#	88
16) Methyl Acetate	2.68	43	9521	9.580 ppb		100
17) Iodomethane	2.42	142	31716	10.152 ppb		98
18) Acrylonitrile	2.99	53	10463	11.567 ppb		97
19) Methylene chloride	2.75	84	32042	9.959 ppb		97
20) Carbon disulfide	2.46	76	82930	10.693 ppb		100
21) Methyl t-butyl ether (MtBE	3.04	73	38576	10.276 ppb		99
22) Trans-1,2-DCE	3.00	96	30229	10.354 ppb		99
23) Diisopropyl Ether	3.53	45	112273	10.152 ppb		97
24) 1,1-DCA	3.41	63	56466	9.842 ppb		99
25) Vinyl Acetate	3.50	43	27710	9.532 ppb	#	100
26) Ethyl tert Butyl Ether	3.90	59	103267	10.950 ppb		98
27) MEK (2-Butanone)	4.04	43	12086	11.954 ppb		89
28) Cis-1,2-DCE	3.99	96	36483	10.352 ppb		93
29) 2,2-Dichloropropane	3.98	77	48922	10.255 ppb		95
30) Chloroform	4.33	83	56491	9.981 ppb		96
31) Bromochloromethane	4.23	128	17529	10.711 ppb		97
33) 1,1,1-TCA	4.50	97	47212	9.872 ppb		95
34) Cyclohexane	4.55	41	29217	9.786 ppb		97
35) 1,1-Dichloropropene	4.68	75	41188	10.448 ppb		98
36) 2,2,4-Trimethylpentane	5.01	57	85241	10.277 ppb		99
38) Carbon Tetrachloride	4.67	117	36474	11.434 ppb		96
39) Tert Amyl Methyl Ether	5.07	73	94787	11.646 ppb		98
40) 1,2-DCA	4.91	62	41640	9.702 ppb		99
41) Benzene	4.89	78	131222	10.048 ppb		99
42) TCE	5.60	95	32420	9.641 ppb		96
43) 2-Pentanone	5.85	43	215567	123.781 ppb		98

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190401\0425M05.D Vial: 4
Acq On : 25 Apr 19 14:46 Operator: PM,DG,SV,CMM,KV
Sample : 190425A LCSD 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
44)	1,2-Dichloropropane	5.84	63	32643	10.031	ppb	#	96
45)	Bromodichloromethane	6.17	83	39802	10.538	ppb		92
46)	Methyl Cyclohexane	5.81	83	47558	10.123	ppb		99
47)	Dibromomethane	5.97	93	17315	10.343	ppb		95
48)	MIBK (methyl isobutyl ket	6.93	43	23655	9.788	ppb		93
49)	1-Bromo-2-chloroethane	6.51	63	21528	10.239	ppb		99
51)	Cis-1,3-Dichloropropene	6.70	75	53103	10.519	ppb		98
52)	Toluene	7.09	91	149364	10.197	ppb		98
53)	Trans-1,3-Dichloropropene	7.38	75	45584	10.793	ppb		98
54)	1,1,2-TCA	7.60	83	21193	10.226	ppb		95
55)	2-Hexanone	7.96	43	15690	9.959	ppb	#	96
58)	1,2-EDB	8.18	107	26116	10.011	ppb		99
59)	Tetrachloroethene	7.76	164	32398	10.257	ppb		97
60)	1-Chlorohexane	8.87	91	45114	10.314	ppb		97
61)	1,1,1,2-Tetrachloroethane	8.96	131	31972	10.274	ppb		95
62)	m&p-Xylene	9.17	106	133106	20.592	ppb		98
63)	o-Xylene	9.69	106	65373	9.927	ppb		97
64)	Styrene	9.71	104	111285	10.297	ppb		92
66)	1,3-Dichloropropane	7.79	76	46013	9.637	ppb		99
67)	Dibromochloromethane	8.06	129	28097	11.334	ppb		95
68)	Chlorobenzene	8.84	112	99738	9.957	ppb		98
69)	Ethylbenzene	9.01	91	163467	10.018	ppb		97
70)	Bromoform	9.92	173	16902	11.094	ppb		95
72)	Isopropylbenzene	10.21	105	160997	9.237	ppb		100
73)	1,1,2,2-Tetrachloroethane	6.17	83	39802	9.349	ppb		92
74)	1,2,3-Trichloropropane	10.66	110	9668	9.471	ppb		99
75)	t-1,4-Dichloro-2-Butene	10.71	53	4092	10.407	ppb		91
76)	Bromobenzene	10.56	156	45750	9.668	ppb		94
77)	n-Propylbenzene	10.78	91	181809	9.324	ppb		96
78)	4-Ethyltoluene	10.94	105	167208	9.706	ppb		96
79)	2-Chlorotoluene	10.85	91	111061	9.224	ppb		99
80)	1,3,5-Trimethylbenzene	11.04	105	136568	9.317	ppb		98
81)	4-Chlorotoluene	11.01	91	130579	9.311	ppb		98
82)	Tert-Butylbenzene	11.48	119	118013	9.039	ppb		96
83)	1,2,4-Trimethylbenzene	11.55	105	137299	9.293	ppb		99
84)	Sec-Butylbenzene	11.79	105	163017	9.428	ppb		94
85)	p-Isopropyltoluene	12.01	119	76648	9.610	ppb		98
86)	Benzyl Chloride	12.23	91	9274	2.570	ppb		99
87)	1,3-DCB	11.89	146	83235	9.682	ppb		100
88)	1,4-DCB	12.02	146	44344	10.138	ppb		99
89)	n-Butylbenzene	12.59	91	60432	9.311	ppb		98
90)	1,2-DCB	12.53	146	78113	9.843	ppb		98
91)	Hexachloroethane	12.88	117	7565	10.294	ppb		91
92)	1,2-Dibromo-3-chloropropan	13.64	157	5990	10.389	ppb		89
93)	1,2,4-Trichlorobenzene	14.85	180	47657	9.560	ppb		95
94)	Hexachlorobutadiene	15.15	225	23510	9.121	ppb		97
95)	Naphthalene	15.18	128	73622	8.846	ppb		96
96)	1,2,3-Trichlorobenzene	15.53	180	38213	8.859	ppb		92


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M05.D Vial: 4
Acq On : 25 Apr 19 14:46 Operator: PM,DG,SV,CMM,KV
Sample : 190425A LCSD 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M23.D Vial: 22
Acq On : 25 Apr 19 23:19 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W04 MS 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.21	96	746831	25.0000 ppb		-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	566526	25.0000 ppb		-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	297794	25.0000 ppb		-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	148191	25.9382 ppb		-0.11
Spiked Amount 25.000			Recovery = 103.752%			
37) 1,2-DCA-D4(S)	4.83	65	158107	24.0213 ppb		-0.11
Spiked Amount 25.000			Recovery = 96.084%			
57) Toluene-D8(S)	7.02	98	618054	24.5702 ppb		-0.12
Spiked Amount 25.000			Recovery = 98.280%			
65) 4-Bromofluorobenzene(S)	10.39	95	230776	25.0011 ppb		-0.13
Spiked Amount 25.000			Recovery = 100.004%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.10	85	26088	12.6881 ppb		94
3) Freon 114	1.19	85	33124	11.7073 ppb		99
4) Chloromethane	1.24	50	34424	11.0125 ppb		97
5) Vinyl chloride	1.31	62	46703	13.7764 ppb		91
6) Bromomethane	1.55	94	29607	13.8934 ppb		97
7) Chloroethane	1.64	64	31558	13.1975 ppb		97
8) Dichlorofluoromethane	1.81	67	64606	10.9945 ppb		98
9) Trichlorofluoromethane	1.85	101	58646	13.7060 ppb		99
10) Acrolein	2.22	56	34592	363.0069 ppb		97
11) Acetone	2.37	43	7462	9.2289 ppb		98
12) Freon-113	2.32	101	23995	9.7823 ppb		97
13) 1,1-DCE	2.30	61	46033	10.8433 ppb		96
14) Acetonitrile	2.62	41	50508	160.5740 ppb		90
15) t-Butanol	2.93	59	28956	156.1721 ppb	#	89
16) Methyl Acetate	2.68	43	11969	11.7142 ppb		95
17) Iodomethane	2.42	142	16954	6.0015 ppb		100
18) Acrylonitrile	2.99	53	12395	13.3279 ppb		91
19) Methylene chloride	2.75	84	39151	11.8351 ppb		96
20) Carbon disulfide	2.47	76	91950	11.5314 ppb		99
21) Methyl t-butyl ether (MtBE	3.04	73	50128	12.9883 ppb		98
22) Trans-1,2-DCE	3.01	96	37015	12.3311 ppb		96
23) Diisopropyl Ether	3.54	45	133591	11.7490 ppb		97
24) 1,1-DCA	3.41	63	66825	11.3290 ppb		100
25) Vinyl Acetate	3.53	43	33424	11.1833 ppb		100
26) Ethyl tert Butyl Ether	3.90	59	121242	12.5038 ppb		98
27) MEK (2-Butanone)	4.04	43	12778	12.3406 ppb		98
28) Cis-1,2-DCE	4.00	96	42147	11.6315 ppb		91
29) 2,2-Dichloropropane	3.99	77	51090	10.4159 ppb		99
30) Chloroform	4.33	83	70234	12.0699 ppb		97
31) Bromochloromethane	4.23	128	20190	11.9995 ppb		96
33) 1,1,1-TCA	4.51	97	56464	11.4830 ppb		91
34) Cyclohexane	4.56	41	34994	11.3999 ppb		97
35) 1,1-Dichloropropene	4.68	75	46314	11.4273 ppb		96
36) 2,2,4-Trimethylpentane	5.02	57	95187	11.1617 ppb		97
38) Carbon Tetrachloride	4.68	117	43680	13.3185 ppb		99
39) Tert Amyl Methyl Ether	5.07	73	108925	13.0172 ppb		98
40) 1,2-DCA	4.91	62	51494	11.6692 ppb		99
41) Benzene	4.89	78	161277	12.0119 ppb		100
42) TCE	5.61	95	39654	11.4690 ppb		96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M23.D Vial: 22
Acq On : 25 Apr 19 23:19 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W04 MS 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
43)	2-Pentanone	5.85	43	260834	145.6746	ppb		100
44)	1,2-Dichloropropane	5.85	63	41026	12.2620	ppb	#	96
45)	Bromodichloromethane	6.17	83	47318	12.1849	ppb		99
46)	Methyl Cyclohexane	5.82	83	56716	11.7416	ppb		99
47)	Dibromomethane	5.97	93	21176	12.3031	ppb		96
48)	MIBK (methyl isobutyl ket	6.93	43	26774	10.7757	ppb		92
49)	1-Bromo-2-chloroethane	6.51	63	26320	12.1759	ppb		95
51)	Cis-1,3-Dichloropropene	6.70	75	61159	11.7828	ppb		99
52)	Toluene	7.10	91	235803	15.6575	ppb		96
53)	Trans-1,3-Dichloropropene	7.38	75	53503	12.3209	ppb		96
54)	1,1,2-TCA	7.60	83	26453	12.4149	ppb		97
55)	2-Hexanone	7.96	43	16053	9.9105	ppb		96
58)	1,2-EDB	8.19	107	31740	12.3322	ppb		95
59)	Tetrachloroethene	7.76	164	38853	12.4677	ppb		98
60)	1-Chlorohexane	8.87	91	48556	11.2510	ppb		95
61)	1,1,1,2-Tetrachloroethane	8.96	131	36893	12.0159	ppb		90
62)	m&p-Xylene	9.17	106	169219	26.5336	ppb		100
63)	o-Xylene	9.69	106	85453	13.1523	ppb		97
64)	Styrene	9.71	104	132138	12.3927	ppb		93
66)	1,3-Dichloropropane	7.79	76	54262	11.5190	ppb		95
67)	Dibromochloromethane	8.06	129	32189	13.1611	ppb		89
68)	Chlorobenzene	8.84	112	116475	11.7860	ppb		98
69)	Ethylbenzene	9.01	91	201147	12.4942	ppb		93
70)	Bromoform	9.92	173	18394	12.0707	ppb		97
72)	Isopropylbenzene	10.21	105	180089	11.0095	ppb		97
73)	1,1,2,2-Tetrachloroethane	6.17	83	47318	11.8424	ppb		99
74)	1,2,3-Trichloropropane	10.66	110	12489	13.0371	ppb		94
75)	t-1,4-Dichloro-2-Butene	10.71	53	3985	10.7989	ppb		86
76)	Bromobenzene	10.56	156	50489	11.3686	ppb		97
77)	n-Propylbenzene	10.78	91	202996	11.0924	ppb		96
78)	4-Ethyltoluene	10.94	105	197346	12.2060	ppb		98
79)	2-Chlorotoluene	10.85	91	116880	10.3434	ppb		100
80)	1,3,5-Trimethylbenzene	11.04	105	157070	11.4178	ppb		98
81)	4-Chlorotoluene	11.01	91	141068	10.7183	ppb		98
82)	Tert-Butylbenzene	11.48	119	130058	10.6142	ppb		95
83)	1,2,4-Trimethylbenzene	11.55	105	165272	11.9195	ppb		96
84)	Sec-Butylbenzene	11.79	105	174061	10.7262	ppb		96
85)	p-Isopropyltoluene	12.01	119	79960	10.6826	ppb		99
86)	Benzyl Chloride	12.23	91	7419	2.1903	ppb		94
87)	1,3-DCB	11.89	146	90190	11.1792	ppb		100
88)	1,4-DCB	12.02	146	48136	11.7265	ppb		100
89)	n-Butylbenzene	12.59	91	61608	10.1139	ppb		98
90)	1,2-DCB	12.53	146	89732	12.0476	ppb		98
91)	Hexachloroethane	12.88	117	8041	11.3767	ppb		97
92)	1,2-Dibromo-3-chloropropan	13.64	157	6408	11.8426	ppb		92
93)	1,2,4-Trichlorobenzene	14.84	180	45386	9.7007	ppb		97
94)	Hexachlorobutadiene	15.15	225	23250	9.6113	ppb		91
95)	Naphthalene	15.18	128	53120	6.8006	ppb		98
96)	1,2,3-Trichlorobenzene	15.53	180	30865	7.6246	ppb		96


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M23.D Vial: 22
Acq On : 25 Apr 19 23:19 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W04 MS 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed May 01 09:43:56 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M24.D Vial: 23
Acq On : 25 Apr 19 23:47 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W05 MSD 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Fluorobenzene (IS)	5.21	96	755025	25.0000	ppb		-0.11
56) Chlorobenzene-D5 (IS)	8.80	117	570656	25.0000	ppb		-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	301145	25.0000	ppb		-0.13
System Monitoring Compounds							
32) Dibromofluoromethane(S)	4.49	111	136914	23.7043	ppb		-0.11
Spiked Amount 25.000			Recovery = 94.816%				
37) 1,2-DCA-D4(S)	4.83	65	149916	22.5297	ppb		-0.11
Spiked Amount 25.000			Recovery = 90.120%				
57) Toluene-D8(S)	7.02	98	605791	23.9084	ppb		-0.12
Spiked Amount 25.000			Recovery = 95.632%				
65) 4-Bromofluorobenzene(S)	10.39	95	224503	24.1455	ppb		-0.13
Spiked Amount 25.000			Recovery = 96.580%				
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.10	85	9483	4.5621	ppb		99
3) Freon 114	1.19	85	25214	8.8149	ppb		99
4) Chloromethane	1.26	50	10536	3.3029	ppb		94
5) Vinyl chloride	1.31	62	32262	9.4133	ppb		93
6) Bromomethane	1.55	94	16363	7.5952	ppb		82
7) Chloroethane	1.64	64	20291	8.0355	ppb		89
8) Dichlorofluoromethane	1.81	67	46111	7.7619	ppb		99
9) Trichlorofluoromethane	1.85	101	38781	8.9650	ppb		97
10) Acrolein	2.22	56	23960	248.7064	ppb		99
11) Acetone	2.37	43	7272	8.7902	ppb		91
12) Freon-113	2.32	101	16514	6.6594	ppb		97
13) 1,1-DCE	2.30	61	40779	9.5014	ppb		97
14) Acetonitrile	2.62	41	37309	117.3247	ppb		90
15) t-Butanol	2.93	59	5303	28.2909	ppb		96
16) Methyl Acetate	2.69	43	7695	7.4494	ppb		94
17) Iodomethane	2.43	142	4684	2.7349	ppb	#	82
18) Acrylonitrile	2.99	53	7472	7.9472	ppb		96
19) Methylene chloride	2.75	84	28809	8.6142	ppb		92
20) Carbon disulfide	2.47	76	66297	8.2240	ppb		100
21) Methyl t-butyl ether (MtBE	3.04	73	2582	0.6617	ppb	#	62
22) Trans-1,2-DCE	3.01	96	26792	8.8285	ppb		92
23) Diisopropyl Ether	3.53	45	91841	7.9895	ppb		96
24) 1,1-DCA	3.41	63	47596	7.9815	ppb		98
25) Vinyl Acetate	3.53	43	21981	7.2748	ppb		100
26) Ethyl tert Butyl Ether	3.89	59	6888	0.7027	ppb		94
27) MEK (2-Butanone)	4.04	43	6647	5.5190	ppb		100
28) Cis-1,2-DCE	4.00	96	30067	8.2077	ppb		85
29) 2,2-Dichloropropane	3.99	77	1371	0.2765	ppb	#	1
30) Chloroform	4.33	83	50071	8.5115	ppb		94
31) Bromochloromethane	4.23	128	13541	7.9605	ppb		93
33) 1,1,1-TCA	4.50	97	32018	6.4408	ppb		90
34) Cyclohexane	4.56	41	25145	8.1025	ppb		94
35) 1,1-Dichloropropene	4.68	75	34385	8.3919	ppb		96
36) 2,2,4-Trimethylpentane	5.02	57	67453	7.8238	ppb		91
38) Carbon Tetrachloride	4.68	117	19132	5.7703	ppb		99
39) Tert Amyl Methyl Ether	5.06	73	7001	0.8276	ppb		97
40) 1,2-DCA	4.92	62	36703	8.2271	ppb		99
41) Benzene	4.89	78	113846	8.3872	ppb		99
42) TCE	5.61	95	29483	8.4348	ppb		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M24.D Vial: 23
Acq On : 25 Apr 19 23:47 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W05 MSD 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
43)	2-Pentanone	5.85	43	117078	64.6779	ppb		98
44)	1,2-Dichloropropane	5.84	63	29290	8.6593	ppb		98
45)	Bromodichloromethane	6.17	83	30777	7.8394	ppb		98
46)	Methyl Cyclohexane	5.82	83	41139	8.4243	ppb		99
47)	Dibromomethane	5.97	93	12753	7.3290	ppb		89
48)	MIBK (methyl isobutyl ket	6.93	43	15286	6.0854	ppb		94
49)	1-Bromo-2-chloroethane	6.51	63	16298	7.4578	ppb		97
51)	Cis-1,3-Dichloropropene	6.70	75	30261	5.7668	ppb		99
52)	Toluene	7.10	91	173783	11.4141	ppb		97
53)	Trans-1,3-Dichloropropene	7.38	75	14731	3.3555	ppb		96
54)	1,1,2-TCA	7.60	83	18087	8.3964	ppb		97
55)	2-Hexanone	7.96	43	10722	6.5475	ppb		96
58)	1,2-EDB	8.19	107	9862	3.8040	ppb		89
59)	Tetrachloroethene	7.76	164	31928	10.1713	ppb		97
60)	1-Chlorohexane	8.87	91	33724	7.7577	ppb		97
61)	1,1,1,2-Tetrachloroethane	8.96	131	23538	7.6108	ppb		100
62)	m&p-Xylene	9.17	106	122568	19.0796	ppb		100
63)	o-Xylene	9.69	106	62623	9.5687	ppb		92
64)	Styrene	9.71	104	93965	8.7488	ppb		95
66)	1,3-Dichloropropane	7.79	76	32307	6.8086	ppb		99
67)	Dibromochloromethane	8.06	129	19340	7.8503	ppb		93
68)	Chlorobenzene	8.84	112	85197	8.5586	ppb		98
69)	Ethylbenzene	9.01	91	143554	8.8523	ppb		96
70)	Bromoform	9.92	173	10935	7.7830	ppb		96
72)	Isopropylbenzene	10.21	105	129660	7.8384	ppb		98
73)	1,1,2,2-Tetrachloroethane	6.17	83	30777	7.6169	ppb	#	98
74)	1,2,3-Trichloropropane	10.66	110	8867	9.1531	ppb		94
75)	t-1,4-Dichloro-2-Butene	10.71	53	949	2.5431	ppb		89
76)	Bromobenzene	10.56	156	37259	8.2962	ppb		94
77)	n-Propylbenzene	10.78	91	146415	7.9116	ppb		97
78)	4-Ethyltoluene	10.94	105	141434	8.6504	ppb		99
79)	2-Chlorotoluene	10.85	91	85614	7.4922	ppb		99
80)	1,3,5-Trimethylbenzene	11.04	105	113254	8.1411	ppb		98
81)	4-Chlorotoluene	11.01	91	103489	7.7756	ppb		97
82)	Tert-Butylbenzene	11.48	119	92733	7.4838	ppb		96
83)	1,2,4-Trimethylbenzene	11.55	105	121297	8.6507	ppb		99
84)	Sec-Butylbenzene	11.79	105	127582	7.7745	ppb		93
85)	p-Isopropyltoluene	12.01	119	57336	7.5748	ppb		98
86)	Benzyl Chloride	12.23	91	3933	1.1482	ppb		98
87)	1,3-DCB	11.89	146	65423	8.0190	ppb		97
88)	1,4-DCB	12.02	146	37888	9.1273	ppb		99
89)	n-Butylbenzene	12.60	91	42536	6.9052	ppb		96
90)	1,2-DCB	12.53	146	67116	8.9109	ppb		99
91)	Hexachloroethane	12.89	117	4515	7.2631	ppb		88
92)	1,2-Dibromo-3-chloropropan	13.64	157	4536	8.2897	ppb		90
93)	1,2,4-Trichlorobenzene	14.84	180	34372	7.2649	ppb		97
94)	Hexachlorobutadiene	15.15	225	17869	7.3047	ppb		89
95)	Naphthalene	15.18	128	35995	4.5569	ppb		97
96)	1,2,3-Trichlorobenzene	15.53	180	22068	5.3908	ppb		91


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M24.D Vial: 23
Acq On : 25 Apr 19 23:47 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W05 MSD 10ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 8:29 2019 Quant Results File: M0324.RES


Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Wed May 01 09:43:56 2019
Response via : Initial Calibration




Data File : M:\MAX\DATA\M190324\0324M01.D
Acq On : 24 Mar 19 10:39
Sample : 25ug/L BFB 3/11/19
Misc : 2ul

Vial: 1
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B





Spectrum Information: Average of 5.637 to 5.673 min.


Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	18.1	6437	PASS
75	95	30	60	49.1	17449	PASS
95	95	100	100	100.0	35572	PASS
96	95	5	9	6.9	2445	PASS
173	174	0.00	2	0.4	130	PASS
174	95	50	100	92.4	32863	PASS
175	174	5	9	7.8	2572	PASS
176	174	95	101	96.4	31664	PASS
177	176	5	9	7.4	2328	PASS

BFB

Data File : M:\MAX\DATA\M190401\0425M01.D
Acq On : 25 Apr 19 12:55
Sample : 25ug/L BFB 3/11/19
Misc : 2ul

Vial: 1
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B



AutoFind: Scans 389, 390, 391; Background Corrected with Scan 375

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	16.1	4900	PASS
75	95	30	60	47.8	14533	PASS
95	95	100	100	100.0	30407	PASS
96	95	5	9	8.4	2569	PASS
173	174	0.00	2	0.3	101	PASS
174	95	50	100	98.4	29920	PASS
175	174	5	9	7.7	2289	PASS
176	174	95	101	95.8	28656	PASS
177	176	5	9	8.3	2373	PASS

Max 8260 Standard Prep

Max 8260 Water Calibration Curve

0.3ug/L

Prepared By (Initials): DG

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	0.3ug/L	5	Prepared 03/21/19	05/20/19	N/A	3uL	50mL	P&T Water	0.3
VOA STD. 10	O2SI		5	Prepared 03/21/19	05/20/19	N/A	3uL			0.3
VOA STD. 12	O2SI		5	Prepared 03/21/19	05/20/19	N/A	3uL			0.3
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	2uL			10

0.5ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	0.5ug/L	5	Prepared 03/21/19	05/20/19	N/A	5uL	50mL	P&T Water	0.5
VOA STD. 10	O2SI		5	Prepared 03/21/19	05/20/19	N/A	5uL			0.5
VOA STD. 12	O2SI		5	Prepared 03/21/19	05/20/19	N/A	5uL			0.5
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	5uL			25

1.0ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	1.0ug/L	5	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	1
VOA STD. 10	O2SI		5	Prepared 03/21/19	05/20/19	N/A	10uL			1
VOA STD. 12	O2SI		5	Prepared 03/21/19	05/20/19	N/A	10uL			1
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	10uL			50

2.0ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 9	O2SI	2.0ug/L	5	Prepared 03/21/19	05/20/19	N/A	20uL	50mL	P&T Water	2
VOA STD. 10	O2SI		5	Prepared 03/21/19	05/20/19	N/A	20uL			2
VOA STD. 12	O2SI		5	Prepared 03/21/19	05/20/19	N/A	20uL			2
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	15uL			75

5ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	5ug/L	50	Prepared 03/21/19	05/20/19	N/A	5uL	50mL	P&T Water	5
VOA STD. 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	5uL			5
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	5uL			5
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	5uL			5
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	20uL			100

10ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	10ug/L	50	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	10
VOA STD 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	10uL			10
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	25uL			125

20ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	20ug/L	50	Prepared 03/21/19	05/20/19	N/A	20uL	50mL	P&T Water	20
VOA STD. 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	20uL			20
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	20uL			20
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	20uL			20
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	30uL			150

40ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	40ug/L	50	Prepared 03/21/19	05/20/19	N/A	40uL	50mL	P&T Water	40
VOA STD. 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	40uL			40
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	40uL			40
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	40uL			40
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	35uL			175

100ug/L

Prepared: 03/24/19

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	100ug/L	50	Prepared 03/21/19	05/20/19	N/A	100uL	50mL	P&T Water	100
VOA STD. 8	Phenova		50	Prepared 03/21/19	03/27/19	N/A	100uL			100
VOA STD. 1	O2SI		50	Prepared 03/21/19	05/20/19	N/A	100uL			100
VOA STD. 2	O2SI		50	Prepared 03/21/19	05/20/19	N/A	100uL			100
VOA STD. TBA	Various		250	Prepared 03/21/19	03/27/19	N/A	40uL			200

Max 8260 Water Second Source (SS)

Prepared: 03/24/19

Prepared By (Initials): DG

Expires: 04/23/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 4	Phenova	8260 Water SS	50	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 5	O2SI	8260 Water SS	50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. 6	Various	8260 Water SS	50	Prepared 03/21/19	03/13/19	N/A	10uL			10
Voa STD. TBA	Various	8260 Water SS	250	Prepared 03/21/19	03/13/19	N/A	25uL			250

8260 Water Continuing Calibrations (CCV)/ Lab Control Spikes (LCS)

Prepared: 03/24/19

Prepared By (Initials): DG

Expires: 03/25/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	CCV/ LCS	50	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 8	Phenova	CCV/ LCS	50	Prepared 03/21/19	03/27/19	N/A	10uL			10
VOA STD. 1	O2SI	CCV/ LCS	50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. 2	O2SI	CCV/ LCS	50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. TBA	Various	CCV/ LCS	250	Prepared 03/21/19	03/27/19	N/A	25uL			125

LCS (X4 Ketones)

Prepared: 03/24/19

Prepared By (Initials): DG

Expires: 03/25/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA STD. 7	Various	LCS X4 Ketones	50	Prepared 03/21/19	05/20/19	N/A	10uL	50mL	P&T Water	10
VOA STD. 8	Phenova	LCS X4 Ketones	50	Prepared 03/21/19	03/27/19	N/A	10uL			10
VOA STD. 1	O2SI	LCS X4 Ketones	50	Prepared 03/21/19	05/20/19	N/A	10uL			10
VOA STD. 2	O2SI	LCS X4 Ketones	50	Prepared 03/21/19	05/20/19	N/A	40uL			40
VOA STD. TBA	Various	LCS X4 Ketones	250	Prepared 03/21/19	03/27/19	N/A	25uL			125

Max 8260 Water Surrogate

Prepared: 03/24/19 — **Prepared By (Initials): DG**

Expires: 03/23/20

Methanol Lot No: 58019

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
8260 Surrogate Solution	O2SI	120002-01	2,000	**348756-39342**	**03/24/20**	**02/10/22**	375uL	15mL	Methanol	50

Max 8260 Water Internal Standard

Prepared: 03/24/19 — **Prepared By (Initials): DG**

Expires: 03/23/20

Methanol Lot No: 58019

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Internal Standard Solution	O2SI	120004-02	2,000	**326533-38436**	**03/24/20**	**04/27/21**	375uL	15mL	Methanol	50

Injection Log

Directory: M:\MAX\DATA\M190324\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	0324M01.D	1	25ug/L BFB 3/11/19	2ul	24 Mar 19 10:39
2	3	0324M05.D	1	0.3ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 12:56
3	4	0324M06.D	1	0.5ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 13:25
4	5	0324M07.D	1	1.0ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 13:54
5	6	0324M08.D	1	2.0ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 14:22
6	7	0324M09.D	1	5.0ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 14:51
7	8	0324M10.D	1	10ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 15:19
8	9	0324M11.D	1	20ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 15:48
9	10	0324M12.D	1	40ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 16:17
10	11	0324M13.D	1	100ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 16:45
11	14	0324M16.D	1	(SS)10ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 18:11
12	1	0425M01.D	1	25ug/L BFB 3/11/19	2ul	25 Apr 19 12:55
13	2	0425M03.D	1	190425A CCV 10ug/L	IS,Surr 03/24/19	25 Apr 19 13:49
14	3	0425M04.D	1	190425A LCS 10ug/L	IS,Surr 03/24/19	25 Apr 19 14:17
15	4	0425M05.D	1	190425A LCSD 10ug/L	IS,Surr 03/24/19	25 Apr 19 14:46
16	9	0425M10.D	1	190425A blk	IS,Surr 03/24/19	25 Apr 19 17:08
17	11	0425M12.D	1	AZ90053W01	IS,Surr 03/24/19	25 Apr 19 18:05
18	12	0425M13.D	1	AZ90059W01	IS,Surr 03/24/19	25 Apr 19 18:34
19	13	0425M14.D	1	AZ90050W01	IS,Surr 03/24/19	25 Apr 19 19:02
20	14	0425M15.D	1	AZ90055W01	IS,Surr 03/24/19	25 Apr 19 19:31
21	15	0425M16.D	1	AZ90057W01	IS,Surr 03/24/19	25 Apr 19 19:59
22	16	0425M17.D	1	AZ90051W01	IS,Surr 03/24/19	25 Apr 19 20:28
23	17	0425M18.D	1	AZ90052W01	IS,Surr 03/24/19	25 Apr 19 20:56
24	18	0425M19.D	1	AZ90054W01	IS,Surr 03/24/19	25 Apr 19 21:25
25	19	0425M20.D	1	AZ90056W01	IS,Surr 03/24/19	25 Apr 19 21:53
26	20	0425M21.D	1	AZ90058W01	IS,Surr 03/24/19	25 Apr 19 22:22
27	21	0425M22.D	1	AZ90060W01	IS,Surr 03/24/19	25 Apr 19 22:50
28	22	0425M23.D	1	AZ90051W04 MS 10ug/L	IS,Surr 03/24/19	25 Apr 19 23:19
29	23	0425M24.D	1	AZ90051W05 MSD 10ug/L	IS,Surr 03/24/19	25 Apr 19 23:47
30	26	0425M27.D	1	Ending CCV 10ug/L	IS,Surr 03/24/19	26 Apr 19 1:13

ORGANICS
Calibration Data

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/01/19
Matrix: water Instrument: Max
Initials:

		Compound	1	2	3	4	5	6	7				Avg	%RSD	Type	r^2	Q	MRF
			0401M04.D	0401M05.D	0401M06.D	0401M07.D	0401M08.D	0401M09.D	0401M10.D									
1	I	Fluorobenzene (IS)																
2	TMHBL	Gasoline C6-C10	11.0	4.649	2.597	1.206	0.8368	0.7215	0.6807				3.1	122	TMHBL	0.999		
3	TMHB	Chlorobenzene-D5 (IS)																
4	TMHB	1,4-Dichlorobenzene (IS)																
5																		
6																		
7																		
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		
16																		
17																		
18																		
19																		
20																		
21																		
22																		
23																		
24																		
25																		
26																		
27																		
28																		
29																		
30																		
31																		
32																		
33																		
34																		
35																		

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M04.D Vial: 3
Acq On : 1 Apr 19 10:31 Operator: PM,DG,SV,CMM,KV
Sample : 20ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:17 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	598255	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	338283m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	187311m	25.000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) Gasoline C6-C10	8.80	TIC	5271420m	26.591 ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M04.D
Acq On : 1 Apr 19 10:31
Sample : 20ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 3
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:17 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:19:09 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M05.D
Acq On : 1 Apr 19 11:00
Sample : 50ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 4
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:17 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	587568	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	330094m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	190101m	25.000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) Gasoline C6-C10	8.80	TIC	5463157m	51.914 ppb	100

(#) = qualifier out of range (m) = manual integration
0401M05.D MGAS401.M Mon Apr 01 15:17:51 2019


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M05.D
Acq On : 1 Apr 19 11:00
Sample : 50ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 4
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:17 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:19:09 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M06.D
Acq On : 1 Apr 19 11:28
Sample : 100ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	575257	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	323893m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	181396m	25.000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) Gasoline C6-C10	8.80	TIC	5976508m	108.711 ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M06.D
Acq On : 1 Apr 19 11:28
Sample : 100ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:19:09 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M07.D
Acq On : 1 Apr 19 11:57
Sample : 300ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	573184	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	333476m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	189443m	25.000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) Gasoline C6-C10	8.80	TIC	8295201m	321.192 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0401M07.D
Acq On : 1 Apr 19 11:57
Sample : 300ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:19:09 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M08.D Vial: 7
Acq On : 1 Apr 19 12:25 Operator: PM,DG,SV,CMM,KV
Sample : 600ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	576087	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	330146m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	190295m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds					Qvalue
2) Gasoline C6-C10	8.80	TIC	11569749m	613.209 ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M08.D
Acq On : 1 Apr 19 12:25
Sample : 600ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:19:09 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M09.D Vial: 8
Acq On : 1 Apr 19 12:54 Operator: PM,DG,SV,CMM,KV
Sample : 800ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	579649	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	326637m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	190935m	25.000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) Gasoline C6-C10	8.80	TIC	13383194m	769.601	ppb	100

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M09.D
Acq On : 1 Apr 19 12:54
Sample : 800ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 8
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 1 15:18 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:19:09 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M10.D Vial: 9
Acq On : 1 Apr 19 13:22 Operator: PM,DG,SV,CMM,KV
Sample : 1000ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:19 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:16:42 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	582261	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	117	329343m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	152	190806m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds						Qvalue
2) Gasoline C6-C10	7.10	TIC	15853101m	984.969	ppb	100


(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0401M10.D Vial: 9
Acq On : 1 Apr 19 13:22 Operator: PM,DG,SV,CMM,KV
Sample : 1000ug/L GAS STD 4/01/19 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 1 15:19 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:19:09 2019
Response via : Initial Calibration





Method Name: M:\MAX\DATA\M190401\MGAS401.M
Calibration Table Last Updated: Mon Apr 01 15:30:17 2019

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 1 Apr 19 14:19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0401M12.D

		Compound	MEAN	CCRF	%D		%Drift
1	TMHB	Gasoline C6-C10	3.101	1.185	62	TMHBL	1.3
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			62.0		

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0401M12.D
Acq On : 1 Apr 19 14:19
Sample : (SS)300ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:08 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	565675	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1215857m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1225243m	25.000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) Gasoline C6-C10	8.81	TIC	8042743m	304.047 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0401M12.D
Acq On : 1 Apr 19 14:19
Sample : (SS)300ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:08 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Second Source

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 1 Apr 19 14:19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0401M12.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Fluorobenzene (IS)	ISTD			I	
2	S	Dibromofluoromethane(S)	0.1912	0.1716	10	S	
3	S	1,2-DCA-D4(S)	0.2203	0.1989	9.7	S	
4	I	Chlorobenzene-D5 (IS)	ISTD			I	
5	S	Toluene-D8(S)	1.110	1.060	4.5	S	
6	S	4-Bromofluorobenzene(S)	0.4073	0.3905	4.1	S	
7	I	1,4-Dichlorobenzene-D (IS)	ISTD			I	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			7.1		

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0401M12.D
Acq On : 1 Apr 19 14:19
Sample : (SS)300ug/L GAS STD 4/01/19
Misc : IS,Surr 03/24/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:57 2019

Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	529928	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.81	117	392457	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	205157	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.50	111	90934	22.431	ppb	-0.10
Spiked Amount 25.000			Recovery =	89.724%		
3) 1,2-DCA-D4(S)	4.84	65	105401	22.568	ppb	-0.10
Spiked Amount 25.000			Recovery =	90.272%		
5) Toluene-D8(S)	7.02	98	415956	23.870	ppb	-0.12
Spiked Amount 25.000			Recovery =	95.480%		
6) 4-Bromofluorobenzene(S)	10.39	95	153268	23.969	ppb	-0.13
Spiked Amount 25.000			Recovery =	95.876%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

VOLATILE ORGANIC ANALYSIS BY EPA METHOD 8260B

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/25/19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0425M03.D

		Compound	MEAN	CCRF	%D	%Drift		
1	I	Fluorobenzene (IS)	ISTD			I		
2	TM	Dichlorodifluoromethane	0.0688	0.0874	27	TM		*NT
3	TM	Freon 114	0.0947	0.1039	9.7	TM		
4	TM**L	Chloromethane	0.1096	0.1192	8.7	TM**L	14	
5	TM*	Vinyl chloride	0.1135	0.1365	20	TM*		
6	TM	Bromomethane	0.0713	0.0898	26	TM		*NT
7	TML	Chloroethane	0.1187	0.0883	26	TML	8.7	
8	TM	Dichlorofluoromethane	0.1967	0.1902	3.3	TM		
9	TM	Trichlorofluoromethane	0.1432	0.1634	14	TM		
10	TM	Acrolein	0.0032	0.0073	129	TM		*NT
11	TML	Acetone	0.0350	0.0255	27	TML	5.3	
12	TM*	1,1-DCE	0.1421	0.1356	4.5	TM*		
13	TM	Acetonitrile	0.0105	0.0110	4.4	TM		
14	TM	t-Butanol	0.0062	0.0063	1.4	TM		
15	TM	Methyl Acetate	0.0342	0.0300	12	TM		
16	TML	Iodomethane	0.0895	0.0907	1.4	TML	13	
17	TM	Acrylonitrile	0.0311	0.0348	12	TM		
18	TM	Methylene chloride	0.1107	0.1140	3.0	TM		
19	TM	Carbon disulfide	0.2669	0.2832	6.1	TM		
20	TM	Methyl t-butyl ether (MtBE)	0.1292	0.1230	4.8	TM		
21	TM	Trans-1,2-DCE	0.1005	0.1014	0.93	TM		
22	TM	Diisopropyl Ether	0.3806	0.3864	1.5	TM		
23	TM**	1,1-DCA	0.1975	0.1894	4.1	TM**		
24	TM	Vinyl Acetate	0.1000	0.0904	9.6	TM		
25	TM	Ethyl tert Butyl Ether	0.3246	0.3433	5.8	TM		
26	TML	MEK (2-Butanone)	0.0367	0.0398	8.5	TML	14	
27	TM	Cis-1,2-DCE	0.1213	0.1198	1.2	TM		
28	TM	2,2-Dichloropropane	0.1642	0.1694	3.2	TM		
29	TM*	Chloroform	0.1948	0.1899	2.5	TM*		
30	TM	Bromochloromethane	0.0563	0.0590	4.7	TM		
31	S	Dibromofluoromethane(S)	0.1912	0.1957	2.3	S		
32	TM	1,1,1-TCA	0.1646	0.1645	0.04	TM		
33	TM	Cyclohexane	0.1028	0.0937	8.8	TM		
34	TM	1,1-Dichloropropene	0.1357	0.1341	1.1	TM		
35	TM	2,2,4-Trimethylpentane	0.2855	0.2863	0.28	TM		
36	S	1,2-DCA-D4(S)	0.2203	0.2033	7.7	S		
37	TM	Carbon Tetrachloride	0.1098	0.1185	7.9	TM		
38	TM	Tert Amyl Methyl Ether	0.2801	0.3204	14	TM		
39	TM	1,2-DCA	0.1477	0.1360	7.9	TM		
40	TM	Benzene	0.4494	0.4460	0.77	TM		
		Average			11.1			

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/25/19
Instrument: Max
Cal. Date: 03/24/19
Data File: 0425M03.D

		Compound	MEAN	CCRF	%D		%Drift
41	TM	TCE	0.1157	0.1085	6.2	TM	
42	TM	2-Pentanone	0.0599	0.0571	4.7	TM	
43	TM*	1,2-Dichloropropane	0.1120	0.1091	2.6	TM*	
44	TM	Bromodichloromethane	0.1300	0.1335	2.7	TM	
45	TM	Methyl Cyclohexane	0.1617	0.1611	0.37	TM	
46	TM	Dibromomethane	0.0576	0.0587	1.9	TM	
47	TM	MIBK (methyl isobutyl ketone)	0.0832	0.0781	6.1	TM	
48	TM	1-Bromo-2-chloroethane	0.0724	0.0726	0.37	TM	
49	TM	Cis-1,3-Dichloropropene	0.1738	0.1741	0.22	TM	
50	TM*	Toluene	0.5041	0.5000	0.81	TM*	
51	TM	Trans-1,3-Dichloropropene	0.1454	0.1487	2.3	TM	
52	TM	1,1,2-TCA	0.0713	0.0705	1.2	TM	
53	TM	2-Hexanone	0.0542	0.0511	5.7	TM	
54	I	Chlorobenzene-D5 (IS)	ISTD			I	
55	S	Toluene-D8(S)	1.110	1.054	5.1	S	
56	TM	1,2-EDB	0.1136	0.1083	4.6	TM	
57	TM	Tetrachloroethene	0.1375	0.1386	0.80	TM	
58	TM	1-Chlorohexane	0.1904	0.1942	2.0	TM	
59	TM	1,1,1,2-Tetrachloroethane	0.1355	0.1421	4.9	TM	
60	TM	m&p-Xylene	0.2814	0.2820	0.21	TM	
61	TM	o-Xylene	0.2867	0.2814	1.8	TM	
62	TM	Styrene	0.4705	0.4718	0.28	TM	
63	S	4-Bromofluorobenzene(S)	0.4073	0.3993	2.0	S	
64	TM	1,3-Dichloropropane	0.2079	0.1963	5.5	TM	
65	TM	Dibromochloromethane	0.1079	0.1163	7.8	TM	
66	TM**	Chlorobenzene	0.4361	0.4231	3.0	TM**	
67	TM*	Ethylbenzene	0.7104	0.6945	2.2	TM*	
68	TM**L	Bromoform	0.0599	0.0716	20	TM**L	8.3
69	I	1,4-Dichlorobenzene-D (IS)	ISTD			I	
70	TM	Isopropylbenzene	1.373	1.258	8.4	TM	
71	TM**	1,1,2,2-Tetrachloroethane	0.3354	0.3082	8.1	TM**	
72	TM	1,2,3-Trichloropropane	0.0804	0.0753	6.4	TM	
73	TM	t-1,4-Dichloro-2-Butene	0.0310	0.0306	1.3	TM	
74	TM	Bromobenzene	0.3728	0.3421	8.3	TM	
75	TM	n-Propylbenzene	1.536	1.393	9.3	TM	
76	TM	4-Ethyltoluene	1.357	1.276	6.0	TM	
77	TM	2-Chlorotoluene	0.9486	0.8312	12	TM	
78	TM	1,3,5-Trimethylbenzene	1.155	1.049	9.2	TM	
79	TM	4-Chlorotoluene	1.105	0.9905	10	TM	
80	TM	Tert-Butylbenzene	1.029	0.9215	10	TM	
		Average			4.9		

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: water

SDG No:
Date Analyzed: 04/25/19
Instrument: Max
Cal. Date: 03/24/19
Data File: 0425M03.D

		Compound	MEAN	CCRF	%D		%Drift	
81	TM	1,2,4-Trimethylbenzene	1.164	1.067	8.3	TM		
82	TM	Sec-Butylbenzene	1.362	1.258	7.7	TM		
83	TM	p-Isopropyltoluene	0.6284	0.5793	7.8	TM		
84	TM	Benzyl Chloride	0.2844	0.0730	74	TM		*NT
85	TM	1,3-DCB	0.6773	0.6346	6.3	TM		
86	TM	1,4-DCB	0.3446	0.3332	3.3	TM		
87	TM	n-Butylbenzene	0.5114	0.4606	9.9	TM		
88	TM	1,2-DCB	0.6253	0.5947	4.9	TM		
89	TML	Hexachloroethane	0.0554	0.0580	4.7	TML	0.76	
90	TM	1,2-Dibromo-3-chloropropane	0.0454	0.0467	2.8	TM		
91	TM	1,2,4-Trichlorobenzene	0.3928	0.3321	15	TM		
92	TM	Hexachlorobutadiene	0.2031	0.1833	9.7	TM		
93	TM	Naphthalene	0.6557	0.4484	32	TM		*NT
94	TM	1,2,3-Trichlorobenzene	0.3398	0.2653	22	TM		*NT
95								
96								
97								
98								
99								
100								
101								
102								
103								
104								
105								
106								
107								
108								
109								
110								
111								
112								
113								
114								
115								
116								
117								
118								
119								
120								
		Average			14.9			

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M03.D
Acq On : 25 Apr 19 13:49
Sample : 190425A CCV 10ug/L
Misc : IS,Surr 03/24/19

Vial: 2
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 25 14:08 2019

Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Fluorobenzene (IS)	5.20	96	775435	25.000 ppb		-0.12
56) Chlorobenzene-D5 (IS)	8.80	117	610368	25.000 ppb		-0.13
71) 1,4-Dichlorobenzene-D (IS)	11.99	152	335796	25.000 ppb		-0.13
System Monitoring Compounds						
32) Dibromofluoromethane(S)	4.49	111	151775	25.586 ppb		-0.11
Spiked Amount 25.000			Recovery = 102.344%			
37) 1,2-DCA-D4(S)	4.83	65	157666	23.071 ppb		-0.12
Spiked Amount 25.000			Recovery = 92.284%			
57) Toluene-D8(S)	7.01	98	643186	23.733 ppb		-0.12
Spiked Amount 25.000			Recovery = 94.932%			
65) 4-Bromofluorobenzene(S)	10.39	95	243723	24.507 ppb		-0.13
Spiked Amount 25.000			Recovery = 98.028%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.10	85	27120	12.703 ppb		97
3) Freon 114	1.18	85	32218	10.967 ppb		97
4) Chloromethane	1.23	50	36976	11.394 ppb		97
5) Vinyl chloride	1.31	62	42347	12.031 ppb		93
6) Bromomethane	1.55	94	27842	12.583 ppb		91
7) Chloroethane	1.63	64	27397	10.874 ppb		93
8) Dichlorofluoromethane	1.81	67	59001	9.670 ppb		94
9) Trichlorofluoromethane	1.84	101	50674	11.406 ppb		98
10) Acrolein	2.21	56	28360	286.630 ppb		99
11) Acetone	2.38	43	7904	9.474 ppb		97
13) 1,1-DCE	2.29	61	42074	9.545 ppb		97
14) Acetonitrile	2.63	41	42623	130.508 ppb	#	88
15) t-Butanol	2.95	59	24389	126.688 ppb	#	78
16) Methyl Acetate	2.68	43	9318	8.783 ppb		93
17) Iodomethane	2.42	142	28148	8.694 ppb		100
18) Acrylonitrile	2.99	53	10802	11.187 ppb		99
19) Methylene chloride	2.75	84	35371	10.298 ppb		91
20) Carbon disulfide	2.46	76	87833	10.609 ppb		100
21) Methyl t-butyl ether (MtBE	3.04	73	38160	9.523 ppb		99
22) Trans-1,2-DCE	3.00	96	31456	10.093 ppb		97
23) Diisopropyl Ether	3.53	45	119844	10.151 ppb		98
24) 1,1-DCA	3.41	63	58737	9.590 ppb		100
25) Vinyl Acetate	3.53	43	28039	9.035 ppb	#	100
26) Ethyl tert Butyl Ether	3.89	59	106494	10.578 ppb		98
27) MEK (2-Butanone)	4.05	43	12350	11.369 ppb		100
28) Cis-1,2-DCE	3.99	96	37153	9.875 ppb		98
29) 2,2-Dichloropropane	3.98	77	52543	10.317 ppb		99
30) Chloroform	4.33	83	58911	9.751 ppb		97
31) Bromochloromethane	4.22	128	18293	10.471 ppb		94
33) 1,1,1-TCA	4.50	97	51035	9.996 ppb		91
34) Cyclohexane	4.55	41	29073	9.122 ppb		98
35) 1,1-Dichloropropene	4.68	75	41608	9.887 ppb		95
36) 2,2,4-Trimethylpentane	5.01	57	88790	10.028 ppb		98
38) Carbon Tetrachloride	4.67	117	36755	10.794 ppb		99
39) Tert Amyl Methyl Ether	5.06	73	99375	11.438 ppb		99
40) 1,2-DCA	4.91	62	42191	9.208 ppb		100
41) Benzene	4.89	78	138327	9.923 ppb		99
42) TCE	5.60	95	33665	9.378 ppb		99
43) 2-Pentanone	5.85	43	221508	119.148 ppb		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M03.D
Acq On : 25 Apr 19 13:49
Sample : 190425A CCV 10ug/L
Misc : IS,Surr 03/24/19

Vial: 2
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 25 14:08 2019

Quant Results File: M0324.RES

Quant Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
44) 1,2-Dichloropropane	5.84	63	33842	9.742 ppb	#	93
45) Bromodichloromethane	6.17	83	41400	10.268 ppb		96
46) Methyl Cyclohexane	5.81	83	49968	9.963 ppb		98
47) Dibromomethane	5.97	93	18217	10.194 ppb		88
48) MIBK (methyl isobutyl ket	6.93	43	24216	9.387 ppb		98
49) 1-Bromo-2-chloroethane	6.51	63	22528	10.037 ppb		98
51) Cis-1,3-Dichloropropene	6.70	75	54011	10.022 ppb		96
52) Toluene	7.09	91	155099	9.919 ppb		98
53) Trans-1,3-Dichloropropene	7.38	75	46136	10.233 ppb		97
54) 1,1,2-TCA	7.60	83	21867	9.884 ppb		91
55) 2-Hexanone	7.96	43	15853	9.426 ppb		99
58) 1,2-EDB	8.19	107	26446	9.537 ppb		99
59) Tetrachloroethene	7.76	164	33844	10.080 ppb		91
60) 1-Chlorohexane	8.87	91	47410	10.196 ppb		98
61) 1,1,1,2-Tetrachloroethane	8.96	131	34684	10.485 ppb		99
62) m&p-Xylene	9.17	106	137717	20.043 ppb		95
63) o-Xylene	9.69	106	68707	9.815 ppb		94
64) Styrene	9.71	104	115198	10.028 ppb		94
66) 1,3-Dichloropropane	7.79	76	47936	9.445 ppb		97
67) Dibromochloromethane	8.06	129	28395	10.776 ppb		95
68) Chlorobenzene	8.84	112	103301	9.702 ppb		99
69) Ethylbenzene	9.01	91	169572	9.776 ppb		96
70) Bromoform	9.91	173	17470	10.831 ppb		98
72) Isopropylbenzene	10.21	105	168955	9.160 ppb		99
73) 1,1,2,2-Tetrachloroethane	6.17	83	41400	9.189 ppb		96
74) 1,2,3-Trichloropropane	10.66	110	10116	9.365 ppb		100
75) t-1,4-Dichloro-2-Butene	10.71	53	4108	9.872 ppb		94
76) Bromobenzene	10.56	156	45946	9.175 ppb		100
77) n-Propylbenzene	10.78	91	187139	9.069 ppb		98
78) 4-Ethyltoluene	10.94	105	171390	9.401 ppb		96
79) 2-Chlorotoluene	10.85	91	111643	8.762 ppb		99
80) 1,3,5-Trimethylbenzene	11.04	105	140915	9.084 ppb		98
81) 4-Chlorotoluene	11.01	91	133038	8.964 ppb		98
82) Tert-Butylbenzene	11.48	119	123774	8.958 ppb		92
83) 1,2,4-Trimethylbenzene	11.55	105	143350	9.169 ppb		99
84) Sec-Butylbenzene	11.79	105	168950	9.233 ppb		95
85) p-Isopropyltoluene	12.01	119	77808	9.219 ppb		98
86) Benzyl Chloride	12.23	91	9810	2.568 ppb		93
87) 1,3-DCB	11.89	146	85243	9.370 ppb		97
88) 1,4-DCB	12.02	146	44752	9.668 ppb		99
89) n-Butylbenzene	12.59	91	61872	9.008 ppb		98
90) 1,2-DCB	12.53	146	79878	9.511 ppb		98
91) Hexachloroethane	12.89	117	7792	10.076 ppb		91
92) 1,2-Dibromo-3-chloropropan	13.64	157	6270	10.276 ppb		88
93) 1,2,4-Trichlorobenzene	14.84	180	44610	8.456 ppb		99
94) Hexachlorobutadiene	15.15	225	24619	9.025 ppb		94
95) Naphthalene	15.18	128	60224	6.838 ppb		99
96) 1,2,3-Trichlorobenzene	15.53	180	35629	7.805 ppb		93

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0425M03.D
Acq On : 25 Apr 19 13:49
Sample : 190425A CCV 10ug/L
Misc : IS,Surr 03/24/19

Vial: 2
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 25 14:08 2019

Quant Results File: M0324.RES

Method : M:\MAX\DATA\M190324\M0324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Mar 25 09:13:52 2019
Response via : Initial Calibration



0425M03.D M0324.M Fri Apr 26 12:31:25 2019 Page 3

VOLATILE ORGANIC ANALYSIS BY
EPA METHOD 8260B

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/24/19
Matrix: water Instrument: Max
Initials: DG/LP

		Compound	0324M05.D	0324M06.D	0324M07.D	0324M08.D	0324M09.D	0324M10.D	0324M11.D	0324M12.D	0324M13.D		Avg	%RSD	Type	r^2	Q	MRF
1	I	Fluorobenzene (IS)																
2	S	Dibromofluoromethane(S)	0.2250	0.2190	0.1683	0.1791	0.1920	0.1877	0.1903	0.1887	0.1712		0.19	10	S			
3	S	1,2-DCA-D4(S)	0.2745	0.2518	0.1982	0.2074	0.2233	0.2148	0.2139	0.2111	0.1879		0.22	12	S			
4	I	Chlorobenzene-D5 (IS)																
5	S	Toluene-D8(S)	1.394	1.286	1.018	1.062	1.091	1.071	1.080	1.053	0.9367		1.1	13	S			
6	S	4-Bromofluorobenzene(S)	0.5102	0.4809	0.3610	0.3788	0.3957	0.3966	0.4009	0.3904	0.3516		0.41	13	S			
7	I	1,4-Dichlorobenzene-D (IS)																
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		
16																		
17																		
18																		
19																		
20																		
21																		
22																		
23																		
24																		
25																		
26																		
27																		
28																		
29																		
30																		
31																		
32																		
33																		
34																		
35																		

Data File : M:\MAX\DATA\M190324\0324M05.D Vial: 3
Acq On : 24 Mar 19 12:56 Operator: PM,DG,SV,CMM,KV
Sample : 0.3ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	567297	25.000	ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	414490	25.000	ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	209079	25.000	ppb	0.00
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.60	111	25529	5.883	ppb	0.00
Spiked Amount 25.000			Recovery =	23.532%		
3) 1,2-DCA-D4(S)	4.95	65	31146	6.230	ppb	0.00
Spiked Amount 25.000			Recovery =	24.920%		
5) Toluene-D8(S)	7.13	98	115538	6.278	ppb	0.00
Spiked Amount 25.000			Recovery =	25.112%		
6) 4-Bromofluorobenzene(S)	10.52	95	42297	6.263	ppb	0.00
Spiked Amount 25.000			Recovery =	25.052%		


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M05.D Vial: 3
Acq On : 24 Mar 19 12:56 Operator: PM,DG,SV,CMM,KV
Sample : 0.3ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M06.D Vial: 4
Acq On : 24 Mar 19 13:25 Operator: PM,DG,SV,CMM,KV
Sample : 0.5ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	548649	25.000	ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	408005	25.000	ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	207647	25.000	ppb	0.00
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.60	111	24026	5.724	ppb	0.00
Spiked Amount 25.000			Recovery =	22.896%		
3) 1,2-DCA-D4(S)	4.95	65	27628	5.714	ppb	0.00
Spiked Amount 25.000			Recovery =	22.856%		
5) Toluene-D8(S)	7.13	98	104917	5.791	ppb	0.00
Spiked Amount 25.000			Recovery =	23.164%		
6) 4-Bromofluorobenzene(S)	10.52	95	39240	5.903	ppb	0.00
Spiked Amount 25.000			Recovery =	23.612%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration
0324M06.D MSUR324.M Tue Apr 02 08:00:57 2019 Page 1

Quantitation Report

Data File : M:\MAX\DATA\M190324\0324M06.D Vial: 4
Acq On : 24 Mar 19 13:25 Operator: PM,DG,SV,CMM,KV
Sample : 0.5ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M07.D Vial: 5
Acq On : 24 Mar 19 13:54 Operator: PM,DG,SV,CMM,KV
Sample : 1.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.32	96	562637	25.000	ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	415204	25.000	ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	206662	25.000	ppb	0.00
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.60	111	37879	8.801	ppb	0.00
Spiked Amount 25.000			Recovery =	35.204%		
3) 1,2-DCA-D4(S)	4.95	65	44603	8.995	ppb	0.00
Spiked Amount 25.000			Recovery =	35.980%		
5) Toluene-D8(S)	7.14	98	169003	9.167	ppb	0.00
Spiked Amount 25.000			Recovery =	36.668%		
6) 4-Bromofluorobenzene(S)	10.52	95	59950	8.862	ppb	0.00
Spiked Amount 25.000			Recovery =	35.448%		


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration
0324M07.D MSUR324.M Tue Apr 02 08:00:59 2019 Page 1

Data File : M:\MAX\DATA\M190324\0324M07.D Vial: 5
Acq On : 24 Mar 19 13:54 Operator: PM,DG,SV,CMM,KV
Sample : 1.0ug/L VOC STD 3/24/19 Inst : Max
Misc : Is,Surr 3/24/19 Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Data File : M:\MAX\DATA\M190324\0324M08.D
Acq On : 24 Mar 19 14:22
Sample : 2.0ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.32	96	588239	25.000	ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	428656	25.000	ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	210603	25.000	ppb	0.00
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.60	111	42136	9.364	ppb	0.00
Spiked Amount 25.000			Recovery =	37.456%		
3) 1,2-DCA-D4(S)	4.95	65	48794	9.412	ppb	0.00
Spiked Amount 25.000			Recovery =	37.648%		
5) Toluene-D8(S)	7.14	98	182083	9.567	ppb	0.00
Spiked Amount 25.000			Recovery =	38.268%		
6) 4-Bromofluorobenzene(S)	10.52	95	64942	9.298	ppb	0.00
Spiked Amount 25.000			Recovery =	37.192%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration
0324M08.D MSUR324.M Tue Apr 02 08:01:01 2019 Page 1

Data File : M:\MAX\DATA\M190324\0324M08.D
Acq On : 24 Mar 19 14:22
Sample : 2.0ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Data File : M:\MAX\DATA\M190324\0324M09.D
Acq On : 24 Mar 19 14:51
Sample : 5.0ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.32	96	551421	25.000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	414802	25.000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	211221	25.000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	105862	25.096 ppb	0.00
Spiked Amount 25.000			Recovery =	100.384%	
3) 1,2-DCA-D4(S)	4.95	65	123145	25.340 ppb	0.00
Spiked Amount 25.000			Recovery =	101.360%	
5) Toluene-D8(S)	7.13	98	452516	24.569 ppb	0.00
Spiked Amount 25.000			Recovery =	98.276%	
6) 4-Bromofluorobenzene(S)	10.52	95	164122	24.284 ppb	0.00
Spiked Amount 25.000			Recovery =	97.136%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration
0324M09.D MSUR324.M Tue Apr 02 08:01:03 2019

Data File : M:\MAX\DATA\M190324\0324M09.D
Acq On : 24 Mar 19 14:51
Sample : 5.0ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 7:59 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Data File : M:\MAX\DATA\M190324\0324M10.D
Acq On : 24 Mar 19 15:19
Sample : 10ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 8
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.32	96	563465	25.000	ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	422362	25.000	ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	217007	25.000	ppb	0.00
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.60	111	105764	24.536	ppb	0.00
Spiked Amount 25.000			Recovery =	98.144%		
3) 1,2-DCA-D4(S)	4.95	65	121024	24.371	ppb	0.00
Spiked Amount 25.000			Recovery =	97.484%		
5) Toluene-D8(S)	7.14	98	452289	24.118	ppb	0.00
Spiked Amount 25.000			Recovery =	96.472%		
6) 4-Bromofluorobenzene(S)	10.52	95	167493	24.339	ppb	0.00
Spiked Amount 25.000			Recovery =	97.356%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration
0324M10.D MSUR324.M Tue Apr 02 08:01:05 2019 Page 1

Data File : M:\MAX\DATA\M190324\0324M10.D
Acq On : 24 Mar 19 15:19
Sample : 10ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 8
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M11.D
Acq On : 24 Mar 19 15:48
Sample : 20ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	554172	25.000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	421724	25.000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	222616	25.000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	210921	49.753 ppb	0.00
Spiked Amount 25.000			Recovery = 199.012%		
3) 1,2-DCA-D4(S)	4.94	65	237117	48.550 ppb	0.00
Spiked Amount 25.000			Recovery = 194.200%		
5) Toluene-D8(S)	7.14	98	910661	48.633 ppb	0.00
Spiked Amount 25.000			Recovery = 194.532%		
6) 4-Bromofluorobenzene(S)	10.52	95	338144	49.211 ppb	0.00
Spiked Amount 25.000			Recovery = 196.844%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190324\0324M11.D
Acq On : 24 Mar 19 15:48
Sample : 20ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019 Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M12.D
Acq On : 24 Mar 19 16:17
Sample : 40ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 10
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019

Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	561800	25.000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	434917	25.000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	228943	25.000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	212017	49.332 ppb	0.00
Spiked Amount 25.000			Recovery = 197.328%		
3) 1,2-DCA-D4(S)	4.94	65	237213	47.910 ppb	0.00
Spiked Amount 25.000			Recovery = 191.640%		
5) Toluene-D8(S)	7.14	98	916073	47.438 ppb	0.00
Spiked Amount 25.000			Recovery = 189.752%		
6) 4-Bromofluorobenzene(S)	10.52	95	339596	47.923 ppb	0.00
Spiked Amount 25.000			Recovery = 191.692%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration
0324M12.D MSUR324.M Tue Apr 02 08:01:09 2019

Quantitation Report


Data File : M:\MAX\DATA\M190324\0324M12.D
Acq On : 24 Mar 19 16:17
Sample : 40ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 10
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019

Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190324\0324M13.D
Acq On : 24 Mar 19 16:45
Sample : 100ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019

Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.31	96	562288	25.000 ppb	0.00
4) Chlorobenzene-D5 (IS)	8.93	117	441644	25.000 ppb	0.00
7) 1,4-Dichlorobenzene-D (IS)	12.12	152	234726	25.000 ppb	0.00
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.60	111	385089	89.525 ppb	0.00
Spiked Amount 25.000			Recovery = 358.100%		
3) 1,2-DCA-D4(S)	4.94	65	422708	85.300 ppb	0.00
Spiked Amount 25.000			Recovery = 341.200%		
5) Toluene-D8(S)	7.14	98	1654770	84.385 ppb	0.00
Spiked Amount 25.000			Recovery = 337.540%		
6) 4-Bromofluorobenzene(S)	10.52	95	621203	86.328 ppb	0.00
Spiked Amount 25.000			Recovery = 345.312%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190324\0324M13.D
Acq On : 24 Mar 19 16:45
Sample : 100ug/L VOC STD 3/24/19
Misc : Is,Surr 3/24/19

Vial: 11
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 2 8:00 2019

Quant Results File: MSUR324.RES

Method : M:\MAX\DATA\M190324\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/26/19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0426M06.D

		Compound	MEAN	CCRF	%D	%Drift	
1	I	Fluorobenzene (IS)	ISTD			I	
2	TMHB	Gasoline C6-C10	3.101	1.231	60	TMHBL	11
3	TMHB	Chlorobenzene-D5 (IS)	ISTD			TMHB	
4	TMHB	1,4-Dichlorobenzene (IS)	ISTD			TMHB	
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			60.0		

VOLATILE ORGANIC ANALYSIS BY
CLP

Form 7

Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 04/26/19
Matrix: Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0426M06.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Fluorobenzene (IS)	ISTD			I	
2	S	Dibromofluoromethane(S)	0.1912	0.1994	4.3	S	
3	S	1,2-DCA-D4(S)	0.2203	0.2119	3.8	S	
4	I	Chlorobenzene-D5 (IS)	ISTD			I	
5	S	Toluene-D8(S)	1.110	1.121	0.96	S	
6	S	4-Bromofluorobenzene(S)	0.4073	0.4100	0.66	S	
7	I	1,4-Dichlorobenzene-D (IS)	ISTD			I	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			2.4		

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M06.D
Acq On : 25 Apr 19 15:14
Sample : 190425A CCV 300ug/L
Misc : IS,Surr 03/24/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:19 2019

Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	774642	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1682828m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1766873m	25.000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) Gasoline C6-C10	7.01	TIC	11058125m	307.111 ppb	100

(#) = qualifier out of range (m) = manual integration
0425M06.D MGAS401.M Fri Apr 26 09:35:39 2019

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M06.D
Acq On : 25 Apr 19 15:14
Sample : 190425A CCV 300ug/L
Misc : IS,Surr 03/24/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 11:04 2019

Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	732039	25.000 ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	566221	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	302672	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	150131	26.809 ppb	-0.11
Spiked Amount 25.000			Recovery = 107.236%		
3) 1,2-DCA-D4(S)	4.83	65	157339	24.388 ppb	-0.11
Spiked Amount 25.000			Recovery = 97.552%		
5) Toluene-D8(S)	7.01	98	635350	25.271 ppb	-0.12
Spiked Amount 25.000			Recovery = 101.084%		
6) 4-Bromofluorobenzene(S)	10.39	95	242686	26.306 ppb	-0.13
Spiked Amount 25.000			Recovery = 105.224%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration
0425M06.D MSUR324.M Fri Apr 26 11:05:53 2019

Quantitation Report


Data File : M:\MAX\DATA\M190401\0425M06.D
Acq On : 25 Apr 19 15:14
Sample : 190425A CCV 300ug/L
Misc : IS,Surr 03/24/19

Vial: 5
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:19 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



VOLATILE ORGANIC ANALYSIS BY
CLP

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/26/19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0425M28.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Fluorobenzene (IS)	ISTD			I	
2	S	Dibromofluoromethane(S)	0.1912	0.1921	0.45	S	
3	S	1,2-DCA-D4(S)	0.2203	0.2041	7.4	S	
4	I	Chlorobenzene-D5 (IS)	ISTD			I	
5	S	Toluene-D8(S)	1.110	1.084	2.3	S	
6	S	4-Bromofluorobenzene(S)	0.4073	0.4011	1.5	S	
7	I	1,4-Dichlorobenzene-D (IS)	ISTD			I	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			2.9		

VOLATILE ORGANIC ANALYSIS
VOLATILE ORGANIC COMPOUNDS

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/26/19
Instrument: Max
Initial Cal. Date: 03/24/19
Data File: 0425M28.D

		Compound	MEAN	CCRF	%D	%Drift	
1	I	Fluorobenzene (IS)	ISTD			I	
2	TMHB	Gasoline C6-C10	3.101	1.204	61	TMHBL	5.4
3	TMHB	Chlorobenzene-D5 (IS)	ISTD			TMHB	
4	TMHB	1,4-Dichlorobenzene (IS)	ISTD			TMHB	
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			61.0		

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M28.D
Acq On : 26 Apr 19 1:41
Sample : Ending CCV 300ug/L
Misc : IS,Surr 03/24/19

Vial: 27
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:24 2019

Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	799586	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1694189m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1734202m	25.000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) Gasoline C6-C10	8.80	TIC	11547746m	316.059 ppb	100

(#) = qualifier out of range (m) = manual integration
0425M28.D MGAS401.M Fri Apr 26 09:36:15 2019

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M28.D
Acq On : 26 Apr 19 1:41
Sample : Ending CCV 300ug/L
Misc : IS,Surr 03/24/19

Vial: 27
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 11:04 2019

Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	754871	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	563988	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	294222	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	145020	25.113 ppb	-0.11
Spiked Amount 25.000			Recovery =	100.452%	
3) 1,2-DCA-D4(S)	4.84	65	154048	23.155 ppb	-0.11
Spiked Amount 25.000			Recovery =	92.620%	
5) Toluene-D8(S)	7.02	98	611494	24.419 ppb	-0.12
Spiked Amount 25.000			Recovery =	97.676%	
6) 4-Bromofluorobenzene(S)	10.39	95	226232	24.619 ppb	-0.13
Spiked Amount 25.000			Recovery =	98.476%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration
0425M28.D MSUR324.M Fri Apr 26 11:05:10 2019

Quantitation Report


Data File : M:\MAX\DATA\M190401\0425M28.D
Acq On : 26 Apr 19 1:41
Sample : Ending CCV 300ug/L
Misc : IS,Surr 03/24/19

Vial: 27
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:24 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



0425M28.D MGAS401.M Fri Apr 26 09:36:16 2019

ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M12.D Vial: 11
Acq On : 25 Apr 19 18:05 Operator: PM,DG,SV,CMM,KV
Sample : AZ90053W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	794600	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	765826m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	762335m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M12.D Vial: 11
Acq On : 25 Apr 19 18:05 Operator: PM,DG,SV,CMM,KV
Sample : AZ90053W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	748240	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	561096	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	287803	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	146645	25.619	ppb	-0.11
Spiked Amount 25.000			Recovery = 102.476%			
3) 1,2-DCA-D4(S)	4.83	65	154416	23.416	ppb	-0.11
Spiked Amount 25.000			Recovery = 93.664%			
5) Toluene-D8(S)	7.01	98	621817	24.959	ppb	-0.12
Spiked Amount 25.000			Recovery = 99.836%			
6) 4-Bromofluorobenzene(S)	10.39	95	227191	24.851	ppb	-0.13
Spiked Amount 25.000			Recovery = 99.404%			

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M12.D Vial: 11
Acq On : 25 Apr 19 18:05 Operator: PM,DG,SV,CMM,KV
Sample : AZ90053W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M13.D Vial: 12
Acq On : 25 Apr 19 18:34 Operator: PM,DG,SV,CMM,KV
Sample : AZ90059W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	746200	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	734511m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	783953m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration
0425M13.D MGAS401.M Fri Apr 26 09:35:51 2019 Page 1

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M13.D Vial: 12
Acq On : 25 Apr 19 18:34 Operator: PM,DG,SV,CMM,KV
Sample : AZ90059W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	705837	25.000	ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	541846	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	286214	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	136138	25.212	ppb	-0.11
Spiked Amount 25.000			Recovery = 100.848%			
3) 1,2-DCA-D4(S)	4.83	65	144819	23.280	ppb	-0.11
Spiked Amount 25.000			Recovery = 93.120%			
5) Toluene-D8(S)	7.02	98	593321	24.661	ppb	-0.12
Spiked Amount 25.000			Recovery = 98.644%			
6) 4-Bromofluorobenzene(S)	10.39	95	221532	25.093	ppb	-0.13
Spiked Amount 25.000			Recovery = 100.372%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M13.D
Acq On : 25 Apr 19 18:34
Sample : AZ90059W01
Misc : IS,Surr 03/24/19

Vial: 12
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M14.D Vial: 13
Acq On : 25 Apr 19 19:02 Operator: PM,DG,SV,CMM,KV
Sample : AZ90050W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	739644	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	741925m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	761431m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M14.D Vial: 13
Acq On : 25 Apr 19 19:02 Operator: PM,DG,SV,CMM,KV
Sample : AZ90050W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	698522	25.000	ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	538780	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	279935	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	136536	25.551	ppb	-0.11
Spiked Amount 25.000			Recovery = 102.204%			
3) 1,2-DCA-D4(S)	4.84	65	142153	23.091	ppb	-0.11
Spiked Amount 25.000			Recovery = 92.364%			
5) Toluene-D8(S)	7.01	98	588401	24.596	ppb	-0.12
Spiked Amount 25.000			Recovery = 98.384%			
6) 4-Bromofluorobenzene(S)	10.39	95	220886	25.162	ppb	-0.13
Spiked Amount 25.000			Recovery = 100.648%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M14.D
Acq On : 25 Apr 19 19:02
Sample : AZ90050W01
Misc : IS,Surr 03/24/19

Vial: 13
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M15.D Vial: 14
Acq On : 25 Apr 19 19:31 Operator: PM,DG,SV,CMM,KV
Sample : AZ90055W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	832445	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	810667m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	794389m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M15.D Vial: 14
Acq On : 25 Apr 19 19:31 Operator: PM,DG,SV,CMM,KV
Sample : AZ90055W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	783726	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	585818	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	284947	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	153077	25.532	ppb	-0.11
Spiked Amount 25.000			Recovery = 102.128%			
3) 1,2-DCA-D4(S)	4.84	65	161786	23.423	ppb	-0.11
Spiked Amount 25.000			Recovery = 93.692%			
5) Toluene-D8(S)	7.01	98	647264	24.884	ppb	-0.12
Spiked Amount 25.000			Recovery = 99.536%			
6) 4-Bromofluorobenzene(S)	10.39	95	230012	24.098	ppb	-0.13
Spiked Amount 25.000			Recovery = 96.392%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M15.D
Acq On : 25 Apr 19 19:31
Sample : AZ90055W01
Misc : IS,Surr 03/24/19

Vial: 14
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M16.D
Acq On : 25 Apr 19 19:59
Sample : AZ90057W01
Misc : IS,Surr 03/24/19

Vial: 15
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	793491	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	766524m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	789798m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M16.D Vial: 15
Acq On : 25 Apr 19 19:59 Operator: PM,DG,SV,CMM,KV
Sample : AZ90057W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	744311	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	558880	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	286784	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	141704	24.887	ppb	-0.11
Spiked Amount 25.000			Recovery =	99.548%		
3) 1,2-DCA-D4(S)	4.84	65	153295	23.369	ppb	-0.11
Spiked Amount 25.000			Recovery =	93.476%		
5) Toluene-D8(S)	7.02	98	603069	24.302	ppb	-0.12
Spiked Amount 25.000			Recovery =	97.208%		
6) 4-Bromofluorobenzene(S)	10.39	95	223097	24.500	ppb	-0.13
Spiked Amount 25.000			Recovery =	98.000%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M16.D
Acq On : 25 Apr 19 19:59
Sample : AZ90057W01
Misc : IS,Surr 03/24/19

Vial: 15
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:33 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M17.D
Acq On : 25 Apr 19 20:28
Sample : AZ90051W01
Misc : IS,Surr 03/24/19

Vial: 16
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	747239	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	753057m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	773375m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M17.D Vial: 16
Acq On : 25 Apr 19 20:28 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	701384	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	545261	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	281141	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	135286	25.214	ppb	-0.11
Spiked Amount 25.000			Recovery = 100.856%			
3) 1,2-DCA-D4(S)	4.84	65	143322	23.186	ppb	-0.11
Spiked Amount 25.000			Recovery = 92.744%			
5) Toluene-D8(S)	7.02	98	584131	24.127	ppb	-0.12
Spiked Amount 25.000			Recovery = 96.508%			
6) 4-Bromofluorobenzene(S)	10.39	95	221042	24.880	ppb	-0.13
Spiked Amount 25.000			Recovery = 99.520%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0425M17.D
Acq On : 25 Apr 19 20:28
Sample : AZ90051W01
Misc : IS,Surr 03/24/19

Vial: 16
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:34 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M18.D Vial: 17
Acq On : 25 Apr 19 20:56 Operator: PM,DG,SV,CMM,KV
Sample : AZ90052W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	758903	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	748467m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	773847m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration
0425M18.D MGAS401.M Fri Apr 26 09:36:01 2019 Page 1

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M18.D Vial: 17
Acq On : 25 Apr 19 20:56 Operator: PM,DG,SV,CMM,KV
Sample : AZ90052W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	709606	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	539685	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	276195	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	132664	24.439	ppb	-0.11
Spiked Amount 25.000			Recovery =	97.756%		
3) 1,2-DCA-D4(S)	4.84	65	141695	22.657	ppb	-0.11
Spiked Amount 25.000			Recovery =	90.628%		
5) Toluene-D8(S)	7.02	98	580539	24.227	ppb	-0.12
Spiked Amount 25.000			Recovery =	96.908%		
6) 4-Bromofluorobenzene(S)	10.39	95	216394	24.609	ppb	-0.13
Spiked Amount 25.000			Recovery =	98.436%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M18.D Vial: 17
Acq On : 25 Apr 19 20:56 Operator: PM,DG,SV,CMM,KV
Sample : AZ90052W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M19.D Vial: 18
Acq On : 25 Apr 19 21:25 Operator: PM,DG,SV,CMM,KV
Sample : AZ90054W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	748859	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	745630m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	766025m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M19.D Vial: 18
Acq On : 25 Apr 19 21:25 Operator: PM,DG,SV,CMM,KV
Sample : AZ90054W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	701624	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	541522	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	283034	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	133403	24.854	ppb	-0.11
Spiked Amount 25.000			Recovery =	99.416%		
3) 1,2-DCA-D4(S)	4.83	65	142438	23.035	ppb	-0.11
Spiked Amount 25.000			Recovery =	92.140%		
5) Toluene-D8(S)	7.01	98	582352	24.220	ppb	-0.12
Spiked Amount 25.000			Recovery =	96.880%		
6) 4-Bromofluorobenzene(S)	10.39	95	214300	24.288	ppb	-0.13
Spiked Amount 25.000			Recovery =	97.152%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M19.D Vial: 18
Acq On : 25 Apr 19 21:25 Operator: PM,DG,SV,CMM,KV
Sample : AZ90054W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M20.D
Acq On : 25 Apr 19 21:53
Sample : AZ90056W01
Misc : IS,Surr 03/24/19

Vial: 19
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	807429	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	812036m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	808778m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M20.D Vial: 19
Acq On : 25 Apr 19 21:53 Operator: PM,DG,SV,CMM,KV
Sample : AZ90056W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	768638	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	578151	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	294599	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	139339	23.697	ppb	-0.11
Spiked Amount 25.000			Recovery =	94.788%		
3) 1,2-DCA-D4(S)	4.84	65	154285	22.776	ppb	-0.11
Spiked Amount 25.000			Recovery =	91.104%		
5) Toluene-D8(S)	7.02	98	628181	24.471	ppb	-0.12
Spiked Amount 25.000			Recovery =	97.884%		
6) 4-Bromofluorobenzene(S)	10.39	95	228644	24.272	ppb	-0.13
Spiked Amount 25.000			Recovery =	97.088%		

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M20.D Vial: 19
Acq On : 25 Apr 19 21:53 Operator: PM,DG,SV,CMM,KV
Sample : AZ90056W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M21.D Vial: 20
Acq On : 25 Apr 19 22:22 Operator: PM,DG,SV,CMM,KV
Sample : AZ90058W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	785330	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	781492m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	809299m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration
0425M21.D MGAS401.M Fri Apr 26 09:36:07 2019 Page 1

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M21.D Vial: 20
Acq On : 25 Apr 19 22:22 Operator: PM,DG,SV,CMM,KV
Sample : AZ90058W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	746252	25.000	ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	571073	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	295723	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	141141	24.723	ppb	-0.11
Spiked Amount 25.000			Recovery =	98.892%		
3) 1,2-DCA-D4(S)	4.83	65	153371	23.320	ppb	-0.11
Spiked Amount 25.000			Recovery =	93.280%		
5) Toluene-D8(S)	7.02	98	619629	24.437	ppb	-0.12
Spiked Amount 25.000			Recovery =	97.748%		
6) 4-Bromofluorobenzene(S)	10.39	95	230203	24.740	ppb	-0.13
Spiked Amount 25.000			Recovery =	98.960%		

Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration

Data File : M:\MAX\DATA\M190401\0425M21.D
Acq On : 25 Apr 19 22:22
Sample : AZ90058W01
Misc : IS,Surr 03/24/19

Vial: 20
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M22.D Vial: 21
Acq On : 25 Apr 19 22:50 Operator: PM,DG,SV,CMM,KV
Sample : AZ90060W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	854167	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	826839m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	803799m	25.000	ppb	0.00

System Monitoring Compounds

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M22.D Vial: 21
Acq On : 25 Apr 19 22:50 Operator: PM,DG,SV,CMM,KV
Sample : AZ90060W01 Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	809717	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	608003	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	304633	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	150387	24.278	ppb	-0.11
Spiked Amount 25.000			Recovery =	97.112%		
3) 1,2-DCA-D4(S)	4.83	65	162505	22.772	ppb	-0.11
Spiked Amount 25.000			Recovery =	91.088%		
5) Toluene-D8(S)	7.01	98	651641	24.138	ppb	-0.12
Spiked Amount 25.000			Recovery =	96.552%		
6) 4-Bromofluorobenzene(S)	10.39	95	236256	23.849	ppb	-0.13
Spiked Amount 25.000			Recovery =	95.396%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M22.D
Acq On : 25 Apr 19 22:50
Sample : AZ90060W01
Misc : IS,Surr 03/24/19

Vial: 21
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:34 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M10.D
Acq On : 25 Apr 19 17:08
Sample : 190425A blk
Misc : IS,Surr 03/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:28 2019

Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	766795	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	763330m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	820378m	25.000 ppb	0.00

System Monitoring Compounds

Target Compounds

Qvalue

(#) = qualifier out of range (m) = manual integration
)425M10.D MGAS401.M Fri Apr 26 09:35:45 2019

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M10.D
Acq On : 25 Apr 19 17:08
Sample : 190425A blk
Misc : IS,Surr 03/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 11:04 2019

Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	724713	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	561675	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	294075	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	141762	25.570 ppb	-0.11
Spiked Amount 25.000			Recovery = 102.280%		
3) 1,2-DCA-D4(S)	4.83	65	149599	23.422 ppb	-0.11
Spiked Amount 25.000			Recovery = 93.688%		
5) Toluene-D8(S)	7.01	98	606922	24.336 ppb	-0.12
Spiked Amount 25.000			Recovery = 97.344%		
6) 4-Bromofluorobenzene(S)	10.39	95	228485	24.967 ppb	-0.13
Spiked Amount 25.000			Recovery = 99.868%		

Target Compounds

Qvalue

(#) = qualifier out of range (m) = manual integration
0425M10.D MSUR324.M Fri Apr 26 11:05:56 2019

Quantitation Report


Data File : M:\MAX\DATA\M190401\0425M10.D
Acq On : 25 Apr 19 17:08
Sample : 190425A blk
Misc : IS,Surr 03/24/19

Vial: 9
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:28 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Data File : M:\MAX\DATA\M190401\0425M07.D
Acq On : 25 Apr 19 15:43
Sample : 190425A LCS 300ug/L
Misc : IS,Surr 03/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:21 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	749625	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1668208m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1747453m	25.000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) Gasoline C6-C10	8.80	TIC	11331608m	352.180	ppb	100

(#) = qualifier out of range (m) = manual integration
0425M07.D MGAS401.M Fri Apr 26 09:35:41 2019 Page 1

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M07.D
Acq On : 25 Apr 19 15:43
Sample : 190425A LCS 300ug/L
Misc : IS,Surr 03/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	96	715351	25.000 ppb	-0.12
4) Chlorobenzene-D5 (IS)	8.80	117	556250	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	298441	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	140961	25.758 ppb	-0.11
Spiked Amount 25.000			Recovery = 103.032%		
3) 1,2-DCA-D4(S)	4.83	65	149070	23.645 ppb	-0.11
Spiked Amount 25.000			Recovery = 94.580%		
5) Toluene-D8(S)	7.01	98	612688	24.807 ppb	-0.12
Spiked Amount 25.000			Recovery = 99.228%		
6) 4-Bromofluorobenzene(S)	10.39	95	233212	25.732 ppb	-0.13
Spiked Amount 25.000			Recovery = 102.928%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration
0425M07.D MSUR324.M Fri Apr 26 11:05:54 2019

Quantitation Report


Data File : M:\MAX\DATA\M190401\0425M07.D
Acq On : 25 Apr 19 15:43
Sample : 190425A LCS 300ug/L
Misc : IS,Surr 03/24/19

Vial: 6
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:21 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M08.D
Acq On : 25 Apr 19 16:11
Sample : 190425A LCSD 300ug/L
Misc : IS,Surr 03/24/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:22 2019

Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	763016	25.000 ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1673786m	25.000 ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1753923m	25.000 ppb	0.00
System Monitoring Compounds					
Target Compounds					Qvalue
2) Gasoline C6-C10	8.80	TIC	11218524m	330.026 ppb	100

(#) = qualifier out of range (m) = manual integration
0425M08.D MGAS401.M Fri Apr 26 09:35:43 2019

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M08.D Vial: 7
Acq On : 25 Apr 19 16:11 Operator: PM,DG,SV,CMM,KV
Sample : 190425A LCSD 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	719422	25.000 ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	558303	25.000 ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	298376	25.000 ppb	-0.13
System Monitoring Compounds					
2) Dibromofluoromethane(S)	4.49	111	139597	25.365 ppb	-0.11
Spiked Amount 25.000			Recovery =	101.460%	
3) 1,2-DCA-D4(S)	4.83	65	150656	23.761 ppb	-0.11
Spiked Amount 25.000			Recovery =	95.044%	
5) Toluene-D8(S)	7.01	98	605342	24.419 ppb	-0.12
Spiked Amount 25.000			Recovery =	97.676%	
6) 4-Bromofluorobenzene(S)	10.39	95	228784	25.150 ppb	-0.13
Spiked Amount 25.000			Recovery =	100.600%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration

Quantitation Report


Data File : M:\MAX\DATA\M190401\0425M08.D
Acq On : 25 Apr 19 16:11
Sample : 190425A LCSD 300ug/L
Misc : IS,Surr 03/24/19

Vial: 7
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:22 2019

Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M25.D Vial: 24
Acq On : 26 Apr 19 00:16 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W02 MS 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:26 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	TIC	804884	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1686470m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1713520m	25.000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) Gasoline C6-C10	8.80	TIC	10611081m	248.619	ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M25.D Vial: 24
Acq On : 26 Apr 19 00:16 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W02 MS 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	754403	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	570552	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	293588	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	144965	25.119	ppb	-0.11
Spiked Amount 25.000			Recovery = 100.476%			
3) 1,2-DCA-D4(S)	4.84	65	156520	23.542	ppb	-0.11
Spiked Amount 25.000			Recovery = 94.168%			
5) Toluene-D8(S)	7.02	98	616402	24.332	ppb	-0.12
Spiked Amount 25.000			Recovery = 97.328%			
6) 4-Bromofluorobenzene(S)	10.39	95	227328	24.454	ppb	-0.13
Spiked Amount 25.000			Recovery = 97.816%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M25.D
Acq On : 26 Apr 19 00:16
Sample : AZ90051W02 MS 300ug/L
Misc : IS,Surr 03/24/19

Vial: 24
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:26 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\MAX\DATA\M190401\0425M26.D Vial: 25
Acq On : 26 Apr 19 00:44 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W03 MSD 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 9:27 2019 Quant Results File: MGAS401.RES

Quant Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.20	TIC	829938	25.000	ppb	0.00
3) Chlorobenzene-D5 (IS)	8.93	TIC	1803452m	25.000	ppb	0.00
4) 1,4-Dichlorobenzene (IS)	12.12	TIC	1789973m	25.000	ppb	0.00
System Monitoring Compounds						
Target Compounds						Qvalue
2) Gasoline C6-C10	7.02	TIC	12087299m	322.592	ppb	100

(#) = qualifier out of range (m) = manual integration
0425M26.D MGAS401.M Fri Apr 26 09:36:13 2019 Page 1

Quantitation Report (Not Reviewed)

Data File : M:\MAX\DATA\M190401\0425M26.D Vial: 25
Acq On : 26 Apr 19 00:44 Operator: PM,DG,SV,CMM,KV
Sample : AZ90051W03 MSD 300ug/L Inst : Max
Misc : IS,Surr 03/24/19 Multiplr: 1.00

Quant Time: Apr 26 11:04 2019 Quant Results File: MSUR324.RES

Quant Method : M:\MAX\DATA\M190401\MSUR324.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Fri Mar 29 07:48:21 2019
Response via : Initial Calibration
DataAcq Meth : V8260_BETA

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Fluorobenzene (IS)	5.21	96	784647	25.000	ppb	-0.11
4) Chlorobenzene-D5 (IS)	8.80	117	600895	25.000	ppb	-0.13
7) 1,4-Dichlorobenzene-D (IS)	11.99	152	306504	25.000	ppb	-0.13
System Monitoring Compounds						
2) Dibromofluoromethane(S)	4.49	111	153240	25.529	ppb	-0.11
Spiked Amount 25.000			Recovery = 102.116%			
3) 1,2-DCA-D4(S)	4.83	65	164871	23.842	ppb	-0.11
Spiked Amount 25.000			Recovery = 95.368%			
5) Toluene-D8(S)	7.02	98	662554	24.833	ppb	-0.12
Spiked Amount 25.000			Recovery = 99.332%			
6) 4-Bromofluorobenzene(S)	10.39	95	245936	25.120	ppb	-0.13
Spiked Amount 25.000			Recovery = 100.480%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\MAX\DATA\M190401\0425M26.D
Acq On : 26 Apr 19 00:44
Sample : AZ90051W03 MSD 300ug/L
Misc : IS,Surr 03/24/19

Vial: 25
Operator: PM,DG,SV,CMM,KV
Inst : Max
Multiplr: 1.00

Quant Time: Apr 26 9:27 2019 Quant Results File: MGAS401.RES

Method : M:\MAX\DATA\M190401\MGAS401.M (RTE Integrator)
Title : METHOD 8260B
Last Update : Mon Apr 01 15:30:17 2019
Response via : Initial Calibration



Max 8260 Water Surrogate

Prepared: 03/24/19 **Prepared By (Initials):** DG

Expires: 03/23/20

Methanol Lot No: 58019

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
8260 Surrogate Solution	O2SI	120002-01	2,000	348756-39342	03/24/20	02/10/22	375uL	15mL	Methanol	50

Max 8260 Water Internal Standard

Prepared: 03/24/19 **Prepared By (Initials):** DG

Expires: 03/23/20

Methanol Lot No: 58019

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Internal Standard Solution	O2SI	120004-02	2,000	326533-38436	03/24/20	04/27/21	375uL	15mL	Methanol	50

Max Gas Standard Prep

Gas Primary Working Standard

Prepared: 02/01/19 — **Prepared By (Initials): CMM**

Expires: 11/01/19

Methanol Lot No. 9077-02

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
50,000ug/mL Gas STD	Restek	30205	50,000	A0132443-39861	11/01/19	12/31/24	80uL	2mL	Methanol	2,000

Gas Second Source (SS) Working Standard

Prepared: 01/14/19 — **Prepared By (Initials): CMM**

Expires: 01/14/20

Methanol Lot No. 946

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Gasoline (5,000ppm)	O2SI	020246-06	5,000	G34-326538-39193	01/14/20	10/31/20	800uL	2mL	Methanol	2,000

Max Gas Calibration Curve

Prepared: 04/01/19 — **Prepared By (Initials): PC**

Expires: 05/31/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
VOA Gasses Standards	Phenova	20ug/L	2,000	Prepared 02/01/19	11/01/19	N/A	1uL	100mL	P&T Water	20
VOA Gasses Standards	Phenova	50ug/L	2,000	Prepared 02/01/19	11/01/19	N/A	2.5uL	100mL	P&T Water	50
VOA Gasses Standards	Phenova	100ug/L	2,000	Prepared 02/01/19	11/01/19	N/A	5uL	100mL	P&T Water	100
VOA Gasses Standards	Phenova	300ug/L	2,000	Prepared 02/01/19	11/01/19	N/A	15uL	100mL	P&T Water	300
VOA Gasses Standards	Phenova	600ug/L	2,000	Prepared 02/01/19	11/01/19	N/A	30uL	100mL	P&T Water	600
VOA Gasses Standards	Phenova	800ug/L	2,000	Prepared 02/01/19	11/01/19	N/A	40uL	100mL	P&T Water	800
VOA Gasses Standards	Phenova	1,000ug/L	2,000	Prepared 02/01/19	11/01/19	N/A	50uL	100mL	P&T Water	1,000

Max Gas Second Source

Prepared: 04/01/19 — **Prepared By (Initials): PC**

Expires: 05/31/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/L)
50,000ug/mL Gas STD	Phenova	SS 300ug/L	2,000	Prepared 01/14/19	01/14/20	N/A	15uL	100mL	P&T Water	300

Max Gas Continuing Calibrations/Lab Control Spikes

Prepared: 04/01/19 — **Prepared By (Initials): PC**

Expires: 04/02/19

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier P/N#	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr)	Exp. Date (Manufacturers)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
VOA Gasses Standards	Phenova	300ug/L	2,000	Prepared 02/01/19	11/01/19	N/A	15uL	100mL	P&T Water	300

Injection Log

Directory: M:\MAX\DATA\M190324\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	3	0324M05.D	1	0.3ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 12:56
2	4	0324M06.D	1	0.5ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 13:25
3	5	0324M07.D	1	1.0ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 13:54
4	6	0324M08.D	1	2.0ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 14:22
5	7	0324M09.D	1	5.0ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 14:51
6	8	0324M10.D	1	10ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 15:19
7	9	0324M11.D	1	20ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 15:48
8	10	0324M12.D	1	40ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 16:17
9	11	0324M13.D	1	100ug/L VOC STD 3/24/19	Is,Surr 3/24/19	24 Mar 19 16:45
10	3	0401M04.D	1	20ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 10:31
11	4	0401M05.D	1	50ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 11:00
12	5	0401M06.D	1	100ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 11:28
13	6	0401M07.D	1	300ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 11:57
14	7	0401M08.D	1	600ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 12:25
15	8	0401M09.D	1	800ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 12:54
16	9	0401M10.D	1	1000ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 13:22
17	11	0401M12.D	1	(SS)300ug/L GAS STD 4/01/19	IS,Surr 03/24/19	1 Apr 19 14:19
18	5	0425M06.D	1	190425A CCV 300ug/L	IS,Surr 03/24/19	25 Apr 19 15:14
19	6	0425M07.D	1	190425A LCS 300ug/L	IS,Surr 03/24/19	25 Apr 19 15:43
20	7	0425M08.D	1	190425A LCSD 300ug/L	IS,Surr 03/24/19	25 Apr 19 16:11
21	9	0425M10.D	1	190425A blk	IS,Surr 03/24/19	25 Apr 19 17:08
22	11	0425M12.D	1	AZ90053W01	IS,Surr 03/24/19	25 Apr 19 18:05
23	12	0425M13.D	1	AZ90059W01	IS,Surr 03/24/19	25 Apr 19 18:34
24	13	0425M14.D	1	AZ90050W01	IS,Surr 03/24/19	25 Apr 19 19:02
25	14	0425M15.D	1	AZ90055W01	IS,Surr 03/24/19	25 Apr 19 19:31
26	15	0425M16.D	1	AZ90057W01	IS,Surr 03/24/19	25 Apr 19 19:59
27	16	0425M17.D	1	AZ90051W01	IS,Surr 03/24/19	25 Apr 19 20:28
28	17	0425M18.D	1	AZ90052W01	IS,Surr 03/24/19	25 Apr 19 20:56
29	18	0425M19.D	1	AZ90054W01	IS,Surr 03/24/19	25 Apr 19 21:25
30	19	0425M20.D	1	AZ90056W01	IS,Surr 03/24/19	25 Apr 19 21:53
31	20	0425M21.D	1	AZ90058W01	IS,Surr 03/24/19	25 Apr 19 22:22
32	21	0425M22.D	1	AZ90060W01	IS,Surr 03/24/19	25 Apr 19 22:50
33	24	0425M25.D	1	AZ90051W02 MS 300ug/L	IS,Surr 03/24/19	26 Apr 19 00:16
34	25	0425M26.D	1	AZ90051W03 MSD 300ug/L	IS,Surr 03/24/19	26 Apr 19 00:44
35	27	0425M28.D	1	Ending CCV 300ug/L	IS,Surr 03/24/19	26 Apr 19 1:41

ORGANICS
Calibration Data

APPL, INC.

RSK 175

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/11/19
Matrix: Instrument: 7890

Initials: CMO/LP

19031100.D 19031101.D 19031103.D 19031104.D 19031105.D 19031106.D 19031107.D

		Compound	1	2	3	4	5	6	7				Avg	%RSD	Type	r^2	Q
1	ATML	Methane	17670	8968	6066	11811	14125	14507	13183				12333	31	ATM	0.999	
2	ATML	Ethane	14730	8189	5526	9883	12114	11368	10522				10333	28	ATM	0.999	
3	ATML	Ethene	12553	7178	4798	8331	10165	9095	8863				8712	28	ATM	1.000	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	
25																	
26																	
27																	
28																	
29																	
30																	
31																	
32																	
33																	
34																	
35																	

2.487833

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031100.D Vial: 1
Acq On : 11 Mar 19 10:21 Operator: cmm
Sample : RSK Std 1 03/11/19 Inst : 7890
Misc : 125uL from RSK Std 3 Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:49 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:48:58 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units
Target Compounds				
1) ATM Methane	0.71	18377	0.442	ppb
3) ATM Ethene	0.91	22909	1.995	ppb
Target Compounds				
2) ATM Ethane	0.83	28797	N.D.	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031100.D
Sample : RSK Std 1 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031101.D Vial: 2
Acq On : 11 Mar 19 10:23 Operator: cmm
Sample : RSK Std 2 03/11/19 Inst : 7890
Misc : 250uL from RSK Std 3 Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:49 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:49:30 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units
Target Compounds				
1) ATM Methane	0.70	18654	0.484	ppb
3) ATM Ethene	0.90	26201	2.738	ppb
Target Compounds				
2) ATM Ethane	0.82	31979	N.D.	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031101.D
Sample : RSK Std 2 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031103.D Vial: 4
Acq On : 11 Mar 19 10:28 Operator: cmm
Sample : RSK Std 3 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:50 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:49:59 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.70	25296	1.488 ppb
2) ATM Ethane	0.83	43104	2.024 ppb
3) ATM Ethene	0.90	35029	4.730 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031103.D
Sample : RSK Std 3 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031104.D Vial: 5
Acq On : 11 Mar 19 10:31 Operator: cmm
Sample : RSK Std 4 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:50 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:50:29 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.71	123132	16.291 ppb
2) ATM Ethane	0.83	193161	30.521 ppb
3) ATM Ethene	0.90	151872	31.095 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031104.D
Sample : RSK Std 4 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031105.D Vial: 6
Acq On : 11 Mar 19 10:33 Operator: cmm
Sample : RSK Std 5 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:51 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:51:01 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.70	588996	86.775 ppb
2) ATM Ethane	0.83	946997	173.678 ppb
3) ATM Ethene	0.90	741247	164.087 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031105.D
Sample : RSK Std 5 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031106.D Vial: 7
Acq On : 11 Mar 19 10:35 Operator: cmm
Sample : RSK Std 6 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:51 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:51:33 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units
Target Compounds				
1) ATM Methane	0.71	1512363	226.478	ppb
2) ATM Ethane	0.83	2221790	415.768	ppb
3) ATM Ethene	0.91	1658041	370.960	ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031106.D
Sample : RSK Std 6 03/11/19



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031107.D Vial: 8
Acq On : 11 Mar 19 10:37 Operator: cmm
Sample : RSK Std 7 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:52 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:52:05 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :


Compound	R.T.	Response	Conc	Units
Target Compounds				
1) ATM Methane	0.71	5497199	829.373	ppb
2) ATM Ethane	0.83	8225741	1555.950	ppb
3) ATM Ethene	0.91	6463235	1455.245	ppb

Target Compounds


(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031107.D
Sample : RSK Std 7 03/11/19






Method Name: G:\ROCKY\DATA\190311RS\RSK0311.M
Calibration Table Last Updated: Mon Mar 11 10:52:05 2019



Method Name: G:\ROCKY\DATA\190311RS\RSK0311.M
Calibration Table Last Updated: Mon Mar 11 10:52:05 2019



Method Name: G:\ROCKY\DATA\190311RS\RSK0311.M
Calibration Table Last Updated: Mon Mar 11 10:52:05 2019

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 03/11/19
Instrument: 7890
Initial Cal. Date: 03/11/19
Data File: 19031108.D

		Compound	MEAN	CCRF	%D		%Drift
1	ATML	Methane	12333	15569	26	ATML	15
2	ATML	Ethane	10333	12628	22	ATML	16
3	ATML	Ethene	8712	10096	16	ATML	12
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			21.3		

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19031108.D Vial: 9
Acq On : 11 Mar 19 10:48 Operator: cmm
Sample : SS RSK Std 5 03/11/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Mar 11 10:59 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Mon Mar 11 10:59:14 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.71	649223	95.887 ppb
2) ATM Ethane	0.83	987165	181.306 ppb
3) ATM Ethene	0.91	736184	162.944 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19031108.D
Sample : SS RSK Std 5 03/11/19



Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/29/19
Instrument: 7890
Initial Cal. Date: 03/11/19
Data File: 19042900.D

		Compound	MEAN	CCRF	%D		%Drift
1	ATML	Methane	12333	13829	12	ATML	1.8
2	ATML	Ethane	10333	11634	13	ATML	6.5
3	ATML	Ethene	8712	9351	7.3	ATML	3.3
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			10.8		

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042900.D Vial: 1
Acq On : 29 Apr 19 11:03 Operator: cmm
Sample : 190429A LCS/CCV RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:07 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	576667	84.909 ppb
2) ATM Ethane	0.80	909493	166.556 ppb
3) ATM Ethene	0.86	681904	150.696 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042900.D
Sample : 190429A LCS/CCV RSK Std 5



Form 7

Ending Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 04/29/19
Instrument: 7890
Initial Cal. Date: 03/11/19
Data File: 19042918.D

		Compound	MEAN	CCRF	%D		%Drift
1	ATML	Methane	12333	10517	15	ATML	23
2	ATML	Ethane	10333	8572	17	ATML	23
3	ATML	Ethene	8712	6817	22	ATML	25
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			18.0		

Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042918.D Vial: 19
Acq On : 29 Apr 19 11:54 Operator: cmm
Sample : Ending CCV RSK Std 5 04/29/19 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:56 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	438547	64.012 ppb
2) ATM Ethane	0.79	670103	121.095 ppb
3) ATM Ethene	0.86	497073	108.989 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042918.D
Sample : Ending CCV RSK Std 5 04/29/19



ORGANICS
Raw Data

APPL, INC.

Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042906.D Vial: 7
Acq On : 29 Apr 19 11:23 Operator: cmm
Sample : AZ90050W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:28 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042906.D
Sample : AZ90050W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042907.D Vial: 8
Acq On : 29 Apr 19 11:27 Operator: cmm
Sample : AZ90051W07 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:30 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042907.D
Sample : AZ90051W07



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042910.D Vial: 11
Acq On : 29 Apr 19 11:36 Operator: cmm
Sample : AZ90053W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:39 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042910.D
Sample : AZ90053W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042911.D Vial: 12
Acq On : 29 Apr 19 11:38 Operator: cmm
Sample : AZ90054W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:41 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042911.D
Sample : AZ90054W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042912.D Vial: 13
Acq On : 29 Apr 19 11:40 Operator: cmm
Sample : AZ90055W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:43 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042912.D
Sample : AZ90055W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042913.D Vial: 14
Acq On : 29 Apr 19 11:43 Operator: cmm
Sample : AZ90056W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:45 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042913.D
Sample : AZ90056W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042914.D Vial: 15
Acq On : 29 Apr 19 11:45 Operator: cmm
Sample : AZ90057W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:48 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042914.D
Sample : AZ90057W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042915.D Vial: 16
Acq On : 29 Apr 19 11:47 Operator: cmm
Sample : AZ90058W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:50 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042915.D
Sample : AZ90058W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042916.D Vial: 17
Acq On : 29 Apr 19 11:49 Operator: cmm
Sample : AZ90059W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:52 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042916.D
Sample : AZ90059W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042917.D Vial: 18
Acq On : 29 Apr 19 11:51 Operator: cmm
Sample : AZ90060W04 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:55 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042917.D
Sample : AZ90060W04



Quantitation Report (QT Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042902.D Vial: 3
Acq On : 29 Apr 19 11:12 Operator: cmm
Sample : 190429A Blk Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:15 2019 Quant Results File: RSK0311.RES


Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration

Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc	Units	
Target Compounds					
Target Compounds					
1) ATM Methane	0.00	0	N.D.	ppb	d
2) ATM Ethane	0.00	0	N.D.	ppb	d
3) ATM Ethene	0.00	0	N.D.	ppb	d

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042902.D
Sample : 190429A Blk



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042900.D Vial: 1
Acq On : 29 Apr 19 11:03 Operator: cmm
Sample : 190429A LCS/CCV RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:07 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	576667	84.909 ppb
2) ATM Ethane	0.80	909493	166.556 ppb
3) ATM Ethene	0.86	681904	150.696 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042900.D
Sample : 190429A LCS/CCV RSK Std 5



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042901.D Vial: 2
Acq On : 29 Apr 19 11:07 Operator: cmm
Sample : 190429A LCSD RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:12 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	560268	82.428 ppb
2) ATM Ethane	0.79	865912	158.280 ppb
3) ATM Ethene	0.86	644404	142.234 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042901.D
Sample : 190429A LCSD RSK Std 5



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042908.D Vial: 9
Acq On : 29 Apr 19 11:29 Operator: cmm
Sample : AZ90051W08 MS RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:32 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.69	565427	83.209 ppb
2) ATM Ethane	0.80	917406	168.059 ppb
3) ATM Ethene	0.87	666706	147.267 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042908.D
Sample : AZ90051W08 MS RSK Std 5



Quantitation Report (Not Reviewed)

Data File : G:\ROCKY\DATA\190311RS\19042909.D Vial: 10
Acq On : 29 Apr 19 11:32 Operator: cmm
Sample : AZ90051W08 MSD RSK Std 5 Inst : 7890
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Apr 29 11:36 2019 Quant Results File: RSK0311.RES

Method : G:\ROCKY\DATA\190311RS\RSK0311.M (Chemstation Integrator)
Title : RSK 175
Last Update : Fri Apr 19 11:51:54 2019
Response via : Multiple Level Calibration


Volume Inj. : 0.500 mL
Signal Phase : CARBOPACK
Signal Info :

Compound	R.T.	Response	Conc Units
Target Compounds			
1) ATM Methane	0.68	588410	86.686 ppb
2) ATM Ethane	0.80	951633	174.559 ppb
3) ATM Ethene	0.87	682625	150.859 ppb

Target Compounds

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\ROCKY\DATA\190311RS\19042909.D
Sample : AZ90051W08 MSD RSK Std 5



Primary Source Stock Standard 10,000ppmV **Manufacturer Exp Date 9-21-21**

RSK Gas Mix (Scott Specialty Gas) Cat.# 0104E40028`4, Lot # 160-401303031-39773

1% Gas Concentration Moles = 10,000ppmV Methane, Ethane, Ethene

RSK Calibration Curve (prepared in 1.0 L Tedlar Bags at room temp) **Expires 04/11/19** **CMM 03/11/19**

Analye	Conc Std 1 (1/2 = LOD) (ug/L)	Conc Std 2 (LOQ Chk) (ug/L)	Conc Std 3 (ug/L)	Conc Std 4 (ug/L)	Conc Std 5 (ug/L)	Conc Std 6 (ug/L)	Conc Std 7 (ug/L)
Methane (MW 16.04)	2.08	4.16	8.34	20.85	83.40	208.5	834.0
Ethane (MW 30.07)	3.91	7.81	15.6	39.09	156.35	390.9	1563.5
Ethene (MW 28.05)	3.65	7.30	14.6	36.46	145.84	364.6	1458.4
Stock Source	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410	RSK Tank Lot #170PLU5SPC06L-35410
Stock Conc (ppmv)	10,000 ppmV	10,000 ppmV	10,000 ppmV	10,000 ppmV	10,000 ppmV	10,000 ppmV	10,000 ppmV
Stock Aliquot (mL)	0.010	0.020	0.040	0.100	0.400	1.00	4.00
Final Volume P&T Water	32 mL	32 mL	32 mL	32 mL	32 mL	32 mL	32 mL

Second Source Stock Standard 10,000ppmV **Manufacturer Exp date 9-21-2021**

RSK Gas Mix (Scott Specialty Gas) Cat.# 23452, Lot # 160-401303032-1-39774

1% Gas Concentration Moles = 10,000ppmV Methane, Ethane, Ethene

Second Source **Expires 03/12/19** **CMM 03/11/19**

2.0mL of SS from tank into 980 mL Nitrogen

final conc: 13.3ug/L Methane, 25.0 ug/L Ethane, and 23.3 ug/L Ethene

CCV/LCS/LCSD **CMM 04/29/19**

Spike 0.400mL of 10,000ppmV into 32mL DI water, with 8mL Nitrogen headspace

final conc: 83.40ug/L Methane, 156.35ug/L Ethane, and 145.84ug/L Ethene

AZ90051W07 MS/MSD **CMM 04/29/19**

Spike 0.400mL of 10,000ppmV into 32mL DI water, with 8mL Nitrogen headspace

final conc: 83.40ug/L Methane, 156.35ug/L Ethane, and 145.84ug/L Ethene

Injection Log

Directory: G:\ROCKY\DATA\190311RS\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	19031100.D	1	RSK Std 1 03/11/19	125uL from RSK Std 3	11 Mar 19 10:21
2	2	19031101.D	1	RSK Std 2 03/11/19	250uL from RSK Std 3	11 Mar 19 10:23
3	4	19031103.D	1	RSK Std 3 03/11/19		11 Mar 19 10:28
4	5	19031104.D	1	RSK Std 4 03/11/19		11 Mar 19 10:31
5	6	19031105.D	1	RSK Std 5 03/11/19		11 Mar 19 10:33
6	7	19031106.D	1	RSK Std 6 03/11/19		11 Mar 19 10:35
7	8	19031107.D	1	RSK Std 7 03/11/19		11 Mar 19 10:37
8	9	19031108.D	1	SS RSK Std 5 03/11/19		11 Mar 19 10:48
9	1	19042900.D	1	190429A LCS/CCV RSK Std 5		29 Apr 19 11:03
10	2	19042901.D	1	190429A LCSD RSK Std 5		29 Apr 19 11:07
11	3	19042902.D	1	190429A Blk		29 Apr 19 11:12
15	7	19042906.D	1	AZ90050W04		29 Apr 19 11:23
16	8	19042907.D	1	AZ90051W07		29 Apr 19 11:27
17	9	19042908.D	1	AZ90051W08 MS RSK Std 5		29 Apr 19 11:29
18	10	19042909.D	1	AZ90051W08 MSD RSK Std 5		29 Apr 19 11:32
19	11	19042910.D	1	AZ90053W04		29 Apr 19 11:36
20	12	19042911.D	1	AZ90054W04		29 Apr 19 11:38
21	13	19042912.D	1	AZ90055W04		29 Apr 19 11:40
22	14	19042913.D	1	AZ90056W04		29 Apr 19 11:43
23	15	19042914.D	1	AZ90057W04		29 Apr 19 11:45
24	16	19042915.D	1	AZ90058W04		29 Apr 19 11:47
25	17	19042916.D	1	AZ90059W04		29 Apr 19 11:49
26	18	19042917.D	1	AZ90060W04		29 Apr 19 11:51
27	19	19042918.D	1	Ending CCV RSK Std 5 04/29/19		29 Apr 19 11:54

INORGANIC ANALYSIS
Calibration Data

A.P.P.L. INC.

2A

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: A.P.P.L. INC. Contract: AECOM

ARF No: 88701 SDG: 88701

Initial Calibration Source: Inorganic Ventures

Continuing Calibration Source: o2si

Analysis Date: 05/01/19

Analyte	Calibration Verification									M
	True ICV	Found 16:50	%R(1)	True CCV1	Found 18:39	%R(1)	True	Found	%R(1)	
TOXN	3	2.9656	98.9	3	3.0459	102				

(1) Control Limits: 90-110

ILM02.0

A.P.P.L. INC.
3
BLANKS

Lab Name: A.P.P.L. INC. Contract: AECOM

ARF No.: 88701 SDG: 88701

Preparation Blank Matrix (soil/water): water

Preparation Blank Concentration Units (ug/L or mg/kg): mg/L

Analyte	Calibration Blanks										M
	ICB 05/01/19 16:51	C	CCB 05/01/19 18:41	C		C		C		C	
TOXN	.100	U	.100	U							


Calibration Batch Report

Sequence:	190401	*Injection Volume:*	25.00
Instrument Method:	Anions IM	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:26	*Run Time:*	5

Calibration Summary

Peak Name	Eval.Type	Cal.Type	Points	Offset (C0)	Slope (C1)	Curve (C2)	Coeff.Det. %
F	Area	Lin, WithOffset, 1/A	8.000	-0.017	0.120	0.000	99.4806
Cl	Area	Lin, WithOffset, 1/A	8.000	-0.028	0.107	0.000	99.4166
NO2-N	Area	Lin, WithOffset, 1/A	8.000	-0.001	0.179	0.000	99.9419
BR	Area	Lin, WithOffset, 1/A	8.000	-0.002	0.036	0.000	99.8824
NO3-N	Area	Lin, WithOffset, 1/A	8.000	-0.007	0.222	0.000	99.7096
PO4-P	Area	Lin, WithOffset, 1/A	7.000	-0.032	0.075	0.000	99.3402
SO4	Area	Lin, WithOffset, 1/A	8.000	-0.012	0.069	0.000	99.7352

Injection Name	Amount mg/L CD_1 F	Amount mg/L CD_1 Cl	Amount mg/L CD_1 NO2-N	Amount mg/L CD_1 BR	Amount mg/L CD_1 NO3-N	Amount mg/L CD_1 PO4-P	Amount mg/L CD_1 SO4
i cal 1	0.152	0.5642	0.0447	0.2325	0.1005	0.4778	0.4991
i cal 2	0.223	1.0054	0.1008	0.5019	0.2020	0.6726	1.0108
i cal 3	0.498	2.1345	0.2378	1.1759	0.4556	1.1460	2.2782
i cal 4	1.078	4.1718	0.4757	2.3481	0.8983	2.1327	4.5095
i cal 5	2.245	8.6460	0.9640	4.7379	1.8243	4.3601	9.1640
i cal 6	6.079	24.1535	2.4749	12.2599	4.8399	11.9336	24.2601
i cal 7	8.756	35.0732	3.4778	17.3494	6.9503	17.3831	34.7622
i cal 8	13.194	53.1515	5.1141	25.8443	10.5090	26.6219	52.4162




Chromeleon (c) Dionex 1996-2009
Version 7.2.4.8340

Peak Integration Report

Sample Name:	CCB	*Inj. Vol.:*	25uL
Injection Type:	Unknown	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:27	*Run Time:*	5.00


No.	Time (min)	Peak Name	Peak Type	Area (µS*min)	Height (µS)	Amount	Amount	Recovery
	min			µS*min	µS	n.a.	n.a.	



Peak Integration Report

Sample Name:	i cal 1	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:34	*Run Time:*	5.00

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB*	0.001	0.032	0.15	0.1000	152.1%
2	1.71	Cl	BMB	0.033	0.547	0.56	0.4000	141.1%
3	2.03	NO2-N	BMB	0.007	0.084	0.04	0.0400	111.8%
4	2.40	BR	BMB	0.007	0.086	0.23	0.2000	116.3%
5	2.67	NO3-N	BMB	0.016	0.173	0.10	0.0800	125.7%
6	3.34	PO4-P	BMB*	0.004	0.034	0.48	0.2000	238.9%
7	3.75	SO4	BMB	0.023	0.151	0.50	0.4000	124.8%




F mi1 HH 190405

Not Manipulated Peak Integration Report

Sample Name:	i cal 1	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:34	*Run Time:*	5.00


No.	Time min	Peak Name	Peak Type	Area µS*min	Height µS	Ammount mg/L
1	n.a.	F	BMB*	n.a.	n.a.	n.a.
2	1.71	Cl	BMB	0.033	0.547	0.5642
3	2.03	NO2-N	BMB	0.007	0.084	0.0447
4	2.40	BR	BMB	0.007	0.086	0.2325
5	2.67	NO3-N	BMB	0.016	0.173	0.1005
6	n.a.	PO4-P	BMB*	n.a.	n.a.	n.a.
7	3.75	SO4	BMB	0.023	0.151	0.4991



Peak Integration Report

Sample Name:	**i cal 2**	*Inj. Vol.:*	**25uL**
Injection Type:	**Calibration Standard**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**01-Apr-2019 / 18:42**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB*	0.010	0.194	0.22	0.2500	89.3%
2	1.70	Cl	BMB	0.080	1.346	1.01	1.0000	100.5%
3	2.02	NO2-N	BMB	0.017	0.208	0.10	0.1000	100.8%
4	2.39	BR	BMB	0.016	0.211	0.50	0.5000	100.4%
5	2.66	NO3-N	BMB	0.038	0.421	0.20	0.2000	101.0%
7	3.33	PO4-P	BMB	0.018	0.129	0.67	0.5000	134.5%
8	3.75	SO4	BMB	0.058	0.395	1.01	1.0000	101.1%




F mi1 HH 190405

Not Manipulated Peak Integration Report

Sample Name:	i cal 2	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:42	*Run Time:*	5.00


No.	Time min	Peak Name	Peak Type	Area µS*min	Height µS	Ammount mg/L
1	1.23	F	BMB*	0.008	0.177	0.3039
2	1.70	Cl	BMB	0.080	1.346	1.0054
3	2.02	NO2-N	BMB	0.017	0.208	0.1008
4	2.39	BR	BMB	0.016	0.211	0.5019
5	2.66	NO3-N	BMB	0.038	0.421	0.2020
7	3.33	PO4-P	BMB	0.018	0.129	0.6726
8	3.75	SO4	BMB	0.058	0.395	1.0108



Peak Integration Report

Sample Name:	i cal 3	*Inj. Vol.:*	**25uL**
Injection Type:	**Calibration Standard**	*Dilution Factor:*	**1.0000**
Program:	**Anion APM 190401A**	*Operator:*	**chemist_wetlab**
Inj. Date / Time:	**01-Apr-2019 / 18:49**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.043	0.673	0.50	0.6250	79.7%
2	1.70	Cl	BMB	0.201	3.411	2.13	2.5000	85.4%
3	2.02	NO2-N	BMB	0.041	0.518	0.24	0.2500	95.1%
4	2.39	BR	BMB	0.040	0.524	1.18	1.2500	94.1%
5	2.66	NO3-N	BMB	0.094	1.046	0.46	0.5000	91.1%
7	3.33	PO4-P	BMB	0.053	0.392	1.15	1.2500	91.7%
8	3.76	SO4	BMB	0.145	1.005	2.28	2.5000	91.1%



Peak Integration Report

Sample Name:	i cal 4	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 18:56	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.112	1.593	1.08	1.2500	86.2%
2	1.70	Cl	BMB	0.420	7.239	4.17	5.0000	83.4%
3	2.02	NO2-N	BMB	0.084	1.054	0.48	0.5000	95.1%
4	2.39	BR	BMB	0.082	1.069	2.35	2.5000	93.9%
5	2.66	NO3-N	BMB	0.193	2.151	0.90	1.0000	89.8%
6	3.33	PO4-P	BMB	0.127	0.939	2.13	2.5000	85.3%
7	3.76	SO4	BMB	0.298	2.093	4.51	5.0000	90.2%



Peak Integration Report

Sample Name:	i cal 5	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:04	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.253	3.584	2.24	2.5000	89.8%
2	1.71	Cl	BMB	0.900	15.899	8.65	10.0000	86.5%
3	2.02	NO2-N	BMB	0.171	2.155	0.96	1.0000	96.4%
4	2.39	BR	BMB	0.167	2.196	4.74	5.0000	94.8%
5	2.66	NO3-N	BMB	0.398	4.491	1.82	2.0000	91.2%
6	3.33	PO4-P	BMB	0.293	2.182	4.36	5.0000	87.2%
7	3.77	SO4	BMB	0.618	4.399	9.16	10.0000	91.6%



Peak Integration Report

Sample Name:	i cal 6	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:11	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB	0.715	10.279	6.08	6.2500	97.3%
2	1.71	Cl	BMB	2.565	46.518	24.15	25.0000	96.6%
3	2.03	NO2-N	BMB	0.441	5.520	2.47	2.5000	99.0%
4	2.39	BR	BMB	0.436	5.795	12.26	12.5000	98.1%
5	2.66	NO3-N	BMB	1.067	12.256	4.84	5.0000	96.8%
6	3.34	PO4-P	BMB	0.857	6.441	11.93	12.5000	95.5%
7	3.78	SO4	BMB	1.654	12.099	24.26	25.0000	97.0%



Peak Integration Report

Sample Name:	i cal 7	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:19	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB	1.037	14.883	8.76	8.7500	100.1%
2	1.72	Cl	BMB	3.736	67.756	35.07	35.0000	100.2%
3	2.03	NO2-N	BMB	0.621	7.719	3.48	3.5000	99.4%
4	2.39	BR	BMB	0.618	8.268	17.35	17.5000	99.1%
5	2.66	NO3-N	BMB	1.534	17.727	6.95	7.0000	99.3%
6	3.34	PO4-P	BMB	1.263	9.506	17.38	17.5000	99.3%
7	3.79	SO4	BMB	2.375	17.528	34.76	35.0000	99.3%



Peak Integration Report

Sample Name:	i cal 8	*Inj. Vol.:*	25uL
Injection Type:	Calibration Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:26	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB	1.571	22.280	13.19	12.5000	105.5%
2	1.72	Cl	BMB	5.677	102.036	53.15	50.0000	106.3%
3	2.03	NO2-N	BMB	0.913	11.224	5.11	5.0000	102.3%
4	2.39	BR	BMB	0.921	12.428	25.84	25.0000	103.4%
5	2.65	NO3-N	BMB	2.324	26.884	10.51	10.0000	105.1%
6	3.33	PO4-P	BMB	1.951	14.669	26.62	25.0000	106.5%
7	3.80	SO4	BMB	3.588	26.635	52.42	50.0000	104.8%



Peak Integration Report

Sample Name:	ICV LCS	*Inj. Vol.:*	25uL
Injection Type:	Check Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:41	*Run Time:*	5.00

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.24	F	BMB	0.555	8.015	4.75	5.0000	95.0%
2	1.71	Cl	BMB	2.510	45.585	23.64	25.0000	94.6%
3	2.03	NO2-N	BMB	0.545	6.798	3.06	3.0400	100.6%
4	2.39	BR	BMB	0.450	5.995	12.66	12.5000	101.3%
5	2.66	NO3-N	BMB	1.085	12.464	4.92	5.0000	98.5%
6	3.34	PO4-P	BMB	0.666	4.985	9.37	10.0000	93.7%
7	3.79	SO4	BMB	1.623	11.942	23.81	25.0000	95.2%




Algortith Check:
y = Peak Area
x = mg/L S04

y = 0.0687 x + -0.0115
y = 1.6231 therefor x = 23.8071 190406 HH

Peak Integration Report

Sample Name:	ICVD LCSD	*Inj. Vol.:*	25uL
Injection Type:	Check Standard	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:48	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
1	1.23	F	BMB	0.558	8.048	4.78	5.0000	95.6%
2	1.71	Cl	BMB	2.509	45.546	23.64	25.0000	94.6%
3	2.02	NO2-N	BMB	0.545	6.797	3.06	3.0400	100.6%
4	2.39	BR	BMB	0.450	5.991	12.66	12.5000	101.3%
5	2.65	NO3-N	BMB	1.085	12.462	4.92	5.0000	98.5%
6	3.34	PO4-P	BMB	0.676	5.055	9.50	10.0000	95.0%
7	3.79	SO4	BMB	1.624	11.941	23.83	25.0000	95.3%



Peak Integration Report

Sample Name:	ICB	*Inj. Vol.:*	25uL
Injection Type:	Unknown	*Dilution Factor:*	1.0000
Program:	Anion APM 190401A	*Operator:*	chemist_wetlab
Inj. Date / Time:	01-Apr-2019 / 19:33	*Run Time:*	5.00


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Amount mg/L	Recovery
2	3.35	PO4-P	BMB	0.010	0.062	0.56		



Peak Integration Report

Sample Name:	**CCV 190506**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 09:09**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.23	F	BMB	0.606	9.671	5.18	5	103.5%
2	1.69	Cl	BMB	2.723	47.260	25.63	25	102.5%
3	1.99	NO2-N	BMB	0.279	3.432	1.57	3.04	51.6%
4	2.34	BR	BMB	0.465	6.011	13.07	12.5	104.5%
5	2.59	NO3-N	BMB	1.132	13.112	5.13	5	102.7%
6	3.32	PO4-P	BMB	0.602	4.480	8.51	10	85.1%
7	3.71	SO4	BMB	1.695	12.458	24.86	25	99.4%



Peak Integration Report

Sample Name:	**CCV 190506**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 10:08**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.23	**F**	BMB	0.629	9.625	5.37	5	107.4%
2	1.69	**Cl**	BMB	2.714	47.225	25.54	25	102.2%
3	1.99	**NO2-N**	BMB	0.276	3.423	1.55	3.04	51.0%
4	2.34	**BR**	BMB	0.462	6.007	12.99	12.5	103.9%
5	2.59	**NO3-N**	BMB	1.125	13.112	5.10	5	102.1%
6	3.33	**PO4-P**	BMB	0.581	4.293	8.23	10	82.3%
7	3.72	**SO4**	BMB	1.687	12.450	24.74	25	99.0%



Peak Integration Report

Sample Name:	**CCV 190506**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Chemist_wetlab**
Inj. Date / Time:	**07-May-2019 / 12:05**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.23	**F**	BMB	0.632	9.894	5.39	5	107.9%
2	1.69	**Cl**	BMB	2.732	47.945	25.72	25	102.9%
3	1.99	**NO2-N**	BMB	0.276	3.457	1.55	3.04	51.1%
4	2.33	**BR**	BMB	0.463	6.082	13.03	12.5	104.2%
5	2.58	**NO3-N**	BMB	1.129	13.288	5.12	5	102.5%
7	3.34	**PO4-P**	BMB	0.564	4.138	8.00	10	80.0%
8	3.73	**SO4**	BMB	1.695	12.564	24.85	25	99.4%



Peak Integration Report

Sample Name:	**CCV 190508**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 08:23**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
2	1.25	F	BMB	0.619	6.996	5.29	5	105.7%
3	1.74	Cl	BMB	2.618	37.357	24.65	25	98.6%
4	2.07	NO2-N	BMB	0.563	6.018	3.16	3.04	103.9%
5	2.45	BR	BMB	0.446	4.721	12.54	12.5	100.4%
6	2.72	NO3-N	BMB	1.091	10.246	4.95	5	99.0%
8	3.57	PO4-P	BMB	0.615	4.013	8.69	10	86.9%
9	4.00	SO4	BMB	1.666	10.698	24.43	25	97.7%



Peak Integration Report

Sample Name:	**CCV 190508**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 10:08**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.26	F	BMB	0.595	6.527	5.09	5	101.7%
2	1.76	Cl	BMB	2.608	37.328	24.56	25	98.2%
3	2.09	NO2-N	BMB	0.562	5.921	3.15	3.04	103.6%
4	2.47	BR	BMB	0.446	4.689	12.53	12.5	100.2%
5	2.75	NO3-N	BMB	1.086	10.189	4.93	5	98.5%
6	3.73	PO4-P	BMB	0.555	3.463	7.88	10	78.8%
7	4.16	SO4	BMB	1.653	10.411	24.24	25	96.9%



Peak Integration Report

Sample Name:	**CCB**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 09:16**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.68	Cl	BMB	0.007	0.046	0.33		




Chromeleon (c) Dionex 1996-2009
Version 7.2.4.8340

Peak Integration Report

Sample Name:	**CCB**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 10:15**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.68	Cl	BMB	0.012	0.055	0.37		



Peak Integration Report

Sample Name:	**CCB**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 12:13**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.68	Cl	BMB	0.008	0.134	0.33		



Peak Integration Report

Sample Name:	**CCB**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 08:31**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.75	Cl	BMB	0.005	0.060	0.30		



Peak Integration Report

Sample Name:	**CCB**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 10:15**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.75	**Cl**	BMB	0.005	0.063	0.31		
2	3.74	**PO4-P**	BMB	0.004	0.021	0.49		



INORGANIC ANALYSIS
Raw Data


TOTAL ORGANIC CARBON

Method: WetChem | Units mg/L | Instrument: Tic Toc

Analyte: TOC | QCG: 190502A

Analyist: AR | Final Volume: 40mL

Date	Time	Appl ID	[TOC]	Raw	% Recovery
02/23/19	12:37	QC blank	0.00	2073066.000	
02/23/19	13:11	Ical 1	0.50	6066781.000	
02/23/19	13:43	Ical 2	1.25	12451764.000	
02/23/19	14:15	Ical 3	2.50	22465756.000	
02/23/19	14:48	Ical 4	3.75	31457150.000	
02/23/19	15:21	Ical 5	5.00	39864495.000	
02/23/19	15:56	ICB	0.25	1917909.000	
02/23/19	16:30	ICV	2.97	23239734.000	118.9%
r^2=	0.9984				



Date	Time	Appl ID	DF	Raw Result	SubSample Amount	Calc Conc	Result	QC True	% Recovery
2019-05-02	04:32 PM	CCV	1	21675369	40mL	2.422	2.42	2.50	96.9%
2019-05-02	05:07 PM	CCB	1	727823	40mL	0	0.00		
2019-05-02	05:40 PM	190502A BLK	1	927374	40mL	0	0.00		
2019-05-02	06:14 PM	190502A LCS	1	21760887	40mL	2.433	2.43	2.50	97.3%
2019-05-02	06:49 PM	190502A LCSD	1	21292907	40mL	2.373	2.37	2.50	94.9%
2019-05-02	07:24 PM	AZ89958W12	1	2719364	40mL	0.298	0.30		
2019-05-02	07:55 PM	AZ89958W09 DUP	1	2096550	40mL	0	0.00		
2019-05-02	08:29 PM	AZ89958W14 MS	1	22354778	40mL	2.508	2.51		
2019-05-02	09:04 PM	AZ89958W11 MSD	1	22821834	40mL	2.568	2.57		
2019-05-02	09:39 PM	AZ90051W13	1	2446110	40mL	0.263	0.26		
2019-05-02	10:10 PM	AZ90051W13 DUP	1	3624059	40mL	0.113	0.11		
2019-05-02	10:45 PM	AZ90051W16 MS	1	23433442	40mL	2.646	2.65		
2019-05-02	11:20 PM	AZ90051W16 MSD	1	23412687	40mL	2.644	2.64		
2019-05-02	11:55 PM	AZ90054W09	1	4072622	40mL	0.471	0.47		
2019-05-03	12:27 AM	AZ90058W05	1	4372254	40mL	0.509	0.51		
2019-05-03	12:58 AM	AZ90060W12	1	7550103	40mL	0.915	0.92		
2019-05-03	01:30 AM	AZ90100W09	1	8006133	40mL	0.974	0.97		
2019-05-03	02:02 AM	AZ90105W08	1	12129049	40mL	1.501	1.50		
2019-05-03	02:33 AM	AZ90109W09	1	2449956	40mL	0.263	0.26		
2019-05-03	03:05 AM	AZ90213W12	1	16936404	40mL	2.115	2.12		
2019-05-03	03:38 AM	CCV	1	21447087	40mL	2.392	2.39	2.50	95.7%
2019-05-03	04:13 AM	CCB	1	882391	40mL	0	0.00		
2019-05-03	04:46 AM	190502B BLK	1	797351	40mL	0	0.00		
2019-05-03	05:20 AM	190502B LCS	1	21956853	40mL	2.458	2.46	2.50	98.3%
2019-05-03	05:55 AM	190502B LCSD	1	21901664	40mL	2.45	2.45	2.50	98.0%
2019-05-03	06:30 AM	AZ89958W43	1	2048429	40mL	0.212	0.21		
2019-05-03	07:01 AM	AZ89958W17 DUP	1	5821945	40mL	0.394	0.39		
2019-05-03	07:36 AM	AZ89958W10 MS	1	21950218	40mL	2.457	2.46		
2019-05-03	08:12 AM	AZ89958W18 MSD	1	22462368	40mL	2.523	2.52		
2019-05-03	08:47 AM	AZ90051W09	1	2995627	40mL	0.333	0.33		
2019-05-03	09:18 AM	AZ90051W09 DUP	1	3326206	40mL	0.075	0.08		
2019-05-03	09:53 AM	AZ90051W10 MS	1	23819230	40mL	2.696	2.70		
2019-05-03	10:29 AM	AZ90051W10 MSD	1	23878289	40mL	2.704	2.70		
2019-05-03	11:04 AM	AZ90056W08	1	4065043	40mL	0.47	0.47		
2019-05-03	11:36 AM	AZ90102W10	1	27567265	40mL	3.475	3.48		
2019-05-03	12:08 PM	AZ90107W10	1	3202077	40mL	0.359	0.36		
2019-05-03	12:39 PM	AZ90215W06	1	4079275	40mL	0.472	0.47		
2019-05-03	01:11 PM	CCV	1	21730719	40mL	2.428	2.43	2.50	97.1%
2019-05-03	01:46 PM	CCB	1	969840	40mL	0	0.00		

Sample Results Summary

Spl #	Vial #	Sample ID	Num Rep	Act Rep	Method	Type	Dil	Customer ID	Mode	Avg. Area (cts)	Avg. Mass (ug)	Avg. Conc (PPM)	Std. Dev	% RSD	Notes
1	1	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,675,369	4.843	2.422	885,314	4.08	
2	2	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	727,823	0.000	0.000	79,089	10.87	
3	3	190502A BLK	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	927,374	0.000	0.000	130,387	14.06	
4	4	190502A LCS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,760,887	4.865	2.433	173,533	0.80	
5	5	190502A LCSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,292,907	4.745	2.373	166,010	0.78	
10	10	AZ90051W13	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	2,446,110	0.525	0.263	49,829	2.04	Pass
11	11	AZ90051W13 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	3,624,059	0.226	0.113	32,860	0.91	
12	12	AZ90051W16 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	23,433,442	5.293	2.646	148,075	0.63	
13	13	AZ90051W16 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	23,412,687	5.287	2.644	125,339	0.54	
14	14	AZ90054W09	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	4,072,622	0.941	0.471	56,787	1.39	Pass
15	15	AZ90058W05	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	4,372,254	1.018	0.509	69,617	1.59	Pass
16	16	AZ90060W12	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	7,550,103	1.831	0.915	117,920	1.56	Pass
21	21	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,447,087	4.785	2.392	314,866	1.47	
22	22	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	882,391	0.000	0.000	102,678	11.64	
23	23	190502B BLK	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	797,351	0.000	0.000	132,774	16.65	
24	24	190502B LCS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,956,853	4.915	2.458	166,059	0.76	
25	25	190502B LCSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,901,664	4.901	2.451	140,053	0.64	
30	30	AZ90051W09	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	2,995,627	0.666	0.333	86,227	2.88	Pass
31	31	AZ90051W09 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	3,326,206	0.150	0.075	106,811	3.21	
32	32	AZ90051W10 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	23,819,230	5.391	2.696	196,208	0.82	
33	33	AZ90051W10 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	23,878,289	5.406	2.704	78,166	0.33	
34	34	AZ90056W08	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	4,065,043	0.940	0.470	45,204	1.11	Pass
38	38	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,730,719	4.857	2.428	335,238	1.54	
39	39	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	969,840	0.000	0.000	46,958	4.84	
1	1	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,940,997	4.911	2.455	567,607	2.59	
2	2	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	937,340	0.000	0.000	85,381	9.11	
3	3	190506A LCS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,565,896	4.815	2.407	577,118	2.68	
4	4	190506A LCSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,627,304	4.831	2.416	358,147	1.66	

5	5	AZ90450W12	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	3,386,923	0.766	0.383	310,849	9.18	Pass
6	6	AZ90450W12 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	6,042,856	1.445	0.723	1,119,538	18.53	Pass
7	7	AZ90450W06 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	22,108,222	5.554	2.777	1,486,216	6.72	Pass
8	8	AZ90450W06 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	22,740,256	5.716	2.858	3,877,107	17.05	Pass
9	9	AZ90450W08	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	3,732,262	0.854	0.427	347,614	9.31	Pass
10	10	AZ90450W08 DUP	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	3,865,616	0.889	0.444	493,975	12.78	Pass
11	11	AZ90450W05 MS	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	16,355,040	4.083	2.041	9,961,105	60.91	Pass
12	12	AZ90450W05 MSD	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	Sample	1 : 1	00000000	TOC	23,794,786	5.986	2.993	107,099	0.45	Pass
13	13	CCV	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	21,986,053	4.923	2.461	361,898	1.65	
14	14	CCB	4	4	190223A NPOC - Feb 23, 2019; 11-13-26 AM	QC #1	1 : 1	00000000	TOC	1,000,079	0.000	0.000	123,317	12.33	

AQ2 Report

Serial Number:	190170
Software Version:	2.1.0
Report Requested By:	Eve V
Date & Time:	2019-05-02 09:25:07
Tray Number:	3
Tray Name:	190501A TOXN CCV


TOXN

Calibration Chart

Type	Absorbance	Calc mg/L	Target mg/L	% Error
S1	0.0045	-0.0187	0.0000	
S90	0.0100	0.0854	0.1000	-14.60
S91	0.0708	1.2299	1.2000	2.49
S92	0.1649	3.0029	3.0000	0.10
S93	0.2623	4.8388	4.8000	0.81
S94	0.3219	5.9618	6.0000	-0.64
S0	0.0054	-0.0029	0.0000	

Polynomial Order.	1
Correlation Coefficient:	0.9999
Carryover(%):	0.3
Calibration equation:	y = bx + a
y =:	Concentration mg/L
x =:	Measured absorbance
a =:	-1.038605E-001
b =:	1.884315E+001
Date & Time:	2019-05-01 16:47:29

Calibration Graph



Reagents

Name	Batch	Prepared By	Expiry Date
NO3 W Buffer	Algorithm check	Joel	
Sulfa-NEDD	y = 18.84315 x 0.162897 - 0.1038605	Joel	
	y = 2.97	EV 5/15/19	

Cup	Type	ID	Result	Units	QC Pro	Raw Data	Auto Dil.	Man Dil.	User	Time/Date
	S1	Standard 1	0.0045			0.004518			Ev	2019-05-01 16:37:54
	S90	Standard 90	0.0100			0.010044			Ev	2019-05-01 16:40:05
	S91	Standard 91	0.0708			0.070781			Ev	2019-05-01 16:42:17
	S92	Standard 92	0.1649			0.164873			Ev	2019-05-01 16:44:30
	S93	Standard 93	0.2623			0.262303			Ev	2019-05-01 16:45:36
	S94	Standard 94	0.3219			0.321904			Ev	2019-05-01 16:46:33
	S0	Standard 0	0.0054			0.005359			Ev	2019-05-01 16:47:29
	CCV	CCV	2.9088	mg/L		0.159881			Ev	2019-05-01 16:48:25
	CCB	CCB	-0.0233	mg/L		0.004274			Ev	2019-05-01 16:49:21
3	U1	ICV TOXN	2.9656	mg/L		0.162897			Ev	2019-05-01 16:50:17
4	U2	ICB TOXN	-0.0075	mg/L		0.005115			Ev	2019-05-01 16:51:13
	CCV	CCV	2.8375	mg/L		0.156098			Ev	2019-05-01 16:52:09
	CCB	CCB	-0.0134	mg/L		0.004803			Ev	2019-05-01 16:53:05

AQ2 Report

Serial Number:	190170
Software Version:	2.1.0
Report Requested By:	Eve V
Date & Time:	2019-05-02 09:21:44
Tray Number:	5
Tray Name:	190501B TOXN


TOXN

Calibration Chart

Type	Absorbance	Calc mg/L	Target mg/L	% Error
S1	0.0045	-0.0187	0.0000	
S90	0.0100	0.0854	0.1000	-14.60
S91	0.0708	1 2299	1.2000	2.49
S92	0.1649	3.0029	3.0000	0.10
S93	0.2623	4.8388	4.8000	0.81
S94	0.3219	5.9618	6.0000	-0.64
S0	0.0054	-0.0029	0.0000	

Polynomial Order:	1
Correlation Coefficient:	0.9999
Carryover(%):	0.3
Calibration equation:	y = bx + a
y =:	Concentration mg/L
x =:	Measured absorbance
a =:	-1.038605E-001
b =:	1.884315E+001
Date & Time:	2019-05-01 16:47:29

Calibration Graph



Reagents

Name	Batch	Prepared By	Expiry Date
NO3 W Buffer		Joel	
Sulfa-NEDD		Joel	

Cup	Type	ID	Result	Units	QC Pro	Raw Data	Auto Dil.	Man Dil.	User	Time/Date
	CCV	CCV	3.0092	mg/L		0.165207			Ev	2019-05-01 18:12:39
	CCB	CCB	-0 0024	mg/L		0.005387			Ev	2019-05-01 18:14:51
3	U1	190501A BLK	-0.0044	mg/L		0.005278			Ev	2019-05-01 18:17:03
4	U2	190501A LCS	3.1419	mg/L		0.172251			Ev	2019-05-01 18:19:14
5	U3	190501A LCSD	3.1186	mg/L		0.171016			Ev	2019-05-01 18:21:28
6	U4	AZ90051W18	0.6235	mg/L		0.038603			Ev	2019-05-01 18:23:40
7	U5	AZ90051W18 MS	3.0373	mg/L		0.166701			Ev	2019-05-01 18:25:52
8	U6	AZ90051W18 MSD	3.1909	mg/L		0.174852			Ev	2019-05-01 18:28:04
9	U7	AZ90054W14	0.8207	mg/L		0.049066			Ev	2019-05-01 18:30:16
10	U8	AZ90056W14	0.5902	mg/L		0.036832			Ev	2019-05-01 18:32:28
11	U9	AZ90058W14	1.1029	mg/L		0.064043			Ev	2019-05-01 18:34:41
12	U10	AZ90060W14	1 2224	mg/L		0.070386			Ev	2019-05-01 18:36:53
	CCV	CCV	3.0459	mg/L		0.167154			Ev	2019-05-01 18:39:06
	CCB	CCB	-0.0121	mg/L		0.004871			Ev	2019-05-01 18:41:18
13	U11	AZ90100W14	0.0017	mg/L		0.005604			Ev	2019-05-01 18:43:31
14	U12	AZ90102W14	0.0015	mg/L		0.005590			Ev	2019-05-01 18:44:38
15	U13	AZ90105W14	1.7150	mg/L		0.096528			Ev	2019-05-01 18:45:34
16	U14	AZ90107W14	0.4616	mg/L		0.030007			Ev	2019-05-01 18:46:30
17	U15	AZ90109W14	0.4143	mg/L		0.027499			Ev	2019-05-01 18:47:26
18	U16	AZ90213W22	1.7632	mg/L		0.099082			Ev	2019-05-01 18:48:22
19	U17	AZ90215W22	0.2121	mg/L		0.016769			Ev	2019-05-01 18:49:18
20	U18	AZ90450W14	-0.0279	mg/L		0.004030			Ev	2019-05-01 18:50:14
	CCV	CCV	2.8702	mg/L		0.157831			Ev	2019-05-01 18:51:10
	CCB	CCB	-0.0154	mg/L		0.004694			Ev	2019-05-01 18:52:07


Ferrous Iron — Rev 2, 04-05-19

Method SM3500Fe | Units mg/L | Instrument: Genisis Spectrometer
Analyte Fe2+ | QCG: 190424 | Wavelength: 510 nm
Analyist FJR | Final Volume: 50mL | Units: mg/L

Date	Time	Appl ID	[Fe2+]	Absorbance	% Recovery
06/15/18	12:27	ICB	0.00	0.000	
06/15/18	12:27	Ical 1	1.00	0.099	99.5%
06/15/18	12:28	Ical 2	2.00	0.201	100.8%
06/15/18	12:28	Ical 3	4.00	0.396	99.1%
06/15/18	12:29	Ical 4	5.00	0.501	100.3%
06/15/18	12:30	Ical 5	10.00	1.000	100.0%
06/15/18	12:31	ICV	3.00	0.316	105.5%
06/15/18	12:32	ICB	0.00	0.000	

Slope	0.100015306
Intercept	-0.000556122
Coefficient of Determination	0.999973247

Algortithm Check:	Appl ID	Absorbance	Result
	190424A LCS	0.305	3.06
Result = (Absorbance-Raw Blk-Intercept)/ Slope			
Test:	FJR	04/24/19	3.06




Date	Time	Appl ID	DF	Raw Result	SubSample Amount	Raw BLK	Calc Conc	Result	QC True	% Recovery
04/24/19	19:58	CCV 4.0 190416	1	0.378	25mL		3.78	3.78	4.00	94.6%
04/24/19	19:59	CCB 190416	1	0.000	25mL		0.01	0.01		
04/24/19	20:00	190424A LCS	1	0.305	25mL		3.06	3.06	3.00	101.8%
04/24/19	20:01	190424A LCSD	1	0.307	25mL		3.08	3.08	3.00	102.5%
04/24/19	20:02	az90051w19	1	0.003	25mL		0.04	0.04		
04/24/19	20:03	az90051w19 ms	1	0.307	25mL		3.08	3.08		
04/24/19	20:04	az90051w19 msd	1	0.305	25mL		3.06	3.06		
04/24/19	20:05	az90054w15	1	0.003	25mL		0.04	0.04		
04/24/19	20:06	az90056w15	1	0.000	25mL		0.01	0.01		
04/24/19	20:07	az90058w15	1	0.001	25mL		0.02	0.02		
04/24/19	20:08	az90060w15	1	0.003	25mL		0.04	0.04		
04/24/19	20:09	CCV 4.0 190416	1	0.385	25mL		3.85	3.85	4.00	96.4%
04/24/19	20:10	CCB 190416	1	0.000	25mL		0.01	0.01		

Peak Integration Report

Sample Name:	**AZ90051W17**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 11:29**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.71	**Cl**	BMB	13.376	224.987	124.90		
2	2.11	**NO2-N**	BMB	0.012	0.082	0.07		
3	2.34	**BR**	BMB	0.012	0.163	0.39		
4	2.59	**NO3-N**	BMB	0.120	1.348	0.57		
5	3.74	**SO4**	BMB	1.086	8.494	15.98		



Peak Integration Report

Sample Name:	**AZ90051W17 df5**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**5.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 09:16**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.76	**Cl**	BMB	2.199	31.231	103.74		
2	2.75	**NO3-N**	BMB	0.025	0.223	0.71		
3	3.73	**PO4-P**	BMB	0.003	0.020	2.35		
4	4.13	**SO4**	BMB	0.223	1.342	17.10		



Peak Integration Report

Sample Name:	**AZ90054W13**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 11:36**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.24	F	BMB	0.032	0.565	0.41		
2	1.72	Cl	BMB	17.696	286.387	165.15		
3	2.11	NO2-N	BMB	0.016	0.115	0.10		
4	2.34	BR	BMB	0.015	0.204	0.48		
5	2.59	NO3-N	BMB	0.170	1.901	0.80		
6	3.35	PO4-P	BMB	0.010	0.079	0.57		
7	3.76	SO4	BMB	2.775	20.867	40.59		




Chromeleon (c) Dionex 1996-2009
Version 7.2.4.8340

Peak Integration Report

Sample Name:	**AZ90054W13 df5**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**5.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 09:24**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.76	**Cl**	BMB	2.957	42.338	139.07		
2	2.47	**BR**	BMB	0.003	0.031	0.64		
3	2.76	**NO3-N**	BMB	0.035	0.311	0.93		
4	4.14	**SO4**	BMB	0.489	2.966	36.47		



Peak Integration Report

Sample Name:	**AZ90056W13**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 11:43**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.77	**Cl**	BMB	60.060	674.127	559.89		
2	2.14	**NO2-N**	BMB	0.032	0.252	0.19		
3	2.33	**BR**	BMB	0.045	0.587	1.30		
4	2.59	**NO3-N**	BMB	0.110	1.173	0.53		
5	3.79	**SO4**	BMB	8.302	61.172	121.08		



Peak Integration Report

Sample Name:	**AZ90056W13 df20**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**20.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 09:31**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.76	Cl	BMB	2.134	30.238	402.82		
2	2.76	NO3-N	BMB	0.007	0.061	1.20		
3	4.15	SO4	BMB	0.304	1.821	91.76		



Peak Integration Report

Sample Name:	**AZ90058W13**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 11:51**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.77	**Cl**	BMB	58.600	664.903	546.29		
2	2.15	**NO2-N**	BMB	0.033	0.254	0.19		
3	2.33	**BR**	BMB	0.043	0.569	1.25		
4	2.59	**NO3-N**	BMB	0.215	2.207	1.00		
5	3.14	**PO4-P**	BMB	0.054	0.202	1.16		
6	3.78	**SO4**	BMB	5.928	44.396	86.50		



Peak Integration Report

Sample Name:	**AZ90058W13 df20**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**20.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 09:38**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.76	**Cl**	BMB	2.095	29.736	395.58		
2	2.76	**NO3-N**	BMB	0.011	0.100	1.59		
3	4.15	**SO4**	BMB	0.227	1.357	69.34		



Peak Integration Report

Sample Name:	**AZ90060W13**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 11:58**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.24	**F**	BMB	0.014	0.262	0.26		
2	1.72	**Cl**	BMB	19.018	303.753	177.47		
3	2.10	**NO2-N**	BMB	0.015	0.109	0.09		
4	2.33	**BR**	BMB	0.016	0.213	0.49		
5	2.59	**NO3-N**	BMB	0.244	2.722	1.13		
6	3.76	**SO4**	BMB	3.609	27.055	52.74		



Peak Integration Report

Sample Name:	**AZ90060W13 df5**	*Inj. Vol.:*	**25uL**
Injection Type:	**Unknown**	*Dilution Factor:*	**5.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 09:46**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.76	**Cl**	BMB	3.213	46.066	150.99		
2	2.48	**BR**	BMB	0.003	0.034	0.67		
3	2.76	**NO3-N**	BMB	0.049	0.444	1.26		
4	4.16	**SO4**	BMB	0.628	3.789	46.54		



Peak Integration Report

Sample Name:	**190506A LCS**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 09:24**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.23	F	BMB	0.621	9.510	5.31	5	106.1%
2	1.69	Cl	BMB	2.657	46.072	25.02	25	100.1%
3	1.99	NO2-N	BMB	0.572	7.004	3.21	3.04	105.5%
4	2.34	BR	BMB	0.477	6.180	13.41	12.5	107.2%
5	2.59	NO3-N	BMB	1.138	13.183	5.16	5	103.3%
6	3.32	PO4-P	BMB	0.546	4.038	7.76	10	77.6%
7	3.71	SO4	BMB	1.794	13.264	26.29	25	105.2%




Algortith Check:
y = Peak Area
x = mg/L S04

y = 0.0687 x + -0.0115
y = 1.7940 therefor x = 26.28 HH 190508

Peak Integration Report

Sample Name:	**190506A LCSD**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**07-May-2019 / 09:31**	*Run Time:*	**5.00**


No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.23	F	BMB	0.625	9.553	5.34	5	106.7%
2	1.69	Cl	BMB	2.657	46.081	25.01	25	100.0%
3	1.99	NO2-N	BMB	0.572	7.011	3.21	3.04	105.4%
4	2.34	BR	BMB	0.477	6.185	13.42	12.5	107.3%
5	2.59	NO3-N	BMB	1.139	13.206	5.17	5	103.3%
6	3.32	PO4-P	BMB	0.553	4.087	7.85	10	78.5%
7	3.71	SO4	BMB	1.796	13.275	26.32	25	105.3%



Peak Integration Report

Sample Name:	**190508A LCS**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 08:38**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.26	**F**	BMB	0.594	6.880	5.08	5	101.5%
2	1.76	**Cl**	BMB	2.589	36.827	24.38	25	97.5%
3	2.09	**NO2-N**	BMB	0.574	6.064	3.22	3.04	105.9%
4	2.48	**BR**	BMB	0.466	4.890	13.09	12.5	104.7%
5	2.75	**NO3-N**	BMB	1.112	10.385	5.04	5	100.9%
6	3.67	**PO4-P**	BMB	0.539	3.433	7.66	10	76.6%
7	4.10	**SO4**	BMB	1.777	11.279	26.05	25	104.2%




Algortith Check:
y = Peak Area
x = mg/L S04

y = 0.0687 x + -0.0115
y = 1.7769 therefor x = 25.88 MH 190508

Peak Integration Report

Sample Name:	**190508A LCSD**	*Inj. Vol.:*	**25uL**
Injection Type:	**Check Standard**	*Dilution Factor:*	**1.00**
Program:	**Anion APM 190401A**	*Operator:*	**Instrument Controller**
Inj. Date / Time:	**08-May-2019 / 08:45**	*Run Time:*	**5.00**

No.	Time (min) min	Peak Name	Peak Type	Area (µS*min) µS*min	Height (µS) µS	Amount mg/L	Spike Level mg/L	Recovery
1	1.25	F	BMB	0.601	6.893	5.13	5	102.7%
2	1.76	Cl	BMB	2.594	36.850	24.42	25	97.7%
3	2.08	NO2-N	BMB	0.576	6.067	3.23	3.04	106.1%
4	2.48	BR	BMB	0.466	4.890	13.11	12.5	104.9%
5	2.75	NO3-N	BMB	1.115	10.401	5.06	5	101.1%
6	3.68	PO4-P	BMB	0.539	3.430	7.67	10	76.7%
7	4.11	SO4	BMB	1.775	11.274	26.02	25	104.1%




TOTAL ORGANIC CARBON

Method: WetChem | Units mg/L | Instrument: Tic Toc

Analyte: DOC | QCG: 190429

Analyst: AR | Final Volume: 40mL

Date	Time	Appl ID	[TOC]	Raw	% Recovery
02/23/19	12:37	QC blank	0.00	2073066.000	
02/23/19	13:11	Ical 1	0.50	6066781.000	
02/23/19	13:43	Ical 2	1.25	12451764.000	
02/23/19	14:15	Ical 3	2.50	22465756.000	
02/23/19	14:48	Ical 4	3.75	31457150.000	
02/23/19	15:21	Ical 5	5.00	39864495.000	
02/23/19	15:56	ICB	0.25	1917909.000	
02/23/19	16:30	ICV	2.97	23239734.000	118.9%



Date	Time	Appl ID	DF	Raw Result	SubSample Amount	Calc Conc	Result	QC True	% Recovery
2019-04-29	01:42 PM	CCV	1	24466701	40mL	2.779	2.78	2.50	111.2%
2019-04-29	02:17 PM	CCB	1	1708898	40mL	0	0.00		
2019-04-29	02:51 PM	190429A BLK	1	1741828	40mL	0	0.00		
2019-04-29	03:25 PM	190429A LCS	1	22920937	40mL	2.581	2.58	2.50	103.2%
2019-04-29	04:00 PM	190429A LCSD	1	23092940	40mL	2.603	2.60	2.50	104.1%
2019-04-29	04:35 PM	AZ89036W07	1	5526843	40mL	0.657	0.66		
2019-04-29	05:06 PM	AZ89037W07	1	7561873	40mL	0.917	0.92		
2019-04-29	05:38 PM	AZ89038W07	1	7094444	40mL	0.857	0.86		
2019-04-29	06:11 PM	AZ89985W06	1	10548848	40mL	1.299	1.30		
2019-04-29	06:43 PM	AZ89986W06	1	3344316	40mL	0.378	0.38		
2019-04-29	07:14 PM	AZ89987W06	1	7551499	40mL	0.916	0.92		
2019-04-29	07:46 PM	AZ89989W06	1	10826591	40mL	1.334	1.33		
2019-04-29	08:18 PM	AZ89990W06	1	14542115	40mL	1.81	1.81		
2019-04-29	08:49 PM	AZ89991W06	1	11767525	40mL	1.455	1.46		
2019-04-29	09:21 PM	AZ89992W06	1	10114694	40mL	1.244	1.24		
2019-04-29	09:53 PM	AZ89995W06	1	6268362	40mL	0.752	0.75		
2019-04-29	10:24 PM	AZ89995W06 DUP	1	6103945	40mL	0.43	0.43		
2019-04-29	10:59 PM	CCV	1	22564568	40mL	2.535	2.54		
2019-04-29	11:34 PM	CCB	1	1732634	40mL	0	0.00		
2019-04-30	12:08 AM	AZ89996W06	1	7399746	40mL	0.896	0.90	2.50	35.8%
2019-04-30	12:39 AM	AZ89997W10	1	4837493	40mL	0.569	0.57		
2019-04-30	01:11 AM	AZ89997W10 DUP	1	4994141	40mL	0.288	0.29		
2019-04-30	01:45 AM	AZ89997W10 MS	1	25984254	40mL	2.973	2.97		
2019-04-30	02:21 AM	AZ89997W10 MSD	1	25080914	40mL	2.857	2.86		
2019-04-30	02:56 AM	AZ89998W06	1	4925305	40mL	0.28	0.28		
2019-04-30	03:30 AM	AZ90051W09	1	2860288	40mL	0.316	0.32		
2019-04-30	04:01 AM	AZ90051W13 DUP	1	3751299	40mL	0.13	0.13		
2019-04-30	04:36 AM	AZ90051W10 MS	1	24137206	40mL	2.736	2.74		
2019-04-30	05:11 AM	AZ90051W16 MSD	1	23516549	40mL	2.657	2.66		
2019-04-30	05:47 AM	AZ90054W12	1	6017956	40mL	0.72	0.72		
2019-04-30	06:18 AM	AZ90056W09	1	3896025	40mL	0.448	0.45		
2019-04-30	06:50 AM	AZ90058W11	1	7317873	40mL	0.886	0.89		
2019-04-30	07:22 AM	AZ90060W05	1	9511784	40mL	1.166	1.17		
2019-04-30	07:54 AM	CCV	1	21955615	40mL	2.457	2.46	2.50	98.3%
2019-04-30	08:29 AM	CCB	1	1693750	40mL	0	0.00		


TOTAL ORGANIC CARBON

Method: WetChem | Units mg/L | Instrument: Tic Toc

Analyte: TOC | QCG: 190502A

Analyst: AR | Final Volume: 40mL

Date	Time	Appl ID	[TOC]	Raw	% Recovery
02/23/19	12:37	QC blank	0.00	2073066.000	
02/23/19	13:11	Ical 1	0.50	6066781.000	
02/23/19	13:43	Ical 2	1.25	12451764.000	
02/23/19	14:15	Ical 3	2.50	22465756.000	
02/23/19	14:48	Ical 4	3.75	31457150.000	
02/23/19	15:21	Ical 5	5.00	39864495.000	
02/23/19	15:56	ICB	0.25	1917909.000	
02/23/19	16:30	ICV	2.97	23239734.000	118.9%
r^2=	0.9984				



Date	Time	Appl ID	DF	Raw Result	SubSample Amount	Calc Conc	Result	QC True	% Recovery
2019-05-02	04:32 PM	CCV	1	21675369	40mL	2.422	2.42	2.50	96.9%
2019-05-02	05:07 PM	CCB	1	727823	40mL	0	0.00		
2019-05-02	05:40 PM	190502A BLK	1	927374	40mL	0	0.00		
2019-05-02	06:14 PM	190502A LCS	1	21760887	40mL	2.433	2.43	2.50	97.3%
2019-05-02	06:49 PM	190502A LCSD	1	21292907	40mL	2.373	2.37	2.50	94.9%
2019-05-02	07:24 PM	AZ89958W12	1	2719364	40mL	0.298	0.30		
2019-05-02	07:55 PM	AZ89958W09 DUP	1	2096550	40mL	0	0.00		
2019-05-02	08:29 PM	AZ89958W14 MS	1	22354778	40mL	2.508	2.51		
2019-05-02	09:04 PM	AZ89958W11 MSD	1	22821834	40mL	2.568	2.57		
2019-05-02	09:39 PM	AZ90051W13	1	2446110	40mL	0.263	0.26		
2019-05-02	10:10 PM	AZ90051W13 DUP	1	3624059	40mL	0.113	0.11		
2019-05-02	10:45 PM	AZ90051W16 MS	1	23433442	40mL	2.646	2.65		
2019-05-02	11:20 PM	AZ90051W16 MSD	1	23412687	40mL	2.644	2.64		
2019-05-02	11:55 PM	AZ90054W09	1	4072622	40mL	0.471	0.47		
2019-05-03	12:27 AM	AZ90058W05	1	4372254	40mL	0.509	0.51		
2019-05-03	12:58 AM	AZ90060W12	1	7550103	40mL	0.915	0.92		
2019-05-03	01:30 AM	AZ90100W09	1	8006133	40mL	0.974	0.97		
2019-05-03	02:02 AM	AZ90105W08	1	12129049	40mL	1.501	1.50		
2019-05-03	02:33 AM	AZ90109W09	1	2449956	40mL	0.263	0.26		
2019-05-03	03:05 AM	AZ90213W12	1	16936404	40mL	2.115	2.12		
2019-05-03	03:38 AM	CCV	1	21447087	40mL	2.392	2.39	2.50	95.7%
2019-05-03	04:13 AM	CCB	1	882391	40mL	0	0.00		
2019-05-03	04:46 AM	190502B BLK	1	797351	40mL	0	0.00		
2019-05-03	05:20 AM	190502B LCS	1	21956853	40mL	2.458	2.46	2.50	98.3%
2019-05-03	05:55 AM	190502B LCSD	1	21901664	40mL	2.45	2.45	2.50	98.0%
2019-05-03	06:30 AM	AZ89958W43	1	2048429	40mL	0.212	0.21		
2019-05-03	07:01 AM	AZ89958W17 DUP	1	5821945	40mL	0.394	0.39		
2019-05-03	07:36 AM	AZ89958W10 MS	1	21950218	40mL	2.457	2.46		
2019-05-03	08:12 AM	AZ89958W18 MSD	1	22462368	40mL	2.523	2.52		
2019-05-03	08:47 AM	AZ90051W09	1	2995627	40mL	0.333	0.33		
2019-05-03	09:18 AM	AZ90051W09 DUP	1	3326206	40mL	0.075	0.08		
2019-05-03	09:53 AM	AZ90051W10 MS	1	23819230	40mL	2.696	2.70		
2019-05-03	10:29 AM	AZ90051W10 MSD	1	23878289	40mL	2.704	2.70		
2019-05-03	11:04 AM	AZ90056W08	1	4065043	40mL	0.47	0.47		
2019-05-03	11:36 AM	AZ90102W10	1	27567265	40mL	3.475	3.48		
2019-05-03	12:08 PM	AZ90107W10	1	3202077	40mL	0.359	0.36		
2019-05-03	12:39 PM	AZ90215W06	1	4079275	40mL	0.472	0.47		
2019-05-03	01:11 PM	CCV	1	21730719	40mL	2.428	2.43	2.50	97.1%
2019-05-03	01:46 PM	CCB	1	969840	40mL	0	0.00		

Metrohm 814/809 Titrando Data

Sample ID	Analysis Date/Time	Method	Titration Volume (to 8.3)	Titration Volume (total)	OH	CO3	HCO3	Total Alk	Unit	Sample Vol	N	Batch	Initials
AZ90051W17 MSD	2019-04-30 10:54:24 UTC-7	Alkalinity	0.000	6.900	0.00	0.00	282.90	282.90	mg/L	25 mL	0.0205	190430A	AR
AZ90051W17 MS	2019-04-30 10:43:21 UTC-7	Alkalinity	0.000	6.966	0.00	0.00	285.61	285.61	mg/L	25 mL	0.0205	190430A	AR
AZ90051W17 DUP	2019-04-30 10:37:57 UTC-7	Alkalinity	0.000	1.422	0.00	0.00	58.30	58.30	mg/L	25 mL	0.0205	190430A	AR
AZ90051W17	2019-04-30 10:31:08 UTC-7	Alkalinity	0.000	1.650	0.00	0.00	67.65	67.65	mg/L	25 mL	0.0205	190430A	AR
190430A LCSD	2019-04-30 10:21:29 UTC-7	Alkalinity	0.000	5.828	0.00	0.00	238.95	238.95	mg/L	25 mL	0.0205	190430A	AR
190430A LCS	2019-04-30 10:11:46 UTC-7	Alkalinity	0.000	5.794	0.00	0.00	237.55	237.55	mg/L	25 mL	0.0205	190430A	AR
190430A BLK	2019-04-30 10:08:41 UTC-7	Alkalinity	0.000	0.096	0.00	0.00	3.94	3.94	mg/L	25 mL	0.0205	190430A	AR
AZ90060W13	2019-04-24 21:57:46 UTC-7	Alkalinity	0.000	2.298	0.00	0.00	92.84	92.84	mg/L	25 mL	0.0202	190424A	AR
AZ90058W13	2019-04-24 21:44:26 UTC-7	Alkalinity	0.000	3.352	0.00	0.00	135.42	135.42	mg/L	25 mL	0.0202	190424A	AR
AZ90056W13	2019-04-24 21:37:44 UTC-7	Alkalinity	0.000	2.606	0.00	0.00	105.28	105.28	mg/L	25 mL	0.0202	190424A	AR
AZ90054W13	2019-04-24 21:32:09 UTC-7	Alkalinity	0.000	2.266	0.00	0.00	91.55	91.55	mg/L	25 mL	0.0202	190424A	AR
190424A LCSD	2019-04-24 17:40:25 UTC-7	Alkalinity	0.000	5.672	0.00	0.00	229.15	229.15	mg/L	25 mL	0.0202	190424A	AR
190424A LCS	2019-04-24 17:30:49 UTC-7	Alkalinity	0.000	5.760	0.00	0.00	232.70	232.70	mg/L	25 mL	0.0202	190424A	AR
190424A BLK	2019-04-24 17:27:49 UTC-7	Alkalinity	0.000	0.072	0.00	0.00	2.91	2.91	mg/L	25 mL	0.0202	190424A	AR

Tiamo Alkalinity Standard Prep

Prep Date:

Exp Date:

Prep'd By (Initials): AR

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Unit	Conc	Lot Number - QA Number	Prep/Opened	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Standard Conc
Sulfuric Acid (H2SO4)	J.T.Baker	NA	NA	**167828**	**NA**	**NA**	PURCHASED	NA	NA	NA
0.10N Sulfuric Acid (H2SO4)	J.T.Baker	Normality	0.1N	**167828**	**02/18/19**	**02/18/20**	3ml	1L	DI	0.10N
0.02N Sulfuric Acid (H2SO4)	J.T.Baker	Normality	0.02N	**167828**	**01/22/19**	**01/22/20**	200mL	1L	DI	0.02N
Inorganic Spike(NaHCO3)	BDH	NA	NA	**1575C510**	**10/18/18**	**08/14/20**	PURCHASED	NA	NA	NA
Inorganic Spike Solution	BDH	Milligrams/Liters	250mg/L	**1575C510**	**05/06/19**	**11/05/19**	3.5g	500mL	DI	250mg/L
Standarizing Solution(NaCO3)	J.T.Baker	Normality	1N	**178494**	**07/25/17**	**07/25/19**	PURCHASED	NA	NA	NA

Tiamo Alkalinity Standard Prep

Prep Date:

Exp Date:

Prep'd By (Initials): AR

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Unit	Conc	Lot Number - QA Number	Prep/Opened	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Standard Conc
Sulfuric Acid (H2SO4)	J.T.Baker	NA	NA	167828	NA	NA	PURCHASED	NA	NA	NA
0.10N Sulfuric Acid (H2SO4)	J.T.Baker	Normality	0.1N	167828	02/18/19	02/18/20	3ml	1L	DI	0.10N
0.02N Sulfuric Acid (H2SO4)	J.T.Baker	Normality	0.02N	167828	01/22/19	01/22/20	200mL	1L	DI	0.02N
Inorganic Spike(NaHCO3)	BDH	NA	NA	1575C510	10/18/18	08/14/20	PURCHASED	NA	NA	NA
Inorganic Spike Solution	BDH	Milligrams/Liters	250mg/L	1575C510	03/25/19	09/25/19	3.5g	500mL	DI	250mg/L
Standarizing Solution(NaCO3)	J.T.Baker	Normality	1N	178494	07/25/17	07/25/19	PURCHASED	NA	NA	NA

Name of Final Standard TOC Calibration Curve — **Prep'd By (Initials)** HH

Prep Date 02/11/19

Exp Date 03/11/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	20 uL	40 mL	**DI Water**	0.5 ppm
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	50 uL	40 mL	**DI Water**	1.25 ppm
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	100 uL	40 mL	**DI Water**	2.5 ppm
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	150 uL	40 mL	**DI Water**	3.75 ppm
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	200 uL	40 mL	**DI Water**	5 ppm

Name of Final Standard 1000 PPM ICV TOC Intermediate — **Prep'd By (Initials)** HH

Prep Date 02/11/19

Exp Date 02/11/20

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Sugar	Millenia	814-293	42% Carbon	**V298J-NA**	**NA**	2.3831 g	1 L	**DI Water**	1003.45 ppm

Name of Final Standard ICV (TOC) — **Prep'd By (Initials)** HH

Prep Date 02/11/19

Exp Date 03/11/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
1000 PPM ICV TOC Intermediate	APPL Inc.	Prep: 2/11/19	1000 mg/L	**Prep: 2/11/19**	**03/11/19**	100 uL	40mL	**DI Water**	2.5 ppm

Name of Final Standard CCV (TOC) **Prep'd By (Initials)** AR
Prep Date 05/02/19
Exp Date 05/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	100 uL	40 mL	**DI Water**	2.5 ppm

Name of Final Standard TOC LCS/LCSD **Prep'd By (Initials)** AR
Prep Date 05/02/19
Exp Date 05/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	**02/28/19**	100 uL	40 mL	**DI Water**	2.5 ppm

Name of Final Standard TOC MS/MSD **Prep'd By (Initials)** AR
Prep Date 05/02/19
Exp Date 05/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	**02/28/19**	100 uL	40 mL	**sample**	2.5 ppm

Name of Final Standard TOC Calibration Curve — **Prep'd By (Initials)** HH

Prep Date 02/11/19

Exp Date 03/11/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	20 uL	40 mL	**DI Water**	0.5 ppm
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	50 uL	40 mL	**DI Water**	1.25 ppm
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	100 uL	40 mL	**DI Water**	2.5 ppm
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	150 uL	40 mL	**DI Water**	3.75 ppm
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	200 uL	40 mL	**DI Water**	5 ppm

Name of Final Standard 1000 PPM ICV TOC Intermediate — **Prep'd By (Initials)** HH

Prep Date 02/11/19

Exp Date 02/11/20

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Sugar	Millenia	814-293	42% Carbon	**V298J-NA**	**NA**	2.3831 g	1 L	**DI Water**	1003.45 ppm

Name of Final Standard ICV (TOC) — **Prep'd By (Initials)** HH

Prep Date 02/11/19

Exp Date 03/11/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
1000 PPM ICV TOC Intermediate	APPL Inc.	Prep: 2/11/19	1000 mg/L	**Prep: 2/11/19**	**03/11/19**	100 uL	40mL	**DI Water**	2.5 ppm

Name of Final Standard CCV (TOC)
Prep Date 04/29/19
Exp Date 05/27/19
Prep'd By (Initials) AR

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	100 uL	40 mL	**DI Water**	2.5 ppm

Name of Final Standard TOC LCS/LCSD
Prep Date 04/29/19
Exp Date 05/27/19
Prep'd By (Initials) AR

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	**02/28/19**	80 uL	40 mL	**DI Water**	2.0 ppm

Name of Final Standard TOC MS/MSD
Prep Date 04/29/19
Exp Date 05/27/19
Prep'd By (Initials) AR

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	**02/28/19**	100 uL	40 mL	**sample**	2.5 ppm


Timao Calibration Curve

2019-04-24 16:49:57

Calculations

Buffer 7	7.04	
Formula	'MEAS pH.EME'	
MEAS pH.EME	7.0408	
Slope	99.60	
Formula	'Calibration loop pH.SLO'	
Calibration loop pH.SLO	99.6	
pH(as)	3.62	
Formula	'Calibration loop pH.ENP'	
Calibration loop pH.ENP	3.618	
Res19	21.6	°C
Formula	'CAL MEAS pH.ETE'	
CAL MEAS pH.ETE	21.5614	

Calibration loop pH.1 - CAL LOOP pH




Timao Calibration Curve

2019-04-30 09:12:37

Calculations

Buffer 7	7.05	
Formula	'MEAS pH.EME'	
MEAS pH.EME	7.0480	
Slope	99.20	
Formula	'Calibration loop pH.SLO'	
Calibration loop pH.SLO	99.2	
pH(as)	3.60	
Formula	'Calibration loop pH.ENP'	
Calibration loop pH.ENP	3.601	
Res19	20.8	°C
Formula	'CAL MEAS pH.ETE'	
CAL MEAS pH.ETE	20.7900	

Calibration loop pH.1 - CAL LOOP pH



Name of Final Standard CCV (TOC) **Prep'd By (Initials)** AR
Prep Date 05/02/19
Exp Date 05/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	Agilent	IQC-1 06-5	1000 mg/L	**CS-5157-40233**	**11/30/20**	100 uL	40 mL	**DI Water**	2.5 ppm

Name of Final Standard TOC LCS/LCSD **Prep'd By (Initials)** AR
Prep Date 05/02/19
Exp Date 05/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	**02/28/19**	100 uL	40 mL	**DI Water**	2.5 ppm

Name of Final Standard TOC MS/MSD **Prep'd By (Initials)** AR
Prep Date 05/02/19
Exp Date 05/30/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Total Organic Carbon (TOC) Standard	ULTRA Scientific	IQC-106-5	1000 mg/L	**CR-0328-37639**	**02/28/19**	100 uL	40 mL	**sample**	2.5 ppm

Nitrite

High Point @ 1.5 mg/L
0.075 mL NO2 O2Si lot 142626-24 - 38408 exp: 4/20/19*
50 mL DI Water

CCV @ 0.75 mg/L
0.0375 mL NO2 O2Si lot 142626-24-38408 exp: 4/20/19*
50 mL DI Water

*Nitrite lot 142626-24 – 38408 (O2SI) expiration date was extended to 10/20/19 by in-house re-certification against Nitrite lot M2-NOX660562-39802 (Inorganic Ventures). SD 04/25/19

ICV/LCS @ 0.73 mg/L
0.12mL NO2 Inorganic Ventures lot M2-NOX660562-39802 exp: 10/23/19
50 mL DI Water

1 mg/L NO2
400 uL of High point and 200 uL of DI made directly into a sample cup

Prep 05/01/19
Exp 05/08/19
EV

Nitrate/TOXN

High Point @ 6 mg/L
0.300 mL NO3 O2Si lot 880117-39577 exp: 2/21/20
50 mL DI Water

CCV @ 3.0 mg/L
0.150 mL NO3 O2Si lot 880117-39577 exp: 2/21/20
50 mL DI Water

ICV/LCS @ 3.0 mg/L
0.150 mL NO3 Inorganic Ventures lot N2-NOX667147-39510 exp: 10/23/19
50 mL DI Water

1 mg/L NO3
100 uL of High point and 500 uL of DI made directly into a sample cup

MS @ 2.5 mg/L NO3 and 0.73 mg/L NO2
0.125 mL NO3 Inorganic Ventures lot N2-NOX667147-39510 exp: 10/23/19
and 0.12mL NO2 Inorganic Ventures lot M2-NOX660562-39802 exp: 10/23/19
Final volume 50 mL of sample

Prep 05/01/19
Exp 05/08/19
EV

Standard Prep

	Ferrous Iron Standards		Prep'd By (Initials)		HH		
Prep Date	06/15/18						
Exp Date	06/15/19						
Stock Label	Supplier	Batch Number	Exp Date	Aliquot from Stock	Final Volume	Solvent	Ferrous Iron Concentration
Ferrous Ammonium Sulfate	J.T.Baker	0000184592	08/21/20	0.351	250mL	5ml H2SO4 (0000167828) Diluted with water	200ug/L
Ferrous Sulfate	Mallinckrodt	Lot 5056 KDRX	NA	0.249	250mL	5ml H2SO4 (0000167828) Diluted with water	200ug/L
Ferrous Iron CCV/LCS/MS/ICV			Prep'd By (Initials)		HH		
Prep Date	See Injection Log						
Exp Date	24 Hours						
Initial Standard Information	Supplier	Batch Number	Exp Date	Final Standard Information			
Ferrous Iron CCV	J.T.Baker	0000184592	06/14/19	500uL	25mL	Deionized water	4mg/L
Ferrous Iron ICV/LCS	Mallinckrodt	Lot 5056 KDRX	06/14/19	375uL	25mL	Deionized water	3mg/L
	Ferrous Iron Calibration Curve		Prep'd By (Initials)		HH		
Prep Date	06/15/18						
Exp Date	06/16/18						
Final Standard Information							
Point Label	Supplier	Batch Number	Exp Date	Aliquot from Stock (mL)	Final Volume	Solvent	Ferrous Iron Concentration
CCB	J.T.Baker	0000184592	06/14/19	0	25mL	Deionized water	0mg/L
Ical 1	J.T Baker	0000184592	06/14/19	0.125	25mL	Deionized water	1mg/L
Ical 2	J.T.Baker	0000184592	06/14/19	0.25	25mL	Deionized water	2mg/L
Ical 3	J.T Baker	0000184592	06/14/19	0.5	25mL	Deionized water	4mg/L
Ical 4	J.T.Baker	0000184592	06/14/19	0.625	25mL	Deionized water	5mg/L
Ical 5	J.T Baker	0000184592	06/14/19	1.25	25mL	Deionized water	10mg/L
ICV	Mallinckrodt	Lot 5056 KDRX	06/14/19	0.375	25mL	Deionized water	3mg/L

Reagent Prep

Reagent	Chemical Lot #	Chemical	Chemical Expiration Date	Amount	Date Prep
Colorizer	0747C107	1,10-phenanthroline	na	0.21326	02/26/19
		10% HCL conc	na	enough to dissolve	01/15/19
Buffer	Z28B018	Ammonia Acetate	na	249.2	02/09/19
	2018071399	Glacial Acetic Acid	06/27/20	700mL	

Anion Chromatography Working Standard

Prep Date: 04/01/19
Exp Date: 04/02/19
Prep'd By (Initials): TH

Initial Standard Information						Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Standard Conc (ug/mL)
Ion Chromatography Standard Fluoride 1000µg/mL in H2O	o2si	O2SI-062002-01-01	1000	142626-24-38407	04/20/19	312.5 µL	25 mL	Millipore Water	12.5
Ion Chromatography Standard Nitrite as N 1000 ug/mL in H2O	o2si	O2SI-062004-01-01	1000	142626-24-38408	04/20/19	125 µL	25 mL	Millipore Water	5
Ion Chromatography Standard Chloride, 500mL 5,000 mg/L in H2O	o2si	062001-08-03	5000	10084781-1-39578	02/21/20	250 µL	25 mL	Millipore Water	50
Ortho-Phosphate as P Standard	Ultra Scientific	ICC-005A	1000	G34-CP-3323-39057	08/31/23	625 µL	25 mL	Millipore Water	25
Ion Chromatography Standard Nitrate as N, 500mL 1,000 mg/L in H2O	o2si	062003-01-03	1000	880117-4-39577	02/21/20	250 µL	25 mL	Millipore Water	10
Bromide Standard	Ultra Scientific	ICC-001	1000	CR-5372-39521	12/31/21	625 µL	25 mL	Millipore Water	25
Sulfate Standard	Agilent	ICC-006	1000	CS-0688-40047	03/31/22	1250 µL	25 mL	Millipore Water	50

Anion Chromatography Calibration Curve

Prep Date: 04/01/19
Exp Date: 04/02/19
Prep'd By (Initials): TH

Initial Standard Information						Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. Range (ug/mL)	Reference To APPL Prep Date	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Conc. Range (µg/mL)
Ical2	Varries	ICal1	5.0-50.0	Prepared 04/01/19	04/02/19	400 µL	1000 µL	Millipore Water	0.08-0.40
Anion Chromatography Working Standard	Varries	ICal2	5.0-50.0	Prepared 04/01/19	04/02/19	20 µL	1000 µL	Millipore Water	0.1-1.0
Anion Chromatography Working Standard	Varries	ICal3	5.0-50.0	Prepared 04/01/19	04/02/19	50 µL	1000 µL	Millipore Water	0.25-2.5
Anion Chromatography Working Standard	Varries	ICal4	5.0-50.0	Prepared 04/01/19	04/02/19	100 µL	1000 µL	Millipore Water	0.5-5.0
Anion Chromatography Working Standard	Varries	ICal5	5.0-50.0	Prepared 04/01/19	04/02/19	200 µL	1000 µL	Millipore Water	1.0-10.0
Anion Chromatography Working Standard	Varries	ICal6	5.0-50.0	Prepared 04/01/19	04/02/19	500 µL	1000 µL	Millipore Water	2.5-25.0
Anion Chromatography Working Standard	Varries	ICal7	5.0-50.0	Prepared 04/01/19	04/02/19	700 µL	1000 µL	Millipore Water	3.5-35.0
Anion Chromatography Working Standard	Varries	ICal8	5.0-50.0	Prepared 04/01/19	04/02/19	1000 µL	1000 µL	Millipore Water	5.0-50.0

Anion Chromatography LCS/ICV

Prep Date: See injection Log
Exp Date: 24 hours after prep
Prep'd By (Initials): TH

Initial Standard Information						Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. Range (ug/mL)	Lot Number - QA Number	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Standard Conc (µg/mL)
Flouride	Inorganic Ventures	ICF1	993-999	K-F652018-39801	10/23/19	62.5 µL	25 mL	Millipore Water	5
Nitrite	Inorganic Ventures	ICNO21	993-1001	M2-NOX660562-39802	10/23/19	250 µL	25 mL	Millipore Water	3.04
Chloride	Inorganic Ventures	ICCL1	995-1001	NaCL664868-39904	11/26/19	500 µL	25 mL	Millipore Water	20
O-Phosphate as P	Inorganic Ventures	IPPO41	1001-1009	M2-POX655826-39803	10/23/19	125 µL	25 mL	Millipore Water	10
Nitrate as N	Inorganic Ventures	ICNNO31	994-1002	N2-NOX667147-39510	10/23/19	125 µL	25 mL	Millipore Water	5
Ion Chromatography Bromide Standard	CPI International	4400-IC8M	1000	161681-8-39539	02/06/20	312.5 µL	25 mL	Millipore Water	12.5
Sulfate	Inorganic Ventures	ICSO41	998-1006	K2-SOX01111-38875	08/13/19	500 µL	25 mL	Millipore Water	20

Anion Chromatography CCV

Prep Date: See injection Log
Exp Date: 24 hours after prep
Prep'd By (Initials): TH

Initial Standard Information						Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date	Aliquot from Stock	Final Volume	Solvent	Final Standard Conc (µg/mL)
Ion Chromatography Standard Fluoride 1000µg/mL in H2O	o2si	O2SI-062002-01-01	1000	142626-24-38407	04/20/19	125 µL	25 mL	Millipore Water	5
Ion Chromatography Standard Nitrite as N 1000 ug/mL in H2O	o2si	O2SI-062004-01-01	1000	142626-24-38408	04/20/19	62.5 µL	25 mL	Millipore Water	2.5
Ion Chromatography Standard Chloride, 500mL 5,000 mg/L in H2O	o2si	062001-08-03	5000	10084781-1-39578	02/21/20	125 µL	25 mL	Millipore Water	25
Ortho-Phosphate as P Standard	Ultra Scientific	ICC-005A	1000	G34-CP-3323-39057	08/31/23	250 µL	25 mL	Millipore Water	10
Ion Chromatography Standard Nitrate as N, 500mL 1,000 mg/L in H2O	o2si	062003-01-03	1000	880117-4-39577	02/21/20	125 µL	25 mL	Millipore Water	5
Bromide Standard	Ultra Scientific	ICC-001	1000	CR-5372-39521	12/31/21	312.5 µL	25 mL	Millipore Water	12.5
Sulfate Standard	Agilent	ICC-006	1000	CS-0688-40047	03/31/22	625 µL	25 mL	Millipore Water	25

EPA 353.2 Injection Log

Directory: I:\EVE\Export\2019\

RunID	Injected		Sample Name	Misc Info	FileName	Multiplier
1	01 May 2019	16:37	Standard 1 TOXN/NO3		190501B TO	1.
2	01 May 2019	16:40	Standard 90 TOXN/NO3		190501B TO	1.
3	01 May 2019	16:42	Standard 91 TOXN/NO3		190501B TO	1.
4	01 May 2019	16:44	Standard 92 TOXN/NO3		190501B TO	1.
5	01 May 2019	16:45	Standard 93 TOXN/NO3		190501B TO	1.
6	01 May 2019	16:46	Standard 94 TOXN/NO3		190501B TO	1.
7	01 May 2019	16:47	Standard 0 TOXN/NO3		190501B TO	1.
10	01 May 2019	16:50	ICV TOXN		190501B TO	1.
11	01 May 2019	16:51	ICB TOXN		190501B TO	1.

EPA 353.2 Injection Log

Directory: I:\EVE\Export\2019\

RunID	Injected		Sample Name	Misc Info	FileName	Multiplier
16	01 May 2019	18:17	190501A BLK TOXN/NO3		190501B TO	1.
17	01 May 2019	18:19	190501A LCS TOXN/NO3		190501B TO	1.
18	01 May 2019	18:21	190501A LCSD TOXN/NO3		190501B TO	1.
19	01 May 2019	18:23	AZ90051W18 TOXN/NO3		190501B TO	1.
20	01 May 2019	18:25	AZ90051W18 MS TOXN/NO3		190501B TO	1.
21	01 May 2019	18:28	AZ90051W18 MSD TOXN/NO3		190501B TO	1.
22	01 May 2019	18:30	AZ90054W14 TOXN/NO3		190501B TO	1.
23	01 May 2019	18:32	AZ90056W14 TOXN/NO3		190501B TO	1.
24	01 May 2019	18:34	AZ90058W14 TOXN/NO3		190501B TO	1.
25	01 May 2019	18:36	AZ90060W14 TOXN/NO3		190501B TO	1.
26	01 May 2019	18:39	CCV TOXN/NO3		190501B TO	1.
27	01 May 2019	18:41	CCB TOXN/NO3		190501B TO	1.

EPA 300.0 Injection Log

Directory: I:\Dionex\Charlie\

RunID	Injected		Sample Name	Misc Info	FileName	Multiplier
1	01 Apr 2019	18:27	CCB		Anions	1.
2	01 Apr 2019	18:34	i cal 1		Anions	1.
3	01 Apr 2019	18:42	i cal 2		Anions	1.
4	01 Apr 2019	18:49	i cal 3		Anions	1.
5	01 Apr 2019	18:56	i cal 4		Anions	1.
6	01 Apr 2019	19:04	i cal 5		Anions	1.
7	01 Apr 2019	19:11	i cal 6		Anions	1.
8	01 Apr 2019	19:19	i cal 7		Anions	1.
9	01 Apr 2019	19:26	i cal 8		Anions	1.
10	01 Apr 2019	19:33	ICB		Anions	1.
11	01 Apr 2019	19:41	ICV LCS		Anions	1.
12	01 Apr 2019	19:48	ICVD LCSD		Anions	1.

EPA 300.0 Injection Log

Directory: I:\Dionex\Charlie\

RunID	Injected		Sample Name	Misc Info	FileName	Multiplier
1	07 May 2019	09:09	CCV 190506		Anions	1.
2	07 May 2019	09:16	CCB		Anions	1.
3	07 May 2019	09:24	190506A LCS		Anions	1.
4	07 May 2019	09:31	190506A LCSD		Anions	1.
8	07 May 2019	10:08	CCV 190506		Anions	1.
9	07 May 2019	10:15	CCB		Anions	1.
10	07 May 2019	11:29	AZ90051W17		Anions	1.
11	07 May 2019	11:36	AZ90054W13		Anions	1.
12	07 May 2019	11:43	AZ90056W13		Anions	1.
13	07 May 2019	11:51	AZ90058W13		Anions	1.
14	07 May 2019	11:58	AZ90060W13		Anions	1.
15	07 May 2019	12:05	CCV 190506		Anions	1.
16	07 May 2019	12:13	CCB		Anions	1.

EPA 300.0 Injection Log

Directory: I:\Dionex\Charlie\

RunID	Injected		Sample Name	Misc Info	FileName	Multiplier
2	08 May 2019	08:23	CCV 190508		Anions	1.
3	08 May 2019	08:31	CCB		Anions	1.
4	08 May 2019	08:38	190508A LCS		Anions	1.
5	08 May 2019	08:45	190508A LCSD		Anions	1.
6	08 May 2019	09:16	AZ90051W17 df5		Anions	5.
7	08 May 2019	09:24	AZ90054W13 df5		Anions	5.
8	08 May 2019	09:31	AZ90056W13 df20		Anions	20.
9	08 May 2019	09:38	AZ90058W13 df20		Anions	20.
10	08 May 2019	09:46	AZ90060W13 df5		Anions	5.
13	08 May 2019	10:08	CCV 190508		Anions	1.
14	08 May 2019	10:15	CCB		Anions	1.

Nonconforming Work Report NWR Tracking No.: 953

Client: AECOM-Red Hill
ARF #s: 88701
Matrix: water
Method # and Instrument: EPA 300.0- Ion Chromatograph
Prep/Analysis date: 05/07/19
Project Manager: Libby Cheeseborough
Analyst: Taylor Hollman

Explain what the problem is:
For AECOM report 88701, the Nitrate analysis was performed 13 days past the 2 day hold time (15 days after collection). The samples were collected on 4/22/19 and 4/23/19, and they arrived at the lab on 4/24/19.

Explain what caused the problem:
The Anions analyst mistakenly picked up the preserved container for EPA 353.2 TOXN instead of the un-preserved container for EPA 300.0-NO3. The mistake was not caught until the EPA 300.0 data was in peer review.

Explain why the problem occurred:
Human error when reading the container label.

Record any corrections made to remediate the situation and to improve the quality of the data:
- The un-preserved container was analyzed by EPA 300.0 immediately after catching the error on 5/7/19.
- The lab director has re-arranged personnel in the Wetlab department.

Explain if data quality was affected:
The data should be flagged for Nitrate missed hold time. The TOXN (Nitrate + Nitrite as N) was analyzed within hold time.

Was work stopped:
No work was stopped.

Was corrective action initiated:
No CAR was initiated. No procedural changes required.

Required initials:

Project Manager: Libby Cheeseborough **Date:** 06/28/19

QAU: Sharon Dehnlow **Date:** 06/28/19

This page intentionally left blank

908 North Temperance Ave. ∇ Clovis, CA 93611 ∇ Phone 559-275-2175 ∇ Fax 559-275-4422

Certification Number: CA1312
NELAP Certification number: CA00046
DoD-ELAP Certificate number: 4064.01

Data Validatable Report

May 30, 2019

AECOM
1001 Bishop Street, Suite 1600
Honolulu, Hawaii 96813

Attn: Margie Pascua

Title: Report of Data: Case 88714

Project: 60571032 CV18F0126 Red Hill Fuel Storage. HI

Contract #: Prime contract # for DoD: NAVY CLEAN N62742-17-F-1800, CV18F0126
Subcontract: 18S-22209-HI27

Dear Ms. Pascua:

Eleven water samples were received April 25,2019. Revised written results for the requested analyses are being provided on this May 30, 2019.

Results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

If you have any questions or require further information, please contact your APPL Project Manager, Libby Cheeseborough, libby@applinc.com, at your convenience. Thank you for choosing APPL, Inc.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. These test results meet all requirements of NELAC and DoD QSM. Release of the hard copy has been authorized by the Laboratory Manager or her designee, as verified by the following signature.

Paula McCartney, Laboratory Director
APPL, Inc.

PM/lac
Enclosure
cc: File

Data Validation Package
for
60571032 CV18F0126 Red Hill Fuel Storage
APPL SDG 88714
TABLE OF CONTENTS

LABORATORY NAME: *APPL, Inc.*

Case Narrative	3
Sample Management Records	9
Sample Results	20
QC Forms	87
Method 8015B Calibration Data	166
Method 8015B Raw Data	216
Method 8270D SIM Calibration Data	266
Method 8270D SIM Raw Data	293
Method 8270D Calibration Data	332
Method 8270D Raw Data	382
APPL SOP 2-MEE Calibration Data	421
APPL SOP 2-MEE Raw Data	445
Method 8260B Calibration Data	480
Method 8260B Raw Data	536
Method 8260B GRO Calibration Data	573
Method 8260B GRO Raw Data	642
Method RSK-175 Calibration Data	690
Method RSK-175 Raw Data	718
Inorganic Analyses Calibration Data	749
Inorganic Analyses Raw Data	778

CASE NARRATIVE

Case Narrative

ARF: 88714

Project: 60571032 CV18F0126 Red Hill Fuel Storage. HI

Sample Receipt Information:

Eleven water samples were received April 25,2019, at 2.5°C, 3.0°C, 1.5°C, 1.0°C, 1.0°C and 2.0°C. The sample group was assigned Analytical Request Form (ARF) number 88714.

Sample Preparation and Analysis Information:

For the EPA 8015B analysis, the samples were extracted according to EPA method 3520C. The sample extracts were silica gel cleaned according to APPL's SOP CLN004 and placed on hold.

For the EPA 8270D SIM analysis, the samples were extracted according to EPA method 3520C.

For the EPA 8270D Phenol analysis, the samples were extracted according to EPA method 3520C.

For the APPL SOP ANA2MEE analysis, the samples were extracted according to EPA method 3535.

For the EPA 8260B analysis, the samples were purged according to EPA method 5030B.

For the RSK-175 analysis, the samples were allowed to equilibrate for 10 minutes at 40°C and a portion of the headspace was analyzed.

For the EPA 9060A, 300.0, 353.2, SM 2320B, and SM 3500FeB analyses, the samples were prepared according to the methods.

Only the portion of the injection log relative to these samples is included. A full sequence log is available upon request. Measurement uncertainty can be reported upon request.

Analytical Exceptions, Deviations and Abnormalities.

EPA 8015B: Manual integrations were performed in accordance with APPL's SOP. Chromatograms of before and after manual integration are enclosed. Diesel was manually integrated in samples ERH790 and ERH793

EPA 8015B Silica gel: In the continuing calibration 0508120.D, the surrogate Ocatacosane increased in sensitivity with a 25%D. In the ending continuing calibration 0508133.D, the surrogates Ortho-Terphenyl and Ocatacosane increased in sensitivity with a 23%D and 21%D, respectively. Corrective action: The target analytes are within criteria. The project manager was notified.

EPA 8015B: Manual integrations were performed in accordance with APPL's SOP. Chromatograms of before and after manual integration are enclosed. Diesel was manually integrated in samples ERH790 and ERH793

EPA 8270D Phenol: The surrogate Terphenyl-D14 recovered below the 50% lower control limit in one sample. Corrective action: None, the low surrogate recovery may be attributed to the matrix.

APPL SOP ANA2MEE: In the 190429A LCS/LCSD: 2MEE recovered above the upper control limit in the LCSD and the RPD exceeded the 20% control limit. Corrective action: None, 2MEE was not detected in the associated samples.

SDG	Received	Client ID	APPL ID	Collected DateTime	Matrix	Method	Method Description
88714	04/25/19	ERH787	AZ90099	04/23/19 11:20:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH787	AZ90099	04/23/19 11:20:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH787	AZ90099	04/23/19 11:20:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH787	AZ90099	04/23/19 11:20:00 AM	WATER	RSK 175	METHANE BY RSK 175
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	SM 2320B	Wetlab 2320B - Water
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	EPA 300.0	Wetlab 300.0 - Water
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	SM3500FeB	Ferrous Iron
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	EPA 353.2	EPA 353.2 - WATER
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	EPA 8270D	EPA 8270D WATER
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	EPA 8015B-eLL	EPA 8015B TPH WATER L-L SGC
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	SW846 9060A	9060A DOC
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	RSK 175	METHANE BY RSK 175
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88714	04/25/19	ERH788	AZ90100	04/23/19 3:35:00 PM	WATER	SW846 9060A	9060A TOC
88714	04/25/19	ERH789	AZ90101	04/24/19 8:00:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH789	AZ90101	04/24/19 8:00:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH789	AZ90101	04/24/19 8:00:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH789	AZ90101	04/24/19 8:00:00 AM	WATER	RSK 175	METHANE BY RSK 175
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	SM 2320B	Wetlab 2320B - Water
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	EPA 300.0	Wetlab 300.0 - Water
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	SM3500FeB	Ferrous Iron
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	EPA 353.2	EPA 353.2 - WATER
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH WATER L-L SGC
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	SW846 9060A	9060A DOC
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	RSK 175	METHANE BY RSK 175
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88714	04/25/19	ERH790	AZ90102	04/24/19 8:40:00 AM	WATER	SW846 9060A	9060A TOC
88714	04/25/19	ERH791	AZ90103	04/24/19 8:40:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH791	AZ90103	04/24/19 8:40:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88714	04/25/19	ERH791	AZ90103	04/24/19 8:40:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88714	04/25/19	ERH791	AZ90103	04/24/19 8:40:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH WATER L-L SGC
88714	04/25/19	ERH791	AZ90103	04/24/19 8:40:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88714	04/25/19	ERH791	AZ90103	04/24/19 8:40:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH791	AZ90103	04/24/19 8:40:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH791	AZ90103	04/24/19 8:40:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88714	04/25/19	ERH792	AZ90104	04/24/19 10:02:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH792	AZ90104	04/24/19 10:02:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH792	AZ90104	04/24/19 10:02:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH792	AZ90104	04/24/19 10:02:00 AM	WATER	RSK 175	METHANE BY RSK 175

88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	SM 2320B	Wetlab 2320B - Water
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	EPA 300.0	Wetlab 300.0 - Water
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	SM3500FeB	Ferrous Iron
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	EPA 353.2	EPA 353.2 - WATER
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH WATER L-L SGC
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	SW846 9060A	9060A DOC
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	RSK 175	METHANE BY RSK 175
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88714	04/25/19	ERH793	AZ90105	04/24/19 10:04:00 AM	WATER	SW846 9060A	9060A TOC
88714	04/25/19	ERH804	AZ90106	04/23/19 12:50:00 PM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH804	AZ90106	04/23/19 12:50:00 PM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH804	AZ90106	04/23/19 12:50:00 PM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH804	AZ90106	04/23/19 12:50:00 PM	WATER	RSK 175	METHANE BY RSK 175
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	SM 2320B	Wetlab 2320B - Water
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	EPA 300.0	Wetlab 300.0 - Water
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	EPA 300.0	Wetlab 300.0 - Water
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	SM3500FeB	Ferrous Iron
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	EPA 353.2	EPA 353.2 - WATER
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	EPA 8270D	EPA 8270D WATER
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	SW846 9060A	9060A DOC
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	RSK 175	METHANE BY RSK 175
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88714	04/25/19	ERH805	AZ90107	04/23/19 2:15:00 PM	WATER	SW846 9060A	9060A TOC
88714	04/25/19	ERH806	AZ90108	04/24/19 8:21:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH806	AZ90108	04/24/19 8:21:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH806	AZ90108	04/24/19 8:21:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH806	AZ90108	04/24/19 8:21:00 AM	WATER	RSK 175	METHANE BY RSK 175
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	SM 2320B	Wetlab 2320B - Water
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	EPA 300.0	Wetlab 300.0 - Water
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	SM3500FeB	Ferrous Iron
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	EPA 353.2	EPA 353.2 - WATER
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	EPA 8260B	EPA 8260B BTEX WATER
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	EPA 8270D	EPA 8270D WATER
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	EPA 8270D	EPA 8270D MODIFIED WATER
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	EPA 8015B-eLL	EPA 8015B TPH LIQ-LIQ
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	SW846 9060A	9060A DOC
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	EPA 8260-GAS	EPA 8260 with GAS
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	EPA 8260B	EPA 8260B GRO WATER
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	RSK 175	METHANE BY RSK 175
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	8270D-SIM	EPA 8270D SIM LIQ-LIQ
88714	04/25/19	ERH807	AZ90109	04/24/19 10:20:00 AM	WATER	SW846 9060A	9060A TOC

APPL Inc.
Abbreviations and Flags

FLAG	DESCRIPTION
#	Recovery or RPD outside control limits
*	Recovery or RPD outside control limits
B	Analyte detected in associated method blank
C1	Reason for correction: wrote incorrect response
C2	Reason for correction: calculated incorrectly
C3	Reason for correction: needs to be rechecked
C4	Reason for correction: data not usable
DO	Diluted out
E	Exceeds linear range
F	Estimated value
G1	Includes a wide range of hydrocarbons which does not match our gasoline standard
G10	Includes a match to hydrocarbon profiles within the range of mineral spirits
G11	Includes a match to hydrocarbon profiles within the range of JP-4
G12	Pattern does not match the gasoline standard; the carbon range for this sample is consistent with JP8
G13	Closely resembles the hydrocarbon profile of aviation gasoline
G14	Analyte concentration may be biased due to carry over
G2	Closely resembles the boiling point hydrocarbon profile consistent with weathered gasoline
G3	Includes higher boiling hydrocarbons
G4	Includes dominant peak(s) not indicative of petroleum hydrocarbons
G5	Is mainly dominant peak(s) not indicative of petroleum hydrocarbons
G6	Contains recognizable contaminant peak(s) which has been removed from quantitation
G7	Is mainly a match to hydrocarbons within the range of gasoline
G8	Closely resembles the boiling point hydrocarbon profile consistent with weathered gasoline
G9	Includes hydrocarbons within the range of kerosene
J	Estimated value
M	Matrix effect
MI1	Manual integration: integration does not follow baseline
MI2	Manual integration: non-target peak interference
MI3	Manual integration: to split a peak that was integrated as one peak by the computer.
MI4	Manual integration: to integrate a split peak
MI5	Manual integration: the whole peak or part of the peak was not integrated
MI6	Manual integration: computer integrated wrong peak
MI7	Manual integration: other – (See case narrative)
MDL	Method detection limit
ND	Not detected
NT	Non-target
Q	Acceptance criteria not met
T1 I	Includes wide range of hydrocarbons not indicative of diesel
T1 M	Is mainly wide range of hydrocarbons not necessarily indicative of diesel
T2 I	Includes lower boiling hydrocarbons, e.g. mineral spirits, kerosene, stoddard solvent, white gas
T2 M	Is mainly lower boiling hydrocarbons, e.g. mineral spirits, kerosene, stoddard solvent, white gas
T3 I	Includes higher boiling hydrocarbons, e.g. asphaltene, waste oil, motor oil, or weathered diesel fuel
T3 M	Is mainly higher boiling hydrocarbons, e.g. asphaltene, waste oil, motor oil, or weathered diesel fuel
T4 I	Includes dominant peak(s) not indicative of hydrocarbons
T4 M	Is mainly dominant peak(s) not indicative of hydrocarbons
T5	Contains recognizable contaminant peak(s) which has been removed from quantitation
T6	Is mainly a match to hydrocarbons within range of diesel fuel
T7	Closely resembles the boiling point hydrocarbon profile consistent with diesel fuel
T8	Includes a match to hydrocarbon profiles within range of diesel and kerosene fuel
T9 I	Includes non-diesel hydrocarbons within boiling point range of diesel fuel
T9 M	Is mainly non-diesel hydrocarbons within boiling point range of diesel fuel
U	Not detected
Y	Percent difference between primary and confirmation column > 40%

SAMPLE RECORDS MANAGEMENT

CHAIN OF CUSTODY,

ARF, CRF, AND

CLIENT COMMUNICATION

APPL - Analysis Request Form 88714

Client: **AECOM**
Address: **1001 Bishop Street, Suite 1600**
Honolulu, HI 96813
Attn: **Margie Pascua**
Phone: **808-356-5373** Fax: **808-523-8950**
Job: **60571032 CV18F0126 Red Hill Fuel Storage**
PO #: **102604**
Chain of Custody (Y/N): **Y** # **031**
RAD Screen (Y/N): **Y** pH (Y/N): **Y**
Turn Around Type: **ONE WEEK**

Received by: **RBE**
Date Received: **04/25/19** Time: **10:00**
Delivered by: **FEDEX**
Shuttle Custody Seals (Y/N): **Y** Time Zone: **-10**
Chest Temp(s): **2.5°3°1.5°1°2X2.0°C**
Color: **VOA/G-Blue**
Samples Chilled until Placed in Refrig/Freezer: **Y**
Project Manager: **Libby Cheesebor**
QC Report Type: **DVP4DOD/EQUIS/HI**
Due Date: **05/02/19**

Comments:
PM: login and F1s to Margie.Pascua@aecom.com
AN: 7 day TAT for Form 1s; 21 day TAT for PKG STYLE 1; DOD v5.1; DOD Forms (LOQ/LOD database/DL)
8260: BTEX & TPH-G only; 8270 SIM: 1-methylnaphthalene, 2-methylnaphthalene & naphthalene only.
TPH D & O both with and w/o SGC, reverse surrogate for the SGC; analyze SGC if detections
RSK: Methane only; $87DC53W5: report phenol + TICs; $87DMEEW5: 2-MEE (LCS Spk 80ppb).

FR: HC to LDC, 2 labeled CDs to Margie Pascua.
EDD: AECOM EQuIS EDD 2.5.3 Red Hill 87DMEE->3535A to Margie.Pascua@aecom.com & jecklund@lab-data.com

Sample Distribution:
GC: 6-$87DC53W5, 6-$87DMEEW5, 6-$DOC53W5LIQ, 6-$SIM53LIQ51
Extractions: 6-_LIQ003, 6-_LIQ005, 6-_MWE2MEE
VOA: 11-$86BTOTXDOD5W, 11-$GASBL, 11-$GRO86BW, 10-$RSKMETH
Wetlab: 5-$232W(HCO3,CO3,ALK), 5-$300W(NO3,CL,SO4), 5-$35FE, 5-$35OF, 5-$DOCW53,5-$TOCW53, 1-$300WD(CL,SO4)

Charges:

Invoice To:
ACCOUNTS PAYABLE
1001 Bishop Street, Ste 1600
USAPImaging@aecom.com
mary.basano@aecom.com

	Client ID	APPL ID	Sampled	Analyses Requested
1.	ERH787	AZ90099W	04/23/19 11:20	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
2.	ERH788	AZ90100W	04/23/19 15:35	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53
3.	ERH789	AZ90101W	04/24/19 08:00	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH

Note: All times, excluding sample collection times, are Pacific Time Zone unless noted otherwise. Collection times are in: -10 UTC
Page 1 Client Code: AECOM-CIV053 *Printed 05/03/19 8:52:16 AM* Computer: APPL-LC **# 88714**

4. ERH790	AZ90102W	04/24/19 08:40	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53
5. ERH791	AZ90103W	04/24/19 08:40	$86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $GASBL, $GRO86BW, $SIM53LIQ51
6. ERH792	AZ90104W	04/24/19 10:02	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
7. ERH793	AZ90105W	04/24/19 10:04	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53
8. ERH804	AZ90106W	04/23/19 12:50	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
9. ERH805	AZ90107W	04/23/19 14:15	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $300WD(CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53
10. ERH806	AZ90108W	04/24/19 08:21	$86BTOTXDOD5W, $GASBL, $GRO86BW, $RSKMETH
11. ERH807	AZ90109W	04/24/19 10:20	$232W(HCO3,CO3,ALK), $300W(NO3,CL,SO4), $35FE, $35OF, $86BTOTXDOD5W, $87DC53W5, $87DMEEW5, $DOC53W5LIQ, $DOCW53, $GASBL, $GRO86BW, $RSKMETH, $SIM53LIQ51, $TOCW53

APPL Sample Receipt Form

ARF# 88714

Sample	Container Type	Count	p
AZ90099	[13] VOAs - HCL	4	NA
AZ90100	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	2	NA
AZ90101	[13] VOAs - HCL	4	NA
AZ90102	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	3	NA
	[17] Amber Liter	6	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	2	NA
AZ90103	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[40] 500mL Amber, unprsrvd	2	NA
AZ90104	[13] VOAs - HCL	4	NA
AZ90105	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	2	NA
AZ90106	[13] VOAs - HCL	4	NA
AZ90107	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	2	NA
AZ90108	[13] VOAs - HCL	4	NA
AZ90109	[3] PL 250mL	1	NA
	[10] PL 250mL - H2SO4	1	1.7
	[13] VOAs - HCL	4	NA
	[17] Amber Liter	5	NA
	[32] Clear VOA - H2SO4	8	NA
	[38] 250mL brn poly, HCl prsvd	1	1.7
	[40] 500mL Amber, unprsrvd	2	NA

Sample	Container Type	Count	p

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 031

Report to: PLEASE PRINT

Company Name: AECOM Phone: 808-356-5373

Address: 1001 Bishop St, Suite 1600
Honolulu, HI 96813 Fax: 808-523-8950

Attn: Margie Pascua

Email: margie.pascua@aecom.com

Invoice to: PLEASE PRINT

Company Name: AECOM Phone: 808-529-7249

Address: 1001 Bishop St, Suite 1600
Honolulu, HI 96813 Fax: 808-523-8950

Attn: Mary Basano

Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032

Purchase Order Number: 102604

Sampler (Print): BL for GM, RS, MM, TV

Sampler (Signature):

Date Shipped: MM/DD/YY

Carrier: FedEx

Waybill No.:

Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, ~~7-Gen~~ MM	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC, DOC
ERH 787	Trip Blank	4-23-19	11:20	HST	4	X			X							X					
ERH 788	RHMW01	4-23-19	15:35	HST	22	X			X		X	X	X	X	X	X	X	X	X		X

BL 4-24-19

Ferrous iron and DOC are field-filtered.

*Analyze TPH w/SGT only if TPH-d/o detected.

TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Brant Lauder	4/24/19	11:05					
Relinquished by:	**Date**	**Time**	**Received by:**	**Relinquished by:**	**Date**	**Time**	**Received at lab by:**
					4-25-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 032

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): GM AM DH KTV
Sampler (Signature): GM

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Matrix: Sed.	Matrix: Soil
ERH 789	Trip Blank	4/24/19	0800	HST	4	X		
ERH 790	RHMW02	4/24/19	0840	HST	4	X		
ERH 791	RHMW02	4/24/19	0840	HST	8	X		

Analysis Requested/Method Number

8260C BTEX, TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, TCEP	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate, Sulfate, Chloride	300.0 Bromide/Fluoride 6010 Total Ca, Mg, Mn, K, Na SM4500 Total & Dissolved Silica	9060A TOC
X							X	X*				
X							X	X*				
X		X	X	X	X	X				X*		

Date Shipped: MM/DD/YY
Carrier: FedEx
Waybill No.:
Comments:
see other cooler

*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

GM 4/24/19

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM Sidney Mahanay	Date 4/24/19	Time 230	Received by:	Relinquished by:	Date	Time	Received by:
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date 4-25-19	Time 1000	Received at lab by:

See page 2 for Container Preservative and Sampling Information

98714

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 033

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): SM MM DH K GM TV
Sampler (Signature): SM

Date Shipped: MM/DD/YY
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, THOs MW	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	8060A TOC	
ERH790	RHMW02	4/24/19	0840	HST	18	X					X	X	X	X	X		X	X	X		X	see other cooler for VOAs

SM 4/24/19

Ferrous iron and DOC are field-filtered.
*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature: 2.5, 3.0, 1.5, 1.0, 2.0, 2.0

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM	Date	Time	Received by:	Relinquished by:	Date	Time	Received by:
Sidney Mahanay	4/24/19	230					
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date	Time	Received at lab by:
					4-25-19	1000	

See page 2 for Container Preservative and Sampling Information

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 034

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): M. DH K GM TV
Sampler (Signature):

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, ~~TCP~~	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,K,Na SM4500 Total & Dissolved Silica	9060A TOC, DOC
ERH792	Trip Blank	4/24/19	1002	HST	4	X			X							X					
ERH793	RHMW03	4/24/19	1040	HST	22	X			X		X	X	X	X	X	X	X	X	X		X

Date Shipped: MM/DD/YY
Carrier: FedEx
Waybill No.:
Comments:

Ferrous iron and DOC are field-filtered.
*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

4/24/19

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM Sidney Mahanay	Date 4/24/19	Time 2:20	Received by:	Relinquished by:	Date	Time	Received by:
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date 4-25-19	Time 1000	Received at lab by:

See page 2 for Container Preservative and Sampling Information

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 040

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): BL Soz GM, RS, MM, TV
Sampler (Signature):

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Sed.	Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenol, ~~HGs~~ MS	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC/DOC
ERH 804	Trip Blank	4-23-19	12:50	HST	4	X			X							X					
ERH 805	RHMW09	4-23-19	14:15	HST	22	X			X		X	X*	X	X	X	X	X	X	X		X

Date Shipped: MM/DD/YY
Carrier: FedEx
Waybill No.:
Comments:

Ferrous iron and DOC are field-filtered.
*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

4/24/19

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM Brant Landers	Date 4/24/19	Time 11:05	Received by:	Relinquished by:	Date	Time	Received by:
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date 4-25-19	Time 1000	Received at lab by:

See page 2 for Container Preservative and Sampling Information

APPL LABS

APPL, Inc.
908 N Temperance Ave
Clovis, CA 93611
www.applinc.com

Phone: (559) 275-2175
Fax: (559) 275-4422
coc@applinc.com

CHAIN OF CUSTODY RECORD

C.O.C. 041

Report to: PLEASE PRINT	Invoice to: PLEASE PRINT
Company Name: AECOM Phone: 808-356-5373	Company Name: AECOM Phone: 808-529-7249
Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950	Address: 1001 Bishop St, Suite 1600 Honolulu, HI 96813 Fax: 808-523-8950
Attn: Margie Pascua	Attn: Mary Basano
Email: margie.pascua@aecom.com	Email: mary.basano@aecom.com; usapimaging@aecom.com

Project Name/Number: CV18F0126 / 60571032
Purchase Order Number: 102604
Sampler (Print): SM MM DH K GM TV
Sampler (Signature): SM
Date Shipped: MM/DD/YY
Carrier: FedEx
Waybill No.:
Comments:

Sample Identification	Location	Date Collected	Time Collected	Time Zone	No. of Containers	Matrix: Aq	Matrix: Sed.	Matrix: Soil	8260C BTEX,TPH-g	8260C DCA 8011 EDB	8015C TPH-d/o	3630/8015C TPH-d/o w/ SGT	8270DSIM PAHs short list	8270D Phenols-THS only	8270D 2-(2-methoxy ethoxy)-ethanol	RSK175M Methane	SM3500-Fe Ferrous Iron	353.2 Nitrate-Nitrite N	SM2320B Alkalinity 300.0 Nitrate,Sulfate,Chloride	300.0 Bromide/Fluoride 6010 Total Ca,Mg,Mn,K,Na SM4500 Total & Dissolved Silica	9060A TOC,Dissolved	
ERH806	Trip Blank	4/24/19	0821	HST	4	X			X							X						
ERH807	RHMW10	4/24/19	1020	HST	22	X			X		X	X*	X	X	X	X	X	X	X		X	

4/24/19 SM

Ferrous iron and DOC are field-filtered.
*Analyze TPH w/SGT only if TPH-d/o detected.
TPH-d/o & PAHs need liquid-liquid extraction.

Shuttle Temperature:

Turnaround Requested: Check one
☐ Standard 2-3 wk ☒ One week ☐ 3 days ☐ 24/48 Hrs. ☐ Other:

Sample Disposal:
☐ Return to client ☒ Disposal by Lab (30-day retention)

Relinquished by sampler: AECOM Sidney Mahanay	Date 4/24/19	Time 230	Received by:	Relinquished by:	Date	Time	Received by:
Relinquished by:	Date	Time	Received by:	Relinquished by:	Date 4.25.19	Time 1000	Received at lab by:

See page 2 for Container Preservative and Sampling Information

COOLER RECEIPT FORM **ARF: 88714**

1) Project: 60571032 CV18F0126 Red Hill Fuel Storage Date Received: 04/25/19

2) Coolers: Number of Coolers: 6

3) YES Were custody seals present and intact?
How many? 12 Name/Date on seal? see below

4) YES Was there a shipping slip? Carrier name: FEDEX

5) Type of packing in cooler: X bubble wrap __ popcorn __ foam X plastic bags __ other
X wet ice __ dry ice __ no ice __ gel ice

6) YES Were cooler temperatures acceptable?

7) Serial number of certified NIST thermometer use R1

8) Cooler temp(s): In °C
1: 2.5°C 2: 3.0°C 3: 1.5°C 4: 1.0°C 5: 2.0°C x2 6: _____
7: _____ 8: _____ 9: _____ 10: _____ 11: _____ 12: _____

Chain of custody:

9) YES Was a chain of custody received?

10) YES Were the custody papers complete/signed in the appropriate places?

Sample Labels:

11) YES Were all sample labels complete (sample ID, date/time of sampling, etc.)?

12) YES Did all container labels agree with custody papers?

Sample Containers:

13) YES Were all containers sealed in separate bags?

14) YES Did all containers arrive in good condition:(unbroken, no leakage, no cracked/b

15) YES Were correct containers and preservatives used for the tests indicated?

16) Yes Was a sufficient amount of sample sent for tests indicated?

17) No Were bubbles present in volatile samples?
If yes, the following were received with air bubbles:
Larger than a pea: _____
Smaller than a pea: _____

CUSTODY SEAL AECOM (808) 521-30 Initials BL Date 4/24/19

Preservation Hold time:

18) Yes Was a sufficient amount of holding time remaining to analyze the samples?

19) Yes Was the pH taken of all non-VOA preserved samples and written on the sample container?

20) Yes Was the pH of acid preserved non-VOA samples < 2?

21) NA Was the pH of sodium hydroxide preserved samples for Cyanide > 12 and Sulfide >9?

22) NO Were unpreserved VOA Vials received?

23) NA Are unpreserved VOA vials noted in the ADD TEST FIELD on the ARF?
pH strip lot number: 90b2031
Lab notified if pH was not adequate: _____

Notes/Deficiencies:
Sample ERH791 COC lists 8 but we received 11.

Personnel receiving samples: ZG Second reviewer: AA
Personnel labeling samples: ZG
Project manager notified: ZG Date/Time of notification 04/25/19
Name of client notified: _____ Date/Time of notification _____

Revision: 22, November 5, 2013

SAMPLE RESULTS

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH788

APPL ID: AZ90100

Sample Collection Date: 04/23/19

QCG: #DOC53-190426A1-239905

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	230 ++	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	96.4	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	93.4	56-125			%	04/26/19	04/29/19

++(T6) The analyst has noted that the chromatogram of this sample is mainly a match to hydrocarbons within the range of diesel fuel.

Quant Method: DOC0411.M
Run #: 419066
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/02/19 8:52:42 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH WATER L-L SGC

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH788

APPL ID: AZ90100

Sample Collection Date: 04/23/19

QCG: #DOC53-190426A3-240379

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	57 ++	40.0	25.00	13.07	ug/L	04/26/19	05/16/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: (R) DECANOIC ACID (S)	0.0	0-1			%	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	96.9	60-142			%	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	93.8	56-125			%	04/26/19	05/16/19

++(T6) The analyst has noted that the chromatogram of this sample is mainly a match to hydrocarbons within the range of diesel fuel.

Quant Method: DOC0411.M
Run #: 508129
Instrument: Apollo
Sequence: 190508
Dilution Factor: 1
Initials: DPO

Printed: 05/16/19 2:58:29 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH790

APPL ID: AZ90102

Sample Collection Date: 04/24/19

QCG: #DOC53-190426A1-239905

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	2300 ++	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	190	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	99.0	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	90.4	56-125			%	04/26/19	04/29/19

++(T6) The analyst has noted that the chromatogram of this sample is mainly a match to hydrocarbons within the range of diesel fuel.

Quant Method: DOC0411.M
Run #: 419067
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/02/19 8:52:42 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH WATER L-L SGC

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH790

APPL ID: AZ90102

Sample Collection Date: 04/24/19

QCG: #DOC53-190426A3-240379

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	430 ++	40.0	25.00	13.07	ug/L	04/26/19	05/16/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: (R) DECANOIC ACID (S)	0.0	0-1			%	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	98.4	60-142			%	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	95.3	56-125			%	04/26/19	05/16/19

++(T6) The analyst has noted that the chromatogram of this sample is mainly a match to hydrocarbons within the range of diesel fuel.

Quant Method: DOC0411.M
Run #: 508130
Instrument: Apollo
Sequence: 190508
Dilution Factor: 1
Initials: DPO

Printed: 05/16/19 2:58:30 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH791

APPL ID: AZ90103

Sample Collection Date: 04/24/19

QCG: #DOC53-190426A1-239905

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	2200 ++	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
EPA 8015B-eL	OIL (C24-C40)	190	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	97.0	60-142			%	04/26/19	04/29/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	89.5	56-125			%	04/26/19	04/29/19

++(T6) The analyst has noted that the chromatogram of this sample is mainly a match to hydrocarbons within the range of diesel fuel.

Quant Method: DOC0411.M
Run #: 419068
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/02/19 8:52:42 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH WATER L-L SGC

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH791

APPL ID: AZ90103

Sample Collection Date: 04/24/19

QCG: #DOC53-190426A3-240379

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	440 ++	40.0	25.00	13.07	ug/L	04/26/19	05/16/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: (R) DECANOIC ACID (S)	0.0	0-1			%	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	98.2	60-142			%	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	94.5	56-125			%	04/26/19	05/16/19

++(T6) The analyst has noted that the chromatogram of this sample is mainly a match to hydrocarbons within the range of diesel fuel.

Quant Method: DOC0411.M
Run #: 508131
Instrument: Apollo
Sequence: 190508
Dilution Factor: 1
Initials: DPO

Printed: 05/16/19 2:58:30 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH793
Sample Collection Date: 04/24/19

ARF: 88714
APPL ID: AZ90105
QCG: #DOC53-190426A1-239905

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	300 ++	40.0	25.00	13.07	ug/L	04/26/19	04/30/19
EPA 8015B-eL	OIL (C24-C40)	190 ++	40.0	40.00	5.54	ug/L	04/26/19	04/30/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	98.6	60-142			%	04/26/19	04/30/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	93.8	56-125			%	04/26/19	04/30/19

++(T3M) The analyst has noted that the chromatogram of this sample is mainly higher boiling hydrocarbons.

Quant Method: DOC0411.M
Run #: 419069
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/02/19 8:52:42 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH WATER L-L SGC

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH793

APPL ID: AZ90105

Sample Collection Date: 04/24/19

QCG: #DOC53-190426A3-240379

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	05/16/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: (R) DECANOIC ACID (S)	0.0	0-1			%	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	96.1	60-142			%	04/26/19	05/16/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	93.3	56-125			%	04/26/19	05/16/19

Quant Method: DOC0411.M
Run #: 508132
Instrument: Apollo
Sequence: 190508
Dilution Factor: 1
Initials: DPO

Printed: 05/16/19 2:58:30 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH805

APPL ID: AZ90107

Sample Collection Date: 04/23/19

QCG: #DOC53-190426A1-239905

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/30/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/30/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	97.9	60-142			%	04/26/19	04/30/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	95.2	56-125			%	04/26/19	04/30/19

Quant Method: DOC0411.M
Run #: 419070
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/02/19 8:52:42 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8015B TPH LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH807
Sample Collection Date: 04/24/19

ARF: 88714
APPL ID: AZ90109
QCG: #DOC53-190426A1-239905

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8015B-eL	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/30/19
EPA 8015B-eL	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/30/19
EPA 8015B-eL	SURROGATE: OCTACOSANE (S)	99.6	60-142			%	04/26/19	04/30/19
EPA 8015B-eL	SURROGATE: ORTHO-TERPHENYL (S)	98.2	56-125			%	04/26/19	04/30/19

Quant Method: DOC0411.M
Run #: 419071
Instrument: Apollo
Sequence: 190419
Dilution Factor: 1
Initials: BTI

Printed: 05/02/19 8:52:43 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH788

APPL ID: AZ90100

Sample Collection Date: 04/23/19

QCG: #SIM53-190430A-239930

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	68.5	39-114			%	04/30/19	05/02/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	74.8	58-120			%	04/30/19	05/02/19

Quant Method: L0326.M
Run #: 0426L034
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 05/02/19 4:29:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH790

APPL ID: AZ90102

Sample Collection Date: 04/24/19

QCG: #SIM53-190430A-239930

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	9.0	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	2-METHYLNAPHTHALENE	7.9	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	NAPHTHALENE	28	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	70.9	39-114			%	04/30/19	05/02/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	66.0	58-120			%	04/30/19	05/02/19

Quant Method: L0326.M
Run #: 0426L035
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 05/02/19 4:29:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH791

APPL ID: AZ90103

Sample Collection Date: 04/24/19

QCG: #SIM53-190430A-239930

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	8.7	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	2-METHYLNAPHTHALENE	7.4	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	NAPHTHALENE	26	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	67.4	39-114			%	04/30/19	05/02/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	66.4	58-120			%	04/30/19	05/02/19

Quant Method: L0326.M
Run #: 0426L036
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 05/02/19 4:29:47 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH793

APPL ID: AZ90105

Sample Collection Date: 04/24/19

QCG: #SIM53-190430A-239930

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	57.2	39-114			%	04/30/19	05/02/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	58.1	58-120			%	04/30/19	05/02/19

Quant Method: L0326.M
Run #: 0426L037
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 05/02/19 4:29:47 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH805

APPL ID: AZ90107

Sample Collection Date: 04/23/19

QCG: #SIM53-190430A-239930

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	70.9	39-114			%	04/30/19	05/02/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	71.6	58-120			%	04/30/19	05/02/19

Quant Method: L0326.M
Run #: 0426L038
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 05/02/19 4:29:47 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D SIM LIQ-LIQ

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH807

APPL ID: AZ90109

Sample Collection Date: 04/24/19

QCG: #SIM53-190430A-239930

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
8270D-SIM	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
8270D-SIM	SURROGATE: 2-METHYLNAPHTHALEN	71.4	39-114			%	04/30/19	05/02/19
8270D-SIM	SURROGATE: FLUORANTHENE-D10 (S	84.2	58-120			%	04/30/19	05/02/19

Quant Method: L0326.M
Run #: 0426L039
Instrument: Linus
Sequence: L190426
Dilution Factor: 1
Initials: JPR

Printed: 05/02/19 4:29:47 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH788

APPL ID: AZ90100

Sample Collection Date: 04/23/19

QCG: #87DC5-190430A-239931

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	78.0	43-140			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	63.1	44-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	69.9	19-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	72.9	44-120			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	66.3	10-115			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	61.3	50-134			%	04/30/19	05/02/19

Quant Method: Y0319NC.M
Run #: 0411Y273
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: MA

Printed: 05/02/19 4:33:34 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH790

APPL ID: AZ90102

Sample Collection Date: 04/24/19

QCG: #87DC5-190430A-239931

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	76.9	43-140			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	61.1	44-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	66.5	19-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	70.5	44-120			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	62.7	10-115			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	49.5	50-134			%	04/30/19	05/02/19

Quant Method: Y0319NC.M
Run #: 0411Y274
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: MA

Printed: 05/02/19 4:33:35 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH791
Sample Collection Date: 04/24/19

ARF: 88714
APPL ID: AZ90103
QCG: #87DC5-190430A-239931

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	76.3	43-140			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	61.1	44-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	75.0	19-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	76.2	44-120			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	69.4	10-115			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	39.5 #	50-134			%	04/30/19	05/02/19

= Recovery (or RPD) is outside QC limits.

Quant Method: Y0319NC.M
Run #: 0411Y275
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: MA

Printed: 05/02/19 4:33:35 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH793

APPL ID: AZ90105

Sample Collection Date: 04/24/19

QCG: #87DC5-190430A-239931

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	63.9	43-140			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	52.5	44-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	66.0	19-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	63.0	44-120			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	61.0	10-115			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	49.9	50-134			%	04/30/19	05/02/19

Quant Method: Y0319NC.M
Run #: 0411Y276
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: MA

Printed: 05/02/19 4:33:35 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH805

APPL ID: AZ90107

Sample Collection Date: 04/23/19

QCG: #87DC5-190430A-239931

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	77.9	43-140			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	63.7	44-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	72.1	19-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	74.1	44-120			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	68.8	10-115			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	67.3	50-134			%	04/30/19	05/02/19

Quant Method: Y0319NC.M
Run #: 0411Y277
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: MA

Printed: 05/02/19 4:33:35 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH807

APPL ID: AZ90109

Sample Collection Date: 04/24/19

QCG: #87DC5-190430A-239931

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2,4,6-TRIBROMOPHENO	79.2	43-140			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUORBIPHENYL (S)	64.3	44-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: 2-FLUOROPHENOL (S)	75.1	19-119			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: NITROBENZENE-D5 (S)	77.4	44-120			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: PHENOL-D6 (S)	70.9	10-115			%	04/30/19	05/02/19
EPA 8270D	SURROGATE: TERPHENYL-D14 (S)	65.9	50-134			%	04/30/19	05/02/19

Quant Method: Y0319NC.M
Run #: 0411Y278
Instrument: Yoda
Sequence: Y190411
Dilution Factor: 1
Initials: MA

Printed: 05/02/19 4:33:35 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH788
Sample Collection Date: 04/23/19

ARF: 88714
APPL ID: AZ90100
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y029
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:35:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH790
Sample Collection Date: 04/24/19

ARF: 88714
APPL ID: AZ90102
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method: YMEE0430.M
Run #: 0430Y030
Instrument: Yoda
Sequence: Y190430M
Dilution Factor: 1
Initials: MA

Printed: 05/01/19 9:35:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH791
Sample Collection Date: 04/24/19

ARF: 88714
APPL ID: AZ90103
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y031
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:35:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH793
Sample Collection Date: 04/24/19

ARF: 88714
APPL ID: AZ90105
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y032
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:35:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH805

APPL ID: AZ90107

Sample Collection Date: 04/23/19

QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y033
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:35:41 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8270D MODIFIED WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH807
Sample Collection Date: 04/24/19

ARF: 88714
APPL ID: AZ90109
QCG: #87DME-190429A-239869

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8270D	2-(2-METHOXYETHOXY)-ETHANOL	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:	YMEE0430.M
Run #:	0430Y034
Instrument:	Yoda
Sequence:	Y190430M
Dilution Factor:	1
Initials:	MA

Printed: 05/01/19 9:35:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH787

APPL ID: AZ90099

Sample Collection Date: 04/23/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	93.3	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.9	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	103	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	98.5	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M11
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:27 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH788

APPL ID: AZ90100

Sample Collection Date: 04/23/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	94.2	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	98.4	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	102	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	97.9	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M16
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:27 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH789

APPL ID: AZ90101

Sample Collection Date: 04/24/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	94.2	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	96.5	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	101	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	97.1	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M12
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:27 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH790

APPL ID: AZ90102

Sample Collection Date: 04/24/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	90.2	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.8	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	96.9	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	96.3	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M17
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:27 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH791

APPL ID: AZ90103

Sample Collection Date: 04/24/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	93.4	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	98.5	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	101	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	99.2	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M18
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:27 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH792

APPL ID: AZ90104

Sample Collection Date: 04/24/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	95.4	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.4	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	102	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	98.4	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M13
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:28 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH793

APPL ID: AZ90105

Sample Collection Date: 04/24/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	91.4	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.6	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	98.0	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	95.9	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M19
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:28 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH804

APPL ID: AZ90106

Sample Collection Date: 04/23/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	93.7	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.8	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	102	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	97.7	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M14
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:28 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH805

APPL ID: AZ90107

Sample Collection Date: 04/23/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	91.3	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.4	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	101	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	96.8	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M20
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:28 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH806

APPL ID: AZ90108

Sample Collection Date: 04/24/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	94.6	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	96.0	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	102	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	96.8	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M15
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:28 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B BTEX WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH807

APPL ID: AZ90109

Sample Collection Date: 04/24/19

QCG: #86BTO-190426AM-239794

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
EPA 8260B	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 1,2-DICHLOROETHANE-	91.6	81-118			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	96.8	85-114			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: DIBROMOFLUOROMETH	101	80-119			%	04/26/19	04/26/19
EPA 8260B	SURROGATE: TOLUENE-D8 (S)	97.0	89-112			%	04/26/19	04/26/19

Quant Method: M0324.M
Run #: 0426M21
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:05:28 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH787

APPL ID: AZ90099

Sample Collection Date: 04/23/19

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.9	85-114			%	04/26/19	04/26/19

Quant Method: MGAS401.M
Run #: 0426M11
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:06:33 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH788

Sample Collection Date: 04/23/19

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

ARF: 88714

APPL ID: AZ90100

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	98.4	85-114			%	04/26/19	04/26/19

Quant Method:	MGAS401.M
Run #:	0426M16
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DPO

Printed: 04/29/19 1:06:33 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH789

APPL ID: AZ90101

Sample Collection Date: 04/24/19

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	96.5	85-114			%	04/26/19	04/26/19

Quant Method:	MGAS401.M
Run #:	0426M12
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DPO

Printed: 04/29/19 1:06:33 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH790

APPL ID: AZ90102

Sample Collection Date: 04/24/19

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	48 ++	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.8	85-114			%	04/26/19	04/26/19

++(G3) The analyst has noted that the chromatogram of this sample includes higher boiling hydrocarbons.

Quant Method: MGAS401.M
Run #: 0426M17
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:06:33 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH791

APPL ID: AZ90103

Sample Collection Date: 04/24/19

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	57 ++	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	98.5	85-114			%	04/26/19	04/26/19

++(G3) The analyst has noted that the chromatogram of this sample includes higher boiling hydrocarbons.

Quant Method:	MGAS401.M
Run #:	0426M18
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DPO

Printed: 04/29/19 1:06:33 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH792

APPL ID: AZ90104

Sample Collection Date: 04/24/19

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.4	85-114			%	04/26/19	04/26/19

Quant Method:	MGAS401.M
Run #:	0426M13
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DPO

Printed: 04/29/19 1:06:33 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH793

Sample Collection Date: 04/24/19

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

ARF: 88714

APPL ID: AZ90105

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.6	85-114			%	04/26/19	04/26/19

Quant Method:	MGAS401.M
Run #:	0426M19
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DPO

Printed: 04/29/19 1:06:33 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH804

APPL ID: AZ90106

Sample Collection Date: 04/23/19

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	99.8	85-114			%	04/26/19	04/26/19

Quant Method:	MGAS401.M
Run #:	0426M14
Instrument:	Max
Sequence:	M190401
Dilution Factor:	1
Initials:	DPO

Printed: 04/29/19 1:06:33 PM

APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH805

APPL ID: AZ90107

Sample Collection Date: 04/23/19

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	97.4	85-114			%	04/26/19	04/26/19

Quant Method: MGAS401.M
Run #: 0426M20
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:06:33 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH806

APPL ID: AZ90108

Sample Collection Date: 04/24/19

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	96.0	85-114			%	04/26/19	04/26/19

Quant Method: MGAS401.M
Run #: 0426M15
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:06:33 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

EPA 8260B GRO WATER

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH807

APPL ID: AZ90109

Sample Collection Date: 04/24/19

QCG: #GRO86-190426AM-239796

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
EPA 8260B	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
EPA 8260B	SURROGATE: 4-BROMOFLUOROBENZ	96.8	85-114			%	04/26/19	04/26/19

Quant Method: MGAS401.M
Run #: 0426M21
Instrument: Max
Sequence: M190401
Dilution Factor: 1
Initials: DPO

Printed: 04/29/19 1:06:33 PM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH787

APPL ID: AZ90099

Sample Collection Date: 04/23/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method: RSK0311.M
Run #: 19050307
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 05/06/19 10:30:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH788

APPL ID: AZ90100

Sample Collection Date: 04/23/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	140	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method:	RSK0311.M
Run #:	19050308
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 05/06/19 10:30:41 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH789
Sample Collection Date: 04/24/19

ARF: 88714
APPL ID: AZ90101
QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method:	RSK0311.M
Run #:	19050309
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 05/06/19 10:30:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH790

APPL ID: AZ90102

Sample Collection Date: 04/24/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1500 E	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

E = The reported value exceeds linear range.

Quant Method:	RSK0311.M
Run #:	19050310
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 05/06/19 10:30:41 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE - Dilution

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH790

APPL ID: AZ90102

Sample Collection Date: 04/24/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	4500	50.0	10.00	2.50	ug/L	05/03/19	05/03/19

Quant Method: RSK0311.M
Run #: 19050312
Instrument: Rocky
Sequence: 190311
Dilution Factor: 10
Initials: CMO

Printed: 05/06/19 10:30:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH792

APPL ID: AZ90104

Sample Collection Date: 04/24/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method:	RSK0311.M
Run #:	19050313
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 05/06/19 10:30:41 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH793

APPL ID: AZ90105

Sample Collection Date: 04/24/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method: RSK0311.M
Run #: 19050314
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 05/06/19 10:30:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua
Project: 60571032 CV18F0126 Red Hill Fuel Storage
Sample ID: ERH804
Sample Collection Date: 04/23/19

ARF: 88714
APPL ID: AZ90106
QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method:	RSK0311.M
Run #:	19050315
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 05/06/19 10:30:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH805

APPL ID: AZ90107

Sample Collection Date: 04/23/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method: RSK0311.M
Run #: 19050316
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 05/06/19 10:30:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

Attn: Margie Pascua

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH806

APPL ID: AZ90108

Sample Collection Date: 04/24/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method: RSK0311.M
Run #: 19050317
Instrument: Rocky
Sequence: 190311
Dilution Factor: 1
Initials: CMO

Printed: 05/06/19 10:30:41 AM
APPL-F1-SC-NoMC-REG MDLs-DOD

METHANE

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

ARF: 88714

Sample ID: ERH807

APPL ID: AZ90109

Sample Collection Date: 04/24/19

QCG: #RSKME-190503A-239958

Method	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
RSK 175	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method:	RSK0311.M
Run #:	19050318
Instrument:	Rocky
Sequence:	190311
Dilution Factor:	1
Initials:	CMO

Printed: 05/06/19 10:30:41 AM

APPL-F1-SC-NoMC-REG MDLs-DOD

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH788

APPL ID: AZ90100

Sample Collection Date: 04/23/19

ARF: 88714

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	43.4	1.0	0.20	0.08	mg/L	1	04/25/19	04/25/19
EPA 300.0	NITRATE	0.18 U	0.5	0.18	0.04	mg/L	1	04/25/19	04/25/19
EPA 300.0	SULFATE	4.8	1.0	0.20	0.09	mg/L	1	04/25/19	04/25/19
EPA 353.2	NITRATE-NITRITE-N	0.090 U	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	81.1	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	TOTAL ALKALINITY AS CACO	81.1	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM3500FeB	FERROUS IRON	0.43 J	1.0	0.32	0.16	mg/L	1	04/26/19	04/26/19
SW846 9060A	DISSOLVED ORGANIC CARB	1.1	0.93	0.350	0.130	mg/L	1	04/30/19	04/30/19
SW846 9060A	TOTAL ORGANIC CARBON	0.97	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19

J = Estimated value.

Printed: 05/22/19 9:50:47 AM

APPL-F1-SC-NoMC-REG MDLs

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH790

APPL ID: AZ90102

Sample Collection Date: 04/24/19

ARF: 88714

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	42.8	1.0	0.20	0.08	mg/L	1	04/25/19	04/25/19
EPA 300.0	NITRATE	0.18 U	0.5	0.18	0.04	mg/L	1	04/25/19	04/25/19
EPA 300.0	SULFATE	0.98 J	1.0	0.20	0.09	mg/L	1	04/25/19	04/25/19
EPA 353.2	NITRATE-NITRITE-N	0.090 U	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	196	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	TOTAL ALKALINITY AS CACO	196	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM3500FeB	FERROUS IRON	2.3	1.0	0.32	0.16	mg/L	1	04/26/19	04/26/19
SW846 9060A	DISSOLVED ORGANIC CARB	3.5	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19
SW846 9060A	TOTAL ORGANIC CARBON	3.8	0.93	0.350	0.130	mg/L	1	04/30/19	04/30/19

J = Estimated value.

Printed: 05/22/19 9:50:47 AM

APPL-F1-SC-NoMC-REG MDLs

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH793

APPL ID: AZ90105

Sample Collection Date: 04/24/19

ARF: 88714

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	50.9	1.0	0.20	0.08	mg/L	1	04/25/19	04/25/19
EPA 300.0	NITRATE	7.3	0.5	0.18	0.04	mg/L	1	04/25/19	04/25/19
EPA 300.0	SULFATE	50.6	1.0	0.20	0.09	mg/L	1	04/25/19	04/25/19
EPA 353.2	NITRATE-NITRITE-N	1.7	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	267	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	TOTAL ALKALINITY AS CACO	267	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/26/19	04/26/19
SW846 9060A	DISSOLVED ORGANIC CARB	1.6	0.93	0.350	0.130	mg/L	1	04/30/19	04/30/19
SW846 9060A	TOTAL ORGANIC CARBON	1.5	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19

Printed: 05/22/19 9:50:47 AM

APPL-F1-SC-NoMC-REG MDLs

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH805

APPL ID: AZ90107

Sample Collection Date: 04/23/19

ARF: 88714

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	49.3	5.0	1.00	0.40	mg/L	5	05/02/19	05/02/19
EPA 300.0	NITRATE	2.1	0.5	0.18	0.04	mg/L	1	04/25/19	04/25/19
EPA 300.0	SULFATE	9.3	1.0	0.20	0.09	mg/L	1	04/25/19	04/25/19
EPA 353.2	NITRATE-NITRITE-N	0.46	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	62.7	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	TOTAL ALKALINITY AS CACO	62.7	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/26/19	04/26/19
SW846 9060A	DISSOLVED ORGANIC CARB	0.36 J	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19
SW846 9060A	TOTAL ORGANIC CARBON	0.23 J	0.93	0.350	0.130	mg/L	1	04/30/19	04/30/19

J = Estimated value.

Printed: 05/22/19 9:50:47 AM

APPL-F1-SC-NoMC-REG MDLs

Wet Lab Analysis

AECOM
1001 Bishop Street, Suite 1600
Honolulu, HI 96813

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Margie Pascua

Project: 60571032 CV18F0126 Red Hill Fuel Storage

Sample ID: ERH807

APPL ID: AZ90109

Sample Collection Date: 04/24/19

ARF: 88714

Method	Analyte	Result	LOQ	LOD	DL	Units	DF	Prep Date	Analysis Date
EPA 300.0	CHLORIDE	44.0	1.0	0.20	0.08	mg/L	1	04/25/19	04/25/19
EPA 300.0	NITRATE	1.9	0.5	0.18	0.04	mg/L	1	04/25/19	04/25/19
EPA 300.0	SULFATE	6.9	1.0	0.20	0.09	mg/L	1	04/25/19	04/25/19
EPA 353.2	NITRATE-NITRITE-N	0.41	0.10	0.090	0.028	mg/L	1	05/01/19	05/01/19
SM 2320B	BICARBONATE AS CACO3	64.9	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	CARBONATE AS CACO3	1.70 U	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM 2320B	TOTAL ALKALINITY AS CACO	64.9	2.0	1.70	0.85	mg/L	1	04/30/19	04/30/19
SM3500FeB	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	1	04/26/19	04/26/19
SW846 9060A	DISSOLVED ORGANIC CARB	0.21 J	0.93	0.350	0.130	mg/L	1	05/01/19	05/01/19
SW846 9060A	TOTAL ORGANIC CARBON	0.26 J	0.93	0.350	0.130	mg/L	1	05/03/19	05/03/19

J = Estimated value.

Printed: 05/22/19 9:50:47 AM

APPL-F1-SC-NoMC-REG MDLs

QC FORMS

EPA 8015B-eLL

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Apollo

APPL ID.	Client Sample No.	SURROGATE: OCTACOSANE (S)			SURROGATE: ORTHO-TERPHENYL (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190426A1-BLK	Blank	60-142	92.6		56-125	90.6	
190426A1-LCS	Lab Control Spike	60-142	88.9		56-125	88.5	
190426A1-LCSD	Lab Control SpikeD	60-142	86.5		56-125	87.9	
AZ90100	ERH788	60-142	96.4		56-125	93.4	
AZ90102	ERH790	60-142	99.0		56-125	90.4	
AZ90103	ERH791	60-142	97.0		56-125	89.5	
AZ90105	ERH793	60-142	98.6		56-125	93.8	
AZ90107	ERH805	60-142	97.9		56-125	95.2	
AZ90109	ERH807	60-142	99.6		56-125	98.2	

Comments: Batch: #DOC53-190426A1

EPA 8015B-eLL

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/16/19

Matrix: WATER Instrument: Apollo

APPL ID.	Client Sample No.	SURROGATE: (R) DECANOIC ACID (S)			SURROGATE: OCTACOSANE (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190426A3-BLK	Blank	0-1	0.0		60-142	100	
190426A3-LCS	Lab Control Spike	0-1	0.0		60-142	87.9	
190426A3-LCSD	Lab Control SpikeD	0-1	0.0		60-142	88.5	
AZ90100	ERH788	0-1	0.0		60-142	96.9	
AZ90102	ERH790	0-1	0.0		60-142	98.4	
AZ90103	ERH791	0-1	0.0		60-142	98.2	
AZ90105	ERH793	0-1	0.0		60-142	96.1	

Comments: Batch: #DOC53-190426A3

EPA 8015B-eLL

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/16/19

Matrix: WATER Instrument: Apollo

APPL ID.	Client Sample No.	SURROGATE: ORTHO-TERPHENYL (S)					
		Limits	Result	Qualifier	Limits	Result	Qualifier
190426A3-BLK	Blank	56-125	94.7				
190426A3-LCS	Lab Control Spike	56-125	87.5				
190426A3-LCSD	Lab Control SpikeD	56-125	88.4				
AZ90100	ERH788	56-125	93.8				
AZ90102	ERH790	56-125	95.3				
AZ90103	ERH791	56-125	94.5				
AZ90105	ERH793	56-125	93.3				

Comments: Batch: #DOC53-190426A3

EPA 8015B-eL

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Apollo

Blank ID: 190426A1-BLK Time Analyzed: 1723

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A1-BLK	Blank	419049	04/29/19 1723
190426A1-LCS	Lab Control Spike	419050	04/29/19 1743
190426A1-LCSD	Lab Control SpikeD	419051	04/29/19 1803
AZ90100	ERH788	419066	04/29/19 2303
AZ90102	ERH790	419067	04/29/19 2323
AZ90103	ERH791	419068	04/29/19 2343
AZ90105	ERH793	419069	04/30/19 0002
AZ90107	ERH805	419070	04/30/19 0022
AZ90109	ERH807	419071	04/30/19 0042

Comments: Batch: #DOC53-190426A1

Method Blank
EPA 8015B TPH LIQ-LIQ

Blank Name/QCG: **190426W-90100 - 239905**
Batch ID: #DOC53-190426A1

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	04/29/19
BLANK	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	04/29/19
BLANK	SURROGATE: OCTACOSANE (S)	92.6	60-142			%	04/26/19	04/29/19
BLANK	SURROGATE: ORTHO-TERPHEN	90.6	56-125			%	04/26/19	04/29/19

Quant Method:DOC0411.M
Run #:419049
Instrument:Apollo
Sequence:190419
Initials:BTI

GC SC-Blank-REG MDLs-DOD
Printed: 05/08/19 12:16:21 PM

EPA 8015B-eL

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/16/19

Matrix: WATER Instrument: Apollo

Blank ID: 190426A3-BLK Time Analyzed: 1025

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A3-BLK	Blank	508126	05/16/19 1025
190426A3-LCS	Lab Control Spike	508127	05/16/19 1044
190426A3-LCSD	Lab Control SpikeD	508128	05/16/19 1103
AZ90100	ERH788	508129	05/16/19 1246
AZ90102	ERH790	508130	05/16/19 1306
AZ90103	ERH791	508131	05/16/19 1326
AZ90105	ERH793	508132	05/16/19 1345

Comments: Batch: #DOC53-190426A3

Method Blank

EPA 8015B TPH WATER L-L SGC

Blank Name/QCG: **190426W-90100 - 240379**

Batch ID: #DOC53-190426A3

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	DIESEL (C10-C24)	25.00 U	40.0	25.00	13.07	ug/L	04/26/19	05/16/19
BLANK	OIL (C24-C40)	40.00 U	40.0	40.00	5.54	ug/L	04/26/19	05/16/19
BLANK	SURROGATE: (R) DECANOIC AC	0.0	0-1			%	04/26/19	05/16/19
BLANK	SURROGATE: OCTACOSANE (S)	100	60-142			%	04/26/19	05/16/19
BLANK	SURROGATE: ORTHO-TERPHEN	94.7	56-125			%	04/26/19	05/16/19

Quant Method:DOC0411.M
Run #:508126
Instrument:Apollo
Sequence:190508
Initials:DPO

GC SC-Blank-REG MDLs-DOD
Printed: 05/16/19 3:01:30 PM

EPA 8015B-eL

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/29/19

Matrix: WATER Instrument: Apollo

LCS ID: 190426A1-LCS Time Analyzed: 1743

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A1-BLK	Blank	419049	04/29/19 1723
190426A1-LCS	Lab Control Spike	419050	04/29/19 1743
190426A1-LCSD	Lab Control SpikeD	419051	04/29/19 1803
AZ90100	ERH788	419066	04/29/19 2303
AZ90102	ERH790	419067	04/29/19 2323
AZ90103	ERH791	419068	04/29/19 2343
AZ90105	ERH793	419069	04/30/19 0002
AZ90107	ERH805	419070	04/30/19 0022
AZ90109	ERH807	419071	04/30/19 0042

Comments: Batch: #DOC53-190426A1

Laboratory Control Spike Recoveries

EPA 8015B TPH LIQ-LIQ

APPL ID: **190426W-90100 LCS - 239905**
Batch ID: #DOC53-190426A1

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	1120	1070	89.6	85.6	36-132	4.6	30
OIL (C24-C40)	1250	1250	1180	100	94.4	41-113	5.8	30
SURROGATE: OCTACOSANE (S)	75.0	66.7	64.9	88.9	86.5	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	66.4	65.9	88.5	87.9	56-125		

Comments: _____

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	04/26/19	04/26/19
Analysis Date :	04/29/19	04/29/19
Instrument :	Apollo	Apollo
Run :	419050	419051
Initials :	BTI	

EPA 8015B-eL

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/16/19

Matrix: WATER Instrument: Apollo

LCS ID: 190426A3-LCS Time Analyzed: 1044

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A3-BLK	Blank	508126	05/16/19 1025
190426A3-LCS	Lab Control Spike	508127	05/16/19 1044
190426A3-LCSD	Lab Control SpikeD	508128	05/16/19 1103
AZ90100	ERH788	508129	05/16/19 1246
AZ90102	ERH790	508130	05/16/19 1306
AZ90103	ERH791	508131	05/16/19 1326
AZ90105	ERH793	508132	05/16/19 1345

Comments: Batch: #DOC53-190426A3

Laboratory Control Spike Recoveries
EPA 8015B TPH WATER L-L SGC

APPL ID: **190426W-90100 LCS - 240379**
Batch ID: #DOC53-190426A3

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
DIESEL (C10-C24)	1250	1040	1040	83.2	83.2	36-132	0.0	30
OIL (C24-C40)	1250	1140	1120	91.2	89.6	41-113	1.8	30
SURROGATE: (R) DECANOIC ACID (S)	10.00	0	0	0.0	0.0	0-1		
SURROGATE: OCTACOSANE (S)	75.0	65.9	66.4	87.9	88.5	60-142		
SURROGATE: ORTHO-TERPHENYL (S)	75.0	65.6	66.3	87.5	88.4	56-125		

Comments:

Primary	SPK	DUP
Quant Method :	DOC0411.M	DOC0411.M
Extraction Date :	04/26/19	04/26/19
Analysis Date :	05/16/19	05/16/19
Instrument :	Apollo	Apollo
Run :	508127	508128
Initials :	DPO	

Printed: 05/16/19 3:01:22 PM
APPL Standard LCSD

8270D-SIM

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Linus

APPL ID.	Client Sample No.	SURROGATE: 2-METHYLNAPHTHALENE-D10 (S)			SURROGATE: FLUORANTHENE-D10 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190430A-BLK	Blank	39-114	61.4		58-120	77.7	
190430A-LCS	Lab Control Spike	39-114	60.5		58-120	73.1	
190430A-LCSD	Lab Control SpikeD	39-114	64.6		58-120	72.3	
AZ90100	ERH788	39-114	68.5		58-120	74.8	
AZ90102	ERH790	39-114	70.9		58-120	66.0	
AZ90103	ERH791	39-114	67.4		58-120	66.4	
AZ90105	ERH793	39-114	57.2		58-120	58.1	
AZ90107	ERH805	39-114	70.9		58-120	71.6	
AZ90109	ERH807	39-114	71.4		58-120	84.2	

Comments: Batch: #SIM53-190430A

8270D-SIM

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Linus

Blank ID: 190430A-BLK Time Analyzed: 1216

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	0426L031	05/02/19 1216
190430A-LCS	Lab Control Spike	0426L032	05/02/19 1239
190430A-LCSD	Lab Control SpikeD	0426L033	05/02/19 1301
AZ90100	ERH788	0426L034	05/02/19 1336
AZ90102	ERH790	0426L035	05/02/19 1358
AZ90103	ERH791	0426L036	05/02/19 1420
AZ90105	ERH793	0426L037	05/02/19 1443
AZ90107	ERH805	0426L038	05/02/19 1505
AZ90109	ERH807	0426L039	05/02/19 1527

Comments: Batch: #SIM53-190430A

Method Blank
EPA 8270D SIM LIQ-LIQ

Blank Name/QCG: **190430W-90100 - 239930**
Batch ID: #SIM53-190430A

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	1-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
BLANK	2-METHYLNAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
BLANK	NAPHTHALENE	0.10 U	0.2	0.10	0.04	ug/L	04/30/19	05/02/19
BLANK	SURROGATE: 2-METHYLNAPHT	61.4	39-114			%	04/30/19	05/02/19
BLANK	SURROGATE: FLUORANTHENE-	77.7	58-120			%	04/30/19	05/02/19

Quant Method:L0326.M
Run #:0426L031
Instrument:Linus
Sequence:L190426
Initials:JPR

GC SC-Blank-REG MDLs-DOD
Printed: 05/02/19 4:29:46 PM

8270D-SIM

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Linus

LCS ID: 190430A-LCS Time Analyzed: 1239

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	0426L031	05/02/19 1216
190430A-LCS	Lab Control Spike	0426L032	05/02/19 1239
190430A-LCSD	Lab Control SpikeD	0426L033	05/02/19 1301
AZ90100	ERH788	0426L034	05/02/19 1336
AZ90102	ERH790	0426L035	05/02/19 1358
AZ90103	ERH791	0426L036	05/02/19 1420
AZ90105	ERH793	0426L037	05/02/19 1443
AZ90107	ERH805	0426L038	05/02/19 1505
AZ90109	ERH807	0426L039	05/02/19 1527

Comments: Batch: #SIM53-190430A

Laboratory Control Spike Recoveries

EPA 8270D SIM LIQ-LIQ

APPL ID: **190430W-90100 LCS - 239930**
Batch ID: #SIM53-190430A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
1-METHYLNAPHTHALENE	6.25	3.76	3.97	60.2	63.5	41-115	5.4	20
2-METHYLNAPHTHALENE	6.25	4.07	4.33	65.1	69.3	39-114	6.2	20
NAPHTHALENE	6.25	3.87	4.27	61.9	68.3	43-114	9.8	20
SURROGATE: 2-METHYLNAPHTHALEN	6.25	3.78	4.04	60.5	64.6	39-114		
SURROGATE: FLUORANTHENE-D10 (S)	6.25	4.57	4.52	73.1	72.3	58-120		

Comments: _____

Primary	SPK	DUP
Quant Method :	L0326.M	L0326.M
Extraction Date :	04/30/19	04/30/19
Analysis Date :	05/02/19	05/02/19
Instrument :	Linus	Linus
Run :	0426L032	0426L033
Initials :	JPR	

Printed: 05/02/19 4:29:53 PM
APPL Standard LCSD

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Water
ID: 0326L002.D

SDG No:
Date Analyzed: 03/26/19
Instrument: Linus
Time Analyzed: 9:39

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		0.5 SIM 03/06/19	0326L005.D	03/26/19 10:39
2		1 SIM 03/06/19	0326L006.D	03/26/19 11:01
3		5 SIM 03/06/19	0326L007.D	03/26/19 11:23
4		10 SIM 03/06/19	0326L008.D	03/26/19 11:45
5		50 SIM 03/06/19	0326L009.D	03/26/19 12:08
6		100 SIM 03/06/19	0326L010.D	03/26/19 12:30
7		0.2 SIM 01/18/19	0326L012.D	03/26/19 15:55
8		0.1 SIM 01/18/19	0326L013.D	03/26/19 17:05
9		SS SIM 03/06/19	0326L014.D	03/26/19 17:27
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80% of mass 198	45.8
68	0 - 2.05% of mass 69	0.0
70	0 - 2% of mass 69	0.4
127	10 - 80% of mass 198	61.0
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198	100.0
199	5 - 9% of mass 198	6.0
275	10 - 60% of mass 198	18.6
365	1 - 100% of mass 198	2.2
441	0.01 - 24% of mass 442	14.3
442	50 - 150% of mass 198	78.8
443	15 - 24% of mass 442	19.8

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88714
Matrix: Water
ID: 0426L029.D

SDG No: 88714
Date Analyzed: 05/02/19
Instrument: Linus
Time Analyzed: 10:38

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		5 SIM 03/06/19	0426L030.D	05/02/19 10:54
2	Blank	190430A BLK 1/800	0426L031.D	05/02/19 12:16
3	Lab Control Spike	190430A LCS-2 1/800	0426L032.D	05/02/19 12:39
4	Lab Control SpikeD	190430A LCSD-2 1/800	0426L033.D	05/02/19 13:01
5	ERH788	AZ90100W21 1/800	0426L034.D	05/02/19 13:36
6	ERH790	AZ90102W22 1/800	0426L035.D	05/02/19 13:58
7	ERH791	AZ90103W08 1/800	0426L036.D	05/02/19 14:20
8	ERH793	AZ90105W21 1/800	0426L037.D	05/02/19 14:43
9	ERH805	AZ90107W18 1/800	0426L038.D	05/02/19 15:05
10	ERH807	AZ90109W21 1/800	0426L039.D	05/02/19 15:27
11		5 SIM 03/06/19	0426L054.D	05/02/19 21:03
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80% of mass 198	61.6
68	0 - 2.05% of mass 69	0.0
70	0 - 2% of mass 69	0.5
127	10 - 80% of mass 198	66.1
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198	100.0
199	5 - 9% of mass 198	6.8
275	10 - 60% of mass 198	21.5
365	1 - 100% of mass 198	2.9
441	0.01 - 24% of mass 442	18.3
442	50 - 150% of mass 198	70.0
443	15 - 24% of mass 442	19.0

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88714

Lab File ID (Standard): 0426L030.D Date Analyzed: 2 May 19 10:54

Instrument ID: Linus Time Analyzed: 2 May 19 10:54

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Napthalene-D8(IS)		Acenaphthene-D10(IS)		Phenanthrene-D10(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	45570	3.94	18053	5.96	28703	7.70
	UPPER LIMIT	91140	4.11	36106	6.13	57406	7.87
	LOWER LIMIT	22785	3.77	9027	5.79	14352	7.53
	SAMPLE NO.						
01	190430A BLK 1/800	66235	3.94	26500	5.96	46178	7.70
02	190430A LCS-2 1/800	66824	3.94	27543	5.96	47183	7.69
03	190430A LCSD-2 1/800	62257	3.94	24694	5.96	47014	7.69
04	AZ90100W21 1/800	57934	3.94	27040	5.96	48201	7.70
05	AZ90102W22 1/800	59074	3.92	24673	5.96	47103	7.69
06	AZ90103W08 1/800	59008	3.92	24116	5.96	45531	7.69
07	AZ90105W21 1/800	61475	3.94	26582	5.96	47174	7.70
08	AZ90107W18 1/800	60041	3.94	25621	5.96	45813	7.70
09	AZ90109W21 1/800	60884	3.94	25643	5.96	43273	7.70
10	5 SIM 03/06/19	52891	3.94	22558	5.96	34382	7.70
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88714

Lab File ID (Standard): 0426L030.D Date Analyzed: 2 May 19 10:54

Instrument ID: Linus Time Analyzed: 2 May 19 10:54

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Chrysene-D12(IS)		Perylene-D12(IS)			
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	43875	10.79	36594	13.19		
	UPPER LIMIT	87750	10.96	73188	13.36		
	LOWER LIMIT	21938	10.62	18297	13.02		
	SAMPLE NO.						
01	190430A BLK 1/800	70364	10.80	60724	13.20		
02	190430A LCS-2 1/800	69956	10.78	64347	13.17		
03	190430A LCSD-2 1/800	67213	10.78	65915	13.17		
04	AZ90100W21 1/800	69327	10.80	66817	13.18		
05	AZ90102W22 1/800	68499	10.79	65571	13.17		
06	AZ90103W08 1/800	68691	10.79	66904	13.17		
07	AZ90105W21 1/800	67598	10.80	64757	13.17		
08	AZ90107W18 1/800	65038	10.80	65063	13.18		
09	AZ90109W21 1/800	57967	10.80	59099	13.18		
10	5 SIM 03/06/19	56026	10.79	55890	13.19		
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

EPA 8270D

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Yoda

APPL ID.	Client Sample No.	SURROGATE: 2,4,6-TRIBROMOPHENOL (S)			SURROGATE: 2-FLUORBIPHENYL (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190430A-BLK	Blank	43-140	75.7		44-119	61.7	
190430A-LCS	Lab Control Spike	43-140	78.8		44-119	64.0	
190430A-LCSD	Lab Control SpikeD	43-140	82.0		44-119	64.1	
AZ90100	ERH788	43-140	78.0		44-119	63.1	
AZ90102	ERH790	43-140	76.9		44-119	61.1	
AZ90103	ERH791	43-140	76.3		44-119	61.1	
AZ90105	ERH793	43-140	63.9		44-119	52.5	
AZ90107	ERH805	43-140	77.9		44-119	63.7	
AZ90109	ERH807	43-140	79.2		44-119	64.3	

Comments: Batch: #87DC5-190430A

EPA 8270D

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Yoda

APPL ID.	Client Sample No.	SURROGATE: 2-FLUOROPHENOL (S)			SURROGATE: NITROBENZENE-D5 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190430A-BLK	Blank	19-119	66.7		44-120	65.0	
190430A-LCS	Lab Control Spike	19-119	79.6		44-120	72.6	
190430A-LCSD	Lab Control SpikeD	19-119	84.8		44-120	77.2	
AZ90100	ERH788	19-119	69.9		44-120	72.9	
AZ90102	ERH790	19-119	66.5		44-120	70.5	
AZ90103	ERH791	19-119	75.0		44-120	76.2	
AZ90105	ERH793	19-119	66.0		44-120	63.0	
AZ90107	ERH805	19-119	72.1		44-120	74.1	
AZ90109	ERH807	19-119	75.1		44-120	77.4	

Comments: Batch: #87DC5-190430A

EPA 8270D

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Yoda

APPL ID.	Client Sample No.	SURROGATE: PHENOL-D6 (S)			SURROGATE: TERPHENYL-D14 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190430A-BLK	Blank	10-115	61.1		50-134	66.0	
190430A-LCS	Lab Control Spike	10-115	74.8		50-134	66.9	
190430A-LCSD	Lab Control SpikeD	10-115	80.0		50-134	66.0	
AZ90100	ERH788	10-115	66.3		50-134	61.3	
AZ90102	ERH790	10-115	62.7		50-134	49.5	
AZ90103	ERH791	10-115	69.4		50-134	39.5	#
AZ90105	ERH793	10-115	61.0		50-134	49.9	
AZ90107	ERH805	10-115	68.8		50-134	67.3	
AZ90109	ERH807	10-115	70.9		50-134	65.9	

Comments: Batch: #87DC5-190430A

= Recovery outside of Control Limits on Sample.

EPA 8270D

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Yoda

Blank ID: 190430A-BLK Time Analyzed: 1235

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	0411Y270	05/02/19 1235
190430A-LCS	Lab Control Spike	0411Y271	05/02/19 1303
190430A-LCSD	Lab Control SpikeD	0411Y272	05/02/19 1331
AZ90100	ERH788	0411Y273	05/02/19 1358
AZ90102	ERH790	0411Y274	05/02/19 1426
AZ90103	ERH791	0411Y275	05/02/19 1454
AZ90105	ERH793	0411Y276	05/02/19 1522
AZ90107	ERH805	0411Y277	05/02/19 1550
AZ90109	ERH807	0411Y278	05/02/19 1618

Comments: Batch: #87DC5-190430A

Method Blank
EPA 8270D WATER

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Blank Name/QCG: **190430W-90100 - 239931**
Batch ID: #87DC5-190430A

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	PHENOL	4.00 U	5.0	4.00	1.00	ug/L	04/30/19	05/02/19
BLANK	SURROGATE: 2,4,6-TRIBROMOP	75.7	43-140			%	04/30/19	05/02/19
BLANK	SURROGATE: 2-FLUORBIPHENY	61.7	44-119			%	04/30/19	05/02/19
BLANK	SURROGATE: 2-FLUOROPHENO	66.7	19-119			%	04/30/19	05/02/19
BLANK	SURROGATE: NITROBENZENE-	65.0	44-120			%	04/30/19	05/02/19
BLANK	SURROGATE: PHENOL-D6 (S)	61.1	10-115			%	04/30/19	05/02/19
BLANK	SURROGATE: TERPHENYL-D14 (	66.0	50-134			%	04/30/19	05/02/19

Quant Method:Y0319NC.M
Run #:0411Y270
Instrument:Yoda
Sequence:Y190411
Initials:MA

GC SC-Blank-REG MDLs-DOD
Printed: 05/02/19 4:33:33 PM

EPA 8270D

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Yoda

LCS ID: 190430A-LCS Time Analyzed: 1303

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	0411Y270	05/02/19 1235
190430A-LCS	Lab Control Spike	0411Y271	05/02/19 1303
190430A-LCSD	Lab Control SpikeD	0411Y272	05/02/19 1331
AZ90100	ERH788	0411Y273	05/02/19 1358
AZ90102	ERH790	0411Y274	05/02/19 1426
AZ90103	ERH791	0411Y275	05/02/19 1454
AZ90105	ERH793	0411Y276	05/02/19 1522
AZ90107	ERH805	0411Y277	05/02/19 1550
AZ90109	ERH807	0411Y278	05/02/19 1618

Comments: Batch: #87DC5-190430A

Laboratory Control Spike Recoveries

EPA 8270D WATER

APPL ID: **190430W-90100 LCS - 239931**
Batch ID: #87DC5-190430A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
PHENOL	62.5	51.8	55.8	82.9	89.3	10-115	7.4	20
SURROGATE: 2,4,6-TRIBROMOPHENOL	250	197	205	78.8	82.0	43-140		
SURROGATE: 2-FLUORBIPHENYL (S)	125	80.0	80.1	64.0	64.1	44-119		
SURROGATE: 2-FLUOROPHENOL (S)	250	199	212	79.6	84.8	19-119		
SURROGATE: NITROBENZENE-D5 (S)	125	90.8	96.5	72.6	77.2	44-120		
SURROGATE: PHENOL-D6 (S)	250	187	200	74.8	80.0	10-115		
SURROGATE: TERPHENYL-D14 (S)	125	83.6	82.5	66.9	66.0	50-134		

Comments: _____

Primary	SPK	DUP
Quant Method :	Y0319NC.M	Y0319NC.M
Extraction Date :	04/30/19	04/30/19
Analysis Date :	05/02/19	05/02/19
Instrument :	Yoda	Yoda
Run :	0411Y271	0411Y272
Initials :	MA	

Printed: 05/02/19 4:33:42 PM
APPL Standard LCSD

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Soil
ID: 0319Y002.D

SDG No:
Date Analyzed: 03/19/19
Instrument: Yoda
Time Analyzed: 18:15

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		50ug/mL 8270 03/13/1	0319Y003.D	03/19/19 18:31
2		4ug/mL 8270 03/13/19	0319Y004.D	03/19/19 18:58
3		5ug/mL 8270 03/13/19	0319Y005.D	03/19/19 19:26
4		10ug/mL 8270 03/13/1	0319Y006.D	03/19/19 19:54
5		20ug/mL 8270 03/13/1	0319Y007.D	03/19/19 20:22
6		40ug/mL 8270 03/13/1	0319Y008.D	03/19/19 20:49
7		60ug/mL 8270 03/13/1	0319Y009.D	03/19/19 21:17
8		80ug/mL 8270 03/13/1	0319Y010.D	03/19/19 21:44
9		100ug/mL 8270 03/13/	0319Y011.D	03/19/19 22:11
10		SS-8270 03/13/19	0319Y012.D	03/19/19 22:39
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80.04% of mass 198	47.2
68	0 - 2% of mass 69	0.0
70	0 - 2% of mass 69	0.6
127	10 - 80% of mass 198	58.4
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198.05	100.0
199	5 - 9% of mass 198	6.7
275	10 - 60% of mass 198	23.1
365	1 - 100% of mass 198	2.4
441	0.01 - 24% of mass 442	16.3
442	50 - 150% of mass 198.05	69.9
443	15 - 24% of mass 442	19.7

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88714
Matrix: Water
ID: 0411Y263.D

SDG No: 88714
Date Analyzed: 05/02/19
Instrument: Yoda
Time Analyzed: 9:11

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		50ug/ml 8270 3/13/19	0411Y264.D	05/02/19 9:26
2	Blank	190430A BLK 1/800	0411Y270.D	05/02/19 12:35
3	Lab Control Spike	190430A LCS-1 1/800	0411Y271.D	05/02/19 13:03
4	Lab Control SpikeD	190430A LCSD-1 1/800	0411Y272.D	05/02/19 13:31
5	ERH788	AZ90100W21 1/800	0411Y273.D	05/02/19 13:58
6	ERH790	AZ90102W22 1/800	0411Y274.D	05/02/19 14:26
7	ERH791	AZ90103W08 1/800	0411Y275.D	05/02/19 14:54
8	ERH793	AZ90105W21 1/800	0411Y276.D	05/02/19 15:22
9	ERH805	AZ90107W18 1/800	0411Y277.D	05/02/19 15:50
10	ERH807	AZ90109W21 1/800	0411Y278.D	05/02/19 16:18
11		50ug/ml 8270 3/13/19	0411Y287.D	05/02/19 20:30
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
51	9.95 - 80.04% of mass 198	53.1
68	0 - 2% of mass 69	0.0
70	0 - 2% of mass 69	0.5
127	10 - 80% of mass 198	62.7
197	0 - 2% of mass 198	0.0
198	100 - 100% of mass 198.05	100.0
199	5 - 9% of mass 198	7.2
275	10 - 60% of mass 198	22.7
365	1 - 100% of mass 198	2.3
441	0.01 - 24% of mass 442	12.8
442	50 - 150% of mass 198.05	61.8
443	15 - 24% of mass 442	19.7

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88714

Lab File ID (Standard): 0411Y264.D Date Analyzed: 2 May 19 9:26

Instrument ID: Yoda Time Analyzed: 2 May 19 9:26

GC Column: _____ ID: Heated Purge: (Y/N) _____

		1,4-dichlorobenzene-D4(IS)		Napthalene-D8(IS)		Acenaphthene-D10(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	184492	5.28	808807	6.74	439608	8.78
	UPPER LIMIT	368984	5.45	1617614	6.91	879216	8.95
	LOWER LIMIT	92246	5.11	404404	6.57	219804	8.61
	SAMPLE NO.						
01	190430A BLK 1/800	199329	5.28	866269	6.74	470806	8.77
02	190430A LCS-1 1/800	167547	5.28	753242	6.74	443671	8.78
03	190430A LCSD-1 1/800	159395	5.28	719335	6.74	448864	8.78
04	AZ90100W21 1/800	176554	5.28	769546	6.74	458178	8.77
05	AZ90102W22 1/800	172749	5.28	762406	6.74	454729	8.78
06	AZ90103W08 1/800	159301	5.28	706230	6.74	441998	8.78
07	AZ90105W21 1/800	158241	5.28	720418	6.74	439723	8.77
08	AZ90107W18 1/800	164084	5.28	731728	6.74	446791	8.77
09	AZ90109W21 1/800	161112	5.28	707979	6.74	445340	8.78
10	50ug/ml 8270 3/13/19	207550	5.28	911370	6.74	504495	8.78
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88714

Lab File ID (Standard): 0411Y264.D Date Analyzed: 2 May 19 9:26

Instrument ID: Yoda Time Analyzed: 2 May 19 9:26

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Phenanthrene-D10(IS)		Chrysene-D12(IS)		Perylene-D12(IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	736697	10.53	671005	13.65	660853	15.49
	UPPER LIMIT	1473394	10.70	1342010	13.82	1321706	15.66
	LOWER LIMIT	368349	10.36	335503	13.48	330427	15.32
	SAMPLE NO.						
01	190430A BLK 1/800	780417	10.53	707014	13.64	699190	15.49
02	190430A LCS-1 1/800	766016	10.53	688048	13.64	671650	15.49
03	190430A LCSD-1 1/800	760800	10.53	689946	13.65	668653	15.49
04	AZ90100W21 1/800	789498	10.53	701952	13.64	691635	15.48
05	AZ90102W22 1/800	756283	10.53	680116	13.64	665891	15.48
06	AZ90103W08 1/800	735531	10.53	663939	13.64	648363	15.49
07	AZ90105W21 1/800	753798	10.53	659785	13.64	646243	15.49
08	AZ90107W18 1/800	764274	10.53	660372	13.64	662447	15.49
09	AZ90109W21 1/800	761299	10.53	675056	13.64	662035	15.48
10	50ug/ml 8270 3/13/19	839503	10.54	762276	13.65	743444	15.49
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

EPA 8270D

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Yoda

Blank ID: 190429A-BLK Time Analyzed: 1413

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-BLK	Blank	0430Y013	04/30/19 1413
190429A-LCS	Lab Control Spike	0430Y014	04/30/19 1437
190429A-LCSD	Lab Control SpikeD	0430Y015	04/30/19 1501
AZ90100	ERH788	0430Y029	04/30/19 2031
AZ90102	ERH790	0430Y030	04/30/19 2054
AZ90103	ERH791	0430Y031	04/30/19 2118
AZ90105	ERH793	0430Y032	04/30/19 2141
AZ90107	ERH805	0430Y033	04/30/19 2205
AZ90109	ERH807	0430Y034	04/30/19 2228

Comments: Batch: #87DME-190429A

Method Blank
EPA 8270D MODIFIED WATER

Blank Name/QCG: **190429W-89958 - 239869**
Batch ID: #87DME-190429A

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	2-(2-METHOXYETHOXY)-ETHAN	80.0 U	100	80.0	40.0	ug/L	04/29/19	04/30/19

Quant Method:YMEE0430.M
Run #:0430Y013
Instrument:Yoda
Sequence:Y190430M
Initials:MA

GC SC-Blank-REG MDLs-DOD
Printed: 05/01/19 9:35:39 AM

EPA 8270D

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Yoda

LCS ID: 190429A-LCS Time Analyzed: 1437

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190429A-BLK	Blank	0430Y013	04/30/19 1413
190429A-LCS	Lab Control Spike	0430Y014	04/30/19 1437
190429A-LCSD	Lab Control SpikeD	0430Y015	04/30/19 1501
AZ90100	ERH788	0430Y029	04/30/19 2031
AZ90102	ERH790	0430Y030	04/30/19 2054
AZ90103	ERH791	0430Y031	04/30/19 2118
AZ90105	ERH793	0430Y032	04/30/19 2141
AZ90107	ERH805	0430Y033	04/30/19 2205
AZ90109	ERH807	0430Y034	04/30/19 2228

Comments: Batch: #87DME-190429A

Laboratory Control Spike Recoveries

EPA 8270D MODIFIED WATER

APPL ID: **190429W-89958 LCS - 239869**
Batch ID: #87DME-190429A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
2-(2-METHOXYETHOXY)-ETHANOL	80.0	93.3	124	117	155 #	30-130	28.3 #	20

= Recovery is outside QC limits.

Comments:

Primary	SPK	DUP
Quant Method :	YMEE0430.M	YMEE0430.M
Extraction Date :	04/29/19	04/29/19
Analysis Date :	04/30/19	04/30/19
Instrument :	Yoda	Yoda
Run :	0430Y014	0430Y015
Initials :	MA	

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Max

APPL ID.	Client Sample No.	SURROGATE: 1,2-DICHLOROETHANE-D4 (S)			SURROGATE: 4-BROMOFLUOROBENZENE (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190426AM-LCS	Lab Control Spike	81-118	96.0		85-114	101	
190426AM-LCSD	Lab Control SpikeD	81-118	94.8		85-114	99.2	
190426AM-BLK	Blank	81-118	94.7		85-114	99.7	
AZ90099	ERH787	81-118	93.3		85-114	97.9	
AZ90101	ERH789	81-118	94.2		85-114	96.5	
AZ90104	ERH792	81-118	95.4		85-114	97.4	
AZ90106	ERH804	81-118	93.7		85-114	99.8	
AZ90108	ERH806	81-118	94.6		85-114	96.0	
AZ90100	ERH788	81-118	94.2		85-114	98.4	
AZ90102	ERH790	81-118	90.2		85-114	99.8	
AZ90103	ERH791	81-118	93.4		85-114	98.5	
AZ90105	ERH793	81-118	91.4		85-114	97.6	
AZ90107	ERH805	81-118	91.3		85-114	97.4	
AZ90109	ERH807	81-118	91.6		85-114	96.8	

Comments: Batch: #86BTO-190426AM

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Max

APPL ID.	Client Sample No.	SURROGATE: DIBROMOFLUOROMETHANE (S)			SURROGATE: TOLUENE-D8 (S)		
		Limits	Result	Qualifier	Limits	Result	Qualifier
190426AM-LCS	Lab Control Spike	80-119	102		89-112	97.2	
190426AM-LCSD	Lab Control SpikeD	80-119	104		89-112	97.6	
190426AM-BLK	Blank	80-119	102		89-112	98.3	
AZ90099	ERH787	80-119	103		89-112	98.5	
AZ90101	ERH789	80-119	101		89-112	97.1	
AZ90104	ERH792	80-119	102		89-112	98.4	
AZ90106	ERH804	80-119	102		89-112	97.7	
AZ90108	ERH806	80-119	102		89-112	96.8	
AZ90100	ERH788	80-119	102		89-112	97.9	
AZ90102	ERH790	80-119	96.9		89-112	96.3	
AZ90103	ERH791	80-119	101		89-112	99.2	
AZ90105	ERH793	80-119	98.0		89-112	95.9	
AZ90107	ERH805	80-119	101		89-112	96.8	
AZ90109	ERH807	80-119	101		89-112	97.0	

Comments: Batch: #86BTO-190426AM

EPA 8260B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Max

Blank ID: 190426AM-BLK Time Analyzed: 1323

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426AM-LCS	Lab Control Spike	0426M04	04/26/19 1032
190426AM-LCSD	Lab Control SpikeD	0426M05	04/26/19 1101
190426AM-BLK	Blank	0426m10	04/26/19 1323
AZ90099	ERH787	0426M11	04/26/19 1351
AZ90101	ERH789	0426M12	04/26/19 1419
AZ90104	ERH792	0426M13	04/26/19 1448
AZ90106	ERH804	0426M14	04/26/19 1516
AZ90108	ERH806	0426M15	04/26/19 1545
AZ90100	ERH788	0426M16	04/26/19 1613
AZ90102	ERH790	0426M17	04/26/19 1642
AZ90103	ERH791	0426M18	04/26/19 1710
AZ90105	ERH793	0426M19	04/26/19 1739
AZ90107	ERH805	0426M20	04/26/19 1808
AZ90109	ERH807	0426M21	04/26/19 1836

Comments: Batch: #86BTO-190426AM

Printed: 04/29/19 1:05:31 PM
Form 4, Blank Summary

Method Blank
EPA 8260B BTEX WATER

Blank Name/QCG: **190426W-90099 - 239794**
Batch ID: #86BTO-190426AM

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	BENZENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
BLANK	ETHYLBENZENE	0.50 U	1.0	0.50	0.23	ug/L	04/26/19	04/26/19
BLANK	TOLUENE	0.30 U	1.0	0.30	0.15	ug/L	04/26/19	04/26/19
BLANK	XYLENES (TOTAL)	0.30 U	2.0	0.30	0.15	ug/L	04/26/19	04/26/19
BLANK	SURROGATE: 1,2-DICHLOROET	94.7	81-118			%	04/26/19	04/26/19
BLANK	SURROGATE: 4-BROMOFLUORO	99.7	85-114			%	04/26/19	04/26/19
BLANK	SURROGATE: DIBROMOFLUOR	102	80-119			%	04/26/19	04/26/19
BLANK	SURROGATE: TOLUENE-D8 (S)	98.3	89-112			%	04/26/19	04/26/19

Quant Method:M0324.M
Run #:0426m10
Instrument:Max
Sequence:M190401
Initials:DPO

GC SC-Blank-REG MDLs-DOD
Printed: 04/29/19 1:05:37 PM

EPA 8260B

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Max

LCS ID: 190426AM-LCS Time Analyzed: 1032

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426AM-LCS	Lab Control Spike	0426M04	04/26/19 1032
190426AM-LCSD	Lab Control SpikeD	0426M05	04/26/19 1101
190426AM-BLK	Blank	0426m10	04/26/19 1323
AZ90099	ERH787	0426M11	04/26/19 1351
AZ90101	ERH789	0426M12	04/26/19 1419
AZ90104	ERH792	0426M13	04/26/19 1448
AZ90106	ERH804	0426M14	04/26/19 1516
AZ90108	ERH806	0426M15	04/26/19 1545
AZ90100	ERH788	0426M16	04/26/19 1613
AZ90102	ERH790	0426M17	04/26/19 1642
AZ90103	ERH791	0426M18	04/26/19 1710
AZ90105	ERH793	0426M19	04/26/19 1739
AZ90107	ERH805	0426M20	04/26/19 1808
AZ90109	ERH807	0426M21	04/26/19 1836

Comments: Batch: #86BTO-190426AM

Laboratory Control Spike Recoveries
EPA 8260B BTEX WATER

APPL ID: **190426W-90099 LCS - 239794**
Batch ID: #86BTO-190426AM

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
BENZENE	10.00	9.83	10.2	98.3	102	79-120	3.7	20
ETHYLBENZENE	10.00	10.0	10.3	100	103	79-121	3.0	20
TOLUENE	10.00	9.85	10.4	98.5	104	80-121	5.4	20
XYLENES (TOTAL)	30.0	30.5	31.7	102	106	79-121	3.9	20
SURROGATE: 1,2-DICHLOROETHANE-D	25.0	24.0	23.7	96.0	94.8	81-118		
SURROGATE: 4-BROMOFLUOROBENZE	25.0	25.2	24.8	101	99.2	85-114		
SURROGATE: DIBROMOFLUOROMETH	25.0	25.6	26.0	102	104	80-119		
SURROGATE: TOLUENE-D8 (S)	25.0	24.3	24.4	97.2	97.6	89-112		

Comments:

Primary	SPK	DUP
Quant Method :	M0324.M	M0324.M
Extraction Date :	04/26/19	04/26/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Max	Max
Run :	0426M04	0426M05
Initials :	DPO	

Printed: 04/29/19 1:05:33 PM
APPL Standard LCSD

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No:
Matrix: Water
ID: 0324M01.D

SDG No:
Date Analyzed: 03/24/19
Instrument: Max
Time Analyzed: 10:39

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		0.3ug/L VOC STD 3/24	0324M05.D	03/24/19 12:56
2		0.5ug/L VOC STD 3/24	0324M06.D	03/24/19 13:25
3		1.0ug/L VOC STD 3/24	0324M07.D	03/24/19 13:54
4		2.0ug/L VOC STD 3/24	0324M08.D	03/24/19 14:22
5		5.0ug/L VOC STD 3/24	0324M09.D	03/24/19 14:51
6		10ug/L VOC STD 3/24/	0324M10.D	03/24/19 15:19
7		20ug/L VOC STD 3/24/	0324M11.D	03/24/19 15:48
8		40ug/L VOC STD 3/24/	0324M12.D	03/24/19 16:17
9		100ug/L VOC STD 3/24	0324M13.D	03/24/19 16:45
10		(SS)10ug/L VOC STD 3	0324M16.D	03/24/19 18:11
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

m/e		
50	15 - 40% of mass 95	18.1
75	30 - 60% of mass 95	49.1
95	100 - 100% of mass 95	100.0
96	5 - 9% of mass 95	6.9
173	0 - 2% of mass 174	0.4
174	50 - 100% of mass 95	92.4
175	5 - 9% of mass 174	7.8
176	95.06 - 101% of mass 174	96.4
177	5 - 9% of mass 176	7.4

Form 5
Tune Summary

Lab Name: APPL Inc.
Case No: 88714
Matrix: Water
ID: 0426M01.D

SDG No: 88714
Date Analyzed: 04/26/19
Instrument: Max
Time Analyzed: 9:11

	Client Sample No.	APPL ID.	File ID.	Date Analyzed
1		25ug/L BFB 3/11/19	0426M01.D	04/26/19 9:11
2		190426A CCV 10ug/L	0426M03.D	04/26/19 10:04
3	Lab Control Spike	190426A LCS 10ug/L	0426M04.D	04/26/19 10:32
4	Lab Control SpikeD	190426A LCSD 10ug/L	0426M05.D	04/26/19 11:01
5	Blank	190426A blk	0426M10.D	04/26/19 13:23
6	ERH787	AZ90099W01	0426M11.D	04/26/19 13:51
7	ERH789	AZ90101W01	0426M12.D	04/26/19 14:19
8	ERH792	AZ90104W01	0426M13.D	04/26/19 14:48
9	ERH804	AZ90106W01	0426M14.D	04/26/19 15:16
10	ERH806	AZ90108W01	0426M15.D	04/26/19 15:45
11	ERH788	AZ90100W01	0426M16.D	04/26/19 16:13
12	ERH790	AZ90102W01	0426M17.D	04/26/19 16:42
13	ERH791	AZ90103W01	0426M18.D	04/26/19 17:10
14	ERH793	AZ90105W01	0426M19.D	04/26/19 17:39
15	ERH805	AZ90107W01	0426M20.D	04/26/19 18:08
16	ERH807	AZ90109W01	0426M21.D	04/26/19 18:36
17		Ending CCV 10ug/L	0426M23.D	04/26/19 19:33
18				
19				
20				
21				
22				

m/e		
50	15 - 40% of mass 95	17.4
75	30 - 60% of mass 95	46.5
95	100 - 100% of mass 95	100.0
96	5 - 9% of mass 95	5.9
173	0 - 2% of mass 174	0.8
174	50 - 100% of mass 95	89.9
175	5 - 9% of mass 174	7.0
176	95.06 - 101% of mass 174	100.8
177	5 - 9% of mass 176	6.5

8A
INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: APPL Inc. Contract: Review

Lab Code: _____ SDG No.: 88714

Lab File ID (Standard): 0426M03.D Date Analyzed: 04/26/19

Instrument ID: Max Time Analyzed: 10:04

GC Column: _____ ID: Heated Purge: (Y/N) _____

		Fluorobenzene (IS)		Chlorobenzene-D5 (IS)		1,4-Dichlorobenzene-D (IS)	
		AREA #	RT #	AREA #	RT #	AREA #	RT #
	12 HOUR STD	751361	5.20	578928	8.80	310805	11.99
	UPPER LIMIT	1502722	5.37	1157856	8.97	621610	12.16
	LOWER LIMIT	375681	5.03	289464	8.63	155403	11.82
	SAMPLE NO.						
01	190426A LCS 10ug/L	739998	5.20	568894	8.80	310777	11.99
02	190426A LCSD 10ug/L	713522	5.20	557548	8.80	296241	11.99
03	190426A blk	720853	5.21	544351	8.80	282492	11.99
04	AZ90099W01	772742	5.21	577606	8.80	291681	11.99
05	AZ90101W01	752707	5.21	568527	8.80	293966	11.99
06	AZ90104W01	773615	5.21	585975	8.80	290918	11.99
07	AZ90106W01	733032	5.21	550923	8.80	287034	11.99
08	AZ90108W01	733023	5.21	561505	8.80	287112	11.99
09	AZ90100W01	752112	5.21	568075	8.80	290083	11.99
10	AZ90102W01	751383	5.21	565484	8.80	304669	11.99
11	AZ90103W01	796671	5.21	600842	8.80	302482	11.99
12	AZ90105W01	734280	5.21	558644	8.80	295225	11.99
13	AZ90107W01	734488	5.21	559504	8.80	287703	11.99
14	AZ90109W01	771608	5.21	583042	8.80	298723	11.99
15	Ending CCV 10ug/L	790712	5.21	601605	8.80	310024	11.99
16							
17							
18							
19							
20							
21							
22							

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = -50% of internal standard area.
RT UPPER LIMIT = +0.17 minutes of internal standard RT
RT LOWER LIMIT = -0.17 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

EPA 8260B

Form 2 & 8

Surrogate Recovery

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Max

APPL ID.	Client Sample No.	SURROGATE: 4-BROMOFLUOROBENZENE (S)					
		Limits	Result	Qualifier	Limits	Result	Qualifier
190426AM-LCS	Lab Control Spike	85-114	100				
190426AM-LCSD	Lab Control SpikeD	85-114	98.8				
190426AM-BLK	Blank	85-114	99.7				
AZ90099	ERH787	85-114	97.9				
AZ90101	ERH789	85-114	96.5				
AZ90104	ERH792	85-114	97.4				
AZ90106	ERH804	85-114	99.8				
AZ90108	ERH806	85-114	96.0				
AZ90100	ERH788	85-114	98.4				
AZ90102	ERH790	85-114	99.8				
AZ90103	ERH791	85-114	98.5				
AZ90105	ERH793	85-114	97.6				
AZ90107	ERH805	85-114	97.4				
AZ90109	ERH807	85-114	96.8				

Comments: Batch: #GRO86-190426AM

EPA 8260B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Max

Blank ID: 190426AM-BLK Time Analyzed: 1323

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426AM-LCS	Lab Control Spike	0426M07	04/26/19 1157
190426AM-LCSD	Lab Control SpikeD	0426M08	04/26/19 1226
190426AM-BLK	Blank	0426M10	04/26/19 1323
AZ90099	ERH787	0426M11	04/26/19 1351
AZ90101	ERH789	0426M12	04/26/19 1419
AZ90104	ERH792	0426M13	04/26/19 1448
AZ90106	ERH804	0426M14	04/26/19 1516
AZ90108	ERH806	0426M15	04/26/19 1545
AZ90100	ERH788	0426M16	04/26/19 1613
AZ90102	ERH790	0426M17	04/26/19 1642
AZ90103	ERH791	0426M18	04/26/19 1710
AZ90105	ERH793	0426M19	04/26/19 1739
AZ90107	ERH805	0426M20	04/26/19 1808
AZ90109	ERH807	0426M21	04/26/19 1836

Comments: Batch: #GRO86-190426AM

Method Blank
EPA 8260B GRO WATER

Blank Name/QCG: **190426W-90099 - 239796**
Batch ID: #GRO86-190426AM

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	GASOLINE RANGE ORGANICS	18.0 U	20	18.0	8.6	ug/L	04/26/19	04/26/19
BLANK	SURROGATE: 4-BROMOFLUORO	99.7	85-114			%	04/26/19	04/26/19

Quant Method:MGAS401.M
Run #:0426M10
Instrument:Max
Sequence:M190401
Initials:DPO

GC SC-Blank-REG MDLs-DOD
Printed: 04/29/19 1:06:42 PM

EPA 8260B

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Max

LCS ID: 190426AM-LCS Time Analyzed: 1157

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426AM-LCS	Lab Control Spike	0426M07	04/26/19 1157
190426AM-LCSD	Lab Control SpikeD	0426M08	04/26/19 1226
190426AM-BLK	Blank	0426M10	04/26/19 1323
AZ90099	ERH787	0426M11	04/26/19 1351
AZ90101	ERH789	0426M12	04/26/19 1419
AZ90104	ERH792	0426M13	04/26/19 1448
AZ90106	ERH804	0426M14	04/26/19 1516
AZ90108	ERH806	0426M15	04/26/19 1545
AZ90100	ERH788	0426M16	04/26/19 1613
AZ90102	ERH790	0426M17	04/26/19 1642
AZ90103	ERH791	0426M18	04/26/19 1710
AZ90105	ERH793	0426M19	04/26/19 1739
AZ90107	ERH805	0426M20	04/26/19 1808
AZ90109	ERH807	0426M21	04/26/19 1836

Comments: Batch: #GRO86-190426AM

Laboratory Control Spike Recoveries
EPA 8260B GRO WATER

APPL ID: **190426W-90099 LCS - 239796**
Batch ID: #GRO86-190426AM

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
GASOLINE RANGE ORGANICS	300	302	322	101	107	78-122	6.4	20
SURROGATE: 4-BROMOFLUOROBENZE	25.0	25.1	24.7	100	98.8	85-114		

Comments: _____

Primary	SPK	DUP
Quant Method :	MGAS401.M	MGAS401.M
Extraction Date :	04/26/19	04/26/19
Analysis Date :	04/26/19	04/26/19
Instrument :	Max	Max
Run :	0426M07	0426M08
Initials :	DPO	

Printed: 04/29/19 1:06:38 PM
APPL Standard LCSD

RSK 175

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/03/19

Matrix: WATER Instrument: Rocky

Blank ID: 190503A-BLK Time Analyzed: 1039

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190503A-LCS	Lab Control Spike	19050300	05/03/19 1033
190503A-LCSD	Lab Control SpikeD	19050301	05/03/19 1036
190503A-BLK	Blank	19050302	05/03/19 1039
AZ90099	ERH787	19050307	05/03/19 1052
AZ90100	ERH788	19050308	05/03/19 1054
AZ90101	ERH789	19050309	05/03/19 1056
AZ90102	ERH790	19050310	05/03/19 1058
AZ90102	ERH790	19050312	05/03/19 1104
AZ90104	ERH792	19050313	05/03/19 1107
AZ90105	ERH793	19050314	05/03/19 1109
AZ90106	ERH804	19050315	05/03/19 1111
AZ90107	ERH805	19050316	05/03/19 1114
AZ90108	ERH806	19050317	05/03/19 1116
AZ90109	ERH807	19050318	05/03/19 1118

Comments: Batch: #RSKME-190503A

Printed: 05/06/19 10:30:33 AM

Form 4, Blank Summary

Method Blank
METHANE

Blank Name/QCG: **190503W-89959 - 239958**
Batch ID: #RSKME-190503A

APPL Inc.
908 North Temperance Avenu
Clovis, CA 93611

Sample Type	Analyte	Result	LOQ	LOD	DL	Units	Extraction Date	Analysis Date
BLANK	METHANE	1.00 U	5.0	1.00	0.25	ug/L	05/03/19	05/03/19

Quant Method: RSK0311.M
Run #: 19050302
Instrument: Rocky
Sequence: 190311
Initials: CMO

GC SC-Blank-REG MDLs-DOD
Printed: 05/06/19 10:30:44 AM

RSK 175

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/03/19

Matrix: WATER Instrument: Rocky

LCS ID: 190503A-LCS Time Analyzed: 1033

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190503A-LCS	Lab Control Spike	19050300	05/03/19 1033
190503A-LCSD	Lab Control SpikeD	19050301	05/03/19 1036
190503A-BLK	Blank	19050302	05/03/19 1039
AZ90099	ERH787	19050307	05/03/19 1052
AZ90100	ERH788	19050308	05/03/19 1054
AZ90101	ERH789	19050309	05/03/19 1056
AZ90102	ERH790	19050310	05/03/19 1058
AZ90102	ERH790	19050312	05/03/19 1104
AZ90104	ERH792	19050313	05/03/19 1107
AZ90105	ERH793	19050314	05/03/19 1109
AZ90106	ERH804	19050315	05/03/19 1111
AZ90107	ERH805	19050316	05/03/19 1114
AZ90108	ERH806	19050317	05/03/19 1116
AZ90109	ERH807	19050318	05/03/19 1118

Comments: Batch: #RSKME-190503A

Laboratory Control Spike Recoveries

METHANE

APPL ID: **190503W-89959 LCS - 239958**
Batch ID: #RSKME-190503A

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Compound Name	Spike Lvl ug/L	SPK Result ug/L	DUP Result ug/L	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
METHANE	83.4	69.1	78.4	82.9	94.0	72-125	12.6	30

Comments: _____

Primary	SPK	DUP
Quant Method :	RSK0311.M	RSK0311.M
Extraction Date :	05/03/19	05/03/19
Analysis Date :	05/03/19	05/03/19
Instrument :	Rocky	Rocky
Run :	19050300	19050301
Initials :	CMO	

Printed: 05/06/19 10:30:37 AM
APPL Standard LCSD

EPA 300.0

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Charlie

Blank ID: 190425A-BLK Time Analyzed: 1534

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90109	ERH807	18	04/25/19 1732
AZ90102	ERH790	19	04/25/19 1739
190425A-BLK	Blank	2	04/25/19 1534
AZ90105	ERH793	20	04/25/19 1747
AZ90100	ERH788	21	04/25/19 1754
AZ90107	ERH805	22	04/25/19 1801
190425A-LCS	Lab Control Spike	3	04/25/19 1541
190425A-LCSD	Lab Control SpikeD	4	04/25/19 1548

Comments: Batch: #300W-190425A

EPA 300.0

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Charlie

Blank ID: 190502C-BLK Time Analyzed: 1429

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502C-BLK	Blank	39	05/02/19 1429
190502C-LCS	Lab Control Spike	40	05/02/19 1436
190502C-LCSD	Lab Control SpikeD	41	05/02/19 1443
AZ90107	ERH805	9	05/02/19 1801

Comments: Batch: #300WD-190502C

EPA 353.2

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/01/19

Matrix: WATER Instrument: EVE

Blank ID: 190501A-BLK Time Analyzed: 1817

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190501A-BLK	Blank	16	05/01/19 1817
190501A-LCS	Lab Control Spike	17	05/01/19 1819
190501A-LCSD	Lab Control SpikeD	18	05/01/19 1821
AZ90100	ERH788	28	05/01/19 1843
AZ90102	ERH790	29	05/01/19 1844
AZ90105	ERH793	30	05/01/19 1845
AZ90107	ERH805	31	05/01/19 1846
AZ90109	ERH807	32	05/01/19 1847

Comments: Batch: #35OF-190501A

SM 2320B

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Tiamo

Blank ID: 190430A-BLK Time Analyzed: 1008

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	1	04/30/19 1008
AZ90105	ERH793	10	04/30/19 1122
AZ90107	ERH805	11	04/30/19 1134
AZ90109	ERH807	12	04/30/19 1140
190430A-LCS	Lab Control Spike	2	04/30/19 1011
190430A-LCSD	Lab Control SpikeD	3	04/30/19 1021
AZ90100	ERH788	8	04/30/19 1105
AZ90102	ERH790	9	04/30/19 1111

Comments: Batch: #232W-190430A

SM3500FeB

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190426A-BLK Time Analyzed: 1510

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A-BLK	Blank	20	04/26/19 1510
190426A-LCS	Lab Control Spike	21	04/26/19 1511
190426A-LCSD	Lab Control SpikeD	22	04/26/19 1512
AZ90100	ERH788	24	04/26/19 1514
AZ90102	ERH790	25	04/26/19 1515
AZ90105	ERH793	26	04/26/19 1516
AZ90107	ERH805	27	04/26/19 1517
AZ90109	ERH807	28	04/26/19 1518

Comments: Batch: #35FE-190426A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190430A-BLK Time Analyzed: 1628

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	25	04/30/19 1628
190430A-LCS	Lab Control Spike	26	04/30/19 1702
190430A-LCSD	Lab Control SpikeD	27	04/30/19 1737
AZ90100	ERH788	35	04/30/19 2200
AZ90105	ERH793	37	04/30/19 2305

Comments: Batch: #DOCW5-190430A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/03/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190502B-BLK Time Analyzed: 0446

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502B-BLK	Blank	24	05/03/19 0446
190502B-LCS	Lab Control Spike	25	05/03/19 0520
190502B-LCSD	Lab Control SpikeD	26	05/03/19 0555
AZ90102	ERH790	36	05/03/19 1136
AZ90107	ERH805	37	05/03/19 1208

Comments: Batch: #DOCW5-190502B

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/01/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190530A-BLK Time Analyzed: 1459

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190530A-BLK	Blank	30	05/01/19 1459
190530A-LCS	Lab Control Spike	31	05/01/19 1530
190530A-LCSD	Lab Control SpikeD	32	05/01/19 1602
AZ90109	ERH807	38	05/01/19 1913

Comments: Batch: #DOCW5-190530A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190430A-BLK Time Analyzed: 1628

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	25	04/30/19 1628
190430A-LCS	Lab Control Spike	26	04/30/19 1702
190430A-LCSD	Lab Control SpikeD	27	04/30/19 1737
AZ90102	ERH790	36	04/30/19 2232
AZ90107	ERH805	38	04/30/19 2337

Comments: Batch: #TOCW5-190430A

SW846 9060A

Form 4

Blank Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Manual Spec

Blank ID: 190502A-BLK Time Analyzed: 1740

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90100	ERH788	18	05/03/19 0130
AZ90105	ERH793	19	05/03/19 0202
AZ90109	ERH807	20	05/03/19 0233
190502A-BLK	Blank	4	05/02/19 1740
190502A-LCS	Lab Control Spike	5	05/02/19 1814
190502A-LCSD	Lab Control SpikeD	6	05/02/19 1849

Comments: Batch: #TOCW5-190502A

WETLAB BLANK

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Analyte	Result	LOQ	LOD	DL	Units	Prep Date	Analysis Date	QC Group
SM 2320B	BICARBONATE AS	3.9	2.0	1.70	0.85	mg/L	04/30/19	04/30/19	#232W-190430A-AZ90051
SM 2320B	CARBONATE AS C	1.70 U	2.0	1.70	0.85	mg/L	04/30/19	04/30/19	#232W-190430A-AZ90051
SM 2320B	TOTAL ALKALINITY	3.9	2.0	1.70	0.85	mg/L	04/30/19	04/30/19	#232W-190430A-AZ90051
EPA 353.2	NITRATE-NITRITE-	0.090 U	0.10	0.090	0.028	mg/L	05/01/19	05/01/19	#35OF-190501A-AZ90051
SW846 90	DISSOLVED ORGA	0.350 U	0.93	0.350	0.130	mg/L	04/30/19	04/30/19	#DOCW5-190430A-AZ90100
SW846 90	TOTAL ORGANIC C	0.350 U	0.93	0.350	0.130	mg/L	05/02/19	05/02/19	#TOCW5-190502A-AZ89958
SW846 90	DISSOLVED ORGA	0.350 U	0.93	0.350	0.130	mg/L	05/03/19	05/03/19	#DOCW5-190502B-AZ89958
SW846 90	TOTAL ORGANIC C	0.350 U	0.93	0.350	0.130	mg/L	04/30/19	04/30/19	#TOCW5-190430A-AZ90102
EPA 300.0	CHLORIDE	0.28 J	1.0	0.20	0.08	mg/L	05/02/19	05/02/19	#300WD-190502C-AZ90107
EPA 300.0	CHLORIDE	0.29 J	1.0	0.20	0.08	mg/L	04/25/19	04/25/19	#300W-190425A-AZ90109
EPA 300.0	NITRATE	0.18 U	0.5	0.18	0.04	mg/L	04/25/19	04/25/19	#300W-190425A-AZ90109
EPA 300.0	SULFATE	0.20 U	1.0	0.20	0.09	mg/L	04/25/19	04/25/19	#300W-190425A-AZ90109
SM3500Fe	FERROUS IRON	0.32 U	1.0	0.32	0.16	mg/L	04/26/19	04/26/19	#35FE-190426A-AZ90109
SW846 90	DISSOLVED ORGA	0.350 U	0.93	0.350	0.130	mg/L	05/01/19	05/01/19	#DOCW5-190530A-AZ90109

Wetlab SC-Blank-REG MDLs
Printed: 05/22/19 9:52:38 AM

EPA 300.0

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/25/19

Matrix: WATER Instrument: Charlie

LCS ID: 190425A-LCS Time Analyzed: 1541

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90109	ERH807	18	04/25/19 1732
AZ90102	ERH790	19	04/25/19 1739
190425A-BLK	Blank	2	04/25/19 1534
AZ90105	ERH793	20	04/25/19 1747
AZ90100	ERH788	21	04/25/19 1754
AZ90107	ERH805	22	04/25/19 1801
190425A-LCS	Lab Control Spike	3	04/25/19 1541
190425A-LCSD	Lab Control SpikeD	4	04/25/19 1548

Comments: Batch: #300W-190425A

SM3500FeB

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/26/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190426A-LCS Time Analyzed: 1511

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190426A-BLK	Blank	20	04/26/19 1510
190426A-LCS	Lab Control Spike	21	04/26/19 1511
190426A-LCSD	Lab Control SpikeD	22	04/26/19 1512
AZ90100	ERH788	24	04/26/19 1514
AZ90102	ERH790	25	04/26/19 1515
AZ90105	ERH793	26	04/26/19 1516
AZ90107	ERH805	27	04/26/19 1517
AZ90109	ERH807	28	04/26/19 1518

Comments: Batch: #35FE-190426A

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190430A-LCS Time Analyzed: 1702

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	25	04/30/19 1628
190430A-LCS	Lab Control Spike	26	04/30/19 1702
190430A-LCSD	Lab Control SpikeD	27	04/30/19 1737
AZ90100	ERH788	35	04/30/19 2200
AZ90105	ERH793	37	04/30/19 2305

Comments: Batch: #DOCW5-190430A

Laboratory Control Spike Recoveries

WETLAB

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recov	DUP % Recov	RPD	RPD Max	QC Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group
EPA 300.0	CHLORIDE	25.0	25.1	25.0	100	100	0.40	20	90-110	04/25/19	04/25/19	04/25/19	04/25/19	#300W-190425A-AZ90109
EPA 300.0	NITRATE	22.1	22.8	22.8	103	103	0.0	20	90-110	04/25/19	04/25/19	04/25/19	04/25/19	#300W-190425A-AZ90109
EPA 300.0	SULFATE	25.0	24.9	24.9	99.6	99.6	0.0	20	90-110	04/25/19	04/25/19	04/25/19	04/25/19	#300W-190425A-AZ90109
SM3500Fe	FERROUS IRON	3.00	3.11	2.89	104	96.3	7.3	20	80-120	04/26/19	04/26/19	04/26/19	04/26/19	#35FE-190426A-AZ90109
SW846 90	DISSOLVED ORGANIC CA	2.50	2.57	2.43	103	97.2	5.6	20	90-110	05/01/19	05/01/19	05/01/19	05/01/19	#DOCW5-190530A-AZ901

Comments: _____

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/03/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190502B-LCS Time Analyzed: 0520

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502B-BLK	Blank	24	05/03/19 0446
190502B-LCS	Lab Control Spike	25	05/03/19 0520
190502B-LCSD	Lab Control SpikeD	26	05/03/19 0555
AZ90102	ERH790	36	05/03/19 1136
AZ90107	ERH805	37	05/03/19 1208

Comments: Batch: #DOCW5-190502B

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/01/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190530A-LCS Time Analyzed: 1530

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190530A-BLK	Blank	30	05/01/19 1459
190530A-LCS	Lab Control Spike	31	05/01/19 1530
190530A-LCSD	Lab Control SpikeD	32	05/01/19 1602
AZ90109	ERH807	38	05/01/19 1913

Comments: Batch: #DOCW5-190530A

Laboratory Control Spike Recoveries

WETLAB

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recov	DUP % Recov	RPD	RPD Max	QC Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group
SW846 90	DISSOLVED ORGANIC CA	2.5	2.46	2.45	98.4	98.0	0.41	20	90-110	05/03/19	05/03/19	05/03/19	05/03/19	#DOCW5-190502B-AZ899
SW846 90	TOTAL ORGANIC CARBO	2.50	2.62	2.59	105	104	1.2	20	90-110	04/30/19	04/30/19	04/30/19	04/30/19	#TOCW5-190430A-AZ901

Comments: _____

EPA 300.0

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Charlie

LCS ID: 190502C-LCS Time Analyzed: 1436

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190502C-BLK	Blank	39	05/02/19 1429
190502C-LCS	Lab Control Spike	40	05/02/19 1436
190502C-LCSD	Lab Control SpikeD	41	05/02/19 1443
AZ90107	ERH805	9	05/02/19 1801

Comments: Batch: #300WD-190502C

Laboratory Control Spike Recoveries

WETLAB

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recov	DUP % Recov	RPD	RPD Max	QC Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group
EPA 300.0	CHLORIDE	25.0	25.1	25.1	100	100	0.0	20	90-110	05/02/19	05/02/19	05/02/19	05/02/19	#300WD-190502C-AZ9010

Comments: _____

EPA 353.2

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/01/19

Matrix: WATER Instrument: EVE

LCS ID: 190501A-LCS Time Analyzed: 1819

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190501A-BLK	Blank	16	05/01/19 1817
190501A-LCS	Lab Control Spike	17	05/01/19 1819
190501A-LCSD	Lab Control SpikeD	18	05/01/19 1821
AZ90100	ERH788	28	05/01/19 1843
AZ90102	ERH790	29	05/01/19 1844
AZ90105	ERH793	30	05/01/19 1845
AZ90107	ERH805	31	05/01/19 1846
AZ90109	ERH807	32	05/01/19 1847

Comments: Batch: #35OF-190501A

SM 2320B

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Tiamo

LCS ID: 190430A-LCS Time Analyzed: 1011

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	1	04/30/19 1008
AZ90105	ERH793	10	04/30/19 1122
AZ90107	ERH805	11	04/30/19 1134
AZ90109	ERH807	12	04/30/19 1140
190430A-LCS	Lab Control Spike	2	04/30/19 1011
190430A-LCSD	Lab Control SpikeD	3	04/30/19 1021
AZ90100	ERH788	8	04/30/19 1105
AZ90102	ERH790	9	04/30/19 1111

Comments: Batch: #232W-190430A

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 04/30/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190430A-LCS Time Analyzed: 1702

APPL ID.	Client Sample No.	File ID.	Date Analyzed
190430A-BLK	Blank	25	04/30/19 1628
190430A-LCS	Lab Control Spike	26	04/30/19 1702
190430A-LCSD	Lab Control SpikeD	27	04/30/19 1737
AZ90102	ERH790	36	04/30/19 2232
AZ90107	ERH805	38	04/30/19 2337

Comments: Batch: #TOCW5-190430A

SW846 9060A

Form 4

LCS Summary

Lab Name: APPL, Inc. SDG No: 88714

Case No: 88714 Date Analyzed: 05/02/19

Matrix: WATER Instrument: Manual Spec

LCS ID: 190502A-LCS Time Analyzed: 1814

APPL ID.	Client Sample No.	File ID.	Date Analyzed
AZ90100	ERH788	18	05/03/19 0130
AZ90105	ERH793	19	05/03/19 0202
AZ90109	ERH807	20	05/03/19 0233
190502A-BLK	Blank	4	05/02/19 1740
190502A-LCS	Lab Control Spike	5	05/02/19 1814
190502A-LCSD	Lab Control SpikeD	6	05/02/19 1849

Comments: Batch: #TOCW5-190502A

Laboratory Control Spike Recoveries

WETLAB

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Method	Compound Name	Spike Lvl mg/L	SPK Res mg/L	DUP Res mg/L	SPK % Recov	DUP % Recov	RPD	RPD Max	QC Limits	Extract Date-Spk	Analysis Date-Spk	Extract Date-Dup	Analysis Date-Dup	QC Group
EPA 353.2	NITRATE-NITRITE-N	3.00	3.14	3.12	105	104	0.64	20	90-110	05/01/19	05/01/19	05/01/19	05/01/19	#35OF-190501A-AZ90051
SM 2320B	BICARBONATE AS CACO3	250	238	239	95.2	95.6	0.42	20	90-110	04/30/19	04/30/19	04/30/19	04/30/19	#232W-190430A-AZ90051
SM 2320B	TOTAL ALKALINITY AS CA	250	238	239	95.2	95.6	0.42	20	90-110	04/30/19	04/30/19	04/30/19	04/30/19	#232W-190430A-AZ90051
SW846 90	DISSOLVED ORGANIC CA	2.50	2.62	2.59	105	104	1.2	20	90-110	04/30/19	04/30/19	04/30/19	04/30/19	#DOCW5-190430A-AZ901
SW846 90	TOTAL ORGANIC CARBO	2.50	2.43	2.37	97.2	94.8	2.5	20	90-110	05/02/19	05/02/19	05/02/19	05/02/19	#TOCW5-190502A-AZ899

Comments:

ORGANICS
Calibration Data

TPH Extractables
DOC0411

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 04/11/19
Matrix: Water Instrument: Apollo
Initials: D.P.

Diesel / Motor Oil:	411002.D	411003.D	411004.D	411005.D	411006.D	411007.D										
Decanoic Acid:	411009.D	411010.D	411011.D	411012.D	411013 D	411014.D										

		Compound	1	2	3	4	5	6					Avg	%RSD	Type	r^2	Q
1	HATM	Diesel (C10-C24)	1479257	1066406	1154027	1149804	1155026	1151191					1192619	12	HATM		
2	HBTM	Motor Oil (C24-C40)	1115442	902464	913566	920399	937513	921175					951760	8.5	HBTM		
3	SCL	Decanoic Acid(S)	185262	314603	492479	537134	542867	560663					438835	35	SC	0.999	
4	SA	Ortho-Terphenyl(S)	2331995	1997948	2029193	1934422	1946955	1901973					2023748	7.8	SA		
5	SA	Octacosane(S)	2126705	1844471	1831603	1894540	1808281	1847266					1892144	6.3	SA		
6																	
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	
25																	
26																	
27																	
28																	
29																	
30																	
31																	
32																	
33																	
34																	
35																	

1.990883

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411002.D Vial: 2
Acq On : 4-11-19 12:41:17 Operator: DP
Sample : Diesel / Motor Oil - 1 1/15/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	2331995	0.576 ppb
Surrogate Spike 30.000	Recovery =		1.92%
5) SA Octacosane(S)	8.23	2126705	0.562 ppb
Surrogate Spike 30.000	Recovery =		1.87%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	29585142	12.403 ppb
2) HBTM Motor Oil (C24-C40)	9.20	22308844	11.720 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411002.D
Sample : Diesel / Motor Oil - 1 1/15/19





411002.D DOC0411.M Fri Apr 12 10:32:52 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411003.D Vial: 3
Acq On : 4-11-19 13:00:16 Operator: DP
Sample : Diesel / Motor Oil - 2 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	9989738	2.468 ppb
Surrogate Spike 30.000	Recovery =		8.23%
5) SA Octacosane(S)	8.22	9222354	2.437 ppb
Surrogate Spike 30.000	Recovery =		8.12%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	106640632	44.709 ppb
2) HBTM Motor Oil (C24-C40)	9.20	90246355	47.410 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411003.D
Sample : Diesel / Motor Oil - 2 4/11/19





411003.D DOC0411.M Fri Apr 12 10:32:56 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411004.D Vial: 4
Acq On : 4-11-19 13:19:58 Operator: DP
Sample : Diesel / Motor Oil - 3 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	50729819	12.534 ppb
Surrogate Spike 30.000	Recovery =		41.78%
5) SA Octacosane(S)	8.23	45790065	12.100 ppb
Surrogate Spike 30.000	Recovery =		40.33%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	577013623	241.910 ppb
2) HBTM Motor Oil (C24-C40)	9.20	456782905	239.968 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411004.D
Sample : Diesel / Motor Oil - 3 4/11/19





411004.D DOC0411.M Fri Apr 12 10:33:00 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411005.D Vial: 5
Acq On : 4-11-19 13:39:40 Operator: DP
Sample : Diesel / Motor Oil - 4 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.34	193442220	47.793 ppb
Surrogate Spike 30.000	Recovery =		159.31%
5) SA Octacosane(S)	8.24	189453974	50.063 ppb
Surrogate Spike 30.000	Recovery =		166.88%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	2299608823	964.101 ppb
2) HBTM Motor Oil (C24-C40)	9.20	1840797531	967.050 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411005.D
Sample : Diesel / Motor Oil - 4 4/11/19





411005.D DOC0411.M Fri Apr 12 10:33:04 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411006.D Vial: 6
Acq On : 4-11-19 13:59:26 Operator: DP
Sample : Diesel / Motor Oil - 5 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.35	292043263	72.154 ppb
Surrogate Spike 30.000		Recovery =	240.51%
5) SA Octacosane(S)	8.25	271242076	71.676 ppb
Surrogate Spike 30.000		Recovery =	238.92%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	3465077974	1452.718 ppb
2) HBTM Motor Oil (C24-C40)	9.20	2812537957	1477.546 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411006.D
Sample : Diesel / Motor Oil - 5 4/11/19





411006.D DOC0411.M Fri Apr 12 10:33:08 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411007.D Vial: 7
Acq On : 4-11-19 14:19:10 Operator: DP
Sample : Diesel / Motor Oil - 6 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:32 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.35	380394582	93.983 ppb
Surrogate Spike 30.000	Recovery =		313.28%
5) SA Octacosane(S)	8.25	369453158	97.628 ppb
Surrogate Spike 30.000	Recovery =		325.43%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	4604763920	1930.527 ppb
2) HBTM Motor Oil (C24-C40)	9.20	3684700650	1935.731 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411007.D
Sample : Diesel / Motor Oil - 6 4/11/19





411007.D DOC0411.M Fri Apr 12 10:33:12 2019

TPH Extractables
DOC0411

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/11/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 411008.D

		Compound	MEAN	CCRF	%D	%Drift	
1	HATM	Diesel (C10-C24)	1192620	1089150	8.7	HATM	
2	HBTM	Motor Oil (C24-C40)	951760	887564	6.7	HBTM	
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			7.7		

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411008.D Vial: 8
Acq On : 4-11-19 14:39:01 Operator: DP
Sample : Diesel / Motor Oil - 2nd Source 1/15/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	544574759	228.311 ppb
2) HBTM Motor Oil (C24-C40)	9.20	443782147	233.138 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411008.D
Sample : Diesel / Motor Oil - 2nd Source 1/15/19





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411009.D Vial: 9
Acq On : 4-11-19 15:57:31 Operator: DP
Sample : Decanoic Acid - 1 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units	
System Monitoring Compounds					
3) SC Decanoic Acid(S)	4.95	1111571	3.678	ppb	m
Surrogate Spike 24.000	Recovery =		15.33%		
Target Compounds					

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411009.D
Sample : Decanoic Acid - 1 4/11/19






411009.D DOC0411.M Fri Apr 12 10:33:19 2019 Page 2

Quantitation Report

Data File : G:\APOLLO\DATA\190411\411009.D Vial: 9
Acq On : 4-11-19 15:57:31 Operator: DP
Sample : Decanoic Acid - 1 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:30 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:30:24 2019
Response via : Multiple Level Calibration



(3) Decanoic Acid(S) (SC)

4.96min -2.749ppb


response -6352807

(+) = Expected Retention Time
411009.D DOC0411.M Fri Apr 12 10:31:28 2019

Quantitation Report

Data File : G:\APOLLO\DATA\190411\411009.D Vial: 9
Acq On : 4-11-19 15:57:31 Operator: DP
Sample : Decanoic Acid - 1 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:30 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:30:24 2019
Response via : Multiple Level Calibration



MI
D.P. 4/12/19
4/12/19

(3) Decanoic Acid(S) (SC)

4.95min 3.678ppb m

response 1111571

(+) = Expected Retention Time
411009.D DOC0411.M Fri Apr 12 10:31:34 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411010.D Vial: 10
Acq On : 4-11-19 16:16:26 Operator: DP
Sample : Decanoic Acid - 2 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	4.94	3775239	5.972 ppb
Surrogate Spike 24.000	Recovery =	24.88%	
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411010.D
Sample : Decanoic Acid - 2 4/11/19





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411011.D Vial: 11
Acq On : 4-11-19 16:36:04 Operator: DP
Sample : Decanoic Acid - 3 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	4.97	23638982	23.075 ppb
Surrogate Spike 24.000	Recovery	=	96.15%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411011.D
Sample : Decanoic Acid - 3 4/11/19





411011.D DOC0411.M Fri Apr 12 10:33:26 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411012.D Vial: 12
Acq On : 4-11-19 16:55:47 Operator: DP
Sample : Decanoic Acid - 4 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	4.99	38673628	36.020 ppb
Surrogate Spike 24.000	Recovery =		150.08%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411012.D
Sample : Decanoic Acid - 4 4/11/19





411012.D DOC0411.M Fri Apr 12 10:33:30 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411013.D Vial: 13
Acq On : 4-11-19 17:15:26 Operator: DP
Sample : Decanoic Acid - 5 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	5.00	52115206	47.594 ppb
Surrogate Spike 24.000	Recovery =	198.31%	
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411013.D
Sample : Decanoic Acid - 5 4/11/19





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190411\411014.D Vial: 14
Acq On : 4-11-19 17:35:11 Operator: DP
Sample : Decanoic Acid - 6 4/11/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 12 10:31 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190411\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	5.02	67279572	60.651 ppb
Surrogate Spike 24.000	Recovery =	252.71%	
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190411\411014.D
Sample : Decanoic Acid - 6 4/11/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/29/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 419048.D

		Compound	MEAN	CCRF	%D	%Drift		
1	HATM	Diesel (C10-C24)	1192620	1196390	0.32	HATM		
2	HBTM	Motor Oil (C24-C40)	951760	1033720	8.6	HBTM		
3	SCL	Decanoic Acid(S)	438835	156063	64	SCL	62	*NT
4	SA	Ortho-Terphenyl(S)	2023750	2174580	7.5	SA		
5	SA	Octacosane(S)	1892140	1924300	1.7	SA		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			16.4			

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419048.D Vial: 48
Acq On : 4-29-19 17:02:59 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 30 11:55 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	54364392	13.432 ppb
Surrogate Spike 30.000	Recovery =		44.77%
5) SA Octacosane(S)	8.22	48107479	12.712 ppb
Surrogate Spike 30.000	Recovery =		42.37%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	598195091	250.791 ppb
2) HBTM Motor Oil (C24-C40)	9.20	516860794	271.529 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419048.D
Sample : Diesel/Motor Oil 3 4/16/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/29/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 419063.D

		Compound	MEAN	CCRF	%D	%Drift		
1	HATM	Diesel (C10-C24)	1192620	1260280	5.7	HATM		
2	HBTM	Motor Oil (C24-C40)	951760	1039990	9.3	HBTM		
3	SCL	Decanoic Acid(S)	438835	167417	62	SCL	60	*NT
4	SA	Ortho-Terphenyl(S)	2023750	2196810	8.6	SA		
5	SA	Octacosane(S)	1892140	2121890	12	SA		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			19.5			

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419063.D Vial: 63
Acq On : 4-29-19 22:03:37 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 30 11:54 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	54920127	13.569 ppb
Surrogate Spike 30.000	Recovery =		45.23%
5) SA Octacosane(S)	8.22	53047159	14.018 ppb
Surrogate Spike 30.000	Recovery =		46.73%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	630142056	264.184 ppb
2) HBTM Motor Oil (C24-C40)	9.20	519994867	273.176 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419063.D
Sample : Diesel/Motor Oil 3 4/16/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 04/29/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 419063.D

		Compound	MEAN	CCRF	%D	%Drift		
1	HATM	Diesel (C10-C24)	1192620	1260280	5.7	HATM		
2	HBTM	Motor Oil (C24-C40)	951760	1039990	9.3	HBTM		
3	SCL	Decanoic Acid(S)	438835	167417	62	SCL	60	*NT
4	SA	Ortho-Terphenyl(S)	2023750	2196810	8.6	SA		
5	SA	Octacosane(S)	1892140	2121890	12	SA		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			19.5			

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419063.D Vial: 63
Acq On : 4-29-19 22:03:37 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 30 11:54 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	54920127	13.569 ppb
Surrogate Spike 30.000	Recovery =		45.23%
5) SA Octacosane(S)	8.22	53047159	14.018 ppb
Surrogate Spike 30.000	Recovery =		46.73%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	630142056	264.184 ppb
2) HBTM Motor Oil (C24-C40)	9.20	519994867	273.176 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419063.D
Sample : Diesel/Motor Oil 3 4/16/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 05/16/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 508120.D

		Compound	MEAN	CCRF	%D	%Drift		
1	HATM	Diesel (C10-C24)	1192620	1391580	17	HATM		
2	HBTM	Motor Oil (C24-C40)	951760	1102500	16	HBTM		
3	SA	Ortho-Terphenyl(S)	2023750	2395660	18	SA		
4	SA	Octacosane(S)	1892140	2372230	25	SA		*
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
		Average			19.0			

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508120.D Vial: 20
Acq On : 5-16-19 8:28:01 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: May 16 12:16 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	59891465	14.797 ppb
Surrogate Spike 30.000	Recovery =		49.32%
5) SA Octacosane(S)	8.22	59305731	15.672 ppb
Surrogate Spike 30.000	Recovery =		52.24%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	695788419	291.706 ppb
2) HBTM Motor Oil (C24-C40)	9.20	551248673	289.594 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508120.D
Sample : Diesel/Motor Oil 3 4/16/19





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508121.D Vial: 21
Acq On : 5-16-19 8:47:16 Operator: DP
Sample : Decanoic Acid - 3 3/5/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: May 16 12:09 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	5.00	57822040	52.507 ppb
Surrogate Spike 24.000	Recovery =		218.78%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508121.D
Sample : Decanoic Acid - 3 3/5/19





TPH Extractables
DOC0411

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: Water

SDG No:
Date Analyzed: 05/16/19
Instrument: Apollo
Initial Cal. Date: 04/11/19
Data File: 508133.D

		Compound	MEAN	CCRF	%D	%Drift	
1	HATM	Diesel (C10-C24)	1192620	1349040	13	HATM	
2	HBTM	Motor Oil (C24-C40)	951760	1113260	17	HBTM	
3	SA	Ortho-Terphenyl(S)	2023750	2489120	23	SA	*
4	SA	Octacosane(S)	1892140	2292800	21	SA	*
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			18.5		

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508133.D Vial: 33
Acq On : 5-16-19 14:05:44 Operator: DP
Sample : Diesel/Motor Oil 3 4/16/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: May 16 14:25 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	62228096	15.374 ppb
Surrogate Spike 30.000	Recovery =		51.25%
5) SA Octacosane(S)	8.22	57320090	15.147 ppb
Surrogate Spike 30.000	Recovery =		50.49%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	674519137	282.789 ppb
2) HBTM Motor Oil (C24-C40)	9.20	556628405	292.421 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508133.D
Sample : Diesel/Motor Oil 3 4/16/19





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508134.D Vial: 34
Acq On : 5-16-19 14:24:56 Operator: DP
Sample : Decanoic Acid - 3 3/5/19 Inst : Apollo
Misc : water Multiplr: 1.00
IntFile : events.e
Quant Time: May 16 14:51 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
3) SC Decanoic Acid(S)	5.01	60116529	54.483 ppb
Surrogate Spike 24.000	Recovery =		227.01%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508134.D
Sample : Decanoic Acid - 3 3/5/19





ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419066.D Vial: 66
Acq On : 4-29-19 23:03:30 Operator: DP
Sample : AZ90100W20 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:39 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	113451456	70.075 ppb
Surrogate Spike 75.000		Recovery =	93.43%
5) SA Octacosane(S)	8.22	109441811	72.300 ppb
Surrogate Spike 75.000		Recovery =	96.40%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	221197053	231.840 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419066.D
Sample : AZ90100W20 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508129.D Vial: 29
Acq On : 5-16-19 12:46:45 Operator: DP
Sample : AZ90100W20 2/800 SG Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 16 14:55 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	113873072	70.336 ppb
Surrogate Spike 75.000	Recovery =		93.78%
5) SA Octacosane(S)	8.21	110020012	72.682 ppb
Surrogate Spike 75.000	Recovery =		96.91%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	54110760	56.714 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508129.D
Sample : AZ90100W20 2/800 SG





508129.D DOC0411.M Thu May 16 15:06:33 2019 Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419067.D Vial: 67
Acq On : 4-29-19 23:23:20 Operator: DP
Sample : AZ90102W18 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:43 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	109739192	67.782	ppb
Surrogate Spike 75.000		Recovery =	90.38%	
5) SA Octacosane(S)	8.22	112383608	74.244	ppb
Surrogate Spike 75.000		Recovery =	98.99%	
Target Compounds				
1) HATM Diesel (C10-C24)	4.66	2181047995	2285.986	ppb
2) HBTM Motor Oil (C24-C40)	9.20	144008596	189.135	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419067.D
Sample : AZ90102W18 2/800






Quantitation Report

Data File : G:\APOLLO\DATA\190419\419067.D Vial: 67
Acq On : 4-29-19 23:23:20 Operator: DP
Sample : AZ90102W18 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 10:51 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190419\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration



(1) Diesel (C10-C24) (HATM)

4.66min 4425.357ppb m

response 4222210910


(+) = Expected Retention Time

419067.D DOC0411.M Tue Apr 30 11:42:48 2019

Quantitation Report

Data File : G:\APOLLO\DATA\190419\419067.D Vial: 67
Acq On : 4-29-19 23:23:20 Operator: DP
Sample : AZ90102W18 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 10:51 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190419\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration



(1) Diesel (C10-C24) (HATM)

4.66min 2285.986ppb m

response 2181047995

(+) = Expected Retention Time

419067.D DOC0411.M Tue Apr 30 11:43:51 2019

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508130.D Vial: 30
Acq On : 5-16-19 13:06:28 Operator: DP
Sample : AZ90102W18 2/800 SG Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 16 14:55 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	115691945	71.459 ppb
Surrogate Spike 75.000	Recovery =		95.28%
5) SA Octacosane(S)	8.21	111711120	73.799 ppb
Surrogate Spike 75.000	Recovery =		98.40%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	411909509	431.728 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508130.D
Sample : AZ90102W18 2/800 SG





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419068.D Vial: 68
Acq On : 4-29-19 23:43:08 Operator: DP
Sample : AZ90103W09 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:45 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	108659767	67.115 ppb
Surrogate Spike 75.000	Recovery =		89.49%
5) SA Octacosane(S)	8.22	110092384	72.730 ppb
Surrogate Spike 75.000	Recovery =		96.97%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	2122330316	2224.444 ppb
2) HBTM Motor Oil (C24-C40)	9.20	146196475	192.008 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419068.D
Sample : AZ90103W09 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508131.D Vial: 31
Acq On : 5-16-19 13:26:13 Operator: DP
Sample : AZ90103W09 2/800 SG Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 16 14:55 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.32	114758948	70.883 ppb
Surrogate Spike 75.000	Recovery =		94.51%
5) SA Octacosane(S)	8.21	111455216	73.630 ppb
Surrogate Spike 75.000	Recovery =		98.17%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	418480423	438.615 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508131.D
Sample : AZ90103W09 2/800 SG





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419069.D Vial: 69
Acq On : 4-30-19 0:02:56 Operator: DP
Sample : AZ90105W22 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:48 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	113948211	70.382 ppb
Surrogate Spike 75.000	Recovery =		93.84%
5) SA Octacosane(S)	8.22	111949870	73.957 ppb
Surrogate Spike 75.000	Recovery =		98.61%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	284922014	298.631 ppb
2) HBTM Motor Oil (C24-C40)	9.20	147647918	193.914 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419069.D
Sample : AZ90105W22 2/800






Quantitation Report

Data File : G:\APOLLO\DATA\190419\419069.D Vial: 69
Acq On : 4-30-19 0:02:56 Operator: DP
Sample : AZ90105W22 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 10:52 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190419\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration



(1) Diesel (C10-C24) (HATM)

4.66min 2475.968ppb m

response 2362308442


(+) = Expected Retention Time

419069.D DOC0411.M Tue Apr 30 11:47:26 2019

Quantitation Report

Data File : G:\APOLLO\DATA\190419\419069.D Vial: 69
Acq On : 4-30-19 0:02:56 Operator: DP
Sample : AZ90105W22 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 10:52 2019 Quant Results File: DOC0411.RES

Method : G:\APOLLO\DATA\190419\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration



(1) Diesel (C10-C24) (HATM)

4.66min 298.631ppb m

response 284922014

(+) = Expected Retention Time

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508132.D Vial: 32
Acq On : 5-16-19 13:45:56 Operator: DP
Sample : AZ90105W22 2/800 SG Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 16 14:55 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.32	113303277	69.984	ppb
Surrogate Spike 75.000		Recovery =	93.31%	
5) SA Octacosane(S)	8.21	109051297	72.042	ppb
Surrogate Spike 75.000		Recovery =	96.06%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508132.D
Sample : AZ90105W22 2/800 SG





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419070.D Vial: 70
Acq On : 4-30-19 0:22:41 Operator: DP
Sample : AZ90107W19 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:48 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	115642668	71.429 ppb
Surrogate Spike 75.000		Recovery =	95.24%
5) SA Octacosane(S)	8.22	111172276	73.443 ppb
Surrogate Spike 75.000		Recovery =	97.92%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419070.D
Sample : AZ90107W19 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419071.D Vial: 71
Acq On : 4-30-19 0:42:23 Operator: DP
Sample : AZ90109W22 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:49 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	119284646	73.678 ppb
Surrogate Spike 75.000		Recovery =	98.24%
5) SA Octacosane(S)	8.22	113119414	74.730 ppb
Surrogate Spike 75.000		Recovery =	99.64%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419071.D
Sample : AZ90109W22 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419049.D Vial: 49
Acq On : 4-29-19 17:23:01 Operator: DP
Sample : 190426A BLK 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 8 13:37 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	110002294	67.945 ppb
Surrogate Spike 75.000	Recovery =		90.59%
5) SA Octacosane(S)	8.22	105116559	69.443 ppb
Surrogate Spike 75.000	Recovery =		92.59%
Target Compounds			

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419049.D
Sample : 190426A BLK 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508126.D Vial: 26
Acq On : 5-16-19 10:25:07 Operator: DP
Sample : 190426A BLK 2/800 SG Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 16 15:00 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.32	114994164	71.028	ppb
Surrogate Spike 75.000	Recovery =		94.70%	
5) SA Octacosane(S)	8.21	113835073	75.202	ppb
Surrogate Spike 75.000	Recovery =		100.27%	
Target Compounds				

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508126.D
Sample : 190426A BLK 2/800 SG





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419050.D Vial: 50
Acq On : 4-29-19 17:43:06 Operator: DP
Sample : 190426A LCS-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:04 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
4) SA Ortho-Terphenyl(S)	6.33	107443194	66.364 ppb
Surrogate Spike 75.000		Recovery =	88.49%
5) SA Octacosane(S)	8.23	101025878	66.740 ppb
Surrogate Spike 75.000		Recovery =	88.99%
Target Compounds			
1) HATM Diesel (C10-C24)	4.66	1068693657	1120.112 ppb
2) HBTM Motor Oil (C24-C40)	9.20	954916564	1254.146 ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419050.D
Sample : 190426A LCS-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190419\419051.D Vial: 51
Acq On : 4-29-19 18:03:12 Operator: DP
Sample : 190426A LCSD-1 2/800 Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: Apr 30 11:05 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190506\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.33	106639193	65.867	ppb
Surrogate Spike 75.000	Recovery =		87.82%	
5) SA Octacosane(S)	8.23	98198519	64.873	ppb
Surrogate Spike 75.000	Recovery =		86.50%	
Target Compounds				
1) HATM Diesel (C10-C24)	4.66	1025097325	1074.419	ppb
2) HBTM Motor Oil (C24-C40)	9.20	901976261	1184.617	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190419\419051.D
Sample : 190426A LCSD-1 2/800





Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508127.D Vial: 27
Acq On : 5-16-19 10:44:08 Operator: DP
Sample : 190426A LCS-1 2/800 SG Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 16 14:59 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.32	106279438	65.645	ppb
Surrogate Spike 75.000		Recovery =	87.53%	
5) SA Octacosane(S)	8.22	99806293	65.935	ppb
Surrogate Spike 75.000		Recovery =	87.91%	
Target Compounds				
1) HATM Diesel (C10-C24)	4.66	991429798	1039.131	ppb
2) HBTM Motor Oil (C24-C40)	9.20	868657096	1140.857	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508127.D
Sample : 190426A LCS-1 2/800 SG





508127.D DOC0411.M Thu May 16 15:06:26 2019 Page 2

Quantitation Report (QT Reviewed)

Data File : G:\APOLLO\DATA\190508\508128.D Vial: 28
Acq On : 5-16-19 11:03:53 Operator: DP
Sample : 190426A LCSD-1 2/800 SG Inst : Apollo
Misc : water Multiplr: 2.50
IntFile : events.e
Quant Time: May 16 14:59 2019 Quant Results File: DOC0411.RES


Method : G:\APOLLO\DATA\190508\DOC0411.M (Chemstation Integrator)
Title : 8015 B&C
Last Update : Fri Apr 12 10:31:44 2019
Response via : Multiple Level Calibration


Volume Inj. : 2UL
Signal Phase : DB-5
Signal Info : FID02A

Compound	R.T.	Response	Conc	Units
System Monitoring Compounds				
4) SA Ortho-Terphenyl(S)	6.32	107323588	66.290	ppb
Surrogate Spike 75.000	Recovery =		88.39%	
5) SA Octacosane(S)	8.22	100547524	66.424	ppb
Surrogate Spike 75.000	Recovery =		88.57%	
Target Compounds				
1) HATM Diesel (C10-C24)	4.66	994856161	1042.722	ppb
2) HBTM Motor Oil (C24-C40)	9.20	854793387	1122.649	ppb

(f)=RT Delta > 1/2 Window (m)=manual int.

Data File: G:\APOLLO\DATA\190508\508128.D
Sample : 190426A LCSD-1 2/800 SG





508128.D DOC0411.M Thu May 16 15:06:29 2019 Page 2

Diesel / Motor Oil Calibration Curve

Prepared: 04/11/19

Expires: 10/11/19

Prepared By (Initials): BT

Methylene Chloride Lot No. 57278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference to APPL Prep Date	Exp. Date	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 1	2,000	Prepared 04/11/19	01/15/20	N/A	5uL	1mL	MC	10
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil -2	2,000	Prepared 04/11/19	01/15/20	N/A	25uL	1mL	MC	50
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 3	2,000	Prepared 04/11/19	01/15/20	N/A	125uL	1mL	MC	250
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 4	2,000	Prepared 04/11/19	01/15/20	N/A	500uL	1mL	MC	1000
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 5	2,000	Prepared 04/11/19	01/15/20	N/A	750uL	1mL	MC	1500
Diesel / Motor Oil Calibration STD	APPL	Diesel / Motor Oil - 6	2,000	Prepared 04/11/19	01/15/20	N/A	100uL	100uL	N/A	2,000

Decanoic Acid Calibration Curve

Prepared: 04/11/19

Expires: 07/20/19

Prepared By (Initials): DP

Methylene Chloride Lot No. 57278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference To APPL Prep Date	Exp. Date	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Decanoic Acid STD	APPL	Decanoic Acid-1	60	Prepared 07/20/18	07/20/19	N/A	50uL	1mL	MC	3
Decanoic Acid STD	APPL	Decanoic Acid-2	60	Prepared 07/20/18	07/20/19	N/A	100uL	1mL	MC	6
Decanoic Acid STD	APPL	Decanoic Acid-3	60	Prepared 07/20/18	07/20/19	N/A	400uL	1mL	MC	24
Decanoic Acid STD	APPL	Decanoic Acid-4	60	Prepared 07/20/18	07/20/19	N/A	600uL	1mL	MC	36
Decanoic Acid STD	APPL	Decanoic Acid-5	60	Prepared 07/20/18	07/20/19	N/A	800uL	1mL	MC	48
Decanoic Acid STD	APPL	Decanoic Acid-6	60	Prepared 07/20/18	07/20/19	N/A	100uL	100uL	N/A	60

Diesel / Motor Oil Calibration Standard

Prepared: 01/15/19 **Prepared By (Initials): DP**

Expires: 01/15/20

Methylene Chloride Lot No. 56278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel Fuel #2	Restek	31258	50,000	**A0135614-39409**	**01/15/20**	**03/31/25**	400uL	10mL	MC	2000
Motor Oil	Restek	31464	50,000	**A0135245-39351**	**01/15/20**	**03/31/25**	400uL			2000
THC Surrogate	Phenova	ALO-130161	600	**CL12572-39691**	**08/13/19**	**06/30/23**	1666uL			100

Diesel / Motor Oil Second Source (SS)

Prepared: 01/15/19

Expires: 01/15/20

Prepared By (Initials): DP

Methylene Chloride Lot No. 56278

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel Fuel #2	O2SI	G34-011598-03	50,000	**G34-319187-38958**	**08/02/19**	**09/29/21**	50uL	10mL	MC	250
Motor Oil Second Source	O2SI	116390-02-SS	50,000	**301142-37652**	**07/13/19**	**03/05/22**	50uL			

Name of Final Standard **Decanoic Acid Std** **Prep'd By (Initials)** **DS**

Prep Date **07/20/18**
Exp Date **07/20/19**

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Decanoic Acid	O2Si	011729-0105-5PAK	1000 ug/mL	**329540-38638**	**07/20/19**	600 uL	10 mL	**MC 47186**	60 ug/mL

Diesel / Motor Oil CCV

Prepared: 04/16/19

Expires: 10/16/19

Prepared By (Initials): BT

Methylene Chloride Lot No. 58059

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	APPL Mix Name	Conc. (ug/mL)	Reference to APPL Prep Date	Exp. Date	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Diesel / Motor Oil STD	APPL	Diesel / Motor Oil CCV	2,000	Prepared 01/15/19	01/15/20	N/A	1250uL	10mL	MC	250

Diesel Spike

Prepared: 04/26/19 **Prepared By (Initials): DP**

Expires: 04/25/20

Initial Standard Information							Final Standard Information			
(QAU Label)	Supplier	No.	(ug/mL)	Number	(1 yr.)	(Manufacturer)	From	Volume	Solvent	Conc. (ug/mL)
Diesel Fuel #2	Restek	31258	50,000	**A0135614-39408**	**04/26/20**	**03/31/25**	N/A	N/A	N/A	50,000

Motor Oil Spike

Prepared: 04/08/19 **Prepared By (Initials): DP**

Expires: 04/07/20

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
Motor Oil Composite	Restek	31464	50,000	**A0141636-40470**	**04/09/20**	**10/20/25**	N/A	N/A	N/A	50,000

THC Surrogate

Prepared: 04/17/19 **Prepared By (Initials): BT**

Expires: 04/16/20

Initial Standard Information							Final Standard Information			
Name of Initial Standard (QAU Label)	Supplier	Supplier Part No.	Conc. (ug/mL)	Lot Number - QA Number	Exp. Date (1 yr.)	Exp. Date (Manufacturer)	Aliquot From Stock	Final Volume	Solvent	Final Standard Conc. (ug/mL)
O-terphenyl / Octacosane Mix	Phenova	ALO-130161	600	**CL13256-40363**	**04/17/20**	**02/28/24**	N/A	N/A	N/A	600

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH-Diesel/MO 3520C	Extraction Set	190426A	Extraction Method	LIQ005	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 EXP 4-26-20		Surrogate ID 1	THC Surrogate 4-17-19 EXP 4-17-20	
Spiked ID 2	Motor Oil Spike 4-8-19 EXP 4-8-20		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/26/19 13:00	
Spiked ID 8			Ext. End Time:	04/27/19 10:13 ,04/29/19 14:35	
			GC Requires Extract By:	04/30/19 0:00	

pH1	2	4/26/19 10:15:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: KY **Date** 04/26/19 **Witnessed By:** DL **Date** 04/26/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190426A Blk				0.100	1	800	2	2	04/26/19 10:20	
						equip	E-HP51 E-WB1				
2	190426A LCS-1		0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	
						equip	E-HP50 E-WB2				
3	190426A LCSD-1		0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	
						equip	E-HP49 E-WB3				
4	AZ89958 MS-1	AZ89958W32	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP48 E-WB1				
5	AZ89958 MSD-1	AZ89958W42	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP47 E-WB2				
6	AZ89958	AZ89958W29			0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP25 E-WB3				
7	AZ89959	AZ89959W10			0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP26 E-WB1				
8	AZ89961	AZ89961W13			0.100	1	800	2	2	04/26/19 10:20	88687
						equip	E-HP27 E-WB2				
9	AZ90051 MS-1	AZ90051W26	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP28 E-WB3				
10	AZ90051 MSD-1	AZ90051W31	0.020	1,2	0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP29 E-WB1				
11	AZ90051	AZ90051W29			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP30 E-WB2				
12	AZ90052	AZ90052W09			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP17 E-WB3				
13	AZ90054	AZ90054W19			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP16 E-WB1				
14	AZ90056	AZ90056W20			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP15 E-WB2				
15	AZ90058	AZ90058W19			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP14 E-WB3				
16	AZ90060	AZ90060W21			0.100	1	800	2	2	04/26/19 10:20	88701
						equip	E-HP13 E-WB1				

Solvent and Lot#	
1+1 HCL	3-1-19
PH Strips	HC 863463
Dicholormethane (DCM)	58240
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	4/29/19
Time	15:10
Refrigerator	Hobart 1

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:53:34 PM

Reviewed By: Ky **Date** 4/30/19

Organic Extraction Worksheet

Method	Continuous Liq/Liq TPH-Diesel/MO 3520C	Extraction Set	190426A	Extraction Method	LIQ005	Units	mL

Spiked ID 1	Diesel Spike 4-26-19 EXP 4-26-20		Surrogate ID 1	THC Surrogate 4-17-19 EXP 4-17-20	
Spiked ID 2	Motor Oil Spike 4-8-19 EXP 4-8-20		Surrogate ID 2		
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/26/19 13:00	
Spiked ID 8			Ext. End Time:	04/27/19 10:13 , 04/29/19 14:35	
			GC Requires Extract By:	**04/30/19 0:00**	

pH1	2	4/26/19 10:15:00 AM	Water Bath Temp Criteria	35,35,35 °
pH2				
pH3				

Spiked By: KY **Date** 04/26/19 **Witnessed By:** DL **Date** 04/26/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90100	AZ90100W20			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP12 E-WB2				
18	AZ90102	AZ90102W18			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP11 E-WB3				
19	AZ90103	AZ90103W09			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP10 E-WB1				
20	AZ90105	AZ90105W22			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP9 E-WB2				
21	AZ90107	AZ90107W19			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP7 E-WB3				
22	AZ90109	AZ90109W22			0.100	1	800	2	2	04/26/19 10:20	88714
						equip	E-HP6 E-WB1				

KY 4/30/19

Solvent and Lot#	
1+1 HCL	3-1-19
PH Strips	HC 863463
Dicholormethane (DCM)	58240
Filter Paper	400148
B. Sodium Sulfate	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	04/30/19 12:53:34 PM

Reviewed By: KY **Date** 4/30/19

Injection Log

Directory: G:\APOLLO\DATA\190411\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	411002.D	1	Diesel / Motor Oil - 1 1/15/19	water	4-11-19 12:41:17
2	3	411003.D	1	Diesel / Motor Oil - 2 4/11/19	water	4-11-19 13:00:16
3	4	411004.D	1	Diesel / Motor Oil - 3 4/11/19	water	4-11-19 13:19:58
4	5	411005.D	1	Diesel / Motor Oil - 4 4/11/19	water	4-11-19 13:39:40
5	6	411006.D	1	Diesel / Motor Oil - 5 4/11/19	water	4-11-19 13:59:26
6	7	411007.D	1	Diesel / Motor Oil - 6 4/11/19	water	4-11-19 14:19:10
7	8	411008.D	1	Diesel / Motor Oil - 2nd Source 1/15/19	water	4-11-19 14:39:01
8	48	419048.D	1	Diesel/Motor Oil 3 4/16/19	water	4-29-19 17:02:59
9	49	419049.D	2.5	190426A BLK 2/800	water	4-29-19 17:23:01
10	50	419050.D	2.5	190426A LCS-1 2/800	water	4-29-19 17:43:06
11	51	419051.D	2.5	190426A LCSD-1 2/800	water	4-29-19 18:03:12
12	63	419063.D	1	Diesel/Motor Oil 3 4/16/19	water	4-29-19 22:03:37
13	66	419066.D	2.5	AZ90100W20 2/800	water	4-29-19 23:03:30
14	67	419067.D	2.5	AZ90102W18 2/800	water	4-29-19 23:23:20
15	68	419068.D	2.5	AZ90103W09 2/800	water	4-29-19 23:43:08
16	69	419069.D	2.5	AZ90105W22 2/800	water	4-30-19 0:02:56
17	70	419070.D	2.5	AZ90107W19 2/800	water	4-30-19 0:22:41
18	71	419071.D	2.5	AZ90109W22 2/800	water	4-30-19 0:42:23
19	72	419072.D	1	Diesel/Motor Oil 3 4/16/19	water	4-30-19 1:02:05

Injection Log

Directory: G:\APOLLO\DATA\190411\

Vial	FileName	Multiplier	SampleName	Misc Info	Injected
2	411002.D	1	Diesel / Motor Oil - 1 1/15/19	water	4-11-19 12:41:17
3	411003.D	1	Diesel / Motor Oil - 2 4/11/19	water	4-11-19 13:00:16
4	411004.D	1	Diesel / Motor Oil - 3 4/11/19	water	4-11-19 13:19:58
5	411005.D	1	Diesel / Motor Oil - 4 4/11/19	water	4-11-19 13:39:40
6	411006.D	1	Diesel / Motor Oil - 5 4/11/19	water	4-11-19 13:59:26
7	411007.D	1	Diesel / Motor Oil - 6 4/11/19	water	4-11-19 14:19:10
8	411008.D	1	Diesel / Motor Oil - 2nd Source 1/15/19	water	4-11-19 14:39:01
9	411009.D	1	Decanoic Acid - 1 4/11/19	water	4-11-19 15:57:31
10	411010.D	1	Decanoic Acid - 2 4/11/19	water	4-11-19 16:16:26
11	411011.D	1	Decanoic Acid - 3 4/11/19	water	4-11-19 16:36:04
12	411012.D	1	Decanoic Acid - 4 4/11/19	water	4-11-19 16:55:47
13	411013.D	1	Decanoic Acid - 5 4/11/19	water	4-11-19 17:15:26
14	411014.D	1	Decanoic Acid - 6 4/11/19	water	4-11-19 17:35:11
20	508120.D	1	Diesel/Motor Oil 3 4/16/19	water	5-16-19 8:28:01
21	508121.D	1	Decanoic Acid - 3 3/5/19	water	5-16-19 8:47:16
26	508126.D	2.5	190426A BLK 2/800 SG	water	5-16-19 10:25:07
27	508127.D	2.5	190426A LCS-1 2/800 SG	water	5-16-19 10:44:08
28	508128.D	2.5	190426A LCSD-1 2/800 SG	water	5-16-19 11:03:53
29	508129.D	2.5	AZ90100W20 2/800 SG	water	5-16-19 12:46:45
30	508130.D	2.5	AZ90102W18 2/800 SG	water	5-16-19 13:06:28
31	508131.D	2.5	AZ90103W09 2/800 SG	water	5-16-19 13:26:13
32	508132.D	2.5	AZ90105W22 2/800 SG	water	5-16-19 13:45:56
33	508133.D	1	Diesel/Motor Oil 3 4/16/19	water	5-16-19 14:05:44
34	508134.D	1	Decanoic Acid - 3 3/5/19	water	5-16-19 14:24:56

ORGANICS
Calibration Data

PAH by GCMS SIM
EPA 8270 SIM

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/26/19
Matrix: Instrument: Linus
Initials: MA/JA

		Compound	0326L013 D 0.1	0326L012.D 0.2	0326L005.D 0.5	0326L006.D 1	0326L007.D 5	0326L008.D 10	0326L009.D 50	0326L010.D 100			Avg	%RSD	Type	r^2	Q	MRF
1	I	Napthalene-D8(IS)																
2	S	Surrogate Recovery (NBZ)		0.3927	0.5340	0.4444	0.4714	0.4510	0.4089	0.4199			0.45	11	S			
3	TM	Naphthalene	1.529	1.407	1.448	1.163	1.400	1.287	1.154	1.122			1.3	12	TM			0.700
4	S	2-Methylnaphthalene-D10 (2M	1.387	1.168	1.650	1.306	1.518	1.400	1.203	1.197			1.4	13	S			
5	TM	2-Methylnaphthalene	0.7306	0.7642	0.8355	0.6668	0.8429	0.7635	0.6758	0.6477			0.74	10	TM			0.400
6	TM	1-Methylnaphthalene	0.9900	0.8580	0.9185	0.7134	0.8390	0.7536	0.6593				0.82	14	TM			
7	I	Acenaphthene-D10(IS)																
8	S	Surrogate Recovery (FBP)	1.722	1.658	2.258	1.803	2.110	1.951	1.630	1.592			1.8	13	S			
9	TM	Acenaphthylene	5.900	5.710	6.401	5.037	6.465	5.885	4.974	4.865			5.7	11	TM			0.900
10	*TM	Acenaphthene	1.794	1.633	1.703	1.318	1.581	1.463	1.266	1.170			1.5	15	*TM			0.900
11	TM	Fluorene	2.218	1.880	2.093	1.632	2.029	1.885	1.631	1.570			1.9	13	TM			0.900
12	I	Phenanthrene-D10(IS)																
13	TM	Phenanthrene	1.607	1.544	1.673	1.305	1.635	1.484	1.218	1.160			1.5	14	TM			0.700
14	TM	Anthracene	1.486	1.420	1.591	1.220	1.624	1.473	1.238	1.116			1.4	13	TM			0.700
15	S	Fluoranthene-D10 (FRT)	1.901	1.831	2.624	2.092	2.484	2.311	1.987	1.872			2.1	14	S			
16	*TM	Fluoranthene	2.537	2.471	2.787	2.228	2.784	2.506	2.112	1.908			2.4	13	*TM			0.600
17	I	Chrysene-D12(IS)																
18	TM	Pyrene	1.899	1.728	1.916	1.501	1.868	1.718	1.481	1.425			1.7	12	TM			0.600
19	S	Surrogate Recovery (TPH)	0.8126	0.7648	1.100	0.8569	0.9951	0.9476	0.8279	0.7820			0.89	13	S			
20	TM	Benz (a) anthracene	1.413	1.328	1.559	1.165	1.523	1.457	1.326	1.311			1.4	9.3	TM			0.800
21	TM	Chrysene	1.693	1.584	1.532	1.291	1.505	1.343	1.166	1.155			1.4	14	TM			0.700
22	TM	Indeno (1,2,3-cd) pyrene	1.684	1.533	1.535	1.269	1.597	1.490	1.366	1.338			1.5	9.5	TM			0.500
23	I	Perylene-D12(IS)																
24	TM	Benzo (b) fluoranthene	1.158	1.272	1.365	1.090	1.474	1.408	1.281	1.294			1.3	9.8	TM			0.700
25	TM	Benzo (k) fluoranthene	1.676	1.496	1.659	1.361	1.632	1.459	1.255	1.199			1.5	13	TM			0.700
26	*TM	Benzo (a) pyrene	1.243	1.369	1.446	1.176	1.471	1.369	1.224	1.197			1.3	8.8	*TM			0.700
27	TM	Dibenz (a,h) anthracene	1.391	1.269	1.295	1.077	1.349	1.244	1.099	1.054			1.2	11	TM			0.400
28	TM	Benzo (g,h,i) perylene	1.468	1.326	1.320	1.090	1.361	1.265	1.118	1.085			1.3	11	TM			0.500
29																		
30																		
31																		
32																		
33																		
34																		
35																		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L005.D Vial: 5
Acq On : 26 Mar 19 10:39 Operator: MA
Sample : 0.5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:51:40 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	29983	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	14175	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	23888	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	35718	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	34636	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.14	82	1601	0.30171 ppb		0.01
Spiked Amount 5.000			Recovery =	6.040%		
4) 2-Methylnaphthalene-D10 (2	4.75	152	4947	0.35041 ppb		0.01
Spiked Amount 5.000			Recovery =	7.000%		
8) Surrogate Recovery (FBP)	5.23	172	3201	0.31519 ppb		0.01
Spiked Amount 5.000			Recovery =	6.300%		
15) Fluoranthene-D10 (FRT)	9.09	212	6268	0.36113 ppb		0.00
Spiked Amount 5.000			Recovery =	7.220%		
19) Surrogate Recovery (TPH)	9.58	244	3930	0.33442 ppb		0.00
Spiked Amount 5.000			Recovery =	6.680%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	8684	0.57398 ppb		98
5) 2-Methylnaphthalene	4.78	142	5010	0.55092 ppb		99
6) 1-Methylnaphthalene	4.89	142	5508	0.59694 ppb		95
9) Acenaphthylene	5.82	152	18147	0.56976 ppb		100
10) Acenaphthene	6.01	154	4827	0.52888 ppb		97
11) Fluorene	6.63	166	5934	0.55241 ppb		99
13) Phenanthrene	7.73	178	7991	0.59247 ppb		99
14) Anthracene	7.80	178	7601	0.57039 ppb		99
16) Fluoranthene	9.11	202	13317	0.62414 ppb	#	89
18) Pyrene	9.37	202	13684	0.61385 ppb		98
20) Benz (a) anthracene	10.78	228	11134	0.56445 ppb		99
21) Chrysene	10.84	228	10947	0.57620 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.70	276	10967	0.55654 ppb	#	98
24) Benzo (b) fluoranthene	12.50	252	9458	0.50818 ppb		99
25) Benzo (k) fluoranthene	12.54	252	11491	0.59936 ppb		96
26) Benzo (a) pyrene	13.08	252	10016	0.55876 ppb		99
27) Dibenz (a,h) anthracene	14.72	278	8973	0.54057 ppb		99
28) Benzo (g,h,i) perylene	15.04	276	9141	0.54410 ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L005.D Vial: 5
Acq On : 26 Mar 19 10:39 Operator: MA
Sample : 0.5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L006.D Vial: 6
Acq On : 26 Mar 19 11:01 Operator: MA
Sample : 1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:51:40 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	35893	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	17165	2.50000	ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	29866	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.79	240	43804	2.50000	ppb		0.00
23) Perylene-D12(IS)	13.16	264	41942	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.15	82	3190	0.50218	ppb		0.02
Spiked Amount 5.000			Recovery = 10.040%				
4) 2-Methylnaphthalene-D10 (2	4.74	152	9372	0.55454	ppb		0.01
Spiked Amount 5.000			Recovery = 11.100%				
8) Surrogate Recovery (FBP)	5.22	172	6188	0.50317	ppb		0.00
Spiked Amount 5.000			Recovery = 10.060%				
15) Fluoranthene-D10 (FRT)	9.09	212	12497	0.57589	ppb		0.00
Spiked Amount 5.000			Recovery = 11.520%				
19) Surrogate Recovery (TPH)	9.58	244	7507	0.52088	ppb		0.00
Spiked Amount 5.000			Recovery = 10.420%				
Target Compounds							Qvalue
3) Naphthalene	3.96	128	16693	0.92168	ppb		100
5) 2-Methylnaphthalene	4.78	142	9573	0.87935	ppb		98
6) 1-Methylnaphthalene	4.89	142	10243	0.92731	ppb		95
9) Acenaphthylene	5.82	152	34586	0.89675	ppb		99
10) Acenaphthene	6.01	154	9052	0.81904	ppb		96
11) Fluorene	6.62	166	11205	0.86141	ppb		93
13) Phenanthrene	7.73	178	15588	0.92440	ppb		98
14) Anthracene	7.80	178	14573	0.87468	ppb		99
16) Fluoranthene	9.11	202	26618	0.99782	ppb	#	93
18) Pyrene	9.37	202	26304	0.96215	ppb		95
20) Benz (a) anthracene	10.78	228	20420	0.84412	ppb		98
21) Chrysene	10.84	228	22628	0.97118	ppb		98
22) Indeno (1,2,3-cd) pyrene	14.68	276	22236	0.92011	ppb		98
24) Benzo (b) fluoranthene	12.49	252	18288	0.81146	ppb		99
25) Benzo (k) fluoranthene	12.54	252	22834	0.98354	ppb		98
26) Benzo (a) pyrene	13.07	252	19723	0.90862	ppb	#	95
27) Dibenz (a,h) anthracene	14.71	278	18076	0.89928	ppb		98
28) Benzo (g,h,i) perylene	15.03	276	18288	0.89893	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L006.D Vial: 6
Acq On : 26 Mar 19 11:01 Operator: MA
Sample : 1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:52 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L007.D Vial: 7
Acq On : 26 Mar 19 11:23 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:55 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	31036	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	14429	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	24630	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	36703	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	35401	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.13	82	14629	2.66335 ppb		0.00
Spiked Amount 5.000			Recovery	= 53.260%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	47125	3.22473 ppb		0.00
Spiked Amount 5.000			Recovery	= 64.500%		
8) Surrogate Recovery (FBP)	5.22	172	30446	2.94510 ppb		0.00
Spiked Amount 5.000			Recovery	= 58.900%		
15) Fluoranthene-D10 (FRT)	9.09	212	61183	3.41884 ppb		0.00
Spiked Amount 5.000			Recovery	= 68.380%		
19) Surrogate Recovery (TPH)	9.58	244	36522	3.02438 ppb		0.00
Spiked Amount 5.000			Recovery	= 60.480%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	86912	5.54970 ppb		100
5) 2-Methylnaphthalene	4.77	142	52323	5.55839 ppb		100
6) 1-Methylnaphthalene	4.88	142	52078	5.45251 ppb		100
9) Acenaphthylene	5.81	152	186553	5.75411 ppb		100
10) Acenaphthene	6.01	154	45619	4.91037 ppb		100
11) Fluorene	6.62	166	58567	5.35620 ppb		100
13) Phenanthrene	7.73	178	80559	5.79291 ppb		100
14) Anthracene	7.79	178	80019	5.82381 ppb		100
16) Fluoranthene	9.11	202	137128	6.23327 ppb		100
18) Pyrene	9.36	202	137146	5.98710 ppb		100
20) Benz (a) anthracene	10.78	228	111765	5.51397 ppb		100
21) Chrysene	10.83	228	110485	5.65939 ppb		100
22) Indeno (1,2,3-cd) pyrene	14.66	276	117203	5.78805 ppb	#	100
24) Benzo (b) fluoranthene	12.48	252	104380	5.48718 ppb		100
25) Benzo (k) fluoranthene	12.53	252	115527	5.89556 ppb	#	82
26) Benzo (a) pyrene	13.07	252	104139	5.68402 ppb		100
27) Dibenz (a,h) anthracene	14.70	278	95496	5.62874 ppb		100
28) Benzo (g,h,i) perylene	15.01	276	96360	5.61166 ppb		100


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L007.D Vial: 7
Acq On : 26 Mar 19 11:23 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 11:55 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L008.D Vial: 8
Acq On : 26 Mar 19 11:45 Operator: MA
Sample : 10 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:03 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	35838	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	16640	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	28622	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	41948	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	40987	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.13	82	32326	5.09668 ppb		0.00
Spiked Amount 5.000			Recovery	= 101.940%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	100381	5.94861 ppb		0.00
Spiked Amount 5.000			Recovery	= 118.980%		
8) Surrogate Recovery (FBP)	5.22	172	64921	5.44551 ppb		0.00
Spiked Amount 5.000			Recovery	= 108.920%		
15) Fluoranthene-D10 (FRT)	9.08	212	132302	6.36178 ppb		-0.01
Spiked Amount 5.000			Recovery	= 127.240%		
19) Surrogate Recovery (TPH)	9.58	244	79496	5.75993 ppb		0.00
Spiked Amount 5.000			Recovery	= 115.200%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	184477	10.20127 ppb		100
5) 2-Methylnaphthalene	4.77	142	109454	10.06955 ppb		99
6) 1-Methylnaphthalene	4.88	142	108031	9.79519 ppb		98
9) Acenaphthylene	5.81	152	391698	10.47636 ppb		100
10) Acenaphthene	6.01	154	97387	9.08975 ppb		99
11) Fluorene	6.62	166	125480	9.95086 ppb		99
13) Phenanthrene	7.73	178	169913	10.51414 ppb		100
14) Anthracene	7.79	178	168680	10.56433 ppb		100
16) Fluoranthene	9.10	202	286894	11.22214 ppb	#	86
18) Pyrene	9.36	202	288195	11.00804 ppb		99
20) Benz (a) anthracene	10.78	228	244430	10.55125 ppb		100
21) Chrysene	10.83	228	225305	10.09781 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.66	276	249983	10.80176 ppb		99
24) Benzo (b) fluoranthene	12.48	252	230916	10.48469 ppb		99
25) Benzo (k) fluoranthene	12.53	252	239205	10.54342 ppb	#	81
26) Benzo (a) pyrene	13.05	252	224453	10.58124 ppb	#	96
27) Dibenz (a,h) anthracene	14.70	278	203908	10.38077 ppb		96
28) Benzo (g,h,i) perylene	15.01	276	207384	10.43132 ppb		94


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L008.D Vial: 8
Acq On : 26 Mar 19 11:45 Operator: MA
Sample : 10 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:03 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L009.D Vial: 9
Acq On : 26 Mar 19 12:08 Operator: MA
Sample : 50 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:40 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	34439	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	16178	2.50000	ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	28297	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.80	240	40379	2.50000	ppb		0.01
23) Perylene-D12(IS)	13.16	264	41022	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.12	82	140833	21.64154	ppb		-0.01
Spiked Amount 5.000			Recovery = 432.840%				
4) 2-Methylnaphthalene-D10 (2	4.73	152	414181	23.25797	ppb		0.00
Spiked Amount 5.000			Recovery = 465.160%				
8) Surrogate Recovery (FBP)	5.20	172	263684	21.46228	ppb		-0.01
Spiked Amount 5.000			Recovery = 429.240%				
15) Fluoranthene-D10 (FRT)	9.09	212	562390	24.48515	ppb		0.00
Spiked Amount 5.000			Recovery = 489.700%				
19) Surrogate Recovery (TPH)	9.58	244	334289	23.27858	ppb		0.00
Spiked Amount 5.000			Recovery = 465.580%				
Target Compounds							Qvalue
3) Naphthalene	3.96	128	794731	44.68961	ppb		100
5) 2-Methylnaphthalene	4.77	142	465489	44.02234	ppb		99
6) 1-Methylnaphthalene	4.88	142	454120	41.81636	ppb		98
9) Acenaphthylene	5.81	152	1609229	43.19390	ppb		100
10) Acenaphthene	6.01	154	409705	39.67961	ppb		97
11) Fluorene	6.62	166	527629	42.63457	ppb		99
13) Phenanthrene	7.73	178	689088	41.97703	ppb		99
14) Anthracene	7.79	178	700455	43.39211	ppb		99
16) Fluoranthene	9.11	202	1195144	44.94761	ppb	#	89
18) Pyrene	9.37	202	1195645	45.32840	ppb		94
20) Benz (a) anthracene	10.79	228	1070977	46.57534	ppb		99
21) Chrysene	10.84	228	941256	42.83259	ppb		98
22) Indeno (1,2,3-cd) pyrene	14.68	276	1103036	48.39365	ppb		100
24) Benzo (b) fluoranthene	12.50	252	1050669	47.36694	ppb		99
25) Benzo (k) fluoranthene	12.55	252	1029810	43.39875	ppb	#	85
26) Benzo (a) pyrene	13.09	252	1003811	46.19453	ppb	#	97
27) Dibenz (a,h) anthracene	14.72	278	901711	45.25262	ppb		96
28) Benzo (g,h,i) perylene	15.04	276	917218	45.43228	ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L009.D Vial: 9
Acq On : 26 Mar 19 12:08 Operator: MA
Sample : 50 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 12:40 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L010.D Vial: 10
Acq On : 26 Mar 19 12:30 Operator: MA
Sample : 100 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 13:47 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	32479	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	15565	2.50000	ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	27637	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.82	240	38239	2.50000	ppb		0.02
23) Perylene-D12(IS)	13.17	264	38545	2.50000	ppb		0.01
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.10	82	272771	44.44570	ppb		-0.02
Spiked Amount 5.000			Recovery = 888.920%				
4) 2-Methylnaphthalene-D10 (2	4.73	152	777276	46.28122	ppb		0.00
Spiked Amount 5.000			Recovery = 925.620%				
8) Surrogate Recovery (FBP)	5.20	172	495434	41.91347	ppb		-0.01
Spiked Amount 5.000			Recovery = 838.260%				
15) Fluoranthene-D10 (FRT)	9.09	212	1034959	46.13577	ppb		0.00
Spiked Amount 5.000			Recovery = 922.720%				
19) Surrogate Recovery (TPH)	9.58	244	598059	43.97719	ppb		0.00
Spiked Amount 5.000			Recovery = 879.540%				
Target Compounds							Qvalue
3) Naphthalene	3.96	128	1458290	86.95172	ppb		99
5) 2-Methylnaphthalene	4.77	142	841432	84.37826	ppb		100
6) 1-Methylnaphthalene	4.89	142	836950	81.71899	ppb		93
9) Acenaphthylene	5.81	152	3029044	84.50567	ppb		99
10) Acenaphthene	6.01	154	728333	73.31651	ppb		92
11) Fluorene	6.62	166	977411	82.08923	ppb		98
13) Phenanthrene	7.74	178	1281823	79.94928	ppb		99
14) Anthracene	7.80	178	1233503	78.23844	ppb		99
16) Fluoranthene	9.12	202	2109540	81.23134	ppb	#	89
18) Pyrene	9.38	202	2180307	87.28404	ppb		96
20) Benz (a) anthracene	10.80	228	2005960	92.11857	ppb		98
21) Chrysene	10.86	228	1765953	84.85838	ppb	#	96
22) Indeno (1,2,3-cd) pyrene	14.73	276	2046970	94.83293	ppb	#	92
24) Benzo (b) fluoranthene	12.52	252	1994752	95.70774	ppb		99
25) Benzo (k) fluoranthene	12.59	252	1848388	82.90143	ppb	#	85
26) Benzo (a) pyrene	13.11	252	1845710	90.39635	ppb		98
27) Dibenz (a,h) anthracene	14.75	278	1624819	86.78209	ppb		100
28) Benzo (g,h,i) perylene	15.08	276	1672824	88.18424	ppb	#	87


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L010.D Vial: 10
Acq On : 26 Mar 19 12:30 Operator: MA
Sample : 100 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 13:47 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L012.D Vial: 12
Acq On : 26 Mar 19 15:55 Operator: MA
Sample : 0.2 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 16:21 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	48893	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	22990	2.50000	ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	39076	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.79	240	57596	2.50000	ppb		0.00
23) Perylene-D12(IS)	13.16	264	55456	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.16	82	768	0.08673	ppb		0.04
Spiked Amount 5.000			Recovery = 1.740%				
4) 2-Methylnaphthalene-D10 (2	4.76	152	2284	0.08927	ppb		0.02
Spiked Amount 5.000			Recovery = 1.780%				
8) Surrogate Recovery (FBP)	5.23	172	1525	0.08934	ppb		0.01
Spiked Amount 5.000			Recovery = 1.780%				
15) Fluoranthene-D10 (FRT)	9.10	212	2862	0.08813	ppb		0.01
Spiked Amount 5.000			Recovery = 1.760%				
19) Surrogate Recovery (TPH)	9.59	244	1762	0.08457	ppb		0.01
Spiked Amount 5.000			Recovery = 1.700%				
Target Compounds							Qvalue
3) Naphthalene	3.96	128	5503	0.21825	ppb		98
5) 2-Methylnaphthalene	4.78	142	2989	0.19863	ppb		98
6) 1-Methylnaphthalene	4.89	142	3356	0.21862	ppb		97
9) Acenaphthylene	5.82	152	10502	0.19841	ppb		100
10) Acenaphthene	6.01	154	3004	0.20647	ppb		96
11) Fluorene	6.63	166	3457	0.19696	ppb		96
13) Phenanthrene	7.73	178	4828	0.20973	ppb		97
14) Anthracene	7.80	178	4438	0.19743	ppb		98
16) Fluoranthene	9.12	202	7726	0.20526	ppb	#	95
18) Pyrene	9.38	202	7961	0.20588	ppb		93
20) Benz (a) anthracene	10.78	228	6119	0.18540	ppb		97
21) Chrysene	10.84	228	7299	0.22752	ppb		99
22) Indeno (1,2,3-cd) pyrene	14.70	276	7062	0.17330	ppb	#	92
24) Benzo (b) fluoranthene	12.51	252	5643	0.19039	ppb		99
25) Benzo (k) fluoranthene	12.55	252	6638	0.19712	ppb	#	84
26) Benzo (a) pyrene	13.08	252	6073	0.18974	ppb	#	94
27) Dibenz (a,h) anthracene	14.72	278	5632	0.16786	ppb	#	91
28) Benzo (g,h,i) perylene	15.05	276	5883	0.17144	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L012.D Vial: 12
Acq On : 26 Mar 19 15:55 Operator: MA
Sample : 0.2 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 16:21 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L013.D Vial: 13
Acq On : 26 Mar 19 17:05 Operator: MA
Sample : 0.1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 17:22 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Tue Mar 26 11:52:44 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.95	136	33055	2.50000 ppb		0.01
7) Acenaphthene-D10(IS)	5.98	164	15242	2.50000 ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	26118	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	37102	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.16	264	35689	2.50000 ppb		0.00
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.16	82	174	0.02974 ppb		0.04
Spiked Amount 5.000			Recovery =	0.600%		
4) 2-Methylnaphthalene-D10 (2	4.77	152	917	0.05892 ppb		0.04
Spiked Amount 5.000			Recovery =	1.180%		
8) Surrogate Recovery (FBP)	5.24	172	525	0.04808 ppb		0.02
Spiked Amount 5.000			Recovery =	0.960%		
15) Fluoranthene-D10 (FRT)	9.11	212	993	0.05233 ppb		0.02
Spiked Amount 5.000			Recovery =	1.040%		
19) Surrogate Recovery (TPH)	9.59	244	603	0.04940 ppb		0.01
Spiked Amount 5.000			Recovery =	0.980%		
Target Compounds						Qvalue
3) Naphthalene	3.97	128	2021	0.12117 ppb		98
5) 2-Methylnaphthalene	4.79	142	966	0.09635 ppb		93
6) 1-Methylnaphthalene	4.90	142	1309	0.12868 ppb		97
9) Acenaphthylene	5.83	152	3597	0.10503 ppb		100
10) Acenaphthene	6.01	154	1094	0.11148 ppb		97
11) Fluorene	6.64	166	1352	0.11705 ppb		98
13) Phenanthrene	7.74	178	1679	0.11386 ppb		98
14) Anthracene	7.81	178	1552	0.10652 ppb		99
16) Fluoranthene	9.13	202	2650	0.11360 ppb	#	94
18) Pyrene	9.39	202	2818	0.12170 ppb	#	94
20) Benz (a) anthracene	10.79	228	2097	0.10234 ppb		97
21) Chrysene	10.84	228	2513	0.12734 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.73	276	2499	0.12209 ppb	#	81
24) Benzo (b) fluoranthene	12.52	252	1653	0.08620 ppb		97
25) Benzo (k) fluoranthene	12.58	252	2393	0.12113 ppb	#	82
26) Benzo (a) pyrene	13.09	252	1774	0.09605 ppb		98
27) Dibenz (a,h) anthracene	14.74	278	1986	0.11611 ppb	#	91
28) Benzo (g,h,i) perylene	15.09	276	2096	0.12108 ppb		92


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L013.D Vial: 13
Acq On : 26 Mar 19 17:05 Operator: MA
Sample : 0.1 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 26 17:22 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 03/26/19
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0326L014.D

		Compound	MEAN	CCRF	%D		%Drift
1	TM	Naphthalene	1.314	1.344	2.3	TM	
2	TM	2-Methylnaphthalene	0.7409	0.8066	8.9	TM	
3	TM	1-Methylnaphthalene	0.8188	0.8287	1.2	TM	
4	TM	Acenaphthylene	5.655	5.927	4.8	TM	
5	*TM	Acenaphthene	1.491	1.500	0.63	*TM	
6	TM	Fluorene	1.867	1.894	1.4	TM	
7	TM	Phenanthrene	1.453	1.496	2.9	TM	
8	TM	Anthracene	1.396	1.451	4.0	TM	
9	*TM	Fluoranthene	2.417	2.498	3.4	*TM	
10	TM	Pyrene	1.692	1.717	1.5	TM	
11	TM	Benz (a) anthracene	1.385	1.403	1.3	TM	
12	TM	Chrysene	1.409	1.442	2.3	TM	
13	TM	Indeno (1,2,3-cd) pyrene	1.476	1.465	0.75	TM	
14	TM	Benzo (b) fluoranthene	1.293	1.413	9.3	TM	
15	TM	Benzo (k) fluoranthene	1.467	1.533	4.5	TM	
16	*TM	Benzo (a) pyrene	1.312	1.326	1.1	*TM	
17	TM	Dibenz (a,h) anthracene	1.222	1.285	5.1	TM	
18	TM	Benzo (g,h,i) perylene	1.254	1.309	4.4	TM	
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
		Average			3.3		

PAH by GCMS SIM
EPA 8270 SIM

Form 7

Second Source Calibration

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190326\0326L014.D Vial: 14
Acq On : 26 Mar 19 17:27 Operator: MA
Sample : SS SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 27 9:04 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	37593	2.50000	ppb		0.00
7) Acenaphthene-D10(IS)	5.98	164	17018	2.50000	ppb		0.00
12) Phenanthrene-D10(IS)	7.70	188	29145	2.50000	ppb		0.00
17) Chrysene-D12(IS)	10.79	240	42587	2.50000	ppb		0.00
23) Perylene-D12(IS)	13.16	264	40320	2.50000	ppb		0.00
System Monitoring Compounds							
2) Surrogate Recovery (NBZ)	3.15	82	89	0.01327	ppb		0.02
Spiked Amount 5.000			Recovery =	0.260%			
4) 2-Methylnaphthalene-D10 (2	4.74	152	61	0.00300	ppb		0.01
Spiked Amount 5.000			Recovery =	0.060%			
8) Surrogate Recovery (FBP)	5.26	172	21	0.00168	ppb		0.05
Spiked Amount 5.000			Recovery =	0.040%			
15) Fluoranthene-D10 (FRT)	9.09	212	62	0.00249	ppb		0.00
Spiked Amount 5.000			Recovery =	0.040%			
19) Surrogate Recovery (TPH)	9.60	244	51	0.00338	ppb		0.02
Spiked Amount 5.000			Recovery =	0.060%			
Target Compounds							Qvalue
3) Naphthalene	3.96	128	101084	5.11703	ppb		100
5) 2-Methylnaphthalene	4.77	142	60648	5.44385	ppb		98
6) 1-Methylnaphthalene	4.88	142	62305	5.06007	ppb		99
9) Acenaphthylene	5.81	152	201720	5.24063	ppb		99
10) Acenaphthene	6.01	154	51069	5.03134	ppb		100
11) Fluorene	6.62	166	64459	5.07138	ppb		99
13) Phenanthrene	7.73	178	87187	5.14639	ppb		100
14) Anthracene	7.79	178	84584	5.19763	ppb		100
16) Fluoranthene	9.11	202	145598	5.16794	ppb		98
18) Pyrene	9.36	202	146253	5.07448	ppb		99
20) Benz (a) anthracene	10.78	228	119541	5.06587	ppb		98
21) Chrysene	10.83	228	122783	5.11679	ppb		99
22) Indeno (1,2,3-cd) pyrene	14.66	276	124805	4.96230	ppb		98
24) Benzo (b) fluoranthene	12.47	252	113984	5.46678	ppb	#	96
25) Benzo (k) fluoranthene	12.52	252	123617	5.22426	ppb	#	84
26) Benzo (a) pyrene	13.05	252	106932	5.05468	ppb	#	94
27) Dibenz (a,h) anthracene	14.70	278	103583	5.25425	ppb		99
28) Benzo (g,h,i) perylene	15.01	276	105592	5.22057	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190326\0326L014.D Vial: 14
Acq On : 26 Mar 19 17:27 Operator: MA
Sample : SS SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: Mar 27 9:04 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190326\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Wed Mar 27 09:03:54 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 2 May 19 10:54
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0426L030.D

		Compound	MEAN	CCRF	%D	%Drift	
1	I	Napthalene-D8(IS)	ISTD			I	
2	S	Surrogate Recovery (NBZ)	0.4460	0.4371	2.0	S	
3	TM	Naphthalene	1.314	1.250	4.9	TM	
4	S	2-Methylnaphthalene-D10 (2MN)	1.354	1.222	9.7	S	
5	TM	2-Methylnaphthalene	0.7409	0.6941	6.3	TM	
6	TM	1-Methylnaphthalene	0.8188	0.7371	10.0	TM	
7	I	Acenaphthene-D10(IS)	ISTD			I	
8	S	Surrogate Recovery (FBP)	1.840	1.923	4.5	S	
9	TM	Acenaphthylene	5.655	5.281	6.6	TM	
10	*TM	Acenaphthene	1.491	1.527	2.4	*TM	
11	TM	Fluorene	1.867	1.917	2.6	TM	
12	I	Phenanthrene-D10(IS)	ISTD			I	
13	TM	Phenanthrene	1.453	1.470	1.2	TM	
14	TM	Anthracene	1.396	1.517	8.6	TM	
15	S	Fluoranthene-D10 (FRT)	2.138	2.178	1.9	S	
16	*TM	Fluoranthene	2.417	2.499	3.4	*TM	
17	I	Chrysene-D12(IS)	ISTD			I	
18	TM	Pyrene	1.692	1.690	0.11	TM	
19	S	Surrogate Recovery (TPH)	0.8859	0.8568	3.3	S	
20	TM	Benz (a) anthracene	1.385	1.189	14	TM	
21	TM	Chrysene	1.409	1.473	4.6	TM	
22	TM	Indeno (1,2,3-cd) pyrene	1.476	1.396	5.4	TM	
23	I	Perylene-D12(IS)	ISTD			I	
24	TM	Benzo (b) fluoranthene	1.293	1.336	3.3	TM	
25	TM	Benzo (k) fluoranthene	1.467	1.808	23	TM	*NT HA 5/8/19
26	*TM	Benzo (a) pyrene	1.312	1.325	1.0	*TM	
27	TM	Dibenz (a,h) anthracene	1.222	1.364	12	TM	
28	TM	Benzo (g,h,i) perylene	1.254	1.329	6.0	TM	
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			5.9		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L030.D Vial: 30
Acq On : 2 May 19 10:54 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: May 2 11:23 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	45570	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	18053	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.70	188	28703	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	43875	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.18	264	36594	2.50000 ppb		0.02
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.15	82	19917	2.44971 ppb		0.02
Spiked Amount 5.000			Recovery	= 49.000%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	55699	2.25750 ppb		0.00
Spiked Amount 5.000			Recovery	= 45.160%		
8) Surrogate Recovery (FBP)	5.22	172	34715	2.61209 ppb		0.00
Spiked Amount 5.000			Recovery	= 52.240%		
15) Fluoranthene-D10 (FRT)	9.08	212	62519	2.54704 ppb		-0.01
Spiked Amount 5.000			Recovery	= 50.940%		
19) Surrogate Recovery (TPH)	9.57	244	37591	2.41784 ppb		-0.01
Spiked Amount 5.000			Recovery	= 48.360%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	113888	4.75600 ppb		100
5) 2-Methylnaphthalene	4.77	142	63260	4.68432 ppb		100
6) 1-Methylnaphthalene	4.88	142	67181	4.50099 ppb		96
9) Acenaphthylene	5.81	152	190681	4.66983 ppb		99
10) Acenaphthene	6.00	154	55140	5.12097 ppb		96
11) Fluorene	6.62	166	69199	5.13217 ppb		98
13) Phenanthrene	7.73	178	84389	5.05794 ppb		99
14) Anthracene	7.79	178	87065	5.43247 ppb		99
16) Fluoranthene	9.10	202	143463	5.17057 ppb	#	79
18) Pyrene	9.36	202	148298	4.99438 ppb		91
20) Benz (a) anthracene	10.78	228	104301	4.29028 ppb		99
21) Chrysene	10.83	228	129286	5.22963 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.68	276	122536	4.72906 ppb	#	77
24) Benzo (b) fluoranthene	12.48	252	97766	5.16638 ppb		97
25) Benzo (k) fluoranthene	12.53	252	132349	6.16280 ppb		98
26) Benzo (a) pyrene	13.09	252	96988	5.05143 ppb	#	95
27) Dibenz (a,h) anthracene	14.71	278	99841	5.58009 ppb	#	92
28) Benzo (g,h,i) perylene	15.04	276	97275	5.29906 ppb		93


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L030.D Vial: 30
Acq On : 2 May 19 10:54 Operator: MA
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: May 2 11:23 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



PAH by GCMS SIM
EPA 8270 SIM

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Date Analyzed: 2 May 19 21:03
Instrument: Linus
Initial Cal. Date: 03/26/19
Data File: 0426L054.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	Napthalene-D8(IS)	ISTD			I	
2	S	Surrogate Recovery (NBZ)	0.4460	0.4597	3.1	S	
3	TM	Naphthalene	1.314	1.439	9.5	TM	
4	S	2-Methylnaphthalene-D10 (2MN)	1.354	1.222	9.7	S	
5	TM	2-Methylnaphthalene	0.7409	0.7872	6.3	TM	
6	TM	1-Methylnaphthalene	0.8188	0.8347	1.9	TM	
7	I	Acenaphthene-D10(IS)	ISTD			I	
8	S	Surrogate Recovery (FBP)	1.840	1.818	1.2	S	
9	TM	Acenaphthylene	5.655	6.733	19	TM	
10	*TM	Acenaphthene	1.491	1.730	16	*TM	
11	TM	Fluorene	1.867	2.205	18	TM	
12	I	Phenanthrene-D10(IS)	ISTD			I	
13	TM	Phenanthrene	1.453	1.635	13	TM	
14	TM	Anthracene	1.396	1.764	26	TM	
15	S	Fluoranthene-D10 (FRT)	2.138	2.514	18	S	
16	*TM	Fluoranthene	2.417	3.180	32	*TM	
17	I	Chrysene-D12(IS)	ISTD			I	
18	TM	Pyrene	1.692	1.947	15	TM	
19	S	Surrogate Recovery (TPH)	0.8859	0.8608	2.8	S	
20	TM	Benz (a) anthracene	1.385	1.462	5.5	TM	
21	TM	Chrysene	1.409	1.648	17	TM	
22	TM	Indeno (1,2,3-cd) pyrene	1.476	1.672	13	TM	
23	I	Perylene-D12(IS)	ISTD			I	
24	TM	Benzo (b) fluoranthene	1.293	1.244	3.8	TM	
25	TM	Benzo (k) fluoranthene	1.467	1.939	32	TM	
26	*TM	Benzo (a) pyrene	1.312	1.502	15	*TM	
27	TM	Dibenz (a,h) anthracene	1.222	1.378	13	TM	
28	TM	Benzo (g,h,i) perylene	1.254	1.358	8.3	TM	
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
		Average			13.0		

Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L054.D Vial: 54
Acq On : 2 May 19 21:03 Operator: MA,SS
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: May 3 8:50 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2


Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	52891	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	22558	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.70	188	34382	2.50000 ppb		0.00
17) Chrysene-D12(IS)	10.79	240	56026	2.50000 ppb		0.00
23) Perylene-D12(IS)	13.18	264	55890	2.50000 ppb		0.02
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.15	82	24315	2.57669 ppb		0.02
Spiked Amount 5.000			Recovery	= 51.540%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	64641	2.25729 ppb		0.00
Spiked Amount 5.000			Recovery	= 45.140%		
8) Surrogate Recovery (FBP)	5.22	172	41010	2.46950 ppb		0.00
Spiked Amount 5.000			Recovery	= 49.400%		
15) Fluoranthene-D10 (FRT)	9.08	212	86432	2.93964 ppb		-0.01
Spiked Amount 5.000			Recovery	= 58.800%		
19) Surrogate Recovery (TPH)	9.58	244	48225	2.42909 ppb		0.00
Spiked Amount 5.000			Recovery	= 48.580%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	152208	5.47644 ppb		100
5) 2-Methylnaphthalene	4.77	142	83276	5.31294 ppb		99
6) 1-Methylnaphthalene	4.88	142	88293	5.09665 ppb		99
9) Acenaphthylene	5.81	152	303788	5.95405 ppb		99
10) Acenaphthene	6.00	154	78043	5.80054 ppb		91
11) Fluorene	6.62	166	99460	5.90335 ppb		99
13) Phenanthrene	7.73	178	112442	5.62616 ppb		99
14) Anthracene	7.79	178	121315	6.31923 ppb		99
16) Fluoranthene	9.10	202	218682	6.57972 ppb	#	81
18) Pyrene	9.36	202	218147	5.75338 ppb		96
20) Benz (a) anthracene	10.78	228	163787	5.27599 ppb		100
21) Chrysene	10.83	228	184673	5.84992 ppb		98
22) Indeno (1,2,3-cd) pyrene	14.69	276	187350	5.66229 ppb	#	80
24) Benzo (b) fluoranthene	12.48	252	139073	4.81190 ppb		99
25) Benzo (k) fluoranthene	12.53	252	216697	6.60672 ppb		99
26) Benzo (a) pyrene	13.08	252	167895	5.72546 ppb	#	94
27) Dibenz (a,h) anthracene	14.71	278	154047	5.63718 ppb	#	94
28) Benzo (g,h,i) perylene	15.04	276	151766	5.41312 ppb		97

(#) = qualifier out of range (m) = manual integration

Data File : M:\LINUS\DATA\L190426\0426L054.D Vial: 54
Acq On : 2 May 19 21:03 Operator: MA,SS
Sample : 5 SIM 03/06/19 Inst : Linus
Misc : Multiplr: 1.00

Quant Time: May 3 8:50 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



ORGANICS
Raw Data

Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L034.D Vial: 34
Acq On : 2 May 19 13:36 Operator: MA,SS
Sample : AZ90100W21 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:05 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	57934	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	27040	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	48201	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.80	240	69327	2.50000 ppb	0.01
23) Perylene-D12(IS)	13.18	264	66817	2.50000 ppb	0.02
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	787670	95.25571 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1524.096%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	107385	4.27938 ppb	0.00
Spiked Amount 6.250			Recovery	= 68.464%	
8) Surrogate Recovery (FBP)	5.20	172	1142309	71.73107 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1147.696%	
15) Fluoranthene-D10 (FRT)	9.08	212	154106	4.67331 ppb	-0.01
Spiked Amount 6.250			Recovery	= 74.768%	
19) Surrogate Recovery (TPH)	9.57	244	1217201	61.93425 ppb	-0.01
Spiked Amount 6.250			Recovery	= 990.944%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L034.D Vial: 34
Acq On : 2 May 19 13:36 Operator: MA,SS
Sample : AZ90100W21 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:05 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L035.D Vial: 35
Acq On : 2 May 19 13:58 Operator: MA,SS
Sample : AZ90102W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:07 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Napthalene-D8(IS)	3.92	136	59074	2.50000	ppb	-0.01
7) Acenaphthene-D10(IS)	5.96	164	24673	2.50000	ppb	-0.01
12) Phenanthrene-D10(IS)	7.69	188	47103	2.50000	ppb	-0.01
17) Chrysene-D12(IS)	10.79	240	68499	2.50000	ppb	0.00
23) Perylene-D12(IS)	13.17	264	65571	2.50000	ppb	0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.10	82	757082	89.78975	ppb	-0.02
Spiked Amount 6.250			Recovery	= 1436.640%		
4) 2-Methylnaphthalene-D10 (2	4.72	152	113376	4.43093	ppb	-0.01
Spiked Amount 6.250			Recovery	= 70.896%		
8) Surrogate Recovery (FBP)	5.20	172	1088114	74.88293	ppb	-0.01
Spiked Amount 6.250			Recovery	= 1198.128%		
15) Fluoranthene-D10 (FRT)	9.08	212	132879	4.12352	ppb	-0.01
Spiked Amount 6.250			Recovery	= 65.984%		
19) Surrogate Recovery (TPH)	9.57	244	899351	46.31439	ppb	-0.01
Spiked Amount 6.250			Recovery	= 741.024%		
Target Compounds						Qvalue
3) Naphthalene	3.95	128	690846	27.81874	ppb	96
5) 2-Methylnaphthalene	4.76	142	110506	7.89035	ppb	99
6) 1-Methylnaphthalene	4.87	142	138965	8.97759	ppb	99
10) Acenaphthene	6.00	154	3810	0.32363	ppb	92
11) Fluorene	6.60	166	3076	0.20865	ppb	91


(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L035.D Vial: 35
Acq On : 2 May 19 13:58 Operator: MA,SS
Sample : AZ90102W22 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:07 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration







#3
Naphthalene
Concen: 27.81874 ppb
RT: 3.95 min Scan# 201
Delta R.T. -0.01 min
Lab File: 0426L035.D
Acq: 2 May 19 13:58

Tgt Ion:128 Resp: 690846

Ion	Ratio	Lower	Upper
128	100		
129	13.1	7.6	14.2
127	13.5	9.0	16.6







#5
2-Methylnaphthalene
Concen: 7.89035 ppb
RT: 4.76 min Scan# 268
Delta R.T. -0.01 min
Lab File: 0426L035.D
Acq: 2 May 19 13:58

Tgt Ion:142 Resp: 110506

Ion	Ratio	Lower	Upper
142	100		
141	87.0	60.1	111.5







#6
1-Methylnaphthalene
Concen: 8.97759 ppb
RT: 4.87 min Scan# 277
Delta R.T. -0.01 min
Lab File: 0426L035.D
Acq: 2 May 19 13:58

Tgt Ion:142 Resp: 138965

Ion	Ratio	Lower	Upper
142	100		
141	92.3	64.3	119.3







#10
Acenaphthene
Concen: 0.32363 ppb
RT: 6.00 min Scan# 371
Delta R.T. -0.01 min
Lab File: 0426L035.D
Acq: 2 May 19 13:58

Tgt Ion:154 Resp: 3810

Ion	Ratio	Lower	Upper
154	100		
153	111.7	74.1	137.7
152	118.7	75.1	139.5






#11
Fluorene
Concen: 0.20865 ppb
RT: 6.60 min Scan# 421
Delta R.T. -0.01 min
Lab File: 0426L035.D
Acq: 2 May 19 13:58

Tgt Ion:166 Resp: 3076

Ion	Ratio	Lower	Upper
166	100		
165	99.4	63.5	117.9



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L036.D Vial: 36
Acq On : 2 May 19 14:20 Operator: MA,SS
Sample : AZ90103W08 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:11 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.92	136	59008	2.50000 ppb	-0.01
7) Acenaphthene-D10(IS)	5.96	164	24116	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.69	188	45531	2.50000 ppb	-0.01
17) Chrysene-D12(IS)	10.79	240	68691	2.50000 ppb	0.00
23) Perylene-D12(IS)	13.17	264	66904	2.50000 ppb	0.01
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	751985	89.28500 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1428.560%	
4) 2-Methylnaphthalene-D10 (2	4.72	152	107741	4.21542 ppb	-0.01
Spiked Amount 6.250			Recovery	= 67.440%	
8) Surrogate Recovery (FBP)	5.20	172	1021087	71.89321 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1150.288%	
15) Fluoranthene-D10 (FRT)	9.08	212	129270	4.15003 ppb	-0.01
Spiked Amount 6.250			Recovery	= 66.400%	
19) Surrogate Recovery (TPH)	9.57	244	723840	37.17181 ppb	-0.01
Spiked Amount 6.250			Recovery	= 594.752%	
Target Compounds					Qvalue
3) Naphthalene	3.95	128	651445	26.26149 ppb	96
5) 2-Methylnaphthalene	4.76	142	102939	7.35827 ppb	98
6) 1-Methylnaphthalene	4.88	142	135264	8.74827 ppb	95
10) Acenaphthene	6.00	154	3509	0.30495 ppb	90
11) Fluorene	6.60	166	3225	0.22381 ppb	86


(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L036.D Vial: 36
Acq On : 2 May 19 14:20 Operator: MA,SS
Sample : AZ90103W08 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:11 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration







#3
Naphthalene
Concen: 26.26149 ppb
RT: 3.95 min Scan# 201
Delta R.T. -0.01 min
Lab File: 0426L036.D
Acq: 2 May 19 14:20

Tgt Ion:128 Resp: 651445

Ion	Ratio	Lower	Upper
128	100		
129	13.1	7.6	14.2
127	13.5	9.0	16.6







#5
2-Methylnaphthalene
Concen: 7.35827 ppb
RT: 4.76 min Scan# 268
Delta R.T. -0.01 min
Lab File: 0426L036.D
Acq: 2 May 19 14:20

Tgt Ion:142 Resp: 102939

Ion	Ratio	Lower	Upper
142	100		
141	87.4	60.1	111.5







#6
1-Methylnaphthalene
Concen: 8.74827 ppb
RT: 4.88 min Scan# 278
Delta R.T. 0.00 min
Lab File: 0426L036.D
Acq: 2 May 19 14:20

Tgt Ion:142 Resp: 135264

Ion	Ratio	Lower	Upper
142	100		
141	87.1	64.3	119.3







#10
Acenaphthene
Concen: 0.30495 ppb
RT: 6.00 min Scan# 371
Delta R.T. -0.01 min
Lab File: 0426L036.D
Acq: 2 May 19 14:20

Tgt Ion:154 Resp: 3509

Ion	Ratio	Lower	Upper
154	100		
153	115.4	74.1	137.7
152	118.0	75.1	139.5






#11
Fluorene
Concen: 0.22381 ppb
RT: 6.60 min Scan# 421
Delta R.T. -0.01 min
Lab File: 0426L036.D
Acq: 2 May 19 14:20

Tgt Ion:166 Resp: 3225

Ion	Ratio	Lower	Upper
166	100		
165	104.1	63.5	117.9



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L037.D Vial: 37
Acq On : 2 May 19 14:43 Operator: MA,SS
Sample : AZ90105W21 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:22 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	61475	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	26582	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	47174	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.80	240	67598	2.50000 ppb	0.01
23) Perylene-D12(IS)	13.17	264	64757	2.50000 ppb	0.01
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	632084	72.03715 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1152.592%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	95214	3.57579 ppb	0.00
Spiked Amount 6.250			Recovery	= 57.216%	
8) Surrogate Recovery (FBP)	5.20	172	936114	59.79591 ppb	-0.01
Spiked Amount 6.250			Recovery	= 956.736%	
15) Fluoranthene-D10 (FRT)	9.08	212	117156	3.63013 ppb	-0.01
Spiked Amount 6.250			Recovery	= 58.080%	
19) Surrogate Recovery (TPH)	9.57	244	932053	48.63823 ppb	-0.01
Spiked Amount 6.250			Recovery	= 778.208%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L037.D Vial: 37
Acq On : 2 May 19 14:43 Operator: MA,SS
Sample : AZ90105W21 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:22 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L038.D Vial: 38
Acq On : 2 May 19 15:05 Operator: MA,SS
Sample : AZ90107W18 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:13 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	60041	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	25621	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	45813	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.80	240	65038	2.50000 ppb	0.01
23) Perylene-D12(IS)	13.18	264	65063	2.50000 ppb	0.02
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	754980	88.09835 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1409.568%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	115203	4.42982 ppb	0.00
Spiked Amount 6.250			Recovery	= 70.880%	
8) Surrogate Recovery (FBP)	5.20	172	1112700	73.74158 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1179.872%	
15) Fluoranthene-D10 (FRT)	9.08	212	140306	4.47660 ppb	-0.01
Spiked Amount 6.250			Recovery	= 71.632%	
19) Surrogate Recovery (TPH)	9.57	244	1279576	69.40166 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1110.432%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L038.D Vial: 38
Acq On : 2 May 19 15:05 Operator: MA,SS
Sample : AZ90107W18 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:13 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L039.D Vial: 39
Acq On : 2 May 19 15:27 Operator: MA,SS
Sample : AZ90109W21 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:14 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	60884	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	25643	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	43273	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.80	240	57967	2.50000 ppb	0.01
23) Perylene-D12(IS)	13.18	264	59099	2.50000 ppb	0.02
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	761288	87.60443 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1401.664%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	117749	4.46503 ppb	0.00
Spiked Amount 6.250			Recovery	= 71.440%	
8) Surrogate Recovery (FBP)	5.20	172	1072023	70.98485 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1135.760%	
15) Fluoranthene-D10 (FRT)	9.09	212	155735	5.26054 ppb	0.00
Spiked Amount 6.250			Recovery	= 84.176%	
19) Surrogate Recovery (TPH)	9.57	244	1208271	73.52829 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1176.448%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L039.D Vial: 39
Acq On : 2 May 19 15:27 Operator: MA,SS
Sample : AZ90109W21 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:14 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L031.D Vial: 31
Acq On : 2 May 19 12:16 Operator: MA
Sample : 190430A BLK 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 14:20 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Napthalene-D8(IS)	3.94	136	66235	2.50000 ppb	0.00
7) Acenaphthene-D10(IS)	5.96	164	26500	2.50000 ppb	-0.01
12) Phenanthrene-D10(IS)	7.70	188	46178	2.50000 ppb	0.00
17) Chrysene-D12(IS)	10.80	240	70364	2.50000 ppb	0.01
23) Perylene-D12(IS)	13.20	264	60724	2.50000 ppb	0.03
System Monitoring Compounds					
2) Surrogate Recovery (NBZ)	3.10	82	775785	82.06048 ppb	-0.02
Spiked Amount 6.250			Recovery	= 1312.960%	
4) 2-Methylnaphthalene-D10 (2	4.73	152	110144	3.83923 ppb	0.00
Spiked Amount 6.250			Recovery	= 61.424%	
8) Surrogate Recovery (FBP)	5.20	172	1108583	71.03179 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1136.512%	
15) Fluoranthene-D10 (FRT)	9.09	212	153492	4.85860 ppb	0.00
Spiked Amount 6.250			Recovery	= 77.744%	
19) Surrogate Recovery (TPH)	9.57	244	1282491	64.29464 ppb	-0.01
Spiked Amount 6.250			Recovery	= 1028.720%	

Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L031.D Vial: 31
Acq On : 2 May 19 12:16 Operator: MA
Sample : 190430A BLK 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 14:20 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L032.D Vial: 32
Acq On : 2 May 19 12:39 Operator: MA
Sample : 190430A LCS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:03 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	66824	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	27543	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	47183	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	69956	2.50000 ppb		-0.01
23) Perylene-D12(IS)	13.17	264	64347	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	0.00	82	0	0.00000 ppb		
Spiked Amount 6.250			Recovery	= 0.000%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	109489	3.78276 ppb		0.00
Spiked Amount 6.250			Recovery	= 60.528%		
8) Surrogate Recovery (FBP)	5.23	172	1645	0.10141 ppb		0.01
Spiked Amount 6.250			Recovery	= 1.616%		
15) Fluoranthene-D10 (FRT)	9.08	212	147601	4.57261 ppb		-0.01
Spiked Amount 6.250			Recovery	= 73.168%		
19) Surrogate Recovery (TPH)	9.58	244	2975	0.15001 ppb		0.00
Spiked Amount 6.250			Recovery	= 2.400%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	108791	3.87269 ppb		99
5) 2-Methylnaphthalene	4.77	142	64535	4.07352 ppb		99
6) 1-Methylnaphthalene	4.88	142	65794	3.75755 ppb		97
9) Acenaphthylene	5.81	152	210541	4.22453 ppb		100
10) Acenaphthene	6.00	154	58172	4.42637 ppb		99
11) Fluorene	6.60	166	75364	4.57945 ppb		94
13) Phenanthrene	7.71	178	95481	4.35167 ppb		97
14) Anthracene	7.79	178	89280	4.23604 ppb		99
16) Fluoranthene	9.10	202	160222	4.39109 ppb	#	89
18) Pyrene	9.36	202	161544	4.26520 ppb		98
20) Benz (a) anthracene	10.77	228	124931	4.02874 ppb		98
21) Chrysene	10.83	228	130832	4.14892 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.69	276	130097	3.93623 ppb	#	78
24) Benzo (b) fluoranthene	12.48	252	98710	3.70810 ppb		99
25) Benzo (k) fluoranthene	12.53	252	154328	5.10850 ppb		99
26) Benzo (a) pyrene	13.08	252	108546	4.01885 ppb	#	95
27) Dibenz (a,h) anthracene	14.71	278	106593	4.23500 ppb	#	93
28) Benzo (g,h,i) perylene	15.04	276	106789	4.13538 ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L032.D Vial: 32
Acq On : 2 May 19 12:39 Operator: MA
Sample : 190430A LCS-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:03 2019 Quant Results File: L0326.RES

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\LINUS\DATA\L190426\0426L033.D Vial: 33
Acq On : 2 May 19 13:01 Operator: MA
Sample : 190430A LCSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:03 2019 Quant Results File: L0326.RES

Quant Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration
DataAcq Meth : SIM_2

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) Napthalene-D8(IS)	3.94	136	62257	2.50000 ppb		0.00
7) Acenaphthene-D10(IS)	5.96	164	24694	2.50000 ppb		-0.01
12) Phenanthrene-D10(IS)	7.69	188	47014	2.50000 ppb		-0.01
17) Chrysene-D12(IS)	10.78	240	67213	2.50000 ppb		-0.01
23) Perylene-D12(IS)	13.17	264	65915	2.50000 ppb		0.01
System Monitoring Compounds						
2) Surrogate Recovery (NBZ)	3.10	82	21	0.00236 ppb		-0.02
Spiked Amount 6.250			Recovery	= 0.032%		
4) 2-Methylnaphthalene-D10 (2	4.73	152	108869	4.03726 ppb		0.00
Spiked Amount 6.250			Recovery	= 64.592%		
8) Surrogate Recovery (FBP)	5.22	172	57	0.00392 ppb		0.00
Spiked Amount 6.250			Recovery	= 0.064%		
15) Fluoranthene-D10 (FRT)	9.08	212	145464	4.52261 ppb		-0.01
Spiked Amount 6.250			Recovery	= 72.368%		
19) Surrogate Recovery (TPH)	9.60	244	183	0.00960 ppb		0.02
Spiked Amount 6.250			Recovery	= 0.160%		
Target Compounds						Qvalue
3) Naphthalene	3.96	128	111857	4.27393 ppb		99
5) 2-Methylnaphthalene	4.77	142	63946	4.33243 ppb		97
6) 1-Methylnaphthalene	4.88	142	64789	3.97158 ppb		95
9) Acenaphthylene	5.81	152	200847	4.49497 ppb		99
10) Acenaphthene	6.00	154	53185	4.51380 ppb		97
11) Fluorene	6.60	166	72947	4.94398 ppb		95
13) Phenanthrene	7.71	178	93925	4.29614 ppb		98
14) Anthracene	7.79	178	89089	4.24217 ppb		100
16) Fluoranthene	9.10	202	157943	4.34419 ppb	#	89
18) Pyrene	9.36	202	159554	4.38458 ppb		99
20) Benz (a) anthracene	10.77	228	126136	4.23360 ppb		98
21) Chrysene	10.83	228	125427	4.13984 ppb		99
22) Indeno (1,2,3-cd) pyrene	14.68	276	129675	4.08358 ppb	#	77
24) Benzo (b) fluoranthene	12.48	252	101021	3.70464 ppb		100
25) Benzo (k) fluoranthene	12.53	252	148368	4.79439 ppb		98
26) Benzo (a) pyrene	13.08	252	108084	3.90655 ppb	#	95
27) Dibenz (a,h) anthracene	14.71	278	105877	4.10648 ppb	#	93
28) Benzo (g,h,i) perylene	15.04	276	105799	3.99959 ppb		95


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\LINUS\DATA\L190426\0426L033.D Vial: 33
Acq On : 2 May 19 13:01 Operator: MA
Sample : 190430A LCSD-2 1/800 Inst : Linus
Misc : Multiplr: 1.25

Quant Time: May 2 16:03 2019 Quant Results File: L0326.RES


Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270
Last Update : Mon Apr 15 10:16:53 2019
Response via : Initial Calibration



DFTPP

Data File : M:\LINUS\DATA\L190326\0326L002.D Vial: 2
Acq On : 26 Mar 19 9:39 Operator: MA
Sample : SV Tune 10/11/18 Inst : Linus
Misc : Multiplr: 1.00

Method : M:\LINUS\DATA\L190326\L0122.M (RTE Integrator)
Title : EPA 8270



AutoFind: Scans 1511, 1512, 1513; Background Corrected with Scan 1501

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	45.8	129276	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.4	622	PASS
127	198	10	80	61.0	172437	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	282517	PASS
199	198	5	9	6.0	17040	PASS
275	198	10	60	18.6	52443	PASS
365	198	1	100	2.2	6254	PASS
441	442	0.01	24	14.3	31867	PASS
442	198	50	150	78.8	222613	PASS
443	442	15	24	19.8	44029	PASS


Data File Name:	**0326L002.D**
Data File Path:	**M:\LINUS\DATA\L190326**
Operator:	**MA**
Date Acquired:	**26 Mar 2019 09:39**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 10/11/18**
Vial Number:	**2**
Instrument Name:	**Linus**

#	Name	Ret Time	Target Response
1)	DDT	7.88	26061300
2)	DDD	7.65	254374
3)	DDE	7.70	0

Breakdown **0.97**

Data File : M:\LINUS\DATA\L190426\0426L029.D Vial: 29
Acq On : 2 May 19 10:38 Operator: MA
Sample : SV Tune 10/11/18 Inst : Linus
Misc : Multiplr: 1.00

Method : M:\LINUS\DATA\L190426\L0326.M (RTE Integrator)
Title : EPA 8270



AutoFind: Scans 1506, 1507, 1508; Background Corrected with Scan 1497

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
51	198	10	80	61.6	234562	PASS
68	69	0.00	2	0.0	0	PASS
70	69	0.00	2	0.5	1224	PASS
127	198	10	80	66.1	251541	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	380693	PASS
199	198	5	9	6.8	25973	PASS
275	198	10	60	21.5	82029	PASS
365	198	1	100	2.9	10974	PASS
441	442	0.01	24	18.3	48709	PASS
442	198	50	150	70.0	266389	PASS
443	442	15	24	19.0	50637	PASS

Data File Name:	**0426L029.D**
Data File Path:	**M:\LINUS\DATA\L190426**
Operator:	**MA**
Date Acquired:	**2 May 19 10:38**
Method File:	**DFTPP2.M**
Sample Name:	**SV Tune 10/11/18**
Vial Number:	**29**
Instrument Name:	**Linus**

#	Name	Ret Time	Target Response
1)	DDT	7.88	38039600
2)	DDD	7.65	1827910
3)	DDE	7.70	156818

Breakdown **4.96**

Name of Final Standard	**Semivolatile (SV) Tuning Solution**	**Prep'd By (Initials)**	**GA**
Prep Date	**10/11/18**		
Exp Date	**09/30/19**		

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Semivolatile GC/MS Tuning Standard	Ultra Scientific	GCM-150-1	1,000 ug/mL	CR3789-38879	**09/30/19**	1,250 uL	25 mL	**MC #56258**	50 ug/mL

Name of Final Standard: **SIM Curve** Prep'd By (Initials): **GA**

Prep Date: **03/06/19**

Exp Date: **06/01/19**

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	03/06/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.1 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	03/06/19	06/01/19	20 uL	100uL	MC 56258 80uL	0.2 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	Phenova	5.0 ug/mL SIM	5.0 ug/mL	03/06/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	APPL	5.0 ug/mL SIM	5.0 ug/mL	03/06/19	06/01/19	20 uL	100uL	MC 56258 80 uL	1.0 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	5 uL	200uL	MC 56258 190 uL	5.0 ug/mL
Sim 2S Surrogate	Restek	SIM 2S SURR	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	2.5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	5 uL	100 uL	MC 56258 90 uL	10 ug/mL
Sim 2S Surrogate	APPL	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	25 uL	100uL	MC 56258 50 uL	50 ug/mL
Sim 2S Surrogate	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	25 uL	*	*	25 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	12/28/18	12/28/19	50 uL	100uL	na	100 ug/mL
Sim 2S Surrogate	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	50 uL	*	*	50 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL

Name of Final Standard: **8270 PAH SIM Second Source** Prep'd By (Initials): **GA**

Prep Date: **03/06/19**

Exp Date: **11/06/19**

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
PAH SIM SS Stock	Phenova	AL0-130490	200 ug/mL	12/28/18	12/28/19	5 uL	200uL	MC 56258 195uL	5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL

Name of Final Standard: **SIM Curve** Prep'd By (Initials): GA

Prep Date: 01/18/19

Exp Date: 06/01/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	01/18/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.1 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
1.0 ug/mL SIM	Phenova	1.0 ug/mL SIM	1.0 ug/mL	01/18/19	06/01/19	20 uL	100uL	MC 56258 80uL	0.2 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	Phenova	5.0 ug/mL SIM	5.0 ug/mL	01/18/19	06/01/19	10 uL	100uL	MC 56258 90uL	0.5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
5.0 ug/mL SIM	APPL	5.0 ug/mL SIM	5.0 ug/mL	01/18/19	06/01/19	20 uL	100uL	MC 56258 80 uL	1.0 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	CL13117-40078	12/28/19	5 uL	200uL	MC 56258 190 uL	5.0 ug/mL
SIM 2S SURROGATE	Restek	SIM 2S SURR	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	5.0 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	CL13117-40078	12/28/19	5 uL	100 uL	MC 56258 90 uL	10 ug/mL
SIM 2S SURROGATE	APPL	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	5 uL	*	*	10 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200	CL13117-40078	12/28/19	25 uL	100uL	MC 56258 50 uL	50 ug/mL
SIM 2S SURROGATE	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	25 uL	*	*	50 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL
PAH SIM STOCK	Phenova	PAH SIM STOCK	200 ug/mL	CL13117-40078	12/28/19	50 uL	100uL	na	100 ug/mL
SIM 2S SURROGATE	Restek	SIM 2S SURROGATE	100 ug/mL	06/07/18	06/01/19	50 uL	*	*	100 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	2 uL	*	*	2.5ug/mL

Name of Final Standard: **8270 PAH SIM Second Source** Prep'd By (Initials): GA

Prep Date: 01/18/19

Exp Date: 06/01/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from container Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
PAH SIM SS Stock	Phenova	AL0-130490	200 ug/mL	CL13121 - 40082	12/28/19	5 uL	200uL	MC 56258 195uL	5 ug/mL
SIM Internal Standard	Restek	SIM Internal Standard	125 ug/mL	11/06/18	11/06/19	4 uL	*	*	2.5ug/mL

Name of Final Standard **SIM 2S Surrogate** **Prep'd By (Initials)** **GA**

Prep Date **06/07/18**
Exp Date **06/01/19**

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
SIM Surrogate Mix	Restek	33913	2000 ug/mL	**A0131716-38553 & 38554**	**06/01/19 06/07/19**	250 uL	5 mL	**Acetone #030817A**	100 ug/mL
8270 B/N surrog mix	Restek	31086	5000 ug/mL	**A0135243-39162**	**06/04/19**	100 uL	*	*	*

Name of Final Standard 8270 SIM PAH Internal Standard **Prep'd By (Initials)** GA

Prep Date 11/06/18

Exp Date 11/06/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
SV Internal Standard	Restek	31206	2000 ug/mL	**A0130603-38560**	**11/06/19**	350 uL	5,600 uL	**MC 56258 5,250 uL**	125 ug/mL

Name of Final Standard PAH SIM Spike (Ampules) **Prep'd By (Initials)** OA

Prep Date 12/17/18

Exp Date 12/17/19

Initial Standard Information						Final Standard Information			
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
8270D PAH SIM	O2SI	110780-01	200 ug/mL	**353450-39730**	**12/17/19**	1 mL	1 mL	**NA**	200ug/mL

Name of Final Standard **SIM Surrogate** **Prep'd By (Initials)**

Prep Date **03/25/19**
Exp Date **01/24/20**

Initial Standard Information						Final Standard		
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Solvent + Lot# (or APPL Prep Date)	Final Standard Conc (range)
Sim Surrogate Deuterated	Restek	33913	2000 ug/mL	**A0131716 - 38554 A0137718 - 39318**	**06/07/19 01/24/20**	1250 uL	**Acetone #101717I**	100 ug/mL

Name of Final Standard	**PAH SIM Spike (Ampules)**	**Prep'd By (Initials)**	**OA**

Prep Date	**02/22/19**
Exp Date	**02/22/20**

Initial Standard Information						Final Standard		
Name of Initial Standard (from contianer Label)	Supplier	Supplier P/N# (or APPL Mix Name)	Conc.(range)	Lot # with QA # (or reference to APPL prep date)	Exp Date	Aliquot from Stock	Final Volume	Final Standard Conc (range)
8270D PAH SIM	O2SI	110780-01	200 ug/mL	**355613-39771**	**02/22/20**	1 mL	1 mL	200ug/mL

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190430A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 exp 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 exp 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 exp 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 exp 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/30/19 13:10, 05/01/19 11:30	
Spiked ID 8			Ext. End Time:	05/01/19 7:45, 05/02/19 05:45, 11:10	
			GC Requires Extract By:	05/02/19 0:00	

pH1	2	4/30/19 10:35:00 AM	Water Bath Temp Criteria 71,70 °C
pH2	14	5/01/19 11:10:00 AM	
pH3			

Spiked By: KY **Date** 04/30/19 **Witnessed By:** DL **Date** 04/30/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
1	190430A Blk				1,0.050	1,2	800	1	2/1	04/30/19 10:25	
						equip	e-hp51 E-WB6				
2	190430A LCS-1		0.250	1	1	1	800	1	2/1	04/30/19 10:25	
						equip	e-hp50 E-WB6				
3	190430A LCS-2		0.0250	2	0.050	2	800	1	2/1	04/30/19 10:25	
						equip	E-HP48 E-WB6				
4	190430A LCSD-1		0.250	1	1	1	800	1	2/1	04/30/19 10:25	
						equip	E-HP49 E-WB6				
5	190430A LCSD-2		0.0250	2	0.050	2	800	1	2/1	04/30/19 10:25	
						equip	E-HP47 E-WB6				
6	AZ90100	AZ90100W21			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88714
						equip	E-HP25 E-WB6				
7	AZ90102	AZ90102W22			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88714
						equip	E-HP26 E-WB5				
8	AZ90103	AZ90103W08			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88714
						equip	E-HP27 E-WB5				
9	AZ90105	AZ90105W21			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88714
						equip	E-HP28 E-WB5				
10	AZ90107	AZ90107W18			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88714
						equip	E-HP29 E-WB5				
11	AZ90109	AZ90109W21			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88714
						equip	E-HP30 E-WB5				
12	AZ90121 MS-1	AZ90121W22	0.250	1	1	1	800	1	2/1	04/30/19 10:25	88712
						equip	E-HP16 E-WB6				
13	AZ90121 MSD-1	AZ90121W19	0.250	1	1	1	800	1	2/1	04/30/19 10:25	88712
						equip	E-HP15 E-WB6				
14	AZ90121 MS-2	AZ90121W23	0.0250	2	0.050	2	800	1	2/1	04/30/19 10:25	88712
						equip	E-HP14 E-WB6				
15	AZ90121 MSD-2	AZ90121W20	0.0250	2	0.050	2	800	1	2/1	04/30/19 10:25	88712
						equip	E-HP13 E-WB6				
16	AZ90121	AZ90121W24			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88712
						equip	E-HP17 E-WB6				

Solvent and Lot#	
PH Strips	HC857466
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	SS
Date	5/2/19
Time	11:40
Refrigerator	GC-C

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	05/02/19 12:10:32 PM

Reviewed By: Ky **Date** 5/2/19

Organic Extraction Worksheet

Method	Continuous Liquid/Liquid SVOC 3520C	Extraction Set	190430A	Extraction Method	LIQ003	Units	mL

Spiked ID 1	8270T Spike 4-12-19 exp 10-20-19		Surrogate ID 1	8270 Surrogate 4-10-19 exp 3-15-20	
Spiked ID 2	Sim Spike 3-20-19 exp 3-20-20		Surrogate ID 2	SIM Surrogate 3-25-19 exp 3-25-20	
Spiked ID 3			Surrogate ID 3		
Spiked ID 4			Surrogate ID 4		
Spiked ID 5			Surrogate ID 5		
Spiked ID 6			Sufficient Vol for Matrix QC:	YES	
Spiked ID 7			Ext. Start Time:	04/30/19 13:10, 05/01/19 11:30	
Spiked ID 8			Ext. End Time:	05/01/19 7:45, 05/02/19 05:45, 11:10	
			GC Requires Extract By:	05/02/19 0:00	

pH1	2	4/30/19 10:35:00 AM	Water Bath Temp Criteria 71,70 °C
pH2	14	5/01/19 11:10:00 AM	
pH3			

Spiked By: KY **Date** 04/30/19 **Witnessed By:** DL **Date** 04/30/19

	Sample	Sample Container	Spike Amount	Spike ID	Surrogate Amount	Surrogate ID	Extract Amount	Final Volume	pH	Extract Date/Time	Comments
17	AZ90122	AZ90122W07			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88712
						equip	E-HP12 E-WB6				
18	AZ90213	AZ90213W21			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88736
						equip	E-HP11 E-WB6				
19	AZ90215	AZ90215W18			1,0.050	1,2	800	1	2/1	04/30/19 10:25	88736
						equip	E-HP10 E-WB5				

Ky 5/2/19

Solvent and Lot#	
PH Strips	HC857466
Dichloromethane (DCM)	58240
1+1 H2SO4	4-22-19
10N NaOH	4-22-19
Filter Paper	400148
Acidified Na2SO4	2-28-19
B. Na2SO4	18D105205

Extraction COC Transfer	
Extraction lab employee Initials	KY
GC analyst's initials	
Date	
Time	
Refrigerator	

	Technician's Initials
Scanned By	DL
Sample Preparation	DL
Extraction	DL
Concentration	DL

Modified	05/02/19 12:10:32 PM

Reviewed By: Ky **Date** 5/2/19

Injection Log

Directory: M:\LINUS\DATA\L190326\

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	2	0326L002.D	1	SV Tune 10/11/18		26 Mar 19 9:39
2	5	0326L005.D	1	0.5 SIM 03/06/19		26 Mar 19 10:39
3	6	0326L006.D	1	1 SIM 03/06/19		26 Mar 19 11:01
4	7	0326L007.D	1	5 SIM 03/06/19		26 Mar 19 11:23
5	8	0326L008.D	1	10 SIM 03/06/19		26 Mar 19 11:45
6	9	0326L009.D	1	50 SIM 03/06/19		26 Mar 19 12:08
7	10	0326L010.D	1	100 SIM 03/06/19		26 Mar 19 12:30
8	12	0326L012.D	1	0.2 SIM 01/18/19		26 Mar 19 15:55
9	13	0326L013.D	1	0.1 SIM 01/18/19		26 Mar 19 17:05
10	14	0326L014.D	1	SS SIM 03/06/19		26 Mar 19 17:27
11	29	0426L029.D	1	SV Tune 10/11/18		2 May 19 10:38
12	30	0426L030.D	1	5 SIM 03/06/19		2 May 19 10:54
13	31	0426L031.D	1.25	190430A BLK 1/800		2 May 19 12:16
14	32	0426L032.D	1.25	190430A LCS-2 1/800		2 May 19 12:39
15	33	0426L033.D	1.25	190430A LCSD-2 1/800		2 May 19 13:01
16	34	0426L034.D	1.25	AZ90100W21 1/800		2 May 19 13:36
17	35	0426L035.D	1.25	AZ90102W22 1/800		2 May 19 13:58
18	36	0426L036.D	1.25	AZ90103W08 1/800		2 May 19 14:20
19	37	0426L037.D	1.25	AZ90105W21 1/800		2 May 19 14:43
20	38	0426L038.D	1.25	AZ90107W18 1/800		2 May 19 15:05
21	39	0426L039.D	1.25	AZ90109W21 1/800		2 May 19 15:27
22	54	0426L054.D	1	5 SIM 03/06/19		2 May 19 21:03

ORGANICS
Calibration Data

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/19/19
Matrix: Instrument: Yoda
Initials: MA/JMP

			0319Y004.D	0319Y005.D	0319Y006.D	0319Y007.D	0319Y008.D	0319Y003.D	0319Y009.D	0319Y010.D	0319Y011.D							
		Compound	4	5	10	20	40	50	60	80	100		Avg	%RSD	Type	r^2	Q	MRF
1	I	1,4-dichlorobenzene-D4(IS)	ISTD															
2		1,4-Dioxane		0.2083	0.2289	0.2577	0.2765	0.3092	0.3137	0.3004	0.2718		0.27	14				
3	TM	n-Nitrosodimethylamine		0.6432	0.5399	0.5100	0.4462	0.5113	0.4873	0.4661	0.4623		0.51	12	TM			
4	TM	Pyridine		1.255	1.395	1.213	1.241	1.247	1.229	1.101	1.098		1.2	7.7	TM			
5	S	2-Fluorophenol (S)		1.375	1.526	1.553	1.455	1.536	1.549	1.482	1.487		1.5	4.0	S			
6	S	Phenol-D6 (S)		1.849	2.006	2.053	1.890	2.013	2.009	1.900	1.917		2.0	3.8	S			
7	*TM	Phenol		2.418	2.403	2.277	2.046	2.081	2.107	2.009	1.961		2.2	8.3	*TM			0.800
8	TM	Aniline		2.284	2.346	2.196	2.060	2.006	2.081	1.961	1.933		2.1	7.2	TM			
9	TM	Bis (2-chloroethyl) ether		1.068	1.038	0.9839	0.9400	0.9369	0.9481	0.8915	0.8834		0.96	6.8	TM			0.700
10	TM	2-Chlorophenol		1.699	1.735	1.606	1.517	1.552	1.559	1.477	1.441		1.6	6.5	TM			0.800
11	TM	1,3-DCB		1.869	1.829	1.683	1.591	1.607	1.620	1.523	1.490		1.7	8.2	TM			
12	*TM	1,4-DCB		1.996	1.861	1.738	1.623	1.664	1.647	1.546	1.513		1.7	9.5	*TM			
13	TM	Benzyl alcohol		0.9401	0.9733	0.9065	0.8909	0.9247	0.9210	0.8902	0.8725		0.91	3.5	TM			
14	TM	1,2-DCB		1.824	1.731	1.617	1.495	1.541	1.517	1.451	1.417		1.6	9.0	TM			
15	TM	2-Methylphenol		1.623	1.481	1.389	1.309	1.330	1.329	1.261	1.243		1.4	9.2	TM			0.700
16	TM	Bis (2-chloroisopropyl) ether		1.614	1.589	1.448	1.349	1.383	1.381	1.296	1.267		1.4	9.0	TM			0.010
17	TM	Acetophenone		2.397	2.321	2.123	2.020	2.056	2.039	1.942	1.896		2.1	8.4	TM			0.010
18	TM	3&4-Methylphenol		1.847	1.780	1.676	1.580	1.620	1.613	1.541	1.506		1.6	7.1	TM			0.600
19	**TM	n-Nitrosodi-n-propylamine		1.325	1.288	1.159	1.114	1.129	1.116	1.050	1.037		1.2	9.0	**TM			0.500
20	TM	Hexachloroethane		0.7326	0.7189	0.6438	0.6187	0.6212	0.6148	0.5862	0.5788		0.64	8.9	TM			0.300
21	I	Napthalene-D8(IS)	ISTD															
22	S	Nitrobenzene-D5(S)		0.4036	0.4481	0.4428	0.4092	0.4401	0.4199	0.4120	0.4051		0.42	4.3	S			
23	TM	Nitrobenzene		0.4636	0.4541	0.4209	0.3913	0.4042	0.3893	0.3799	0.3626		0.41	8.7	TM			0.200
24	TM	Isophorone		0.7995	0.7871	0.7264	0.6740	0.7092	0.6839	0.6638	0.6355		0.71	8.2	TM			0.400
25	*TM	2-Nitrophenol		0.2130	0.2243	0.2061	0.2032	0.2140	0.2031	0.1972	0.1946		0.21	4.7	*TM			0.100
26	TM	2,4-Dimethylphenol		0.3719	0.3513	0.3249	0.3195	0.3247	0.3133	0.3054	0.2986		0.33	7.4	TM			0.200
27	TM	Benzoic acid			0.1610	0.2025	0.2286	0.2242	0.2467	0.2499	0.2474		0.22	14	TM			
28	TM	Bis (2-chloroethoxy) methane		0.4841	0.4859	0.4404	0.4136	0.4319	0.4182	0.4019	0.3931		0.43	8.1	TM			0.300
29	*TM	2,4-Dichlorophenol		0.2934	0.2985	0.2811	0.2683	0.2800	0.2689	0.2659	0.2569		0.28	5.2	*TM			0.200
30	TM	1,2,4-Trichlorobenzene		0.3367	0.3392	0.3144	0.2936	0.3050	0.2892	0.2812	0.2699		0.30	8.3	TM			
31	TM	3,4-Dimethylphenol		0.5587	0.5474	0.4891	0.4564	0.4760	0.4559	0.4449	0.4308		0.48	9.8	TM			
32	TM	Naphthalene		1.237	1.222	1.100	1.039	1.078	1.023	0.9927	0.9676		1.1	9.3	TM			0.700
33	TM	4-Chloroaniline		0.4513	0.4768	0.4305	0.3918	0.3933	0.3784	0.3518	0.3185		0.40	13	TM			0.010
34	TM	2,6-Dichlorophenol		0.3085	0.3065	0.2861	0.2670	0.2807	0.2665	0.2580	0.2515		0.28	7.7	TM			
35	TM	Hexachloropropene		0.1687	0.1744	0.1722	0.1660	0.1739	0.1681	0.1639	0.1625		0.17	2.7	TM			

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Initial Cal. Date: 03/19/19
Matrix: Instrument: Yoda Initials:

		Compound	4	5	10	20	40	50	60	80	100		Avg	%RSD	Type		Q	
36	*TM	Hexachlorobutadiene		0.1694	0.1661	0.1534	0.1428	0.1491	0.1420	0.1371	0.1317		0.15	9.0	*TM			0.010
37	TM	Caprolactum		0.1478	0.1541	0.1397	0.1352	0.1418	0.1370	0.1308	0.1287		0.14	6.1	TM			0.010
38	*TM	4-Chloro-3-methylphenol		0.3629	0.3613	0.3391	0.3259	0.3411	0.3277	0.3136	0.3108		0.34	5.9	*TM			0.200
39	TM	2-Methylnaphthalene		0.7804	0.7657	0.7030	0.6569	0.6856	0.6652	0.6437	0.6212		0.69	8.2	TM			0.400
40	TM	1-Methylnaphthalene		0.8230	0.8014	0.7233	0.6897	0.6992	0.6841	0.6613	0.6407		0.72	9.1	TM			
41	I	Acenaphthene-D10(IS)	ISTD															
42	**TMQ	Hexachlorocyclopentadiene				0.0301	0.0672	0.0885	0.1000	0.1257	0.1432		0.09	44	**TMQ	0.999		0.050
43	TM	1,2,4,5-Tetrachlorobenzene		0.5827	0.5952	0.5304	0.5097	0.5190	0.4978	0.4794	0.4637		0.52	8.9	TM			0.010
44	*TM	2,4,6-Trichlorophenol		0.3548	0.3607	0.3334	0.3325	0.3415	0.3279	0.3212	0.3146		0.34	4.7	*TM			0.200
45	TM	2,4,5-Trichlorophenol		0.3961	0.4059	0.3592	0.3559	0.3567	0.3419	0.3391	0.3327		0.36	7.4	TM			0.200
46	S	2-Fluorobiphenyl(S)		1.491	1.616	1.556	1.423	1.484	1.458	1.405	1.382		1.5	5.3	S			
47	TM	1,1'-Biphenyl		1.864	1.851	1.700	1.616	1.634	1.564	1.518	1.480		1.7	8.7	TM			0.010
48	TM	2-Chloronaphthalene		1.393	1.437	1.279	1.200	1.220	1.182	1.129	1.109		1.2	9.5	TM			0.800
49	TM	2-Nitroaniline		0.4278	0.4515	0.4195	0.4009	0.4153	0.3909	0.3810	0.3738		0.41	6.4	TM			0.010
50	TM	Dimethyl phthalate		1.618	1.625	1.487	1.404	1.413	1.384	1.328	1.306		1.4	8.4	TM			0.010
51	TM	2,6-DNT		0.3572	0.3611	0.3439	0.3373	0.3359	0.3312	0.3188	0.3185		0.34	4.7	TM			0.200
52	TM	Acenaphthylene		2.241	2.183	2.017	1.915	1.932	1.881	1.811	1.765		2.0	8.6	TM			0.900
53	TM	3-Nitroaniline		0.3751	0.4164	0.3837	0.3767	0.3749	0.3636	0.3469	0.3348		0.37	6.6	TM			0.010
54	*TM	Acenaphthene		1.477	1.436	1.295	1.236	1.235	1.192	1.154	1.118		1.3	10	*TM			0.900
55	**TML	2,4-Dinitrophenol			0.0629	0.0984	0.1325	0.1407	0.1477	0.1554	0.1622		0.13	28	**TML	0.998		0.010
56	**TMQ	4-Nitrophenol				0.0399	0.2038	0.2264	0.2092	0.2146	0.2178		0.19	39	**TMQ	0.993		0.010
57	TM	Dibenzofuran		2.010	1.948	1.757	1.676	1.685	1.610	1.564	1.514		1.7	10	TM			0.800
58	TM	2,4-DNT		0.4665	0.4994	0.4758	0.4552	0.4666	0.4495	0.4242	0.4174		0.46	5.9	TM			0.200
59	TM	2,3,4,6-Tetrachlorophenol		0.1873	0.2274	0.2275	0.2353	0.2494	0.2360	0.2358	0.2348		0.23	8.0	TM			0.010
60	TM	Diethyl phthalate		1.622	1.615	1.470	1.404	1.397	1.359	1.303	1.243		1.4	9.6	TM			0.010
61	TM	4-Chlorophenyl phenyl ether		0.7793	0.7448	0.6754	0.6269	0.6475	0.6168	0.5875	0.5816		0.66	11	TM			0.400
62	TM	Fluorene		1.649	1.624	1.484	1.408	1.404	1.348	1.297	1.268		1.4	9.9	TM			0.900
63	TM	4-Nitroaniline		0.4183	0.4299	0.3988	0.3690	0.3701	0.3531	0.3384	0.3290		0.38	9.8	TM			0.010
64	S	2,4,6-Tribromophenol(S)		0.1108	0.1312	0.1374	0.1314	0.1423	0.1391	0.1326	0.1359		0.13	7.3	S			
65	I	Phenanthrene-D10(IS)	ISTD															
66	TM	4,6-Dinitro-2-methylphenol		0.1114	0.1353	0.1511	0.1561	0.1630	0.1612	0.1567	0.1592		0.15	12	TM			0.010
67	TM	Diphenyl amine		0.7664	0.7653	0.6881	0.6527	0.6549	0.6478	0.6004	0.5930		0.67	9.8	TM			
68	*TM	n-Nitrosodiphenylamine		0.7664	0.7653	0.6881	0.6527	0.6549	0.6478	0.6004	0.5930		0.67	9.8	*TM			0.010
69	TM	1,2-Diphenylhydrazine		1.063	1.009	0.9258	0.8681	0.8924	0.8755	0.9545	0.9253		0.94	7.2	TM			
70	TM	4-Bromophenyl phenyl ether		0.2299	0.2348	0.2119	0.2034	0.2080	0.2040	0.1924	0.1907		0.21	7.6	TM			0.100

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 6
Initial Calibration

Lab Name: APPL, Inc.
Case No:
Matrix:

SDG No:
Initial Cal. Date: 03/19/19
Instrument: Yoda

Initials:

		Compound	4	5	10	20	40	50	60	80	100		Avg	%RSD	Type		Q	
71	TM	Hexachlorobenzene		0.2203	0.2151	0.1979	0.1863	0.1927	0.1876	0.1800	0.1758		0.19	8.2	TM			0.100
72	TM	Atrazine		0.2516	0.2617	0.2290	0.2249	0.2273	0.2233	0.2103	0.2067		0.23	8.2	TM			0.010
73	*TML	Pentachlorophenol			0.0405	0.0499	0.0629	0.0766	0.0666	0.0749	0.0786		0.06	22	*TML	0.992		0.050
74	TM	Phenanthrene		1.407	1.374	1.246	1.173	1.199	1.179	1.110	1.091		1.2	9.4	TM			0.700
75	TM	Anthracene		1.450	1.477	1.323	1.248	1.258	1.248	1.175	1.149		1.3	9.2	TM			0.700
76	TM	Carbazol		1.339	1.327	1.220	1.149	1.156	1.154	1.094	1.073		1.2	8.3	TM			0.010
77	TM	Di-n-butylphthalate		1.692	1.656	1.541	1.434	1.489	1.439	1.338	1.322		1.5	9.1	TM			0.010
78	*TM	Fluoranthene		1.452	1.418	1.303	1.222	1.251	1.241	1.173	1.163		1.3	8.4	*TM			0.600
79	I	Chrysene-D12(IS)	ISTD															
80	TM	Benzidine			0.3883	0.3450	0.3138	0.2584	0.2922	0.2852	0.2777		0.31	14	TM			
81	TM	Pyrene		1.688	1.628	1.498	1.401	1.432	1.421	1.381	1.349		1.5	8.3	TM			0.600
82	S	Terphenyl-D14(S)		0.9769	1.028	1.015	0.9194	1.003	0.9914	0.9548	0.9326		0.98	4.0	S			
83	TM	Butyl benzylphthalate		0.8445	0.8254	0.7609	0.7102	0.7295	0.7236	0.6958	0.6822		0.75	8.0	TM			0.010
84	TM	3,3'-Dichlorobenzidine		0.4221	0.4411	0.3868	0.3566	0.3523	0.3532	0.3364	0.3177		0.37	11	TM			0.010
85	TM	Benz (a) anthracene		1.494	1.457	1.322	1.242	1.268	1.253	1.228	1.169		1.3	8.8	TM			0.800
86	TM	Bis (2-ethylhexyl) phthalate		1.282	1.208	1.089	1.013	1.026	1.009	0.9879	0.9390		1.1	11	TM			0.010
87	TM	Chrysene		1.439	1.441	1.255	1.188	1.232	1.198	1.174	1.132		1.3	9.4	TM			0.700
88	*TM	Di-n-octylphthalate		2.085	2.047	1.847	1.759	1.816	1.786	1.722	1.688		1.8	7.9	*TM			0.010
89	I	Perylene-D12(IS)	ISTD															
90	TM	Benzo (b) fluoranthene		1.414	1.260	1.197	1.198	1.062	1.197	1.065	1.130		1.2	9.6	TM			0.700
91	TM	Benzo (k) fluoranthene		1.414	1.260	1.197	1.198	1.062	1.197	1.065	1.130		1.2	9.6	TM			0.700
92	*TM	Benzo (a) pyrene	1.251	1.297	1.304	1.187	1.138	1.172	1.144	1.099	1.079		1.2	6.9	*TM			0.700
93	TM	Indeno (1,2,3-cd) pyrene		1.420	1.445	1.291	1.214	1.272	1.218	1.182	1.164		1.3	8.3	TM			0.500
94	TM	Dibenz (a,h) anthracene	1.172	1.224	1.230	1.116	1.072	1.115	1.074	1.043	1.019		1.1	6.8	TM			0.400
95	TM	Benzo (g,h,i) perylene		1.143	1.124	1.035	0.9798	1.010	0.9780	0.9425	0.9325		1.0	7.7	TM			0.500
96																		
97																		
98																		
99																		
100																		
101																		
102																		
103																		
104																		
105																		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y003.D Vial: 3
Acq On : 19 Mar 19 18:31 Operator: MA
Sample : 50ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:46 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	114637	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	472309	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	256108	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	425827	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	388787	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	380454	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	440131	102.72345 ppb	0.00
Spiked Amount 200.000			Recovery =	51.362%	
6) Phenol-D6 (S)	5.01	99	576782	102.96746 ppb	0.00
Spiked Amount 200.000			Recovery =	51.484%	
22) Nitrobenzene-D5(S)	6.03	82	259817	52.06712 ppb	0.00
Spiked Amount 100.000			Recovery =	52.067%	
46) 2-Fluorobiphenyl(S)	8.08	172	475108	50.24297 ppb	0.00
Spiked Amount 100.000			Recovery =	50.243%	
64) 2,4,6-Tribromophenol(S)	9.79	330	91088	107.31607 ppb	0.00
Spiked Amount 200.000			Recovery =	53.658%	
82) Terphenyl-D14(S)	12.46	244	487603	51.30654 ppb	0.00
Spiked Amount 100.000			Recovery =	51.307%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	4430	5.70818	100
3) n-Nitrosodimethylamine	1.94	42	73272	50.29680 ppb	100
4) Pyridine	1.95	79	178684	51.00094 ppb	100
7) Phenol	5.03	94	298210	48.11297 ppb	100
8) Aniline	5.03	93	287448	47.57204 ppb	100
9) Bis (2-chloroethyl) ether	5.10	63	134256	48.73577 ppb	100
10) 2-Chlorophenol	5.17	128	222358	49.31260 ppb	100
11) 1,3-DCB	5.33	146	230327	48.65913 ppb	100
12) 1,4-DCB	5.42	146	238399	48.97673 ppb	100
13) Benzyl alcohol	5.57	108	132506	50.53539 ppb	100
14) 1,2-DCB	5.59	146	220888	48.96362 ppb	100
15) 2-Methylphenol	5.71	107	190581	48.51630 ppb	100
16) Bis (2-chloroisopropyl) et	5.70	45	198207	48.84754 ppb	100
17) Acetophenone	5.87	105	294577	48.96670 ppb	100
18) 3&4-Methylphenol	5.88	107	464156	98.43562 ppb	100
19) n-Nitrosodi-n-propylamine	5.87	70	161718	48.97969 ppb	100
20) Hexachloroethane	5.96	117	89016	48.57976 ppb	100
23) Nitrobenzene	6.06	77	238631	49.50538 ppb	100
24) Isophorone	6.32	82	418697	49.94868 ppb	100
25) 2-Nitrophenol	6.41	139	126352	51.70904 ppb	100
26) 2,4-Dimethylphenol	6.46	122	191726	49.77633 ppb	100
27) Benzoic acid	6.61	105	132350	50.34444 ppb	100
28) Bis (2-chloroethoxy) metha	6.56	93	254996	49.79802 ppb	100
29) 2,4-Dichlorophenol	6.69	162	165330	50.62002 ppb	100
30) 1,2,4-Trichlorobenzene	6.78	180	180070	50.22423 ppb	100
31) 3,4-Dimethylphenol	6.80	107	280998	49.33330 ppb	100
32) Naphthalene	6.86	128	636316	49.78667 ppb	100
33) 4-Chloroaniline	6.93	127	232189	49.27866 ppb	100
34) 2,6-Dichlorophenol	6.94	162	165733	50.46907 ppb	100
35) Hexachloropropene	6.95	213	102692	51.54934 ppb	100
36) Hexachlorobutadiene	6.99	225	88022	50.04871 ppb	100
37) Caprolactum	7.37	55	83739	50.88266 ppb	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y003.D Vial: 3
Acq On : 19 Mar 19 18:31 Operator: MA
Sample : 50ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:46 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
38) 4-Chloro-3-methylphenol	7.51	107	201357	50.85987	ppb	100
39) 2-Methylnaphthalene	7.65	142	404769	49.66629	ppb	100
40) 1-Methylnaphthalene	7.77	142	412817	48.87466	ppb	100
42) Hexachlorocyclopentadiene	7.82	237	28347	50.32166	ppb	100
43) 1,2,4,5-Tetrachlorobenzene	7.84	216	166150	49.69069	ppb	100
44) 2,4,6-Trichlorophenol	7.99	196	109340	50.84958	ppb	100
45) 2,4,5-Trichlorophenol	8.05	196	114208	49.41944	ppb	100
47) 1,1'-Biphenyl	8.19	154	523036	49.40623	ppb	100
48) 2-Chloronaphthalene	8.21	162	390686	49.06511	ppb	100
49) 2-Nitroaniline	8.35	65	132948	50.94556	ppb	100
50) Dimethyl phthalate	8.54	163	452410	48.88515	ppb	100
51) 2,6-DNT	8.63	165	107526	49.68734	ppb	100
52) Acenaphthylene	8.70	152	618641	49.08888	ppb	100
53) 3-Nitroaniline	8.84	138	120032	50.46037	ppb	100
54) Acenaphthene	8.90	154	395327	48.70090	ppb	100
55) 2,4-Dinitrophenol	8.98	184	45050	48.81434	ppb	96
56) 4-Nitrophenol	9.10	65	72463	52.83268	ppb	100
57) Dibenzofuran	9.10	168	539583	48.98033	ppb	100
58) 2,4-DNT	9.11	165	149368	51.06896	ppb	100
59) 2,3,4,6-Tetrachlorophenol	9.25	232	79846	54.41028	ppb	100
60) Diethyl phthalate	9.36	149	447162	48.96183	ppb	100
61) 4-Chlorophenyl phenyl ethe	9.50	204	207297	49.24255	ppb	100
62) Fluorene	9.50	166	449417	48.90581	ppb	100
63) 4-Nitroaniline	9.55	138	118496	49.24349	ppb	100
66) 4,6-Dinitro-2-methylphenol	9.58	198	86742	54.59940	ppb	100
67) Diphenyl amine	9.64	169	697220	97.59456	ppb	100
68) n-Nitrosodiphenylamine	9.64	169	697220	97.59456	ppb	100
69) 1,2-Diphenylhydrazine	9.68	77	474998	47.50747	ppb	100
70) 4-Bromophenyl phenyl ether	10.06	248	110691	49.65994	ppb	100
71) Hexachlorobenzene	10.14	284	102559	49.54057	ppb	100
72) Atrazine	10.26	200	60502	24.78178	ppb	100
73) Pentachlorophenol	10.40	266	40781	53.51964	ppb	100
74) Phenanthrene	10.63	178	638282	49.05585	ppb	100
75) Anthracene	10.68	178	669670	48.72190	ppb	100
76) Carbazol	10.88	167	615499	48.62748	ppb	100
77) Di-n-butylphthalate	11.26	149	792368	49.99257	ppb	100
78) Fluoranthene	12.02	202	666118	48.96306	ppb	100
80) Benzidine	12.19	184	125559	40.87845	ppb	100
81) Pyrene	12.28	202	695754	48.54023	ppb	100
83) Butyl benzylphthalate	13.01	149	354521	48.86000	ppb	100
84) 3,3'-Dichlorobenzidine	13.65	252	171204	47.50798	ppb	100
85) Benz (a) anthracene	13.68	228	616195	48.61545	ppb	100
86) Bis (2-ethylhexyl) phthala	13.66	149	498649	47.98090	ppb	100
87) Chrysene	13.73	228	598755	48.99615	ppb	100
88) Di-n-octylphthalate	14.42	149	882741	49.26053	ppb	100
90) Benzo (b) fluoranthene	15.04	252	505099	44.60811	ppb	100
91) Benzo (k) fluoranthene	15.04	252	505099	44.60811	ppb	100
92) Benzo (a) pyrene	15.46	252	557254	49.41467	ppb	100
93) Indeno (1,2,3-cd) pyrene	17.47	276	605012	49.86727	ppb	100
94) Dibenz (a,h) anthracene	17.49	278	530453	49.86829	ppb	100
95) Benzo (g,h,i) perylene	18.05	276	480148	49.59085	ppb	100


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y003.D Vial: 3
Acq On : 19 Mar 19 18:31 Operator: MA
Sample : 50ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:46 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y004.D Vial: 4
Acq On : 19 Mar 19 18:58 Operator: MA
Sample : 4ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 19 20:40 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 20:39:51 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	114954	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.83	136	490093	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	262404	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	432886	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	405658	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	394479	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	0.00	112	0d	0.00000 ppb	
Spiked Amount 200.000			Recovery =	0.000%	
6) Phenol-D6 (S)	0.00	99	0d	0.00000 ppb	
Spiked Amount 200.000			Recovery =	0.000%	
22) Nitrobenzene-D5(S)	0.00	82	0d	0.00000 ppb	
Spiked Amount 100.000			Recovery =	0.000%	
46) 2-Fluorobiphenyl(S)	0.00	172	0d	0.00000 ppb	
Spiked Amount 100.000			Recovery =	0.000%	
64) 2,4,6-Tribromophenol(S)	0.00	330	0d	0.00000 ppb	
Spiked Amount 200.000			Recovery =	0.000%	
82) Terphenyl-D14(S)	0.00	244	0d	0.00000 ppb	
Spiked Amount 100.000			Recovery =	0.000%	
Target Compounds					Qvalue
92) Benzo (a) pyrene	15.47	252	49367	4.21111 ppb	97
94) Dibenz (a,h) anthracene	17.49	278	46216	4.19356 ppb	97


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y004.D Vial: 4
Acq On : 19 Mar 19 18:58 Operator: MA
Sample : 4ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 19 20:40 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y005.D Vial: 5
Acq On : 19 Mar 19 19:26 Operator: MA
Sample : 5ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	115611	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	503407	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.85	164	266346	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	439621	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	399547	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	399700	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.86	112	39728	9.19412 ppb	0.02
Spiked Amount 200.000			Recovery =	4.597%	
6) Phenol-D6 (S)	5.03	99	53431	9.45817 ppb	0.02
Spiked Amount 200.000			Recovery =	4.729%	
22) Nitrobenzene-D5(S)	6.03	82	25398	4.77532 ppb	0.00
Spiked Amount 100.000			Recovery =	4.775%	
46) 2-Fluorobiphenyl(S)	8.07	172	49637	5.04737 ppb	0.00
Spiked Amount 100.000			Recovery =	5.047%	
64) 2,4,6-Tribromophenol(S)	9.79	330	7376	8.35606 ppb	0.00
Spiked Amount 200.000			Recovery =	4.178%	
82) Terphenyl-D14(S)	12.45	244	48790	4.99552 ppb	-0.01
Spiked Amount 100.000			Recovery =	4.996%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.72	58	301	0.38458	# 1
3) n-Nitrosodimethylamine	1.95	42	9295	6.32670 ppb	67
4) Pyridine	1.98	79	18131	5.13145 ppb	98
7) Phenol	5.05	94	34943	5.59018 ppb	97
8) Aniline	5.04	93	33010	5.41706 ppb	90
9) Bis (2-chloroethyl) ether	5.10	63	15432	5.55472 ppb	98
10) 2-Chlorophenol	5.19	128	24557	5.40015 ppb	97
11) 1,3-DCB	5.34	146	27006	5.65725 ppb	98
12) 1,4-DCB	5.42	146	28848	5.87661 ppb	99
13) Benzyl alcohol	5.58	108	13586	5.13780 ppb	98
14) 1,2-DCB	5.59	146	26355	5.79282 ppb	98
15) 2-Methylphenol	5.71	107	23457	5.92115 ppb	96
16) Bis (2-chloroisopropyl) et	5.71	45	23325	5.69995 ppb	91
17) Acetophenone	5.86	105	34635	5.70877 ppb	78
18) 3&4-Methylphenol	5.88	107	53388	11.22684 ppb	97
19) n-Nitrosodi-n-propylamine	5.86	70	19145	5.74961 ppb	96
20) Hexachloroethane	5.96	117	10587	5.72909 ppb	94
23) Nitrobenzene	6.06	77	29173	5.67824 ppb	94
24) Isophorone	6.32	82	50308	5.63078 ppb	96
25) 2-Nitrophenol	6.42	139	13403	5.14628 ppb	98
26) 2,4-Dimethylphenol	6.47	122	23401	5.70011 ppb	96
27) Benzoic acid	6.63	105	6735	2.38744 ppb	94
28) Bis (2-chloroethoxy) metha	6.56	93	30463	5.58160 ppb	96
29) 2,4-Dichlorophenol	6.73	162	18460	5.30285 ppb	96
30) 1,2,4-Trichlorobenzene	6.77	180	21184	5.54354 ppb	99
31) 3,4-Dimethylphenol	6.81	107	35156	5.79086 ppb	100
32) Naphthalene	6.86	128	77852	5.71501 ppb	98
33) 4-Chloroaniline	6.93	127	28396	5.65433 ppb	97
34) 2,6-Dichlorophenol	6.94	162	19414	5.54675 ppb	98
35) Hexachloropropene	6.95	213	10616	4.99982 ppb	98
36) Hexachlorobutadiene	6.99	225	10662	5.68784 ppb	94
37) Caprolactum	7.32	55	9298	5.30076 ppb	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y005.D Vial: 5
Acq On : 19 Mar 19 19:26 Operator: MA
Sample : 5ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38) 4-Chloro-3-methylphenol	7.51	107	22835	5.41149	ppb		95
39) 2-Methylnaphthalene	7.66	142	49109	5.65357	ppb		94
40) 1-Methylnaphthalene	7.77	142	51788	5.75258	ppb		100
43) 1,2,4,5-Tetrachlorobenzene	7.84	216	19399	5.57867	ppb		97
44) 2,4,6-Trichlorophenol	8.00	196	11813	5.28257	ppb		89
45) 2,4,5-Trichlorophenol	8.07	196	13189	5.48770	ppb		93
47) 1,1'-Biphenyl	8.19	154	62061	5.63697	ppb		100
48) 2-Chloronaphthalene	8.21	162	46372	5.59987	ppb		99
49) 2-Nitroaniline	8.35	65	14244	5.24848	ppb		91
50) Dimethyl phthalate	8.54	163	53870	5.59717	ppb		99
51) 2,6-DNT	8.63	165	11891	5.28357	ppb		97
52) Acenaphthylene	8.70	152	74622	5.69362	ppb		98
53) 3-Nitroaniline	8.84	138	12488	5.04805	ppb	#	88
54) Acenaphthene	8.89	154	49162	5.82354	ppb		99
55) 2,4-Dinitrophenol	9.05	184	114	7.13477	ppb	#	33
56) 4-Nitrophenol	9.10	65	1432	17.24815	ppb	#	26
57) Dibenzofuran	9.10	168	66911	5.84034	ppb		94
58) 2,4-DNT	9.10	165	15531	5.10594	ppb		82
59) 2,3,4,6-Tetrachlorophenol	9.26	232	6236	4.08612	ppb		95
60) Diethyl phthalate	9.36	149	53987	5.68406	ppb		98
61) 4-Chlorophenyl phenyl ethe	9.49	204	25947	5.92668	ppb		94
62) Fluorene	9.49	166	54887	5.74325	ppb		97
63) 4-Nitroaniline	9.57	138	13928	5.56559	ppb		86
66) 4,6-Dinitro-2-methylphenol	9.60	198	6121	3.73195	ppb		87
67) Diphenyl amine	9.63	169	84233	11.42070	ppb		98
68) n-Nitrosodiphenylamine	9.63	169	84233	11.42070	ppb		98
69) 1,2-Diphenylhydrazine	9.68	77	58429	5.66048	ppb		95
70) 4-Bromophenyl phenyl ether	10.06	248	12632	5.48935	ppb		97
71) Hexachlorobenzene	10.14	284	12105	5.66379	ppb		92
72) Atrazine	10.26	200	6913	2.74274	ppb		94
73) Pentachlorophenol	10.43	266	696	7.10872	ppb	#	57
74) Phenanthrene	10.62	178	77308	5.75516	ppb		98
75) Anthracene	10.68	178	79708	5.61720	ppb		99
76) Carbazol	10.89	167	73559	5.62918	ppb		98
77) Di-n-butylphthalate	11.26	149	92978	5.68216	ppb		99
78) Fluoranthene	12.02	202	79788	5.68080	ppb		98
80) Benzidine	12.20	184	18852	5.94895	ppb		96
81) Pyrene	12.28	202	84308	5.72346	ppb		100
83) Butyl benzylphthalate	13.01	149	42179	5.65655	ppb		94
84) 3,3'-Dichlorobenzidine	13.65	252	21081	5.69230	ppb		97
85) Benz (a) anthracene	13.68	228	74607	5.72769	ppb		98
86) Bis (2-ethylhexyl) phthala	13.66	149	64037	5.99582	ppb		98
87) Chrysene	13.72	228	71859	5.72187	ppb		97
88) Di-n-octylphthalate	14.41	149	104149	5.65542	ppb	#	94
90) Benzo (b) fluoranthene	15.03	252	70654	5.93939	ppb	#	94
91) Benzo (k) fluoranthene	15.03	252	70654	5.93939	ppb	#	94
92) Benzo (a) pyrene	15.46	252	64822	5.47133	ppb		99
93) Indeno (1,2,3-cd) pyrene	17.47	276	70934	5.56511	ppb		97
94) Dibenz (a,h) anthracene	17.49	278	61171	5.47383	ppb		98
95) Benzo (g,h,i) perylene	18.05	276	57086	5.61208	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y005.D Vial: 5
Acq On : 19 Mar 19 19:26 Operator: MA
Sample : 5ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y006.D Vial: 6
Acq On : 19 Mar 19 19:54 Operator: MA
Sample : 10ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:17 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	121984	40.00000 ppb		0.00
21) Napthalene-D8(IS)	6.83	136	512288	40.00000 ppb		0.00
41) Acenaphthene-D10(IS)	8.86	164	269599	40.00000 ppb		0.00
65) Phenanthrene-D10(IS)	10.59	188	449398	40.00000 ppb		0.00
79) Chrysene-D12(IS)	13.69	240	410594	40.00000 ppb		0.00
89) Perylene-D12(IS)	15.55	264	404320	40.00000 ppb		0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.85	112	93067	20.41293 ppb		0.01
Spiked Amount 200.000			Recovery =	10.207%		
6) Phenol-D6 (S)	5.01	99	122377	20.53100 ppb		0.00
Spiked Amount 200.000			Recovery =	10.266%		
22) Nitrobenzene-D5(S)	6.04	82	57383	10.60208 ppb		0.00
Spiked Amount 100.000			Recovery =	10.602%		
46) 2-Fluorobiphenyl(S)	8.07	172	108893	10.93926 ppb		0.00
Spiked Amount 100.000			Recovery =	10.939%		
64) 2,4,6-Tribromophenol(S)	9.79	330	17684	19.79197 ppb		0.00
Spiked Amount 200.000			Recovery =	9.896%		
82) Terphenyl-D14(S)	12.45	244	105565	10.51781 ppb		0.00
Spiked Amount 100.000			Recovery =	10.518%		
Target Compounds						Qvalue
2) 1,4-Dioxane	1.71	58	698	0.84522	#	3
3) n-Nitrosodimethylamine	1.94	42	16466	10.62215 ppb		92
4) Pyridine	1.96	79	42557	11.41525 ppb		95
7) Phenol	5.03	94	73295	11.11313 ppb		86
8) Aniline	5.03	93	71536	11.12600 ppb		91
9) Bis (2-chloroethyl) ether	5.11	63	31653	10.79819 ppb		96
10) 2-Chlorophenol	5.18	128	52907	11.02656 ppb		97
11) 1,3-DCB	5.33	146	55787	11.07578 ppb		99
12) 1,4-DCB	5.42	146	56752	10.95692 ppb		96
13) Benzyl alcohol	5.57	108	29683	10.63873 ppb		98
14) 1,2-DCB	5.59	146	52788	10.99660 ppb		98
15) 2-Methylphenol	5.70	107	45159	10.80374 ppb		93
16) Bis (2-chloroisopropyl) et	5.70	45	48455	11.22236 ppb		96
17) Acetophenone	5.86	105	70767	11.05490 ppb		79
18) 3&4-Methylphenol	5.88	107	108589	21.64194 ppb		99
19) n-Nitrosodi-n-propylamine	5.85	70	39282	11.18081 ppb		94
20) Hexachloroethane	5.96	117	21924	11.24421 ppb		98
23) Nitrobenzene	6.05	77	58158	11.12364 ppb		95
24) Isophorone	6.31	82	100807	11.08733 ppb		100
25) 2-Nitrophenol	6.42	139	28728	10.83931 ppb		96
26) 2,4-Dimethylphenol	6.46	122	44991	10.76910 ppb		99
27) Benzoic acid	6.60	105	20618	7.18201 ppb		90
28) Bis (2-chloroethoxy) metha	6.56	93	62236	11.20553 ppb		98
29) 2,4-Dichlorophenol	6.71	162	38227	10.79078 ppb		94
30) 1,2,4-Trichlorobenzene	6.77	180	43440	11.17053 ppb		97
31) 3,4-Dimethylphenol	6.81	107	70107	11.34776 ppb		98
32) Naphthalene	6.86	128	156443	11.28518 ppb		99
33) 4-Chloroaniline	6.94	127	61067	11.94912 ppb		99
34) 2,6-Dichlorophenol	6.94	162	39255	11.02106 ppb	#	95
35) Hexachloropropene	6.95	213	22334	10.33630 ppb		98
36) Hexachlorobutadiene	6.98	225	21272	11.15121 ppb		98
37) Caprolactum	7.33	55	19734	11.05527 ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y006.D Vial: 6
Acq On : 19 Mar 19 19:54 Operator: MA
Sample : 10ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:17 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
38) 4-Chloro-3-methylphenol	7.50	107	46274	10.77600 ppb		96
39) 2-Methylnaphthalene	7.65	142	98063	11.09358 ppb		100
40) 1-Methylnaphthalene	7.76	142	102639	11.20342 ppb		99
42) Hexachlorocyclopentadiene	7.82	237	696	15.95530 ppb	#	86
43) 1,2,4,5-Tetrachlorobenzene	7.85	216	40116	11.39717 ppb		99
44) 2,4,6-Trichlorophenol	7.99	196	24311	10.74029 ppb		99
45) 2,4,5-Trichlorophenol	8.06	196	27355	11.24457 ppb		97
47) 1,1'-Biphenyl	8.19	154	124754	11.19462 ppb		97
48) 2-Chloronaphthalene	8.22	162	96857	11.55529 ppb		93
49) 2-Nitroaniline	8.35	65	30428	11.07651 ppb		88
50) Dimethyl phthalate	8.54	163	109505	11.24045 ppb		98
51) 2,6-DNT	8.63	165	24341	10.68503 ppb		88
52) Acenaphthylene	8.70	152	147145	11.09161 ppb		100
53) 3-Nitroaniline	8.83	138	28068	11.20907 ppb		90
54) Acenaphthene	8.89	154	96774	11.32515 ppb		99
55) 2,4-Dinitrophenol	9.02	184	4240	10.29161 ppb	#	33
56) 4-Nitrophenol	9.10	65	2643	17.74907 ppb	#	57
57) Dibenzofuran	9.10	168	131289	11.32131 ppb		90
58) 2,4-DNT	9.10	165	33662	10.93312 ppb	#	71
59) 2,3,4,6-Tetrachlorophenol	9.26	232	15327	9.92179 ppb		94
60) Diethyl phthalate	9.35	149	108817	11.31864 ppb		98
61) 4-Chlorophenyl phenyl ethe	9.49	204	50202	11.32853 ppb		91
62) Fluorene	9.50	166	109490	11.31854 ppb		97
63) 4-Nitroaniline	9.55	138	28975	11.43862 ppb		96
66) 4,6-Dinitro-2-methylphenol	9.58	198	15197	9.06397 ppb		93
67) Diphenyl amine	9.64	169	171955	22.80723 ppb		98
68) n-Nitrosodiphenylamine	9.64	169	171955	22.80723 ppb		98
69) 1,2-Diphenylhydrazine	9.67	77	113332	10.74050 ppb		96
70) 4-Bromophenyl phenyl ether	10.06	248	26382	11.21511 ppb		88
71) Hexachlorobenzene	10.14	284	24168	11.06191 ppb	#	85
72) Atrazine	10.26	200	14699	5.70496 ppb		97
73) Pentachlorophenol	10.42	266	4554	11.29771 ppb		96
74) Phenanthrene	10.62	178	154357	11.24104 ppb		99
75) Anthracene	10.69	178	165890	11.43630 ppb		99
76) Carbazol	10.88	167	149122	11.16344 ppb		98
77) Di-n-butylphthalate	11.26	149	186080	11.12450 ppb		99
78) Fluoranthene	12.01	202	159257	11.09221 ppb		97
80) Benzidine	12.19	184	39860	12.23984 ppb		99
81) Pyrene	12.28	202	167082	11.03761 ppb		98
83) Butyl benzylphthalate	13.01	149	84725	11.05662 ppb		94
84) 3,3'-Dichlorobenzidine	13.65	252	45275	11.89626 ppb	#	97
85) Benz (a) anthracene	13.68	228	149542	11.17168 ppb		99
86) Bis (2-ethylhexyl) phthala	13.66	149	124012	11.29890 ppb	#	97
87) Chrysene	13.72	228	147918	11.46127 ppb		97
88) Di-n-octylphthalate	14.41	149	210080	11.10068 ppb		97
90) Benzo (b) fluoranthene	15.03	252	127409	10.58801 ppb		100
91) Benzo (k) fluoranthene	15.03	252	127409	10.58801 ppb		100
92) Benzo (a) pyrene	15.47	252	131774	10.99536 ppb		99
93) Indeno (1,2,3-cd) pyrene	17.46	276	146088	11.33034 ppb		98
94) Dibenz (a,h) anthracene	17.48	278	124313	10.99692 ppb		98
95) Benzo (g,h,i) perylene	18.04	276	113616	11.04188 ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y006.D Vial: 6
Acq On : 19 Mar 19 19:54 Operator: MA
Sample : 10ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:17 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y007.D Vial: 7
Acq On : 19 Mar 19 20:22 Operator: MA
Sample : 20ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	118806	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	501030	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	264687	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	443329	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	402412	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	394461	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	184447	41.53801 ppb	0.00
Spiked Amount 200.000			Recovery =	20.769%	
6) Phenol-D6 (S)	5.01	99	243905	42.01414 ppb	0.00
Spiked Amount 200.000			Recovery =	21.007%	
22) Nitrobenzene-D5(S)	6.03	82	110927	20.95539 ppb	0.00
Spiked Amount 100.000			Recovery =	20.955%	
46) 2-Fluorobiphenyl(S)	8.07	172	205898	21.06811 ppb	0.00
Spiked Amount 100.000			Recovery =	21.068%	
64) 2,4,6-Tribromophenol(S)	9.78	330	36355	41.44368 ppb	0.00
Spiked Amount 200.000			Recovery =	20.722%	
82) Terphenyl-D14(S)	12.45	244	204305	20.76951 ppb	0.00
Spiked Amount 100.000			Recovery =	20.770%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	1531	1.90351	# 1
3) n-Nitrosodimethylamine	1.94	42	30296	20.06661 ppb	87
4) Pyridine	1.96	79	72084	19.85262 ppb	93
7) Phenol	5.03	94	135235	21.05307 ppb	90
8) Aniline	5.04	93	130467	20.83433 ppb	83
9) Bis (2-chloroethyl) ether	5.11	63	58445	20.47142 ppb	98
10) 2-Chlorophenol	5.17	128	95389	20.41220 ppb	98
11) 1,3-DCB	5.33	146	99950	20.37458 ppb	99
12) 1,4-DCB	5.42	146	103214	20.46023 ppb	98
13) Benzyl alcohol	5.57	108	53846	19.81527 ppb	99
14) 1,2-DCB	5.59	146	96064	20.54700 ppb	98
15) 2-Methylphenol	5.70	107	82532	20.27295 ppb	98
16) Bis (2-chloroisopropyl) et	5.70	45	86001	20.45096 ppb	96
17) Acetophenone	5.86	105	126134	20.23115 ppb	85
18) 3&4-Methylphenol	5.88	107	199094	40.74112 ppb	98
19) n-Nitrosodi-n-propylamine	5.86	70	68841	20.11830 ppb	98
20) Hexachloroethane	5.96	117	38241	20.13738 ppb	95
23) Nitrobenzene	6.05	77	105433	20.61886 ppb	93
24) Isophorone	6.32	82	181974	20.46426 ppb	96
25) 2-Nitrophenol	6.41	139	51636	19.92046 ppb	96
26) 2,4-Dimethylphenol	6.46	122	81380	19.91691 ppb	98
27) Benzoic acid	6.61	105	50723	18.06571 ppb	94
28) Bis (2-chloroethoxy) metha	6.55	93	110336	20.31227 ppb	98
29) 2,4-Dichlorophenol	6.70	162	70409	20.32176 ppb	98
30) 1,2,4-Trichlorobenzene	6.78	180	78773	20.71151 ppb	95
31) 3,4-Dimethylphenol	6.80	107	122536	20.27977 ppb	99
32) Naphthalene	6.86	128	275604	20.32770 ppb	99
33) 4-Chloroaniline	6.93	127	107839	21.57524 ppb	98
34) 2,6-Dichlorophenol	6.93	162	71676	20.57560 ppb	93
35) Hexachloropropene	6.95	213	43151	20.41925 ppb	96
36) Hexachlorobutadiene	6.99	225	38425	20.59577 ppb	100
37) Caprolactum	7.34	55	35007	20.05208 ppb	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y007.D Vial: 7
Acq On : 19 Mar 19 20:22 Operator: MA
Sample : 20ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38) 4-Chloro-3-methylphenol	7.50	107	84939	20.22452	ppb		96
39) 2-Methylnaphthalene	7.65	142	176107	20.37012	ppb		100
40) 1-Methylnaphthalene	7.76	142	181203	20.22340	ppb		99
42) Hexachlorocyclopentadiene	7.83	237	3981	20.96140	ppb		89
43) 1,2,4,5-Tetrachlorobenzene	7.84	216	70192	20.31201	ppb		99
44) 2,4,6-Trichlorophenol	7.99	196	44129	19.85742	ppb		98
45) 2,4,5-Trichlorophenol	8.06	196	47541	19.90491	ppb		92
47) 1,1'-Biphenyl	8.19	154	225012	20.56583	ppb		99
48) 2-Chloronaphthalene	8.22	162	169311	20.57409	ppb		97
49) 2-Nitroaniline	8.35	65	55513	20.58305	ppb		88
50) Dimethyl phthalate	8.54	163	196774	20.57326	ppb		99
51) 2,6-DNT	8.62	165	45513	20.34971	ppb		86
52) Acenaphthylene	8.70	152	266936	20.49472	ppb		100
53) 3-Nitroaniline	8.83	138	50779	20.65514	ppb	#	84
54) Acenaphthene	8.89	154	171432	20.43445	ppb		99
55) 2,4-Dinitrophenol	8.99	184	13024	17.19958	ppb	#	52
56) 4-Nitrophenol	9.10	65	5285	18.90553	ppb	#	65
57) Dibenzofuran	9.10	168	232569	20.42706	ppb		91
58) 2,4-DNT	9.10	165	62972	20.83231	ppb	#	75
59) 2,3,4,6-Tetrachlorophenol	9.25	232	30114	19.85577	ppb		99
60) Diethyl phthalate	9.36	149	194484	20.60474	ppb		98
61) 4-Chlorophenyl phenyl ethe	9.49	204	89386	20.54507	ppb		89
62) Fluorene	9.50	166	196332	20.67248	ppb		98
63) 4-Nitroaniline	9.55	138	52779	21.22251	ppb		95
66) 4,6-Dinitro-2-methylphenol	9.58	198	33489	20.24732	ppb		94
67) Diphenyl amine	9.64	169	305041	41.01295	ppb		98
68) n-Nitrosodiphenylamine	9.64	169	305041	41.01295	ppb		98
69) 1,2-Diphenylhydrazine	9.67	77	205211	19.71414	ppb		93
70) 4-Bromophenyl phenyl ether	10.06	248	46973	20.24181	ppb		94
71) Hexachlorobenzene	10.14	284	43877	20.35782	ppb		93
72) Atrazine	10.26	200	25376	9.98374	ppb		97
73) Pentachlorophenol	10.41	266	11068	18.56422	ppb		94
74) Phenanthrene	10.62	178	276104	20.38252	ppb		99
75) Anthracene	10.68	178	293214	20.49062	ppb		99
76) Carbazol	10.88	167	270495	20.52677	ppb		100
77) Di-n-butylphthalate	11.26	149	341694	20.70728	ppb		99
78) Fluoranthene	12.01	202	288849	20.39367	ppb	#	95
80) Benzidine	12.19	184	69416	21.74901	ppb		98
81) Pyrene	12.28	202	301452	20.31913	ppb		99
83) Butyl benzylphthalate	13.01	149	153106	20.38659	ppb		90
84) 3,3'-Dichlorobenzidine	13.65	252	77820	20.86338	ppb	#	96
85) Benz (a) anthracene	13.68	228	266081	20.28200	ppb		98
86) Bis (2-ethylhexyl) phthala	13.66	149	219023	20.36123	ppb		98
87) Chrysene	13.72	228	252603	19.97064	ppb		99
88) Di-n-octylphthalate	14.41	149	371572	20.03317	ppb	#	94
90) Benzo (b) fluoranthene	15.03	252	236137	20.11405	ppb		99
91) Benzo (k) fluoranthene	15.03	252	236137	20.11405	ppb		99
92) Benzo (a) pyrene	15.47	252	234062	20.01851	ppb		99
93) Indeno (1,2,3-cd) pyrene	17.46	276	254606	20.24037	ppb		98
94) Dibenz (a,h) anthracene	17.48	278	220046	19.95212	ppb		97
95) Benzo (g,h,i) perylene	18.04	276	204083	20.32972	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y007.D Vial: 7
Acq On : 19 Mar 19 20:22 Operator: MA
Sample : 20ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y008.D Vial: 8
Acq On : 19 Mar 19 20:49 Operator: MA
Sample : 40ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	120598	40.00000 ppb	0.00
21) Napthalene-D8(IS)	6.84	136	508253	40.00000 ppb	0.00
41) Acenaphthene-D10(IS)	8.85	164	266643	40.00000 ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	448301	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.69	240	408816	40.00000 ppb	0.00
89) Perylene-D12(IS)	15.55	264	402433	40.00000 ppb	0.00
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.84	112	350844	77.83705 ppb	0.00
Spiked Amount 200.000			Recovery =	38.919%	
6) Phenol-D6 (S)	5.01	99	455781	77.34446 ppb	0.00
Spiked Amount 200.000			Recovery =	38.672%	
22) Nitrobenzene-D5(S)	6.03	82	208001	38.73536 ppb	0.00
Spiked Amount 100.000			Recovery =	38.735%	
46) 2-Fluorobiphenyl(S)	8.07	172	379372	38.53374 ppb	0.00
Spiked Amount 100.000			Recovery =	38.534%	
64) 2,4,6-Tribromophenol(S)	9.79	330	70048	79.26698 ppb	0.00
Spiked Amount 200.000			Recovery =	39.634%	
82) Terphenyl-D14(S)	12.45	244	375873	37.61243 ppb	0.00
Spiked Amount 100.000			Recovery =	37.612%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.71	58	3334	4.08361	70
3) n-Nitrosodimethylamine	1.94	42	53816	35.11547 ppb	99
4) Pyridine	1.96	79	149718	40.62106 ppb	94
7) Phenol	5.03	94	246766	37.84513 ppb	93
8) Aniline	5.03	93	248414	39.07988 ppb	97
9) Bis (2-chloroethyl) ether	5.10	63	113368	39.11914 ppb	97
10) 2-Chlorophenol	5.17	128	182996	38.57726 ppb	98
11) 1,3-DCB	5.34	146	191910	38.53912 ppb	99
12) 1,4-DCB	5.42	146	195735	38.22422 ppb	98
13) Benzyl alcohol	5.57	108	107441	38.95066 ppb	97
14) 1,2-DCB	5.59	146	180303	37.99173 ppb	98
15) 2-Methylphenol	5.70	107	157863	38.20086 ppb	97
16) Bis (2-chloroisopropyl) et	5.71	45	162678	38.10985 ppb	95
17) Acetophenone	5.87	105	243630	38.49616 ppb	96
18) 3&4-Methylphenol	5.87	107	381090	76.82465 ppb	98
19) n-Nitrosodi-n-propylamine	5.86	70	134357	38.68144 ppb	96
20) Hexachloroethane	5.96	117	74608	38.70414 ppb	97
23) Nitrobenzene	6.06	77	198863	38.33767 ppb	99
24) Isophorone	6.32	82	342537	37.97327 ppb	98
25) 2-Nitrophenol	6.41	139	103270	39.27397 ppb	99
26) 2,4-Dimethylphenol	6.46	122	162398	39.18039 ppb	95
27) Benzoic acid	6.60	105	116208	40.80091 ppb	97
28) Bis (2-chloroethoxy) metha	6.56	93	210236	38.15330 ppb	99
29) 2,4-Dichlorophenol	6.69	162	136350	38.79467 ppb	97
30) 1,2,4-Trichlorobenzene	6.78	180	149205	38.67244 ppb	98
31) 3,4-Dimethylphenol	6.80	107	231946	37.84165 ppb	100
32) Naphthalene	6.86	128	528234	38.40722 ppb	100
33) 4-Chloroaniline	6.93	127	199123	39.27218 ppb	100
34) 2,6-Dichlorophenol	6.94	162	135706	38.40269 ppb	99
35) Hexachloropropene	6.95	213	84365	39.35456 ppb	99
36) Hexachlorobutadiene	6.99	225	72578	38.34890 ppb	97
37) Caprolactum	7.36	55	68694	38.78887 ppb	99

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190319\0319Y008.D Vial: 8
Acq On : 19 Mar 19 20:49 Operator: MA
Sample : 40ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38) 4-Chloro-3-methylphenol	7.50	107	165627	38.87639	ppb		94
39) 2-Methylnaphthalene	7.65	142	333856	38.06799	ppb		100
40) 1-Methylnaphthalene	7.77	142	350525	38.56483	ppb		98
42) Hexachlorocyclopentadiene	7.82	237	17908	38.38937	ppb		96
43) 1,2,4,5-Tetrachlorobenzene	7.84	216	135909	39.04054	ppb		100
44) 2,4,6-Trichlorophenol	7.99	196	88646	39.59683	ppb		97
45) 2,4,5-Trichlorophenol	8.05	196	94897	39.44090	ppb		98
47) 1,1'-Biphenyl	8.19	154	430945	39.09893	ppb		98
48) 2-Chloronaphthalene	8.21	162	320001	38.60017	ppb		99
49) 2-Nitroaniline	8.34	65	106898	39.34478	ppb		88
50) Dimethyl phthalate	8.54	163	374261	38.84296	ppb		99
51) 2,6-DNT	8.63	165	89947	39.92197	ppb		94
52) Acenaphthylene	8.70	152	510591	38.91442	ppb		99
53) 3-Nitroaniline	8.83	138	100451	40.56025	ppb		86
54) Acenaphthene	8.90	154	329590	38.99847	ppb		98
55) 2,4-Dinitrophenol	8.98	184	35320	34.37892	ppb		89
56) 4-Nitrophenol	9.10	65	54344	41.65344	ppb		98
57) Dibenzofuran	9.10	168	447008	38.97371	ppb		95
58) 2,4-DNT	9.10	165	121371	39.85725	ppb	#	63
59) 2,3,4,6-Tetrachlorophenol	9.25	232	62752	41.07223	ppb		95
60) Diethyl phthalate	9.36	149	374381	39.37309	ppb		99
61) 4-Chlorophenyl phenyl ethe	9.50	204	167169	38.14137	ppb		99
62) Fluorene	9.50	166	375496	39.24725	ppb		99
63) 4-Nitroaniline	9.55	138	98403	39.27774	ppb		93
66) 4,6-Dinitro-2-methylphenol	9.58	198	69984	41.84279	ppb		97
67) Diphenyl amine	9.63	169	585175	77.80455	ppb		98
68) n-Nitrosodiphenylamine	9.63	169	585175	77.80455	ppb		98
69) 1,2-Diphenylhydrazine	9.68	77	389175	36.97247	ppb		98
70) 4-Bromophenyl phenyl ether	10.06	248	91164	38.84908	ppb		98
71) Hexachlorobenzene	10.14	284	83502	38.31313	ppb		95
72) Atrazine	10.26	200	50408	19.61218	ppb		98
73) Pentachlorophenol	10.40	266	28214	37.16629	ppb		95
74) Phenanthrene	10.63	178	525732	38.38010	ppb		100
75) Anthracene	10.68	178	559632	38.67492	ppb		99
76) Carbazol	10.88	167	515005	38.64820	ppb		99
77) Di-n-butylphthalate	11.26	149	642809	38.52335	ppb		100
78) Fluoranthene	12.01	202	547930	38.25656	ppb	#	94
80) Benzidine	12.18	184	128293	39.56635	ppb		99
81) Pyrene	12.28	202	572657	37.99483	ppb		99
83) Butyl benzylphthalate	13.01	149	290328	38.05260	ppb		95
84) 3,3'-Dichlorobenzidine	13.65	252	145766	38.46739	ppb	#	96
85) Benz (a) anthracene	13.68	228	507691	38.09250	ppb		99
86) Bis (2-ethylhexyl) phthala	13.66	149	413948	37.87940	ppb		99
87) Chrysene	13.72	228	485669	37.79523	ppb		99
88) Di-n-octylphthalate	14.42	149	718957	38.15510	ppb		99
90) Benzo (b) fluoranthene	15.03	252	482020	40.24491	ppb		97
91) Benzo (k) fluoranthene	15.03	252	482020	40.24491	ppb		97
92) Benzo (a) pyrene	15.46	252	458006	38.39569	ppb		98
93) Indeno (1,2,3-cd) pyrene	17.46	276	488450	38.06101	ppb		98
94) Dibenz (a,h) anthracene	17.48	278	431503	38.35040	ppb		98
95) Benzo (g,h,i) perylene	18.04	276	394295	38.49960	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y008.D Vial: 8
Acq On : 19 Mar 19 20:49 Operator: MA
Sample : 40ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y009.D Vial: 9
Acq On : 19 Mar 19 21:17 Operator: MA
Sample : 60ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	119422	40.00000	ppb	0.00
21) Napthalene-D8(IS)	6.84	136	509759	40.00000	ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	274152	40.00000	ppb	0.00
65) Phenanthrene-D10(IS)	10.59	188	446170	40.00000	ppb	0.00
79) Chrysene-D12(IS)	13.69	240	403300	40.00000	ppb	0.00
89) Perylene-D12(IS)	15.55	264	398594	40.00000	ppb	0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.84	112	554819	124.30237	ppb	0.00
Spiked Amount 200.000			Recovery = 62.151%			
6) Phenol-D6 (S)	5.01	99	719608	123.31751	ppb	0.00
Spiked Amount 200.000			Recovery = 61.659%			
22) Nitrobenzene-D5(S)	6.03	82	321087	59.61836	ppb	0.00
Spiked Amount 100.000			Recovery = 59.618%			
46) 2-Fluorobiphenyl(S)	8.08	172	599687	59.24331	ppb	0.00
Spiked Amount 100.000			Recovery = 59.243%			
64) 2,4,6-Tribromophenol(S)	9.79	330	114414	125.92573	ppb	0.00
Spiked Amount 200.000			Recovery = 62.963%			
82) Terphenyl-D14(S)	12.45	244	599770	60.83796	ppb	0.00
Spiked Amount 100.000			Recovery = 60.838%			
Target Compounds						Qvalue
2) 1,4-Dioxane	1.71	58	5619	6.95014		81
3) n-Nitrosodimethylamine	1.94	42	87300	57.52505	ppb	97
4) Pyridine	1.95	79	220241	60.34360	ppb	99
7) Phenol	5.03	94	377378	58.44629	ppb	98
8) Aniline	5.03	93	372737	59.21550	ppb	99
9) Bis (2-chloroethyl) ether	5.11	63	169839	59.18233	ppb	94
10) 2-Chlorophenol	5.17	128	279330	59.46524	ppb	99
11) 1,3-DCB	5.33	146	290271	58.86587	ppb	98
12) 1,4-DCB	5.42	146	295031	58.18265	ppb	99
13) Benzyl alcohol	5.57	108	164974	60.39709	ppb	99
14) 1,2-DCB	5.59	146	271735	57.82124	ppb	98
15) 2-Methylphenol	5.70	107	238089	58.18189	ppb	98
16) Bis (2-chloroisopropyl) et	5.70	45	247456	58.54127	ppb	93
17) Acetophenone	5.87	105	365171	58.26916	ppb	97
18) 3&4-Methylphenol	5.88	107	577737	117.61399	ppb	99
19) n-Nitrosodi-n-propylamine	5.87	70	199853	58.10437	ppb	98
20) Hexachloroethane	5.96	117	110136	57.69751	ppb	98
23) Nitrobenzene	6.06	77	297656	57.21389	ppb	96
24) Isophorone	6.32	82	522924	57.79950	ppb	99
25) 2-Nitrophenol	6.41	139	155294	58.88441	ppb	98
26) 2,4-Dimethylphenol	6.46	122	239596	57.63452	ppb	98
27) Benzoic acid	6.62	105	188602	66.02299	ppb	96
28) Bis (2-chloroethoxy) metha	6.56	93	319808	57.86678	ppb	99
29) 2,4-Dichlorophenol	6.69	162	205603	58.32590	ppb	97
30) 1,2,4-Trichlorobenzene	6.78	180	221096	57.13656	ppb	99
31) 3,4-Dimethylphenol	6.80	107	348609	56.70702	ppb	97
32) Naphthalene	6.86	128	782266	56.70953	ppb	100
33) 4-Chloroaniline	6.93	127	289331	56.89493	ppb	99
34) 2,6-Dichlorophenol	6.94	162	203765	57.49197	ppb	98
35) Hexachloropropene	6.95	213	128538	59.78323	ppb	98
36) Hexachlorobutadiene	6.99	225	108569	57.19641	ppb	97
37) Caprolactum	7.37	55	104723	58.95836	ppb	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y009.D Vial: 9
Acq On : 19 Mar 19 21:17 Operator: MA
Sample : 60ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	250598	58.64722	ppb		95
39)	2-Methylnaphthalene	7.65	142	508641	57.82653	ppb		99
40)	1-Methylnaphthalene	7.77	142	523067	57.37792	ppb		100
42)	Hexachlorocyclopentadiene	7.83	237	41106	59.83288	ppb		99
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	204706	57.19222	ppb		98
44)	2,4,6-Trichlorophenol	7.99	196	134842	58.58213	ppb		99
45)	2,4,5-Trichlorophenol	8.05	196	140586	56.82967	ppb		97
47)	1,1'-Biphenyl	8.19	154	643208	56.75881	ppb		99
48)	2-Chloronaphthalene	8.22	162	486021	57.02059	ppb		98
49)	2-Nitroaniline	8.35	65	160739	57.54102	ppb		97
50)	Dimethyl phthalate	8.54	163	568962	57.43277	ppb		99
51)	2,6-DNT	8.63	165	136200	58.79510	ppb		95
52)	Acenaphthylene	8.70	152	773677	57.35032	ppb		99
53)	3-Nitroaniline	8.84	138	149508	58.71506	ppb		99
54)	Acenaphthene	8.90	154	490001	56.39093	ppb		98
55)	2,4-Dinitrophenol	8.98	184	60741	52.76357	ppb		97
56)	4-Nitrophenol	9.10	65	86024	57.49889	ppb		98
57)	Dibenzofuran	9.10	168	661897	56.12878	ppb		99
58)	2,4-DNT	9.11	165	184830	59.03420	ppb		98
59)	2,3,4,6-Tetrachlorophenol	9.26	232	97056	61.78484	ppb		99
60)	Diethyl phthalate	9.36	149	558668	57.14501	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	253625	56.28224	ppb		98
62)	Fluorene	9.50	166	554278	56.34694	ppb		100
63)	4-Nitroaniline	9.55	138	145202	56.37019	ppb		98
66)	4,6-Dinitro-2-methylphenol	9.58	198	107862	64.79772	ppb		95
67)	Diphenyl amine	9.65	169	867131	115.84393	ppb		99
68)	n-Nitrosodiphenylamine	9.65	169	867131	115.84393	ppb		99
69)	1,2-Diphenylhydrazine	9.68	77	585945	55.93193	ppb		98
70)	4-Bromophenyl phenyl ether	10.06	248	136546	58.46632	ppb		98
71)	Hexachlorobenzene	10.14	284	125566	57.88847	ppb		98
72)	Atrazine	10.26	200	74712	29.20694	ppb		98
73)	Pentachlorophenol	10.39	266	44547	55.24805	ppb		97
74)	Phenanthrene	10.63	178	788815	57.86103	ppb		100
75)	Anthracene	10.69	178	835558	58.01934	ppb		100
76)	Carbazol	10.88	167	772017	58.21221	ppb		99
77)	Di-n-butylphthalate	11.26	149	963212	58.00071	ppb		100
78)	Fluoranthene	12.01	202	830711	58.27740	ppb	#	93
80)	Benzidine	12.18	184	176783	55.26666	ppb		97
81)	Pyrene	12.28	202	859734	57.82208	ppb		100
83)	Butyl benzylphthalate	13.02	149	437718	58.15532	ppb		96
84)	3,3'-Dichlorobenzidine	13.65	252	213681	57.16130	ppb	#	96
85)	Benz (a) anthracene	13.68	228	757726	57.63043	ppb		100
86)	Bis (2-ethylhexyl) phthala	13.67	149	610683	56.64646	ppb		99
87)	Chrysene	13.72	228	724548	57.15621	ppb		99
88)	Di-n-octylphthalate	14.42	149	1080420	58.12218	ppb		99
90)	Benzo (b) fluoranthene	15.04	252	715694	60.33039	ppb		99
91)	Benzo (k) fluoranthene	15.04	252	715694	60.33039	ppb		99
92)	Benzo (a) pyrene	15.47	252	683990	57.89271	ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.47	276	728010	57.27438	ppb		98
94)	Dibenz (a,h) anthracene	17.49	278	642062	57.61372	ppb		99
95)	Benzo (g,h,i) perylene	18.05	276	584721	57.64299	ppb		99

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190319\0319Y009.D Vial: 9
Acq On : 19 Mar 19 21:17 Operator: MA
Sample : 60ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y010.D Vial: 10
Acq On : 19 Mar 19 21:44 Operator: MA
Sample : 80ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	124639	40.00000	ppb	0.00
21) Napthalene-D8(IS)	6.84	136	522881	40.00000	ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	282109	40.00000	ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	471351	40.00000	ppb	0.00
79) Chrysene-D12(IS)	13.69	240	412376	40.00000	ppb	0.00
89) Perylene-D12(IS)	15.55	264	411654	40.00000	ppb	0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.84	112	738693	158.57052	ppb	0.00
Spiked Amount 200.000			Recovery = 79.286%			
6) Phenol-D6 (S)	5.01	99	947457	155.56742	ppb	0.00
Spiked Amount 200.000			Recovery = 77.784%			
22) Nitrobenzene-D5(S)	6.04	82	430884	77.99732	ppb	0.01
Spiked Amount 100.000			Recovery = 77.997%			
46) 2-Fluorobiphenyl(S)	8.08	172	792997	76.13085	ppb	0.00
Spiked Amount 100.000			Recovery = 76.131%			
64) 2,4,6-Tribromophenol(S)	9.79	330	149661	160.07313	ppb	0.00
Spiked Amount 200.000			Recovery = 80.037%			
82) Terphenyl-D14(S)	12.46	244	787455	78.11789	ppb	0.00
Spiked Amount 100.000			Recovery = 78.118%			
Target Compounds						Qvalue
2) 1,4-Dioxane	1.71	58	7489	8.87541		91
3) n-Nitrosodimethylamine	1.94	42	116191	73.35769	ppb	100
4) Pyridine	1.95	79	274406	72.03723	ppb	95
7) Phenol	5.03	94	500767	74.30987	ppb	88
8) Aniline	5.04	93	488876	74.41526	ppb	86
9) Bis (2-chloroethyl) ether	5.12	63	222242	74.20123	ppb	98
10) 2-Chlorophenol	5.17	128	368198	75.10302	ppb	99
11) 1,3-DCB	5.34	146	379628	73.76470	ppb	98
12) 1,4-DCB	5.42	146	385398	72.82252	ppb	99
13) Benzyl alcohol	5.58	108	221913	77.84194	ppb	91
14) 1,2-DCB	5.59	146	361603	73.72321	ppb	99
15) 2-Methylphenol	5.71	107	314233	73.57507	ppb	98
16) Bis (2-chloroisopropyl) et	5.71	45	323030	73.22129	ppb	96
17) Acetophenone	5.87	105	483988	73.99586	ppb	97
18) 3&4-Methylphenol	5.88	107	768184	149.83886	ppb	98
19) n-Nitrosodi-n-propylamine	5.87	70	261635	72.88269	ppb	95
20) Hexachloroethane	5.96	117	146122	73.34555	ppb	97
23) Nitrobenzene	6.06	77	397299	74.45028	ppb	95
24) Isophorone	6.33	82	694207	74.80602	ppb	97
25) 2-Nitrophenol	6.42	139	206201	76.22518	ppb	97
26) 2,4-Dimethylphenol	6.46	122	319334	74.88767	ppb	99
27) Benzoic acid	6.64	105	261327	89.18570	ppb	98
28) Bis (2-chloroethoxy) metha	6.56	93	420280	74.13799	ppb	98
29) 2,4-Dichlorophenol	6.69	162	278019	76.88976	ppb	96
30) 1,2,4-Trichlorobenzene	6.78	180	294061	74.08541	ppb	99
31) 3,4-Dimethylphenol	6.81	107	465258	73.78263	ppb	99
32) Naphthalene	6.86	128	1038095	73.36699	ppb	100
33) 4-Chloroaniline	6.93	127	367949	70.53883	ppb	98
34) 2,6-Dichlorophenol	6.94	162	269825	74.22015	ppb	98
35) Hexachloropropene	6.95	213	171358	77.69879	ppb	99
36) Hexachlorobutadiene	6.99	225	143366	73.63278	ppb	99
37) Caprolactum	7.39	55	136816	75.09349	ppb	94

(#) = qualifier out of range (m) = manual integration

Data File : M:\YODA\DATA\Y190319\0319Y010.D Vial: 10
Acq On : 19 Mar 19 21:44 Operator: MA
Sample : 80ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	327934	74.82010	ppb		96
39)	2-Methylnaphthalene	7.65	142	673129	74.60640	ppb		98
40)	1-Methylnaphthalene	7.77	142	691557	73.95670	ppb		100
42)	Hexachlorocyclopentadiene	7.83	237	70940	80.93094	ppb		99
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	270466	73.43339	ppb		100
44)	2,4,6-Trichlorophenol	7.99	196	181249	76.52267	ppb		99
45)	2,4,5-Trichlorophenol	8.05	196	191311	75.15320	ppb		96
47)	1,1'-Biphenyl	8.19	154	856636	73.46029	ppb		100
48)	2-Chloronaphthalene	8.23	162	636805	72.60351	ppb		95
49)	2-Nitroaniline	8.36	65	214971	74.78434	ppb		99
50)	Dimethyl phthalate	8.55	163	749146	73.48817	ppb		99
51)	2,6-DNT	8.63	165	179882	75.46163	ppb		92
52)	Acenaphthylene	8.70	152	1021819	73.60792	ppb		99
53)	3-Nitroaniline	8.84	138	195736	74.70167	ppb		97
54)	Acenaphthene	8.90	154	651107	72.81806	ppb		99
55)	2,4-Dinitrophenol	8.98	184	87654	71.15902	ppb		95
56)	4-Nitrophenol	9.10	65	121095	77.09489	ppb		94
57)	Dibenzofuran	9.10	168	882579	72.73162	ppb		98
58)	2,4-DNT	9.11	165	239317	74.28125	ppb		91
59)	2,3,4,6-Tetrachlorophenol	9.26	232	133018	82.28950	ppb		99
60)	Diethyl phthalate	9.37	149	735163	73.07732	ppb		98
61)	4-Chlorophenyl phenyl ethe	9.50	204	331462	71.48049	ppb		99
62)	Fluorene	9.51	166	731875	72.30262	ppb		99
63)	4-Nitroaniline	9.56	138	190904	72.02220	ppb		96
66)	4,6-Dinitro-2-methylphenol	9.59	198	147764	84.02641	ppb		89
67)	Diphenyl amine	9.65	169	1131969	143.14595	ppb		99
68)	n-Nitrosodiphenylamine	9.65	169	1131969	143.14595	ppb		99
69)	1,2-Diphenylhydrazine	9.68	77	899802	81.30286	ppb		97
70)	4-Bromophenyl phenyl ether	10.06	248	181349	73.50178	ppb		99
71)	Hexachlorobenzene	10.14	284	169696	74.05384	ppb		96
72)	Atrazine	10.27	200	99114	36.67639	ppb		95
73)	Pentachlorophenol	10.39	266	70646	79.76194	ppb		98
74)	Phenanthrene	10.63	178	1046291	72.64729	ppb		100
75)	Anthracene	10.69	178	1107324	72.78248	ppb		100
76)	Carbazol	10.88	167	1031382	73.61438	ppb		100
77)	Di-n-butylphthalate	11.26	149	1261013	71.87650	ppb		99
78)	Fluoranthene	12.02	202	1105666	73.42266	ppb		99
80)	Benzidine	12.18	184	235199	71.91062	ppb		98
81)	Pyrene	12.28	202	1139228	74.93335	ppb		99
83)	Butyl benzylphthalate	13.02	149	573895	74.56968	ppb		99
84)	3,3'-Dichlorobenzidine	13.65	252	277452	72.58701	ppb	#	96
85)	Benz (a) anthracene	13.68	228	1012545	75.31628	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.67	149	814809	73.91756	ppb		99
87)	Chrysene	13.73	228	967964	74.67760	ppb		99
88)	Di-n-octylphthalate	14.42	149	1420300	74.72471	ppb		98
90)	Benzo (b) fluoranthene	15.04	252	876462	71.53857	ppb		97
91)	Benzo (k) fluoranthene	15.04	252	876462	71.53857	ppb		97
92)	Benzo (a) pyrene	15.48	252	904838	74.15550	ppb		98
93)	Indeno (1,2,3-cd) pyrene	17.48	276	972746	74.10046	ppb		96
94)	Dibenz (a,h) anthracene	17.50	278	858807	74.61788	ppb		98
95)	Benzo (g,h,i) perylene	18.06	276	775963	74.06913	ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y010.D Vial: 10
Acq On : 19 Mar 19 21:44 Operator: MA
Sample : 80ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y011.D Vial: 11
Acq On : 19 Mar 19 22:11 Operator: MA
Sample : 100ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	128999	40.00000	ppb	0.00
21) Napthalene-D8(IS)	6.84	136	546463	40.00000	ppb	0.00
41) Acenaphthene-D10(IS)	8.86	164	293849	40.00000	ppb	0.00
65) Phenanthrene-D10(IS)	10.60	188	490122	40.00000	ppb	0.00
79) Chrysene-D12(IS)	13.70	240	432203	40.00000	ppb	0.00
89) Perylene-D12(IS)	15.55	264	424247	40.00000	ppb	0.00
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.84	112	958858	198.87509	ppb	0.00
Spiked Amount 200.000			Recovery = 99.438%			
6) Phenol-D6 (S)	5.02	99	1236542	196.17137	ppb	0.00
Spiked Amount 200.000			Recovery = 98.086%			
22) Nitrobenzene-D5(S)	6.04	82	553462	95.86260	ppb	0.00
Spiked Amount 100.000			Recovery = 95.863%			
46) 2-Fluorobiphenyl(S)	8.08	172	1015497	93.59670	ppb	0.00
Spiked Amount 100.000			Recovery = 93.597%			
64) 2,4,6-Tribromophenol(S)	9.79	330	199616	204.97357	ppb	0.00
Spiked Amount 200.000			Recovery = 102.487%			
82) Terphenyl-D14(S)	12.46	244	1007645	95.37573	ppb	0.00
Spiked Amount 100.000			Recovery = 95.376%			
Target Compounds						Qvalue
2) 1,4-Dioxane	1.71	58	8764	10.03540		79
3) n-Nitrosodimethylamine	1.94	42	149106	90.95695	ppb	96
4) Pyridine	1.95	79	353962	89.78167	ppb	96
7) Phenol	5.03	94	632343	90.66321	ppb	92
8) Aniline	5.04	93	623311	91.67179	ppb	97
9) Bis (2-chloroethyl) ether	5.11	63	284907	91.90851	ppb	99
10) 2-Chlorophenol	5.18	128	464858	91.61443	ppb	94
11) 1,3-DCB	5.34	146	480677	90.24254	ppb	99
12) 1,4-DCB	5.42	146	487952	89.08426	ppb	99
13) Benzyl alcohol	5.58	108	281389	95.36865	ppb	95
14) 1,2-DCB	5.59	146	456948	90.01328	ppb	99
15) 2-Methylphenol	5.71	107	400929	90.70140	ppb	99
16) Bis (2-chloroisopropyl) et	5.71	45	408465	89.45755	ppb	93
17) Acetophenone	5.87	105	611533	90.33590	ppb	88
18) 3&4-Methylphenol	5.89	107	971454	183.08343	ppb	100
19) n-Nitrosodi-n-propylamine	5.88	70	334389	90.00116	ppb	99
20) Hexachloroethane	5.96	117	186656	90.52483	ppb	95
23) Nitrobenzene	6.06	77	495416	88.83027	ppb	94
24) Isophorone	6.33	82	868215	89.51935	ppb	99
25) 2-Nitrophenol	6.41	139	265905	94.05379	ppb	94
26) 2,4-Dimethylphenol	6.47	122	407998	91.55147	ppb	95
27) Benzoic acid	6.66	105	338030	110.38455	ppb	97
28) Bis (2-chloroethoxy) metha	6.56	93	537091	90.65506	ppb	99
29) 2,4-Dichlorophenol	6.69	162	350974	92.87762	ppb	99
30) 1,2,4-Trichlorobenzene	6.78	180	368788	88.90253	ppb	99
31) 3,4-Dimethylphenol	6.80	107	588474	89.29551	ppb	100
32) Naphthalene	6.87	128	1321905	89.39350	ppb	99
33) 4-Chloroaniline	6.94	127	435084	79.80973	ppb	96
34) 2,6-Dichlorophenol	6.94	162	343607	90.43650	ppb	98
35) Hexachloropropene	6.95	213	221953	96.29705	ppb	98
36) Hexachlorobutadiene	6.99	225	179910	88.41428	ppb	97
37) Caprolactum	7.40	55	175756	92.30339	ppb	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y011.D Vial: 11
Acq On : 19 Mar 19 22:11 Operator: MA
Sample : 100ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.51	107	424655	92.70650 ppb		99
39)	2-Methylnaphthalene	7.66	142	848678	90.00421 ppb		100
40)	1-Methylnaphthalene	7.77	142	875232	89.56016 ppb		99
42)	Hexachlorocyclopentadiene	7.83	237	105184	99.60718 ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	340674	88.79992 ppb		97
44)	2,4,6-Trichlorophenol	7.99	196	231114	93.67710 ppb		99
45)	2,4,5-Trichlorophenol	8.05	196	244412	92.17705 ppb		99
47)	1,1'-Biphenyl	8.20	154	1087136	89.50203 ppb		98
48)	2-Chloronaphthalene	8.22	162	814565	89.15991 ppb		97
49)	2-Nitroaniline	8.35	65	274610	91.71489 ppb		94
50)	Dimethyl phthalate	8.55	163	959118	90.32661 ppb		99
51)	2,6-DNT	8.63	165	233972	94.23128 ppb		82
52)	Acenaphthylene	8.70	152	1296743	89.68034 ppb		99
53)	3-Nitroaniline	8.84	138	245951	90.11579 ppb		92
54)	Acenaphthene	8.90	154	821465	88.19999 ppb		98
55)	2,4-Dinitrophenol	8.98	184	119143	90.70931 ppb		96
56)	4-Nitrophenol	9.07	65	159994	102.32682 ppb	#	76
57)	Dibenzofuran	9.11	168	1112137	87.98744 ppb		93
58)	2,4-DNT	9.11	165	306608	91.36542 ppb		79
59)	2,3,4,6-Tetrachlorophenol	9.26	232	172487	102.44319 ppb		96
60)	Diethyl phthalate	9.37	149	913366	87.16387 ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	427282	88.46288 ppb		95
62)	Fluorene	9.51	166	931717	88.36777 ppb		99
63)	4-Nitroaniline	9.57	138	241665	87.53018 ppb		93
66)	4,6-Dinitro-2-methylphenol	9.60	198	195017	106.64976 ppb	#	79
67)	Diphenyl amine	9.65	169	1453305	176.74271 ppb		99
68)	n-Nitrosodiphenylamine	9.65	169	1453305	176.74271 ppb		99
69)	1,2-Diphenylhydrazine	9.68	77	1133772	98.52009 ppb		94
70)	4-Bromophenyl phenyl ether	10.07	248	233692	91.08917 ppb		86
71)	Hexachlorobenzene	10.15	284	215413	90.40410 ppb		86
72)	Atrazine	10.27	200	126617	45.05924 ppb		97
73)	Pentachlorophenol	10.39	266	96308	102.60104 ppb		98
74)	Phenanthrene	10.63	178	1336863	89.26765 ppb		99
75)	Anthracene	10.69	178	1408486	89.03175 ppb		99
76)	Carbazol	10.89	167	1314585	90.23438 ppb		97
77)	Di-n-butylphthalate	11.26	149	1619389	88.76847 ppb		100
78)	Fluoranthene	12.02	202	1425227	91.01866 ppb		97
80)	Benzidine	12.19	184	300037	87.52618 ppb		98
81)	Pyrene	12.29	202	1457256	91.45468 ppb		99
83)	Butyl benzylphthalate	13.01	149	737088	91.38077 ppb		96
84)	3,3'-Dichlorobenzidine	13.66	252	343274	85.68751 ppb		99
85)	Benz (a) anthracene	13.68	228	1263351	89.66112 ppb		98
86)	Bis (2-ethylhexyl) phthala	13.66	149	1014608	87.82046 ppb		98
87)	Chrysene	13.73	228	1222782	90.00896 ppb		98
88)	Di-n-octylphthalate	14.42	149	1823445	91.53399 ppb		96
90)	Benzo (b) fluoranthene	15.05	252	1198995	94.95943 ppb		99
91)	Benzo (k) fluoranthene	15.05	252	1198995	94.95943 ppb		99
92)	Benzo (a) pyrene	15.47	252	1144046	90.97657 ppb		100
93)	Indeno (1,2,3-cd) pyrene	17.49	276	1234147	91.22249 ppb		97
94)	Dibenz (a,h) anthracene	17.52	278	1080909	91.12762 ppb		96
95)	Benzo (g,h,i) perylene	18.07	276	989000	91.60224 ppb		99


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y011.D Vial: 11
Acq On : 19 Mar 19 22:11 Operator: MA
Sample : 100ug/mL 8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:19 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 03/19/19
Matrix: Instrument: Yoda
Initial Cal. Date: 03/19/19
Data File: 0319Y012.D

		Compound	MEAN	CCRF	%D		%Drift
1		1,4-Dioxane	0.2708	0.2758	1.8		
2	TM	n-Nitrosodimethylamine	0.5083	0.4536	11	TM	
3	TM	Pyridine	1.222	1.245	1.9	TM	
4	*TM	Phenol	2.163	2.182	0.89	*TM	
5	TM	Aniline	2.108	2.063	2.2	TM	
6	TM	Bis (2-chloroethyl) ether	0.9612	0.9227	4.0	TM	
7	TM	2-Chlorophenol	1.573	1.558	1.00	TM	
8	TM	1,3-DCB	1.652	1.633	1.2	TM	
9	*TM	1,4-DCB	1.698	1.688	0.62	*TM	
10	TM	Benzyl alcohol	0.9149	0.9011	1.5	TM	
11	TM	1,2-DCB	1.574	1.577	0.17	TM	
12	TM	2-Methylphenol	1.371	1.313	4.2	TM	
13	TM	Bis (2-chloroisopropyl) ether	1.416	1.347	4.8	TM	
14	TM	Acetophenone	2.099	2.045	2.6	TM	
15	TM	3&4-Methylphenol	1.645	1.624	1.3	TM	
16	**TM	n-Nitrosodi-n-propylamine	1.152	1.099	4.6	**TM	
17	TM	Hexachloroethane	0.6394	0.6376	0.27	TM	
18	TM	Nitrobenzene	0.4082	0.3946	3.3	TM	
19	TM	Isophorone	0.7099	0.7016	1.2	TM	
20	*TM	2-Nitrophenol	0.2069	0.2042	1.3	*TM	
21	TM	2,4-Dimethylphenol	0.3262	0.3125	4.2	TM	
22	TM	Benzoic acid	0.2229	0.2510	13	TM	
23	TM	Bis (2-chloroethoxy) methane	0.4337	0.4143	4.5	TM	
24	*TM	2,4-Dichlorophenol	0.2766	0.2784	0.65	*TM	
25	TM	1,2,4-Trichlorobenzene	0.3036	0.2987	1.6	TM	
26	TM	3,4-Dimethylphenol	0.4824	0.4656	3.5	TM	
27	TM	Naphthalene	1.082	1.057	2.3	TM	
28	TM	4-Chloroaniline	0.3990	0.3874	2.9	TM	
29	TM	2,6-Dichlorophenol	0.2781	0.2704	2.8	TM	
30	TM	Hexachloropropene	0.1687	0.1705	1.1	TM	
31	*TM	Hexachlorobutadiene	0.1489	0.1463	1.8	*TM	
32	TM	Caprolactum	0.1394	0.1341	3.8	TM	
33	*TM	4-Chloro-3-methylphenol	0.3353	0.3256	2.9	*TM	
34	TM	2-Methylnaphthalene	0.6902	0.6654	3.6	TM	
35	TM	1-Methylnaphthalene	0.7153	0.6853	4.2	TM	
36	**TMQ	Hexachlorocyclopentadiene	0.0924	0.0990	7.1	**TMQ	7.2
37	TM	1,2,4,5-Tetrachlorobenzene	0.5222	0.4998	4.3	TM	
38	*TM	2,4,6-Trichlorophenol	0.3358	0.3306	1.5	*TM	
39	TM	2,4,5-Trichlorophenol	0.3609	0.3495	3.2	TM	
40	TM	1,1'-Biphenyl	1.653	1.591	3.7	TM	
		Average			3.1		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 03/19/19
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0319Y012.D

		Compound	MEAN	CCRF	%D		%Drift
41	TM	2-Chloronaphthalene	1.244	1.232	0.90	TM	
42	TM	2-Nitroaniline	0.4076	0.3927	3.6	TM	
43	TM	Dimethyl phthalate	1.445	1.387	4.1	TM	
44	TM	2,6-DNT	0.3380	0.3438	1.7	TM	
45	TM	Acenaphthylene	1.968	1.931	1.9	TM	
46	TM	3-Nitroaniline	0.3715	0.3753	1.0	TM	
47	*TM	Acenaphthene	1.268	1.234	2.7	*TM	
48	**TML	2,4-Dinitrophenol	0.1285	0.1399	8.8	**TML	2.8
49	**TMQ	4-Nitrophenol	0.1853	0.2146	16	**TMQ	1.4
50	TM	Dibenzofuran	1.721	1.642	4.6	TM	
51	TM	2,4-DNT	0.4568	0.4638	1.5	TM	
52	TM	2,3,4,6-Tetrachlorophenol	0.2292	0.2538	11	TM	
53	TM	Diethyl phthalate	1.426	1.368	4.1	TM	
54	TM	4-Chlorophenyl phenyl ether	0.6575	0.6283	4.4	TM	
55	TM	Fluorene	1.435	1.405	2.1	TM	
56	TM	4-Nitroaniline	0.3758	0.3660	2.6	TM	
57	TM	4,6-Dinitro-2-methylphenol	0.1492	0.1589	6.5	TM	
58	TM	Diphenyl amine	0.6711	0.6712	0.01	TM	
59	*TM	n-Nitrosodiphenylamine	0.6711	0.6712	0.01	*TM	
60	TM	1,2-Diphenylhydrazine	0.9392	0.9000	4.2	TM	
61	TM	4-Bromophenyl phenyl ether	0.2094	0.2004	4.3	TM	
62	TM	Hexachlorobenzene	0.1945	0.1915	1.5	TM	
63	TM	Atrazine	0.2293	0.2249	1.9	TM	
64	*TML	Pentachlorophenol	0.0643	0.0638	0.80	*TML	8.4
65	TM	Phenanthrene	1.222	1.192	2.5	TM	
66	TM	Anthracene	1.291	1.238	4.1	TM	
67	TM	Carbazol	1.189	1.175	1.2	TM	
68	TM	Di-n-butylphthalate	1.489	1.422	4.5	TM	
69	*TM	Fluoranthene	1.278	1.252	2.0	*TM	
70	TM	Benzidine	0.3087	0.4238	37	TM	
71	TM	Pyrene	1.475	1.477	0.19	TM	
72	TM	Butyl benzylphthalate	0.7465	0.7432	0.45	TM	
73	TM	3,3'-Dichlorobenzidine	0.3708	0.4245	14	TM	
74	TM	Benz (a) anthracene	1.304	1.287	1.3	TM	
75	TM	Bis (2-ethylhexyl) phthalate	1.069	1.047	2.1	TM	
76	TM	Chrysene	1.257	1.249	0.66	TM	
77	*TM	Di-n-octylphthalate	1.844	1.830	0.75	*TM	
78	TM	Benzo (b) fluoranthene	1.190	1.224	2.8	TM	
79	TM	Benzo (k) fluoranthene	1.190	1.224	2.8	TM	
80	*TM	Benzo (a) pyrene	1.186	1.173	1.1	*TM	
		Average			4.2		

* NT MA 5/13/19

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Second Source Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 03/19/19
Matrix: 0 Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0319Y012.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	Indeno (1,2,3-cd) pyrene	1.276	1.260	1.2	TM	
82	TM	Dibenz (a,h) anthracene	1.118	1.109	0.80	TM	
83	TM	Benzo (g,h,i) perylene	1.018	1.004	1.4	TM	
84							
85							
86							
87							
88							
89							
90							
91							
92							
93							
94							
95							
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			1.1		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y012.D Vial: 12
Acq On : 19 Mar 19 22:39 Operator: MA
Sample : SS-8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:51 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.40	152	119662	40.00000	ppb		0.00
21) Napthalene-D8(IS)	6.84	136	503749	40.00000	ppb		0.00
41) Acenaphthene-D10(IS)	8.86	164	265971	40.00000	ppb		0.00
65) Phenanthrene-D10(IS)	10.59	188	441976	40.00000	ppb		0.00
79) Chrysene-D12(IS)	13.69	240	392951	40.00000	ppb		0.00
89) Perylene-D12(IS)	15.55	264	389935	40.00000	ppb		0.00
System Monitoring Compounds							
5) 2-Fluorophenol (S)	0.00	112	0	0.00000	ppb		
Spiked Amount 200.000			Recovery	=	0.000%		
6) Phenol-D6 (S)	0.00	99	0	0.00000	ppb		
Spiked Amount 200.000			Recovery	=	0.000%		
22) Nitrobenzene-D5(S)	5.96	82	20266	3.80782	ppb		-0.07
Spiked Amount 100.000			Recovery	=	3.808%		
46) 2-Fluorobiphenyl(S)	0.00	172	0	0.00000	ppb		
Spiked Amount 100.000			Recovery	=	0.000%		
64) 2,4,6-Tribromophenol(S)	0.00	330	0	0.00000	ppb		
Spiked Amount 200.000			Recovery	=	0.000%		
82) Terphenyl-D14(S)	12.46	244	154	0.01603	ppb		0.00
Spiked Amount 100.000			Recovery	=	0.016%		
Target Compounds							Qvalue
2) 1,4-Dioxane	1.71	58	4125	5.09198			81
3) n-Nitrosodimethylamine	1.94	42	67841	44.61317	ppb		100
4) Pyridine	1.95	79	186260	50.93082	ppb		99
7) Phenol	5.03	94	326371	50.44522	ppb		99
8) Aniline	5.03	93	308538	48.91811	ppb	#	95
9) Bis (2-chloroethyl) ether	5.11	63	138021	47.99852	ppb		100
10) 2-Chlorophenol	5.17	128	232989	49.50044	ppb		99
11) 1,3-DCB	5.33	146	244193	49.42211	ppb		99
12) 1,4-DCB	5.42	146	252474	49.69018	ppb		99
13) Benzyl alcohol	5.57	108	134784	49.24555	ppb		98
14) 1,2-DCB	5.59	146	235856	50.08606	ppb		99
15) 2-Methylphenol	5.70	107	196356	47.88735	ppb		99
16) Bis (2-chloroisopropyl) et	5.70	45	201555	47.58672	ppb		89
17) Acetophenone	5.87	105	305876	48.70976	ppb		91
18) 3&4-Methylphenol	5.88	107	485858	98.71116	ppb		100
19) n-Nitrosodi-n-propylamine	5.86	70	164419	47.70657	ppb		97
20) Hexachloroethane	5.96	117	95375	49.86438	ppb		97
23) Nitrobenzene	6.05	77	248485	48.33233	ppb		93
24) Isophorone	6.32	82	441766	49.41155	ppb		100
25) 2-Nitrophenol	6.41	139	128567	49.33168	ppb		97
26) 2,4-Dimethylphenol	6.46	122	196783	47.90065	ppb		98
27) Benzoic acid	6.61	105	158025	56.29546	ppb		98
28) Bis (2-chloroethoxy) metha	6.55	93	260894	47.76995	ppb		98
29) 2,4-Dichlorophenol	6.69	162	175316	50.32737	ppb		95
30) 1,2,4-Trichlorobenzene	6.77	180	188098	49.18901	ppb		96
31) 3,4-Dimethylphenol	6.80	107	293191	48.26136	ppb		97
32) Naphthalene	6.86	128	665697	48.83474	ppb		100
33) 4-Chloroaniline	6.93	127	243911	48.53563	ppb		100
34) 2,6-Dichlorophenol	6.94	162	170257	48.61086	ppb		98
35) Hexachloropropene	6.95	213	107365	50.53139	ppb		100
36) Hexachlorobutadiene	6.99	225	92116	49.10760	ppb		98
37) Caprolactum	7.37	55	84463	48.11944	ppb		95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190319\0319Y012.D Vial: 12
Acq On : 19 Mar 19 22:39 Operator: MA
Sample : SS-8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:51 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed Mar 20 09:42:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.50	107	205002	48.54881	ppb		95
39)	2-Methylnaphthalene	7.65	142	418993	48.20291	ppb		100
40)	1-Methylnaphthalene	7.77	142	431516	47.89996	ppb		99
42)	Hexachlorocyclopentadiene	7.83	237	32915	53.59927	ppb		97
43)	1,2,4,5-Tetrachlorobenzene	7.84	216	166181	47.85694	ppb		98
44)	2,4,6-Trichlorophenol	7.99	196	109924	49.22545	ppb		96
45)	2,4,5-Trichlorophenol	8.05	196	116191	48.41308	ppb		95
47)	1,1'-Biphenyl	8.19	154	529104	48.12603	ppb		99
48)	2-Chloronaphthalene	8.22	162	409749	49.55092	ppb		98
49)	2-Nitroaniline	8.34	65	130571	48.17926	ppb		89
50)	Dimethyl phthalate	8.54	163	461073	47.97371	ppb		100
51)	2,6-DNT	8.63	165	114309	50.86295	ppb		96
52)	Acenaphthylene	8.70	152	641976	49.05147	ppb		99
53)	3-Nitroaniline	8.83	138	124765	50.50507	ppb		89
54)	Acenaphthene	8.89	154	410164	48.65494	ppb		99
55)	2,4-Dinitrophenol	8.98	184	46512	48.57875	ppb		100
56)	4-Nitrophenol	9.10	65	71354	50.68015	ppb		100
57)	Dibenzofuran	9.10	168	545810	47.70829	ppb		98
58)	2,4-DNT	9.11	165	154197	50.76498	ppb		96
59)	2,3,4,6-Tetrachlorophenol	9.25	232	84375	55.36438	ppb		99
60)	Diethyl phthalate	9.36	149	454872	47.95908	ppb		99
61)	4-Chlorophenyl phenyl ethe	9.50	204	208880	47.77858	ppb		97
62)	Fluorene	9.50	166	467270	48.96296	ppb		97
63)	4-Nitroaniline	9.55	138	121690	48.69551	ppb		94
66)	4,6-Dinitro-2-methylphenol	9.58	198	87770	53.22786	ppb		97
67)	Diphenyl amine	9.64	169	741606	100.01462	ppb		98
68)	n-Nitrosodiphenylamine	9.64	169	741606	100.01462	ppb		98
69)	1,2-Diphenylhydrazine	9.68	77	497223	47.91327	ppb		99
70)	4-Bromophenyl phenyl ether	10.06	248	110718	47.85713	ppb		95
71)	Hexachlorobenzene	10.14	284	105782	49.23042	ppb		96
72)	Atrazine	10.26	200	62133	24.51996	ppb		98
73)	Pentachlorophenol	10.39	266	35240	45.78765	ppb		95
74)	Phenanthrene	10.63	178	658612	48.76883	ppb		100
75)	Anthracene	10.68	178	683995	47.94582	ppb		99
76)	Carbazol	10.88	167	649223	49.41773	ppb		98
77)	Di-n-butylphthalate	11.26	149	785841	47.76918	ppb		100
78)	Fluoranthene	12.01	202	691935	49.00238	ppb	#	94
80)	Benzidine	12.18	184	208143	68.64547	ppb		98
81)	Pyrene	12.28	202	725716	50.09405	ppb		99
83)	Butyl benzylphthalate	13.01	149	365037	49.77620	ppb		94
84)	3,3'-Dichlorobenzidine	13.65	252	208493	57.24235	ppb	#	94
85)	Benz (a) anthracene	13.68	228	632354	49.36166	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.66	149	514327	48.96504	ppb		99
87)	Chrysene	13.72	228	613494	49.67026	ppb		99
88)	Di-n-octylphthalate	14.42	149	898831	49.62690	ppb		99
90)	Benzo (b) fluoranthene	15.03	252	596428	51.39316	ppb		97
91)	Benzo (k) fluoranthene	15.03	252	596428	51.39316	ppb		97
92)	Benzo (a) pyrene	15.47	252	571604	49.45474	ppb		99
93)	Indeno (1,2,3-cd) pyrene	17.46	276	613999	49.37752	ppb		99
94)	Dibenz (a,h) anthracene	17.49	278	540732	49.59861	ppb		98
95)	Benzo (g,h,i) perylene	18.04	276	489260	49.30331	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190319\0319Y012.D Vial: 12
Acq On : 19 Mar 19 22:39 Operator: MA
Sample : SS-8270 03/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: Mar 20 9:51 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190319\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Tue Mar 19 23:23:59 2019
Response via : Initial Calibration



Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 2 May 19 9:26
Matrix: Instrument: Yoda
Initial Cal. Date: 03/19/19
Data File: 0411Y264.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	1,4-dichlorobenzene-D4(IS)	ISTD			I	
2		1,4-Dioxane	0.2708	0.2736	1.0		
3	TM	n-Nitrosodimethylamine	0.5083	0.4896	3.7	TM	
4	TM	Pyridine	1.222	1.283	4.9	TM	
5	S	2-Fluorophenol (S)	1.495	1.599	7.0	S	
6	S	Phenol-D6 (S)	1.955	2.139	9.4	S	
7	*TM	Phenol	2.163	2.244	3.8	*TM	
8	TM	Aniline	2.108	2.384	13	TM	
9	TM	Bis (2-chloroethyl) ether	0.9612	0.9829	2.3	TM	
10	TM	2-Chlorophenol	1.573	1.621	3.0	TM	
11	TM	1,3-DCB	1.652	1.604	2.9	TM	
12	*TM	1,4-DCB	1.698	1.638	3.5	*TM	
13	TM	Benzyl alcohol	0.9149	0.9902	8.2	TM	
14	TM	1,2-DCB	1.574	1.546	1.8	TM	
15	TM	2-Methylphenol	1.371	1.402	2.3	TM	
16	TM	Bis (2-chloroisopropyl) ether	1.416	1.461	3.2	TM	
17	TM	Acetophenone	2.099	2.173	3.5	TM	
18	TM	3&4-Methylphenol	1.645	1.731	5.2	TM	
19	**TM	n-Nitrosodi-n-propylamine	1.152	1.213	5.3	**TM	
20	TM	Hexachloroethane	0.6394	0.6171	3.5	TM	
21	I	Napthalene-D8(IS)	ISTD			I	
22	S	Nitrobenzene-D5(S)	0.4226	0.4493	6.3	S	
23	TM	Nitrobenzene	0.4082	0.4009	1.8	TM	
24	TM	Isophorone	0.7099	0.7044	0.77	TM	
25	*TM	2-Nitrophenol	0.2069	0.2088	0.88	*TM	
26	TM	2,4-Dimethylphenol	0.3262	0.3307	1.4	TM	
27	TM	Benzoic acid	0.2242	0.2244	0.11	TM	
28	TM	Bis (2-chloroethoxy) methane	0.4337	0.4287	1.2	TM	
29	*TM	2,4-Dichlorophenol	0.2766	0.2833	2.4	*TM	
30	TM	1,2,4-Trichlorobenzene	0.3036	0.2955	2.7	TM	
31	TM	3,4-Dimethylphenol	0.4824	0.4813	0.22	TM	
32	TM	Naphthalene	1.082	1.065	1.6	TM	
33	TM	4-Chloroaniline	0.3990	0.4239	6.2	TM	
34	TM	2,6-Dichlorophenol	0.2781	0.2789	0.28	TM	
35	TM	Hexachloropropene	0.1687	0.1773	5.1	TM	
36	*TM	Hexachlorobutadiene	0.1489	0.1470	1.3	*TM	
37	TM	Caprolactum	0.1394	0.1423	2.1	TM	
38	*TM	4-Chloro-3-methylphenol	0.3353	0.3466	3.4	*TM	
39	TM	2-Methylnaphthalene	0.6902	0.6768	1.9	TM	
40	TM	1-Methylnaphthalene	0.7153	0.7054	1.4	TM	
		Average			3.4		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 2 May 19 9:26
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y264.D

		Compound	MEAN	CCRF	%D		%Drift
41	I	Acenaphthene-D10(IS)	ISTD			I	
42	**TMQ	Hexachlorocyclopentadiene	0.0924	0.0880	4.8	**TMQ	0.27
43	TM	1,2,4,5-Tetrachlorobenzene	0.5222	0.5063	3.0	TM	
44	*TM	2,4,6-Trichlorophenol	0.3358	0.3334	0.72	*TM	
45	TM	2,4,5-Trichlorophenol	0.3609	0.3613	0.11	TM	
46	S	2-Fluorobiphenyl(S)	1.477	1.480	0.20	S	
47	TM	1,1'-Biphenyl	1.653	1.589	3.9	TM	
48	TM	2-Chloronaphthalene	1.244	1.210	2.7	TM	
49	TM	2-Nitroaniline	0.4076	0.4145	1.7	TM	
50	TM	Dimethyl phthalate	1.445	1.442	0.26	TM	
51	TM	2,6-DNT	0.3380	0.3454	2.2	TM	
52	TM	Acenaphthylene	1.968	1.914	2.8	TM	
53	TM	3-Nitroaniline	0.3715	0.3877	4.4	TM	
54	*TM	Acenaphthene	1.268	1.230	3.0	*TM	
55	**TML	2,4-Dinitrophenol	0.1301	0.1444	11	**TML	11
56	**TMQ	4-Nitrophenol	0.1853	0.2546	37	**TMQ	16
57	TM	Dibenzofuran	1.721	1.683	2.2	TM	
58	TM	2,4-DNT	0.4568	0.4600	0.70	TM	
59	TM	2,3,4,6-Tetrachlorophenol	0.2292	0.2618	14	TM	
60	TM	Diethyl phthalate	1.426	1.409	1.3	TM	
61	TM	4-Chlorophenyl phenyl ether	0.6575	0.6478	1.5	TM	
62	TM	Fluorene	1.435	1.418	1.2	TM	
63	TM	4-Nitroaniline	0.3758	0.3654	2.8	TM	
64	S	2,4,6-Tribromophenol(S)	0.1326	0.1487	12	S	
65	I	Phenanthrene-D10(IS)	ISTD			I	
66	TM	4,6-Dinitro-2-methylphenol	0.1492	0.1628	9.1	TM	
67	TM	Diphenyl amine	0.6711	0.6669	0.63	TM	
68	*TM	n-Nitrosodiphenylamine	0.6711	0.6669	0.63	*TM	
69	TM	1,2-Diphenylhydrazine	0.9392	0.8842	5.9	TM	
70	TM	4-Bromophenyl phenyl ether	0.2094	0.2100	0.31	TM	
71	TM	Hexachlorobenzene	0.1945	0.1974	1.5	TM	
72	TM	Atrazine	0.2293	0.2306	0.56	TM	
73	*TML	Pentachlorophenol	0.0578	0.0811	40	*TML	12
74	TM	Phenanthrene	1.222	1.198	2.0	TM	
75	TM	Anthracene	1.291	1.261	2.3	TM	
76	TM	Carbazol	1.189	1.175	1.2	TM	
77	TM	Di-n-butylphthalate	1.489	1.470	1.2	TM	
78	*TM	Fluoranthene	1.278	1.251	2.1	*TM	
79	I	Chrysene-D12(IS)	ISTD			I	
80	TM	Benzidine	0.3173	0.3530	11	TM	
		Average			5.2		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 2 May 19 9:26
Matrix: 0 Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y264.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	Pyrene	1.475	1.449	1.8	TM	
82	S	Terphenyl-D14(S)	0.9778	1.010	3.3	S	
83	TM	Butyl benzylphthalate	0.7465	0.7357	1.4	TM	
84	TM	3,3'-Dichlorobenzidine	0.3708	0.3750	1.1	TM	
85	TM	Benz (a) anthracene	1.304	1.278	2.0	TM	
86	TM	Bis (2-ethylhexyl) phthalate	1.069	1.018	4.8	TM	
87	TM	Chrysene	1.257	1.224	2.7	TM	
88	*TM	Di-n-octylphthalate	1.844	1.795	2.6	*TM	
89	I	Perylene-D12(IS)	ISTD			I	
90	TM	Benzo (b) fluoranthene	1.190	1.339	12	TM	
91	TM	Benzo (k) fluoranthene	1.190	1.110	6.7	TM	
92	*TM	Benzo (a) pyrene	1.186	1.168	1.5	*TM	
93	TM	Indeno (1,2,3-cd) pyrene	1.276	1.243	2.6	TM	
94	TM	Dibenz (a,h) anthracene	1.118	1.087	2.8	TM	
95	TM	Benzo (g,h,i) perylene	1.018	0.9924	2.5	TM	
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			3.4		

Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y264.D Vial: 64
Acq On : 2 May 19 9:26 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: May 2 9:40 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed May 01 12:19:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	184492	40.00000	ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	808807	40.00000	ppb	-0.03
41) Acenaphthene-D10(IS)	8.78	164	439608	40.00000	ppb	-0.01
65) Phenanthrene-D10(IS)	10.53	188	736697	40.00000	ppb	0.00
79) Chrysene-D12(IS)	13.65	240	671005	40.00000	ppb	0.02
89) Perylene-D12(IS)	15.49	264	660853	40.00000	ppb	0.02
System Monitoring Compounds						
5) 2-Fluorophenol (S)	3.67	112	737565	106.96340	ppb	-0.12
Spiked Amount 200.000			Recovery = 53.481%			
6) Phenol-D6 (S)	4.89	99	986662	109.44703	ppb	-0.05
Spiked Amount 200.000			Recovery = 54.724%			
22) Nitrobenzene-D5(S)	5.93	82	454296	53.16382	ppb	-0.04
Spiked Amount 100.000			Recovery = 53.164%			
46) 2-Fluorobiphenyl(S)	7.99	172	813203	50.10020	ppb	-0.03
Spiked Amount 100.000			Recovery = 50.100%			
64) 2,4,6-Tribromophenol(S)	9.72	330	163452	112.18929	ppb	0.00
Spiked Amount 200.000			Recovery = 56.094%			
82) Terphenyl-D14(S)	12.40	244	847306	51.65741	ppb	0.00
Spiked Amount 100.000			Recovery = 51.657%			
Target Compounds						Qvalue
2) 1,4-Dioxane	1.61	58	6310	5.05208		88
3) n-Nitrosodimethylamine	1.85	42	112898	48.15438	ppb	93
4) Pyridine	1.86	79	295789	52.45922	ppb	97
7) Phenol	4.90	94	517513	51.88102	ppb	89
8) Aniline	4.91	93	549900	56.54881	ppb	98
9) Bis (2-chloroethyl) ether	4.99	63	226676	51.12896	ppb	97
10) 2-Chlorophenol	5.05	128	373818	51.51250	ppb	94
11) 1,3-DCB	5.22	146	369793	48.54287	ppb	98
12) 1,4-DCB	5.30	146	377850	48.23387	ppb	99
13) Benzyl alcohol	5.46	108	228364	54.11716	ppb	97
14) 1,2-DCB	5.48	146	356515	49.10508	ppb	98
15) 2-Methylphenol	5.59	107	323268	51.13497	ppb	97
16) Bis (2-chloroisopropyl) et	5.60	45	336907	51.59184	ppb	99
17) Acetophenone	5.76	105	501192	51.76705	ppb	90
18) 3&4-Methylphenol	5.77	107	798429	105.21361	ppb	98
19) n-Nitrosodi-n-propylamine	5.76	70	279735	52.64435	ppb	99
20) Hexachloroethane	5.85	117	142308	48.25739	ppb	98
23) Nitrobenzene	5.95	77	405273	49.09695	ppb	91
24) Isophorone	6.23	82	712195	49.61402	ppb	97
25) 2-Nitrophenol	6.31	139	211060	50.43960	ppb	91
26) 2,4-Dimethylphenol	6.37	122	334315	50.68495	ppb	97
27) Benzoic acid	6.54	105	226874m	50.05571	ppb	98
28) Bis (2-chloroethoxy) metha	6.47	93	433382	49.42320	ppb	99
29) 2,4-Dichlorophenol	6.60	162	286425	51.21096	ppb	94
30) 1,2,4-Trichlorobenzene	6.67	180	298776	48.66301	ppb	99
31) 3,4-Dimethylphenol	6.71	107	486603	49.88765	ppb	98
32) Naphthalene	6.77	128	1076922	49.20461	ppb	100
33) 4-Chloroaniline	6.84	127	428522	53.10944	ppb	99
34) 2,6-Dichlorophenol	6.84	162	281956	50.13938	ppb	95
35) Hexachloropropene	6.86	213	179274	52.55150	ppb	99
36) Hexachlorobutadiene	6.90	225	148617	49.34594	ppb	98
37) Caprolactum	7.29	55	143861	51.04655	ppb	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y264.D Vial: 64
Acq On : 2 May 19 9:26 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: May 2 9:40 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed May 01 12:19:54 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	4-Chloro-3-methylphenol	7.42	107	350405	51.68448	ppb		99
39)	2-Methylnaphthalene	7.56	142	684275	49.03051	ppb		100
40)	1-Methylnaphthalene	7.68	142	713148	49.30457	ppb		100
42)	Hexachlorocyclopentadiene	7.73	237	48335	50.13406	ppb		98
43)	1,2,4,5-Tetrachlorobenzene	7.76	216	278228	48.47670	ppb		99
44)	2,4,6-Trichlorophenol	7.91	196	183220	49.64079	ppb		99
45)	2,4,5-Trichlorophenol	7.96	196	198552	50.05335	ppb		91
47)	1,1'-Biphenyl	8.11	154	872969	48.04038	ppb		97
48)	2-Chloronaphthalene	8.13	162	665077	48.66026	ppb		99
49)	2-Nitroaniline	8.27	65	227767	50.84789	ppb		94
50)	Dimethyl phthalate	8.47	163	792182	49.86861	ppb		98
51)	2,6-DNT	8.56	165	189811	51.09886	ppb		96
52)	Acenaphthylene	8.61	152	1051555	48.61093	ppb		99
53)	3-Nitroaniline	8.76	138	213045	52.17738	ppb		94
54)	Acenaphthene	8.82	154	675992	48.51540	ppb		99
55)	2,4-Dinitrophenol	8.90	184	79338	44.28597	ppb		100
56)	4-Nitrophenol	8.98	65	139920	58.19666	ppb		78
57)	Dibenzofuran	9.02	168	925004	48.91754	ppb		94
58)	2,4-DNT	9.03	165	252779	50.34983	ppb		82
59)	2,3,4,6-Tetrachlorophenol	9.18	232	143853	57.10896	ppb		97
60)	Diethyl phthalate	9.30	149	773989	49.37250	ppb		97
61)	4-Chlorophenyl phenyl ethe	9.42	204	355946	49.25941	ppb		96
62)	Fluorene	9.43	166	779284	49.40424	ppb		99
63)	4-Nitroaniline	9.49	138	200794	48.61311	ppb		95
66)	4,6-Dinitro-2-methylphenol	9.52	198	149879	54.53100	ppb		88
67)	Diphenyl amine	9.57	169	1228175	99.37115	ppb		97
68)	n-Nitrosodiphenylamine	9.57	169	1228175	99.37115	ppb		97
69)	1,2-Diphenylhydrazine	9.61	77	814270	47.07419	ppb		91
70)	4-Bromophenyl phenyl ether	10.00	248	193408	50.15482	ppb		91
71)	Hexachlorobenzene	10.07	284	181752	50.74704	ppb		87
72)	Atrazine	10.20	200	106182	25.13958	ppb		96
73)	Pentachlorophenol	10.31	266	74690	56.00343	ppb		97
74)	Phenanthrene	10.56	178	1103188	49.00857	ppb		100
75)	Anthracene	10.62	178	1161674	48.85308	ppb		99
76)	Carbazol	10.81	167	1082224	49.42149	ppb		100
77)	Di-n-butylphthalate	11.20	149	1353910	49.37563	ppb		100
78)	Fluoranthene	11.96	202	1152215	48.95479	ppb	#	95
80)	Benzidine	12.12	184	296102	55.63736	ppb		98
81)	Pyrene	12.22	202	1215141	49.12005	ppb		100
83)	Butyl benzylphthalate	12.97	149	617090	49.27720	ppb		96
84)	3,3'-Dichlorobenzidine	13.60	252	314497	50.56560	ppb	#	98
85)	Benz (a) anthracene	13.64	228	1071778	48.99446	ppb		99
86)	Bis (2-ethylhexyl) phthala	13.62	149	854006	47.61243	ppb		97
87)	Chrysene	13.67	228	1026343	48.66215	ppb		99
88)	Di-n-octylphthalate	14.37	149	1505636	48.68238	ppb		96
90)	Benzo (b) fluoranthene	14.94	252	1106318	56.24897	ppb		99
91)	Benzo (k) fluoranthene	14.98	252	917061	46.62650	ppb		98
92)	Benzo (a) pyrene	15.41	252	964689	49.24786	ppb		100
93)	Indeno (1,2,3-cd) pyrene	17.40	276	1026636	48.71530	ppb		97
94)	Dibenz (a,h) anthracene	17.41	278	898017	48.60259	ppb		99
95)	Benzo (g,h,i) perylene	17.97	276	819807	48.74559	ppb		98


(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y264.D Vial: 64
Acq On : 2 May 19 9:26 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: May 2 9:40 2019 Quant Results File: Y0319NC.RES


Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed May 01 12:19:54 2019
Response via : Initial Calibration




Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y264.D Vial: 64
Acq On : 2 May 19 9:26 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: May 2 9:39 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed May 01 12:19:54 2019
Response via : Multiple Level Calibration





TIC: 0411Y264.D

(27) Benzoic acid (TM)

6.54min 61.8463ppb


response 280314

Ion	Exp%	Act%
105.00	100	100
122.00	79.10	78.05
77.00	72.70	75.53
0.00	0.00	0.00

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y264.D Vial: 64
Acq On : 2 May 19 9:26 Operator: MA
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00
Quant Time: May 2 9:40 2019 Quant Results File: temp.res

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Wed May 01 12:19:54 2019
Response via : Multiple Level Calibration



TIC: 0411Y264.D

(27) Benzoic acid (TM)

6.54min 50.0557ppb m

response 226874

Ion	Exp%	Act%
105.00	100	100
122.00	79.10	78.05
77.00	72.70	76.14
0.00	0.00	0.00

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 2 May 19 20:30
Matrix: Instrument: Yoda
Initial Cal. Date: 03/19/19
Data File: 0411Y287.D

		Compound	MEAN	CCRF	%D		%Drift
1	I	1,4-dichlorobenzene-D4(IS)	ISTD			I	
2		1,4-Dioxane	0.2708	0.2491	8.0		
3	TM	n-Nitrosodimethylamine	0.5083	0.4636	8.8	TM	
4	TM	Pyridine	1.222	1.188	2.8	TM	
5	S	2-Fluorophenol (S)	1.495	1.595	6.7	S	
6	S	Phenol-D6 (S)	1.955	2.157	10	S	
7	*TM	Phenol	2.163	2.249	4.0	*TM	
8	TM	Aniline	2.108	2.265	7.4	TM	
9	TM	Bis (2-chloroethyl) ether	0.9612	0.9883	2.8	TM	
10	TM	2-Chlorophenol	1.573	1.612	2.4	TM	
11	TM	1,3-DCB	1.652	1.607	2.7	TM	
12	*TM	1,4-DCB	1.698	1.618	4.7	*TM	
13	TM	Benzyl alcohol	0.9149	0.9941	8.7	TM	
14	TM	1,2-DCB	1.574	1.527	3.0	TM	
15	TM	2-Methylphenol	1.371	1.428	4.2	TM	
16	TM	Bis (2-chloroisopropyl) ether	1.416	1.443	1.9	TM	
17	TM	Acetophenone	2.099	2.188	4.2	TM	
18	TM	3&4-Methylphenol	1.645	1.744	6.0	TM	
19	**TM	n-Nitrosodi-n-propylamine	1.152	1.216	5.6	**TM	
20	TM	Hexachloroethane	0.6394	0.6112	4.4	TM	
21	I	Napthalene-D8(IS)	ISTD			I	
22	S	Nitrobenzene-D5(S)	0.4226	0.4454	5.4	S	
23	TM	Nitrobenzene	0.4082	0.4042	0.99	TM	
24	TM	Isophorone	0.7099	0.7178	1.1	TM	
25	*TM	2-Nitrophenol	0.2069	0.2084	0.70	*TM	
26	TM	2,4-Dimethylphenol	0.3262	0.3334	2.2	TM	
27	TM	Benzoic acid	0.2242	0.2823	26	TM	
28	TM	Bis (2-chloroethoxy) methane	0.4337	0.4358	0.50	TM	
29	*TM	2,4-Dichlorophenol	0.2766	0.2839	2.6	*TM	
30	TM	1,2,4-Trichlorobenzene	0.3036	0.2951	2.8	TM	
31	TM	3,4-Dimethylphenol	0.4824	0.4946	2.5	TM	
32	TM	Naphthalene	1.082	1.058	2.3	TM	
33	TM	4-Chloroaniline	0.3990	0.4249	6.5	TM	
34	TM	2,6-Dichlorophenol	0.2781	0.2803	0.80	TM	
35	TM	Hexachloropropene	0.1687	0.1668	1.2	TM	
36	*TM	Hexachlorobutadiene	0.1489	0.1465	1.7	*TM	
37	TM	Caprolactum	0.1394	0.1422	2.0	TM	
38	*TM	4-Chloro-3-methylphenol	0.3353	0.3513	4.8	*TM	
39	TM	2-Methylnaphthalene	0.6902	0.6802	1.4	TM	
40	TM	1-Methylnaphthalene	0.7153	0.7086	0.94	TM	
		Average			4.3		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc.
Case No:
Matrix: 0

SDG No:
Date Analyzed: 2 May 19 20:30
Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y287.D

		Compound	MEAN	CCRF	%D		%Drift
41	I	Acenaphthene-D10(IS)	ISTD			I	
42	**TMQ	Hexachlorocyclopentadiene	0.0924	0.0564	39	**TMQ	21
43	TM	1,2,4,5-Tetrachlorobenzene	0.5222	0.5011	4.0	TM	
44	*TM	2,4,6-Trichlorophenol	0.3358	0.3365	0.21	*TM	
45	TM	2,4,5-Trichlorophenol	0.3609	0.3581	0.79	TM	
46	S	2-Fluorobiphenyl(S)	1.477	1.480	0.21	S	
47	TM	1,1'-Biphenyl	1.653	1.586	4.1	TM	
48	TM	2-Chloronaphthalene	1.244	1.200	3.5	TM	
49	TM	2-Nitroaniline	0.4076	0.4137	1.5	TM	
50	TM	Dimethyl phthalate	1.445	1.409	2.5	TM	
51	TM	2,6-DNT	0.3380	0.3434	1.6	TM	
52	TM	Acenaphthylene	1.968	1.892	3.9	TM	
53	TM	3-Nitroaniline	0.3715	0.3845	3.5	TM	
54	*TM	Acenaphthene	1.268	1.221	3.7	*TM	
55	**TML	2,4-Dinitrophenol	0.1301	0.1409	8.2	**TML	13
56	**TMQ	4-Nitrophenol	0.1853	0.2528	36	**TMQ	16
57	TM	Dibenzofuran	1.721	1.672	2.8	TM	
58	TM	2,4-DNT	0.4568	0.4623	1.2	TM	
59	TM	2,3,4,6-Tetrachlorophenol	0.2292	0.2582	13	TM	
60	TM	Diethyl phthalate	1.426	1.398	2.0	TM	
61	TM	4-Chlorophenyl phenyl ether	0.6575	0.6450	1.9	TM	
62	TM	Fluorene	1.435	1.403	2.3	TM	
63	TM	4-Nitroaniline	0.3758	0.3644	3.0	TM	
64	S	2,4,6-Tribromophenol(S)	0.1326	0.1475	11	S	
65	I	Phenanthrene-D10(IS)	ISTD			I	
66	TM	4,6-Dinitro-2-methylphenol	0.1492	0.1607	7.7	TM	
67	TM	Diphenyl amine	0.6711	0.6619	1.4	TM	
68	*TM	n-Nitrosodiphenylamine	0.6711	0.6619	1.4	*TM	
69	TM	1,2-Diphenylhydrazine	0.9392	0.8818	6.1	TM	
70	TM	4-Bromophenyl phenyl ether	0.2094	0.2085	0.42	TM	
71	TM	Hexachlorobenzene	0.1945	0.1915	1.5	TM	
72	TM	Atrazine	0.2293	0.1921	16	TM	
73	*TML	Pentachlorophenol	0.0578	0.0810	40	*TML	12
74	TM	Phenanthrene	1.222	1.191	2.6	TM	
75	TM	Anthracene	1.291	1.255	2.8	TM	
76	TM	Carbazol	1.189	1.180	0.77	TM	
77	TM	Di-n-butylphthalate	1.489	1.465	1.6	TM	
78	*TM	Fluoranthene	1.278	1.273	0.42	*TM	
79	I	Chrysene-D12(IS)	ISTD			I	
80	TM	Benzidine	0.3173	0.2255	29	TM	
		Average			7.1		

Semi-Volatile Analysis by GC-MS
EPA 8270

Form 7

Ending Continuing Calibration

Lab Name: APPL, Inc. SDG No:
Case No: Date Analyzed: 2 May 19 20:30
Matrix: 0 Instrument: Yoda
Cal. Date: 03/19/19
Data File: 0411Y287.D

		Compound	MEAN	CCRF	%D		%Drift
81	TM	Pyrene	1.475	1.437	2.6	TM	
82	S	Terphenyl-D14(S)	0.9778	1.007	3.0	S	
83	TM	Butyl benzylphthalate	0.7465	0.7365	1.3	TM	
84	TM	3,3'-Dichlorobenzidine	0.3708	0.4046	9.1	TM	
85	TM	Benz (a) anthracene	1.304	1.264	3.1	TM	
86	TM	Bis (2-ethylhexyl) phthalate	1.069	1.043	2.5	TM	
87	TM	Chrysene	1.257	1.222	2.8	TM	
88	*TM	Di-n-octylphthalate	1.844	1.801	2.3	*TM	
89	I	Perylene-D12(IS)	ISTD			I	
90	TM	Benzo (b) fluoranthene	1.190	1.261	5.9	TM	
91	TM	Benzo (k) fluoranthene	1.190	1.175	1.3	TM	
92	*TM	Benzo (a) pyrene	1.186	1.150	3.0	*TM	
93	TM	Indeno (1,2,3-cd) pyrene	1.276	1.218	4.5	TM	
94	TM	Dibenz (a,h) anthracene	1.118	1.068	4.5	TM	
95	TM	Benzo (g,h,i) perylene	1.018	0.9545	6.2	TM	
96							
97							
98							
99							
100							
101							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
		Average			3.7		

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y287.D Vial: 87
Acq On : 2 May 19 20:30 Operator: MA,SS
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: May 3 8:45 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Thu May 02 09:51:35 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) 1,4-dichlorobenzene-D4(IS)	5.28	152	207550	40.00000 ppb	-0.05
21) Napthalene-D8(IS)	6.74	136	911370	40.00000 ppb	-0.03
41) Acenaphthene-D10(IS)	8.78	164	504495	40.00000 ppb	-0.01
65) Phenanthrene-D10(IS)	10.54	188	839503	40.00000 ppb	0.00
79) Chrysene-D12(IS)	13.65	240	762276	40.00000 ppb	0.02
89) Perylene-D12(IS)	15.49	264	743444	40.00000 ppb	0.02
System Monitoring Compounds					
5) 2-Fluorophenol (S)	3.67	112	827842	106.71787 ppb	-0.12
Spiked Amount 200.000			Recovery =	53.359%	
6) Phenol-D6 (S)	4.89	99	1119054	110.34214 ppb	-0.05
Spiked Amount 200.000			Recovery =	55.171%	
22) Nitrobenzene-D5(S)	5.93	82	507403	52.69634 ppb	-0.04
Spiked Amount 100.000			Recovery =	52.696%	
46) 2-Fluorobiphenyl(S)	7.99	172	933293	50.10341 ppb	-0.03
Spiked Amount 100.000			Recovery =	50.103%	
64) 2,4,6-Tribromophenol(S)	9.72	330	186040	111.26952 ppb	0.00
Spiked Amount 200.000			Recovery =	55.635%	
82) Terphenyl-D14(S)	12.40	244	959745	51.50646 ppb	0.00
Spiked Amount 100.000			Recovery =	51.506%	
Target Compounds					Qvalue
2) 1,4-Dioxane	1.61	58	6462	4.59900	94
3) n-Nitrosodimethylamine	1.85	42	120277	45.60232 ppb	93
4) Pyridine	1.86	79	308223	48.59143 ppb	97
7) Phenol	4.91	94	583468	51.99470 ppb	94
8) Aniline	4.91	93	587671	53.71911 ppb	97
9) Bis (2-chloroethyl) ether	4.99	63	256414	51.41122 ppb	96
10) 2-Chlorophenol	5.05	128	418171	51.22254 ppb	95
11) 1,3-DCB	5.22	146	416899	48.64659 ppb	98
12) 1,4-DCB	5.30	146	419807	47.63620 ppb	98
13) Benzyl alcohol	5.47	108	257904	54.32756 ppb	92
14) 1,2-DCB	5.48	146	396112	48.49773 ppb	99
15) 2-Methylphenol	5.60	107	370532	52.09977 ppb	99
16) Bis (2-chloroisopropyl) et	5.60	45	374376	50.96051 ppb	97
17) Acetophenone	5.76	105	567575	52.11075 ppb	95
18) 3&4-Methylphenol	5.77	107	905046	106.01347 ppb	100
19) n-Nitrosodi-n-propylamine	5.76	70	315560	52.78879 ppb	97
20) Hexachloroethane	5.85	117	158566	47.79687 ppb	97
23) Nitrobenzene	5.96	77	460440	49.50283 ppb	100
24) Isophorone	6.23	82	817761	50.55709 ppb	99
25) 2-Nitrophenol	6.31	139	237402	50.35009 ppb	90
26) 2,4-Dimethylphenol	6.37	122	379822	51.10383 ppb	99
27) Benzoic acid	6.55	105	321593	62.96884 ppb	96
28) Bis (2-chloroethoxy) metha	6.47	93	496489	50.24812 ppb	97
29) 2,4-Dichlorophenol	6.60	162	323453	51.32316 ppb	94
30) 1,2,4-Trichlorobenzene	6.67	180	336222	48.59924 ppb	96
31) 3,4-Dimethylphenol	6.71	107	563500	51.26988 ppb	100
32) Naphthalene	6.77	128	1205030	48.86182 ppb	100
33) 4-Chloroaniline	6.84	127	484070	53.24232 ppb	97
34) 2,6-Dichlorophenol	6.85	162	319374	50.40195 ppb	98
35) Hexachloropropene	6.86	213	189989	49.42497 ppb	98
36) Hexachlorobutadiene	6.90	225	166862	49.16891 ppb	98
37) Caprolactum	7.30	55	161946	50.99689 ppb	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : M:\YODA\DATA\Y190411\0411Y287.D Vial: 87
Acq On : 2 May 19 20:30 Operator: MA,SS
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: May 3 8:45 2019 Quant Results File: Y0319NC.RES

Quant Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Thu May 02 09:51:35 2019
Response via : Initial Calibration
DataAcq Meth : SVOC416

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38) 4-Chloro-3-methylphenol	7.42	107	400221	52.38897	ppb		98
39) 2-Methylnaphthalene	7.56	142	774915	49.27652	ppb		100
40) 1-Methylnaphthalene	7.68	142	807219	49.52780	ppb		99
42) Hexachlorocyclopentadiene	7.73	237	35553	39.36268	ppb		97
43) 1,2,4,5-Tetrachlorobenzene	7.76	216	316009	47.97781	ppb		99
44) 2,4,6-Trichlorophenol	7.91	196	212223	50.10338	ppb		99
45) 2,4,5-Trichlorophenol	7.96	196	225821	49.60574	ppb		92
47) 1,1'-Biphenyl	8.11	154	999907	47.94861	ppb		97
48) 2-Chloronaphthalene	8.14	162	756636	48.23899	ppb		94
49) 2-Nitroaniline	8.27	65	260902	50.75376	ppb		88
50) Dimethyl phthalate	8.47	163	888790	48.75399	ppb		99
51) 2,6-DNT	8.56	165	216560	50.80153	ppb		92
52) Acenaphthylene	8.61	152	1193085	48.05981	ppb		99
53) 3-Nitroaniline	8.76	138	242494	51.75123	ppb		92
54) Acenaphthene	8.82	154	769822	48.14344	ppb		99
55) 2,4-Dinitrophenol	8.90	184	88831	43.37902	ppb		97
56) 4-Nitrophenol	8.99	65	159422	57.84261	ppb	#	72
57) Dibenzofuran	9.02	168	1054455	48.59122	ppb		95
58) 2,4-DNT	9.03	165	291504	50.59531	ppb		81
59) 2,3,4,6-Tetrachlorophenol	9.18	232	162804	56.31955	ppb		97
60) Diethyl phthalate	9.30	149	881781	49.01396	ppb		98
61) 4-Chlorophenyl phenyl ethe	9.42	204	406749	49.05015	ppb		96
62) Fluorene	9.43	166	884632	48.86972	ppb		100
63) 4-Nitroaniline	9.50	138	229810	48.48198	ppb		94
66) 4,6-Dinitro-2-methylphenol	9.52	198	168662	53.85011	ppb		94
67) Diphenyl amine	9.58	169	1389140	98.63084	ppb		98
68) n-Nitrosodiphenylamine	9.58	169	1389140	98.63084	ppb		98
69) 1,2-Diphenylhydrazine	9.61	77	925394	46.94699	ppb		92
70) 4-Bromophenyl phenyl ether	10.00	248	218786	49.78797	ppb		91
71) Hexachlorobenzene	10.07	284	200994	49.24717	ppb		89
72) Atrazine	10.20	200	100805	20.94382	ppb		96
73) Pentachlorophenol	10.31	266	84952	55.90948	ppb		97
74) Phenanthrene	10.56	178	1249545	48.71257	ppb		99
75) Anthracene	10.62	178	1317326	48.61470	ppb		100
76) Carbazol	10.82	167	1238090	49.61552	ppb		96
77) Di-n-butylphthalate	11.20	149	1537682	49.21030	ppb		99
78) Fluoranthene	11.96	202	1335460	49.79196	ppb	#	94
80) Benzidine	12.12	184	214838	35.53446	ppb		100
81) Pyrene	12.22	202	1368877	48.70909	ppb		100
83) Butyl benzylphthalate	12.97	149	701780	49.33010	ppb		95
84) 3,3'-Dichlorobenzidine	13.60	252	385549	54.56721	ppb	#	98
85) Benz (a) anthracene	13.64	228	1204037	48.45019	ppb		99
86) Bis (2-ethylhexyl) phthala	13.62	149	993558	48.76028	ppb	#	96
87) Chrysene	13.68	228	1164034	48.58228	ppb		99
88) Di-n-octylphthalate	14.37	149	1715977	48.84012	ppb		95
90) Benzo (b) fluoranthene	14.95	252	1171576	52.94948	ppb		99
91) Benzo (k) fluoranthene	14.98	252	1091631	49.33636	ppb		99
92) Benzo (a) pyrene	15.42	252	1068967	48.50884	ppb		96
93) Indeno (1,2,3-cd) pyrene	17.41	276	1132053	47.74988	ppb		99
94) Dibenz (a,h) anthracene	17.42	278	992480	47.74778	ppb		99
95) Benzo (g,h,i) perylene	17.98	276	887025	46.88308	ppb		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : M:\YODA\DATA\Y190411\0411Y287.D Vial: 87
Acq On : 2 May 19 20:30 Operator: MA,SS
Sample : 50ug/ml 8270 3/13/19 Inst : Yoda
Misc : Multiplr: 1.00

Quant Time: May 3 8:45 2019 Quant Results File: Y0319NC.RES

Method : M:\YODA\DATA\Y190411\Y0319NC.M (RTE Integrator)
Title : EPA 8270C
Last Update : Thu May 02 09:51:35 2019
Response via : Initial Calibration

