

Work Orders: 1E21031

Project: 96222

Attn: Libby Cheeseborough

Client: APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Report Date: 6/15/2021

Received Date: 5/21/2021

Turnaround Time: Normal

Phones: (559) 275-2175

Fax: (559) 275-4422

P.O. #: 00-96222

Billing Code:


DoD-ELAP ANAB #L2457 • DoD-ISO ANAB # • ELAP-CA #1132 • EPA-UCMR #CA00211 • Guam-EPA #17-008R • HW-DOH # • ISO17025 ANAB #L2457.01 • LACSD #10143 • NELAP-OR #4047 • NJ-DEP #CA015 • NV-DEP #NAC 445A • SCAQMD #93LA1006

This is a complete final report. The information in this report applies to the samples analyzed in accordance with the chain-of-custody document. Weck Laboratories certifies that the test results meet all requirements of TNI unless noted by qualifiers or written in the Case Narrative. This analytical report must be reproduced in its entirety.

Dear Libby Cheeseborough,


Enclosed are the results of analyses for samples received 5/21/21 with the Chain-of-Custody document. The samples were received in good condition, at 1.4 °C and on ice. All analyses met the method criteria except as noted in the case narrative or in the report with data qualifiers.

Reviewed by:



Brandon Gee
Operations Manager/Senior PM





WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28

Project Manager: Libby Cheeseborough

Sample Summary

Sample Name	Sampled By	Lab ID	Matrix	Sampled	Qualifiers
BA32813, Alias: ERH1359	Client	1E21031-01	Water	05/19/21 08:05	
BA32814, Alias: ERH1360	Client	1E21031-02	Water	05/19/21 08:55	
BA32815, Alias: ERH1361	Client	1E21031-03	Water	05/19/21 09:10	



WECK LABORATORIES, INC.

Certificate of Analysis

FINAL REPORT

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Project Number: 96222

Project Manager: Libby Cheeseborough

Reported:
06/15/2021 14:28


Sample Results

Sample: BA32813, Alias: ERH1359
1E21031-01 (Water)

Sampled: 05/19/21 8:05 by Client

Comments: Pre-Chlorination

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Semivolatile Organic Compounds by GC/MS						
Method: EPA 525.2		Instr: GCMS16				
Batch ID: W1F0002	Preparation: EPA 525.2/SPE	Prepared: 06/01/21 08:28		Analyst: rmr		
2,4-Dinitrotoluene	ND	2.0	ug/l	1	06/09/21	U-01
2,6-Dinitrotoluene	ND	2.0	ug/l	1	06/09/21	U-01
4,4'-DDD	ND	0.10	ug/l	1	06/09/21	U-01
4,4'-DDE	ND	0.20	ug/l	1	06/09/21	U-01
4,4'-DDT	ND	0.10	ug/l	1	06/09/21	U-01
Acenaphthene	ND	0.50	ug/l	1	06/09/21	U-01
Acenaphthylene	ND	0.50	ug/l	1	06/09/21	U-01
Acetochlor	ND	0.10	ug/l	1	06/09/21	U-01
Alachlor	ND	0.10	ug/l	1	06/09/21	U-01
Aldrin	ND	0.10	ug/l	1	06/09/21	U-01
alpha-BHC	ND	0.10	ug/l	1	06/09/21	U-01
alpha-Chlordane	ND	0.10	ug/l	1	06/09/21	U-01
Anthracene	ND	0.50	ug/l	1	06/09/21	U-01
Atrazine	ND	0.10	ug/l	1	06/09/21	U-01
Benzo (a) anthracene	ND	0.50	ug/l	1	06/09/21	U-01
Benzo (a) pyrene	ND	0.10	ug/l	1	06/09/21	U-01
Benzo (b) fluoranthene	ND	0.50	ug/l	1	06/09/21	U-01
Benzo (g,h,i) perylene	ND	0.50	ug/l	1	06/09/21	U-01
Benzo (k) fluoranthene	ND	0.50	ug/l	1	06/09/21	U-01
beta-BHC	ND	0.20	ug/l	1	06/09/21	U-01
Bis(2-ethylhexyl)adipate	ND	5.0	ug/l	1	06/09/21	U-01
Bis(2-ethylhexyl)phthalate	ND	3.0	ug/l	1	06/09/21	U-01
Bromacil	ND	0.50	ug/l	1	06/09/21	U-01
Butachlor	ND	0.10	ug/l	1	06/09/21	U-01
Butyl benzyl phthalate	ND	2.0	ug/l	1	06/09/21	U-01
Caffeine	ND	0.10	ug/l	1	06/09/21	U-01
Captan	ND	1.0	ug/l	1	06/09/21	U-01
Chlorpropham	ND	0.10	ug/l	1	06/09/21	U-01
Chrysene	ND	0.50	ug/l	1	06/09/21	U-01
Cyanazine	ND	0.10	ug/l	1	06/09/21	U-01
delta-BHC	ND	0.10	ug/l	1	06/09/21	U-01
Diazinon	ND	0.10	ug/l	1	06/09/21	U-01
Dibenzo (a,h) anthracene	ND	0.50	ug/l	1	06/09/21	U-01
Dieldrin	ND	0.20	ug/l	1	06/09/21	U-01



WECK LABORATORIES, INC.

Certificate of Analysis

FINAL REPORT

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Project Number: 96222

Project Manager: Libby Cheeseborough

Reported:
06/15/2021 14:28

Sample Results

(Continued)

Sample: BA32813, Alias: ERH1359
1E21031-01 (Water)

Sampled: 05/19/21 8:05 by Client
(Continued)

Comments: Pre-Chlorination

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
---------	--------	-----	-------	-----	----------	-----------

Semivolatile Organic Compounds by GC/MS (Continued)

Method: EPA 525.2

Instr: GCMS16


Batch ID: W1F0002

Preparation: EPA 525.2/SPE

Prepared: 06/01/21 08:28

Analyst: rmr

Diethyl phthalate	ND	2.0	ug/l	1	06/09/21	U-01
Dimethoate	ND	0.20	ug/l	1	06/09/21	U-01
Dimethyl phthalate	ND	2.0	ug/l	1	06/09/21	U-01
Di-n-butyl phthalate	ND	2.0	ug/l	1	06/09/21	U-01
Di-n-octyl phthalate	ND	0.50	ug/l	1	06/09/21	U-01
Diphenamid	ND	0.10	ug/l	1	06/09/21	U-01
Disulfoton	ND	0.10	ug/l	1	06/09/21	U-01
Endosulfan I	ND	1.0	ug/l	1	06/09/21	U-01
Endosulfan II	ND	0.20	ug/l	1	06/09/21	U-01
Endosulfan sulfate	ND	0.20	ug/l	1	06/09/21	U-01
Endrin	ND	0.20	ug/l	1	06/09/21	U-01
Endrin aldehyde	ND	0.20	ug/l	1	06/09/21	U-01
Endrin ketone	ND	0.10	ug/l	1	06/09/21	U-01
EPTC	ND	0.10	ug/l	1	06/09/21	U-01
Ethion	ND	0.10	ug/l	1	06/09/21	U-01
Fluoranthene	ND	0.50	ug/l	1	06/09/21	U-01
Fluorene	ND	0.50	ug/l	1	06/09/21	U-01
gamma-BHC (Lindane)	ND	0.10	ug/l	1	06/09/21	U-01
gamma-Chlordane	ND	0.10	ug/l	1	06/09/21	U-01
Heptachlor	ND	0.10	ug/l	1	06/09/21	U-01
Heptachlor epoxide	ND	0.10	ug/l	1	06/09/21	U-01
Hexachlorobenzene	ND	0.10	ug/l	1	06/09/21	U-01
Hexachlorocyclopentadiene	ND	1.0	ug/l	1	06/09/21	U-01
Indeno (1,2,3-cd) pyrene	ND	0.50	ug/l	1	06/09/21	U-01
Methoxychlor	ND	0.20	ug/l	1	06/09/21	U-01
Metolachlor	ND	0.10	ug/l	1	06/09/21	U-01
Metribuzin	ND	0.10	ug/l	1	06/09/21	U-01
Molinate	ND	0.10	ug/l	1	06/09/21	U-01
Naphthalene	ND	0.50	ug/l	1	06/09/21	U-01
Pentachloronitrobenzene (PCNB)	ND	0.10	ug/l	1	06/09/21	U-01
Pentachlorophenol	ND	1.0	ug/l	1	06/09/21	U-01
Phenanthrene	ND	0.50	ug/l	1	06/09/21	U-01
Prometon	ND	0.10	ug/l	1	06/09/21	U-01
Prometryn	ND	0.10	ug/l	1	06/09/21	U-01



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28

Project Manager: Libby Cheeseborough

Sample Results

(Continued)


Sample: BA32813, Alias: ERH1359
1E21031-01 (Water)

Sampled: 05/19/21 8:05 by Client

(Continued)

Comments: Pre-Chlorination

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Semivolatile Organic Compounds by GC/MS (Continued)						
Method: EPA 525.2		Instr: GCMS16				
Batch ID: W1F0002		Preparation: EPA 525.2/SPE			Prepared: 06/01/21 08:28	
		Analyst: rmr				
Propachlor	ND	0.20	ug/l	1	06/09/21	U-01
Pyrene	ND	0.50	ug/l	1	06/09/21	U-01
Simazine	ND	0.10	ug/l	1	06/09/21	U-01
Terbacil	ND	2.0	ug/l	1	06/09/21	U-01
Thiobencarb	ND	0.10	ug/l	1	06/09/21	U-01
Trifluralin	ND	0.10	ug/l	1	06/09/21	U-01
Trithion	ND	0.10	ug/l	1	06/09/21	U-01
<i>Surrogate(s)</i>						
1,3-Dimethyl-2-nitrobenzene	102%	Conc: 5.00	70-130		06/09/21	U-01
Perylene-d12	101%	Conc: 4.98	50-120		06/09/21	U-01
Triphenyl phosphate	117%	Conc: 5.74	70-130		06/09/21	U-01



WECK LABORATORIES, INC.

Certificate of Analysis

FINAL REPORT

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Project Number: 96222

Project Manager: Libby Cheeseborough

Reported:
06/15/2021 14:28

Sample Results


(Continued)

Sample: BA32814, Alias: ERH1360
1E21031-02 (Water)

Sampled: 05/19/21 8:55 by Client

Comments: Pre-Chlorination

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Semivolatile Organic Compounds by GC/MS						
Method: EPA 525.2		Instr: GCMS16				
Batch ID: W1F0002	Preparation: EPA 525.2/SPE	Prepared: 06/01/21 08:28		Analyst: rmr		
2,4-Dinitrotoluene	ND	2.0	ug/l	1	06/10/21	U-01
2,6-Dinitrotoluene	ND	2.0	ug/l	1	06/10/21	U-01
4,4'-DDD	ND	0.10	ug/l	1	06/10/21	U-01
4,4'-DDE	ND	0.20	ug/l	1	06/10/21	U-01
4,4'-DDT	ND	0.10	ug/l	1	06/10/21	U-01
Acenaphthene	ND	0.50	ug/l	1	06/10/21	U-01
Acenaphthylene	ND	0.50	ug/l	1	06/10/21	U-01
Acetochlor	ND	0.10	ug/l	1	06/10/21	U-01
Alachlor	ND	0.10	ug/l	1	06/10/21	U-01
Aldrin	ND	0.10	ug/l	1	06/10/21	U-01
alpha-BHC	ND	0.10	ug/l	1	06/10/21	U-01
alpha-Chlordane	ND	0.10	ug/l	1	06/10/21	U-01
Anthracene	ND	0.50	ug/l	1	06/10/21	U-01
Atrazine	ND	0.10	ug/l	1	06/10/21	U-01
Benzo (a) anthracene	ND	0.50	ug/l	1	06/10/21	U-01
Benzo (a) pyrene	ND	0.10	ug/l	1	06/10/21	U-01
Benzo (b) fluoranthene	ND	0.50	ug/l	1	06/10/21	U-01
Benzo (g,h,i) perylene	ND	0.50	ug/l	1	06/10/21	U-01
Benzo (k) fluoranthene	ND	0.50	ug/l	1	06/10/21	U-01
beta-BHC	ND	0.20	ug/l	1	06/10/21	U-01
Bis(2-ethylhexyl)adipate	ND	5.0	ug/l	1	06/10/21	U-01
Bis(2-ethylhexyl)phthalate	ND	3.0	ug/l	1	06/10/21	U-01
Bromacil	ND	0.50	ug/l	1	06/10/21	U-01
Butachlor	ND	0.10	ug/l	1	06/10/21	U-01
Butyl benzyl phthalate	ND	2.0	ug/l	1	06/10/21	U-01
Caffeine	ND	0.10	ug/l	1	06/10/21	U-01
Captan	ND	1.0	ug/l	1	06/10/21	U-01
Chlorpropham	ND	0.10	ug/l	1	06/10/21	U-01
Chrysene	ND	0.50	ug/l	1	06/10/21	U-01
Cyanazine	ND	0.10	ug/l	1	06/10/21	U-01
delta-BHC	ND	0.10	ug/l	1	06/10/21	U-01
Diazinon	ND	0.10	ug/l	1	06/10/21	U-01
Dibenzo (a,h) anthracene	ND	0.50	ug/l	1	06/10/21	U-01
Dieldrin	ND	0.20	ug/l	1	06/10/21	U-01



WECK LABORATORIES, INC.

Certificate of Analysis

FINAL REPORT

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Project Number: 96222

Project Manager: Libby Cheeseborough

Reported:
06/15/2021 14:28

Sample Results

(Continued)

Sample: BA32814, Alias: ERH1360
1E21031-02 (Water)

Sampled: 05/19/21 8:55 by Client
(Continued)

Comments: Pre-Chlorination

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Semivolatile Organic Compounds by GC/MS (Continued)						
Method: EPA 525.2		Instr: GCMS16				
Batch ID: W1F0002	Preparation: EPA 525.2/SPE	Prepared: 06/01/21 08:28		Analyst: rmr		
Diethyl phthalate	ND	2.0	ug/l	1	06/10/21	U-01
Dimethoate	ND	0.20	ug/l	1	06/10/21	U-01
Dimethyl phthalate	ND	2.0	ug/l	1	06/10/21	U-01
Di-n-butyl phthalate	ND	2.0	ug/l	1	06/10/21	U-01
Di-n-octyl phthalate	ND	0.50	ug/l	1	06/10/21	U-01
Diphenamid	ND	0.10	ug/l	1	06/10/21	U-01
Disulfoton	ND	0.10	ug/l	1	06/10/21	U-01
Endosulfan I	ND	1.0	ug/l	1	06/10/21	U-01
Endosulfan II	ND	0.20	ug/l	1	06/10/21	U-01
Endosulfan sulfate	ND	0.20	ug/l	1	06/10/21	U-01
Endrin	ND	0.20	ug/l	1	06/10/21	U-01
Endrin aldehyde	ND	0.20	ug/l	1	06/10/21	U-01
Endrin ketone	ND	0.10	ug/l	1	06/10/21	U-01
EPTC	ND	0.10	ug/l	1	06/10/21	U-01
Ethion	ND	0.10	ug/l	1	06/10/21	U-01
Fluoranthene	ND	0.50	ug/l	1	06/10/21	U-01
Fluorene	ND	0.50	ug/l	1	06/10/21	U-01
gamma-BHC (Lindane)	ND	0.10	ug/l	1	06/10/21	U-01
gamma-Chlordane	ND	0.10	ug/l	1	06/10/21	U-01
Heptachlor	ND	0.10	ug/l	1	06/10/21	U-01
Heptachlor epoxide	ND	0.10	ug/l	1	06/10/21	U-01
Hexachlorobenzene	ND	0.10	ug/l	1	06/10/21	U-01
Hexachlorocyclopentadiene	ND	1.0	ug/l	1	06/10/21	U-01
Indeno (1,2,3-cd) pyrene	ND	0.50	ug/l	1	06/10/21	U-01
Methoxychlor	ND	0.20	ug/l	1	06/10/21	U-01
Metolachlor	ND	0.10	ug/l	1	06/10/21	U-01
Metribuzin	ND	0.10	ug/l	1	06/10/21	U-01
Molinate	ND	0.10	ug/l	1	06/10/21	U-01
Naphthalene	ND	0.50	ug/l	1	06/10/21	U-01
Pentachloronitrobenzene (PCNB)	ND	0.10	ug/l	1	06/10/21	U-01
Pentachlorophenol	ND	1.0	ug/l	1	06/10/21	U-01
Phenanthrene	ND	0.50	ug/l	1	06/10/21	U-01
Prometon	ND	0.10	ug/l	1	06/10/21	U-01
Prometryn	ND	0.10	ug/l	1	06/10/21	U-01



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28

Project Manager: Libby Cheeseborough

Sample Results

(Continued)


Sample: BA32814, Alias: ERH1360
1E21031-02 (Water)

Sampled: 05/19/21 8:55 by Client

(Continued)

Comments: Pre-Chlorination

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Semivolatile Organic Compounds by GC/MS (Continued)						
Method: EPA 525.2		Instr: GCMS16				
Batch ID: W1F0002	Preparation: EPA 525.2/SPE	Prepared: 06/01/21 08:28		Analyst: rmr		
Propachlor	ND	0.20	ug/l	1	06/10/21	U-01
Pyrene	ND	0.50	ug/l	1	06/10/21	U-01
Simazine	ND	0.10	ug/l	1	06/10/21	U-01
Terbacil	ND	2.0	ug/l	1	06/10/21	U-01
Thiobencarb	ND	0.10	ug/l	1	06/10/21	U-01
Trifluralin	ND	0.10	ug/l	1	06/10/21	U-01
Trithion	ND	0.10	ug/l	1	06/10/21	U-01
<i>Surrogate(s)</i>						
1,3-Dimethyl-2-nitrobenzene	100%	Conc: 5.12	70-130		06/10/21	U-01
Perylene-d12	99%	Conc: 5.11	50-120		06/10/21	U-01
Triphenyl phosphate	118%	Conc: 6.06	70-130		06/10/21	U-01



WECK LABORATORIES, INC.

Certificate of Analysis

FINAL REPORT

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Project Number: 96222

Project Manager: Libby Cheeseborough

Reported:
06/15/2021 14:28

Sample Results


(Continued)

Sample: BA32815, Alias: ERH1361
1E21031-03 (Water)

Sampled: 05/19/21 9:10 by Client

Comments: Field Blank

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Semivolatile Organic Compounds by GC/MS						
Method: EPA 525.2		Instr: GCMS16				
Batch ID: W1F0002	Preparation: EPA 525.2/SPE	Prepared: 06/01/21 08:28		Analyst: rmr		
2,4-Dinitrotoluene	ND	2.0	ug/l	1	06/10/21	U-01
2,6-Dinitrotoluene	ND	2.0	ug/l	1	06/10/21	U-01
4,4'-DDD	ND	0.10	ug/l	1	06/10/21	U-01
4,4'-DDE	ND	0.20	ug/l	1	06/10/21	U-01
4,4'-DDT	ND	0.10	ug/l	1	06/10/21	U-01
Acenaphthene	ND	0.50	ug/l	1	06/10/21	U-01
Acenaphthylene	ND	0.50	ug/l	1	06/10/21	U-01
Acetochlor	ND	0.10	ug/l	1	06/10/21	U-01
Alachlor	ND	0.10	ug/l	1	06/10/21	U-01
Aldrin	ND	0.10	ug/l	1	06/10/21	U-01
alpha-BHC	ND	0.10	ug/l	1	06/10/21	U-01
alpha-Chlordane	ND	0.10	ug/l	1	06/10/21	U-01
Anthracene	ND	0.50	ug/l	1	06/10/21	U-01
Atrazine	ND	0.10	ug/l	1	06/10/21	U-01
Benzo (a) anthracene	ND	0.50	ug/l	1	06/10/21	U-01
Benzo (a) pyrene	ND	0.10	ug/l	1	06/10/21	U-01
Benzo (b) fluoranthene	ND	0.50	ug/l	1	06/10/21	U-01
Benzo (g,h,i) perylene	ND	0.50	ug/l	1	06/10/21	U-01
Benzo (k) fluoranthene	ND	0.50	ug/l	1	06/10/21	U-01
beta-BHC	ND	0.20	ug/l	1	06/10/21	U-01
Bis(2-ethylhexyl)adipate	ND	5.0	ug/l	1	06/10/21	U-01
Bis(2-ethylhexyl)phthalate	ND	3.0	ug/l	1	06/10/21	U-01
Bromacil	ND	0.50	ug/l	1	06/10/21	U-01
Butachlor	ND	0.10	ug/l	1	06/10/21	U-01
Butyl benzyl phthalate	ND	2.0	ug/l	1	06/10/21	U-01
Caffeine	ND	0.10	ug/l	1	06/10/21	U-01
Captan	ND	1.0	ug/l	1	06/10/21	U-01
Chlorpropham	ND	0.10	ug/l	1	06/10/21	U-01
Chrysene	ND	0.50	ug/l	1	06/10/21	U-01
Cyanazine	ND	0.10	ug/l	1	06/10/21	U-01
delta-BHC	ND	0.10	ug/l	1	06/10/21	U-01
Diazinon	ND	0.10	ug/l	1	06/10/21	U-01
Dibenzo (a,h) anthracene	ND	0.50	ug/l	1	06/10/21	U-01
Dieldrin	ND	0.20	ug/l	1	06/10/21	U-01



WECK LABORATORIES, INC.

Certificate of Analysis

FINAL REPORT

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Project Number: 96222

Project Manager: Libby Cheeseborough

Reported:
06/15/2021 14:28

Sample Results

(Continued)

Sample: BA32815, Alias: ERH1361
1E21031-03 (Water)

Sampled: 05/19/21 9:10 by Client
(Continued)

Comments: Field Blank

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
Semivolatile Organic Compounds by GC/MS (Continued)						
Method: EPA 525.2		Instr: GCMS16				
Batch ID: W1F0002	Preparation: EPA 525.2/SPE	Prepared: 06/01/21 08:28		Analyst: rmr		
Diethyl phthalate	ND	2.0	ug/l	1	06/10/21	U-01
Dimethoate	ND	0.20	ug/l	1	06/10/21	U-01
Dimethyl phthalate	ND	2.0	ug/l	1	06/10/21	U-01
Di-n-butyl phthalate	ND	2.0	ug/l	1	06/10/21	U-01
Di-n-octyl phthalate	ND	0.50	ug/l	1	06/10/21	U-01
Diphenamid	ND	0.10	ug/l	1	06/10/21	U-01
Disulfoton	ND	0.10	ug/l	1	06/10/21	U-01
Endosulfan I	ND	1.0	ug/l	1	06/10/21	U-01
Endosulfan II	ND	0.20	ug/l	1	06/10/21	U-01
Endosulfan sulfate	ND	0.20	ug/l	1	06/10/21	U-01
Endrin	ND	0.20	ug/l	1	06/10/21	U-01
Endrin aldehyde	ND	0.20	ug/l	1	06/10/21	U-01
Endrin ketone	ND	0.10	ug/l	1	06/10/21	U-01
EPTC	ND	0.10	ug/l	1	06/10/21	U-01
Ethion	ND	0.10	ug/l	1	06/10/21	U-01
Fluoranthene	ND	0.50	ug/l	1	06/10/21	U-01
Fluorene	ND	0.50	ug/l	1	06/10/21	U-01
gamma-BHC (Lindane)	ND	0.10	ug/l	1	06/10/21	U-01
gamma-Chlordane	ND	0.10	ug/l	1	06/10/21	U-01
Heptachlor	ND	0.10	ug/l	1	06/10/21	U-01
Heptachlor epoxide	ND	0.10	ug/l	1	06/10/21	U-01
Hexachlorobenzene	ND	0.10	ug/l	1	06/10/21	U-01
Hexachlorocyclopentadiene	ND	1.0	ug/l	1	06/10/21	U-01
Indeno (1,2,3-cd) pyrene	ND	0.50	ug/l	1	06/10/21	U-01
Methoxychlor	ND	0.20	ug/l	1	06/10/21	U-01
Metolachlor	ND	0.10	ug/l	1	06/10/21	U-01
Metribuzin	ND	0.10	ug/l	1	06/10/21	U-01
Molinate	ND	0.10	ug/l	1	06/10/21	U-01
Naphthalene	ND	0.50	ug/l	1	06/10/21	U-01
Pentachloronitrobenzene (PCNB)	ND	0.10	ug/l	1	06/10/21	U-01
Pentachlorophenol	ND	1.0	ug/l	1	06/10/21	U-01
Phenanthrene	ND	0.50	ug/l	1	06/10/21	U-01
Prometon	ND	0.10	ug/l	1	06/10/21	U-01
Prometryn	ND	0.10	ug/l	1	06/10/21	U-01



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28

Project Manager: Libby Cheeseborough

Sample Results

(Continued)

Sample: BA32815, Alias: ERH1361
1E21031-03 (Water)

Sampled: 05/19/21 9:10 by Client

(Continued)

Comments: Field Blank

Analyte	Result	MRL	Units	Dil	Analyzed	Qualifier
---------	--------	-----	-------	-----	----------	-----------

Semivolatile Organic Compounds by GC/MS (Continued)

Method: EPA 525.2

Instr: GCMS16

Batch ID: W1F0002

Preparation: EPA 525.2/SPE

Prepared: 06/01/21 08:28

Analyst: rmr

Propachlor	ND	0.20	ug/l	1	06/10/21	U-01
Pyrene	ND	0.50	ug/l	1	06/10/21	U-01
Simazine	ND	0.10	ug/l	1	06/10/21	U-01
Terbacil	ND	2.0	ug/l	1	06/10/21	U-01
Thiobencarb	ND	0.10	ug/l	1	06/10/21	U-01
Trifluralin	ND	0.10	ug/l	1	06/10/21	U-01
Trithion	ND	0.10	ug/l	1	06/10/21	U-01

Surrogate(s)

1,3-Dimethyl-2-nitrobenzene	100%	Conc: 4.98	70-130		06/10/21	U-01
Perylene-d12	102%	Conc: 5.08	50-120		06/10/21	U-01
Triphenyl phosphate	113%	Conc: 5.60	70-130		06/10/21	U-01



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28

Project Manager: Libby Cheeseborough

Quality Control Results

Semivolatile Organic Compounds by GC/MS

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W1F0002 - EPA 525.2										
Blank (W1F0002-BLK1)				Prepared: 06/01/21 Analyzed: 06/09/21						
2,4-Dinitrotoluene	ND	2.0	ug/l							
2,6-Dinitrotoluene	ND	2.0	ug/l							
4,4'-DDD	ND	0.10	ug/l							
4,4'-DDE	ND	0.20	ug/l							
4,4'-DDT	ND	0.10	ug/l							
Acenaphthene	ND	0.50	ug/l							
Acenaphthylene	ND	0.50	ug/l							
Acetochlor	ND	0.10	ug/l							
Alachlor	ND	0.10	ug/l							
Aldrin	ND	0.10	ug/l							
alpha-BHC	ND	0.10	ug/l							
alpha-Chlordane	ND	0.10	ug/l							
Anthracene	ND	0.50	ug/l							
Atrazine	ND	0.10	ug/l							
Benzo (a) anthracene	ND	0.50	ug/l							
Benzo (a) pyrene	ND	0.10	ug/l							
Benzo (b) fluoranthene	ND	0.50	ug/l							
Benzo (g,h,i) perylene	ND	0.50	ug/l							
Benzo (k) fluoranthene	ND	0.50	ug/l							
beta-BHC	ND	0.20	ug/l							
Bis(2-ethylhexyl)adipate	ND	5.0	ug/l							
Bis(2-ethylhexyl)phthalate	ND	3.0	ug/l							
Bromacil	ND	0.50	ug/l							
Butachlor	ND	0.10	ug/l							
Butyl benzyl phthalate	ND	2.0	ug/l							
Caffeine	ND	0.10	ug/l							
Captan	ND	1.0	ug/l							
Chlorpropham	ND	0.10	ug/l							
Chrysene	ND	0.50	ug/l							
Cyanazine	ND	0.10	ug/l							
delta-BHC	ND	0.10	ug/l							
Diazinon	ND	0.10	ug/l							
Dibenzo (a,h) anthracene	ND	0.50	ug/l							
Dieldrin	ND	0.20	ug/l							
Diethyl phthalate	ND	2.0	ug/l							
Dimethoate	ND	0.20	ug/l							
Dimethyl phthalate	ND	2.0	ug/l							
Di-n-butyl phthalate	ND	2.0	ug/l							
Di-n-octyl phthalate	ND	0.50	ug/l							



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28


Project Manager: Libby Cheeseborough

Quality Control Results

(Continued)

Semivolatle Organic Compounds by GC/MS (Continued)

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W1F0002 - EPA 525.2 (Continued)										
Blank (W1F0002-BLK1)				Prepared: 06/01/21 Analyzed: 06/09/21						
Diphenamid	ND	0.10	ug/l							
Disulfoton	ND	0.10	ug/l							
Endosulfan I	ND	1.0	ug/l							
Endosulfan II	ND	0.20	ug/l							
Endosulfan sulfate	ND	0.20	ug/l							
Endrin	ND	0.20	ug/l							
Endrin aldehyde	ND	0.20	ug/l							
Endrin ketone	ND	0.10	ug/l							
EPTC	ND	0.10	ug/l							
Ethion	ND	0.10	ug/l							
Fluoranthene	ND	0.50	ug/l							
Fluorene	ND	0.50	ug/l							
gamma-BHC (Lindane)	ND	0.10	ug/l							
gamma-Chlordane	ND	0.10	ug/l							
Heptachlor	ND	0.10	ug/l							
Heptachlor epoxide	ND	0.10	ug/l							
Hexachlorobenzene	ND	0.10	ug/l							
Hexachlorocyclopentadiene	ND	1.0	ug/l							
Indeno (1,2,3-cd) pyrene	ND	0.50	ug/l							
Methoxychlor	ND	0.20	ug/l							
Metolachlor	ND	0.10	ug/l							
Metribuzin	ND	0.10	ug/l							
Molinate	ND	0.10	ug/l							
Naphthalene	ND	0.50	ug/l							
Pentachloronitrobenzene (PCNB)	ND	0.10	ug/l							
Pentachlorophenol	ND	1.0	ug/l							
Phenanthrene	ND	0.50	ug/l							
Prometon	ND	0.10	ug/l							
Prometryn	ND	0.10	ug/l							
Propachlor	ND	0.20	ug/l							
Pyrene	ND	0.50	ug/l							
Simazine	ND	0.10	ug/l							
Terbacil	ND	2.0	ug/l							
Thiobencarb	ND	0.10	ug/l							
Trifluralin	ND	0.10	ug/l							
Trithion	ND	0.10	ug/l							
<i>Surrogate(s)</i>										
1,3-Dimethyl-2-nitrobenzene	4.92		ug/l	5.00		98	70-130			
Perylene-d12	4.79		ug/l	5.00		96	50-120			



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28

Project Manager: Libby Cheeseborough

Quality Control Results

(Continued)

Semivolatle Organic Compounds by GC/MS (Continued)

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W1F0002 - EPA 525.2 (Continued)										
Blank (W1F0002-BLK1)										
Prepared: 06/01/21 Analyzed: 06/09/21										
<i>Surrogate(s)</i>										
Triphenyl phosphate	4.86		ug/l	5.00		97	70-130			
LCS (W1F0002-BS1)										
Prepared: 06/01/21 Analyzed: 06/09/21										
4,4'-DDD	ND	0.10	ug/l				70-130			
4,4'-DDE	ND	0.20	ug/l				70-130			
4,4'-DDT	ND	0.10	ug/l				70-130			
Acenaphthene	4.84	0.50	ug/l	5.00		97	70-130			
Acenaphthylene	5.22	0.50	ug/l	5.00		104	70-130			
Acetochlor	5.74	0.10	ug/l	5.00		115	70-130			
Alachlor	5.92	0.10	ug/l	5.00		118	70-130			
Aldrin	ND	0.10	ug/l				70-130			
alpha-BHC	ND	0.10	ug/l				70-130			
alpha-Chlordane	ND	0.10	ug/l				70-130			
Anthracene	4.67	0.50	ug/l	5.00		93	70-130			
Atrazine	5.41	0.10	ug/l	5.00		108	70-130			
Benzo (a) anthracene	5.56	0.50	ug/l	5.00		111	70-130			
Benzo (a) pyrene	5.53	0.10	ug/l	5.00		111	60-130			
Benzo (b) fluoranthene	5.57	0.50	ug/l	5.00		111	70-130			AN-IP
Benzo (g,h,i) perylene	5.68	0.50	ug/l	5.00		114	40-160			
Benzo (k) fluoranthene	5.96	0.50	ug/l	5.00		119	70-130			AN-IP
beta-BHC	ND	0.20	ug/l				70-130			
Bis(2-ethylhexyl)adipate	5.59	5.0	ug/l	5.00		112	70-130			
Bis(2-ethylhexyl)phthalate	5.63	3.0	ug/l	5.00		113	70-130			
Bromacil	5.60	0.50	ug/l	5.00		112	70-130			
Butachlor	5.97	0.10	ug/l	5.00		119	70-130			
Butyl benzyl phthalate	5.38	2.0	ug/l	5.00		108	70-130			
Caffeine	4.67	0.10	ug/l	5.00		93	50-120			
Captan	5.75	1.0	ug/l	5.00		115	70-130			
Chlorpropham	5.73	0.10	ug/l	5.00		115	70-130			
Chrysene	5.18	0.50	ug/l	5.00		104	70-130			
Cyanazine	5.34	0.10	ug/l	5.00		107	70-130			
delta-BHC	ND	0.10	ug/l				70-130			
Diazinon	5.00	0.10	ug/l	5.00		100	50-120			
Dibenzo (a,h) anthracene	5.50	0.50	ug/l	5.00		110	50-150			
Dieldrin	ND	0.20	ug/l				70-130			
Diethyl phthalate	5.93	2.0	ug/l	5.00		119	70-130			
Dimethoate	4.20	0.20	ug/l	5.00		84	50-120			
Dimethyl phthalate	5.55	2.0	ug/l	5.00		111	70-130			
Di-n-butyl phthalate	5.64	2.0	ug/l	5.00		113	70-130			



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28


Project Manager: Libby Cheeseborough

Quality Control Results

(Continued)

Semivolatle Organic Compounds by GC/MS (Continued)

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W1F0002 - EPA 525.2 (Continued)										
LCS (W1F0002-BS1)										
				Prepared: 06/01/21 Analyzed: 06/09/21						
Di-n-octyl phthalate	5.76	0.50	ug/l	5.00		115	70-130			
Diphenamid	6.13	0.10	ug/l	5.00		123	70-130			
Disulfoton	5.37	0.10	ug/l	5.00		107	50-120			
Endosulfan I	ND	1.0	ug/l				70-130			
Endosulfan II	ND	0.20	ug/l				70-130			
Endosulfan sulfate	ND	0.20	ug/l				70-130			
Endrin	ND	0.20	ug/l				70-130			
Endrin aldehyde	ND	0.20	ug/l				70-130			
Endrin ketone	ND	0.10	ug/l				70-130			
EPTC	5.55	0.10	ug/l	5.00		111	70-130			
Ethion	6.08	0.10	ug/l	5.00		122	70-130			
Fluoranthene	5.46	0.50	ug/l	5.00		109	70-130			
Fluorene	5.19	0.50	ug/l	5.00		104	70-130			
gamma-BHC (Lindane)	ND	0.10	ug/l				70-130			
gamma-Chlordane	ND	0.10	ug/l				70-130			
Heptachlor	ND	0.10	ug/l				70-130			
Heptachlor epoxide	ND	0.10	ug/l				70-130			
Hexachlorobenzene	ND	0.10	ug/l				70-130			
Hexachlorocyclopentadiene	ND	1.0	ug/l				33-106			
Indeno (1,2,3-cd) pyrene	5.37	0.50	ug/l	5.00		107	50-150			
Methoxychlor	ND	0.20	ug/l				70-130			
Metolachlor	5.89	0.10	ug/l	5.00		118	60-130			
Metribuzin	5.07	0.10	ug/l	5.00		101	50-120			
Molinate	5.28	0.10	ug/l	5.00		106	70-130			
Naphthalene	4.76	0.50	ug/l	5.00		95	70-130			
Pentachloronitrobenzene (PCNB)	5.31	0.10	ug/l	5.00		106	70-130			
Pentachlorophenol	5.31	1.0	ug/l	5.00		106	50-120			
Phenanthrene	5.25	0.50	ug/l	5.00		105	70-130			
Prometon	3.50	0.10	ug/l	5.00		70	15-120			
Prometryn	5.14	0.10	ug/l	5.00		103	30-120			
Propachlor	ND	0.20	ug/l				70-130			
Pyrene	5.24	0.50	ug/l	5.00		105	70-130			
Simazine	5.28	0.10	ug/l	5.00		106	60-130			
Terbacil	5.68	2.0	ug/l	5.00		114	70-130			
Thiobencarb	5.27	0.10	ug/l	5.00		105	70-130			
Trifluralin	ND	0.10	ug/l				70-130			
Trithion	5.63	0.10	ug/l	5.00		113	70-130			
<i>Surrogate(s)</i>										
1,3-Dimethyl-2-nitrobenzene	4.89		ug/l	5.00		98	70-130			



WECK LABORATORIES, INC.

Certificate of Analysis

FINAL REPORT

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Project Number: 96222

Project Manager: Libby Cheeseborough

Reported:
06/15/2021 14:28

Quality Control Results

(Continued)

Semivolatile Organic Compounds by GC/MS (Continued)

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W1F0002 - EPA 525.2 (Continued)										
LCS (W1F0002-BS1)										
Prepared: 06/01/21 Analyzed: 06/09/21										
<i>Surrogate(s)</i>										
Perylene-d12	4.86		ug/l	5.00		97	50-120			
Triphenyl phosphate	6.17		ug/l	5.00		123	70-130			
LCS Dup (W1F0002-BSD1)										
Prepared: 06/01/21 Analyzed: 06/09/21										
4,4'-DDD	ND	0.10	ug/l				70-130		30	
4,4'-DDE	ND	0.20	ug/l				70-130		30	
4,4'-DDT	ND	0.10	ug/l				70-130		30	
Acenaphthene	4.89	0.50	ug/l	5.00		98	70-130	1	30	
Acenaphthylene	5.26	0.50	ug/l	5.00		105	70-130	0.8	30	
Acetochlor	5.79	0.10	ug/l	5.00		116	70-130	0.8	30	
Alachlor	5.92	0.10	ug/l	5.00		118	70-130	0.09	30	
Aldrin	ND	0.10	ug/l				70-130		30	
alpha-BHC	ND	0.10	ug/l				70-130		30	
alpha-Chlordane	ND	0.10	ug/l				70-130		30	
Anthracene	4.60	0.50	ug/l	5.00		92	70-130	2	30	
Atrazine	5.39	0.10	ug/l	5.00		108	70-130	0.5	30	
Benzo (a) anthracene	5.40	0.50	ug/l	5.00		108	70-130	3	30	
Benzo (a) pyrene	5.48	0.10	ug/l	5.00		110	60-130	0.9	30	
Benzo (b) fluoranthene	5.55	0.50	ug/l	5.00		111	70-130	0.5	30	AN-IP
Benzo (g,h,i) perylene	5.74	0.50	ug/l	5.00		115	40-160	1	30	
Benzo (k) fluoranthene	5.96	0.50	ug/l	5.00		119	70-130	0.06	30	AN-IP
beta-BHC	ND	0.20	ug/l				70-130		30	
Bis(2-ethylhexyl)adipate	5.78	5.0	ug/l	5.00		116	70-130	3	30	
Bis(2-ethylhexyl)phthalate	5.55	3.0	ug/l	5.00		111	70-130	1	30	
Bromacil	5.68	0.50	ug/l	5.00		114	70-130	1	30	
Butachlor	6.00	0.10	ug/l	5.00		120	70-130	0.5	30	
Butyl benzyl phthalate	5.17	2.0	ug/l	5.00		103	70-130	4	30	
Caffeine	4.20	0.10	ug/l	5.00		84	50-120	11	30	
Captan	5.76	1.0	ug/l	5.00		115	70-130	0.1	30	
Chlorpropham	6.01	0.10	ug/l	5.00		120	70-130	5	30	
Chrysene	5.13	0.50	ug/l	5.00		103	70-130	1	30	
Cyanazine	5.11	0.10	ug/l	5.00		102	70-130	4	30	
delta-BHC	ND	0.10	ug/l				70-130		30	
Diazinon	5.05	0.10	ug/l	5.00		101	50-120	1	30	
Dibenzo (a,h) anthracene	5.61	0.50	ug/l	5.00		112	50-150	2	30	
Dieldrin	ND	0.20	ug/l				70-130		30	
Diethyl phthalate	5.91	2.0	ug/l	5.00		118	70-130	0.4	30	
Dimethoate	5.04	0.20	ug/l	5.00		101	50-120	18	30	
Dimethyl phthalate	5.58	2.0	ug/l	5.00		112	70-130	0.5	30	



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28

Project Manager: Libby Cheeseborough

Quality Control Results

(Continued)


Semivolatle Organic Compounds by GC/MS (Continued)

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W1F0002 - EPA 525.2 (Continued)										
LCS Dup (W1F0002-BSD1)										
				Prepared: 06/01/21 Analyzed: 06/09/21						
Di-n-butyl phthalate	5.62	2.0	ug/l	5.00		112	70-130	0.4	30	
Di-n-octyl phthalate	5.89	0.50	ug/l	5.00		118	70-130	2	30	
Diphenamid	5.89	0.10	ug/l	5.00		118	70-130	4	30	
Disulfoton	5.23	0.10	ug/l	5.00		105	50-120	3	30	
Endosulfan I	ND	1.0	ug/l				70-130		30	
Endosulfan II	ND	0.20	ug/l				70-130		30	
Endosulfan sulfate	ND	0.20	ug/l				70-130		30	
Endrin	ND	0.20	ug/l				70-130		30	
Endrin aldehyde	ND	0.20	ug/l				70-130		30	
Endrin ketone	ND	0.10	ug/l				70-130		30	
EPTC	5.58	0.10	ug/l	5.00		112	70-130	0.5	30	
Ethion	6.05	0.10	ug/l	5.00		121	70-130	0.6	30	
Fluoranthene	5.22	0.50	ug/l	5.00		104	70-130	5	30	
Fluorene	5.27	0.50	ug/l	5.00		105	70-130	2	30	
gamma-BHC (Lindane)	ND	0.10	ug/l				70-130		30	
gamma-Chlordane	ND	0.10	ug/l				70-130		30	
Heptachlor	ND	0.10	ug/l				70-130		30	
Heptachlor epoxide	ND	0.10	ug/l				70-130		30	
Hexachlorobenzene	ND	0.10	ug/l				70-130		30	
Hexachlorocyclopentadiene	ND	1.0	ug/l				33-106		30	
Indeno (1,2,3-cd) pyrene	5.57	0.50	ug/l	5.00		111	50-150	4	30	
Methoxychlor	ND	0.20	ug/l				70-130		30	
Metolachlor	5.63	0.10	ug/l	5.00		113	60-130	5	30	
Metribuzin	5.13	0.10	ug/l	5.00		103	50-120	1	30	
Molinate	5.38	0.10	ug/l	5.00		108	70-130	2	30	
Naphthalene	4.76	0.50	ug/l	5.00		95	70-130	0.1	30	
Pentachloronitrobenzene (PCNB)	5.23	0.10	ug/l	5.00		105	70-130	2	30	
Pentachlorophenol	5.53	1.0	ug/l	5.00		111	50-120	4	30	
Phenanthrene	5.00	0.50	ug/l	5.00		100	70-130	5	30	
Prometon	3.06	0.10	ug/l	5.00		61	15-120	13	30	
Prometryn	4.40	0.10	ug/l	5.00		88	30-120	15	30	
Propachlor	ND	0.20	ug/l				70-130		30	
Pyrene	5.21	0.50	ug/l	5.00		104	70-130	0.6	30	
Simazine	5.13	0.10	ug/l	5.00		103	60-130	3	30	
Terbacil	5.63	2.0	ug/l	5.00		113	70-130	0.9	30	
Thiobencarb	5.32	0.10	ug/l	5.00		106	70-130	0.8	30	
Trifluralin	ND	0.10	ug/l				70-130		30	
Trithion	5.76	0.10	ug/l	5.00		115	70-130	2	30	

Surrogate(s)

1E21031

Page 17 of 19



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Project Number: 96222

Project Manager: Libby Cheeseborough

Certificate of Analysis

FINAL REPORT

Reported:
06/15/2021 14:28

Quality Control Results

(Continued)

Semivolatile Organic Compounds by GC/MS (Continued)

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W1F0002 - EPA 525.2 (Continued)										
LCS Dup (W1F0002-BSD1)										
Prepared: 06/01/21 Analyzed: 06/09/21										
<i>Surrogate(s)</i>										
1,3-Dimethyl-2-nitrobenzene	4.98		ug/l	5.00		100	70-130			
Perylene-d12	5.18		ug/l	5.00		104	50-120			
Triphenyl phosphate	6.05		ug/l	5.00		121	70-130			



WECK LABORATORIES, INC.

APPL, Inc.
908 N. Temperance Avenue
Clovis, CA 93611

Certificate of Analysis

FINAL REPORT

Project Number: 96222

Reported:

06/15/2021 14:28

Project Manager: Libby Cheeseborough



Notes and Definitions

Item	Definition
AN-IP	Sample results for structural isomers may have contribution from their isomeric pair.
U-01	The sample was received without the proper preservation.
%REC	Percent Recovery
Dil	Dilution
MRL	The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence. The MRL is also known as Limit of Quantitation (LOQ)
ND	NOT DETECTED at or above the Method Reporting Limit (MRL). If Method Detection Limit (MDL) is reported, then ND means not detected at or above the MDL.
RPD	Relative Percent Difference

Any remaining sample(s) will be disposed of one month from the final report date unless other arrangements are made in advance.

All results are expressed on wet weight basis unless otherwise specified.

All samples collected by Weck Laboratories have been sampled in accordance to laboratory SOP Number MIS002.