

**County of Maui:
Epidemiological Profile Appendix**

LANAI PRIDE SURVEY RESULTS

Spring, 2007
Current Revision May 2010

Prepared by: Strategic Prevention Framework-State
Incentive Grant Epidemiological Team

For the: Alcohol and Drug Abuse Division (ADAD)
Hawaii Department of Health



Funded by the Substance Abuse and Mental Health Services Administration – Center for Substance Abuse
Prevention: Strategic Prevention Framework-State Incentive Grant Number: SP13944-01.

TABLE OF CONTENTS

Introduction.....	4
Prevalence of alcohol use.....	5
Annual alcohol use.....	6
Perceptions of risk of using alcohol.....	8
Perceptions of parental disapproval of using alcohol	8
Average age of first use of alcohol	9
Perceptions of ease of availability of alcohol	10
When youth use alcohol.....	11
Where youth use alcohol.....	12

Tables

Table 1. Percentage of Youth Who Had More Than a Sip or Two of Beer, Wine, or Hard Liquor.....	5
Table 2. Percentage of Youth That Have Been Drunk or High at School in the Past 30 Days	5
Table 3. Percentage of Youth That Have Had Beer, Wine, or Hard Liquor on an Occasion in the Past 30 Days.....	6
Table 4. Percentage of Times Within the Past Year Youth Have Drunk Beer	6
Table 5. Percentage of Times in the Past Year Youth Have Drunk Coolers, Breezers, Hard Lemonades, etc.	7
Table 6. Percentage of Times in the Past Year Youth Have Drunk Liquor (Whiskey, Rum, other Alcohol)	7
Table 7. Percentage of Times in the Past Year a Best Friend Has Tried Beer, Wine, or Hard Liquor without Their Parents Knowing.....	7
Table 8. Percentage of Youth That Perceive People Risk Harming Themselves if They Take One or Two Drinks of an Alcoholic Beverage Nearly Every Day	8
Table 9. Percentage of Youth That Think It Is Wrong for Someone Their Age to Drink Beer, Wine, or Hard Liquor Regularly (Once or Twice a Month)	8
Table 10. Percentage of Youth Who Think Their Parents Feel it would be Wrong for Them to Drink Beer, Wine, or Hard Liquor Regularly.....	9

Table 11. Percentage of Youth who Think They Will be Caught by Their Parents if They Drink Some Beer, Wine, or Hard Liquor Without Their Parent’s Permission	9
Table 12. Percentage of Youth Who Think Most Adults in Their Neighborhood think it is Wrong for Kids Their Age to Drink Alcohol.....	9
Table 13. Age When Youth First Began Drinking Alcoholic Beverages Regularly, That is Once or Twice a Month in Percents.....	10
Table 14. Percentage of Youth who feel it is Easy to Get Some Beer, Wine, or Hard Liquor.....	10
Table 15. Time When Youth Usually Drink Beer in Percents	11
Table 16. Time When Youth Usually Drink Coolers, Breezers, etc. in Percents	11
Table 17. Time When Youth Usually Drink Liquor in Percents	11
Table 18. Where Youth Usually Drink Beer in Percents.....	12
Table 19. Where Youth Usually Drink Coolers, Breezers, etc. in Percents	12
Table 20. Where Youth Usually Drink Liquor in Percents	12

Introduction

The following data were provided by the Risk and Protective Factor Questionnaire developed by Pride Surveys for grades 6-12. This survey was distributed to Lanai High and Elementary School students to identify the levels of risk and protective factors that predict problem behavior among youth, such as alcohol use.

This data supplements the Maui County Epidemiological Profile. The data in this report consists of detailed breakdown of the data provided in Profile for the Pride Survey.

PREVALENCE OF ALCOHOL USE

About 40% of youth “never have” had more than a sip or two of beer, wine, or hard liquor. Of 11th graders, 15.6% have had a sip or two of alcohol when they were 10 or younger. About 17% of 12th graders have had a sip or two of alcohol when they were 13 or 16 years old.

Table 1. Percentage of Youth Who Had More Than a Sip or Two of Beer, Wine, or Hard Liquor

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
10 or younger	2.5	14.0	17.1	13.6	10.9	15.6	2.4	11.3	10.8	11.0
11	12.5	4.7	4.9	0.0	4.3	4.4	4.9	7.3	3.4	5.0
12	2.5	20.9	12.2	11.4	6.5	4.4	4.9	12.1	6.8	9.0
13	0.0	0.0	26.8	18.2	13.0	15.6	17.1	8.9	15.9	13.0
14	0.0	2.3	0.0	9.1	10.9	13.3	14.6	0.8	11.9	7.3
15	0.0	0.0	0.0	4.5	26.1	8.9	12.2	0.0	13.1	7.7
16	0.0	0.0	0.0	0.0	2.2	13.3	17.1	0.0	8.0	4.7
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	9.8	0.0	2.3	1.3
Never have	82.5	58.1	39.0	43.2	26.1	24.4	17.1	59.7	27.8	41.0
N of Valid	40	43	41	44	46	45	41	124	176	300
N of Miss	0	3	1	0	0	1	2	4	3	7

About 85% of students reported that they were “never” drunk or high at school in the past 30 days. Of those that were drunk or high at school, the highest percentage was 11th graders that reported being drunk or high at school “1 or 2 times” in the past 30 days (17.8%). About 4% of 11th and 5% of 12th graders reported being drunk or high at school “3 to 5 times” in the past 30 days. Overall, 2% of the students reported being drunk or high at school more “40+ times” in the past 30 days.

Table 2. Percentage of Youth That Have Been Drunk or High at School in the Past 30 Days

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	97.4	90.7	90.5	90.5	91.3	68.9	73.8	92.7	81.1	85.9
1 or 2 times	2.6	7.0	2.4	9.5	4.3	17.8	9.5	4.1	10.3	7.7
3 to 5 times	0.0	0.0	2.4	0.0	2.2	4.4	4.8	0.8	2.9	2.0
6 to 9 times	0.0	2.3	2.4	0.0	0.0	0.0	2.4	1.6	0.6	1.0
10 to 19 times	0.0	0.0	0.0	0.0	0.0	2.2	2.4	0.0	1.1	0.7
20 to 29 times	0.0	0.0	0.0	0.0	0.0	2.2	2.4	0.0	1.1	0.7
30 to 39 times	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40+ times	0.0	0.0	2.4	0.0	2.2	4.4	4.8	0.8	2.9	2.0
N of Valid	38	43	42	42	46	45	42	123	175	298
N of Miss	2	3	0	2	0	1	1	5	4	9

Over 65% of students “never” had beer, wine, or hard liquor on an occasion in the past 30 days. About 18% of students had beer, wine, or hard liquor “1 or 2 times” over the past 30 days; however, higher percentages were found in higher grade levels. Thirteen percent of 11th graders and 9.5% of 12th graders had beer, wine, or alcohol over the past 30 days “3 to 5 times.”

Table 3. Percentage of Youth That Have Had Beer, Wine, or Hard Liquor on an Occasion in the Past 30 Days

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	95.0	82.9	68.3	63.6	54.3	50.0	52.4	82.0	55.1	66.0
1 or 2 times	2.5	14.6	17.1	22.7	32.6	15.2	21.4	11.5	23.0	18.3
3 to 5 times	2.5	2.4	9.8	6.8	8.7	13.0	9.5	4.9	9.6	7.7
6 to 9 times	0.0	0.0	2.4	2.3	2.2	10.9	7.1	0.8	5.6	3.7
10 to 19 times	0.0	0.0	0.0	2.3	2.2	4.3	2.4	0.0	2.8	1.7
20 to 29 times	0.0	0.0	0.0	0.0	0.0	2.2	4.8	0.0	1.7	1.0
30 to 39 times	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.6	0.3
40+ times	0.0	0.0	2.4	2.3	0.0	4.3	0.0	0.8	1.7	1.3
N of Valid	40	41	41	44	46	46	42	122	178	300
N of Miss	0	5	1	0	0	0	1	6	1	7

ANNUAL ALCOHOL USE

Almost 60% of students reported that they “did not drink” beer in the past year. Fifteen percent of 8th graders, 14% of 7th graders, 13% of 10th graders, and 11% of 11th graders reported that they drank beer at least “once/year.” By far, more 10th graders (21.7%) reported that they drank beer “6 times/year” compared to other grade levels.

Approximately 17% of 12th graders reported that they drank beer “once/month,” which was more than the other grade levels. Approximately 4% of 11th and 5% of 12th graders reported drinking beer “everyday.”

Table 4. Percentage of Times Within the Past Year Youth Have Drunk Beer

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Did not use	95.0	83.7	67.5	61.9	32.6	33.3	29.3	82.1	39.1	56.9
Once/year	2.5	14.0	15.0	7.1	13.0	11.1	7.3	10.6	9.8	10.1
6 times/year	0.0	2.3	5.0	2.4	21.7	11.1	9.8	2.4	11.5	7.7
Once/month	2.5	0.0	2.5	11.9	10.9	4.4	12.2	1.6	9.8	6.4
Twice/month	0.0	0.0	5.0	9.5	13.0	11.1	17.1	1.6	12.6	8.1
Once/week	0.0	0.0	2.5	2.4	6.5	17.8	14.6	0.8	10.3	6.4
3 times/week	0.0	0.0	0.0	4.8	2.2	6.7	4.9	0.0	4.6	2.7
Everyday	0.0	0.0	2.5	0.0	0.0	4.4	4.9	0.8	2.3	1.7
N of Valid	40	43	40	42	46	45	41	123	174	297
N of Miss	0	3	2	2	0	1	2	5	5	10

More than seven out of ten students reported never drinking coolers, breezers, hard lemonades, etc. in the past year. About 8% of all students reported drinking coolers, breezers, hard lemonades, etc. “once/year”; 12.2% of 12th graders, 9.5% of 7th graders, and 8.7% of 10th graders. Just over 13% of 11th graders reported drinking coolers, breezers, hard lemonades, etc. “6 times/year,” more than any other grade level. Compared to other grade levels, more 11th and 12th graders reported drinking coolers, breezers, hard lemonades, etc. more than “once/week” (15.6% and 12.2%, respectively).

Table 5. Percentage of Times in the Past Year Youth Have Drunk Coolers, Breezers, Hard Lemonades, etc.

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Did not use	97.5	88.1	82.9	78.6	60.9	42.2	53.7	89.4	58.6	71.4
Once/year	2.5	9.5	7.3	7.1	8.7	6.7	12.2	6.5	8.6	7.7
6 times/year	0.0	2.4	4.9	2.4	8.7	13.3	4.9	2.4	7.5	5.4
Once/month	0.0	0.0	2.4	7.1	8.7	6.7	7.3	0.8	7.5	4.7
Twice/month	0.0	0.0	0.0	2.4	8.7	2.2	2.4	0.0	4.0	2.4
Once/week	0.0	0.0	0.0	2.4	4.3	15.6	12.2	0.0	8.6	5.1
3 times/week	0.0	0.0	0.0	0.0	0.0	8.9	4.9	0.0	3.4	2.0
Everyday	0.0	0.0	2.4	0.0	0.0	4.4	2.4	0.8	1.7	1.3
N of Valid	40	42	41	42	46	45	41	123	174	297
N of Miss	0	4	1	2	0	1	2	5	5	10

About 66% of all students reported never drinking liquor over the past year. Ten percent of 12th graders and 9.3% of 9th graders drank liquor “once/year.” Just over 15% of 10th graders report drinking liquor “once/month” and 15.6% of 11th graders report drinking “once/week.”

Table 6. Percentage of Times in the Past Year Youth Have Drunk Liquor (Whiskey, Rum, other Alcohol)

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Did not use	95.0	93.0	78.0	65.1	46.7	42.2	42.5	88.7	49.1	65.7
Once/year	2.5	2.3	7.3	9.3	8.9	4.4	10.0	4.0	8.1	6.4
6 times/year	0.0	4.7	4.9	4.7	13.3	8.9	2.5	3.2	7.5	5.7
Once/month	2.5	0.0	2.4	4.7	15.6	6.7	10.0	1.6	9.2	6.1
Twice/month	0.0	0.0	2.4	9.3	8.9	11.1	10.0	0.8	9.8	6.1
Once/week	0.0	0.0	2.4	2.3	4.4	15.6	15.0	0.8	9.2	5.7
3 times/week	0.0	0.0	0.0	4.7	2.2	6.7	10.0	0.0	5.8	3.4
Everyday	0.0	0.0	2.4	0.0	0.0	4.4	0.0	0.8	1.2	1.0
N of Valid	40	43	41	43	45	45	40	124	173	297
N of Miss	0	3	1	1	1	1	3	4	6	10

About 37% of all students reported none of their friends tried beer, wine, or liquor without their parents knowing. An average of 15% of 6th, 7th, 8th, and 9th graders reported that they had more than one friend that tried, wine, or liquor without their parents knowing. Forty-five percent of 10th graders, 55.6% of 11th graders, and 69.8% of 12th graders reported that they had four friends who drank beer, wine, or liquor without their parents knowing.

Table 7. Percentage of Times in the Past Year a Best Friend Has Tried Beer, Wine, or Hard Liquor without Their Parents Knowing

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
None of my friends	77.5	56.8	36.6	50.0	15.9	11.1	16.3	56.8	23.0	37.1
1 of my friends	15.0	15.9	14.6	14.3	6.8	2.2	4.7	15.2	6.9	10.4
2 of my friends	5.0	13.6	12.2	9.5	18.2	13.3	7.0	10.4	12.1	11.4
3 of my friends	2.5	6.8	22.0	4.8	13.6	17.8	2.3	10.4	9.8	10.0
4 of my friends	0.0	6.8	14.6	21.4	45.5	55.6	69.8	7.2	48.3	31.1
N of Valid	40	44	41	42	44	45	43	125	174	299
N of Miss	0	2	1	2	2	1	0	3	5	8

PERCEPTIONS OF RISK OF USING ALCOHOL

Of the students surveyed, 37.7% perceived that people have a “great risk” harming themselves if they take one or two drinks of an alcoholic beverage nearly every day. Only 18% of students believed there was “no risk” of harming themselves if they take one or two drinks of an alcoholic beverage nearly every day.

Table 8. Percentage of Youth That Perceive People Risk Harming Themselves if They Take One or Two Drinks of an Alcoholic Beverage Nearly Every Day

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
No risk	45.9	9.8	21.1	9.3	13.0	25.0	5.0	25.0	13.3	18.0
Slight risk	8.1	19.5	23.7	25.6	17.4	9.1	17.5	17.2	17.3	17.3
Moderate risk	24.3	36.6	23.7	41.9	26.1	22.7	12.5	28.4	26.0	27.0
Great risk	21.6	34.1	31.6	23.3	43.5	43.2	65.0	29.3	43.4	37.7
N of Valid	37	41	38	43	46	44	40	116	173	289
N of Miss	3	5	4	1	0	2	3	12	6	18

Fifty-four percent of students reported thinking it was “very wrong” for someone their age to drink beer, wine, or hard liquor regularly. Nearly 24% of 8th, 23.9% of 10th, and 22.7% of 11th graders reported thinking it is “wrong,” and 28.3% of 10th and 28.6% of 12th graders reported thinking it is “a little bit wrong” to drink regularly. Only 9.6% of all students reported thinking it is “not wrong at all” to drink regularly.

Table 9. Percentage of Youth That Think It Is Wrong for Someone Their Age to Drink Beer, Wine, or Hard Liquor Regularly (Once or Twice a Month)

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Very wrong	87.2	71.1	69.0	59.1	37.0	25.0	33.3	75.4	38.6	54.0
Wrong	5.1	17.8	23.8	20.5	23.9	22.7	19.0	15.9	21.6	19.2
A little bit wrong	2.6	8.9	4.8	20.5	28.3	25.0	28.6	5.6	25.6	17.2
Not wrong at all	5.1	2.2	2.4	0.0	10.9	27.3	19.0	3.2	14.2	9.6
N of Valid	39	45	42	44	46	44	42	126	176	302
N of Miss	1	1	0	0	0	2	1	2	3	5

PERCEPTIONS OF PARENTAL DISSAPPROVAL OF USING ALCOHOL

Nearly 78% of students in 6-12th grades reported that their parents felt it would be “very wrong” for them to drink beer, wine, or hard liquor regularly. Nearly 22% of 10th graders, approximately 17% of 11th, nearly 18% of 12th graders, and about 7% of 6th and 7th graders thought their parents would feel it would be “wrong” to drink alcohol regularly. About 5% of 8th graders thought their parents would feel it be “not wrong at all” for them to drink beer, wine, or hard liquor regularly.

Table 10. Percentage of Youth Who Think Their Parents Feel it would be Wrong for Them to Drink Beer, Wine, or Hard Liquor Regularly

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Very wrong	92.3	90.7	76.9	83.7	63.0	65.9	74.4	86.8	71.6	77.9
Wrong	7.7	7.0	12.8	11.6	21.7	17.1	17.9	9.1	17.2	13.8
A little bit wrong	0.0	2.3	5.1	4.7	13.0	17.1	5.1	2.5	10.1	6.9
Not wrong at all	0.0	0.0	5.1	0.0	2.2	0.0	2.6	1.7	1.2	1.4
N of Valid	39	43	39	43	46	41	39	121	169	290
N of Miss	1	3	3	1	0	5	4	7	10	17

Forty-one percent of students highly (“YES!”) reported that they will be caught by their parents if they drink some beer, wine, or hard liquor without their parent’s permission. Nearly 14% really did not think (“NO!”) they would be caught.

Table 11. Percentage of Youth who Think They Will be Caught by Their Parents if They Drink Some Beer, Wine, or Hard Liquor Without Their Parent’s Permission

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
NO!	20.5	9.5	7.9	7.1	15.2	24.4	12.8	12.6	14.9	13.9
no	10.3	14.3	23.7	14.3	30.4	26.8	43.6	16.0	28.6	23.3
yes	10.3	19.0	23.7	28.6	23.9	26.8	17.9	17.6	24.4	21.6
YES!	59.0	57.1	44.7	50.0	30.4	22.0	25.6	53.8	32.1	41.1
N of Valid	39	42	38	42	46	41	39	119	168	287
N of Miss	1	4	4	2	0	5	4	9	11	20

About half of all students perceived that most adults in their neighborhood think it is “very wrong” for kids their age to drink alcohol (51.9%). About 21% of 11th graders believed most adults in their neighborhood think that it is “not wrong at all” for kids their age to drink alcohol.

Table 12. Percentage of Youth Who Think Most Adults in Their Neighborhood think it is Wrong for Kids Their Age to Drink Alcohol

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Very wrong	84.6	69.8	47.4	46.3	50.0	31.0	35.0	67.5	40.8	51.9
Wrong	10.3	27.9	23.7	24.4	26.1	23.8	35.0	20.8	27.2	24.6
A little bit wrong	5.1	0.0	21.1	22.0	21.7	23.8	17.5	8.3	21.3	15.9
Not wrong at all	0.0	2.3	7.9	7.3	2.2	21.4	12.5	3.3	10.7	7.6
N of Valid	39	43	38	41	46	42	40	120	169	289
N of Miss	1	3	4	3	0	4	3	8	10	18

AVERAGE AGE OF FIRST USE OF ALCOHOL

About 68% of all youth reported that they “never have” drunk an alcoholic beverage. Thirteen percent of 10th graders first began drinking at the age of 14 and 17.4% at the age of 15. Just over a quarter of 11th graders started drinking alcohol at 15 years old. Three percent of all students started drinking when they were “10 or younger.”

Table 13. Age When Youth First Began Drinking Alcoholic Beverages Regularly, That is Once or Twice a Month in Percents

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
10 or younger	0.0	2.3	7.1	2.3	6.5	2.3	0.0	3.2	2.9	3.0
11	2.6	2.3	0.0	2.3	2.2	2.3	2.4	1.6	2.3	2.0
12	0.0	6.8	4.8	2.3	2.2	2.3	0.0	4.0	1.7	2.7
13	0.0	0.0	9.5	9.3	6.5	2.3	2.4	3.2	5.2	4.4
14	0.0	0.0	0.0	9.3	13.0	9.3	12.2	0.0	11.0	6.4
15	0.0	0.0	0.0	4.7	17.4	25.6	14.6	0.0	15.6	9.1
16	0.0	0.0	0.0	0.0	2.2	4.7	12.2	0.0	4.6	2.7
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	12.2	0.0	2.9	1.7
Never have	97.4	88.6	78.6	69.8	50.0	51.2	43.9	88.0	53.8	68.1
N of Valid	39	44	42	43	46	43	41	125	173	298
N of Miss	1	2	0	1	0	3	2	3	6	9

PERCEPTIONS OF EASE OF AVAILABILITY OF ALCOHOL

Almost 45% percent of students reported that it is “very hard” to get some beer, wine, or hard liquor. Six percent of 6-8 graders thought it was “very easy” to get alcohol, while 32.2% of 9-12 graders thought that it is “very hard” to get some beer, wine, or hard liquor.

Table 14. Percentage of Youth who feel it is Easy to Get Some Beer, Wine, or Hard Liquor

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Very hard	81.1	68.3	50.0	30.2	39.1	23.8	25.0	66.4	29.8	44.6
Sort of hard	10.8	14.6	18.4	27.9	21.7	11.9	17.5	14.7	19.9	17.8
Sort of easy	8.1	9.8	21.1	18.6	10.9	14.3	30.0	12.9	18.1	16.0
Very easy	0.0	7.3	10.5	23.3	28.3	50.0	27.5	6.0	32.2	21.6
N of Valid	37	41	38	43	46	42	40	116	171	287
N of Miss	3	5	4	1	0	4	3	12	8	20

WHEN YOUTH USE ALCOHOL

Youth used beer, liquor, and coolers, breezers, etc. on the “weekends,” followed by “week nights.” On the “weekends,” about 34% of students drank beer, 23.5% drank coolers, breezers, etc., and 28% drank liquor

Table 15. Time When Youth Usually Drink Beer in Percents

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	97.5	78.3	66.7	63.6	37.0	37.0	32.6	80.5	42.5	58.3
Before school	0.0	2.2	2.4	0.0	0.0	6.5	0.0	1.6	1.7	1.6
During school	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	1.1	0.7
After school	0.0	0.0	4.8	4.5	0.0	17.4	2.3	1.6	6.1	4.2
Week nights	0.0	0.0	11.9	13.6	8.7	28.3	16.3	3.9	16.8	11.4
Weekends	2.5	13.0	23.8	29.5	58.7	54.3	55.8	13.3	49.7	34.5
N of Valid	40	46	42	44	46	46	43	128	179	307
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 16. Time When Youth Usually Drink Coolers, Breezers, etc. in Percents

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	97.5	84.8	81.0	79.5	56.5	43.5	53.5	87.5	58.1	70.4
Before school	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	1.1	0.7
During school	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	1.1	0.7
After school	0.0	0.0	0.0	6.8	0.0	13.0	2.3	0.0	5.6	3.3
Week nights	0.0	0.0	4.8	9.1	4.3	21.7	9.3	1.6	11.2	7.2
Weekends	2.5	6.5	14.3	15.9	39.1	47.8	34.9	7.8	34.6	23.5
N of Valid	40	46	42	44	46	46	43	128	179	307
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 17. Time When Youth Usually Drink Liquor in Percents

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	97.5	84.8	85.7	68.2	45.7	47.8	46.5	89.1	52.0	67.4
Before school	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	1.1	0.7
During school	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	1.1	0.7
After school	0.0	2.2	0.0	4.5	0.0	13.0	2.3	0.8	5.0	3.3
Week nights	0.0	0.0	4.8	9.1	4.3	23.9	11.6	1.6	12.3	7.8
Weekends	2.5	2.2	11.9	29.5	52.2	50.0	44.2	5.5	44.1	28.0
N of Valid	40	46	42	44	46	46	43	128	179	307
N of Miss	0	0	0	0	0	0	0	0	0	0

WHERE YOUTH USE ALCOHOL

Most youth drank beer, coolers, breezers, etc., and liquor at a “friend’s house” or “other” place across all grade levels. Eleventh graders reported using alcohol “in a car” more than other grade levels.

Table 18. Where Youth Usually Drink Beer in Percents

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	95.0	76.1	59.5	56.8	32.6	32.6	30.2	76.6	38.0	54.1
At home	0.0	4.3	14.3	13.6	10.9	15.2	14.0	6.2	13.4	10.4
At school	0.0	0.0	2.4	0.0	4.3	4.3	0.0	0.8	2.2	1.6
In a car	0.0	0.0	7.1	2.3	4.3	17.4	7.0	2.3	7.8	5.5
Friend's house	0.0	2.2	11.9	22.7	39.1	37.0	58.1	4.7	39.1	24.8
Other	5.0	13.0	21.4	29.5	37.0	41.3	23.3	13.3	33.0	24.8
N of Valid	40	46	42	44	46	46	43	128	179	307
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 19. Where Youth Usually Drink Coolers, Breezers, etc. in Percents

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	97.5	80.4	78.6	75.0	54.3	41.3	51.2	85.2	55.3	67.8
At home	0.0	0.0	7.1	4.5	8.7	13.0	4.7	2.3	7.8	5.5
At school	0.0	0.0	0.0	0.0	2.2	4.3	2.3	0.0	2.2	1.3
In a car	0.0	0.0	2.4	0.0	0.0	19.6	7.0	0.8	6.7	4.2
Friend's house	0.0	2.2	11.9	18.2	19.6	32.6	34.9	4.7	26.3	17.3
Other	2.5	6.5	11.9	11.4	26.1	37.0	18.6	7.0	23.5	16.6
N of Valid	40	46	42	44	46	46	43	128	179	307
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 20. Where Youth Usually Drink Liquor in Percents

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	95.0	80.4	78.6	61.4	43.5	39.1	41.9	84.4	46.4	62.2
At home	0.0	2.2	7.1	4.5	4.3	13.0	9.3	3.1	7.8	5.9
At school	2.5	2.2	2.4	0.0	0.0	4.3	2.3	2.3	1.7	2.0
In a car	0.0	0.0	2.4	0.0	0.0	17.4	9.3	0.8	6.7	4.2
Friend's house	0.0	0.0	9.5	20.5	28.3	23.9	41.9	3.1	28.5	17.9
Other	2.5	6.5	9.5	25.0	32.6	43.5	25.6	6.2	31.8	21.2
N of Valid	40	46	42	44	46	46	43	128	179	307
N of Miss	0	0	0	0	0	0	0	0	0	0