

Well Name	Sample ID	Date Sampled	8270C																		6020											
			Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[g,h,i]perylene	Benzo[a]pyrene	Benzo[b]fluoranthene	Benzo[k]fluoranthene	Chrysene	Dibenzo[a,h]anthracene	Fluoranthene	Fluorene	Ideno[1,2,3-cd]pyrene	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene	Dissolved Lead											
For wells < 150 m from surface water																																
DOH Tier 1 EALs (for locations < 150m from surface water)			20	30	0.73	0.027	0.10	0.014	0.092	0.40	0.35	0.0092	8.0	3.9	0.092	2.1	2.1	17	4.6	2.0	5.6											
OWDFMW01	OWDFMW01-WG-01	8/4/2009 ^a	<0.0164	U	<0.0164	U	<0.0164	U	<0.0164	U	<0.0164	U	<0.0164	U	<0.0164	U	<0.0164	U	<0.0164	U	<0.0339	U	<0.0164	U	<0.0164	U	<0.310	U				
	OWDFMW01-WG-02	10/13/2009 ^{ab}	<0.0168	U	<0.0168	U	<0.0168	U	<0.0168	U	<0.0168	U	<0.0168	U	<0.0168	U	<0.0168	U	<0.0168	U	<0.0168	U	<0.0346	U	<0.0168	U	<0.0168	U	<0.31	U		
	OWDFMW01-WG-03	1/26/2010	<0.0320	U	<0.0320	U	<0.0320	U	<0.0320	U	<0.0320	U	<0.0320	U	<0.0320	U	<0.0320	U	<0.0320	U	<0.0320	U	<0.0664	U	<0.0320	U	<0.0320	U	<0.620	U		
	OWDFMW01-WG-04	4/26/2010	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0730	U	<0.0352	U	<0.0352	U	<0.620	U		
	ES007	10/21/2010	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	0.60	
	ES008	10/21/2010*	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	0.57	
	ES017	1/21/2011	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	<0.22	U
	ES018	1/21/2011*	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	<0.22	U
	ES029	4/21/2011	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	<0.22	U
	ES031	4/21/2011*	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	<0.22	U
	ES044	7/21/2011	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	0.27	J
	ES045	7/21/2011*	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	0.43	J
	ES055	10/26/2011	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	0.19	J
	ES056	10/26/2011*	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	<0.22	U
	ES058	1/24/2012	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	0.20	J
	ES059	1/24/2012*	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	0.11	J
	ES077	4/26/2012	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	<0.22	U
	ES084	7/19/2012	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.10	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.16	U	<0.22	U
	ES008	11/7/2012	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.025	J	<0.050	U	<0.050	U	<0.20	U		
	ES007	11/7/2012*	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.035	J	<0.050	U	<0.050	U	<0.20	U		
	ES016	1/30/2013	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.032	J	<0.050	U	<0.050	U	<0.20	U		
	ES017	1/30/2013*	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.039	J	<0.050	U	<0.050	U	<0.20	U		
	ES025	4/24/2013	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	0.063	J	<0.051	U	<0.051	U	<0.200	U		
	ES026	4/24/2013*	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.068	J	<0.050	U	<0.050	U	<0.200	U		
	ES034	7/24/2013	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.081	J	<0.050	U	<0.050	U	<0.200	U		
	ES035	7/24/2013*	<0.048	U	<0.048	U	<0.048	U	<0.048	U	<0.048	U	<0.048	U	<0.048	U	<0.048	U	<0.048	U	<0.048	U	0.12	J	<0.048	U	<0.048	U	<0.200	U		
	ES043	10/23/2013	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	<0.200	U
	ES044	10/23/2013*	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	< 0.049	U	<0.200	U
	ES053	1/27/2014	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.093	J	<0.050	U	<0.050	U	<0.200	U		
	ES054	1/27/2014*	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.085	J	<0.050	U	<0.050	U	<0.050	U	0.114	J
	ES086	4/23/2014	<0.049	U	<0.049	U	<0.049	U	<0.049	U	<0.049	U	<0.049	U	<0.049	U	<0.049	U	<0.049	U	<0.049	U	0.035	J	<0.049	U	<0.049	U	<0.156	J		
	ES087**	4/23/2014*	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.035	J	<0.050	U	<0.050	U	<0.200	U		
	ES109	7/24/2014	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	0.031	J	<0.051	U	<0.051	U	<0.200	U		
ES110	7/24/2014*	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.027	J	<0.050	U	<0.050	U	<0.200	U			
ES121	10/22/2014	<0.052	U	<0.052	U	<0.052	U	<0.10	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	0.047	J	<0.052	U	<0.052	U	0.206	J			
ES122	10/22/2014*	<0.052	U	<0.052	U	<0.052	U	<0.10	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.129	J			
ES121X	1/26/2015	<0.052	U	<0.052	U	<0.052	U	<0.10	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.200	U			
ES122X	1/26/2015*	<0.051	U	<0.051	U	<0.051	U	<0.10	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.200	U			
ES137	4/22/2015	<0.0050	U	<0.0050	U	<0.0050	U	0.0033	B,J	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<														

Well Name	Sample ID	Date Sampled	8270C																		6020									
			Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[g,h,i]perylene	Benzo[a]pyrene	Benzo[b]fluoranthene	Benzo[k]fluoranthene	Chrysene	Dibenzo[a,h]anthracene	Fluoranthene	Fluorene	Ideno[1,2,3-cd]pyrene	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene	Disolved Lead									
			(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)								
For wells < 150 m from surface water	-	-																												
DOH Tier 1 EALs (for locations < 150m from surface water)	-	-	20	30	0.73	0.027	0.10	0.014	0.092	0.40	0.35	0.0092	8.0	3.9	0.092	2.1	2.1	17	4.6	2.0	5.6									
HDMW2253-03	HDMW2253-03-WG-02	10/13/2009 ^{ab}	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.035	U	<0.0169	U	<0.0169	U	<0.31	U		
	HDMW2253-03-WG-03	1/26/2010	<0.0500	U	<0.0500	U	<0.0500	U	<0.0500	U	<0.0500	U	<0.0500	U	<0.0500	U	<0.0500	U	<0.0500	U	<0.103	U	<0.0500	U	<0.0500	U	<0.620	U		
	HDMW2253-03-WG-04	4/26/2010	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0720	U	<0.0348	U	<0.0348	U	<0.620	U		
	HDMW2253-03-WG-05	7/8/2010	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.0348	U	<0.620	U		
	ES006	10/21/2010	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	0.56	
	ES016	1/21/2011	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.22	U
	ES028	4/21/2011	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.22	U
	ES043	7/21/2011	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	0.12	J
	ES053	10/26/2011	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	0.90	
	ES057	1/24/2012	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.12	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	0.19	J
	ES076	4/26/2012	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.12	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	0.71	
	ES083	7/19/2012	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.14	U	<0.12	U	<0.14	U	<0.12	U	<0.12	U	<0.10	U	<0.14	U	<0.16	U	<0.22	U
	ES009	11/7/2012	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.20	U
	ES018	1/30/2013	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.037	J	<0.050	U	<0.050	U	<0.20	U
	ES027	4/24/2013	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	0.16	J	<0.052	U	<0.052	U	0.102	J
	ES036	7/24/2013	<0.047	U	<0.047	U	<0.047	U	<0.047	U	<0.047	U	<0.047	U	<0.047	U	<0.047	U	<0.047	U	<0.047	U	0.030	J	<0.047	U	<0.047	U	<0.200	U
	ES045	10/23/2013	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	0.041	J	<0.050	U	<0.050	U	<0.200	U
	ES051	1/22/2014	-		-		-		-		-		-		-		-		<0.051	U	<0.051	U	<0.051	U	-		-		-	
	ES052	1/22/2014*	-		-		-		-		-		-		-		-		<0.051	U	<0.051	U	<0.051	U	-		-		-	
	ES055	1/27/2014	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	0.064	J	<0.051	U	<0.051	U	<0.200	U
ES088**	4/23/2014	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.200	U	
ES111	7/23/2014	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.200	U	
ES120	10/22/2014	<0.051	U	<0.051	U	<0.051	U	<0.051	U	<0.10	U	<0.051	U	<0.051	U	<0.051	U	<0.10	U	<0.051	U	<0.051	U	<0.051	U	<0.051	U	0.101	J	
ES128	1/29/2015	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.11	U	<0.053	U	<0.053	U	<0.053	U	<0.11	U	<0.053	U	<0.053	U	<0.053	U	<0.053	U	<0.200	U	
ES136	4/22/2015	<0.0052	U	<0.0052	U	<0.0052	U	0.0032	B,J	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.011	U	0.078		
ES151	7/22/2015	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.010	U	0.025	B	

Well Name	Sample ID	Date Sampled	8015C				TPH-g	1,1,1-Trichloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethylene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2-Dibromo-3-chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3-Dichlorobenzene	1,3-Dichloropropene (total of cis/trans)		1,4-Dichlorobenzene									
			TPH-d	TPH-g	TPH-o	TPH-g																									
For wells < 150 m from surface water																															
DOH Tier 1 EALs (for locations < 150m from surface water)			100	100	100	100	62	5.0	2.4	7.0	0.6	25	0.04	0.04	10	0.15	5.0	5.0	0.43		5.0										
RHMW04	RHMW04W01	9/19/2005 ^{a,b}	338	<50.0	U	-	-	<0.50	U	<0.50	U	<0.50	U	<0.50	U	<0.50	U	<0.50	U	<0.50	U	<0.30	U	<0.50	U						
	RHMW04-GW02	7/10/2006 ^{a,b}	<100	U	<50.0	U	-	<0.50	U	<0.50	U	<0.50	U	<0.50	U	<0.50	U	<0.50	U	<0.50	U	<0.30	U	<0.50	U						
	RHMW04-WG-01	8/4/2009 ^a	<157	U	<30.0	U	-	<0.310	U	<0.310	U	<0.310	U	<0.310	U	<0.310	U	<0.310	U	<0.150	U	<0.310	U	-	<0.150	U					
	RHMWA01-WG-01	8/4/2009 ^a	<161	U	<30.0	U	-	<0.310	U	<0.310	U	<0.310	U	<0.310	U	<0.310	U	<0.310	U	<0.150	U	<0.310	U	-	<0.150	U					
	RHMW04-WG-02	10/13/2009 ^{ab}	<169	U	<30	U	-	<0.31	U	<0.31	U	<0.31	U	-	<0.31	U	<0.31	U	<0.15	U	<0.31	U	<0.31	U	-	<0.15	U				
	RHMWA01-WG-02	10/13/2009 ^{ab}	<174	U	<30	U	-	<0.31	U	<0.31	U	<0.31	U	-	<0.31	U	<0.31	U	<0.15	U	<0.31	U	<0.31	U	-	<0.15	U				
	RHMW04-WG-03	1/26/2010	<334	U	<60.0	U	-	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.300	U	<0.620	U	<0.620	U	-	<0.300	U			
	RHMWA01-WG-03	1/26/2010*	<330	U	<60.0	U	-	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.300	U	<0.620	U	<0.620	U	-	<0.300	U			
	RHMW04-WG-04	4/26/2010	<348	U	<60.0	U	-	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.300	U	<0.620	U	<0.620	U	-	<0.300	U			
	RHMWA01-WG-04	4/26/2010*	<352	U	<60.0	U	-	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.620	U	<0.300	U	<0.620	U	<0.620	U	-	<0.300	U			
	ES112	7/23/2014	17	HD,J	<60.0	U	-	<30	U	<0.50	U	<0.50	U	<0.50	U	<1.0	U	<1.0	U	<2.0	U	<0.50	U	<0.50	U	<0.50	U	<0.50	U		
	ES119	10/29/2014	<12	U	-	-	-	<30	U	<0.50	U	<0.50	U	<0.50	U	<1.0	U	<1.0	U	<2.0	U	<0.50	U	<0.50	U	<0.50	U	<0.50	U		
	ES129	1/29/2015	10	HD,J	-	-	-	<30	U	<0.50	U	<0.50	U	<0.50	U	<1.0	U	<1.0	U	<2.0	U	<0.50	U	<0.50	U	<0.50	U	<0.50	U		
	ES139	4/22/2015	<21	U	<25	U	25	B,J	-	<0.20	U	<0.40	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U		
ES156	8/20/2015	24	B,J	<25	U	40	B,J	-	<0.20	U	<0.40	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U			
RHMW06	RHMW06-GW-01	10/21/2014	<86	U	<20	U	<86	U	-	<0.30	U	<0.50	U	<0.30	U	<0.50	U	<1.00	U	<0.50	U	<0.30	U	<0.100	U	<0.30	U	<0.30	U		
	RHMW06-GW-02	1/23/2015 ^d	<76	U	<20	U	<76	U	-	<0.30	U	<0.50	U	<0.30	U	<0.50	U	<1.00	U	<0.50	U	<0.30	U	<0.100	U	<0.30	U	<0.30	U		
	ES140	4/23/2015	20	J	<25	U	47	B,J	-	<0.20	U	<0.40	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	-	<0.20	U	<0.20	U	<0.20	U	
	ES155	7/28/2015	<20	U	<25	U	<50	U	-	<0.20	U	<0.40	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	-	<0.20	U	<0.20	U	<0.20	U	
RHMW07	RHMW07-GW-01	10/20/2014	57	J	<20	U	<78	U	-	<0.30	U	<0.50	U	<0.30	U	<0.50	U	<1.00	U	<0.50	U	<0.30	U	<0.100	U	<0.30	U	<0.30	U		
	RHMW07-GW-01FD	10/20/2014	66	J	<20	U	<77	U	-	<0.30	U	<0.50	U	<0.30	U	<0.50	U	<1.00	U	<0.50	U	<0.30	U	<0.100	U	<0.30	U	<0.30	U		
	RHMW07-GW-02	1/22/2015 ^d	<75	U	<20	U	<75	U	-	<0.30	U	<0.50	U	<0.30	U	<0.50	U	<1.00	U	<0.50	U	<0.30	U	<0.100	U	<0.30	U	<0.30	U		
	RHMW07-GW-02FD	1/22/2015 ^d	<81	U	<20	U	<81	U	-	<0.30	U	<0.50	U	<0.30	U	<0.50	U	<1.00	U	<0.50	U	<0.30	U	<0.100	U	<0.30	U	<0.30	U		
	ES141	4/23/2015	26	J	<25	U	47	B,J	-	<0.20	U	<0.40	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U
	ES154	7/27/2015	22	J	<25	U	48	J	-	<0.20	U	<0.40	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U

Well Name	Sample ID	Date Sampled	8260B																																				
			Acetone (µg/l)	Benzene (µg/l)	Bromodichloromethane (µg/l)	Bromoform (µg/l)	Bromomethane (µg/l)	Carbon Tetrachloride (µg/l)	Chloro benzene (µg/l)	Chloroethane (µg/l)	Chloroform (µg/l)	Chloromethane (µg/l)	cis-1,2-Dichloroethylene (µg/l)	Dibromochloromethane (µg/l)	Ethylbenzene (µg/l)	Hexachlorobutadiene (µg/l)	Methyl ethyl ketone (2-Butanone) (µg/l)	Methyl isobutyl ketone (4-Methyl-2-Pentanone) (µg/l)	Methyl tert-butyl Ether (µg/l)	Methylene chloride (µg/l)																			
For wells < 150 m from surface water	-	-																																					
DOH Tier 1 EALs (for locations < 150m from surface water)	-	-	1500	5.0	0.12	80	8.7	5.0	25	16	70	1.8	70	0.16	30	0.86	7,100	170	5.0	4.8																			
RHMW04	RHMW04W01	9/19/2005 ^{a,b}	92.6	<0.50	U	<0.50	U	<0.50	U	<1.0	U	<0.50	U	<0.50	U	-	<0.50	U	<0.40	U	<0.50	U	<0.50	U	<2.5	U	<2.5	U	<0.50	U	<1.0	U							
	RHMW04-GW02	7/10/2006 ^{a,b}	<5.0	U	<0.50	U	<0.50	U	<0.50	U	<1.0	U	<0.50	U	<0.50	U	-	<0.50	U	<0.40	U	<0.50	U	<0.50	U	<2.5	U	<2.5	U	<0.50	U	<1.0	U						
	RHMW04-WG-01	8/4/2009 ^a	<3.10	U	<0.120	U	<0.150	U	<0.310	U	<0.940	U	<0.310	U	<0.150	U	<0.310	U	<0.310	U	<0.300	U	<0.310	U	<0.310	U	<0.150	U	<0.310	U	<0.310	U	-	<1.00	U				
	RHMWA01-WG-01	8/4/2009 ^a	<3.10	U	0.250	J	<0.150	U	<0.310	U	<0.940	U	<0.310	U	<0.150	U	<0.310	U	<0.310	U	<0.300	U	<0.310	U	<0.310	U	<0.150	U	<0.310	U	<0.310	U	-	<1.00	U				
	RHMW04-WG-02	10/13/2009 ^{ab}	<3.1	U	<0.12	U	<0.15	U	<0.31	U	<0.94	U	<0.31	U	<0.15	U	<0.31	U	<0.3	U	<0.31	U	<0.31	U	<0.31	U	<0.15	U	<0.31	U	<0.31	U	-	<1	U				
	RHMWA01-WG-02	10/13/2009 ^{ab}	<3.1	U	<0.12	U	<0.15	U	<0.31	U	<0.94	U	<0.31	U	<0.15	U	<0.31	U	<0.3	U	<0.31	U	<0.31	U	<0.31	U	<0.15	U	<0.31	U	<0.31	U	-	<1	U				
	RHMW04-WG-03	1/26/2010	<6.20	U	<0.240	U	<0.300	U	<0.620	U	<1.88	U	<0.620	U	<0.300	U	<0.620	U	<0.600	U	<0.620	U	<0.620	U	<0.620	U	<0.300	U	<0.620	U	<0.620	U	<6.20	U	<2.00	U			
	RHMWA01-WG-03	1/26/2010*	<6.20	U	<0.240	U	<0.300	U	<0.620	U	<1.88	U	<0.620	U	<0.300	U	<0.620	U	<0.600	U	<0.620	U	<0.620	U	<0.620	U	<0.300	U	<0.620	U	<0.620	U	<6.20	U	<2.00	U			
	RHMW04-WG-04	4/26/2010	<6.20	U	<0.240	U	<0.300	U	<0.620	U	<1.88	U	<0.620	U	<0.300	U	<0.620	U	<0.600	U	<0.620	U	<0.620	U	<0.620	U	<0.300	U	<0.620	U	<0.620	U	<6.20	U	<2.00	U			
	RHMWA01-WG-04	4/26/2010*	<6.20	U	<0.240	U	<0.300	U	<0.620	U	<1.88	U	<0.620	U	<0.300	U	<0.620	U	<0.600	U	<0.620	U	<0.620	U	<0.620	U	<0.300	U	<0.620	U	<0.620	U	<6.20	U	<2.00	U			
	ES112	7/23/2014	<10	U,IH,IJ,ICH	<0.50	U	<0.50	U	<1.0	U	<5.0	U	<0.50	U	<0.50	U	<5.0	U	<0.50	U	<2.0	U	<0.50	U	<0.50	U	<0.50	U	<5.0	U	<5.0	U	<0.50	U	<1.0	U			
	ES119	10/29/2014	<10	U,IJ,ICH	<0.50	U	<0.50	U	<1.0	U	<5.0	U	<0.50	U	<0.50	U	<5.0	U	<0.50	U	<2.0	U	<0.50	U	<0.50	U	<0.50	U	<5.0	U	<5.0	U	<0.50	U	<1.0	U			
	ES129	1/29/2015	<10	U,IJ	<0.50	U	<0.50	U	<1.0	U	<5.0	U	<0.50	U	<0.50	U	<5.0	U	<0.50	U	<2.0	U	<0.50	U	<0.50	U	<0.50	U	<5.0	U	<5.0	U	<0.50	U	<1.0	U			
	ES139	4/22/2015	<10	U	<0.10	U	-	U	<0.50	U	<0.30	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	-	U	<0.10	U	<0.30	U	<4.0	U	<10	U	<0.30	U	<0.20
ES156	8/20/2015	43	U	<0.10	U	-	U	<0.50	U	<0.30	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	-	U	<0.10	U	<0.30	U	<4.0	U	<10	U	<0.30	U	<0.20	U
RHMW06	RHMW06-GW-01	10/21/2014	<2.00	U	<0.200	U	<0.30	U	<0.30	U	<0.50	U	<0.100	U	<0.50	U	<0.50	U	<0.20	U	<0.50	U	<0.30	U	<0.30	U	<0.50	U	<0.30	U	<2.00	U	<5.00	U	<0.52	U	<1.00	U	
	RHMW06-GW-02	1/23/2015 ^d	<2.00	U	<0.200	U	<0.30	U	<0.30	U	<0.50	U	<0.100	U	<0.50	U	<0.50	U	<0.20	U	<0.50	U	<0.30	U	<0.30	U	<0.50	U	<0.30	U	<2.00	U	<5.00	U	<0.52	U	<1.00	U	
	ES140	4/23/2015	<10	U	<0.10	U	-	U	<0.50	U	<0.30	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	-	U	<0.10	U	<0.30	U	<4.0	U	<10	U	<0.30	U	<0.20	U	
	ES155	7/28/2015	<10	U	<0.10	U	-	U	<0.50	U	<0.30	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	-	U	<0.10	U	<0.30	U	<4.0	U	<10	U	<0.30	U	<0.20	U	
RHMW07	RHMW07-GW-01	10/20/2014	1.9	J	<0.200	U	<0.30	U	<0.30	U	<0.50	U	<0.100	U	<0.50	U	<0.50	U	<0.20	U	<0.50	U	<0.30	U	<0.30	U	<0.50	U	<0.30	U	<2.00	U	<5.00	U	<0.52	U	<1.00	U	
	RHMW07-GW-01FD	10/20/2014	1.7	J	<0.200	U	<0.30	U	<0.30	U	<0.50	U	<0.100	U	<0.50	U	<0.50	U	<0.20	U	<0.50	U	<0.30	U	<0.30	U	<0.50	U	<0.30	U	<2.00	U	<5.00	U	<0.52	U	<1.00	U	
	RHMW07-GW-02	1/22/2015 ^d	<2.00	U	<0.200	U	<0.30	U	<0.30	U	<0.50	U	<0.100	U	<0.50	U	<0.50	U	<0.20	U	<0.50	U	<0.30	U	<0.30	U	<0.50	U	<0.30	U	<2.00	U	<5.00	U	<0.52	U	<1.00	U	
	RHMW07-GW-02FD	1/22/2015 ^d	<2.00	U	<0.200	U	<0.30	U	<0.30	U	<0.50	U	<0.100	U	<0.50	U	<0.50	U	<0.20	U	<0.50	U	<0.30	U	<0.30	U	<0.50	U	<0.30	U	<2.00	U	<5.00	U	<0.52	U	<1.00	U	
	ES141	4/23/2015	<10	U	<0.10	U	-	U	<0.50	U	<0.30	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	-	U	<0.10	U	<0.30	U	<4.0	U	<10	U	<0.30	U	<0.20	U	
ES154	7/27/2015	<10	U	<0.10	U	-	U	<0.50	U	<0.30	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	<0.20	U	-	U	<0.10	U	<0.30	U	<4.0	U	<10	U	<0.30	U	<0.20	U		

Well Name	Sample ID	Date Sampled	8270C																		6020																								
			Acenaphthene	Acenaphthylene	Anthracene	Benzo[a]anthracene	Benzo[g,h,i]perylene	Benzo[a]pyrene	Benzo[b]fluoranthene	Benzo[k]fluoranthene	Chrysene	Dibenzo[a,h]anthracene	Fluoranthene	Fluorene	Ideno[1,2,3-cd]pyrene	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene	Phenanthrene	Pyrene	Dissolved Lead																								
For wells < 150 m from surface water																																													
DOH Tier 1 EALs (for locations < 150m from surface water)			20	30	0.73	0.027	0.10	0.014	0.092	0.40	0.35	0.0092	8.0	3.9	0.092	2.1	2.1	17	4.6	2.0	5.6																								
RHMW04	RHMW04W01	9/19/2005 ^{a,b}	<0.57	U	<0.57	U	<0.57	U	<0.057	U	<0.11	U	<0.11	U	<0.057	U	<0.11	U	<0.11	U	<0.057	U	<0.28	U	<0.28	U	<0.28	U	<0.28	U	<0.57	U	<0.28	U	-										
	RHMW04-GW02	7/10/2006 ^{a,b}	<0.51	U	<0.51	U	<0.51	U	<0.051	U	<0.10	U	<0.10	U	<0.051	U	<0.10	U	<0.10	U	<0.051	U	<0.26	U	<0.26	U	<0.26	U	<0.26	U	<0.51	U	<0.26	U	<10	U									
	RHMW04-WG-01	8/4/2009 ^a	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0162	U	<0.0335	U	<0.0162	U	<0.0162	U	<0.310	U									
	RHMWA01-WG-01	8/4/2009 ^a	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0167	U	<0.0344	U	<0.0167	U	<0.0167	U	<0.310	U									
	RHMW04-WG-02	10/13/2009 ^{ab}	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0172	U	<0.0356	U	<0.0172	U	<0.0172	U	<0.31	U									
	RHMWA01-WG-02	10/13/2009 ^{ab}	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0169	U	<0.0348	U	<0.0169	U	<0.0169	U	<0.31	U									
	RHMW04-WG-03	1/26/2010	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0326	U	<0.0674	U	<0.0326	U	<0.0326	U	<0.620	U									
	RHMWA01-WG-03	1/26/2010*	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0338	U	<0.0696	U	<0.0338	U	<0.0338	U	<0.620	U									
	RHMW04-WG-04	4/26/2010	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0730	U	<0.0352	U	<0.0352	U	<0.620	U									
	RHMWA01-WG-04	4/26/2010*	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0352	U	<0.0730	U	<0.0352	U	<0.0352	U	<0.620	U									
	ES112	7/23/2014	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.200	U									
	ES119	10/29/2014	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.099	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.050	U	<0.099	U	<0.050	U	<0.050	U	<0.200	U									
	ES129	1/29/2015	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.10	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.052	U	<0.10	U	<0.052	U	<0.052	U	<0.200	U									
	ES139	4/22/2015	<0.0050	U	0.0037	J	0.0051	J	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	0.0060	J	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	0.0069	J	<0.010	U	0.006	J							
ES156	8/20/2015	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	0.0059	J	0.0075	J	<0.0050	U	<0.010	U	0.026	J						
RHMW06	RHMW06-GW-01	10/21/2014	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	0.0064	J	<0.053	U	<0.011	U	<0.011	U	<0.80	U							
	RHMW06-GW-02	1/23/2015 ^d	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.052	U	<0.010	U	<0.010	U	<0.40	U							
	ES140	4/23/2015	<0.0052	U	<0.0052	U	<0.0052	U	0.0028	B,J	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.011	U	0.006	J									
	ES155	7/28/2015	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.010	U	0.006	J									
RHMW07	RHMW07-GW-01	10/20/2014	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	<0.0096	U	0.0084	J	<0.048	U	<0.0096	U	<0.0096	U	<0.80	U							
	RHMW07-GW-01FD	10/20/2014	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	0.0060	J	<0.050	U	<0.010	U	<0.010	U	<0.80	U							
	RHMW07-GW-02	1/22/2015 ^d	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.011	U	<0.055	U	<0.011	U	<0.011	U	<0.40	U									
	RHMW07-GW-02FD	1/22/2015 ^d	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.010	U	<0.050	U	<0.010	U	<0.010	U	<0.40	U									
	ES141	4/23/2015	<0.0052	U	<0.0052	U	<0.0052	U	0.0027	B,J	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	<0.0052	U	0.0072	J	<0.011	U	0.006	J							
ES154	7/27/2015	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.0050	U	<0.020	U	0.0042	J	<0.0050	U	0.0051	J	0.0095	J	0.0060	J	0.0084	J	<0.010	U	0.006	J

Notes:

- * duplicate samples
- ** - Samples ES087 and ES088 possibly switched prior to analysis.
- HDOH, Tier 1 Environmental Action Levels, Table D-1a. Groundwater Action Levels (Groundwater IS a current or potential drinking water resource, surface water body IS located within 150 meters of release site)
- Background historical data are from February 2005 to July 2012.
- Non-detects (from October 2012 and on) are the LOD values.
- a - Used MDL values for non-detects
- b - MRL values were used for non-detects
- d - no analytical lab reports available, used summary table from DOH Quarterly GW Reports
- µg/l - micrograms per liter
- Grey highlight - exceeds EALs
- Bold - detected values
- B - analyte was present in the associated method blank
- BU - sample analyzed after holding time expired
- ICH - Initial calibrtn. verif. recov. above method CL for this analyte
- IH - Calibrtn. verif. recov. below method CL for this analyte
- IJ - Calibrtn. verif. recov. above method CL for this analyte
- J - indicates an estimated value
- U - indicates that the compound was analyzed for but not detected at or above the stated limit. The stated limit is the LOD unless otherwise specified.
- HD, Z, ++ - the chromatographic pattern was inconsistent with the profile of the reference fuel standard
- X - possible high bias due to matrix interference