



# ANALYTICAL SUMMARY REPORT

February 23, 2022

AECOM - Honolulu  
1001 Bishop Street, Suite 1600  
Honolulu HI, 96813-3698

Work Order: B21122088 Quote ID: 5912

Project Name: CV18F0126/60571032.02.46.01

Energy Laboratories Inc Billings MT received the following 5 samples from AECOM - Honolulu on 12/29/2021 for analysis.

Lab ID	Client Sample ID	Collect Date	Received Date	Matrix	Test
B21122088-001	ERH2247 (RHMW09)	12/24/21 13:15	12/29/2021	Ground Water	Metals Digestion by SW3010A DRO-Liquid-Liquid Extraction SW3520C Separatory Funnel SW3510C Liquid-Liquid Ext. Carbon, Total Organic SW9060A Metals by ICP-MS, Dissolved SW6020 Metals by ICP-MS, Total SW6020 8260-Volatile Organic Compounds-Short List SW8260B EDB in Water by ECD SW8011 Gasoline Range Organics SW8015C Diesel Range Organics SW8015C Headspace Gas Analysis SW8015M Semi-Volatile Organic Compounds SW8270C Low Level PAH SW8270C SW8011 Microextraction
B21122088-002	ERH2246 Client Trip Blank	12/24/21 13:10	12/29/2021	Trip Blank	8260-Volatile Organic Compounds-Short List SW8260B
B21122088-003	ERH2246 Client Trip Blank	12/24/21 13:10	12/29/2021	Trip Blank	Gasoline Range Organics SW8015C
B21122088-004	ERH2246 Client Trip Blank	12/24/21 13:10	12/29/2021	Trip Blank	EDB in Water by ECD SW8011 SW8011 Microextraction
B21122088-005	ERH2246 Client Trip Blank	12/24/21 13:10	12/29/2021	Trip Blank	Headspace Gas Analysis SW8015M

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 S 27th St., Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these test results, please contact your Project Manager.

Report Approved By:



**CLIENT:** AECOM - Honolulu  
**Project:** CV18F0126/60571032.02.46.01  
**Work Order:** B21122088

**Report Date:** 2/23/2022

## CASE NARRATIVE

### General Comments:

For any question please contact your Project Manager at (406) 252-6325 or [billingspm@energylab.com](mailto:billingspm@energylab.com).

All analyses have been performed in accordance with DOD QSM Version 5.3 unless otherwise noted below. The specific methodologies used in obtaining the enclosed analytical results are indicated on the Analytical Summary Report and the Laboratory Analytical Report. The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted in the Work Order Receipt Checklist.

The tests listed below are accredited and meet the requirements of DoD QSM Version 5.3 as verified by ANSI-ASQ National Accreditation Board (ANAB) certificate number ADE-2588. Exceptions to this require client authorization and records documenting this approval are attached in the Sample Management Records. Accreditation may not be offered or required for all methods and analytes reported in this package. Refer to the certificate and scope of accreditation located at <https://www.energylab.com/whyus/certifications-quality-control/> or contact your project manager.

Tests for Total Organic Carbon by SW060A associated with analyst identified as ELI-CA were subcontracted to Energy Laboratories, PO Box 247, Casper, WY, EPA Number WY00002.

Project specific matrix quality control samples may not be reported if site specific samples were not submitted. Matrix quality control samples were performed on project samples where adequate volume was available. All quality control measures met criteria unless otherwise noted in the Analytical QC Exceptions report and in the Analysis Specific Comments below. Where available, sample management records are attached.

The Stage 4 Validation Package includes data reports for all analyses associated with the instrument calibration, quality control (QC) sample analysis, and sample analysis. All analytical data is within method specifications except as noted in the Analytical QC Exceptions report or the Analysis Specific Comments below. The analytical report identifies preparation batch and analytical run IDs associated with each result for a sample. Only the raw data associated with the parameters listed on this report should be validated.

### Analysis Specific Comments:

An Analytical QC Exceptions Report has been attached, summarizing all qualified QC results. Benzidine and Bromomethane are known very reactive compounds and often recover poorly. Where qualified, an analyte exceeded quality control limits, but was not detected in the associated sample(s)..



Trust our People. Trust our Data.

# Chain of Custody & Analytical Request Record – DoD Project

www.energylab.com

COC#202112-56NOI

Page 1 of 1

### Account Information (Billing Information)

Company Name	AECOM				
Contact	Alethea Ramos / Margie Pascua				
Phone	808-529-7283 / 808-356-5373				
Mailing Address	1001 Bishop St., Suite 1600				
City, State, Zip	Honolulu, HI 96813				
Email	alethea.ramos@aecom.com / margie.pascua@aecom.com				
Receive Invoice	<input type="checkbox"/> Hard Copy	<input checked="" type="checkbox"/> Email	Receive Report	<input type="checkbox"/> Hard Copy	<input checked="" type="checkbox"/> Email
Purchase Order	Quote	Bottle Order			
N/A	N/A	N/A			

### Report Information (if different than Account Information)

Company Name	AECOM			
Contact	see Account information			
Phone				
Mailing Address				
City, State, Zip				
Email	USAPimaging@aecom.com			
Receive Report	<input type="checkbox"/> Hard Copy	<input type="checkbox"/> Email		
Special Report/Formats:				
<input checked="" type="checkbox"/> LEVEL IV	<input type="checkbox"/> NELAC	<input checked="" type="checkbox"/> EDD/EDT (contact laboratory)	<input type="checkbox"/> Other	

### Comments

1. Project performed under DoD QSM
2. TPH-d/o needs 3520 extraction
3. Preliminary data (or level 1) in 1-2 business days, Level IV report in 10 working days.
4. Note: NOI log is separate from other COC's.
5. \*SVOC/VOC (full suite); PAH SIM (naphthalene, 1-methylnaphthalene, 2-methylnaphthalene)

### Project Information

Project Name, PWSID, Permit, etc.	CV18F0126, 60571032.02.46.01		
Sampler Name	AE, SW, RS, BL	Sampler Phone	808-393-6607
Sample Origin State	Hawaii	EPA/State Compliance	<input type="checkbox"/> Yes <input type="checkbox"/> No
The following tests will be subcontracted to other certified laboratories as shown. Signing this COC is authorization to subcontract the analyses as indicated:			
Analysis	Subcontract Lab		
TOC	Energy Laboratories Inc., Casper		

### Matrix Codes

- A. Air
- W. Water
- S. Soils/Solids
- V. Vegetation
- B. Bioassay
- O. Other
- DW. Drinking Water

### Analysis Requested

8260 VOC's (Full Suite) + DCA* [(6) 40ml VOA w/HCL]	8015 TPH-g [(3) 40ml VOA w/HCL]	RSK175 Methane [(2) 40ml VOA w/H2SO4]	8011 EDB [(3) 40ml VOA w/HCL]	8270D SVOC (Full Suite)* PAH 8270D SIM [(2) 1-L AG]	EPA 3630/8015 TPH-d/o +SGC [(2) 1-L AG w/H2SO4]	EPA 9060 TOC [(2) 250ml AG w/H3PO4]	EPA 6020 Total Lead [(1) 500ml HDPE w/HNO3]	EPA 6020 Diss Lead (Field Filtered) [(1) 500ml HDPE w/HNO3]
---	---------------------------------	---------------------------------------	-------------------------------	---	---	-------------------------------------	---	---

See Attached

All turnaround times are standard unless marked as RUSH.

Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification (Name, Location, Interval, etc.)	Collection		Number of Containers	Matrix (See Codes Above)	Analysis Requested									See Attached	RUSH TAT	ELI LAB ID (Laboratory Use Only)
	Date	Time			8260 VOC's (Full Suite) + DCA* [(6) 40ml VOA w/HCL]	8015 TPH-g [(3) 40ml VOA w/HCL]	RSK175 Methane [(2) 40ml VOA w/H2SO4]	8011 EDB [(3) 40ml VOA w/HCL]	8270D SVOC (Full Suite)* PAH 8270D SIM [(2) 1-L AG]	EPA 3630/8015 TPH-d/o +SGC [(2) 1-L AG w/H2SO4]	EPA 9060 TOC [(2) 250ml AG w/H3PO4]	EPA 6020 Total Lead [(1) 500ml HDPE w/HNO3]	EPA 6020 Diss Lead (Field Filtered) [(1) 500ml HDPE w/HNO3]			
1 ERH2247 (RHMW09)	12/24/21	9:15	22	GW	X	X	X	X	X	X	X	X	X	X	✓	B21122088-001
2 ERH2246 (Trip Blank)	12/24/21	9:10	8	WQ	X	X	X	X							✓	-002, 003, 004, 005
3																
4 JB #260: Client																-002
5 JB GRO: Client																-003
6 JB 9001: Client																-004
7 JB Methane: Client																-005
8 JB 12/29/21																
9																
10																

Custody Record MUST be signed	Relinquished by (print) <b>Tianzhen Nie</b>	Date/Time 12/24/21 15:00	Signature <i>Tianzhen Nie</i>	Received by (print)	Date/Time	Signature			
	Relinquished by (print)	Date/Time	Signature	Received by Laboratory (print) <i>Margie Pascua</i>	Date/Time 12/29/21 0848	Signature <i>MA</i>			
<b>LABORATORY USE ONLY</b>									
Shipped By	Cooler ID(s)	Custody Seals Y N C B	Intact Y N	Receipt Temp 6.6 °C	Temp Blank Y N	On Ice Y N	Payment Type CC Cash Check	Amount \$	Receipt Number (cash/check only)



Work Order Receipt Checklist

AECOM - Honolulu

B21122088

Login completed by: Leslie S. Cadreau
Reviewed by: BL2000\gmccartney
Reviewed Date: 12/30/2021

Date Received: 12/29/2021
Received by: tjg
Carrier name: FedEx

- Shipping container/cooler in good condition? Yes [checked] No [ ] Not Present [ ]
Custody seals intact on all shipping container(s)/cooler(s)? Yes [checked] No [ ] Not Present [ ]
Custody seals intact on all sample bottles? Yes [checked] No [ ] Not Present [ ]
Chain of custody present? Yes [checked] No [ ]
Chain of custody signed when relinquished and received? Yes [checked] No [ ]
Chain of custody agrees with sample labels? Yes [checked] No [ ]
Samples in proper container/bottle? Yes [checked] No [ ]
Sample containers intact? Yes [checked] No [ ]
Sufficient sample volume for indicated test? Yes [checked] No [ ]
All samples received within holding time? Yes [checked] No [ ]
Temp Blank received in all shipping container(s)/cooler(s)? Yes [checked] No [ ] Not Applicable [ ]
Container/Temp Blank temperature: 6.6°C On Ice
Water - VOA vials have zero headspace? Yes [checked] No [ ] Not Applicable [ ]
Water - pH acceptable upon receipt? Yes [ ] No [checked] Not Applicable [ ]

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as -dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

Contact and Corrective Action Comments:

The collection time indicated on the Chain of Custody for all samples is in Hawaii-Aleutian Standard Time. The collection time has been converted (+4 Hours) to Mountain Standard Time.

The sample for Total and Dissolved Lead, Methane, 8260, Gasoline Range Organics, 8011 and all the Trip Blanks were not received in containers provided by Energy Laboratories. Preservative traceability is not available for these containers.

The sample was received outside of temperature compliance. Proceed with anaysis per email from Alethea Ramos on 12/29/21.

Both the containers submitted for Total Organic Carbon were received at pH >2. One of the two containers was preserved in the laboratory to pH <2 with 2 mL phosphoric acid. The other container was not preserved due to there is sufficient volume using the one container.

## Qualifiers and Abbreviations

Qualifier	Qualifier Description
##	Limit of Quantitation (LOQ) for this analyte exceeds the Maximum Contaminant Level (MCL)
*	Result exceeds the Maximum Contaminant Level (MCL)
A	The analyte level was greater than four times the spike level - in accordance with the method, percent recovery is not calculated
B	Analyte detected in the method blank
C	Continuing calibration verification was outside of the quality control advisory limits
D	Limit of Quantitation (LOQ) increased due to sample matrix
E	Estimated value - result exceeds the instrument upper quantitation limit
H	Analysis performed past the method holding time
J	The reported result is an estimated value
L	Lowest Limit of Quantitation (LOQ) available for the analytical method used
N	Analyte concentration was not sufficiently high to calculate a Relative Percent Difference (RPD) for the serial dilution test
O	Diluted out
P	Poor method performance - method validations have shown no recoveries at low concentrations or method performance was erratic
Q	Values reported below the Limit of Quantitation (LOQ) are statistically invalid
R	Relative Percent Difference (RPD) exceeds advisory limit
S	Spike recovery outside of advisory limits
T	Analyte detected in the associated trip blank
U	Not detected at the Limit of Detection (LOD)
V	The RPD value for this duplicate represents the RER value and the RPD limit of 2 is the RER upper limit.

## Qualifiers and Abbreviations

### Abbreviation

Reporting	Explanation of Abbreviation
DF	Dilution Factor
DL	Detection Limit
LOD	Limit of Detection
LOQ	Limit of Quantitation
MCL	Maximum Contaminant Level
MDC	Minimum Detectable Concentration
ND	Not detected at the Limit of Quantitation (LOQ)
RBSL	Risk-Based Screening Levels
REC	Recovery
RER	Relative Error Ratio
RPD	Relative Percent Difference
SPK	Spike

Sample Types	Explanation of Abbreviation
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification Standard
DUP	Sample Duplicate
ICSA	Interference Check Sample A
ICSAB	Interference Check Sample AB
ICV	Initial Calibration Verification Standard
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LFB	Laboratory Fortified Blank
LRB	Laboratory Reagent Blank
MBLK	Method Blank
MS	Sample Matrix Spike
MSD	Sample Matrix Spike Duplicate
PDS	Post Digestion/Distillation Spike
QCS	Quality Control Sample
SD	Serial Dilution
SRM	Standard Reference Material



### LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B21122088-001

Collection Date: 12/24/2021 13:15

Date Received: 12/29/2021

Report Date: 02/23/2022

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2247 (RHMW09)  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>AGGREGATE ORGANICS</b>												
Organic Carbon, Total (TOC) - TOC Range is 7.7 to 10	9.1	mg/L	1		0.50	0.50	0.17		SW9060A	01/4/2022 18:12/eli-ca	SUB-C278455 : 9	C_R278455
<b>METALS, DISSOLVED</b>												
Lead	0.00008	mg/L	1	J	0.001	0.0001	0.00006		SW6020	01/6/2022 16:10/srh	ICPMS207-B_220106A : 46	R372863
<b>METALS, TOTAL</b>												
Lead	0.00047	mg/L	1	J	0.001	0.0001	0.00008		SW6020	01/6/2022 16:16/srh	ICPMS207-B_220106A : 47	162587
<b>VOLATILE ORGANIC COMPOUNDS</b>												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Bromodichloromethane	ND	ug/L	1	TU	1.0	0.25	0.12		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Bromomethane	ND	ug/L	1	U	1.0	0.50	0.25		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Chlorobenzene	ND	ug/L	1	TU	1.0	0.20	0.091		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Chlorodibromomethane	ND	ug/L	1	TU	1.0	0.20	0.084		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Chloroform	ND	ug/L	1	TU	1.0	0.20	0.079		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,2-Dichloroethane	0.23	ug/L	1	J	1.0	0.25	0.12		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936





**LABORATORY ANALYTICAL REPORT**

Prepared by Billings, MT Branch

**Lab ID:** B21122088-001  
**Collection Date:** 12/24/2021 13:15  
**Date Received:** 12/29/2021  
**Report Date:** 02/23/2022

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2247 (RHMW09)  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>VOLATILE ORGANIC COMPOUNDS</b>												
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Methylene chloride	ND	ug/L	1	TU	1.0	0.50	0.34		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Toluene	ND	ug/L	1	U	1.0	0.20	0.068		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Surr: Dibromofluoromethane	104.0	%REC	1		80-119				SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Surr: 1,2-Dichloroethane-d4	103.0	%REC	1		81-118				SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Surr: Toluene-d8	104.0	%REC	1		89-112				SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
Surr: p-Bromofluorobenzene	105.0	%REC	1		85-114				SW8260B	12/30/2021 18:13/sbd	VOA5975C.I_211230A : 14	R372936
<b>VOCS BY MICROEXTRACTION-ECD</b>												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0049	0.0025		SW8011	12/30/2021 20:58/src	GECD.I_211230A : 21	162607
Surr: 1,1,1,2-Tetrachloroethane	84.0	%REC	1		70-130				SW8011	12/30/2021 20:58/src	GECD.I_211230A : 21	162607
<b>PETROLEUM HYDROCARBONS-VOLATILE</b>												
C6 to C10	ND	ug/L	1	UT	20	8.7	2.3		SW8015C	12/30/2021 04:15/jp	PE 1_211228A : 54	R372468
Total Purgeable Hydrocarbons	ND	ug/L	1	UT	20	10	3.6		SW8015C	12/30/2021 04:15/jp	PE 1_211228A : 54	R372468
Surr: Trifluorotoluene	75.0	%REC	1		70-130				SW8015C	12/30/2021 04:15/jp	PE 1_211228A : 54	R372468
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												
<b>PETROLEUM HYDROCARBONS-SEMI-VOLATILE</b>												
Diesel Range Organics (C10 to C24)	0.28	mg/L	1	J	0.30	0.14	0.037		SW8015C	12/31/2021 03:10/amn	GCFID-HP5-B_211230A : 8	162579
Diesel Range Organics (SGT-C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	01/4/2022 09:12/amn	GCFID-HP4-B_220102B : 8	162579
Oil Range Hydrocarbons (C24 to C40)	0.49	mg/L	1		0.30	0.14	0.084		SW8015C	12/31/2021 03:10/amn	GCFID-HP5-B_211230A : 8	162579
Oil Range Hydrocarbons (SGT-C24 to C40)	0.073	mg/L	1	J	0.30	0.14	0.049		SW8015C	01/4/2022 09:12/amn	GCFID-HP4-B_220102B : 8	162579
Total Extractable Hydrocarbons	1.6	mg/L	1		0.30	0.14	0.071		SW8015C	12/31/2021 03:10/amn	GCFID-HP5-B_211230A : 8	162579





**LABORATORY ANALYTICAL REPORT**

Prepared by Billings, MT Branch

Lab ID: B21122088-001

Collection Date: 12/24/2021 13:15

Date Received: 12/29/2021

Report Date: 02/23/2022

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2247 (RHMW09)  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>PETROLEUM HYDROCARBONS-SEMI-VOLATILE</b>												
Total Extractable Hydrocarbons (SGT)	0.092	mg/L	1	J	0.30	0.14	0.074		SW8015C	01/4/2022 09:12/amn	GCFID-HP4-B_220102B : 8	162579
Surr: o-Terphenyl	89.0	%REC	1		56-125				SW8015C	12/31/2021 03:10/amn	GCFID-HP5-B_211230A : 8	162579
Surr: o-Terphenyl (SGT)	82.0	%REC	1		56-125				SW8015C	01/4/2022 09:12/amn	GCFID-HP4-B_220102B : 8	162579
Surr: n-Triacontane	110.0	%REC	1		50-150				SW8015C	12/31/2021 03:10/amn	GCFID-HP5-B_211230A : 8	162579
Surr: n-Triacontane (SGT)	105.0	%REC	1		50-150				SW8015C	01/4/2022 09:12/amn	GCFID-HP4-B_220102B : 8	162579
- Note: Total Extractable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.												
<b>ORGANIC CHARACTERISTICS</b>												
Methane	ND	mg/L	1	U	0.0020	0.0012	0.00070		SW8015M	01/3/2022 10:40/jdw	FID-HEADSPACE_220103A : 7	R372625
<b>SEMI-VOLATILE ORGANIC COMPOUNDS</b>												
1,2,4-Trichlorobenzene	ND	ug/L	1	U	10	5.2	2.0		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
1,2-Dichlorobenzene	ND	ug/L	1	U	10	5.2	2.1		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
1,3-Dichlorobenzene	ND	ug/L	1	U	10	5.2	2.2		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
1,4-Dichlorobenzene	ND	ug/L	1	U	10	5.2	2.1		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
1-Methylnaphthalene	ND	ug/L	1	U	10	5.2	2.5		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2,4,5-Trichlorophenol	ND	ug/L	1	U	10	5.2	2.3		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2,4,6-Trichlorophenol	ND	ug/L	1	U	10	5.2	2.8		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2,4-Dichlorophenol	ND	ug/L	1	U	10	5.2	1.8		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2,4-Dimethylphenol	ND	ug/L	1	U	10	5.2	1.8		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2,4-Dinitrophenol	ND	ug/L	1	U	10	10	4.5		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2,4-Dinitrotoluene	ND	ug/L	1	U	10	5.2	3.2		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2,6-Dinitrotoluene	ND	ug/L	1	U	10	5.2	3.4		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2-Chloronaphthalene	ND	ug/L	1	U	10	5.2	2.2		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2-Chlorophenol	ND	ug/L	1	U	10	5.2	2.6		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2-Methylnaphthalene	ND	ug/L	1	U	10	5.2	2.0		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
2-Nitrophenol	ND	ug/L	1	U	10	5.2	2.5		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
3,3'-Dichlorobenzidine	ND	ug/L	1	U	10	5.2	2.2		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
4,6-Dinitro-2-methylphenol	ND	ug/L	1	U	10	10	2.4		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
4-Bromophenyl phenyl ether	ND	ug/L	1	U	10	5.2	1.8		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
4-Chloro-3-methylphenol	ND	ug/L	1	U	10	5.2	1.5		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
4-Chlorophenol	ND	ug/L	1	U	10	5.2	2.8		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
4-Chlorophenyl phenyl ether	ND	ug/L	1	U	10	5.2	2.1		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
4-Nitrophenol	ND	ug/L	1	U	10	10	2.6		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Acenaphthene	ND	ug/L	1	U	10	5.2	2.0		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Acenaphthylene	ND	ug/L	1	U	10	5.2	1.6		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Anthracene	ND	ug/L	1	U	10	5.2	1.3		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Azobenzene	ND	ug/L	1	U	10	5.2	1.1		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Benzidine	ND	ug/L	1	U	10	10	7.1		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Benzo(a)anthracene	ND	ug/L	1	U	10	5.2	0.90		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577



### LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B21122088-001

Collection Date: 12/24/2021 13:15

Date Received: 12/29/2021

Report Date: 02/23/2022

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2247 (RHMW09)  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>SEMI-VOLATILE ORGANIC COMPOUNDS</b>												
Benzo(a)pyrene	ND	ug/L	1	U	10	5.2	1.3		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Benzo(b)fluoranthene	ND	ug/L	1	U	10	5.2	0.95		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Benzo(g,h,i)perylene	ND	ug/L	1	U	10	5.2	1.1		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Benzo(k)fluoranthene	ND	ug/L	1	U	10	5.2	1.0		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
bis(-2-chloroethoxy)Methane	ND	ug/L	1	U	10	5.2	1.4		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
bis(-2-chloroethyl)Ether	ND	ug/L	1	U	10	5.2	2.7		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
bis(2-chloroisopropyl)Ether	ND	ug/L	1	U	10	5.2	1.6		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
bis(2-ethylhexyl)Phthalate	3.3	ug/L	1	J	10	5.2	2.0		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Butylbenzylphthalate	ND	ug/L	1	U	10	5.2	1.6		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Chrysene	ND	ug/L	1	U	10	5.2	1.2		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Di-n-butyl phthalate	ND	ug/L	1	U	10	5.2	0.98		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Di-n-octyl phthalate	ND	ug/L	1	U	10	5.2	1.4		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Dibenzo(a,h)anthracene	ND	ug/L	1	U	10	5.2	1.2		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Diethyl phthalate	ND	ug/L	1	U	10	5.2	2.3		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Dimethyl phthalate	ND	ug/L	1	U	10	5.2	1.8		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Fluoranthene	ND	ug/L	1	U	10	5.2	0.93		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Fluorene	ND	ug/L	1	U	10	5.2	1.9		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Hexachlorobenzene	ND	ug/L	1	U	10	5.2	1.4		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Hexachlorobutadiene	ND	ug/L	1	U	10	5.2	2.4		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Hexachlorocyclopentadiene	ND	ug/L	1	U	10	5.2	3.1		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Hexachloroethane	ND	ug/L	1	U	10	5.2	1.9		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Indeno(1,2,3-cd)pyrene	ND	ug/L	1	U	10	5.2	1.3		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Isophorone	ND	ug/L	1	U	10	5.2	1.8		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
m+p-Cresols	ND	ug/L	1	U	10	5.2	1.9		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
n-Nitroso-di-n-propylamine	ND	ug/L	1	U	10	5.2	1.6		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
n-Nitrosodimethylamine	ND	ug/L	1	U	10	5.2	1.6		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
n-Nitrosodiphenylamine	ND	ug/L	1	U	10	5.2	1.2		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Naphthalene	ND	ug/L	1	U	10	5.2	1.8		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Nitrobenzene	ND	ug/L	1	U	10	5.2	2.4		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
o-Cresol	ND	ug/L	1	U	10	5.2	1.9		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Pentachlorophenol	ND	ug/L	1	U	10	10	4.5		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Phenanthrene	ND	ug/L	1	U	10	5.2	0.82		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Phenol	ND	ug/L	1	U	10	5.2	1.5		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Pyrene	ND	ug/L	1	U	10	5.2	0.97		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Pyridine	ND	ug/L	1	U	10	5.2	3.4		SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Surr: 2,4,6-Tribromophenol	88.0	%REC	1		43-140				SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Surr: 2-Fluorobiphenyl	64.0	%REC	1		44-119				SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Surr: 2-Fluorophenol	52.0	%REC	1		19-119				SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Surr: Nitrobenzene-d5	74.0	%REC	1		44-120				SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577



### LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

**Lab ID:** B21122088-001  
**Collection Date:** 12/24/2021 13:15  
**Date Received:** 12/29/2021  
**Report Date:** 02/23/2022

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2247 (RHMW09)  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>SEMI-VOLATILE ORGANIC COMPOUNDS</b>												
Surr: Phenol-d5	46.0	%REC	1		10-65				SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
Surr: Terphenyl-d14	101.0	%REC	1		50-134				SW8270C	01/7/2022 20:36/dsm	SV5973N.I_220107A : 16	162577
<b>SEMI-VOLATILE ORGANIC COMPOUNDS (LOW LEVEL) BY SIM</b>												
1-Methylnaphthalene	ND	ug/L	1	U	0.10	0.052	0.022		SW8270C	01/10/2022 16:02/jph	SV5975.I_220110A : 10	162577
2-Methylnaphthalene	ND	ug/L	1	U	0.10	0.052	0.018		SW8270C	01/10/2022 16:02/jph	SV5975.I_220110A : 10	162577
Naphthalene	ND	ug/L	1	U	0.10	0.052	0.030		SW8270C	01/10/2022 16:02/jph	SV5975.I_220110A : 10	162577



### LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B21122088-002

Collection Date: 12/24/2021 13:10

Date Received: 12/29/2021

Report Date: 02/23/2022

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2246 Client Trip Blank  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>VOLATILE ORGANIC COMPOUNDS</b>												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Bromodichloromethane	0.70	ug/L	1	J	1.0	0.25	0.12		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Bromomethane	ND	ug/L	1	U	1.0	0.50	0.25		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Chlorobenzene	0.093	ug/L	1	J	1.0	0.20	0.091		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Chlorodibromomethane	0.18	ug/L	1	J	1.0	0.20	0.084		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Chloroform	8.8	ug/L	1		1.0	0.20	0.079		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Methylene chloride	1.0	ug/L	1		1.0	0.50	0.34		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936



**LABORATORY ANALYTICAL REPORT**

Prepared by Billings, MT Branch

**Lab ID:** B21122088-002

**Collection Date:** 12/24/2021 13:10

**Date Received:** 12/29/2021

**Report Date:** 02/23/2022

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2246 Client Trip Blank  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>VOLATILE ORGANIC COMPOUNDS</b>												
Toluene	ND	ug/L	1	U	1.0	0.20	0.068		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Surr: Dibromofluoromethane	107.0	%REC	1		80-119				SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Surr: 1,2-Dichloroethane-d4	103.0	%REC	1		81-118				SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Surr: Toluene-d8	103.0	%REC	1		89-112				SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936
Surr: p-Bromofluorobenzene	104.0	%REC	1		85-114				SW8260B	12/30/2021 15:56/sbd	VOA5975C.I_211230A : 9	R372936



**LABORATORY ANALYTICAL REPORT**

Prepared by Billings, MT Branch

**Lab ID:** B21122088-003

**Collection Date:** 12/24/2021 13:10

**Date Received:** 12/29/2021

**Report Date:** 02/23/2022

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2246 Client Trip Blank  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>PETROLEUM HYDROCARBONS-VOLATILE</b>												
C6 to C10	2.4	ug/L	1	J	20	8.7	2.3		SW8015C	12/29/2021 13:58/jp	PE 1_211228A : 39	R372468
Total Purgeable Hydrocarbons	4.0	ug/L	1	J	20	10	3.6		SW8015C	12/29/2021 13:58/jp	PE 1_211228A : 39	R372468
Surr: Trifluorotoluene	82.0	%REC	1		70-130				SW8015C	12/29/2021 13:58/jp	PE 1_211228A : 39	R372468
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												



### LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B21122088-004

Collection Date: 12/24/2021 13:10

Date Received: 12/29/2021

Report Date: 02/23/2022

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2246 Client Trip Blank  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>VOCS BY MICROEXTRACTION-ECD</b>												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0049	0.0025		SW8011	12/30/2021 19:18/src	GECD.I_211230A : 16	162607
Surr: 1,1,1,2-Tetrachloroethane	83.0	%REC	1		70-130				SW8011	12/30/2021 19:18/src	GECD.I_211230A : 16	162607





### LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Client Sample ID:** ERH2246 Client Trip Blank  
**Project:** CV18F0126/60571032.02.46.01  
**Matrix:** Trip Blank

**Lab ID:** B21122088-005  
**Collection Date:** 12/24/2021 13:10  
**Date Received:** 12/29/2021  
**Report Date:** 02/23/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
<b>ORGANIC CHARACTERISTICS</b>												
Methane	ND	mg/L	1	U	0.0020	0.0012	0.00070		SW8015M	01/3/2022 10:46/jdw	FID-HEADSPACE_220103A : 8	R372625



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SUB-C278455: 2      **SampType:** Method Blank      **Batch ID:** C\_R278455  
**Method:** SW9060A      **Analysis Date:** 01/04/2022 16:09      **Prep Date:**  
**Lab ID:** MBLK      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	ND	0.20									

Associated Samples: **B21122088-001E**  
- TOC Range is 0.1 to 0.2

**Run ID: Run Order:** SUB-C278455: 1      **SampType:** Laboratory Control Sample      **Batch ID:** C\_R278455  
**Method:** SW9060A      **Analysis Date:** 01/04/2022 15:28      **Prep Date:**  
**Lab ID:** LCS      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	5.4	0.50	5.0		108.0	91	111				

Associated Samples: **B21122088-001E**  
- TOC Range is 5.2 to 5.5

**Run ID: Run Order:** SUB-C278455: 5      **SampType:** Sample Matrix Spike      **Batch ID:** C\_R278455  
**Method:** SW9060A      **Analysis Date:** 01/04/2022 21:03      **Prep Date:**  
**Lab ID:** C22010050-001EMS      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	5.7	0.50	5.0	0.57	103.0	91	111				

Associated Samples: **B21122088-001E**  
- TOC Range is 5.6 to 5.7



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SUB-C278455: 6      **SampType:** Sample Matrix Spike Duplicate      **Batch ID:** C\_R278455  
**Method:** SW9060A      **Analysis Date:** 01/04/2022 21:46      **Prep Date:**  
**Lab ID:** C22010050-001EMSD      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	5.8	0.50	5.0	0.57	104.0	91	111	5.7	1.6	10.0	

Associated Samples: **B21122088-001E**  
- TOC Range is 5.7 to 5.8

**Run ID: Run Order:** SUB-C278455: 3      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** C\_R278455  
**Method:** SW9060A      **Analysis Date:** 01/04/2022 16:48      **Prep Date:**  
**Lab ID:** CCV      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	5.2	0.50	5.0		105.0	90	110				

Associated Samples: **B21122088-001E**  
- TOC Range is 5.2 to 5.3

**Run ID: Run Order:** SUB-C278455: 7      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** C\_R278455  
**Method:** SW9060A      **Analysis Date:** 01/05/2022 01:57      **Prep Date:**  
**Lab ID:** CCV      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	5.3	0.50	5.0		105.0	90	110				

Associated Samples: **B21122088-001E**  
- TOC Range is 5.3 to 5.3



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** ICPMS207-B\_220106A: 20      **SampType:** Method Blank      **Batch ID:** R372863  
**Method:** SW6020      **Analysis Date:** 01/06/2022 13:32      **Prep Date:**  
**Lab ID:** LRB      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	ND	0.0005									

Associated Samples: **B21122088-001A**

**Run ID: Run Order:** ICPMS207-B\_220106A: 21      **SampType:** Laboratory Fortified Blank      **Batch ID:** R372863  
**Method:** SW6020      **Analysis Date:** 01/06/2022 13:38      **Prep Date:**  
**Lab ID:** LFB      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.050	0.001	0.050		100.0	88	115				

Associated Samples: **B21122088-001A**

**Run ID: Run Order:** ICPMS207-B\_220106A: 43      **SampType:** Sample Matrix Spike      **Batch ID:** R372863  
**Method:** SW6020      **Analysis Date:** 01/06/2022 15:52      **Prep Date:**  
**Lab ID:** B21122077-001AMS      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.051	0.001	0.050	0.00	101.0	88	115				

Associated Samples: **B21122088-001A**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** ICPMS207-B\_220106A: 44  
**Method:** SW6020  
**Lab ID:** B21122077-001AMSD  
**SampType:** Sample Matrix Spike Duplicate  
**Analysis Date:** 01/06/2022 15:58  
**Units:** mg/L

**Batch ID:** R372863  
**Prep Date:**  
**Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.051	0.001	0.050	0.00	102.0	88	115	0.051	1.1	20.0	

Associated Samples: **B21122088-001A**

**Run ID: Run Order:** ICPMS207-B\_220106A: 42  
**Method:** SW6020  
**Lab ID:** B21122077-001ADIL  
**SampType:** Serial Dilution  
**Analysis Date:** 01/06/2022 15:46  
**Units:** mg/L

**Batch ID:** R372863  
**Prep Date:**  
**Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	ND	0.001						0.00		10.0	

Associated Samples: **B21122088-001A**

**Run ID: Run Order:** ICPMS207-B\_220106A: 28  
**Method:** SW6020  
**Lab ID:** MB-162587  
**SampType:** Method Blank  
**Analysis Date:** 01/06/2022 14:21  
**Units:** mg/L

**Batch ID:** 162587  
**Prep Date:** 12/29/2021 15:43  
**Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	ND	0.0005									

Associated Samples: **B21122088-001B**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** ICPMS207-B\_220106A: 33      **SampType:** Laboratory Control Sample      **Batch ID:** 162587  
**Method:** SW6020      **Analysis Date:** 01/06/2022 14:52      **Prep Date:** 12/29/2021 15:43  
**Lab ID:** LCS4-162587      **Units:** mg/L      **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.101	0.001	0.100		101.0	88	115				

Associated Samples: **B21122088-001B**

**Run ID: Run Order:** ICPMS207-B\_220106A: 50      **SampType:** Sample Matrix Spike      **Batch ID:** 162587  
**Method:** SW6020      **Analysis Date:** 01/06/2022 16:35      **Prep Date:** 12/29/2021 15:43  
**Lab ID:** B21122088-001BMS4      **Units:** mg/L      **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.102	0.001	0.100	0	102.0	88	115				

Associated Samples: **B21122088-001B**

**Run ID: Run Order:** ICPMS207-B\_220106A: 51      **SampType:** Sample Matrix Spike Duplicate      **Batch ID:** 162587  
**Method:** SW6020      **Analysis Date:** 01/06/2022 16:40      **Prep Date:** 12/29/2021 15:43  
**Lab ID:** B21122088-001BMSD4      **Units:** mg/L      **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.104	0.001	0.100	0	104.0	88	115	0.102	1.9	20.0	

Associated Samples: **B21122088-001B**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** ICPMS207-B\_220106A: 49      **SampType:** Post Digestion/Distillation Spike      **Batch ID:** 162587  
**Method:** SW6020      **Analysis Date:** 01/06/2022 16:28      **Prep Date:** 12/29/2021 15:43  
**Lab ID:** B21122088-001BPDS1      **Units:** mg/L      **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.050	0.001	0.052	0	96.0	80	120				

Associated Samples: **B21122088-001B**

**Run ID: Run Order:** ICPMS207-B\_220106A: 48      **SampType:** Serial Dilution      **Batch ID:** 162587  
**Method:** SW6020      **Analysis Date:** 01/06/2022 16:22      **Prep Date:** 12/29/2021 15:43  
**Lab ID:** B21122088-001BDIL      **Units:** mg/L      **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	ND	0.001						0		10.0	N

Associated Samples: **B21122088-001B**

**Run ID: Run Order:** ICPMS207-B\_220106A: 38      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372863  
**Method:** SW6020      **Analysis Date:** 01/06/2022 15:21      **Prep Date:**  
**Lab ID:** CCV      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.052	0.001	0.050		105.0	90	110				

Associated Samples: **B21122088-001A, B21122088-001B**





### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** ICPMS207-B\_220106A: 52      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372863  
**Method:** SW6020      **Analysis Date:** 01/06/2022 16:46      **Prep Date:**  
**Lab ID:** CCV      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.051	0.001	0.050		102.0	90	110				

Associated Samples: **B21122088-001A, B21122088-001B**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 6  
**Method:** SW8260B  
**Lab ID:** MBLKA123021\_

**SampType:** Method Blank  
**Analysis Date:** 12/30/2021 14:33  
**Units:** ug/L

**Batch ID:** R372936  
**Prep Date:**  
**Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	ND	0.50									
Bromobenzene	ND	0.50									
Bromochloromethane	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									
Chlorodibromomethane	ND	0.50									
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
2-Chlorotoluene	ND	0.50									
Dibromomethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
4-Chlorotoluene	ND	0.50									
1,3-Dichlorobenzene	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3-Dichloropropane	ND	0.50									



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 6      **SampType:** Method Blank      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 14:33      **Prep Date:**  
**Lab ID:** MBLKA123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
2,2-Dichloropropane	ND	0.50									
1,1-Dichloropropene	ND	0.50									
cis-1,3-Dichloropropene	ND	0.50									
trans-1,3-Dichloropropene	ND	0.50									
Ethylbenzene	ND	0.50									
Methyl tert-butyl ether (MTBE)	ND	0.50									
Methyl ethyl ketone	ND	10									
Methylene chloride	ND	0.50									
Styrene	ND	0.50									
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,1,2,2-Tetrachloroethane	ND	0.50									
Tetrachloroethene	ND	0.50									
Toluene	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
Trichloroethene	ND	0.50									
Trichlorofluoromethane	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
Vinyl chloride	ND	0.50									
m+p-Xylenes	ND	0.50									
o-Xylene	ND	0.50									
Xylenes, Total	ND	0.50									
Surr: 1,2-Dichloroethane-d4	9.9	0.50	10		99.0	81	118				
Surr: Dibromofluoromethane	10	0.50	10		101.0	80	119				
Surr: p-Bromofluorobenzene	10	0.50	10		103.0	85	114				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 6      **SampType:** Method Blank      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 14:33      **Prep Date:**  
**Lab ID:** MBLKA123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Surr: Toluene-d8	10	0.50	10		105.0	89	112				

Associated Samples: **B21122088-001G, B21122088-002A**

**Run ID: Run Order:** VOA5975C.I\_211230A: 5      **SampType:** Laboratory Control Sample      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 14:06      **Prep Date:**  
**Lab ID:** LCSA123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	4.8	0.50	5.0		96.0	79	120				
Bromobenzene	5.0	0.50	5.0		100.0	80	120				
Bromochloromethane	4.9	0.50	5.0		97.0	78	123				
Bromodichloromethane	4.9	0.50	5.0		98.0	79	125				
Bromoform	5.0	0.50	5.0		100.0	66	130				
Bromomethane	5.0	0.50	5.0		101.0	53	141				
Carbon tetrachloride	4.7	0.50	5.0		94.0	72	136				
Chlorobenzene	5.0	0.50	5.0		99.0	82	118				
Chlorodibromomethane	4.8	0.50	5.0		96.0	74	126				
Chloroethane	4.4	0.50	5.0		88.0	60	138				
Chloroform	4.5	0.50	5.0		90.0	79	124				
Chloromethane	4.4	0.50	5.0		89.0	50	139				
1,2-Dibromoethane	4.7	0.50	5.0		94.0	78	122				
2-Chlorotoluene	4.8	0.50	5.0		96.0	79	122				
Dibromomethane	4.7	0.50	5.0		93.0	79	123				
1,2-Dichlorobenzene	4.7	0.50	5.0		94.0	80	119				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 5      **SampType:** Laboratory Control Sample      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 14:06      **Prep Date:**  
**Lab ID:** LCSA123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
4-Chlorotoluene	5.0	0.50	5.0		99.0	78	122				
1,3-Dichlorobenzene	5.0	0.50	5.0		100.0	80	119				
1,4-Dichlorobenzene	4.8	0.50	5.0		96.0	79	118				
Dichlorodifluoromethane	4.4	0.50	5.0		87.0	32	152				
1,1-Dichloroethane	4.9	0.50	5.0		98.0	77	125				
1,2-Dichloroethane	4.6	0.50	5.0		93.0	73	128				
1,1-Dichloroethene	4.8	0.50	5.0		96.0	71	131				
cis-1,2-Dichloroethene	4.7	0.50	5.0		94.0	78	123				
trans-1,2-Dichloroethene	4.9	0.50	5.0		99.0	75	124				
1,2-Dichloropropane	4.8	0.50	5.0		95.0	78	122				
1,3-Dichloropropane	4.7	0.50	5.0		93.0	80	119				
2,2-Dichloropropane	5.1	0.50	5.0		101.0	60	139				
1,1-Dichloropropene	4.5	0.50	5.0		91.0	79	125				
cis-1,3-Dichloropropene	4.5	0.50	5.0		91.0	75	124				
trans-1,3-Dichloropropene	4.9	0.50	5.0		98.0	73	127				
Ethylbenzene	4.8	0.50	5.0		96.0	79	121				
Methyl tert-butyl ether (MTBE)	4.8	0.50	5.0		96.0	71	124				
Methyl ethyl ketone	47	10	50		95.0	56	143				
Methylene chloride	4.6	0.50	5.0		92.0	74	124				
Styrene	5.1	0.50	5.0		103.0	78	123				
1,1,1,2-Tetrachloroethane	4.8	0.50	5.0		96.0	78	124				
1,1,2,2-Tetrachloroethane	4.7	0.50	5.0		95.0	71	121				
Tetrachloroethene	5.0	0.50	5.0		101.0	74	129				
Toluene	5.0	0.50	5.0		100.0	80	121				
1,1,1-Trichloroethane	4.8	0.50	5.0		95.0	74	131				
1,1,2-Trichloroethane	4.7	0.50	5.0		95.0	80	119				
Trichloroethene	4.7	0.50	5.0		94.0	79	123				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 5      **SampType:** Laboratory Control Sample      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 14:06      **Prep Date:**  
**Lab ID:** LCSA123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Trichlorofluoromethane	4.1	0.50	5.0		82.0	65	141				
1,2,3-Trichloropropane	4.5	0.50	5.0		90.0	73	125				
Vinyl chloride	4.6	0.50	5.0		93.0	58	137				
m+p-Xylenes	9.8	0.50	10		98.0	80	121				
o-Xylene	5.1	0.50	5.0		101.0	78	122				
Xylenes, Total	15	0.50	15		99.0	79	121				
Surr: 1,2-Dichloroethane-d4	9.5	0.50	10		95.0	81	118				
Surr: Dibromofluoromethane	10	0.50	10		101.0	80	119				
Surr: p-Bromofluorobenzene	10	0.50	10		101.0	85	114				
Surr: Toluene-d8	10	0.50	10		105.0	89	112				

Associated Samples: **B21122088-001G, B21122088-002A**

**Run ID: Run Order:** VOA5975C.I\_211230A: 19      **SampType:** Sample Matrix Spike      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 20:31      **Prep Date:**  
**Lab ID:** B21122168-001FMS      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	4.8	0.50	5.0	0.0	97.0	79	120				
Bromobenzene	5.0	0.50	5.0	0.0	100.0	80	120				
Bromochloromethane	5.0	0.50	5.0	0.0	101.0	78	123				
Bromodichloromethane	4.9	0.50	5.0	0.0	99.0	79	125				
Bromoform	5.5	0.50	5.0	0.0	111.0	66	130				
Bromomethane	4.7	0.50	5.0	0.0	94.0	53	141				
Carbon tetrachloride	4.9	0.50	5.0	0.0	98.0	72	136				
Chlorobenzene	5.0	0.50	5.0	0.0	101.0	82	118				
Chlorodibromomethane	5.1	0.50	5.0	0.0	103.0	74	126				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 19  
**Method:** SW8260B  
**Lab ID:** B21122168-001FMS

**SampType:** Sample Matrix Spike  
**Analysis Date:** 12/30/2021 20:31  
**Units:** ug/L

**Batch ID:** R372936  
**Prep Date:**  
**Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Chloroethane	4.5	0.50	5.0	0.0	91.0	60	138				
Chloroform	4.6	0.50	5.0	0.0	91.0	79	124				
Chloromethane	4.4	0.50	5.0	0.0	88.0	50	139				
1,2-Dibromoethane	5.2	0.50	5.0	0.0	104.0	78	122				
2-Chlorotoluene	4.7	0.50	5.0	0.0	95.0	79	122				
Dibromomethane	5.0	0.50	5.0	0.0	100.0	79	123				
1,2-Dichlorobenzene	4.8	0.50	5.0	0.0	97.0	80	119				
4-Chlorotoluene	4.9	0.50	5.0	0.0	97.0	78	122				
1,3-Dichlorobenzene	4.9	0.50	5.0	0.0	99.0	80	119				
1,4-Dichlorobenzene	4.7	0.50	5.0	0.0	94.0	79	118				
Dichlorodifluoromethane	4.3	0.50	5.0	0.0	86.0	32	152				
1,1-Dichloroethane	5.0	0.50	5.0	0.0	100.0	77	125				
1,2-Dichloroethane	5.0	0.50	5.0	0.17	97.0	73	128				
1,1-Dichloroethene	5.0	0.50	5.0	0.0	100.0	71	131				
cis-1,2-Dichloroethene	4.8	0.50	5.0	0.0	96.0	78	123				
trans-1,2-Dichloroethene	5.0	0.50	5.0	0.0	100.0	75	124				
1,2-Dichloropropane	4.9	0.50	5.0	0.0	98.0	78	122				
1,3-Dichloropropane	5.0	0.50	5.0	0.0	100.0	80	119				
2,2-Dichloropropane	4.9	0.50	5.0	0.0	98.0	60	139				
1,1-Dichloropropene	4.6	0.50	5.0	0.0	92.0	79	125				
cis-1,3-Dichloropropene	4.7	0.50	5.0	0.0	93.0	75	124				
trans-1,3-Dichloropropene	5.2	0.50	5.0	0.0	104.0	73	127				
Ethylbenzene	4.9	0.50	5.0	0.0	98.0	79	121				
Methyl tert-butyl ether (MTBE)	5.1	0.50	5.0	0.0	102.0	71	124				
Methyl ethyl ketone	50	10	50	0.0	100.0	56	143				
Methylene chloride	4.7	0.50	5.0	0.0	93.0	74	124				
Styrene	5.1	0.50	5.0	0.0	103.0	78	123				





### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 19      **SampType:** Sample Matrix Spike      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 20:31      **Prep Date:**  
**Lab ID:** B21122168-001FMS      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	5.0	0.50	5.0	0.0	100.0	78	124				
1,1,2,2-Tetrachloroethane	5.0	0.50	5.0	0.0	100.0	71	121				
Tetrachloroethene	5.1	0.50	5.0	0.0	102.0	74	129				
Toluene	5.1	0.50	5.0	0.0	102.0	80	121				
1,1,1-Trichloroethane	4.9	0.50	5.0	0.0	98.0	74	131				
1,1,2-Trichloroethane	5.0	0.50	5.0	0.0	100.0	80	119				
Trichloroethene	4.8	0.50	5.0	0.0	96.0	79	123				
Trichlorofluoromethane	4.2	0.50	5.0	0.0	83.0	65	141				
1,2,3-Trichloropropane	5.1	0.50	5.0	0.0	101.0	73	125				
Vinyl chloride	4.7	0.50	5.0	0.0	93.0	58	137				
m+p-Xylenes	10	0.50	10	0.0	100.0	80	121				
o-Xylene	5.2	0.50	5.0	0.0	103.0	78	122				
Xylenes, Total	15	0.50	15	0.0	101.0	79	121				
Surr: 1,2-Dichloroethane-d4	10	0.50	10	0.0	101.0	81	118				
Surr: Dibromofluoromethane	10	0.50	10	0.0	103.0	80	119				
Surr: p-Bromofluorobenzene	10	0.50	10	0.0	100.0	85	114				
Surr: Toluene-d8	11	0.50	10	0.0	107.0	89	112				

Associated Samples: **B21122088-001G, B21122088-002A**

**Run ID: Run Order:** VOA5975C.I\_211230A: 20      **SampType:** Sample Matrix Spike Duplicate      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 20:58      **Prep Date:**  
**Lab ID:** B21122168-001FMSD      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	5.0	0.50	5.0	0.0	99.0	79	120	4.8	2.4	20.0	
Bromobenzene	5.1	0.50	5.0	0.0	102.0	80	120	5.0	2.3	20.0	



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 20      **SampType:** Sample Matrix Spike Duplicate      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 20:58      **Prep Date:**  
**Lab ID:** B21122168-001FMSD      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Bromochloromethane	5.0	0.50	5.0	0.0	101.0	78	123	5.0	0.1	20.0	
Bromodichloromethane	5.1	0.50	5.0	0.0	101.0	79	125	4.9	2.8	20.0	
Bromoform	5.3	0.50	5.0	0.0	106.0	66	130	5.5	4.9	20.0	
Bromomethane	4.7	0.50	5.0	0.0	94.0	53	141	4.7	0.0	20.0	
Carbon tetrachloride	4.8	0.50	5.0	0.0	96.0	72	136	4.9	1.6	20.0	
Chlorobenzene	5.2	0.50	5.0	0.0	103.0	82	118	5.0	2.6	20.0	
Chlorodibromomethane	5.3	0.50	5.0	0.0	105.0	74	126	5.1	2.7	20.0	
Chloroethane	4.4	0.50	5.0	0.0	88.0	60	138	4.5	2.9	20.0	
Chloroform	4.6	0.50	5.0	0.0	92.0	79	124	4.6	0.7	20.0	
Chloromethane	4.3	0.50	5.0	0.0	86.0	50	139	4.4	2.1	20.0	
1,2-Dibromoethane	5.1	0.50	5.0	0.0	101.0	78	122	5.2	2.6	20.0	
2-Chlorotoluene	5.0	0.50	5.0	0.0	99.0	79	122	4.7	4.7	20.0	
Dibromomethane	4.9	0.50	5.0	0.0	99.0	79	123	5.0	1.6	20.0	
1,2-Dichlorobenzene	5.0	0.50	5.0	0.0	99.0	80	119	4.8	2.4	20.0	
4-Chlorotoluene	5.0	0.50	5.0	0.0	101.0	78	122	4.9	3.6	20.0	
1,3-Dichlorobenzene	5.0	0.50	5.0	0.0	101.0	80	119	4.9	1.8	20.0	
1,4-Dichlorobenzene	4.9	0.50	5.0	0.0	98.0	79	118	4.7	4.0	20.0	
Dichlorodifluoromethane	4.3	0.50	5.0	0.0	86.0	32	152	4.3	0.7	20.0	
1,1-Dichloroethane	5.1	0.50	5.0	0.0	102.0	77	125	5.0	1.6	20.0	
1,2-Dichloroethane	5.0	0.50	5.0	0.17	96.0	73	128	5.0	0.9	20.0	
1,1-Dichloroethene	5.0	0.50	5.0	0.0	100.0	71	131	5.0	0.5	20.0	
cis-1,2-Dichloroethene	4.9	0.50	5.0	0.0	98.0	78	123	4.8	1.9	20.0	
trans-1,2-Dichloroethene	4.9	0.50	5.0	0.0	99.0	75	124	5.0	1.9	20.0	
1,2-Dichloropropane	5.1	0.50	5.0	0.0	102.0	78	122	4.9	3.6	20.0	
1,3-Dichloropropane	4.9	0.50	5.0	0.0	97.0	80	119	5.0	2.9	20.0	
2,2-Dichloropropane	4.9	0.50	5.0	0.0	98.0	60	139	4.9	0.8	20.0	
1,1-Dichloropropene	4.6	0.50	5.0	0.0	93.0	79	125	4.6	1.4	20.0	



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 20      **SampType:** Sample Matrix Spike Duplicate      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 20:58      **Prep Date:**  
**Lab ID:** B21122168-001FMSD      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	4.8	0.50	5.0	0.0	96.0	75	124	4.7	3.1	20.0	
trans-1,3-Dichloropropene	5.2	0.50	5.0	0.0	105.0	73	127	5.2	0.5	20.0	
Ethylbenzene	5.0	0.50	5.0	0.0	100.0	79	121	4.9	1.8	20.0	
Methyl tert-butyl ether (MTBE)	5.0	0.50	5.0	0.0	100.0	71	124	5.1	2.1	20.0	
Methyl ethyl ketone	52	10	50	0.0	103.0	56	143	50	3.0	20.0	
Methylene chloride	4.6	0.50	5.0	0.0	91.0	74	124	4.7	2.1	20.0	
Styrene	5.3	0.50	5.0	0.0	105.0	78	123	5.1	2.7	20.0	
1,1,1,2-Tetrachloroethane	5.0	0.50	5.0	0.0	100.0	78	124	5.0	0.6	20.0	
1,1,2,2-Tetrachloroethane	5.3	0.50	5.0	0.0	105.0	71	121	5.0	4.7	20.0	
Tetrachloroethene	5.3	0.50	5.0	0.0	105.0	74	129	5.1	2.6	20.0	
Toluene	5.2	0.50	5.0	0.0	103.0	80	121	5.1	0.7	20.0	
1,1,1-Trichloroethane	5.0	0.50	5.0	0.0	100.0	74	131	4.9	2.0	20.0	
1,1,2-Trichloroethane	5.0	0.50	5.0	0.0	100.0	80	119	5.0	0.1	20.0	
Trichloroethene	4.8	0.50	5.0	0.0	97.0	79	123	4.8	0.8	20.0	
Trichlorofluoromethane	4.1	0.50	5.0	0.0	82.0	65	141	4.2	2.1	20.0	
1,2,3-Trichloropropane	5.2	0.50	5.0	0.0	105.0	73	125	5.1	3.4	20.0	
Vinyl chloride	4.6	0.50	5.0	0.0	91.0	58	137	4.7	2.3	20.0	
m+p-Xylenes	10	0.50	10	0.0	102.0	80	121	10	1.5	20.0	
o-Xylene	5.3	0.50	5.0	0.0	106.0	78	122	5.2	2.4	20.0	
Xylenes, Total	15	0.50	15	0.0	103.0	79	121	15	1.8	20.0	
Surr: 1,2-Dichloroethane-d4	10	0.50	10	0.0	100.0	81	118	0.0			
Surr: Dibromofluoromethane	10	0.50	10	0.0	100.0	80	119	0.0			
Surr: p-Bromofluorobenzene	10	0.50	10	0.0	103.0	85	114	0.0			
Surr: Toluene-d8	11	0.50	10	0.0	106.0	89	112	0.0			

Associated Samples: **B21122088-001G, B21122088-002A**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 2      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 10:44      **Prep Date:**  
**Lab ID:** CCV123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	4.6	0.50	5.0		91.0	80	120				
Bromobenzene	4.7	0.50	5.0		94.0	80	120				
Bromochloromethane	4.6	0.50	5.0		92.0	80	120				
Bromodichloromethane	4.7	0.50	5.0		94.0	80	120				
Bromoform	4.9	0.50	5.0		98.0	80	120				
Bromomethane	5.3	0.50	5.0		106.0	80	120				
Carbon tetrachloride	4.7	0.50	5.0		94.0	80	120				
Chlorobenzene	4.7	0.50	5.0		95.0	80	120				
Chlorodibromomethane	4.9	0.50	5.0		97.0	80	120				
Chloroethane	3.5	0.50	5.0		70.0	80	120				S
Chloroform	4.4	0.50	5.0		89.0	80	120				
Chloromethane	4.5	0.50	5.0		89.0	80	120				
1,2-Dibromoethane	4.6	0.50	5.0		92.0	80	120				
2-Chlorotoluene	4.6	0.50	5.0		92.0	80	120				
Dibromomethane	4.6	0.50	5.0		92.0	80	120				
1,2-Dichlorobenzene	4.6	0.50	5.0		91.0	80	120				
4-Chlorotoluene	4.8	0.50	5.0		95.0	80	120				
1,3-Dichlorobenzene	4.6	0.50	5.0		92.0	80	120				
1,4-Dichlorobenzene	4.5	0.50	5.0		91.0	80	120				
Dichlorodifluoromethane	4.2	0.50	5.0		84.0	80	120				
1,1-Dichloroethane	4.6	0.50	5.0		91.0	80	120				
1,2-Dichloroethane	4.5	0.50	5.0		89.0	80	120				
1,1-Dichloroethene	4.6	0.50	5.0		92.0	80	120				
cis-1,2-Dichloroethene	4.6	0.50	5.0		92.0	80	120				
trans-1,2-Dichloroethene	4.6	0.50	5.0		93.0	80	120				
1,2-Dichloropropane	4.9	0.50	5.0		97.0	80	120				
1,3-Dichloropropane	4.7	0.50	5.0		93.0	80	120				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 2      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 10:44      **Prep Date:**  
**Lab ID:** CCV123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
2,2-Dichloropropane	4.9	0.50	5.0		99.0	80	120				
1,1-Dichloropropene	4.6	0.50	5.0		92.0	80	120				
cis-1,3-Dichloropropene	4.7	0.50	5.0		95.0	80	120				
trans-1,3-Dichloropropene	4.8	0.50	5.0		96.0	80	120				
Ethylbenzene	4.8	0.50	5.0		96.0	80	120				
Methyl tert-butyl ether (MTBE)	4.7	0.50	5.0		94.0	80	120				
Methyl ethyl ketone	49	10	50		99.0	80	120				
Methylene chloride	4.3	0.50	5.0		87.0	80	120				
Styrene	5.0	0.50	5.0		101.0	80	120				
1,1,1,2-Tetrachloroethane	4.8	0.50	5.0		96.0	80	120				
1,1,2,2-Tetrachloroethane	4.7	0.50	5.0		93.0	80	120				
Tetrachloroethene	4.9	0.50	5.0		98.0	80	120				
Toluene	4.8	0.50	5.0		96.0	80	120				
1,1,1-Trichloroethane	4.6	0.50	5.0		91.0	80	120				
1,1,2-Trichloroethane	4.7	0.50	5.0		94.0	80	120				
Trichloroethene	4.6	0.50	5.0		92.0	80	120				
Trichlorofluoromethane	4.1	0.50	5.0		81.0	80	120				
1,2,3-Trichloropropane	4.6	0.50	5.0		91.0	80	120				
Vinyl chloride	4.4	0.50	5.0		88.0	80	120				
m+p-Xylenes	9.9	0.50	10		99.0	80	120				
o-Xylene	5.0	0.50	5.0		100.0	80	120				
Xylenes, Total	15	0.50	15		99.0	80	120				
Surr: 1,2-Dichloroethane-d4	9.7	0.50	10		97.0	80	120				
Surr: Dibromofluoromethane	10	0.50	10		100.0	80	120				
Surr: p-Bromofluorobenzene	10	0.50	10		103.0	80	120				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 2      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 10:44      **Prep Date:**  
**Lab ID:** CCV123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Surr: Toluene-d8	11	0.50	10		106.0	80	120				

Associated Samples: **B21122088-001G, B21122088-002A**

**Run ID: Run Order:** VOA5975C.I\_211230A: 3      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 12:43      **Prep Date:**  
**Lab ID:** CCVA123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Chloroethane	4.6	0.50	5.0		93.0	80	120				
Surr: 1,2-Dichloroethane-d4	10	0.50	10		100.0	80	120				
Surr: Dibromofluoromethane	10	0.50	10		104.0	80	120				
Surr: p-Bromofluorobenzene	11	0.50	10		105.0	80	120				
Surr: Toluene-d8	10	0.50	10		104.0	80	120				

Associated Samples: **B21122088-001G, B21122088-002A**

**Run ID: Run Order:** VOA5975C.I\_211230A: 4      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 13:39      **Prep Date:**  
**Lab ID:** CCVB123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Chloroethane	4.4	0.50	5.0		87.0	80	120				
Surr: 1,2-Dichloroethane-d4	10	0.50	10		101.0	80	120				
Surr: Dibromofluoromethane	10	0.50	10		105.0	80	120				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 4      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 13:39      **Prep Date:**  
**Lab ID:** CCVB123021\_      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Surr: p-Bromofluorobenzene	10	0.50	10		102.0	80	120				
Surr: Toluene-d8	10	0.50	10		100.0	80	120				

Associated Samples: **B21122088-001G, B21122088-002A**

**Run ID: Run Order:** VOA5975C.I\_211230A: 21      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 21:53      **Prep Date:**  
**Lab ID:** CCV\_CLOSING123021      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	5.0	0.50	5.0		99.0	50	150				
Bromobenzene	5.1	0.50	5.0		102.0	50	150				
Bromochloromethane	5.2	0.50	5.0		104.0	50	150				
Bromodichloromethane	4.9	0.50	5.0		98.0	50	150				
Bromoform	5.1	0.50	5.0		102.0	50	150				
Bromomethane	5.5	0.50	5.0		109.0	50	150				
Carbon tetrachloride	5.0	0.50	5.0		100.0	50	150				
Chlorobenzene	5.1	0.50	5.0		102.0	50	150				
Chlorodibromomethane	5.1	0.50	5.0		103.0	50	150				
Chloroethane	4.5	0.50	5.0		90.0	50	150				
Chloroform	4.8	0.50	5.0		95.0	50	150				
Chloromethane	4.7	0.50	5.0		94.0	50	150				
1,2-Dibromoethane	5.1	0.50	5.0		102.0	50	150				
2-Chlorotoluene	5.0	0.50	5.0		101.0	50	150				
Dibromomethane	5.0	0.50	5.0		101.0	50	150				
1,2-Dichlorobenzene	4.9	0.50	5.0		98.0	50	150				
4-Chlorotoluene	5.1	0.50	5.0		101.0	50	150				





### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 21      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372936  
**Method:** SW8260B      **Analysis Date:** 12/30/2021 21:53      **Prep Date:**  
**Lab ID:** CCV\_CLOSING123021      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,3-Dichlorobenzene	4.9	0.50	5.0		98.0	50	150				
1,4-Dichlorobenzene	4.9	0.50	5.0		98.0	50	150				
Dichlorodifluoromethane	4.5	0.50	5.0		89.0	50	150				
1,1-Dichloroethane	5.1	0.50	5.0		102.0	50	150				
1,2-Dichloroethane	4.8	0.50	5.0		96.0	50	150				
1,1-Dichloroethene	4.9	0.50	5.0		98.0	50	150				
cis-1,2-Dichloroethene	4.9	0.50	5.0		98.0	50	150				
trans-1,2-Dichloroethene	5.0	0.50	5.0		99.0	50	150				
1,2-Dichloropropane	5.0	0.50	5.0		100.0	50	150				
1,3-Dichloropropane	5.0	0.50	5.0		100.0	50	150				
2,2-Dichloropropane	4.9	0.50	5.0		98.0	50	150				
1,1-Dichloropropene	4.9	0.50	5.0		98.0	50	150				
cis-1,3-Dichloropropene	4.9	0.50	5.0		98.0	50	150				
trans-1,3-Dichloropropene	5.1	0.50	5.0		103.0	50	150				
Ethylbenzene	5.1	0.50	5.0		102.0	50	150				
Methyl tert-butyl ether (MTBE)	4.9	0.50	5.0		97.0	50	150				
Methyl ethyl ketone	50	10	50		101.0	50	150				
Methylene chloride	4.7	0.50	5.0		95.0	50	150				
Styrene	5.4	0.50	5.0		108.0	50	150				
1,1,1,2-Tetrachloroethane	5.1	0.50	5.0		102.0	50	150				
1,1,2,2-Tetrachloroethane	4.9	0.50	5.0		99.0	50	150				
Tetrachloroethene	5.4	0.50	5.0		107.0	50	150				
Toluene	5.2	0.50	5.0		104.0	50	150				
1,1,1-Trichloroethane	5.0	0.50	5.0		101.0	50	150				
1,1,2-Trichloroethane	5.0	0.50	5.0		100.0	50	150				
Trichloroethene	5.0	0.50	5.0		100.0	50	150				
Trichlorofluoromethane	4.3	0.50	5.0		86.0	50	150				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** VOA5975C.I\_211230A: 21  
**Method:** SW8260B  
**Lab ID:** CCV\_CLOSING123021

**SampType:** Continuing Calibration Verification Standard  
**Analysis Date:** 12/30/2021 21:53  
**Units:** ug/L

**Batch ID:** R372936  
**Prep Date:**  
**Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2,3-Trichloropropane	4.8	0.50	5.0		96.0	50	150				
Vinyl chloride	4.6	0.50	5.0		92.0	50	150				
m+p-Xylenes	11	0.50	10		106.0	50	150				
o-Xylene	5.4	0.50	5.0		108.0	50	150				
Xylenes, Total	16	0.50	15		107.0	50	150				
Surr: 1,2-Dichloroethane-d4	9.6	0.50	10		96.0	50	150				
Surr: Dibromofluoromethane	10	0.50	10		102.0	50	150				
Surr: p-Bromofluorobenzene	10	0.50	10		101.0	50	150				
Surr: Toluene-d8	10	0.50	10		105.0	50	150				

Associated Samples: **B21122088-001G, B21122088-002A**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GECD.I\_211230A: 10      **SampType:** Method Blank      **Batch ID:** 162607  
**Method:** SW8011      **Analysis Date:** 12/30/2021 16:58      **Prep Date:** 12/30/2021 09:33  
**Lab ID:** MB-162607      **Units:** ug/L      **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	ND	0.0050									
Surr: 1,1,1,2-Tetrachloroethane	0.081	0.020	0.10		81.0	70	130				

Associated Samples: **B21122088-001H, B21122088-004A**

**Run ID: Run Order:** GECD.I\_211230A: 11      **SampType:** Laboratory Control Sample      **Batch ID:** 162607  
**Method:** SW8011      **Analysis Date:** 12/30/2021 17:18      **Prep Date:** 12/30/2021 09:33  
**Lab ID:** LCS-162607      **Units:** ug/L      **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.23	0.010	0.25		90.0	60	140				
Surr: 1,1,1,2-Tetrachloroethane	0.080	0.020	0.10		80.0	70	130				

Associated Samples: **B21122088-001H, B21122088-004A**

**Run ID: Run Order:** GECD.I\_211230A: 12      **SampType:** Laboratory Control Sample      **Batch ID:** 162607  
**Method:** SW8011      **Analysis Date:** 12/30/2021 17:38      **Prep Date:** 12/30/2021 09:33  
**Lab ID:** LCS1-162607      **Units:** ug/L      **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.097	0.010	0.10		97.0	60	140				
Surr: 1,1,1,2-Tetrachloroethane	0.080	0.020	0.10		80.0	70	130				

Associated Samples: **B21122088-001H, B21122088-004A**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GECD.I\_211230A: 22      **SampType:** Sample Matrix Spike      **Batch ID:** 162607  
**Method:** SW8011      **Analysis Date:** 12/30/2021 21:18      **Prep Date:** 12/30/2021 09:34  
**Lab ID:** B21122088-001HMS      **Units:** ug/L      **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.22	0.010	0.24	0.0	90.0	60	140				
Surr: 1,1,1,2-Tetrachloroethane	0.082	0.020	0.097	0.0	85.0	70	130				

Associated Samples: **B21122088-001H, B21122088-004A**

**Run ID: Run Order:** GECD.I\_211230A: 23      **SampType:** Sample Matrix Spike Duplicate      **Batch ID:** 162607  
**Method:** SW8011      **Analysis Date:** 12/30/2021 21:38      **Prep Date:** 12/30/2021 09:34  
**Lab ID:** B21122088-001HMSD      **Units:** ug/L      **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.25	0.010	0.24	0.0	106.0	60	140	0.22	15.0	20.0	
Surr: 1,1,1,2-Tetrachloroethane	0.098	0.020	0.096	0.0	102.0	70	130	0.0			

Associated Samples: **B21122088-001H, B21122088-004A**

**Run ID: Run Order:** GECD.I\_211230A: 9      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** 162607  
**Method:** SW8011      **Analysis Date:** 12/30/2021 16:39      **Prep Date:** 12/30/2021 09:34  
**Lab ID:** CK3-162607      **Units:** ug/L      **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.10	0.010	0.10		101.0	80	120				
Surr: 1,1,1,2-Tetrachloroethane	0.092	0.020	0.10		92.0	80	120				

Associated Samples: **B21122088-001H, B21122088-004A**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GECD.I\_211230A: 24      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** 162607  
**Method:** SW8011      **Analysis Date:** 12/30/2021 22:18      **Prep Date:** 12/30/2021 09:34  
**Lab ID:** CK5-162607      **Units:** ug/L      **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.41	0.010	0.40		102.0	80	120				
Surr: 1,1,1,2-Tetrachloroethane	0.43	0.020	0.40		108.0	80	120				

Associated Samples: **B21122088-001H, B21122088-004A**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** PE 1\_211228A: 47      **SampType:** Method Blank      **Batch ID:** R372468  
**Method:** SW8015C      **Analysis Date:** 12/29/2021 20:49      **Prep Date:**  
**Lab ID:** MBLK\_1228PE166r      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	ND	10									
Total Purgeable Hydrocarbons	ND	10									
Surr: Trifluorotoluene	20	1.0	25		79.0	70	130				

Associated Samples: **B21122088-001F, B21122088-003A**

**Run ID: Run Order:** PE 1\_211228A: 46      **SampType:** Laboratory Control Sample      **Batch ID:** R372468  
**Method:** SW8015C      **Analysis Date:** 12/29/2021 20:15      **Prep Date:**  
**Lab ID:** LCS\_1228PE165r      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	137	20	170		81.0	78	122				
Total Purgeable Hydrocarbons	166	20	200		83.0	70	130				
Surr: Trifluorotoluene	20	1.0	25		80.0	70	130				

Associated Samples: **B21122088-001F, B21122088-003A**

**Run ID: Run Order:** PE 1\_211228A: 41      **SampType:** Sample Matrix Spike      **Batch ID:** R372468  
**Method:** SW8015C      **Analysis Date:** 12/29/2021 15:41      **Prep Date:**  
**Lab ID:** B21121981-001FMS      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	169	20	170	0.0	100.0	78	122				
Total Purgeable Hydrocarbons	203	20	200	0.0	102.0	70	130				
Surr: Trifluorotoluene	23	1.0	25	0.0	90.0	70	130				

Associated Samples: **B21122088-001F, B21122088-003A**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** PE 1\_211228A: 42      **SampType:** Sample Matrix Spike Duplicate      **Batch ID:** R372468  
**Method:** SW8015C      **Analysis Date:** 12/29/2021 16:15      **Prep Date:**  
**Lab ID:** B21121981-001FMSD      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	177	20	170	0.0	104.0	78	122	169	4.5	20.0	
Total Purgeable Hydrocarbons	213	20	200	0.0	107.0	70	130	203	5.0	20.0	
Surr: Trifluorotoluene	23	1.0	25	0.0	94.0	70	130	0.0			

Associated Samples: **B21122088-001F, B21122088-003A**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 5      **SampType:** Method Blank      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 12/31/2021 00:18      **Prep Date:** 12/29/2021 14:18  
**Lab ID:** MB-162579      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	ND	0.15									
Oil Range Hydrocarbons (C24 to C40)	ND	0.15									
Total Extractable Hydrocarbons	ND	0.15									
Surr: o-Terphenyl	0.20	0.0020	0.20		98.0	56	125				
Surr: n-Triacontane	0.11	0.0020	0.10		114.0	50	150				

Associated Samples: **B21122088-001D**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 5      **SampType:** Method Blank      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 01/04/2022 02:44      **Prep Date:** 12/29/2021 14:18  
**Lab ID:** MB-162579      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (SGT-C10 to C24)	ND	0.15									
Oil Range Hydrocarbons (SGT-C24 to C40)	ND	0.15									
Total Extractable Hydrocarbons (SGT)	ND	0.15									
Surr: o-Terphenyl (SGT)	0.18	0.0020	0.20		91.0	56	125				
Surr: n-Triacontane (SGT)	0.12	0.0020	0.10		119.0	50	150				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 3      **SampType:** Laboratory Control Sample      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 12/30/2021 22:52      **Prep Date:** 12/29/2021 14:18  
**Lab ID:** LCS-162579      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	15	0.30	15		99.0	36	132				
Total Extractable Hydrocarbons	16	0.30	15		107.0	60	132				
Surr: o-Terphenyl	0.20	0.0020	0.20		101.0	56	125				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 4      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 12/30/2021 23:35      **Prep Date:** 12/29/2021 14:18  
**Lab ID:** LCSD-162579      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	14	0.30	15		96.0	36	132	15	3.4	20.0	
Total Extractable Hydrocarbons	15	0.30	15		103.0	60	132	16	3.5	20.0	





### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 4      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 12/30/2021 23:35      **Prep Date:** 12/29/2021 14:18  
**Lab ID:** LCSD-162579      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Surr: o-Terphenyl	0.20	0.0020	0.20		100.0	56	125	0.0			

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 12      **SampType:** Laboratory Control Sample      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 12/31/2021 10:20      **Prep Date:** 12/29/2021 14:19  
**Lab ID:** LCS-162579-RRO      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	5.0	0.30	5.0		100.0	41	113				
Surr: n-Triacontane	0.11	0.0020	0.10		114.0	50	150				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 13      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 12/31/2021 11:46      **Prep Date:** 12/29/2021 14:18  
**Lab ID:** LCSD-162579-RRO      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	4.8	0.30	5.0		96.0	41	113	5.0	3.9	20.0	
Surr: n-Triacontane	0.11	0.0020	0.10		107.0	50	150	0.0			

Associated Samples: **B21122088-001D**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 3      **SampType:** Laboratory Control Sample      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 01/04/2022 01:13      **Prep Date:** 12/29/2021 14:18  
**Lab ID:** LCS-162579      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (SGT-C10 to C24)	14	0.30	15		90.0	36	132				
Total Extractable Hydrocarbons (SGT)	14	0.30	15		96.0	60	132				
Surr: o-Terphenyl (SGT)	0.18	0.0020	0.20		90.0	56	125				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 4      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 01/04/2022 01:59      **Prep Date:** 12/29/2021 14:18  
**Lab ID:** LCSD-162579      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (SGT-C10 to C24)	12	0.30	15		78.0	36	132	14	14.0	20.0	
Total Extractable Hydrocarbons (SGT)	12	0.30	15		83.0	60	132	14	14.0	20.0	
Surr: o-Terphenyl (SGT)	0.16	0.0020	0.20		80.0	56	125	0.0			

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 12      **SampType:** Laboratory Control Sample      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 01/04/2022 13:44      **Prep Date:** 12/29/2021 14:19  
**Lab ID:** LCS-162579-RRO      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH (SGT-Oil Range)	4.5	0.30	5.0		90.0	41	113				
Surr: n-Triacontane (SGT)	0.10	0.0020	0.10		104.0	50	150				

Associated Samples: **B21122088-001D**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 13      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 01/04/2022 15:15      **Prep Date:** 12/29/2021 14:18  
**Lab ID:** LCSD-162579-RRO      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH (SGT-Oil Range)	4.2	0.30	5.0		85.0	41	113	4.5	5.4	20.0	
Surr: n-Triacontane (SGT)	0.10	0.0020	0.10		101.0	50	150	0.0			

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 7      **SampType:** Sample Matrix Spike      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 12/31/2021 01:44      **Prep Date:** 12/29/2021 14:19  
**Lab ID:** B21122077-001DMS      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	14	0.30	14	0.0	97.0	36	132				
Total Extractable Hydrocarbons	15	0.30	14	0.0	104.0	60	132				
Surr: o-Terphenyl	0.19	0.0020	0.19	0.0	100.0	56	125				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 9      **SampType:** Sample Matrix Spike      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 12/31/2021 06:45      **Prep Date:** 12/29/2021 14:19  
**Lab ID:** B21122088-001DMS-RRO      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	6.9	0.32	5.2	1.6	100.0	41	113				
Surr: n-Triacontane	0.11	0.0021	0.10	0.0	107.0	50	150				

Associated Samples: **B21122088-001D**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 7      **SampType:** Sample Matrix Spike      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 01/04/2022 08:27      **Prep Date:** 12/29/2021 14:19  
**Lab ID:** B21122077-001DMS      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (SGT-C10 to C24)	13	0.30	14	0.0	89.0	36	132				
Total Extractable Hydrocarbons (SGT)	13	0.30	14	0.0	94.0	60	132				
Surr: o-Terphenyl (SGT)	0.17	0.0020	0.19	0.0	87.0	56	125				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 11      **SampType:** Sample Matrix Spike      **Batch ID:** 162579  
**Method:** SW8015C      **Analysis Date:** 01/04/2022 12:59      **Prep Date:** 12/29/2021 14:19  
**Lab ID:** B21122088-001DMS-RRO      **Units:** mg/L      **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH (SGT-Oil Range)	4.5	0.32	5.2	0.0	86.0	41	113				
Surr: n-Triacontane (SGT)	0.10	0.0021	0.10	0.0	98.0	50	150				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** PE 1\_211228A: 29      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372468  
**Method:** SW8015C      **Analysis Date:** 12/29/2021 08:15      **Prep Date:**  
**Lab ID:** CCV\_1228PE144r      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	157	20	168		93.0	80	120				
Total Purgeable Hydrocarbons	188	20	200		94.0	80	120				
Surr: Trifluorotoluene	23	1.0	25		92.0	80	120				

Associated Samples: **B21122088-001F, B21122088-003A**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** PE 1\_211228A: 45      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372468  
**Method:** SW8015C      **Analysis Date:** 12/29/2021 19:41      **Prep Date:**  
**Lab ID:** CCV\_1228PE164r      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	155	20	168		92.0	80	120				
Total Purgeable Hydrocarbons	186	20	200		93.0	80	120				
Surr: Trifluorotoluene	22	1.0	25		89.0	80	120				

Associated Samples: **B21122088-001F, B21122088-003A**

**Run ID: Run Order:** PE 1\_211228A: 56      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372468  
**Method:** SW8015C      **Analysis Date:** 12/30/2021 05:58      **Prep Date:**  
**Lab ID:** CCV\_1228PE182r      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	143	20	168		85.0	80	120				
Total Purgeable Hydrocarbons	170	20	200		85.0	80	120				
Surr: Trifluorotoluene	22	1.0	25		86.0	80	120				

Associated Samples: **B21122088-001F, B21122088-003A**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 1      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372599  
**Method:** SW8015C      **Analysis Date:** 12/30/2021 20:42      **Prep Date:**  
**Lab ID:** CCV\_1230HP504r-W      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	4.8	0.30	5.0		96.0	80	120				
Surr: n-Triacontane	0.21	0.0020	0.20		107.0	80	120				

Associated Samples: **B21122088-001D**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 2      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372599  
**Method:** SW8015C      **Analysis Date:** 12/30/2021 21:25      **Prep Date:**  
**Lab ID:** CCV\_1230HP505r      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	14	0.30	15		91.0	80	120				
Total Extractable Hydrocarbons	14	0.30	15		94.0	80	120				
Surr: o-Terphenyl	0.18	0.0020	0.20		91.0	80	120				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 10      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372599  
**Method:** SW8015C      **Analysis Date:** 12/31/2021 08:11      **Prep Date:**  
**Lab ID:** CCV\_1230HP520r-W      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	5.2	0.30	5.0		105.0	80	120				
Surr: n-Triacontane	0.21	0.0020	0.20		106.0	80	120				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP5-B\_211230A: 11      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372599  
**Method:** SW8015C      **Analysis Date:** 12/31/2021 08:54      **Prep Date:**  
**Lab ID:** CCV\_1230HP521r      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	14	0.30	15		96.0	80	120				
Total Extractable Hydrocarbons	15	0.30	15		100.0	80	120				
Surr: o-Terphenyl	0.19	0.0020	0.20		97.0	80	120				

Associated Samples: **B21122088-001D**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 1      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372718  
**Method:** SW8015C      **Analysis Date:** 01/03/2022 22:57      **Prep Date:**  
**Lab ID:** CCV\_0102HP447r-W      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	4.5	0.30	5.0		89.0	80	120				
Surr: n-Triacontane	0.23	0.0020	0.20		114.0	80	120				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 2      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372718  
**Method:** SW8015C      **Analysis Date:** 01/03/2022 23:42      **Prep Date:**  
**Lab ID:** CCV\_0102HP448r      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	15	0.30	15		102.0	80	120				
Total Extractable Hydrocarbons	16	0.30	15		106.0	80	120				
Surr: o-Terphenyl	0.21	0.0020	0.20		104.0	80	120				

Associated Samples: **B21122088-001D**

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 9      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372718  
**Method:** SW8015C      **Analysis Date:** 01/04/2022 10:43      **Prep Date:**  
**Lab ID:** CCV\_0102HP457r-W      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	4.5	0.30	5.0		90.0	80	120				
Surr: n-Triacontane	0.23	0.0020	0.20		114.0	80	120				

Associated Samples: **B21122088-001D**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** GCFID-HP4-B\_220102B: 10      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372718  
**Method:** SW8015C      **Analysis Date:** 01/04/2022 11:28      **Prep Date:**  
**Lab ID:** CCV\_0102HP458r      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	16	0.30	15		105.0	80	120				
Total Extractable Hydrocarbons	16	0.30	15		109.0	80	120				
Surr: o-Terphenyl	0.22	0.0020	0.20		111.0	80	120				

Associated Samples: **B21122088-001D**





### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** FID-HEADSPACE\_220103A: 4      **SampType:** Method Blank      **Batch ID:** R372625  
**Method:** SW8015M      **Analysis Date:** 01/03/2022 10:23      **Prep Date:**  
**Lab ID:** MBLK      **Units:** mg/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	ND	0.0010			0.0						

Associated Samples: B21122088-001I, B21122088-005A

**Run ID: Run Order:** FID-HEADSPACE\_220103A: 2      **SampType:** Laboratory Control Sample      **Batch ID:** R372625  
**Method:** SW8015M      **Analysis Date:** 01/03/2022 09:09      **Prep Date:**  
**Lab ID:** LCS      **Units:** ppm      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	97	2.0	100		97.0	85	115				

Associated Samples: B21122088-001I, B21122088-005A

**Run ID: Run Order:** FID-HEADSPACE\_220103A: 3      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** R372625  
**Method:** SW8015M      **Analysis Date:** 01/03/2022 09:14      **Prep Date:**  
**Lab ID:** LCSD      **Units:** ppm      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	97	2.0	100		97.0	85	115	97	0.4	20.0	

Associated Samples: B21122088-001I, B21122088-005A



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** FID-HEADSPACE\_220103A: 10  
**Method:** SW8015M  
**Lab ID:** B21122090-001IDUP  
**SampType:** Sample Duplicate  
**Analysis Date:** 01/03/2022 11:06  
**Units:** mg/L

**Batch ID:** R372625  
**Prep Date:**  
**Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	0.0028	0.0020			0.0			0.0027	4.3	20.0	

Associated Samples: B21122088-001I, B21122088-005A

**Run ID: Run Order:** FID-HEADSPACE\_220103A: 15  
**Method:** SW8015M  
**Lab ID:** B21122168-001IDUP  
**SampType:** Sample Duplicate  
**Analysis Date:** 01/03/2022 11:47  
**Units:** mg/L

**Batch ID:** R372625  
**Prep Date:**  
**Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	ND	0.0020			0.0			0.0		20.0	

Associated Samples: B21122088-001I, B21122088-005A

**Run ID: Run Order:** FID-HEADSPACE\_220103A: 1  
**Method:** SW8015M  
**Lab ID:** CCV  
**SampType:** Continuing Calibration Verification Standard  
**Analysis Date:** 01/03/2022 09:04  
**Units:** ppm

**Batch ID:** R372625  
**Prep Date:**  
**Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	97	2.0	100		97.0	85	115				

Associated Samples: B21122088-001I, B21122088-005A



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** FID-HEADSPACE\_220103A: 25      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372625  
**Method:** SW8015M      **Analysis Date:** 01/03/2022 13:40      **Prep Date:**  
**Lab ID:** CCV      **Units:** ppm      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	97	2.0	100		97.0	85	115				

Associated Samples: B21122088-001I, B21122088-005A



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 12

**SampType:** Method Blank

**Batch ID:** 162577

**Method:** SW8270C

**Analysis Date:** 01/07/2022 18:26

**Prep Date:** 12/29/2021 13:59

**Lab ID:** MB-162577

**Units:** ug/L

**Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	ND	5.0									
1,2-Dichlorobenzene	ND	5.0									
1,3-Dichlorobenzene	ND	5.0									
1,4-Dichlorobenzene	ND	5.0									
1-Methylnaphthalene	ND	5.0									
2,4,5-Trichlorophenol	ND	5.0									
2,4,6-Trichlorophenol	ND	5.0									
2,4-Dichlorophenol	ND	5.0									
2,4-Dimethylphenol	ND	5.0									
2,4-Dinitrophenol	ND	10									
2,4-Dinitrotoluene	ND	5.0									
2,6-Dinitrotoluene	ND	5.0									
2-Chloronaphthalene	ND	5.0									
2-Chlorophenol	ND	5.0									
2-Methylnaphthalene	ND	5.0									
2-Nitrophenol	ND	5.0									
3,3'-Dichlorobenzidine	ND	10									
4,6-Dinitro-2-methylphenol	ND	10									
4-Bromophenyl phenyl ether	ND	5.0									
4-Chloro-3-methylphenol	ND	5.0									
4-Chlorophenol	ND	5.0									
4-Chlorophenyl phenyl ether	ND	5.0									
4-Nitrophenol	ND	10									
Acenaphthene	ND	5.0									
Acenaphthylene	ND	5.0									
Anthracene	ND	5.0									
Azobenzene	ND	5.0									



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 12

**SampType:** Method Blank

**Batch ID:** 162577

**Method:** SW8270C

**Analysis Date:** 01/07/2022 18:26

**Prep Date:** 12/29/2021 13:59

**Lab ID:** MB-162577

**Units:** ug/L

**Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzidine	ND	10									
Benzo(a)anthracene	ND	5.0									
Benzo(a)pyrene	ND	5.0									
Benzo(b)fluoranthene	ND	5.0									
Benzo(g,h,i)perylene	ND	5.0									
Benzo(k)fluoranthene	ND	5.0									
bis(-2-chloroethoxy)Methane	ND	5.0									
bis(-2-chloroethyl)Ether	ND	5.0									
bis(2-chloroisopropyl)Ether	ND	5.0									
bis(2-ethylhexyl)Phthalate	ND	5.0									
Butylbenzylphthalate	ND	5.0									
Chrysene	ND	5.0									
Dibenzo(a,h)anthracene	ND	5.0									
Diethyl phthalate	ND	5.0									
Dimethyl phthalate	ND	5.0									
Di-n-butyl phthalate	ND	5.0									
Di-n-octyl phthalate	ND	5.0									
Fluoranthene	ND	5.0									
Fluorene	ND	5.0									
Hexachlorobenzene	ND	5.0									
Hexachlorobutadiene	ND	5.0									
Hexachlorocyclopentadiene	ND	5.0									
Hexachloroethane	ND	5.0									
Indeno(1,2,3-cd)pyrene	ND	5.0									
Isophorone	ND	5.0									
m+p-Cresols	ND	5.0									
Naphthalene	ND	5.0									



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 12

**SampType:** Method Blank

**Batch ID:** 162577

**Method:** SW8270C

**Analysis Date:** 01/07/2022 18:26

**Prep Date:** 12/29/2021 13:59

**Lab ID:** MB-162577

**Units:** ug/L

**Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Nitrobenzene	ND	5.0									
n-Nitrosodimethylamine	ND	5.0									
n-Nitroso-di-n-propylamine	ND	5.0									
n-Nitrosodiphenylamine	ND	10									
o-Cresol	ND	5.0									
Pentachlorophenol	ND	10									
Phenanthrene	ND	5.0									
Phenol	ND	5.0									
Pyrene	ND	5.0									
Pyridine	ND	5.0									
Surr: 2,4,6-Tribromophenol	157	5.0	200		78.0	43	140				
Surr: 2-Fluorobiphenyl	48	5.0	100		48.0	44	119				
Surr: 2-Fluorophenol	99	5.0	200		50.0	19	119				
Surr: Nitrobenzene-d5	68	5.0	100		68.0	44	120				
Surr: Phenol-d5	84	5.0	200		42.0	10	65				
Surr: Terphenyl-d14	97	5.0	100		97.0	50	134				

Associated Samples: **B21122088-001C**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5975.I\_220110A: 4      **SampType:** Method Blank      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/10/2022 12:48      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** MB-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1-Methylnaphthalene	ND	0.10									
2-Methylnaphthalene	ND	0.10									
Naphthalene	ND	0.10									

Associated Samples: **B21122088-001C**

**Run ID: Run Order:** SV5975.I\_220110A: 5      **SampType:** Method Blank      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/10/2022 13:20      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** MB-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Surr: 2-Fluorobiphenyl	43	2.0	100		43.0	53	106				S
Surr: Nitrobenzene-d5	59	2.0	100		59.0	55	111				
Surr: Terphenyl-d14	96	2.0	100		96.0	58	132				

Associated Samples: **B21122088-001C**

**Run ID: Run Order:** SV5973N.I\_220107A: 13      **SampType:** Laboratory Control Sample      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 18:59      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LCS-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	70	10	100		70.0	29	116				
1,2-Dichlorobenzene	64	10	100		64.0	32	111				
1,3-Dichlorobenzene	61	10	100		61.0	28	110				
1,4-Dichlorobenzene	61	10	100		61.0	29	112				
1-Methylnaphthalene	83	10	100		83.0	41	119				
2,4,5-Trichlorophenol	92	10	100		92.0	53	123				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 13      **SampType:** Laboratory Control Sample      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 18:59      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LCS-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
2,4,6-Trichlorophenol	92	10	100		92.0	50	125				
2,4-Dichlorophenol	89	10	100		89.0	47	121				
2,4-Dimethylphenol	85	10	100		85.0	31	124				
2,4-Dinitrophenol	84	10	100		84.0	23	142				
2,4-Dinitrotoluene	97	10	100		97.0	57	128				
2,6-Dinitrotoluene	102	10	100		102.0	50	118				
2-Chloronaphthalene	90	10	100		90.0	40	116				
2-Chlorophenol	83	10	100		83.0	38	117				
2-Methylnaphthalene	92	10	100		92.0	40	121				
2-Nitrophenol	92	10	100		92.0	47	123				
3,3'-Dichlorobenzidine	83	10	100		83.0	27	129				
4,6-Dinitro-2-methylphenol	89	10	100		89.0	44	137				
4-Bromophenyl phenyl ether	101	10	100		101.0	55	124				
4-Chloro-3-methylphenol	97	10	100		97.0	52	119				
4-Chlorophenol	83	10	100		83.0	41	81				S
4-Chlorophenyl phenyl ether	98	10	100		98.0	53	121				
4-Nitrophenol	48	10	100		48.0	15	36				S
Acenaphthene	98	10	100		98.0	47	122				
Acenaphthylene	86	10	100		86.0	41	130				
Anthracene	100	10	100		100.0	57	123				
Azobenzene	91	10	100		91.0	61	116				
Benzidine	14	10	100		14.0	10	100				
Benzo(a)anthracene	107	10	100		107.0	58	125				
Benzo(a)pyrene	97	10	100		97.0	54	128				
Benzo(b)fluoranthene	107	10	100		107.0	53	131				
Benzo(g,h,i)perylene	105	10	100		105.0	50	134				
Benzo(k)fluoranthene	101	10	100		101.0	57	129				





### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 13      **SampType:** Laboratory Control Sample      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 18:59      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LCS-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
bis(-2-chloroethoxy)Methane	92	10	100		92.0	48	120				
bis(-2-chloroethyl)Ether	89	10	100		89.0	43	118				
bis(2-chloroisopropyl)Ether	69	10	100		69.0	37	130				
bis(2-ethylhexyl)Phthalate	105	10	100		105.0	55	135				
Butylbenzylphthalate	108	10	100		108.0	53	134				
Chrysene	107	10	100		107.0	59	123				
Dibenzo(a,h)anthracene	102	10	100		102.0	51	134				
Diethyl phthalate	107	10	100		107.0	56	125				
Dimethyl phthalate	100	10	100		100.0	45	127				
Di-n-butyl phthalate	104	10	100		104.0	59	127				
Di-n-octyl phthalate	104	10	100		104.0	51	140				
Fluoranthene	102	10	100		102.0	57	128				
Fluorene	91	10	100		91.0	52	124				
Hexachlorobenzene	89	10	100		89.0	53	125				
Hexachlorobutadiene	63	10	100		63.0	22	124				
Hexachlorocyclopentadiene	69	10	100		69.0	39	91				
Hexachloroethane	58	10	100		58.0	21	115				
Indeno(1,2,3-cd)pyrene	101	10	100		101.0	52	134				
Isophorone	94	10	100		94.0	42	124				
m+p-Cresols	84	10	100		84.0	29	110				
Naphthalene	82	10	100		82.0	40	121				
Nitrobenzene	93	10	100		93.0	45	121				
n-Nitrosodimethylamine	49	10	100		49.0	20	45				S
n-Nitroso-di-n-propylamine	104	10	100		104.0	49	119				
n-Nitrosodiphenylamine	102	10	100		102.0	51	123				
o-Cresol	84	10	100		84.0	30	117				
Pentachlorophenol	99	10	100		99.0	35	138				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 13      **SampType:** Laboratory Control Sample      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 18:59      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LCS-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Phenanthrene	96	10	100		96.0	59	120				
Phenol	56	10	100		56.0	37	75				
Pyrene	96	10	100		96.0	57	126				
Pyridine	35	10	100		35.0	16	45				
Surr: 2,4,6-Tribromophenol	195	10	200		97.0	43	140				
Surr: 2-Fluorobiphenyl	76	10	100		76.0	44	119				
Surr: 2-Fluorophenol	119	10	200		60.0	19	119				
Surr: Nitrobenzene-d5	80	10	100		80.0	44	120				
Surr: Phenol-d5	108	10	200		54.0	10	65				
Surr: Terphenyl-d14	103	10	100		103.0	50	134				

Associated Samples: **B21122088-001C**

**Run ID: Run Order:** SV5973N.I\_220107A: 14      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 19:31      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LCSD-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	74	10	100		74.0	29	116	70	5.9	20.0	
1,2-Dichlorobenzene	75	10	100		75.0	32	111	64	15.0	20.0	
1,3-Dichlorobenzene	71	10	100		71.0	28	110	61	15.0	20.0	
1,4-Dichlorobenzene	71	10	100		71.0	29	112	61	16.0	20.0	
1-Methylnaphthalene	87	10	100		87.0	41	119	83	5.6	20.0	
2,4,5-Trichlorophenol	110	10	100		110.0	53	123	92	17.0	20.0	
2,4,6-Trichlorophenol	98	10	100		98.0	50	125	92	6.1	20.0	
2,4-Dichlorophenol	96	10	100		96.0	47	121	89	8.1	20.0	
2,4-Dimethylphenol	88	10	100		88.0	31	124	85	2.6	20.0	



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 14      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 19:31      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LCSD-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
2,4-Dinitrophenol	90	10	100		90.0	23	142	84	7.3	20.0	
2,4-Dinitrotoluene	108	10	100		108.0	57	128	97	10.0	20.0	
2,6-Dinitrotoluene	119	10	100		119.0	50	118	102	16.0	20.0	S
2-Chloronaphthalene	105	10	100		105.0	40	116	90	16.0	20.0	
2-Chlorophenol	93	10	100		93.0	38	117	83	11.0	20.0	
2-Methylnaphthalene	97	10	100		97.0	40	121	92	5.8	20.0	
2-Nitrophenol	102	10	100		102.0	47	123	92	10.0	20.0	
3,3'-Dichlorobenzidine	85	10	100		85.0	27	129	83	2.8	20.0	
4,6-Dinitro-2-methylphenol	92	10	100		92.0	44	137	89	4.4	20.0	
4-Bromophenyl phenyl ether	107	10	100		107.0	55	124	101	5.6	20.0	
4-Chloro-3-methylphenol	99	10	100		99.0	52	119	97	2.0	20.0	
4-Chlorophenol	89	10	100		89.0	41	81	83	7.9	20.0	S
4-Chlorophenyl phenyl ether	108	10	100		108.0	53	121	98	9.9	20.0	
4-Nitrophenol	52	10	100		52.0	15	36	48	6.6	20.0	S
Acenaphthene	110	10	100		110.0	47	122	98	12.0	20.0	
Acenaphthylene	98	10	100		98.0	41	130	86	13.0	20.0	
Anthracene	108	10	100		108.0	57	123	100	7.3	20.0	
Azobenzene	100	10	100		100.0	61	116	91	9.3	20.0	
Benzidine	20	10	100		20.0	10	100	14	37.0	20.0	R
Benzo(a)anthracene	112	10	100		112.0	58	125	107	5.1	20.0	
Benzo(a)pyrene	102	10	100		102.0	54	128	97	5.1	20.0	
Benzo(b)fluoranthene	108	10	100		108.0	53	131	107	1.0	20.0	
Benzo(g,h,i)perylene	106	10	100		106.0	50	134	105	0.6	20.0	
Benzo(k)fluoranthene	102	10	100		102.0	57	129	101	0.6	20.0	
bis(-2-chloroethoxy)Methane	96	10	100		96.0	48	120	92	3.6	20.0	
bis(-2-chloroethyl)Ether	96	10	100		96.0	43	118	89	7.1	20.0	
bis(2-chloroisopropyl)Ether	75	10	100		75.0	37	130	69	8.7	20.0	



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 14      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 19:31      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LCSD-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
bis(2-ethylhexyl)Phthalate	114	10	100		114.0	55	135	105	8.2	20.0	
Butylbenzylphthalate	116	10	100		116.0	53	134	108	6.4	20.0	
Chrysene	111	10	100		111.0	59	123	107	4.1	20.0	
Dibenzo(a,h)anthracene	105	10	100		105.0	51	134	102	3.2	20.0	
Diethyl phthalate	118	10	100		118.0	56	125	107	9.7	20.0	
Dimethyl phthalate	111	10	100		111.0	45	127	100	10.0	20.0	
Di-n-butyl phthalate	110	10	100		110.0	59	127	104	5.5	20.0	
Di-n-octyl phthalate	112	10	100		112.0	51	140	104	6.6	20.0	
Fluoranthene	104	10	100		104.0	57	128	102	2.8	20.0	
Fluorene	100	10	100		100.0	52	124	91	9.1	20.0	
Hexachlorobenzene	96	10	100		96.0	53	125	89	7.5	20.0	
Hexachlorobutadiene	73	10	100		73.0	22	124	63	15.0	20.0	
Hexachlorocyclopentadiene	85	10	100		85.0	39	91	69	21.0	20.0	R
Hexachloroethane	68	10	100		68.0	21	115	58	15.0	20.0	
Indeno(1,2,3-cd)pyrene	103	10	100		103.0	52	134	101	2.4	20.0	
Isophorone	97	10	100		97.0	42	124	94	2.7	20.0	
m+p-Cresols	92	10	100		92.0	29	110	84	8.5	20.0	
Naphthalene	84	10	100		84.0	40	121	82	2.3	20.0	
Nitrobenzene	101	10	100		101.0	45	121	93	9.0	20.0	
n-Nitrosodimethylamine	46	10	100		46.0	20	45	49	6.5	20.0	S
n-Nitroso-di-n-propylamine	116	10	100		116.0	49	119	104	11.0	20.0	
n-Nitrosodiphenylamine	111	10	100		111.0	51	123	102	8.8	20.0	
o-Cresol	91	10	100		91.0	30	117	84	7.6	20.0	
Pentachlorophenol	112	10	100		112.0	35	138	99	12.0	20.0	
Phenanthrene	103	10	100		103.0	59	120	96	7.0	20.0	
Phenol	68	10	100		68.0	37	75	56	19.0	20.0	
Pyrene	102	10	100		102.0	57	126	96	5.5	20.0	



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 14      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 19:31      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LCSD-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Pyridine	40	10	100		40.0	16	45	35	14.0	20.0	
Surr: 2,4,6-Tribromophenol	209	10	200		105.0	43	140	0.0	0.0		
Surr: 2-Fluorobiphenyl	87	10	100		87.0	44	119	0.0	0.0		
Surr: 2-Fluorophenol	130	10	200		65.0	19	119	0.0	0.0		
Surr: Nitrobenzene-d5	88	10	100		88.0	44	120	0.0	0.0		
Surr: Phenol-d5	120	10	200		60.0	10	65	0.0	0.0		
Surr: Terphenyl-d14	104	10	100		104.0	50	134	0.0	0.0		

Associated Samples: **B21122088-001C**

- Insufficient sample was submitted to perform a Matrix Spike/Duplicate, so a Laboratory Control Sample Duplicate is included in the reporting package to assess precision.

**Run ID: Run Order:** SV5975.I\_220110A: 6      **SampType:** Laboratory Control Sample      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/10/2022 13:53      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LLCS-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1-Methylnaphthalene	3.1	0.10	5.0		63.0	41	115				
2-Methylnaphthalene	3.0	0.10	5.0		60.0	39	114				
Naphthalene	2.8	0.10	5.0		57.0	43	114				
Surr: 2-Fluorobiphenyl	3.8	0.10	5.0		75.0	53	106				
Surr: Nitrobenzene-d5	3.5	0.10	5.0		69.0	55	111				
Surr: Terphenyl-d14	5.0	0.10	5.0		100.0	58	132				

Associated Samples: **B21122088-001C**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5975.I\_220110A: 7      **SampType:** Laboratory Control Sample Duplicate      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/10/2022 14:25      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** LLCSD-162577      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1-Methylnaphthalene	2.9	0.10	5.0		58.0	41	115	3.1	7.1	40.0	
2-Methylnaphthalene	2.8	0.10	5.0		57.0	39	114	3.0	5.6	40.0	
Naphthalene	2.4	0.10	5.0		49.0	43	114	2.8	16.0	40.0	
Surr: 2-Fluorobiphenyl	3.7	0.10	5.0		75.0	53	106	0.0	0.0		
Surr: Nitrobenzene-d5	3.8	0.10	5.0		76.0	55	111	0.0	0.0		
Surr: Terphenyl-d14	5.3	0.10	5.0		105.0	58	132	0.0	0.0		

Associated Samples: **B21122088-001C**

**Run ID: Run Order:** SV5973N.I\_220107A: 17      **SampType:** Sample Matrix Spike      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 21:08      **Prep Date:** 12/29/2021 14:00  
**Lab ID:** B21122088-001CMS      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	77	10	100	0.0	77.0	29	116				
1,2-Dichlorobenzene	72	10	100	0.0	72.0	32	111				
1,3-Dichlorobenzene	72	10	100	0.0	72.0	28	110				
1,4-Dichlorobenzene	71	10	100	0.0	71.0	29	112				
1-Methylnaphthalene	83	10	100	0.0	83.0	41	119				
2,4,5-Trichlorophenol	93	10	100	0.0	93.0	53	123				
2,4,6-Trichlorophenol	98	10	100	0.0	98.0	50	125				
2,4-Dichlorophenol	90	10	100	0.0	90.0	47	121				
2,4-Dimethylphenol	92	10	100	0.0	92.0	31	124				
2,4-Dinitrophenol	72	10	100	0.0	72.0	23	142				
2,4-Dinitrotoluene	104	10	100	0.0	104.0	57	128				
2,6-Dinitrotoluene	97	10	100	0.0	97.0	50	118				
2-Chloronaphthalene	86	10	100	0.0	86.0	40	116				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 17      **SampType:** Sample Matrix Spike      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 21:08      **Prep Date:** 12/29/2021 14:00  
**Lab ID:** B21122088-001CMS      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
2-Chlorophenol	82	10	100	0.0	82.0	38	117				
2-Methylnaphthalene	92	10	100	0.0	92.0	40	121				
2-Nitrophenol	88	10	100	0.0	88.0	47	123				
3,3'-Dichlorobenzidine	65	10	100	0.0	65.0	27	129				
4,6-Dinitro-2-methylphenol	79	10	100	0.0	79.0	44	137				
4-Bromophenyl phenyl ether	93	10	100	0.0	93.0	55	124				
4-Chloro-3-methylphenol	94	10	100	0.0	94.0	52	119				
4-Chlorophenol	87	10	100	0.0	87.0	41	81				S
4-Chlorophenyl phenyl ether	94	10	100	0.0	94.0	53	121				
4-Nitrophenol	50	10	100	0.0	50.0	15	36				S
Acenaphthene	104	10	100	0.0	104.0	47	122				
Acenaphthylene	93	10	100	0.0	93.0	41	130				
Anthracene	101	10	100	0.0	101.0	57	123				
Azobenzene	90	10	100	0.0	90.0	61	116				
Benzidine	ND	10	100	0.0	0.0	10	100				S
Benzo(a)anthracene	98	10	100	0.0	98.0	58	125				
Benzo(a)pyrene	92	10	100	0.0	92.0	54	128				
Benzo(b)fluoranthene	92	10	100	0.0	92.0	53	131				
Benzo(g,h,i)perylene	93	10	100	0.0	93.0	50	134				
Benzo(k)fluoranthene	89	10	100	0.0	89.0	57	129				
bis(-2-chloroethoxy)Methane	91	10	100	0.0	91.0	48	120				
bis(-2-chloroethyl)Ether	86	10	100	0.0	86.0	43	118				
bis(2-chloroisopropyl)Ether	66	10	100	0.0	66.0	37	130				
bis(2-ethylhexyl)Phthalate	101	10	100	3.3	98.0	55	135				
Butylbenzylphthalate	106	10	100	0.0	106.0	53	134				
Chrysene	95	10	100	0.0	95.0	59	123				
Dibenzo(a,h)anthracene	96	10	100	0.0	96.0	51	134				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 17      **SampType:** Sample Matrix Spike      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 21:08      **Prep Date:** 12/29/2021 14:00  
**Lab ID:** B21122088-001CMS      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diethyl phthalate	105	10	100	0.0	105.0	56	125				
Dimethyl phthalate	100	10	100	0.0	100.0	45	127				
Di-n-butyl phthalate	106	10	100	0.0	106.0	59	127				
Di-n-octyl phthalate	95	10	100	0.0	95.0	51	140				
Fluoranthene	92	10	100	0.0	92.0	57	128				
Fluorene	98	10	100	0.0	98.0	52	124				
Hexachlorobenzene	82	10	100	0.0	82.0	53	125				
Hexachlorobutadiene	72	10	100	0.0	72.0	22	124				
Hexachlorocyclopentadiene	68	10	100	0.0	68.0	39	91				
Hexachloroethane	68	10	100	0.0	68.0	21	115				
Indeno(1,2,3-cd)pyrene	91	10	100	0.0	91.0	52	134				
Isophorone	97	10	100	0.0	97.0	42	124				
m+p-Cresols	82	10	100	0.0	82.0	29	110				
Naphthalene	90	10	100	0.0	90.0	40	121				
Nitrobenzene	84	10	100	0.0	84.0	45	121				
n-Nitrosodimethylamine	46	10	100	0.0	46.0	20	45				S
n-Nitroso-di-n-propylamine	98	10	100	0.0	98.0	49	119				
n-Nitrosodiphenylamine	98	10	100	0.0	98.0	51	123				
o-Cresol	82	10	100	0.0	82.0	30	117				
Pentachlorophenol	107	10	100	0.0	107.0	35	138				
Phenanthrene	98	10	100	0.0	98.0	59	120				
Phenol	58	10	100	0.0	58.0	37	75				
Pyrene	91	10	100	0.0	91.0	57	126				
Pyridine	26	10	100	0.0	26.0	16	45				
Surr: 2,4,6-Tribromophenol	184	10	200	0.0	92.0	43	140				
Surr: 2-Fluorobiphenyl	79	10	100	0.0	79.0	44	119				
Surr: 2-Fluorophenol	116	10	200	0.0	58.0	19	119				





### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 17      **SampType:** Sample Matrix Spike      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 21:08      **Prep Date:** 12/29/2021 14:00  
**Lab ID:** B21122088-001CMS      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Surr: Nitrobenzene-d5	84	10	100	0.0	84.0	44	120				
Surr: Phenol-d5	104	10	200	0.0	52.0	10	65				
Surr: Terphenyl-d14	98	10	100	0.0	98.0	50	134				

Associated Samples: **B21122088-001C**

**Run ID: Run Order:** SV5975.I\_220110A: 16      **SampType:** Sample Matrix Spike      **Batch ID:** 162577  
**Method:** SW8270C      **Analysis Date:** 01/10/2022 19:16      **Prep Date:** 12/29/2021 13:59  
**Lab ID:** B21122105-001CLMS      **Units:** ug/L      **Prep Method:** SW3510C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1-Methylnaphthalene	3.8	0.10	5.0	0.0	76.0	41	115				
2-Methylnaphthalene	3.6	0.10	5.0	0.0	72.0	39	114				
Naphthalene	3.3	0.10	5.0	0.0	66.0	43	114				
Surr: 2-Fluorobiphenyl	3.9	0.10	5.0	0.0	79.0	53	106				
Surr: Nitrobenzene-d5	3.1	0.10	5.0	0.0	62.0	55	111				
Surr: Terphenyl-d14	5.1	0.10	5.0	0.0	102.0	58	132				

Associated Samples: **B21122088-001C**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5975.I\_220110A: 2      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372987  
**Method:** SW8270C      **Analysis Date:** 01/10/2022 11:43      **Prep Date:**  
**Lab ID:** 10-Jan-22\_CCX\_2      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1-Methylnaphthalene	2.2	0.10	2.0		108.0	80	120				
2-Methylnaphthalene	1.9	0.10	2.0		94.0	80	120				
Naphthalene	1.9	0.10	2.0		95.0	80	120				
Surr: 2-Fluorobiphenyl	1.9	0.10	2.0		96.0	80	120				
Surr: Nitrobenzene-d5	1.7	0.10	2.0		85.0	80	120				
Surr: Terphenyl-d14	2.0	0.10	2.0		98.0	80	120				

Associated Samples: **B21122088-001C**

**Run ID: Run Order:** SV5975.I\_220110A: 23      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372987  
**Method:** SW8270C      **Analysis Date:** 01/10/2022 23:03      **Prep Date:**  
**Lab ID:** 10-Jan-22\_CCX\_23      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1-Methylnaphthalene	2.2	0.10	2.0		111.0	50	150				
2-Methylnaphthalene	2.0	0.10	2.0		98.0	50	150				
Naphthalene	1.9	0.10	2.0		93.0	50	150				
Surr: 2-Fluorobiphenyl	1.9	0.10	2.0		94.0	50	150				
Surr: Nitrobenzene-d5	1.7	0.10	2.0		84.0	50	150				
Surr: Terphenyl-d14	2.0	0.10	2.0		100.0	50	150				

Associated Samples: **B21122088-001C**



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 31      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372990  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 16:49      **Prep Date:**  
**Lab ID:** 07-Jan-22\_CCv\_9      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	73	10	75		98.0	80	120				
1,2-Dichlorobenzene	78	10	75		104.0	80	120				
1,3-Dichlorobenzene	80	10	75		107.0	80	120				
1,4-Dichlorobenzene	83	10	75		111.0	80	120				
1-Methylnaphthalene	74	10	75		99.0	80	120				
2,4,5-Trichlorophenol	78	10	75		104.0	80	120				
2,4,6-Trichlorophenol	77	10	75		103.0	80	120				
2,4-Dichlorophenol	76	10	75		101.0	80	120				
2,4-Dimethylphenol	72	10	75		96.0	80	120				
2,4-Dinitrophenol	77	10	75		103.0	80	120				
2,4-Dinitrotoluene	76	10	75		101.0	80	120				
2,6-Dinitrotoluene	88	10	75		117.0	80	120				
2-Chloronaphthalene	84	10	75		112.0	80	120				
2-Chlorophenol	83	10	75		111.0	80	120				
2-Methylnaphthalene	79	10	75		105.0	80	120				
2-Nitrophenol	80	10	75		107.0	80	120				
3,3'-Dichlorobenzidine	70	10	75		94.0	80	120				
4,6-Dinitro-2-methylphenol	73	10	75		98.0	80	120				
4-Bromophenyl phenyl ether	84	10	75		113.0	80	120				
4-Chloro-3-methylphenol	78	10	75		104.0	80	120				
4-Chlorophenol	78	10	75		104.0	80	120				
4-Chlorophenyl phenyl ether	85	10	75		113.0	80	120				
4-Nitrophenol	79	10	75		106.0	80	120				
Acenaphthene	82	10	75		110.0	80	120				
Acenaphthylene	74	10	75		99.0	80	120				
Anthracene	78	10	75		105.0	80	120				
Azobenzene	80	10	75		106.0	80	120				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 31      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372990  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 16:49      **Prep Date:**  
**Lab ID:** 07-Jan-22\_CCv\_9      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzidine	64	10	75		85.0	80	120				
Benzo(a)anthracene	84	10	75		112.0	80	120				
Benzo(a)pyrene	78	10	75		104.0	80	120				
Benzo(b)fluoranthene	78	10	75		103.0	80	120				
Benzo(g,h,i)perylene	76	10	75		101.0	80	120				
Benzo(k)fluoranthene	76	10	75		102.0	80	120				
bis(-2-chloroethoxy)Methane	76	10	75		101.0	80	120				
bis(-2-chloroethyl)Ether	84	10	75		113.0	80	120				
bis(2-chloroisopropyl)Ether	67	10	75		89.0	80	120				
bis(2-ethylhexyl)Phthalate	88	10	75		117.0	80	120				
Butylbenzylphthalate	83	10	75		111.0	80	120				
Chrysene	81	10	75		109.0	80	120				
Dibenzo(a,h)anthracene	80	10	75		107.0	80	120				
Diethyl phthalate	86	10	75		115.0	80	120				
Dimethyl phthalate	83	10	75		111.0	80	120				
Di-n-butyl phthalate	82	10	75		109.0	80	120				
Di-n-octyl phthalate	81	10	75		107.0	80	120				
Fluoranthene	78	10	75		104.0	80	120				
Fluorene	77	10	75		103.0	80	120				
Hexachlorobenzene	75	10	75		100.0	80	120				
Hexachlorobutadiene	75	10	75		100.0	80	120				
Hexachlorocyclopentadiene	78	10	75		104.0	80	120				
Hexachloroethane	83	10	75		111.0	80	120				
Indeno(1,2,3-cd)pyrene	74	10	75		98.0	80	120				
Isophorone	71	10	75		94.0	80	120				
m+p-Cresols	84	10	75		112.0	80	120				
Naphthalene	77	10	75		103.0	80	120				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 31      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372990  
**Method:** SW8270C      **Analysis Date:** 01/07/2022 16:49      **Prep Date:**  
**Lab ID:** 07-Jan-22\_CCv\_9      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Nitrobenzene	89	10	75		119.0	80	120				
n-Nitrosodimethylamine	83	10	75		110.0	80	120				
n-Nitroso-di-n-propylamine	92	10	75		122.0	80	120				
n-Nitrosodiphenylamine	86	10	75		114.0	80	120				
o-Cresol	88	10	75		118.0	80	120				
Pentachlorophenol	78	10	75		104.0	80	120				
Phenanthrene	80	10	75		107.0	80	120				
Phenol	88	10	75		117.0	80	120				
Pyrene	76	10	75		101.0	80	120				
Pyridine	82	10	75		109.0	80	120				
Surr: 2,4,6-Tribromophenol	81	10	75		108.0	80	120				
Surr: 2-Fluorobiphenyl	75	10	75		101.0	80	120				
Surr: 2-Fluorophenol	90	10	75		120.0	80	120				
Surr: Nitrobenzene-d5	76	10	75		101.0	80	120				
Surr: Phenol-d5	89	10	75		119.0	80	120				
Surr: Terphenyl-d14	76	10	75		101.0	80	120				

Associated Samples: **B21122088-001C**

**Run ID: Run Order:** SV5973N.I\_220107A: 25      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372990  
**Method:** SW8270C      **Analysis Date:** 01/08/2022 01:27      **Prep Date:**  
**Lab ID:** 07-Jan-22\_CCv\_25      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	69	10	75		92.0	50	150				
1,2-Dichlorobenzene	72	10	75		96.0	50	150				
1,3-Dichlorobenzene	73	10	75		98.0	50	150				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 25      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372990  
**Method:** SW8270C      **Analysis Date:** 01/08/2022 01:27      **Prep Date:**  
**Lab ID:** 07-Jan-22\_CCV\_25      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,4-Dichlorobenzene	71	10	75		95.0	50	150				
1-Methylnaphthalene	72	10	75		96.0	50	150				
2,4,5-Trichlorophenol	78	10	75		104.0	50	150				
2,4,6-Trichlorophenol	75	10	75		100.0	50	150				
2,4-Dichlorophenol	76	10	75		102.0	50	150				
2,4-Dimethylphenol	70	10	75		94.0	50	150				
2,4-Dinitrophenol	69	10	75		92.0	50	150				
2,4-Dinitrotoluene	74	10	75		99.0	50	150				
2,6-Dinitrotoluene	73	10	75		98.0	50	150				
2-Chloronaphthalene	71	10	75		95.0	50	150				
2-Chlorophenol	73	10	75		97.0	50	150				
2-Methylnaphthalene	67	10	75		89.0	50	150				
2-Nitrophenol	68	10	75		90.0	50	150				
3,3'-Dichlorobenzidine	75	10	75		100.0	50	150				
4,6-Dinitro-2-methylphenol	73	10	75		97.0	50	150				
4-Bromophenyl phenyl ether	75	10	75		100.0	50	150				
4-Chloro-3-methylphenol	72	10	75		97.0	50	150				
4-Chlorophenol	86	10	75		115.0	50	150				
4-Chlorophenyl phenyl ether	73	10	75		97.0	50	150				
4-Nitrophenol	77	10	75		102.0	50	150				
Acenaphthene	74	10	75		98.0	50	150				
Acenaphthylene	76	10	75		101.0	50	150				
Anthracene	79	10	75		105.0	50	150				
Azobenzene	75	10	75		101.0	50	150				
Benzidine	73	10	75		98.0	50	150				
Benzo(a)anthracene	74	10	75		99.0	50	150				
Benzo(a)pyrene	76	10	75		101.0	50	150				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 25      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372990  
**Method:** SW8270C      **Analysis Date:** 01/08/2022 01:27      **Prep Date:**  
**Lab ID:** 07-Jan-22\_CCv\_25      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzo(b)fluoranthene	75	10	75		100.0	50	150				
Benzo(g,h,i)perylene	75	10	75		101.0	50	150				
Benzo(k)fluoranthene	76	10	75		101.0	50	150				
bis(-2-chloroethoxy)Methane	75	10	75		100.0	50	150				
bis(-2-chloroethyl)Ether	73	10	75		98.0	50	150				
bis(2-chloroisopropyl)Ether	71	10	75		94.0	50	150				
bis(2-ethylhexyl)Phthalate	76	10	75		101.0	50	150				
Butylbenzylphthalate	78	10	75		104.0	50	150				
Chrysene	74	10	75		98.0	50	150				
Dibenzo(a,h)anthracene	73	10	75		97.0	50	150				
Diethyl phthalate	80	10	75		106.0	50	150				
Dimethyl phthalate	73	10	75		98.0	50	150				
Di-n-butyl phthalate	80	10	75		107.0	50	150				
Di-n-octyl phthalate	77	10	75		102.0	50	150				
Fluoranthene	73	10	75		98.0	50	150				
Fluorene	78	10	75		104.0	50	150				
Hexachlorobenzene	73	10	75		98.0	50	150				
Hexachlorobutadiene	72	10	75		96.0	50	150				
Hexachlorocyclopentadiene	72	10	75		96.0	50	150				
Hexachloroethane	74	10	75		99.0	50	150				
Indeno(1,2,3-cd)pyrene	75	10	75		101.0	50	150				
Isophorone	73	10	75		97.0	50	150				
m+p-Cresols	80	10	75		107.0	50	150				
Naphthalene	73	10	75		97.0	50	150				
Nitrobenzene	66	10	75		88.0	50	150				
n-Nitrosodimethylamine	66	10	75		87.0	50	150				
n-Nitroso-di-n-propylamine	75	10	75		100.0	50	150				



### Analytical QC Summary Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

**Run ID: Run Order:** SV5973N.I\_220107A: 25      **SampType:** Continuing Calibration Verification Standard      **Batch ID:** R372990  
**Method:** SW8270C      **Analysis Date:** 01/08/2022 01:27      **Prep Date:**  
**Lab ID:** 07-Jan-22\_CCv\_25      **Units:** ug/L      **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
n-Nitrosodiphenylamine	76	10	75		101.0	50	150				
o-Cresol	72	10	75		96.0	50	150				
Pentachlorophenol	79	10	75		106.0	50	150				
Phenanthrene	77	10	75		103.0	50	150				
Phenol	78	10	75		103.0	50	150				
Pyrene	76	10	75		101.0	50	150				
Pyridine	62	10	75		83.0	50	150				
Surr: 2,4,6-Tribromophenol	76	10	75		102.0	50	150				
Surr: 2-Fluorobiphenyl	73	10	75		97.0	50	150				
Surr: 2-Fluorophenol	74	10	75		99.0	50	150				
Surr: Nitrobenzene-d5	76	10	75		101.0	50	150				
Surr: Phenol-d5	80	10	75		107.0	50	150				
Surr: Terphenyl-d14	75	10	75		99.0	50	150				

Associated Samples: **B21122088-001C**





### Analytical QC Exceptions Report

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu  
**Workorder:** B21122088  
**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

Analysis Method	Analysis	Batch ID	Associated Samples	Sample Type	Lab ID	Analysis Date	Analysis Time	Analyte	%REC	Low Limit	High Limit	% RPD	RPD Limit	Qual
SW6020	Metals by ICP-MS, Total	162587	001B	SD	B21122088-001BDIL	1/6/2022	16:22	Lead					10.0	N
SW8260B	8260-Volatile Organic Compounds QC Samples	R372936	001G, 002A	CCV	CCV123021_	12/30/2021	10:44	Chloroethane	70.0	80	120			S
SW8270C	Low Level PAH	162577	001C	MBLK	MB-162577	1/10/2022	13:20	Surr: 2-Fluorobiphenyl	43.0	53	106			S
	Semi-Volatile Organic Compounds, Extended List	162577	001C	LCS-DOD	LCS-162577	1/7/2022	18:59	4-Chlorophenol	83.0	41	81			S
								4-Nitrophenol	48.0	15	36			S
								n-Nitrosodimethylamine	49.0	20	45			S
								2,6-Dinitrotoluene	119.0	50	118	16	20.0	S
				LCSD-DOD	LCSD-162577	1/7/2022	19:31	4-Chlorophenol	89.0	41	81	7.9	20.0	S
								4-Nitrophenol	52.0	15	36	6.6	20.0	S
								Benzidine	20.0	10	100	37	20.0	R
								Hexachlorocyclopentadiene	85.0	39	91	21	20.0	R
								n-Nitrosodimethylamine	46.0	20	45	6.5	20.0	S
MS-DOD								B21122088-001CMS	1/7/2022	21:08	4-Chlorophenol	87.0	41	81
	4-Nitrophenol	50.0	15	36			S							
	Benzidine	0.0	10	100			S							
	n-Nitrosodimethylamine	46.0	20	45			S							



## Preparation and Analysis Dates Report

**Work Order:** B21122088

**Client:** AECOM - Honolulu

**Project Name:** CV18F0126/60571032.02.46.01

**Report Date:** 2/23/2022

Lab ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Method	Prep Date	Prep Batch	Analysis Method	Analysis Date
001B	ERH2247 (RHMW09)	12/24/2021 13:15	Ground Water	Metals by ICP-MS, Total		SW3010A	12/29/2021 15:43	162587	SW6020	01/06/2022 16:16
001C	ERH2247 (RHMW09)	12/24/2021 13:15	Ground Water	Low Level PAH		SW3510C	12/29/2021 13:59	162577	SW8270C	01/10/2022 16:02
				Semi-Volatile Organic Compounds		SW3510C	12/29/2021 13:59	162577	SW8270C	01/10/2022 16:35
						SW3510C	12/29/2021 13:59	162577	SW8270C	01/07/2022 20:36
001D	ERH2247 (RHMW09)	12/24/2021 13:15	Ground Water	Diesel Range Organics		SW3520C	12/29/2021 14:19	162579	SW8015C	12/31/2021 03:10
						SW3520C	12/29/2021 14:19	162579	SW8015C	01/04/2022 09:12
001H	ERH2247 (RHMW09)	12/24/2021 13:15	Ground Water	EDB in Water by ECD		SW8011	12/30/2021 09:34	162607	SW8011	12/30/2021 20:58
004A	ERH2246 Client Trip Blank	12/24/2021 13:10	Trip Blank	EDB in Water by ECD		SW8011	12/30/2021 10:52	162607	SW8011	12/30/2021 19:18



## Chemical Abstracts Service (CAS) Registry Numbers

Prepared by Billings, MT Branch

**Client:** AECOM - Honolulu

**Workorder:** B21122088

**Project:** CV18F0126/60571032.02.46.01

**Report Date:** 02/23/2022

Analyses	CAS No
<b>AGGREGATE ORGANICS</b>	
Organic Carbon, Total (TOC)	7440-44-0
<b>METALS, TOTAL</b>	
Lead	7439-92-1
<b>METALS, DISSOLVED</b>	
Lead	7439-92-1
<b>VOLATILE ORGANIC COMPOUNDS</b>	
Benzene	71-43-2
Bromobenzene	108-86-1
Bromochloromethane	74-97-5
Bromodichloromethane	75-27-4
Bromoform	75-25-2
Bromomethane	74-83-9
Carbon tetrachloride	56-23-5
Chlorobenzene	108-90-7
Chlorodibromomethane	124-48-1
Chloroethane	75-00-3
Chloroform	67-66-3
Chloromethane	74-87-3
1,2-Dibromoethane	106-93-4
2-Chlorotoluene	95-49-8
4-Chlorotoluene	106-43-4
Dibromomethane	74-95-3
1,2-Dichlorobenzene	95-50-1
1,3-Dichlorobenzene	541-73-1
1,4-Dichlorobenzene	106-46-7
Dichlorodifluoromethane	75-71-8
1,1-Dichloroethane	75-34-3
1,2-Dichloroethane	107-06-2
1,1-Dichloroethene	75-35-4
cis-1,2-Dichloroethene	156-59-2
trans-1,2-Dichloroethene	156-60-5
1,2-Dichloropropane	78-87-5
1,3-Dichloropropane	142-28-9
2,2-Dichloropropane	594-20-7
1,1-Dichloropropene	563-58-6
cis-1,3-Dichloropropene	10061-01-5
trans-1,3-Dichloropropene	10061-02-6

Ethylbenzene	100-41-4
Methyl ethyl ketone	78-93-3
Methyl tert-butyl ether (MTBE)	1634-04-4
Methylene chloride	75-09-2
Styrene	100-42-5
1,1,1,2-Tetrachloroethane	630-20-6
1,1,2,2-Tetrachloroethane	79-34-5
Tetrachloroethene	127-18-4
Toluene	108-88-3
1,1,1-Trichloroethane	71-55-6
1,1,2-Trichloroethane	79-00-5
Trichloroethene	79-01-6
Trichlorofluoromethane	75-69-4
1,2,3-Trichloropropane	96-18-4
Vinyl chloride	75-01-4
m+p-Xylenes	179601-23-1
o-Xylene	95-47-6
Xylenes, Total	1330-20-7

#### **VOCS BY MICROEXTRACTION-ECD**

1,2-Dibromoethane	106-93-4
-------------------	----------

#### **PETROLEUM HYDROCARBONS-VOLATILE**

C6 to C10
Total Purgeable Hydrocarbons

#### **PETROLEUM HYDROCARBONS-SEMI-VOLATILE**

Diesel Range Organics (C10 to C24)
Diesel Range Organics (SGT-C10 to C24)
Oil Range Hydrocarbons (C24 to C40)
Oil Range Hydrocarbons (SGT-C24 to C40)
Total Extractable Hydrocarbons
Total Extractable Hydrocarbons (SGT)

#### **ORGANIC CHARACTERISTICS**

Methane	74-82-8
---------	---------

#### **SEMI-VOLATILE ORGANIC COMPOUNDS**

1,2,4-Trichlorobenzene	120-82-1
1,2-Dichlorobenzene	95-50-1
1,3-Dichlorobenzene	541-73-1
1,4-Dichlorobenzene	106-46-7
1-Methylnaphthalene	90-12-0
2,4,5-Trichlorophenol	95-95-4
2,4,6-Trichlorophenol	88-06-2
2,4-Dichlorophenol	120-83-2
2,4-Dimethylphenol	105-67-9
2,4-Dinitrophenol	51-28-5
2,4-Dinitrotoluene	121-14-2
2,6-Dinitrotoluene	606-20-2
2-Chloronaphthalene	91-58-7

2-Chlorophenol	95-57-8
2-Methylnaphthalene	91-57-6
2-Nitrophenol	88-75-5
3,3'-Dichlorobenzidine	91-94-1
4,6-Dinitro-2-methylphenol	534-52-1
4-Bromophenyl phenyl ether	101-55-3
4-Chloro-3-methylphenol	59-50-7
4-Chlorophenol	106-48-9
4-Chlorophenyl phenyl ether	7005-72-3
4-Nitrophenol	100-02-7
Acenaphthene	83-32-9
Acenaphthylene	208-96-8
Anthracene	120-12-7
Azobenzene	103-33-3
Benzidine	92-87-5
Benzo(a)anthracene	56-55-3
Benzo(a)pyrene	50-32-8
Benzo(b)fluoranthene	205-99-2
Benzo(g,h,i)perylene	191-24-2
Benzo(k)fluoranthene	207-08-9
bis(-2-chloroethoxy)Methane	111-91-1
bis(-2-chloroethyl)Ether	111-44-4
bis(2-chloroisopropyl)Ether	108-60-1
bis(2-ethylhexyl)Phthalate	117-81-7
Butylbenzylphthalate	85-68-7
Chrysene	218-01-9
Di-n-butyl phthalate	84-74-2
Di-n-octyl phthalate	117-84-0
Dibenzo(a,h)anthracene	53-70-3
Diethyl phthalate	84-66-2
Dimethyl phthalate	131-11-3
Fluoranthene	206-44-0
Fluorene	86-73-7
Hexachlorobenzene	118-74-1
Hexachlorobutadiene	87-68-3
Hexachlorocyclopentadiene	77-47-4
Hexachloroethane	67-72-1
Indeno(1,2,3-cd)pyrene	193-39-5
Isophorone	78-59-1
m+p-Cresols	15831-10-4
n-Nitroso-di-n-propylamine	621-64-7
n-Nitrosodimethylamine	62-75-9
n-Nitrosodiphenylamine	86-30-6
Naphthalene	91-20-3
Nitrobenzene	98-95-3
o-Cresol	95-48-7
Pentachlorophenol	87-86-5
Phenanthrene	85-01-8
Phenol	108-95-2
Pyrene	129-00-0

Pyridine

110-86-1

**SEMI-VOLATILE ORGANIC COMPOUNDS (LOW LEVEL) BY SIM**

1-Methylnaphthalene

90-12-0

2-Methylnaphthalene

91-57-6


Naphthalene

91-20-3

ERH2247 (RHMW09)

G:\Org\PE1\DAT\PE1122821\_b\1228PE1B.0079.RAW

B21122088-001F ;1228PE1 , \$HC-8015-GRO-W,



**GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT**

Sample Name: B21122088-001F ;1228PE1 , \$HC-8015-GRO-W,  
Raw File: G:\Org\PE1\DAT\PE1122821\_b\1228PE1B.0079.RAW  
Date & Time Acquired: 12/30/2021 4:15:29 AM  
Method File: G:\Org\PE1\Methods\211208GRO%.MET  
Calibration File: G:\Org\PE1\Cals\211208GRO8015CB.CAL  
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for GRO: 945.9678  
Mean RF for TPH: 909.3915  
Rt range for Gasoline Range Organics: 4.45 to 17.93


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	8.693	25.	18.705	74.82

GRO Area:4531.173 GRO Amount: 0.9579973  
TPH Area:11996.64 TPH Amount: 2.638389

ERH2246 Client Trip Blank

G:\Org\PE1\DAT\PE1122821\_b\1228PE1B.0054.RAW

B21122088-003A ;1228PE1 , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B21122088-003A ;1228PE1 , \$HC-8015-GRO-W,  
Raw File: G:\Org\PE1\DAT\PE1122821\_b\1228PE1B.0054.RAW  
Date & Time Acquired: 12/29/2021 1:58:28 PM  
Method File: G:\Org\PE1\Methods\211208GROB%.MET  
Calibration File: G:\Org\PE1\Cals\211208GRO8015CB.CAL  
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for GRO: 945.9678  
Mean RF for TPH: 909.3915  
Rt range for Gasoline Range Organics: 4.45 to 17.93

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	8.687	25.	20.457	81.83

GRO Area:11154.63 GRO Amount: 2.358352  
TPH Area:18206.26 TPH Amount: 4.004053




ERH2247 (RHMW09)

G:\org\HP5\DAT\HP5123021\_b\1230HP5.0013.RAW

Batch ID: 162579

B21122088-001D ;1230HP5 , \$HC-8015-DRO-W,



**DIESEL RANGE ORGANICS CHROMATOGRAM REPORT**

Sample Name: B21122088-001D ;1230HP5 , \$HC-8015-DRO-W,  
Raw File: G:\org\HP5\DAT\HP5123021\_b\1230HP5.0013.RAW  
Date & Time Acquired: 12/31/2021 3:10:45 AM  
Method File: G:\Org\HP5\Methods\D3\_8015-C24T-IMA-L%.met  
Calibration File: G:\Org\HP5\Cals\SW8015C\_DRO211102IMA-24-Tri.CAL  
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 31353.19

Rt range for Diesel Range Organics: 6.48 to 14.35

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.183	.19	.169	88.91	-
*1-Chlorooctadecane	12.993	.19	.	.22	-
*#Triacontane	16.263	.19	.115	60.61	-

DRO Area: 9186207 DRO Amount: 0.2790392


TEH Area: 5.335006E+07 TEH Amount: 1.620555

ERH2247 (RHMW09)

G:\org\HP5\DAT\HP5123021\_b\1230HP5.0013.RAW

Batch ID: 162579

B21122088-001D ;1230HP5 , \$HC-8015-DRO-W,



**RESIDUAL RANGE ORGANICS CHROMATOGRAM**

Sample Name: B21122088-001D ;1230HP5 , \$HC-8015-DRO-W,  
Raw File: G:\org\HP5\DAT\HP5123021\_b\1230HP5.0013.RAW  
Date & Time Acquired: 12/31/2021 3:10:45 AM  
Method File: G:\Org\HP5\Methods\D3\_OROS-AMA-L%.MET  
Calibration File: G:\Org\HP5\Cals\SW8015C\_ORO211017AMA-SAMP.CAL  
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 28542.41  
Rt range for Residual Range Organics: 14.25 to 21.5

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.263	.476	.115	24.24


RRO Area:1.474802E+07 RRO AMOUNT: 0.4921003

ERH2247 (RHMW09)

G:\org\HP4\DAT\HP4010222\_b\0102HP4.0055.RAW

Batch ID: 162579

B21122088-001D ;0102HP4 , \$HC-8015-DRO-W, SGT



**DIESEL RANGE ORGANICS CHROMATOGRAM REPORT**

Sample Name: B21122088-001D ;0102HP4 , \$HC-8015-DRO-W, SGT  
 Raw File: G:\org\HP4\DAT\HP4010222\_b\0102HP4.0055.RAW  
 Date & Time Acquired: 1/4/2022 9:12:51 AM  
 Method File: G:\Org\HP4\methods\DR\_8015-010255-OH-L%.met  
 Calibration File: G:\Org\HP4\Cals\SW8015C\_DRO211102OH-C24-TRI.CAL  
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.53 to 14.83

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.649	.19	.155	81.63	-
*1-Chlorooctadecane	13.456	.19	.	.09	-
*#Triacontane	16.774	.19	.103	54.23	-


DRO Area:817976 DRO Amount: 2.652155E-02  
 TEH Area:2825885 TEH Amount: 9.162474E-02

ERH2247 (RHMW09)

G:\org\HP4\DAT\HP4010222\_b\0102HP4.0055.RAW

Batch ID: 162579

B21122088-001D ;0102HP4 , \$HC-8015-DRO-W, SGT



**RESIDUAL RANGE ORGANICS CHROMATOGRAM**

Sample Name: B21122088-001D ;0102HP4 , \$HC-8015-DRO-W, SGT  
 Raw File: G:\org\HP4\DAT\HP4010222\_b\0102HP4.0055.RAW  
 Date & Time Acquired: 1/4/2022 9:12:51 AM  
 Method File: G:\Org\HP4\Methods\DR\_ORO-010255-AB-L%.met  
 Calibration File: G:\Org\HP4\Cals\SW8015C\_ORO211007AB-SAMPLE.CAL  
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56  
 Rt range for Residual Range Organics: 14.73 to 23.61

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.774	.476	.103	21.69

RRO Area:1890291 RRO AMOUNT: 7.339213E-02

---

**From:** Ramos, Alethea <alethea.ramos@aecom.com>  
**Sent:** Monday, December 13, 2021 3:11 PM  
**To:** Tabitha Edwards  
**Cc:** Pascua, Margie; billingsPM@energylab.com  
**Subject:** RE: [EXTERNAL] FW: CV18F0126: Expedited NOI Groundwater Samples, Saturday 12/12 Submission

**Categories:** Must Attend

Hi Tabitha,

I believe Casper WY is DoD ELAP accredited in the TOC 9060 method. I spoke to Shari and she indicated there is a daily courier between Billings and Casper, and would be appx. a day delay. Under those stipulations, please subcontract these samples and inform on expedited TAT.

Thank you,

**Alethea Ramos, CIH**  
Environmental Scientist, Environmental Health & Science, Environment  
D +1-808-529-7283  
M +1-808-389-5383  
[alethea.ramos@aecom.com](mailto:alethea.ramos@aecom.com)

**AECOM**  
1001 Bishop Street  
Suite 1600  
Honolulu, HI 96813, United States of America  
aecom.com

Imagine it. Delivered.

[LinkedIn](#) | [Twitter](#) | [Facebook](#) | [Instagram](#)



[Fortune World's Most Admired Companies 2020](#)

---

**From:** Tabitha Edwards <tedwards@energylab.com>  
**Sent:** Monday, December 13, 2021 7:05 AM  
**To:** Ramos, Alethea <alethea.ramos@aecom.com>  
**Cc:** Pascua, Margie <Margie.Pascua@aecom.com>; billingsPM@energylab.com  
**Subject:** [EXTERNAL] FW: CV18F0126: Expedited NOI Groundwater Samples, Saturday 12/12 Submission  
**Importance:** High

Alethea,

The TOC by 9060 must be subcontracted to our office in Casper, WY. I need authorization from you to subcontract these. Once that has been received we will discuss the TAT with them and let you know what is achievable.

Thank you,

**Energy Laboratories, Inc.**

Trust our People. Trust our Data.

**Tabitha Edwards** | Office Manager | Billings, MT

O: 406-869-6286 | [tedwards@energylab.com](mailto:tedwards@energylab.com) | [www.energylab.com](http://www.energylab.com)

This transmission may contain confidential information and is for the use of the intended recipient(s). If you received this in error, please contact the sender and delete this email and all copies.

***We want to help you ship successfully!** Please plan ahead and allow extra time to receive supplies from the lab and for the lab to receive your samples. All carriers are in full-swing holiday peak season operating with double the volume and limited capacity. We appreciate your business so please contact your local branch or Project Manager to discuss adjustments to your shipping schedule or to ask questions.*

---

**From:** Ramos, Alethea [<mailto:alethea.ramos@aecom.com>]

**Sent:** Saturday, December 11, 2021 3:20 AM

**To:** Shari Endy; [billingsPM@energylab.com](mailto:billingsPM@energylab.com)

**Cc:** Jillian Miller; Pascua, Margie; KaaihiliChoy, Terri Ann

**Subject:** CV18F0126: Expedited NOI Groundwater Samples, Saturday 12/12 Submission

**Importance:** High

Hi Shari and Billings PM,

You will be receiving a Saturday shipment (12/12) of groundwater samples indicated in the attached COCs. We will need results by **Wednesday, December 15<sup>th</sup>**, and will pay any fees incurred for an expedited TAT. Please proceed with analysis without preservation traceability. Please see below tracking information links:

<https://www.fedex.com/fedextrack/?trknbr=287337969629&trkqual=2459558000~287337969629~FX>

<https://www.fedex.com/fedextrack/?trknbr=287343101019&trkqual=2459559000~287343101019~FX>

Thank you,

**Alethea Ramos, CIH**

Environmental Scientist, Environmental Health & Science, Environment

D +1-808-529-7283

M +1-808-389-5383

[alethea.ramos@aecom.com](mailto:alethea.ramos@aecom.com)

**AECOM**

1001 Bishop Street  
Suite 1600  
Honolulu, HI 96813, United States of America  
aecom.com

**Imagine it. Delivered.**

[LinkedIn](#) | [Twitter](#) | [Facebook](#) | [Instagram](#)



[Fortune World's Most Admired Companies 2020](#)