

Energy Laboratories Inc

ANALYTICAL RUN Summary

13-Jan-22

Run ID GCFID-HP5-B_220111A

Run Start Date:	1/11/2022
Analyst:	Ann Nebel
Ical:	
Column ID:	
Comments:	ICAL- SW8015C_DRO220111JA.CAL

Std ID	Std Name	Std Amount	Std Units	Samp Amount	Samp Units	SampType	Expiration Date
DRO211012B	#2 Diesel in Acetone 150,000 ug/mL					ICV	11/5/2023
DRO211101A	OTP-4000 ug/mL DCM					OTP-CAL	9/30/2024
DRO211214C	Diesel Fuel #2 50,000 ug/mL in DCM					CCV-CAL	4/30/2023
DRO220102D	ALASKA MARKER-200ug/mL					MARKER	5/31/2022

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976981	CCV_0111HP50	HC-8015-DRO-	CCV		1/11/2022 8:59:2	1	R373149		0	0						
Analyte		T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD Q
Total Extractable Hydrocarbons	A	mg/L		3.205893			15	0	0	0.0749	0.3	50	21%	80	120	0% S
o-Terphenyl	S	mg/L		0.1968894			0.2	0	0	0.000429	0.002	0	98%	80	120	0%

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976982	CCV_0111HP50	HC-8015-DRO-	CAL1		1/11/2022 10:25:	1	R373149		0	0						
Analyte		T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD Q
o-Terphenyl	S	mg/L		0.00201677			0.002	0	0	0.000429	0.002	0	101%	80	120	0%

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976983	CCV_0111HP50	HC-8015-DRO-	CAL2		1/11/2022 11:08:	1	R373149		0	0						
Analyte		T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD Q
o-Terphenyl	S	mg/L		0.0489019			0.05	0	0	0.000429	0.002	0	98%	80	120	0%

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976984	CCV_0111HP50	HC-8015-DRO-	CAL3		1/11/2022 11:51:	1	R373149		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
o-Terphenyl	S	mg/L		0.2047389		0.2	0	0	0.000429	0.002	0	102%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976985	CCV_0111HP50	HC-8015-DRO-	CAL4		1/11/2022 12:34:	1	R373149		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
o-Terphenyl	S	mg/L		0.4884362		0.5	0	0	0.000429	0.002	0	98%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976986	CCV_0111HP50	HC-8015-DRO-	CAL5		1/11/2022 1:17:0	1	R373149		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
o-Terphenyl	S	mg/L		1.013008		1	0	0	0.000429	0.002	0	101%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976987	CCV_0111HP50	HC-8015-DRO-	CAL1		1/11/2022 1:59:5	1	R373149		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Total Extractable Hydrocarbons	A	mg/L		0.1635249		0.15	0	0	0.0749	0.3	50	109%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976989	CCV_0111HP51	HC-8015-DRO-	CAL2		1/11/2022 2:42:3	1	R373149		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Total Extractable Hydrocarbons	A	mg/L		3.698293		3.75	0	0	0.0749	0.3	50	99%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976990	CCV_0111HP51	HC-8015-DRO-	CAL3		1/11/2022 3:25:2	1	R373149		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Total Extractable Hydrocarbons	A	mg/L		14.75864		15	0	0	0.0749	0.3	50	98%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976991	CCV_0111HP51	HC-8015-DRO-	CAL4		1/11/2022 4:08:0	1	R373149		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Total Extractable Hydrocarbons	A	mg/L		36.29137		37.5	0	0	0.0749	0.3	50	97%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976992	CCV_0111HP51	HC-8015-DRO-	CAL5		1/11/2022 4:51:0	1	R373149		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Total Extractable Hydrocarbons	A	mg/L		48.59718		50	0	0	0.0749	0.3	50	97%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14976993	CCV_0111HP51	HC-8015-DRO-	ICV		1/11/2022 5:34:2	1	R373149		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Total Extractable Hydrocarbons	A	mg/L		14.05379		15	0	0	0.0749	0.3	50	94%	80	120	0%	

Write Sequence	Data File	Sample Name	Method	Weight	Dil Factor	Amt Inj.	IS	Cal ID
	G:\org\HP5\DAT\HP5011122_b\0111HP5.01r	DCM-Baseline Check-V01	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.02r	CCV_0111HP502r, DRO ;0111HP5 , DRO220102D	G:\Org\HP5\Methods\DC_8015-JA-L%.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.03r	DCM-Baseline Check-V03	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.04r	CCV_0111HP504r, CAL1 ;0111HP5 , 2 ug per mL OTP (10 uL of Cal3 + 990 uL DCM(14647)	G:\Org\HP5\Methods\DS_8015-JA-L#.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.05r	CCV_0111HP505r, CAL2 ;0111HP5 , 50 ug per mL OTP (100 uL Cal4 + 900 uL of DCM(14647)	G:\Org\HP5\Methods\DS_8015-JA-L#.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.06r	CCV_0111HP506r, CAL3 ;0111HP5 , 200 ug per mL OTP (100uL of Cal5 + 400 uL DCM(14647)	G:\Org\HP5\Methods\DS_8015-JA-L#.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.07r	CCV_0111HP507r, CAL4 ;0111HP5 , 500 ug per mL OTP (250uL of Cal5 + 250 uL DCM(14647)	G:\Org\HP5\Methods\DS_8015-JA-L#.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.08r	CCV_0111HP508r, CAL5 ;0111HP5 , 1000 ug per mL OTP (250 uL 4000 ug/mL OTP DRO211101A + 750 DCM(14647)	G:\Org\HP5\Methods\DS_8015-JA-L#.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.09r	CCV_0111HP509r, CAL1 ;0111HP5 , 150 ug per mL Diesel (20 uL of Cal3 + 980 uL DCM(14647), then 100 uL of that + 100 uL of DCM (14647)	G:\Org\HP5\Methods\DC_8015-JA-L%.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.10r	CCV_0111HP510r, CAL2 ;0111HP5 , 3750 ug per mL Diesel (100 uL Cal4 + 900 uL of DCM(14647)	G:\Org\HP5\Methods\DC_8015-JA-L%.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.11r	CCV_0111HP511r, CAL3 ;0111HP5 , 15000 ug per mL Diesel (300 uL of DRO211214C + 700 uL DCM(14647)	G:\Org\HP5\Methods\DC_8015-JA-L%.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.12r	CCV_0111HP512r, CAL4 ;0111HP5 , 37500ug per mL Diesel (750 uL of DRO211214C + 250 uL DCM(14647)	G:\Org\HP5\Methods\DC_8015-JA-L%.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.13r	CCV_0111HP513r, CAL5 ;0111HP5 , 50000 ug per mL Diesel (200 uL of DRO211214C)	G:\Org\HP5\Methods\DC_8015-JA-L%.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122_b\0111HP5.14r	CCV_0111HP514r, Second Source ;0111HP5 , 15000 ug per mL (100uL of DRO211012B + 900uL DCM(14647)	G:\Org\HP5\Methods\DC_8015-JA-L%.met	1	1	1	1	0

File Name: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL

Version: 12

Creator: AMN 01/13/2022

Description: 8015C-DRO. New ICal Per 0111HP5 (2022)-2 uL Inj.; COD added using OTP RFs

Reason for change:

External standard calibration

Standard injection volume: 1

Standard sample weight: 1

Area reject threshold: 500

Reference peak area reject threshold: 500

Amount units: nanograms


No default component

Method of calculating data point averages: Equal weight for all updates

No calibration update report

All levels are normal data points.

1 DRO Range Start



Expected retention time: 6.68 minutes
 Search window: 0.05 minutes
 No retention time reference component
 Group number: 0
 High alarm limit: 0
 Low alarm limit: 0
 Component constant: 0


Single peak quantification by area

$Y = 32675.36 X + 0$

Average CF fit with equal weighting, forced to origin
 Coefficient of determination: 0.9980255
 Average error: 3.607%
 Average CF: 32675.36
 RSD: 5.100%

Level	Amount	Response	Cal Factor	Error, %	Source	Date and time
1	150	5343235	35621.57	9.017	Manual	1/13/2022 12:28:36 PM
2	3750	1.20843E+08	32224.8	-1.379	Manual	1/13/2022 12:29:11 PM
3	15000	4.82244E+08	32149.6	-1.609	Manual	1/13/2022 12:29:24 PM
4	37500	1.185834E+09	31622.24	-3.223	Manual	1/13/2022 12:29:37 PM
5	50000	1.58793E+09	31758.6	-2.806	Manual	1/13/2022 12:28:57 PM


2 *o-Terphenyl



Expected retention time: 12.35 minutes
 Search window: 0.05 minutes
 No retention time reference component
 Group number: 0
 High alarm limit: 0
 Low alarm limit: 0
 Component constant: 0
 Single peak quantification by area
 Y = 36857.86 X + 0
 Average CF fit with equal weighting, forced to origin
 Coefficient of determination: 0.9995278
 Average error: 1.804%
 Average CF: 36857.86
 RSD: 2.132%


Level	Amount	Response	Cal Factor	Error, %	Source	Date and time
1	2	74333.97	37166.98	0.839	G:\Org\HP5\DAT\HP5011122_b\0111HP5.0004.BND	1/13/2022 12:27:15 PM
2	50	1802420	36048.4	-2.196	G:\Org\HP5\DAT\HP5011122_b\0111HP5.0005.BND	1/13/2022 12:27:23 PM
3	200	7546240	37731.2	2.369	G:\Org\HP5\DAT\HP5011122_b\0111HP5.0006.BND	1/13/2022 12:27:28 PM
4	500	1.800271E+07	36005.42	-2.313	G:\Org\HP5\DAT\HP5011122_b\0111HP5.0007.BND	1/13/2022 12:27:34 PM
5	1000	3.733731E+07	37337.31	1.301	G:\Org\HP5\DAT\HP5011122_b\0111HP5.0008.BND	1/13/2022 12:27:40 PM

3 *1-Chlorooctadecane



Expected retention time: 13.16 minutes
 Search window: 0.05 minutes
 No retention time reference component
 Group number: 0
 High alarm limit: 0
 Low alarm limit: 0
 Component constant: 0
 Single peak quantification by area
 $Y = 36857.86 X + 0$
 Average CF fit with equal weighting, forced to origin
 Coefficient of determination: 0.9995278
 Average error: 1.804%
 Average CF: 36857.86
 RSD: 2.132%

Level	Amount	Response	Cal Factor	Error, %	Source	Date and time
1	2	74333.97	37166.98	0.839	Manual	1/13/2022 12:27:45 PM
2	50	1802420	36048.4	-2.196	Manual	1/13/2022 12:27:47 PM
3	200	7546240	37731.2	2.369	Manual	1/13/2022 12:27:49 PM
4	500	1.800271E+07	36005.42	-2.313	Manual	1/13/2022 12:27:51 PM
5	1000	3.733731E+07	37337.31	1.301	Manual	1/13/2022 12:27:53 PM



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V01
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0001.RAW
 Date & Time Acquired: 1/11/2022 8:16:33 AM
 Method File: G:\Org\HP5\Methods\DR_8015-IC-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO211102IC.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1


Mean RF for TEH: 31353.19
 Rt range for Diesel Range Organics: 6.5 to 15.82

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.981	200.	.	.
*1-Chlorooctadecane	13.	200.	.275	.14

DRO Area:294129.5 DRO Amount: 9.381167
 TEH Area:377207.7 TEH Amount: 12.03092

G:\org\HP5\DAT\HP5011122_b\0111HP5.0002.RAW

CCV_0111HP502r, DRO ;0111HP5 , DRO220102D



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP502r, DRO ;0111HP5 , DRO220102D
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0002.RAW
 Date & Time Acquired: 1/11/2022 8:59:22 AM
 Method File: G:\Org\HP5\Methods\DC_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.348	200.	196.889	98.44
*1-Chlorooctadecane	13.16	200.	150.685	75.34

DRO Area: 8.554422E+07 DRO Amount: 2618.004
 TEH Area: 1.047537E+08 TEH Amount: 3205.893

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0002.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	3205.89	21.37	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.348	200.	196.889	98.44	85-115
*1-Chlorooctadecane	13.16	200.	150.685	75.34	85-115



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V03
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0003.RAW
 Date & Time Acquired: 1/11/2022 9:42:23 AM
 Method File: G:\Org\HP5\Methods\DR_8015-IC-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO211102IC.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1


Mean RF for TEH: 31353.19
 Rt range for Diesel Range Organics: 6.5 to 15.82

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.942	200.	.	-
*1-Chlorooctadecane	29.942	200.	.	-

DRO Area:62447.57 DRO Amount: 1.991745
 TEH Area:131139 TEH Amount: 4.182636

G:\org\HP5\DAT\HP5011122_b\0111HP5.0004.RAW

CCV_0111HP504r, CAL1 ;0111HP5 , 2 ug per mL OTP



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP504r, CAL1 ;0111HP5 , 2 ug per mL OTP
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0004.RAW
 Date & Time Acquired: 1/11/2022 10:25:14 AM
 Method File: G:\Org\HP5\Methods\DS_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.34	200.	2.017	1.01
*1-Chlorooctadecane	15.792	200.	.	-

DRO Area:83776.85 DRO Amount: 2.563915
 TEH Area:124025.4 TEH Amount: 3.795687

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0004.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	.	.	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.34	200.	2.017	1.01	85-115
*1-Chlorooctadecane	15.792	200.	.	.	85-115



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP505r, CAL2 ;0111HP5 , 50 ug per mL OTP
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0005.RAW
 Date & Time Acquired: 1/11/2022 11:08:15 AM
 Method File: G:\Org\HP5\Methods\DS_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.342	200.	48.902	24.45	-
*1-Chlorooctadecane	15.797	200.	.	.	-

DRO Area:119789.9 DRO Amount: 3.666064
 TEH Area:165390.6 TEH Amount: 5.061631

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0005.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	.	.	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.342	200.	48.902	24.45	85-115
*1-Chlorooctadecane	15.797	200.	.	.	85-115



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP506r, CAL3 ;0111HP5 , 200 ug per mL OTP
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0006.RAW
 Date & Time Acquired: 1/11/2022 11:51:25 AM
 Method File: G:\Org\HP5\Methods\DS_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.347	200.	204.739	102.37
*1-Chlorooctadecane	15.804	200.	.	-

DRO Area:122011.1 DRO Amount: 3.73404
 TEH Area:156144.7 TEH Amount: 4.778667


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0006.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	.	.	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.347	200.	204.739	102.37	85-115
*1-Chlorooctadecane	15.804	200.	.	.	85-115

G:\org\HP5\DAT\HP5011122_b\0111HP5.0007.RAW

CCV_0111HP507r, CAL4 ;0111HP5 , 500 ug per mL OTP



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP507r, CAL4 ;0111HP5 , 500 ug per mL OTP
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0007.RAW
 Date & Time Acquired: 1/11/2022 12:34:21 PM
 Method File: G:\Org\HP5\Methods\DS_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.355	200.	488.436	244.22
*1-Chlorooctadecane	15.809	200.	.	-

DRO Area:320163 DRO Amount: 9.798302
 TEH Area:395703 TEH Amount: 12.11014


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0007.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	.	.	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.355	200.	488.436	244.22	85-115
*1-Chlorooctadecane	15.809	200.	.	.	85-115

G:\org\HP5\DAT\HP5011122_b\0111HP5.0008.RAW

CCV_0111HP508r, CAL5 ;0111HP5 , 1000 ug per mL OTP



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP508r, CAL5 ;0111HP5 , 1000 ug per mL OTP
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0008.RAW
 Date & Time Acquired: 1/11/2022 1:17:06 PM
 Method File: G:\Org\HP5\Methods\DS_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.366	200.	1013.008	506.5
*1-Chlorooctadecane	15.796	200.	.	-

DRO Area:667280.5 DRO Amount: 20.42152
 TEH Area:839584.5 TEH Amount: 25.69473


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0008.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	25.69	.17	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.366	200.	1013.008	506.5	85-115
*1-Chlorooctadecane	15.796	200.	.	.	85-115

G:\org\HP5\DAT\HP5011122_b\0111HP5.0009.RAW

CCV_0111HP509r, CAL1 ;0111HP5 , 150 ug per mL Diesel



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP509r, CAL1 ;0111HP5 , 150 ug per mL Diesel
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0009.RAW
 Date & Time Acquired: 1/11/2022 1:59:57 PM
 Method File: G:\Org\HP5\Methods\DC_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.941	200.	.	-
*1-Chlorooctadecane	13.194	200.	1.56	.78

DRO Area:5140024 DRO Amount: 157.3058
 TEH Area:5343235 TEH Amount: 163.5249


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0009.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	163.52	1.09	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	29.941	200.	.	.78	85-115
*1-Chlorooctadecane	13.194	200.	1.56	.78	85-115

G:\org\HP5\DAT\HP5011122_b\0111HP5.0010.RAW

CCV_0111HP510r, CAL2 ;0111HP5 , 3750 ug per mL Diesel



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP510r, CAL2 ;0111HP5 , 3750 ug per mL Diesel
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0010.RAW
 Date & Time Acquired: 1/11/2022 2:42:33 PM
 Method File: G:\Org\HP5\Methods\DC_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.983	200.	.	-
*1-Chlorooctadecane	13.193	200.	38.053	19.03 -

DRO Area: 1.178959E+08 DRO Amount: 3608.097
 TEH Area: 1.20843E+08 TEH Amount: 3698.293

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0010.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	3698.29	24.66	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	29.983	200.	.	.	85-115
*1-Chlorooctadecane	13.193	200.	38.053	19.03	85-115



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP511r, CAL3 ;0111HP5 , 15000 ug per mL Diesel
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0011.RAW
 Date & Time Acquired: 1/11/2022 3:25:25 PM
 Method File: G:\Org\HP5\Methods\DC_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.981	200.	.	-
*1-Chlorooctadecane	13.196	200.	150.402	75.2

DRO Area: 4.708094E+08 DRO Amount: 14408.7
 TEH Area: 4.82244E+08 TEH Amount: 14758.64


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0011.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	14758.64	98.39	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	29.981	200.	.	75.2	85-115
*1-Chlorooctadecane	13.196	200.	150.402	75.2	85-115

G:\org\HP5\DAT\HP5011122_b\0111HP5.0012.RAW

CCV_0111HP512r, CAL4 ;0111HP5 , 37500ug per mL Diesel



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP512r, CAL4 ;0111HP5 , 37500ug per mL Diesel
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0012.RAW
 Date & Time Acquired: 1/11/2022 4:08:05 PM
 Method File: G:\Org\HP5\Methods\DC_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.922	200.	.	-
*1-Chlorooctadecane	13.197	200.	364.374	182.19 -

DRO Area: 1.157745E+09 DRO Amount: 35431.75
 TEH Area: 1.185834E+09 TEH Amount: 36291.37


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0012.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	36291.37	241.94	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	29.922	200.	.	.	85-115
*1-Chlorooctadecane	13.197	200.	364.374	182.19	85-115

G:\org\HP5\DAT\HP5011122_b\0111HP5.0013.RAW

CCV_0111HP513r, CAL5 ;0111HP5 , 50000 ug per mL Diesel



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP513r, CAL5 ;0111HP5 , 50000 ug per mL Diesel
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0013.RAW
 Date & Time Acquired: 1/11/2022 4:51:06 PM
 Method File: G:\Org\HP5\Methods\DC_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.962	200.	.	-
*1-Chlorooctadecane	13.205	200.	500.378	250.19 -

DRO Area: 1.550587E+09 DRO Amount: 47454.31
 TEH Area: 1.58793E+09 TEH Amount: 48597.18


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0013.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	48597.18	323.98	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	29.962	200.	.	.	85-115
*1-Chlorooctadecane	13.205	200.	500.378	250.19	85-115

G:\org\HP5\DAT\HP5011122_b\0111HP5.0014.RAW

CCV_0111HP514r, Second Source ;0111HP5 , 15000 ug per mL



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0111HP514r, Second Source ;0111HP5 , 15000 ug per mL
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0014.RAW
 Date & Time Acquired: 1/11/2022 5:34:29 PM
 Method File: G:\Org\HP5\Methods\DC_8015-JA-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.63 to 15.99

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.969	200.	.	-
*1-Chlorooctadecane	13.197	200.	136.754	68.38

DRO Area: 4.342303E+08 DRO Amount: 13289.23
 TEH Area: 4.592127E+08 TEH Amount: 14053.79

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0014.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	14053.79	93.69	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	29.969	200.	.	68.38	85-115
*1-Chlorooctadecane	13.197	200.	136.754	68.38	85-115

Write Sequence	Data File	Sample Name	Method	Weight	Dil Factor	Amt Inj.	IS	Cal ID	Manual Integrations
		DCM-Baseline Check-V01	G:\Org\HP5-Methods\DR_8015-IC-LEXP.met	1	1	1	1	0	No Integration
		CCV_0111HP502r, DRO ;0111HP5 , DRO220102D	G:\Org\HP5-Methods\DC_8015-JA-L%.met	1	1	1	1	0	No Integration
		DCM-Baseline Check-V03	G:\Org\HP5-Methods\DR_8015-IC-LEXP.met	1	1	1	1	0	No Integration
		CCV_0111HP504r, CAL1 ;0111HP5 , 2 ug per mL OTP (10 uL of Cal3 + 990 uL DCM(14647)	G:\Org\HP5-Methods\DS_8015-JA-L#.met	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 12.01 minutes.
		CCV_0111HP505r, CAL2 ;0111HP5 , 50 ug per mL OTP (100 uL Cal4 + 900 uL of DCM(14647)	G:\Org\HP5-Methods\DS_8015-JA-L#.met	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 12.01 minutes.
		CCV_0111HP506r, CAL3 ;0111HP5 , 200 ug per mL OTP (100uL of Cal5 + 400 uL DCM(14647)	G:\Org\HP5-Methods\DS_8015-JA-L#.met	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 12.01 minutes.
		CCV_0111HP507r, CAL4 ;0111HP5 , 500 ug per mL OTP (250uL of Cal5 + 250 uL DCM(14647)	G:\Org\HP5-Methods\DS_8015-JA-L#.met	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 12.01 minutes.
		CCV_0111HP508r, CAL5 ;0111HP5 , 1000 ug per mL OTP (250 uL 4000 ug/mL OTP DRO211101A + 750 DCM(14647)	G:\Org\HP5-Methods\DS_8015-JA-L#.met	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 12.01 minutes.
		CCV_0111HP509r, CAL1 ;0111HP5 , 150 ug per mL Diesel (20 uL of Cal3 + 980 uL DCM(14647), then 100 uL of that + 100 uL of DCM (14647))	G:\Org\HP5-Methods\DC_8015-JA-L%.met	1	1	1	1	0	The integration of Diesel Range Organics and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline on All Valley on at 16.36 minutes.
		CCV_0111HP510r, CAL2 ;0111HP5 , 3750 ug per mL Diesel (100 uL Cal4 + 900 uL of DCM(14647)	G:\Org\HP5-Methods\DC_8015-JA-L%.met	1	1	1	1	0	The integration of Diesel Range Organics and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline on All Valley on at 16.36 minutes.
		CCV_0111HP511r, CAL3 ;0111HP5 , 15000 ug per mL Diesel (300 uL of DRO211214C + 700 uL DCM(14647)	G:\Org\HP5-Methods\DC_8015-JA-L%.met	1	1	1	1	0	The integration of Diesel Range Organics and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline on All Valley on at 16.36 minutes.
		CCV_0111HP512r, CAL4 ;0111HP5 , 37500ug per mL Diesel (750 uL of DRO211214C + 250 uL DCM(14647)	G:\Org\HP5-Methods\DC_8015-JA-L%.met	1	1	1	1	0	The integration of Diesel Range Organics and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline on All Valley on at 16.36 minutes.
		CCV_0111HP513r, CAL5 ;0111HP5 , 50000 ug per mL Diesel (200 uL of DRO211214C)	G:\Org\HP5-Methods\DC_8015-JA-L%.met	1	1	1	1	0	The integration of Diesel Range Organics and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline on All Valley on at 16.36 minutes.
		CCV_0111HP514r, Second Source ;0111HP5 , 15000 ug per mL (100uL of DRO211012B + 900uL DCM(14647)	G:\Org\HP5-Methods\DC_8015-JA-L%.met	1	1	1	1	0	The integration of Diesel Range Organics and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline on All Valley on at 16.36 minutes.

Ann Nebel

Digitally signed by
Ann Nebel
Date: 2022.02.11 10:29:19 -07:00

Energy Laboratories Inc

ANALYTICAL RUN Summary

14-Jan-22

Run ID GCFID-HP5-B_220111C

Run Start Date: 1/11/2022
Analyst: Ann Nebel
Ical:
Column ID:
Comments: ICAL- SW8015C_ORO220111BA.CAL with Triacontane

Std ID	Std Name	Std Amount	Std Units	Samp Amount	Samp Units	SampType	Expiration Date
DRO210902A	50,000 ug/mL Oil Std for RRO-In DCM					ICV	9/1/2026
DRO211006A	Triacontane SURR 2000 ug/mL					CAL-SURR	4/6/2026
DRO211118A	50,000 ug/mL Oil Std For AK103 RRO-In DCM					CAL-ORO	10/31/2028

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977288	CCV_0111HP52	HC-8015-DRO-	CAL1		1/12/2022 3:39:1	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
n-Triacontane	S	mg/L		0.00190245		0.002	0	0	0.000336	0.002	0	95%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977289	CCV_0111HP52	HC-8015-DRO-	CAL2		1/12/2022 4:22:1	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
n-Triacontane	S	mg/L		0.04984459		0.05	0	0	0.000336	0.002	0	100%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977290	CCV_0111HP53	HC-8015-DRO-	CAL3		1/12/2022 5:05:2	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
n-Triacontane	S	mg/L		0.2024053		0.2	0	0	0.000336	0.002	0	101%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977291	CCV_0111HP53	HC-8015-DRO-	CAL4		1/12/2022 5:48:3	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
n-Triacontane	S	mg/L		0.5035697		0.5	0	0	0.000336	0.002	0	101%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977292	CCV_0111HP55	HC-8015-DRO-	CAL5		1/12/2022 8:49:5	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
n-Triacontane	S	mg/L		1.032718		1	0	0	0.000336	0.002	0	103%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977293	CCV_0111HP55	HC-8015-DRO-	CAL1		1/13/2022 3:06:1	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		0.15954587		0.15	0	0	0.0879	0.3	0	106%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977294	CCV_0111HP55	HC-8015-DRO-	CAL2		1/13/2022 4:31:3	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		1.03294141		1	0	0	0.0879	0.3	0	103%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977295	CCV_0111HP55	HC-8015-DRO-	CAL3		1/13/2022 5:57:4	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		4.9326875		5	0	0	0.0879	0.3	0	99%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977296	CCV_0111HP56	HC-8015-DRO-	CAL4		1/13/2022 7:24:1	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		14.328667		15	0	0	0.0879	0.3	0	96%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977297	CCV_0111HP56	HC-8015-DRO-	CAL5		1/13/2022 8:50:3	1	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		28.7914395		30	0	0	0.0879	0.3	0	96%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
14977298	CCV_0111HP56	HC-8015-DRO-	ICV		1/14/2022 8:18:1	0	R373160		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		5.07699902		5	0	0	0	0.3	0	102%	80	120	0%	

Write Sequence	Data File	Sample Name	Method	Weight	Dil Factor	Amt Inj.	IS	Cal ID
	G:\org\HP5\DAT\HP5011122 b\0111HP5.25f	DCM-Baseline Check-V25	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.26f	Marker_0111HP526r, DRO :0111HP5 , DRO220111A	G:\org\HP5\Methods\CSC210212.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.27f	DCM-Baseline Check-V27	G:\Org\HP5\Methods\DR_8015-HS-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.28f	CCV_0111HP528r, CAL1 :0111HP5 , 2 ug per mL Triacotane (10 uL of Cal3 + 990 uL DCM(14647)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.29f	CCV_0111HP529r, CAL2 :0111HP5 , 50 ug per mL Triacotane (100 uL Cal4 + 900 uL of DCM(14647)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.30f	CCV_0111HP530r, CAL3 :0111HP5 , 200 ug per mL Triacotane (100uL of Cal5 + 400 uL DCM(14647)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.31f	CCV_0111HP531r, CAL4 :0111HP5 , 500 ug per mL Triacotane (250uL of Cal5 + 250 uL DCM(14647)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.32f	DCM-Baseline Check-V32	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.50f	CCV_0111HP550r, CAL5 :0111HP5 , 1000 ug per mL Triacotane (DRO211006A)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.51f	DCM-Baseline Check-V51	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.52f	DCM-Baseline Check-V52	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.53f	Marker_0111HP553r, DRO :0111HP5 , DRO220111A	G:\org\HP5\Methods\CSC210212.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.54f	DCM-Baseline Check-V54	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.55f	CCV_0111HP555r, CAL1 :0111HP5 , 150 ug per mL Oil (10 uL of Cal4 + 990 uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-55-BA-L%.xls	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.56f	DCM-Baseline Check-V56	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.57f	CCV_0111HP557r, CAL2 :0111HP5 , 1000 ug per mL Oil (200 uL of Cal 3 +800 uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-57-BA-L%.xls	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.58f	DCM-Baseline Check-V58	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.59f	CCV_0111HP559r, CAL3 :0111HP5 , 5000 ug per mL Oil (100 uL of DRO211118A + 900 uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-59-BA-L%.xls	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.60f	DCM-Baseline Check-V60	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.61f	CCV_0111HP561r, CAL4 :0111HP5 , 15000 ug per mL Oil (200 uL of CAL5 + 200 uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-61-BA-L%.xls	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.62f	DCM-Baseline Check-V62	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.63f	CCV_0111HP563r, CAL5 :0111HP5 , 30000 ug per mL Oil (600 uL of DRO211118A + 400 uL of DCM)	G:\Org\HP5\Methods\DC_ORO-BA-L%.xls	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.64f	DCM-Baseline Check-V64	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.65f	DCM-Baseline Check-V65	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.66f	DCM-Baseline Check-V66	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.68f	DCM-Baseline Check-V68	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0
	G:\org\HP5\DAT\HP5011122 b\0111HP5.69f	CCV_0111HP567r, Second Source :0111HP5 , 5000 ug per mL (100uL of DRO210902A + 900uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-59-BA-L%.xls	1	1	1	1	0

File Name: G:\Org\HP5\Cals\SW8015C_ORO220111BA.CAL

Version: 11

Creator: AMN

Description: 8015C-Oil Range with Triacontane. New ICal Per 0111HP5,(2022)-2 uL Inj.;

Reason for change:

External standard calibration

Standard injection volume: 1

Standard sample weight: 1

Area reject threshold: 500

Reference peak area reject threshold: 500

Amount units: nanograms


No default component

Method of calculating data point averages: Equal weight for all updates

No calibration update report

All levels are normal data points.

1 *30-40 Motor Oil



Expected retention time: 6.4 minutes
 Search window: 0.05 minutes
 No retention time reference component
 Group number: 0
 High alarm limit: 0
 Low alarm limit: 0
 Component constant: 0


Single peak quantification by area

$Y = 26424.55 X + 0$

Average CF fit with equal weighting, forced to origin
 Coefficient of determination: 0.9969108
 Average error: 3.495%
 Average CF: 26424.55
 RSD: 4.293%

Level	Amount	Response	Cal Factor	Error, %	Source	Date and time
1	150	4177025	27846.83	5.382	Manual	1/14/2022 7:51:42 AM
2	1000	2.73111E+07	27311.1	3.355	Manual	1/14/2022 8:05:40 AM
3	5000	1.313247E+08	26264.94	-0.604	Manual	1/14/2022 8:05:24 AM
4	15000	3.796282E+08	25308.55	-4.223	Manual	1/14/2022 8:05:07 AM
5	30000	7.617404E+08	25391.35	-3.910	Manual	1/14/2022 8:04:35 AM

2 #C20



Expected retention time: 12.56 minutes
 Search window: 0.05 minutes
 No retention time reference component
 Group number: 0
 High alarm limit: 0
 Low alarm limit: 0
 Component constant: 0


Single peak quantification by area

$Y = 26424.55 X + 0$

Average CF fit with equal weighting, forced to origin
 Coefficient of determination: 0.9969108
 Average error: 3.495%
 Average CF: 26424.55
 RSD: 4.293%


Level	Amount	Response	Cal Factor	Error, %	Source	Date and time
1	150	4177025	27846.83	5.382	Manual	1/14/2022 8:06:03 AM
2	1000	2.73111E+07	27311.1	3.355	Manual	1/14/2022 8:06:05 AM
3	5000	1.313247E+08	26264.94	-0.604	Manual	1/14/2022 8:06:06 AM
4	15000	3.796282E+08	25308.55	-4.223	Manual	1/14/2022 8:06:11 AM
5	30000	7.617404E+08	25391.35	-3.910	Manual	1/14/2022 8:06:13 AM

3 *#Triacontane



Expected retention time: 16.44 minutes
 Search window: 0.05 minutes
 No retention time reference component
 Group number: 0
 High alarm limit: 0
 Low alarm limit: 0
 Component constant: 0
 Single peak quantification by area
 $Y = 29636.1 X + 0$
 Average CF fit with equal weighting, forced to origin
 Coefficient of determination: 0.9984925
 Average error: 2.075%
 Average CF: 29636.1
 RSD: 3.023%

Level	Amount	Response	Cal Factor	Error, %	Source	Date and time
1	2	56381.2	28190.6	-4.878	Manual	1/13/2022 12:38:47 PM
2	50	1477199	29543.98	-0.311	Manual	1/13/2022 12:38:50 PM
3	200	5998503	29992.52	1.203	Manual	1/13/2022 12:38:53 PM
4	500	1.492384E+07	29847.68	0.714	Manual	1/13/2022 12:38:56 PM
5	1000	3.060573E+07	30605.73	3.272	Manual	1/13/2022 12:39:03 PM




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V25
 Raw File: G:\Org\HP5\DAT\HP5011122_b\0111HP5.0025.RAW
 Date & Time Acquired: 1/12/2022 1:29:46 AM
 Method File: G:\Org\HP5\Methods\DR_8015-IC-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO211102IC.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 31353.19
 Rt range for Diesel Range Organics: 6.5 to 15.82

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.899	200.	.	-
*1-Chlorooctadecane	12.975	200.	.017	.01

DRO Area:132028.6 DRO Amount: 4.211011
 TEH Area:186308.4 TEH Amount: 5.942247





DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V27
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0027.RAW
 Date & Time Acquired: 1/12/2022 2:56:04 AM
 Method File: G:\Org\HP5\Methods\DR_8015-HS-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO210108Hs.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1


Mean RF for TEH: 29457.33
 Rt range for Diesel Range Organics: 6.51 to 15.85

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.261	200.	.017	.01
*1-Chlorooctadecane	29.983	200.	.	.

DRO Area:193795.7 DRO Amount: 6.578862
 TEH Area:272770 TEH Amount: 9.259835

G:\Org\HP5\DAT\HP5011122_b\0111HP5.0028.RAW

CCV_0111HP528r, CAL1 ;0111HP5 , 2 ug per mL Triacontane



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP528r, CAL1 ;0111HP5 , 2 ug per mL Triacontane
 Raw File: G:\Org\HP5\DAT\HP5011122_b\0111HP5.0028.RAW
 Date & Time Acquired: 1/12/2022 3:39:11 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111ba.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 28542.41
 Rt range for Residual Range Organics: 12.51 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.421	500.	1.902	.38

RRO Area:11465.21 RRO AMOUNT: 0.4016902


CONTINUING CALIBRATION REPORT: G:\Org\HP5\DAT\HP5011122_b\0111HP5.0028.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.056	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.421	200.	1.902	.95	75-125

G:\org\HP5\DAT\HP5011122_b\0111HP5.0029.RAW

CCV_0111HP529r, CAL2 ;0111HP5 , 50 ug per mL Triacontane



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP529r, CAL2 ;0111HP5 , 50 ug per mL Triacontane
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0029.RAW
 Date & Time Acquired: 1/12/2022 4:22:15 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111ba.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 28542.41
 Rt range for Residual Range Organics: 12.51 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.423	500.	49.845	9.97	-

RRO Area:60154.51 RRO AMOUNT: 2.107548

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0029.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.023	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.423	200.	49.845	24.92	75-125



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP530r, CAL3 ;0111HP5 , 200 ug per mL Triacontane
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0030.RAW
 Date & Time Acquired: 1/12/2022 5:05:25 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111ba.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 28542.41
 Rt range for Residual Range Organics: 12.51 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.427	500.	202.405	40.48	-

RRO Area:200104.8 RRO AMOUNT: 7.01079


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0030.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.	75-125	

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.427	200.	202.405	101.2	75-125

G:\org\HP5\DAT\HP5011122_b\0111HP5.0031.RAW

CCV_0111HP531r, CAL4 ;0111HP5 , 500 ug per mL Triacontane



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP531r, CAL4 ;0111HP5 , 500 ug per mL Triacontane
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0031.RAW
 Date & Time Acquired: 1/12/2022 5:48:34 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111ba.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 28542.41
 Rt range for Residual Range Organics: 12.51 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.434	500.	503.57	100.71

RRO Area:497882.9 RRO AMOUNT: 17.44362

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0031.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.	75-125	

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.434	200.	503.57	251.78	75-125



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP550r, CAL5 ;0111HP5 , 1000 ug per mL Triacontane
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0050.RAW
 Date & Time Acquired: 1/12/2022 8:49:58 PM
 Method File: G:\Org\HP5\Methods\DS_ORO-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111ba.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1


Mean RF for for Residual Range Organics Calculations: 28542.41
 Rt range for Residual Range Organics: 12.51 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.444	500.	1032.718	206.54

RRO Area:993904.8 RRO AMOUNT: 34.82203

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0050.RAW
 COMPOUND ACTUAL (NG) MEASURED (NG) %RECOVERY LIMITS
 *30-40 Motor Oil 5000. . . 75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.444	200.	1032.718	516.36	75-125




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V51
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0051.RAW
 Date & Time Acquired: 1/13/2022 12:15:29 PM
 Method File: G:\Org\HP5\Methods\DR_8015-IC-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO211102IC.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 31353.19
 Rt range for Diesel Range Organics: 6.5 to 15.82

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.166	200.	.369	.18	-
*1-Chlorooctadecane	12.994	200.	.464	.23	-

DRO Area:587062.5 DRO Amount: 18.72417
 TEH Area:891448.4 TEH Amount: 28.43246




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V52
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0052.RAW
 Date & Time Acquired: 1/13/2022 12:58:31 PM
 Method File: G:\Org\HP5\Methods\DR_8015-IC-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO211102IC.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 31353.19
 Rt range for Diesel Range Organics: 6.5 to 15.82

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.192	200.	.855	.43	-
*1-Chlorooctadecane	13.007	200.	.955	.48	-

DRO Area:2710300 DRO Amount: 86.44414
 TEH Area:2842315 TEH Amount: 90.65472






DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V54
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0054.RAW
 Date & Time Acquired: 1/13/2022 2:23:42 PM
 Method File: G:\Org\HP5\Methods\DR_8015-IC-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO211102IC.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 31353.19
 Rt range for Diesel Range Organics: 6.5 to 15.82

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.882	200.	.	-
*1-Chlorooctadecane	29.882	200.	.	-

DRO Area:44798.44 DRO Amount: 1.428832
 TEH Area:97771.24 TEH Amount: 3.118382



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP555r, CAL1 ;0111HP5 , 150 ug per mL Oil
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0055.RAW
 Date & Time Acquired: 1/13/2022 3:06:11 PM
 Method File: G:\Org\HP5\Methods\DC_ORO-55-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.51 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.447	500.	.47	.09	-

RRO Area: 4215928 RRO AMOUNT: 159.5459

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0055.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.	75-125	

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.447	200.	.47	.23	75-125



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V56
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0056.RAW
 Date & Time Acquired: 1/13/2022 3:48:53 PM
 Method File: G:\Org\HP5\Methods\DR_8015-HE-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO210108HE.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 29457.33

Rt range for Diesel Range Organics: 6.49 to 15.75

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.162	200.	.406	.2
*1-Chlorooctadecane	29.946	200.	.	.

DRO Area:2125703 DRO Amount: 72.16209
 TEH Area:2146824 TEH Amount: 72.8791



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP557r, CAL2 ;0111HP5 , 1000 ug per mL Oil
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0057.RAW
 Date & Time Acquired: 1/13/2022 4:31:31 PM
 Method File: G:\Org\HP5\Methods\DC_ORO-57-BA-L\MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.51 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.454	500.	3.058	.61

RRO Area: 2.729502E+07 RRO AMOUNT: 1032.941

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0057.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.	75-125	

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.454	200.	3.058	1.53	75-125



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V58
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0058.RAW
 Date & Time Acquired: 1/13/2022 5:14:45 PM
 Method File: G:\Org\HP5\Methods\DR_8015-HE-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO210108HE.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 29457.33

Rt range for Diesel Range Organics: 6.49 to 15.75

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.94	200.	.	-
*1-Chlorooctadecane	29.94	200.	.	-

DRO Area:48306.73 DRO Amount: 1.639888
 TEH Area:141285.5 TEH Amount: 4.796276



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP559r, CAL3 ;0111HP5 , 5000 ug per mL Oil
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0059.RAW
 Date & Time Acquired: 1/13/2022 5:57:48 PM
 Method File: G:\Org\HP5\Methods\DC_ORO-59-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.51 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.442	500.	33.09	6.62	-

RRO Area:1.303441E+08 RRO AMOUNT: 4932.688

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0059.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.037	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.442	200.	33.09	16.54	75-125



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V60
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0060.RAW
 Date & Time Acquired: 1/13/2022 6:41:03 PM
 Method File: G:\Org\HP5\Methods\DR_8015-HE-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO210108HE.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 29457.33

Rt range for Diesel Range Organics: 6.49 to 15.75

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.911	200.	.	-
*1-Chlorooctadecane	29.911	200.	.	-

DRO Area:316779.5 DRO Amount: 10.75384
 TEH Area:980005.5 TEH Amount: 33.26864



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP561r, CAL4 ;0111HP5 , 15000 ug per mL Oil
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0061.RAW
 Date & Time Acquired: 1/13/2022 7:24:16 PM
 Method File: G:\Org\HP5\Methods\DC_ORO-61-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.51 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.429	500.	33.728	6.75	-

RRO Area: 3.786286E+08 RRO AMOUNT: 14328.67

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0061.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.086	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.429	200.	33.728	16.86	75-125




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V62
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0062.RAW
 Date & Time Acquired: 1/13/2022 8:07:28 PM
 Method File: G:\Org\HP5\Methods\DR_8015-HE-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO210108HE.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 29457.33
 Rt range for Diesel Range Organics: 6.49 to 15.75

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.883	200.	.	.
*1-Chlorooctadecane	29.883	200.	.	.

DRO Area:289041.4 DRO Amount: 9.812207
 TEH Area:1408450 TEH Amount: 47.81323



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP563r, CAL5 ;0111HP5 , 30000 ug per mL Oil
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0063.RAW
 Date & Time Acquired: 1/13/2022 8:50:32 PM
 Method File: G:\Org\HP5\Methods\DC_ORO-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.51 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.44	500.	102.625	20.52	-

RRO Area: 7.608009E+08 RRO AMOUNT: 28791.44

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5011122_b\0111HP5.0063.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.102	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.44	200.	102.625	51.31	75-125




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V64
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0064.RAW
 Date & Time Acquired: 1/13/2022 9:33:32 PM
 Method File: G:\Org\HP5\Methods\DR_8015-HE-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO210108HE.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 29457.33
 Rt range for Diesel Range Organics: 6.49 to 15.75

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.741	200.	.	-
*1-Chlorooctadecane	29.741	200.	.	-

DRO Area:282237.4 DRO Amount: 9.581227
 TEH Area:2669631 TEH Amount: 90.62704



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V65
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0065.RAW
 Date & Time Acquired: 1/13/2022 10:16:33 PM
 Method File: G:\Org\HP5\Methods\DR_8015-HE-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO210108HE.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 29457.33

Rt range for Diesel Range Organics: 6.49 to 15.75

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.129	200.	.021	.01
*1-Chlorooctadecane	29.884	200.	.	.

DRO Area:397141.5 DRO Amount: 13.48192
 TEH Area:1310457 TEH Amount: 44.48662




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V66
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0066.RAW
 Date & Time Acquired: 1/13/2022 10:59:39 PM
 Method File: G:\Org\HP5\Methods\DR_8015-HE-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO210108HE.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 29457.33
 Rt range for Diesel Range Organics: 6.49 to 15.75

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.12	200.	.025	.01
*1-Chlorooctadecane	12.922	200.	.037	.02

DRO Area: 278500.4 DRO Amount: 9.454367
 TEH Area: 757930.2 TEH Amount: 25.72976




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V68
 Raw File: G:\org\HP5\DAT\HP5011122_b\0111HP5.0068.RAW
 Date & Time Acquired: 1/14/2022 7:35:26 AM
 Method File: G:\Org\HP5\Methods\DR_8015-IC-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO211102IC.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 31353.19
 Rt range for Diesel Range Organics: 6.5 to 15.82

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.833	200.	.	-
*1-Chlorooctadecane	29.833	200.	.	-

DRO Area:178261.1 DRO Amount: 5.685582
 TEH Area:1513925 TEH Amount: 48.28614



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0111HP567r, Second Source ;0111HP5 , 5000 ug per mL (100
 Raw File: G:\Org\HP5\DAT\HP5011122_b\0111HP5.0069.RAW
 Date & Time Acquired: 1/14/2022 8:18:14 AM
 Method File: G:\Org\HP5\Methods\DC_ORO-59-BA-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BA.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.51 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.408	500.	23.958	4.79	-

RRO Area: 1.341574E+08 RRO AMOUNT: 5076.999

CONTINUING CALIBRATION REPORT: G:\Org\HP5\DAT\HP5011122_b\0111HP5.0069.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.033	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.408	200.	23.958	11.98	75-125

Write Sequence	Data File	Sample Name	Method	Weight	Dil Factor	Amt Inj.	IS	Cal ID	Manual Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.25r	DCM-Baseline Check-V25	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.26r	Marker_0111HP526r_DRO_0111HP5 , DRO220111A	G:\org\HP5\Methods\CSC210212.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.27r	DCM-Baseline Check-V27	G:\Org\HP5\Methods\DR_8015-HS-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.28r	CCV_0111HP528r, CAL1 :0111HP5 , 2 ug per mL Triacotane (10 uL of Cal3 + 990 uL DCM(14647)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 16.04 minutes.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.29r	CCV_0111HP529r, CAL2 :0111HP5 , 50 ug per mL Triacotane (100 uL Cal4 + 900 uL of DCM(14647)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 16.04 minutes.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.30r	CCV_0111HP530r, CAL3 :0111HP5 , 200 ug per mL Triacotane (100uL of Cal5 + 400 uL DCM(14647)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 16.04 minutes.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.31r	CCV_0111HP531r, CAL4 :0111HP5 , 500 ug per mL Triacotane (250uL of Cal5 + 250 uL DCM(14647)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 16.04 minutes.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.32r	DCM-Baseline Check-V33	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.50r	CCV_0111HP550r, CAL5 :0111HP5 , 1000 ug per mL Triacotane (DRO211006A)	G:\Org\HP5\Methods\DS_ORO-BA-L#.MET	1	1	1	1	0	Surrogates are integrated using a valley to valley integration Set Baseline All Valley on at 16.04 minutes.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.51r	DCM-Baseline Check-V51	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.52r	DCM-Baseline Check-V52	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.53r	Marker_0111HP553r_DRO_0111HP5 , DRO220111A	G:\org\HP5\Methods\CSC210212.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.54r	DCM-Baseline Check-V54	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.55r	CCV_0111HP555r, CAL1 :0111HP5 , 150 ug per mL Oil (10 uL of Cal4 + 990 uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-55-BA-L%.xls	1	1	1	1	0	The integration of TEH(Oil Range)is the hydrocarbon response with reference to the baseline. Assigned Set Baseline Now at 25 minutes. Y-Scale adjusted.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.56r	DCM-Baseline Check-V56	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.57r	CCV_0111HP557r, CAL2 :0111HP5 , 1000 ug per mL Oil (200 uL of Cal 3 +800 uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-57-BA-L%.xls	1	1	1	1	0	The integration of TEH(Oil Range)is the hydrocarbon response with reference to the baseline. Y-Scale adjusted.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.58r	DCM-Baseline Check-V58	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.59r	CCV_0111HP559r, CAL3 :0111HP5 , 5000 ug per mL Oil (100 uL of DRO211118A + 900 uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-59-BA-L%.xls	1	1	1	1	0	The integration of TEH(Oil Range)is the hydrocarbon response with reference to the baseline. Y-Scale adjusted.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.60r	DCM-Baseline Check-V60	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.61r	CCV_0111HP561r, CAL4 :0111HP5 , 15000 ug per mL Oil (200 uL of CAL5 + 200 uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-61-BA-L%.xls	1	1	1	1	0	The integration of TEH(Oil Range)is the hydrocarbon response with reference to the baseline. Y-Scale adjusted.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.62r	DCM-Baseline Check-V62	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.63r	CCV_0111HP563r, CAL5 :0111HP5 , 30000 ug per mL Oil (600 uL of DRO211118A + 400 uL of DCM)	G:\Org\HP5\Methods\DC_ORO-BA-L%.xls	1	1	1	1	0	The integration of TEH(Oil Range)is the hydrocarbon response with reference to the baseline. Y-Scale adjusted.
	G:\org\HP5\DAT\HP5011122_b\0111HP5.64r	DCM-Baseline Check-V64	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.65r	DCM-Baseline Check-V65	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.66r	DCM-Baseline Check-V66	G:\Org\HP5\Methods\DR_8015-HE-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.68r	DCM-Baseline Check-V68	G:\Org\HP5\Methods\DR_8015-IC-LEXP.met	1	1	1	1	0	No Integrations
	G:\org\HP5\DAT\HP5011122_b\0111HP5.69r	CCV_0111HP567r, Second Source :0111HP5 , 5000 ug per mL (100uL of DRO210902A + 900uL DCM(14647)	G:\Org\HP5\Methods\DC_ORO-59-BA-L%.xls	1	1	1	1	0	The integration of TEH(Oil Range)is the hydrocarbon response with reference to the baseline. Y-Scale adjusted.

Ann Nebel

Digitally signed by
Ann Nebel
Date: 2022.02.11 10:29:31 -07:00

PREP BATCH REPORT

Prep Code: **HC-3520-DRO**
 Prep Batch **164267** Prep Temp **NA °C**

Technician: **Ann Nebel**
 Batch Units: **ML**

Prep Start Date: **3/7/2022 10:31:00 AM**
 Prep End Date: **3/8/2022 11:07:00 AM**

Sample ID	Matrix	pH	Initial Samp Amt	Sol Added	Sol Recovered	Final Vol (mL)	Factor	Balance	Prep Start Date	Prep End Date
MB-164267			1000	0	0	1.00	0.001		3/7/2022	3/8/2022
Start time 10:20 AM, 3/07/2022. End time: 7:20 AM, 3/8/2022. JLB transferred, blew down and bottled samples. SGT on remaining samples by ALN on 3/9/2022.										
LCS-164267			1000	0	0	1.00	0.001		3/7/2022	3/8/2022
All bottles were completely used, defaced and disposed of on 3/07/2022. SGT on remaining samples by ALN on 3/9/2022.										
LCSD-164267			1000	0	0	1.00	0.001		3/7/2022	3/8/2022
SGT on remaining samples by ALN on 3/9/2022.										
LCSD-164267-RRO			1000	0	0	1.00	0.001		3/7/2022	3/8/2022
SGT on remaining samples by ALN on 3/9/2022.										
LCS-164267-RRO			1000	0	0	1.00	0.001		3/7/2022	3/8/2022
SGT on remaining samples by ALN on 3/9/2022.										
B22030244-022C	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear SGT on remaining samples by ALN on 3/9/2022.										
B22030244-022CMS	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 2/2 Clear SGT on remaining samples by ALN on 3/9/2022.										
B22030244-027CMS-RRO	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 2/2 Light sediment, more then parent sample. SGT on remaining samples by ALN on 3/9/2022.										
B22030244-027C	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Light sediment SGT on remaining samples by ALN on 3/9/2022.										
B22030244-001C	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear										
B22030244-002A	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear										
B22030244-007C	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear										
B22030244-012C	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear SGT on remaining samples by ALN on 3/9/2022.										
B22030244-017C	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear										

Number	Reagent Name	Exp Date
11	Carbon Filter Water	1/1/2023
13379	PTFE Boiling Stones 27463755	12/30/2025
14206	pH-indicator Strips 0-14 HC160347	8/26/2026
14776	4ML, Amber Vial, 20220118	1/18/2023
14920	Dichloromethane ED241	1/3/2024

Spk ID	Spike Name	SampType	AmtAdd	Exp Date
FP220223 14446	DCM RINSED FILTER PAPER	all	1	4/6/2026
Sulfate 03/02/22 (Baked Sodium Sulfate	all	Varies	11/29/2026
DRO220222B	Triacotane SURR 1000 ug/mL	All except LCS/D,	100 uL	11/23/2026
DRO211213A	OTP only SURR 2000 ug/mL	All except RRO-L	100 uL	9/30/2024
DRO220106C	#2 Diesel in Acetone 150,000 ug/mL	LCS/D, MS	100 uL	11/5/2023
DRO220112A	50,000 ug/mL Oil Std for RRO-In D	LCS/D-RRO, MS-	100 uL	9/1/2026
SG220222(13376)	Baked Silica Gel	SGT		2/28/2030

PREP BATCH REPORT

Prep Code: **HC-3520-DRO**
 Prep Batch **164267** Prep Temp **NA °C**

Technician: **Ann Nebel**
 Batch Units: **ML**

Prep Start Date: **3/7/2022 10:31:00 AM**
 Prep End Date: **3/8/2022 11:07:00 AM**

Sample ID	Matrix	pH	Initial Samp Amt	Sol Added	Sol Recovered	Final Vol (mL)	Factor	Balance	Prep Start Date	Prep End Date
B22030244-032D	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear SGT on remaining samples by ALN on 3/9/2022.										
B22030244-037C	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear SGT on remaining samples by ALN on 3/9/2022.										
B22030244-042C	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear										
B22030244-047C	Ground Water	2	1050	0	0	1.00	0.000952		3/7/2022	3/8/2022
Bottle 1/2 Clear										

Number	Reagent Name	Exp Date
11	Carbon Filter Water	1/1/2023
13379	PTFE Boiling Stones 27463755	12/30/2025
14206	pH-indicator Strips 0-14 HC160347	8/26/2026
14776	4ML, Amber Vial, 20220118	1/18/2023
14920	Dichloromethane ED241	1/3/2024

Spk ID	Spike Name	SampType	AmtAdd	Exp Date
FP220223 14446	DCM RINSED FILTER PAPER	all	1	4/6/2026
Sulfate 03/02/22 (Baked Sodium Sulfate	all	Varies	11/29/2026
DRO220222B	Triacontane SURR 1000 ug/mL	All except LCS/D,	100 uL	11/23/2026
DRO211213A	OTP only SURR 2000 ug/mL	All except RRO-L	100 uL	9/30/2024
DRO220106C	#2 Diesel in Acetone 150,000 ug/mL	LCS/D, MS	100 uL	11/5/2023
DRO220112A	50,000 ug/mL Oil Std for RRO-In D	LCS/D-RRO, MS-	100 uL	9/1/2026
SG220222(13376)	Baked Silica Gel	SGT		2/28/2030

Energy Laboratories Inc

ANALYTICAL RUN Summary

10-Mar-22

Run ID GCFID-HP5-B_220308A

Run Start Date: 3/8/2022
Analyst: Ann Nebel
Ical:
Column ID:
Comments: DRO-8015-ICAL information is in Index GCFID-HP5-B_220111A 8015C OIL range calibration GCFID-HP5-B_220111C

Std ID	Std Name	Std Amount	Std Units	Samp Amount	Samp Units	SampType	Expiration Date
DRO220218B	Carbon Scan STD-Marker					MARKER	7/13/2026
DRO220301A	8015 CCV-15,000ug/mL + 200 OTP					CCV-DRO	4/30/2023
DRO220302C	5,000 ug/mL RRO CCV 200 ug/mL Triacontane					CCV-RRO	11/23/2026

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076297	CCV_0308HP50	HC-8015-DRO-	CCV		3/8/2022 10:21:3	1	R375805		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		4.97456201		5	0	0	0.0879	0.3	0	99%	80	120	0%	
n-Triacontane	S	mg/L		0.1825479		0.2	0	0	0.000336	0.002	0	91%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076298	CCV_0308HP50	HC-8015-DRO-	CCV		3/8/2022 11:04:3	1	R375805		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		13.58255		15	0	0	0.0389	0.3	0	91%	80	120	0%	
Total Extractable Hydrocarbons	A	mg/L		14.06641		15	0	0	0.0749	0.3	50	94%	80	120	0%	
o-Terphenyl	S	mg/L		0.1846321		0.2	0	0	0.000429	0.002	0	92%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076299	LCS-164267	HC-8015-DRO-	LCS-DOD		3/8/2022 1:12:44	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076299	LCS-164267	HC-8015-DRO-	LCS-DOD		3/8/2022 1:12:44	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		11.77632		15	0	0	0.0389	0.3	0	79%	36	132	0%	
Total Extractable Hydrocarbons	A	mg/L		12.58944		15	0	0	0.0749	0.3	50	84%	60	132	0%	
o-Terphenyl	S	mg/L		0.1775088		0.2	0	0	0.000429	0.002	0	89%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076300	LCSD-164267	HC-8015-DRO-	LCSD-DOD		3/8/2022 1:57:43	1	164267	3/7/2022 10:	0	2E+07						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		12.89775		15	0	11.77632	0.0389	0.3	0	86%	36	132	9%	
Total Extractable Hydrocarbons	A	mg/L		13.79362		15	0	12.58944	0.0749	0.3	50	92%	60	132	9%	
o-Terphenyl	S	mg/L		0.1931936		0.2	0	0	0.000429	0.002	0	97%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076301	MB-164267	HC-8015-DRO-	MBLK		3/8/2022 2:40:19	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0		0	0	0	0.0389	0.15	0	0%	0	0	0%	
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0		0	0	0	0.0879	0.15	0	0%	0	0	0%	
Total Extractable Hydrocarbons	A	mg/L		0		0	0	0	0.0749	0.15	50	0%	0	0	0%	
n-Triacontane	S	mg/L		0.089		0.1	0	0	0.000336	0.002	0	89%	50	150	0%	
o-Terphenyl	S	mg/L		0.1859425		0.2	0	0	0.000429	0.002	0	93%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076302	B22030244-007	HC-8015-DRO-	SAMP		3/8/2022 3:23:07	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0		0	0	0	0.0370328	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons	A	mg/L		0		0	0	0	0.0713048	0.3	50	0%	0	0	0%	U
n-Triacontane	S	mg/L		0.087		0.0952	0	0	0.0003199	0.001904	0	91%	50	150	0%	
o-Terphenyl	S	mg/L		0.1885111		0.1904	0	0	0.0004084	0.002	0	99%	56	125	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076303	B22030244-001	HC-8015-DRO-	SAMP		3/8/2022 4:05:53	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0		0	0	0	0.0370328	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons	A	mg/L		0		0	0	0	0.0713048	0.3	50	0%	0	0	0%	U
n-Triacontane	S	mg/L		0.086		0.0952	0	0	0.0003199	0.001904	0	90%	50	150	0%	
o-Terphenyl	S	mg/L		0.1902146		0.1904	0	0	0.0004084	0.002	0	100%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076304	B22030244-002	HC-8015-DRO-	SAMP		3/8/2022 4:48:29	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0		0	0	0	0.0370328	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons	A	mg/L		0		0	0	0	0.0713048	0.3	50	0%	0	0	0%	U
n-Triacontane	S	mg/L		0.087		0.0952	0	0	0.0003199	0.001904	0	91%	50	150	0%	
o-Terphenyl	S	mg/L		0.1868006		0.1904	0	0	0.0004084	0.002	0	98%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076305	B22030244-042	HC-8015-DRO-	SAMP		3/8/2022 6:14:18	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0		0	0	0	0.0370328	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons	A	mg/L		0		0	0	0	0.0713048	0.3	50	0%	0	0	0%	U
n-Triacontane	S	mg/L		0.085		0.0952	0	0	0.0003199	0.001904	0	89%	50	150	0%	
o-Terphenyl	S	mg/L		0.1812		0.1904	0	0	0.0004084	0.002	0	95%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076306	B22030244-012	HC-8015-DRO-	SAMP		3/8/2022 6:57:08	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0.09654549		0	0	0	0.0370328	0.3	0	0%	0	0	0%	J
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0.12604815		0	0	0	0.0836808	0.3	0	0%	0	0	0%	J
Total Extractable Hydrocarbons	A	mg/L		0.3592166		0	0	0	0.0713048	0.3	50	0%	0	0	0%	
n-Triacontane	S	mg/L		0.085		0.0952	0	0	0.0003199	0.001904	0	89%	50	150	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076306	B22030244-012	HC-8015-DRO-	SAMP		3/8/2022 6:57:08	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
o-Terphenyl	S	mg/L		0.1776344		0.1904	0	0	0.0004084	0.002	0	93%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076307	CCV_0308HP51	HC-8015-DRO-	CCV		3/8/2022 8:22:49	1	R375805				0	0				
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		4.99898291		5	0	0	0.0879	0.3	0	100%	80	120	0%	
n-Triacontane	S	mg/L		0.1829793		0.2	0	0	0.000336	0.002	0	91%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076308	CCV_0308HP51	HC-8015-DRO-	CCV		3/8/2022 9:05:40	1	R375805				0	0				
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		13.64844		15	0	0	0.0389	0.3	0	91%	80	120	0%	
Total Extractable Hydrocarbons	A	mg/L		14.13212		15	0	0	0.0749	0.3	50	94%	80	120	0%	
o-Terphenyl	S	mg/L		0.1853993		0.2	0	0	0.000429	0.002	0	93%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076309	B22030244-022	HC-8015-DRO-	SAMP		3/8/2022 11:56:5	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0		0	0	0	0.0370328	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons	A	mg/L		0		0	0	0	0.0713048	0.3	50	0%	0	0	0%	U
n-Triacontane	S	mg/L		0.079		0.0952	0	0	0.0003199	0.001904	0	83%	50	150	0%	
o-Terphenyl	S	mg/L		0.1704357		0.1904	0	0	0.0004084	0.002	0	90%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076310	B22030244-022	HC-8015-DRO-	MS-DOD		3/9/2022 12:39:4	1	164267	3/7/2022 10:	2E+07	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		11.87879		14.28	0	0	0.0370328	0.3	0	83%	36	132	0%	
Total Extractable Hydrocarbons	A	mg/L		12.71264		14.28	0	0	0.0713048	0.3	50	89%	60	132	0%	
o-Terphenyl	S	mg/L		0.1777132		0.1904	0	0	0.0004084	0.002	0	93%	56	125	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076311	B22030244-032	HC-8015-DRO-	SAMP		3/9/2022 2:05:29	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0.2936905		0	0	0	0.0370328	0.3	0	0%	0	0	0%	J
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0.4665553		0	0	0	0.0836808	0.3	0	0%	0	0	0%	
Total Extractable Hydrocarbons	A	mg/L		0.755555		0	0	0	0.0713048	0.3	50	0%	0	0	0%	
n-Triacontane	S	mg/L		0.091		0.0952	0	0	0.0003199	0.001904	0	96%	50	150	0%	
o-Terphenyl	S	mg/L		0.19412		0.1904	0	0	0.0004084	0.002	0	102%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076312	B22030244-027	HC-8015-DRO-	SAMP		3/9/2022 3:31:06	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0		0	0	0	0.0370328	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons	A	mg/L		0		0	0	0	0.0713048	0.3	50	0%	0	0	0%	U
n-Triacontane	S	mg/L		0.081		0.0952	0	0	0.0003199	0.001904	0	85%	50	150	0%	
o-Terphenyl	S	mg/L		0.1761224		0.1904	0	0	0.0004084	0.002	0	93%	56	125	0%	
TEH(Oil Range)	X	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076313	B22030244-017	HC-8015-DRO-	SAMP		3/9/2022 4:56:38	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0		0	0	0	0.0370328	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons	A	mg/L		0		0	0	0	0.0713048	0.3	50	0%	0	0	0%	U
n-Triacontane	S	mg/L		0.084		0.0952	0	0	0.0003199	0.001904	0	88%	50	150	0%	
o-Terphenyl	S	mg/L		0.1766379		0.1904	0	0	0.0004084	0.002	0	93%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076314	B22030244-027	HC-8015-DRO-	MS-DOD		3/9/2022 6:22:19	1	164267	3/7/2022 10:	2E+07	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		5.17940712		4.76	0	0	0.0836808	0.3	0	109%	41	113	0%	
n-Triacontane	S	mg/L		0.085		0.0952	0	0	0.0003199	0.002	0	89%	50	150	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076315	CCV_0308HP53	HC-8015-DRO-	CCV		3/9/2022 7:47:55	1	R375805		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		5.09493604		5	0	0	0.0879	0.3	0	102%	80	120	0%	
n-Triacontane	S	mg/L		0.1865284		0.2	0	0	0.000336	0.002	0	93%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15076316	CCV_0308HP53	HC-8015-DRO-	CCV		3/9/2022 8:30:56	1	R375805		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		13.68364		15	0	0	0.0389	0.3	0	91%	80	120	0%	
Total Extractable Hydrocarbons	A	mg/L		14.16911		15	0	0	0.0749	0.3	50	94%	80	120	0%	
o-Terphenyl	S	mg/L		0.1866295		0.2	0	0	0.000429	0.002	0	93%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15077365	B22030244-047	HC-8015-DRO-	SAMP		3/9/2022 10:39:1	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0		0	0	0	0.0370328	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons	A	mg/L		0		0	0	0	0.0713048	0.3	50	0%	0	0	0%	U
n-Triacontane	S	mg/L		0.086		0.0952	0	0	0.0003199	0.001904	0	90%	50	150	0%	
o-Terphenyl	S	mg/L		0.1844369		0.1904	0	0	0.0004084	0.002	0	97%	56	125	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15077366	B22030244-037	HC-8015-DRO-	SAMP		3/9/2022 11:22:1	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		0.04914559		0	0	0	0.0370328	0.3	0	0%	0	0	0%	J
Oil Range Hydrocarbons (C24 to C40)	A	mg/L		0.14338167		0	0	0	0.0836808	0.3	0	0%	0	0	0%	J
Total Extractable Hydrocarbons	A	mg/L		0.2215572		0	0	0	0.0713048	0.3	50	0%	0	0	0%	J
n-Triacontane	S	mg/L		0.085		0.0952	0	0	0.0003199	0.001904	0	89%	50	150	0%	
o-Terphenyl	S	mg/L		0.1846451		0.1904	0	0	0.0004084	0.002	0	97%	56	125	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15077367	LCS-164267-RR	HC-8015-DRO-	LCS-DOD		3/9/2022 12:04:5	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		4.91078901		5	0	0	0.0879	0.3	0	98%	41	113	0%	
n-Triacontane	S	mg/L		0.084		0.1	0	0	0.000336	0.002	0	84%	50	150	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15077368	LCSD-164267-R	HC-8015-DRO-	LCSD-DOD		3/9/2022 1:30:26	1	164267	3/7/2022 10:	0	2E+07						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		4.85506201		5	0	4.9107890	0.0879	0.3	0	97%	41	113	1%	
n-Triacontane	S	mg/L		0.084		0.1	0	0	0.000336	0.002	0	84%	50	150	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15077369	CCV_0308HP54	HC-8015-DRO-	CCV		3/9/2022 2:56:28	1	R375805		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		5.0448125		5	0	0	0.0879	0.3	0	101%	80	120	0%	
n-Triacontane	S	mg/L		0.1904819		0.2	0	0	0.000336	0.002	0	95%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15077370	CCV_0308HP54	HC-8015-DRO-	CCV		3/9/2022 3:39:14	1	R375805		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		14.67199		15	0	0	0.0389	0.3	0	98%	80	120	0%	
Total Extractable Hydrocarbons	A	mg/L		15.19233		15	0	0	0.0749	0.3	50	101%	80	120	0%	
o-Terphenyl	S	mg/L		0.200208		0.2	0	0	0.000429	0.002	0	100%	80	120	0%	

Energy Laboratories Inc

ANALYTICAL RUN Summary

10-Mar-22

Run ID GCFID-HP5-B_220308B

Run Start Date: 3/8/2022
Analyst: Ann Nebel
Ical:
Column ID:
Comments: DRO-8015-ICAL information is in Index GCFID-HP5-B_220111A 8015C OIL range calibration GCFID-HP5-B_220111C

Std ID	Std Name	Std Amount	Std Units	Samp Amount	Samp Units	SampType	Expiration Date
DRO220218B	Carbon Scan STD-Marker					MARKER	7/13/2026
DRO220301A	8015 CCV-15,000ug/mL + 200 OTP					CCV-DRO	4/30/2023
DRO220302C	5,000 ug/mL RRO CCV 200 ug/mL Triacontane					CCV-RRO	11/23/2026

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080625	CCV_0308HP54	HC-8015-DRO-	CCV		3/9/2022 2:56:28	1	R375895		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		5.0448125		5	0	0	0.0879	0.3	0	101%	80	120	0%	
n-Triacontane	S	mg/L		0.1904819		0.2	0	0	0.000336	0.002	0	95%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080626	CCV_0308HP54	HC-8015-DRO-	CCV		3/9/2022 3:39:14	1	R375895		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		14.67199		15	0	0	0.0389	0.3	0	98%	80	120	0%	
Total Extractable Hydrocarbons	A	mg/L		15.19233		15	0	0	0.0749	0.3	50	101%	80	120	0%	
o-Terphenyl	S	mg/L		0.200208		0.2	0	0	0.000429	0.002	0	100%	80	120	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080627	LCS-164267	HC-8015-DRO-	LCS-DOD		3/9/2022 5:47:46	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080627	LCS-164267	HC-8015-DRO-	LCS-DOD		3/9/2022 5:47:46	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (SGT-C10 to	A	mg/L		11.79893		15	0	0	0.0281	0.3	0	79%	36	132	0%	
Total Extractable Hydrocarbons (SGT	A	mg/L		12.52731		15	0	0	0.0357	0.3	0	84%	60	132	0%	
o-Terphenyl (SGT)	S	mg/L		0.185329		0.2	0	0	0.000429	0.002	0	93%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080628	LCSD-164267	HC-8015-DRO-	LCSD-DOD		3/9/2022 6:30:29	1	164267	3/7/2022 10:	0	2E+07						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (SGT-C10 to	A	mg/L		12.11774		15	0	11.79893	0.0281	0.3	0	81%	36	132	3%	
Total Extractable Hydrocarbons (SGT	A	mg/L		12.84599		15	0	12.52731	0.0357	0.3	0	86%	60	132	3%	
o-Terphenyl (SGT)	S	mg/L		0.1906558		0.2	0	0	0.000429	0.002	0	95%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080629	MB-164267	HC-8015-DRO-	MBLK		3/9/2022 7:13:08	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (SGT-C10 to	A	mg/L		0		0	0	0	0.0281	0.15	0	0%	0	0	0%	
Oil Range Hydrocarbons (SGT-C24 t	A	mg/L		0		0	0	0	0.0879	0.15	0	0%	0	0	0%	
Total Extractable Hydrocarbons (SGT	A	mg/L		0		0	0	0	0.0357	0.15	0	0%	0	0	0%	
n-Triacontane (SGT)	S	mg/L		0.086		0.1	0	0	0.000336	0.002	0	86%	50	150	0%	
o-Terphenyl (SGT)	S	mg/L		0.1926616		0.2	0	0	0.000429	0.002	0	96%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080630	B22030244-027	HC-8015-DRO-	SAMP		3/9/2022 7:55:54	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (SGT-C10 to	A	mg/L		0		0	0	0	0.0267512	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (SGT-C24 t	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons (SGT	A	mg/L		0		0	0	0	0.0339864	0.3	0	0%	0	0	0%	U
n-Triacontane (SGT)	S	mg/L		0.075		0.0952	0	0	0.0003199	0.001904	0	79%	50	150	0%	
o-Terphenyl (SGT)	S	mg/L		0.1764361		0.1904	0	0	0.0004084	0.001904	0	93%	56	125	0%	
TEH (SGT-Oil Range)	X	mg/L		0		0	0	0	0.0836808	0.2856	0	0%	0	0	0%	U

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080631	B22030244-022	HC-8015-DRO-	SAMP		3/9/2022 8:38:34	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (SGT-C10 to	A	mg/L		0		0	0	0	0.0267512	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (SGT-C24 t	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons (SGT	A	mg/L		0		0	0	0	0.0339864	0.3	0	0%	0	0	0%	U
n-Triacontane (SGT)	S	mg/L		0.076		0.0952	0	0	0.0003199	0.001904	0	80%	50	150	0%	
o-Terphenyl (SGT)	S	mg/L		0.1767923		0.1904	0	0	0.0004084	0.001904	0	93%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080632	B22030244-022	HC-8015-DRO-	MS-DOD		3/9/2022 9:21:18	1	164267	3/7/2022 10:	2E+07	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (SGT-C10 to	A	mg/L		11.1991		14.28	0	0	0.0267512	0.3	0	78%	36	132	0%	
Total Extractable Hydrocarbons (SGT	A	mg/L		11.91559		14.28	0	0	0.0339864	0.3	0	83%	60	132	0%	
o-Terphenyl (SGT)	S	mg/L		0.1743645		0.1904	0	0	0.0004084	0.002	0	92%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080633	B22030244-012	HC-8015-DRO-	SAMP		3/9/2022 10:46:4	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (SGT-C10 to	A	mg/L		0		0	0	0	0.0267512	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (SGT-C24 t	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons (SGT	A	mg/L		0		0	0	0	0.0339864	0.3	0	0%	0	0	0%	U
n-Triacontane (SGT)	S	mg/L		0.074		0.0952	0	0	0.0003199	0.001904	0	78%	50	150	0%	
o-Terphenyl (SGT)	S	mg/L		0.174092		0.1904	0	0	0.0004084	0.001904	0	91%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080634	B22030244-037	HC-8015-DRO-	SAMP		3/9/2022 11:29:2	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (SGT-C10 to	A	mg/L		0		0	0	0	0.0267512	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (SGT-C24 t	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons (SGT	A	mg/L		0		0	0	0	0.0339864	0.3	0	0%	0	0	0%	U
n-Triacontane (SGT)	S	mg/L		0.07		0.0952	0	0	0.0003199	0.001904	0	74%	50	150	0%	
o-Terphenyl (SGT)	S	mg/L		0.1545161		0.1904	0	0	0.0004084	0.001904	0	81%	56	125	0%	


Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080635	B22030244-032	HC-8015-DRO-	SAMP		3/10/2022 12:12:	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (SGT-C10 to	A	mg/L		0		0	0	0	0.0267512	0.3	0	0%	0	0	0%	U
Oil Range Hydrocarbons (SGT-C24 t	A	mg/L		0		0	0	0	0.0836808	0.3	0	0%	0	0	0%	U
Total Extractable Hydrocarbons (SGT	A	mg/L		0		0	0	0	0.0339864	0.3	0	0%	0	0	0%	U
n-Triacontane (SGT)	S	mg/L		0.076		0.0952	0	0	0.0003199	0.001904	0	80%	50	150	0%	
o-Terphenyl (SGT)	S	mg/L		0.1810471		0.1904	0	0	0.0004084	0.001904	0	95%	56	125	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080636	B22030244-027	HC-8015-DRO-	MS-DOD		3/10/2022 12:55:	1	164267	3/7/2022 10:	2E+07	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH (SGT-Oil Range)	A	mg/L		4.55013084		4.76	0	0	0.0836808	0.3	0	96%	41	113	0%	
n-Triacontane (SGT)	S	mg/L		0.071		0.0952	0	0	0.0003199	0.002	0	75%	50	150	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080637	CCV_0308HP56	HC-8015-DRO-	CCV		3/10/2022 2:20:4	1	R375895			0	0					
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		5.25898193		5	0	0	0.0879	0.3	0	105%	80	120	0%	
n-Triacontane	S	mg/L		0.1938562		0.2	0	0	0.000336	0.002	0	97%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080638	CCV_0308HP56	HC-8015-DRO-	CCV		3/10/2022 3:03:3	1	R375895			0	0					
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
Diesel Range Organics (C10 to C24)	A	mg/L		14.81134		15	0	0	0.0389	0.3	0	99%	80	120	0%	
Total Extractable Hydrocarbons	A	mg/L		15.33528		15	0	0	0.0749	0.3	50	102%	80	120	0%	
o-Terphenyl	S	mg/L		0.2008534		0.2	0	0	0.000429	0.002	0	100%	80	120	0%	
Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080639	LCS-164267-RR	HC-8015-DRO-	LCS-DOD		3/10/2022 4:29:1	1	164267	3/7/2022 10:	0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH (SGT-Oil Range)	A	mg/L		4.85621452		5	0	0	0.0879	0.3	0	97%	41	113	0%	
n-Triacontane (SGT)	S	mg/L		0.081		0.1	0	0	0.000336	0.002	0	81%	50	150	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080640	LCSD-164267-R	HC-8015-DRO-	LCSD-DOD		3/10/2022 5:54:5	1	164267	3/7/2022 10:	0	2E+07						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH (SGT-Oil Range)	A	mg/L		4.85346031		5	0	4.8562145	0.0879	0.3	0	97%	41	113	0%	
n-Triacontane (SGT)	S	mg/L		0.083		0.1	0	0	0.000336	0.002	0	83%	50	150	0%	

Seq No	Lab ID	Test Code	Sample Typ	File ID	Analysis Date	DF	Batch ID	Prep Date	SPKref	RPDref	pmoist					
15080641	CCV_0308HP56	HC-8015-DRO-	CCV		3/10/2022 7:21:0	1	R375895		0	0						
Analyte	T	Units	RAW	Final	Text	Spike	SPKref	RPDref	MDL	PQL	UQL	%REC	LOW	HIGH	%RPD	Q
TEH(Oil Range)	A	mg/L		5.31454980		5	0	0	0.0879	0.3	0	106%	80	120	0%	
n-Triacontane	S	mg/L		0.194977		0.2	0	0	0.000336	0.002	0	97%	80	120	0%	

Table with columns: Write Sequence, Data File, Sample Name, Method, Weight, Dil Factor, Amt Inj, IS, Cal ID. The table lists various samples and their associated methods and weights.

Write Sequence	Data File	Sample Name	Method	Weight	Dil Factor	Amt Inj.	IS	Cal ID
G:\org\HP5\DAT\HP5030822_b\0308HP5.43r	Marker_0308HP540r, CSCAN ;0308HP5 , DRO220218B	G:\org\HP5\Methods\CSC220308.met	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.44r	CCV_0308HP544r, RRO ;0308HP5 , DRO220302C	G:\org\HP5\Methods\DC_ORO-BI-L%.MET	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.45r	CCV_0308HP545r, DRO ;0308HP5 , DRO220301A	G:\org\HP5\Methods\DS_ORO-BI-L%.MET	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.46r	DCM-Baseline Check-V46	G:\org\HP5\Methods\DC_8015-C24-JI-L%.met	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.47r	DCM-Baseline Check-V47	G:\org\HP5\Methods\DS_8015-C24-JI-L%.met	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.48r	LCS-164267 ;0308HP5 , SGT	G:\org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.49r	LCS-164267 ;0308HP5 , SGT	G:\org\HP5\Methods\DR_8015-C24-JI-L%.met	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.50r	LCS-164267 ;0308HP5 , SGT	G:\org\HP5\Methods\DS_8015-C24-JI-L%.met	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.51r	B22030244-027C ;0308HP5 , \$HC-8015-DRO-W, SGT	G:\org\HP5\Methods\DR_8015-C24-JI-L%.met	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.52r	B22030244-022C ;0308HP5 , \$HC-8015-DRO-W, SGT	G:\org\HP5\Methods\DR_OROS-BI-L%.MET	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.53r	B22030244-022CMS ;0308HP5 , SGT	G:\org\HP5\Methods\DS_8015-C24-JI-L%.met	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.54r	DCM-Baseline Check-V54	G:\org\HP5\Methods\DR_8015-C24-JI-L%.met	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.55r	B22030244-012C ;0308HP5 , \$HC-8015-DRO-W, SGT	G:\org\HP5\Methods\DR_OROS-BI-L%.MET	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.56r	B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, SGT	G:\org\HP5\Methods\DS_8015-C24-JI-L%.met	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.57r	B22030244-032D ;0308HP5 , \$HC-8015-DRO-W, SGT	G:\org\HP5\Methods\DR_8015-C24-JI-L%.met	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.58r	B22030244-027CMS-RRO ;0308HP5 , SGT	G:\org\HP5\Methods\DR_OROS-BI-L%.MET	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.59r	Marker_0308HP559r, CSCAN ;0308HP5 , DRO220218B	G:\org\HP5\Methods\CSC220308.met	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.60r	CCV_0308HP560r, RRO ;0308HP5 , DRO220302C	G:\org\HP5\Methods\DC_ORO-BI-L%.MET	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.61r	CCV_0308HP561r, DRO ;0308HP5 , DRO220301A	G:\org\HP5\Methods\DS_ORO-BI-L%.MET	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.62r	DCM-Baseline Check-V62	G:\org\HP5\Methods\DC_8015-C24-JI-L%.met	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.63r	LCS-164267-RRO ;0308HP5 , SGT	G:\org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.64r	DCM-Baseline Check-V64	G:\org\HP5\Methods\DR_8015-C24-JI-L%.met	1	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.65r	LCS-164267-RRO ;0308HP5 , SGT	G:\org\HP5\Methods\DS_8015-C24-JI-L%.met	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.66r	Marker_0308HP566r, CSCAN ;0308HP5 , DRO220218B	G:\org\HP5\Methods\DC_ORO-BI-L%.MET	1000	1	1	1	0	
G:\org\HP5\DAT\HP5030822_b\0308HP5.67r	CCV_0308HP567r, RRO ;0308HP5 , DRO220302C	G:\org\HP5\Methods\CSC220308.met	1	1	1	1	0	
		G:\org\HP5\Methods\DC_ORO-BI-L%.MET	1	1	1	1	0	
		G:\org\HP5\Methods\DS_ORO-BI-L%.MET	1	1	1	1	0	



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V01
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0001.RAW
 Date & Time Acquired: 3/8/2022 8:13:33 AM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.16	200.	.665	.33	-
*1-Chlorooctadecane	13.056	200.	.267	.13	-

DRO Area:380121.2 DRO Amount: 11.63327
 TEH Area:513871.4 TEH Amount: 15.72657




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V02
 Raw File: G:\Org\HP5\DAT\HP5030822_b\0308HP5.0002.RAW
 Date & Time Acquired: 3/8/2022 8:56:00 AM
 Method File: G:\Org\HP5\Methods\DR_8015A-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.981	200.	.	-
*1-Chlorooctadecane	13.024	200.	.014	.01

DRO Area:125726.5 DRO Amount: 3.847748
 TEH Area:209605.6 TEH Amount: 6.414792





RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP504r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0004.RAW
 Date & Time Acquired: 3/8/2022 10:21:36 AM
 Method File: G:\Org\HP5\Methods\DC_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.275	500.	320.552	64.11	-


~~RRO~~ TEH(Oil Range) Area:1.314506E+08 ~~RRO~~ TEH(Oil Range) AMOUNT: 4974.562

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0004.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.021	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.275	200.	320.552	160.28	75-125

AMN 03/11/2022



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP504r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0004.RAW
 Date & Time Acquired: 3/8/2022 10:21:36 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.275	500.	182.548	36.51	-

RRO Area:3187194 RRO AMOUNT: 120.6149

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0004.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.021	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.275	200.	182.548	91.27	75-125



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP505r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0005.RAW
 Date & Time Acquired: 3/8/2022 11:04:37 AM
 Method File: G:\Org\HP5\Methods\DC_8015-C24-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.19	200.	301.81	150.9
*1-Chlorooctadecane	13.044	200.	133.918	66.96

DRO Area: 4.438148E+08 DRO Amount: 13582.55
 TEH Area: 4.596249E+08 TEH Amount: 14066.41


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0005.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	14066.41	93.78	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.19	200.	301.81	150.9	85-115
*1-Chlorooctadecane	13.044	200.	133.918	66.96	85-115

G:\org\HP5\DAT\HP5030822_b\0308HP5.0005.RAW

CCV_0308HP505r, DRO ;0308HP5 , DRO220301A



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP505r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0005.RAW
 Date & Time Acquired: 3/8/2022 11:04:37 AM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.19	200.	184.632	92.32
*1-Chlorooctadecane	13.044	200.	32.563	16.28

DRO Area: 2.265982E+08 DRO Amount: 6934.833
 TEH Area: 2.367609E+08 TEH Amount: 7245.855

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0005.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	7245.86	48.31	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.19	200.	184.632	92.32	85-115
*1-Chlorooctadecane	13.044	200.	32.563	16.28	85-115




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V06
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0006.RAW
 Date & Time Acquired: 3/8/2022 11:47:15 AM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.973	200.	.	-
*1-Chlorooctadecane	29.973	200.	.	-

DRO Area:106935.8 DRO Amount: 3.272674
 TEH Area:234008.4 TEH Amount: 7.161615



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V07
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0007.RAW
 Date & Time Acquired: 3/8/2022 12:30:04 PM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.895	200.	.	-
*1-Chlorooctadecane	13.073	200.	.014	.01 -

DRO Area:83014.29 DRO Amount: 2.540578
 TEH Area:155347.4 TEH Amount: 4.754268

Batch ID: 164267

LCS-164267 ;0308HP5 ,

G:\org\HP5\DAT\HP5030822_b\0308HP5.0008.RAW



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: LCS-164267 ;0308HP5 ,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0008.RAW
Date & Time Acquired: 3/8/2022 1:12:44 PM
Method File: G:\Org\HP5\Methods\D3_8015-C24-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.187	.2	.309	154.56	-
*1-Chlorooctadecane	13.044	.2	.141	70.36	-

DRO Area: 3.847955E+08 DRO Amount: 11.77632
TEH Area: 4.113644E+08 TEH Amount: 12.58944

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0008.RAW

LCS-164267 ;0308HP5 ,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: LCS-164267 ;0308HP5 ,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0008.RAW
 Date & Time Acquired: 3/8/2022 1:12:44 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.187	.2	.178	88.75
*1-Chlorooctadecane	13.044	.2	.052	26.23

DRO Area:1.757711E+08 DRO Amount: 5.379315
 TEH Area:1.885152E+08 TEH Amount: 5.769338

Batch ID: 164267

LCSD-164267 ;0308HP5 ,

G:\org\HP5\DAT\HP5030822_b\0308HP5.0009.RAW



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: LCSD-164267 ;0308HP5 ,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0009.RAW
Date & Time Acquired: 3/8/2022 1:57:43 PM
Method File: G:\Org\HP5\Methods\D3_8015-030809-C24-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.187	.2	.35	174.86 -
*1-Chlorooctadecane	13.042	.2	.144	72.17 -

DRO Area: 4.214386E+08 DRO Amount: 12.89775
TEH Area: 4.507116E+08 TEH Amount: 13.79362

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0009.RAW

LCSD-164267 ;0308HP5 ,




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: LCSD-164267 ;0308HP5 ,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0009.RAW
 Date & Time Acquired: 3/8/2022 1:57:43 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.187	.2	.193	96.6
*1-Chlorooctadecane	13.042	.2	.056	27.79

DRO Area:1.964887E+08 DRO Amount: 6.01336
 TEH Area:2.111069E+08 TEH Amount: 6.460738



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: MB-164267 ;0308HP5 ,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0010.RAW
Date & Time Acquired: 3/8/2022 2:40:19 PM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1000 Dilution: 1 S.A.: 1


Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.2	.186	93.21	-
*1-Chlorooctadecane	13.045	.2	.	.06	-
*#Triacontane	16.267	.2	.09	44.91	-

DRO Area: 469847.4 DRO Amount: 1.437926E-02
TEH Area: 841437.1 TEH Amount: 2.575143E-02

G:\org\HP5\DAT\HP5030822_b\0308HP5.0010.RAW

MB-164267 ;0308HP5 ,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: MB-164267 ;0308HP5 ,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0010.RAW
Date & Time Acquired: 3/8/2022 2:40:19 PM
Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
Rt range for Residual Range Organics: 14.255 to 21.55


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane_____	16.267	.5	.09	17.96	-

RRO Area:145990.5 RRO AMOUNT: 5.524803E-03

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0010.RAW

MB-164267 ;0308HP5 ,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: MB-164267 ;0308HP5 ,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0010.RAW
Date & Time Acquired: 3/8/2022 2:40:19 PM
Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.182	.2	.186	92.97
*1-Chlorooctadecane	13.045	.2	.02	-
*#Triacontane	16.267	.2	.089	44.7


DRO Area:347703.5 DRO Amount: 1.064115E-02
TEH Area:1064230 TEH Amount: 3.256979E-02

ERH2605 (OWDFMW07A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0011.RAW

B22030244-007C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-007C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0011.RAW
Date & Time Acquired: 3/8/2022 3:23:07 PM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.184	.19	.189	99.29	-
*1-Chlorooctadecane	13.043	.19	.	.05	-
*#Triacontane	16.267	.19	.087	45.8	-


DRO Area:756612.2 DRO Amount: 0.0220528
TEH Area:1112648 TEH Amount: 0.0324301

ERH2605 (OWDFMW07A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0011.RAW

B22030244-007C ;0308HP5 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-007C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0011.RAW
Date & Time Acquired: 3/8/2022 3:23:07 PM
Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.267	.476	.087	18.32


RRO Area:153916.9 RRO AMOUNT: 5.547399E-03

ERH2605 (OWDFMW07A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0011.RAW

B22030244-007C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-007C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0011.RAW
Date & Time Acquired: 3/8/2022 3:23:07 PM
Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.184	.19	.189	98.97	-
*1-Chlorooctadecane	13.043	.19	.	.02	-
*#Triacontane	16.267	.19	.087	45.59	-


DRO Area:610914.5 DRO Amount: 1.780618E-02
TEH Area:2975945 TEH Amount: 8.673915E-02

ERH2607 (OWDFMW08A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0012.RAW

B22030244-001C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-001C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0012.RAW
Date & Time Acquired: 3/8/2022 4:05:53 PM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.185	.19	.191	100.26	-
*1-Chlorooctadecane	13.044	.19	.	.06	-
*#Triacontane	16.269	.19	.086	45.25	-


DRO Area:773995.9 DRO Amount: 2.255948E-02
TEH Area:1156545 TEH Amount: 3.370955E-02

ERH2607 (OWDFMW08A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0012.RAW

B22030244-001C ;0308HP5 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-001C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0012.RAW
Date & Time Acquired: 3/8/2022 4:05:53 PM
Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.269	.476	.086	18.1


RRO Area:227408.7 RRO AMOUNT: 8.196153E-03

ERH2607 (OWDFMW08A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0012.RAW

B22030244-001C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-001C ;0308HP5 , \$HC-8015-DRO-W,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0012.RAW
 Date & Time Acquired: 3/8/2022 4:05:53 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.185	.19	.19	99.86	-
*1-Chlorooctadecane	13.044	.19	.	.01	-
*#Triacontane	16.269	.19	.086	45.05	-


DRO Area:619400.8 DRO Amount: 1.805353E-02
 TEH Area:1292744 TEH Amount: 3.767931E-02

ERH2608 (OWDFMW08A) FD

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0013.RAW

B22030244-002A ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-002A ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0013.RAW
Date & Time Acquired: 3/8/2022 4:48:29 PM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.181	.19	.188	98.45	-
*1-Chlorooctadecane	13.057	.19	.	.1	-
*#Triacontane	16.265	.19	.087	45.67	-


DRO Area:1049959 DRO Amount: 3.060292E-02
TEH Area:1638145 TEH Amount: 4.774664E-02

ERH2608 (OWDFMW08A) FD

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0013.RAW

B22030244-002A ;0308HP5 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-002A ;0308HP5 , \$HC-8015-DRO-W,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0013.RAW
 Date & Time Acquired: 3/8/2022 4:48:29 PM
 Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.265	.476	.087	18.28


RRO Area:439388 RRO AMOUNT: 1.583621E-02

ERH2608 (OWDFM08A) FD

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0013.RAW

B22030244-002A ;0308HP5 , \$HC-8015-DRO-W,




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-002A ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0013.RAW
Date & Time Acquired: 3/8/2022 4:48:29 PM
Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.181	.19	.187	98.07	-
*1-Chlorooctadecane	13.057	.19	.	.04	-
*#Triacontane	16.265	.19	.087	45.43	-

DRO Area:776666 DRO Amount: 0.0226373
TEH Area:2140144 TEH Amount: 6.237826E-02



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V14
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0014.RAW
 Date & Time Acquired: 3/8/2022 5:31:24 PM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.977	200.	.	-
*1-Chlorooctadecane	29.977	200.	.	-


DRO Area:194411.2 DRO Amount: 5.949779
 TEH Area:342758.2 TEH Amount: 10.48981

ERH2596 (RHMW16)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0015.RAW

B22030244-042C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-042C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0015.RAW
Date & Time Acquired: 3/8/2022 6:14:18 PM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.181	.19	.182	95.41	-
*1-Chlorooctadecane	13.044	.19	.	.06	-
*#Triacontane	16.266	.19	.086	44.93	-


DRO Area:620780.6 DRO Amount: 1.809374E-02
TEH Area:1167940 TEH Amount: 3.404167E-02

ERH2596 (RHMW16)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0015.RAW

B22030244-042C ;0308HP5 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-042C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0015.RAW
Date & Time Acquired: 3/8/2022 6:14:18 PM
Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.266	.476	.086	17.97


RRO Area:134593.9 RRO AMOUNT: 4.85097E-03

ERH2596 (RHMW16)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0015.RAW

B22030244-042C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-042C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0015.RAW
Date & Time Acquired: 3/8/2022 6:14:18 PM
Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.181	.19	.181	95.13	-
*1-Chlorooctadecane	13.044	.19	.	.02	-
*#Triacontane	16.266	.19	.085	44.72	-


DRO Area:471468.9 DRO Amount: 1.374179E-02
TEH Area:1338648 TEH Amount: 3.901726E-02

ERH2574 (RHMW16A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0016.RAW

B22030244-012C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-012C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0016.RAW
Date & Time Acquired: 3/8/2022 6:57:08 PM
Method File: G:\Org\HP5\Methods\D3_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.183	.19	.179	93.79	-
*1-Chlorooctadecane	13.043	.19	.	.15	-
*#Triacontane	16.266	.19	.087	45.72	-


DRO Area:3312392 DRO Amount: 9.654549E-02
TEH Area:1.232441E+07 TEH Amount: 0.3592166

ERH2574 (RHMW16A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0016.RAW

B22030244-012C ;0308HP5 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-012C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0016.RAW
Date & Time Acquired: 3/8/2022 6:57:08 PM
Method File: G:\Org\HP5\Methods\D3_OROS-BI-L%.MET
Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.266	.476	.087	18.28


RRO Area:3497304 RRO AMOUNT: 0.1260481

ERH2574 (RHMW16A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0016.RAW

B22030244-012C ;0308HP5 , \$HC-8015-DRO-W,




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: B22030244-012C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0016.RAW
Date & Time Acquired: 3/8/2022 6:57:08 PM
Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.183	.19	.178	93.26	-
*1-Chlorooctadecane	13.043	.19	.	.02	-
*#Triacontane	16.266	.19	.085	44.47	-

DRO Area:2280139 DRO Amount: 6.645866E-02
TEH Area:6143467 TEH Amount: 0.1790622





RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP518r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0018.RAW
 Date & Time Acquired: 3/8/2022 8:22:49 PM
 Method File: G:\Org\HP5\Methods\DC_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.272	500.	317.478	63.5	-


RRO TEH(Oil Range) Area:1.320959E+08 RRO TEH(Oil Range) AMOUNT: 4998.983

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0018.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.02	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.272	200.	317.478	158.74	75-125

AMN 03/11/2022



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP518r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0018.RAW
 Date & Time Acquired: 3/8/2022 8:22:49 PM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.272	500.	182.979	36.6

RRO Area:3482938 RRO AMOUNT: 131.8069

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0018.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.02	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.272	200.	182.979	91.49	75-125



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP519r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0019.RAW
 Date & Time Acquired: 3/8/2022 9:05:40 PM
 Method File: G:\Org\HP5\Methods\DC_8015-C24-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.189	200.	301.717	150.86
*1-1-Chlorooctadecane	13.042	200.	131.412	65.71

DRO Area: 4.459677E+08 DRO Amount: 13648.44
 TEH Area: 4.617721E+08 TEH Amount: 14132.12


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0019.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	14132.12	94.21	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.189	200.	301.717	150.86	85-115
*1-1-Chlorooctadecane	13.042	200.	131.412	65.71	85-115

G:\org\HP5\DAT\HP5030822_b\0308HP5.0019.RAW

CCV_0308HP519r, DRO ;0308HP5 , DRO220301A



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP519r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0019.RAW
 Date & Time Acquired: 3/8/2022 9:05:40 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.189	200.	185.399	92.7
*1-Chlorooctadecane	13.042	200.	32.165	16.08

DRO Area: 2.282385E+08 DRO Amount: 6985.034
 TEH Area: 2.38338E+08 TEH Amount: 7294.119

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0019.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	7294.12	48.63	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.189	200.	185.399	92.7	85-115
*1-Chlorooctadecane	13.042	200.	32.165	16.08	85-115




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V20
 Raw File: G:\Org\HP5\DAT\HP5030822_b\0308HP5.0020.RAW
 Date & Time Acquired: 3/8/2022 9:48:29 PM
 Method File: G:\Org\HP5\Methods\DR_8015A-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.21	200.	.018	.01 -
*1-Chlorooctadecane	29.974	200.	.	. -

DRO Area:104786.1 DRO Amount: 3.206885
 TEH Area:248891.4 TEH Amount: 7.617097



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V21
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0021.RAW
 Date & Time Acquired: 3/8/2022 10:31:21 PM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.208	200.	.017	.01
*1-Chlorooctadecane	29.971	200.	.	.


DRO Area:187150 DRO Amount: 5.727559
 TEH Area:356367.3 TEH Amount: 10.9063

ERH2592 (RHMW14-3)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0022.RAW

B22030244-047C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-047C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0022.RAW
Date & Time Acquired: 3/8/2022 11:14:10 PM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L0.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.183	.19	.186	97.69	-
*1-Chlorooctadecane	13.042	.19	.	.06	-
*#Triacontane	16.266	.19	.088	45.98	-


DRO Area:830001.1 DRO Amount: 2.419184E-02
TEH Area:1502434 TEH Amount: 4.379109E-02

ERH2582 (RHMW06)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0023.RAW

B22030244-022C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-022C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0023.RAW
Date & Time Acquired: 3/8/2022 11:56:59 PM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.181	.19	.171	89.8	-
*1-Chlorooctadecane	13.039	.19	.	.08	-
*#Triacontane	16.265	.19	.08	41.92	-


DRO Area:678605 DRO Amount: 1.977914E-02
TEH Area:1087675 TEH Amount: 0.0317022

ERH2582 (RHMW06)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0023.RAW

B22030244-022C ;0308HP5 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-022C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0023.RAW
Date & Time Acquired: 3/8/2022 11:56:59 PM
Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane_____	16.265	.476	.08	16.77	-


RRO Area:177602.5 RRO AMOUNT: 6.401065E-03

ERH2582 (RHMW06)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0023.RAW

B22030244-022C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-022C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0023.RAW
Date & Time Acquired: 3/8/2022 11:56:59 PM
Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.181	.19	.17	89.48
*1-Chlorooctadecane	13.039	.19	.	.03
*#Triacontane	16.265	.19	.079	41.73


DRO Area:485467.6
TEH Area:1092219

DRO Amount: 1.414981E-02
TEH Amount: 3.183466E-02

Batch ID: 164267

B22030244-022CMS ;0308HP5 ,

G:\org\HP5\DAT\HP5030822_b\0308HP5.0024.RAW



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-022CMS ;0308HP5 ,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0024.RAW
 Date & Time Acquired: 3/9/2022 12:39:49 AM
 Method File: G:\Org\HP5\Methods\D3_8015-030824-C24-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.186	.19	.316	165.8	-
*1-Chlorooctadecane	13.041	.19	.194	101.67	-

DRO Area: 4.07551E+08 DRO Amount: 11.87879
 TEH Area: 4.361597E+08 TEH Amount: 12.71264

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0024.RAW

B22030244-022CMS ;0308HP5 ,




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-022CMS ;0308HP5 ,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0024.RAW
 Date & Time Acquired: 3/9/2022 12:39:49 AM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.186	.19	.178	93.3
*1-Chlorooctadecane	13.041	.19	.052	27.17

DRO Area:1.894089E+08 DRO Amount: 5.520657
 TEH Area:2.034978E+08 TEH Amount: 5.931304



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V25
 Raw File: G:\Org\HP5\DAT\HP5030822_b\0308HP5.0025.RAW
 Date & Time Acquired: 3/9/2022 1:22:42 AM
 Method File: G:\Org\HP5\Methods\DR_8015A-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.191	200.	.015	.01 -
*1-Chlorooctadecane	29.957	200.	.	. -


DRO Area:305324.2 DRO Amount: 9.344172
 TEH Area:525716.6 TEH Amount: 16.08908

ERH2624 (RHMW07)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0026.RAW

B22030244-032D ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-032D ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0026.RAW
Date & Time Acquired: 3/9/2022 2:05:29 AM
Method File: G:\Org\HP5\Methods\D3_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.199	104.42	-
*1-Chlorooctadecane	13.035	.19	.002	1.18	-
*#Triacontane	16.264	.19	.102	53.57	-


DRO Area:1.007627E+07 DRO Amount: 0.2936905
TEH Area:2.592243E+07 TEH Amount: 0.755555

ERH2624 (RHMW07)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0026.RAW

B22030244-032D ;0308HP5 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-032D ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0026.RAW
Date & Time Acquired: 3/9/2022 2:05:29 AM
Method File: G:\Org\HP5\Methods\D3_OROS-BI-L%.MET
Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.264	.476	.102	21.43


RRO Area:1.294494E+07 RRO AMOUNT: 0.4665553

ERH2624 (RHMW07)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0026.RAW

B22030244-032D ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-032D ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0026.RAW
Date & Time Acquired: 3/9/2022 2:05:29 AM
Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.182	.19	.194	101.91
*1-Chlorooctadecane	13.035	.19	.	.02
*#Triacontane	16.264	.19	.091	47.53


DRO Area:5169079 DRO Amount: 0.1506619
TEH Area:1.40716E+07 TEH Amount: 0.4101416

ERH2588 (RHMW12A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0027.RAW

B22030244-037C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-037C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0027.RAW
Date & Time Acquired: 3/9/2022 2:48:17 AM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L0.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.191	100.38	-
*1-Chlorooctadecane	13.072	.19	.	.02	-
*#Triacontane	16.264	.19	.088	46.38	-


DRO Area:1247688 DRO Amount: 3.636606E-02
TEH Area:2021360 TEH Amount: 5.891608E-02

ERH2578 (RHMW04)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0028.RAW

B22030244-027C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-027C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0028.RAW
Date & Time Acquired: 3/9/2022 3:31:06 AM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.183	.19	.177	92.79	-
*1-Chlorooctadecane	13.043	.19	.	.12	-
*#Triacontane	16.264	.19	.082	42.88	-


DRO Area:629175.3 DRO Amount: 1.833842E-02
TEH Area:1183053 TEH Amount: 3.448216E-02

ERH2578 (RHMW04)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0028.RAW

B22030244-027C ;0308HP5 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-027C ;0308HP5 , \$HC-8015-DRO-W,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0028.RAW
 Date & Time Acquired: 3/9/2022 3:31:06 AM
 Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.264	.476	.082	17.15


RRO Area:229614.3 RRO AMOUNT: 8.275646E-03

ERH2578 (RHMW04)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0028.RAW

B22030244-027C ;0308HP5 , \$HC-8015-DRO-W,




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-027C ;0308HP5 , \$HC-8015-DRO-W,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0028.RAW
 Date & Time Acquired: 3/9/2022 3:31:06 AM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.183	.19	.176	92.46	-
*1-Chlorooctadecane	13.043	.19	.	.06	-
*#Triacontane	16.264	.19	.081	42.64	-

DRO Area:467467.7 DRO Amount: 1.362517E-02
 TEH Area:1088622 TEH Amount: 3.172981E-02



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V29
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0029.RAW
 Date & Time Acquired: 3/9/2022 4:13:52 AM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.23	200.	.046	.02
*1-Chlorooctadecane	29.927	200.	.	.


DRO Area: 294651.3 DRO Amount: 9.017536
 TEH Area: 521731.7 TEH Amount: 15.96713

ERH2584 (RHMW08)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0030.RAW

B22030244-017C ;0308HP5 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-017C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0030.RAW
Date & Time Acquired: 3/9/2022 4:56:38 AM
Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.181	.19	.177	93.15	-
*1-Chlorooctadecane	13.042	.19	.	.08	-
*#Triacontane	16.263	.19	.085	44.62	-


DRO Area:771656.6 DRO Amount: 2.249129E-02
TEH Area:1604588 TEH Amount: 4.676854E-02

ERH2584 (RHMW08)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0030.RAW

B22030244-017C ;0308HP5 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-017C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0030.RAW
Date & Time Acquired: 3/9/2022 4:56:38 AM
Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.263	.476	.085	17.85


RRO Area:193407.8 RRO AMOUNT: 6.970711E-03

ERH2584 (RHMW08)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0030.RAW

B22030244-017C ;0308HP5 , \$HC-8015-DRO-W,




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-017C ;0308HP5 , \$HC-8015-DRO-W,
Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0030.RAW
Date & Time Acquired: 3/9/2022 4:56:38 AM
Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.181	.19	.177	92.73	-
*1-Chlorooctadecane	13.042	.19	.	.05	-
*#Triacontane	16.263	.19	.084	44.32	-

DRO Area:652737.6 DRO Amount: 1.902519E-02
TEH Area:1630340 TEH Amount: 4.751913E-02



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V31
 Raw File: G:\Org\HP5\DAT\HP5030822_b\0308HP5.0031.RAW
 Date & Time Acquired: 3/9/2022 5:39:32 AM
 Method File: G:\Org\HP5\Methods\DR_8015a-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.239	200.	.015	.01
*1-Chlorooctadecane	29.986	200.	.	.

DRO Area: 452402.5 DRO Amount: 13.84537
 TEH Area: 739204.7 TEH Amount: 22.62269



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-027CMS-RRO ;0308HP5 ,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0032.RAW
 Date & Time Acquired: 3/9/2022 6:22:19 AM
 Method File: G:\Org\HP5\Methods\D3_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.266	.476	.191	40.17	-

~~RRO~~ TEH(Oil Range) Area:1.437067E+08 ~~RRO~~ TEH(Oil Range) AMOUNT: 5.179407

AMN 03/11/2022

G:\Org\HP5\DAT\HP5030822_b\0308HP5.0032.RAW

B22030244-027CMS-RRO ;0308HP5 ,




RESIDUAL RANGE ORGANICS CHROMATOGRAM


Sample Name: B22030244-027CMS-RRO ;0308HP5 ,
Raw File: G:\Org\HP5\DAT\HP5030822_b\0308HP5.0032.RAW
Date & Time Acquired: 3/9/2022 6:22:19 AM
Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
Rt range for Residual Range Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.266	.476	.085	17.76

RRO Area:2960628 RRO AMOUNT: 0.1067055





RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP534r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0034.RAW
 Date & Time Acquired: 3/9/2022 7:47:55 AM
 Method File: G:\Org\HP5\Methods\DC_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.269	500.	324.645	64.93	-


RRO TEH(Oil Range) Area:1.346314E+08 RRO TEH(Oil Range) AMOUNT: 5094.936

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0034.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.027	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.269	200.	324.645	162.32	75-125

AMN 03/11/2022



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP534r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0034.RAW
 Date & Time Acquired: 3/9/2022 7:47:55 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.269	500.	186.528	37.31	-

RRO Area:3343618 RRO AMOUNT: 126.5345

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0034.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.027	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.269	200.	186.528	93.26	75-125



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP535r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0035.RAW
 Date & Time Acquired: 3/9/2022 8:30:56 AM
 Method File: G:\Org\HP5\Methods\DC_8015-C24-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.188	200.	304.809	152.4
*1-Chlorooctadecane	13.041	200.	145.87	72.94

DRO Area: 4.471179E+08 DRO Amount: 13683.64
 TEH Area: 4.629809E+08 TEH Amount: 14169.11


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0035.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	14169.11	94.46	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.188	200.	304.809	152.4	85-115
*1-Chlorooctadecane	13.041	200.	145.87	72.94	85-115

G:\org\HP5\DAT\HP5030822_b\0308HP5.0035.RAW

CCV_0308HP535r, DRO ;0308HP5 , DRO220301A



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP535r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0035.RAW
 Date & Time Acquired: 3/9/2022 8:30:56 AM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.188	200.	186.63	93.31
*1-Chlorooctadecane	13.041	200.	31.778	15.89

DRO Area: 2.294688E+08 DRO Amount: 7022.688
 TEH Area: 2.396911E+08 TEH Amount: 7335.531

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0035.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	7335.53	48.9	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.188	200.	186.63	93.31	85-115
*1-Chlorooctadecane	13.041	200.	31.778	15.89	85-115




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V36
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0036.RAW
 Date & Time Acquired: 3/9/2022 9:13:35 AM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.236	200.	.034	.02 -
*1-Chlorooctadecane	29.779	200.	.	. -

DRO Area:182373.1 DRO Amount: 5.581366
 TEH Area:336791.2 TEH Amount: 10.30719



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V37
 Raw File: G:\Org\HP5\DAT\HP5030822_b\0308HP5.0037.RAW
 Date & Time Acquired: 3/9/2022 9:56:28 AM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.247	200.	.036	.02	-
*1-Chlorooctadecane	13.062	200.	.02	.01	-


DRO Area:148759.4 DRO Amount: 4.552649
 TEH Area:250571.3 TEH Amount: 7.66851

ERH2592 (RHMW14-3)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0038.RAW

B22030244-047C ;0308HP5 , \$HC-8015-DRO-W, RR



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-047C ;0308HP5 , \$HC-8015-DRO-W, RR
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0038.RAW
 Date & Time Acquired: 3/9/2022 10:39:16 AM
 Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.183	.19	.185	97.18	-
*1-Chlorooctadecane	13.046	.19	.	.04	-
*#Triacontane	16.266	.19	.087	45.55	-


DRO Area:577784.2 DRO Amount: 1.684054E-02
 TEH Area:1169622 TEH Amount: 3.409069E-02

ERH2592 (RHMW14-3)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0038.RAW

B22030244-047C ;0308HP5 , \$HC-8015-DRO-W, RR



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-047C ;0308HP5 , \$HC-8015-DRO-W, RR
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0038.RAW
 Date & Time Acquired: 3/9/2022 10:39:16 AM
 Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.266	.476	.087	18.23

RRO Area:200712.3 RRO AMOUNT: 7.233977E-03

ERH2592 (RHMW14-3)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0038.RAW

B22030244-047C ;0308HP5 , \$HC-8015-DRO-W, RR



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-047C ;0308HP5 , \$HC-8015-DRO-W, RR
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0038.RAW
 Date & Time Acquired: 3/9/2022 10:39:16 AM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.183	.19	.184	96.83	-
*1-Chlorooctadecane	13.046	.19	.	.01	-
*#Triacontane	16.266	.19	.086	45.22	-


DRO Area:460687.5 DRO Amount: 1.342755E-02
 TEH Area:1127127 TEH Amount: 3.285209E-02

ERH2588 (RHMW12A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0039.RAW

B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, RR



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, RR
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0039.RAW
 Date & Time Acquired: 3/9/2022 11:22:14 AM
 Method File: G:\Org\HP5\Methods\D3_8015-C24T-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.178	.19	.186	97.48	-
*1-Chlorooctadecane	13.035	.19	.	.24	-
*#Triacontane	16.262	.19	.088	46.38	-


DRO Area:1686143 DRO Amount: 4.914559E-02
 TEH Area:7601433 TEH Amount: 0.2215572

ERH2588 (RHMW12A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0039.RAW

B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, RR



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, RR
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0039.RAW
 Date & Time Acquired: 3/9/2022 11:22:14 AM
 Method File: G:\Org\HP5\Methods\D3_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.262	.476	.088	18.55


RRO Area:3978236 RRO AMOUNT: 0.1433817

ERH2588 (RHMW12A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0039.RAW

B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, RR




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, RR
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0039.RAW
 Date & Time Acquired: 3/9/2022 11:22:14 AM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.178	.19	.185	96.94	-
*1-Chlorooctadecane	13.035	.19	.	.02	-
*#Triacontane	16.262	.19	.085	44.51	-

DRO Area:1087787 DRO Amount: 3.170547E-02
 TEH Area:2112016 TEH Amount: 6.155842E-02



RESIDUAL RANGE ORGANICS CHROMATOGRAM


Sample Name: LCS-164267-RRO ;0308HP5 ,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0040.RAW
 Date & Time Acquired: 3/9/2022 12:04:50 PM
 Method File: G:\Org\HP5\Methods\D3_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.267	.5	.235	47.09

RRO TEH(Oil Range) Area:1.297654E+08 RRO TEH(Oil Range) AMOUNT: 4.910789

AMN 03/11/2022




RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: LCS-164267-RRO ;0308HP5 ,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0040.RAW
 Date & Time Acquired: 3/9/2022 12:04:50 PM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.267	.5	.084	16.9

RRO Area:2875150 RRO AMOUNT: 0.108806



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V41
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0041.RAW
 Date & Time Acquired: 3/9/2022 12:47:26 PM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.888	200.	.	-
*1-Chlorooctadecane	29.888	200.	.	-

DRO Area:226442.1 DRO Amount: 6.930058
 TEH Area:650715.1 TEH Amount: 19.91455



RESIDUAL RANGE ORGANICS CHROMATOGRAM


Sample Name: LCSD-164267-RRO ;0308HP5 ,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0042.RAW
 Date & Time Acquired: 3/9/2022 1:30:26 PM
 Method File: G:\Org\HP5\Methods\D3_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.268	.5	.182	36.34

RRO TEH(Oil Range) Area:1.282928E+08 RRO TEH(Oil Range) AMOUNT: 4.855062

AMN 03/11/2022




RESIDUAL RANGE ORGANICS CHROMATOGRAM


Sample Name: LCSD-164267-RRO ;0308HP5 ,
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0042.RAW
 Date & Time Acquired: 3/9/2022 1:30:26 PM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.268	.5	.085	17.

RRO Area:2718616 RRO AMOUNT: 0.1028822





RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP544r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0044.RAW
 Date & Time Acquired: 3/9/2022 2:56:28 PM
 Method File: G:\Org\HP5\Methods\DC_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.27	500.	329.76	65.95	-


RRO TEH(Oil Range) Area:1.333069E+08 RRO TEH(Oil Range) AMOUNT: 5044.813

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0044.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.023	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.27	200.	329.76	164.88	75-125

AMN 03/11/2022



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP544r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0044.RAW
 Date & Time Acquired: 3/9/2022 2:56:28 PM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.27	500.	190.482	38.1

RRO Area:3517797 RRO AMOUNT: 133.1261

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0044.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.023	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.27	200.	190.482	95.24	75-125



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP545r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW
 Date & Time Acquired: 3/9/2022 3:39:14 PM
 Method File: G:\Org\HP5\Methods\DC_8015-C24-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.19	200.	327.563	163.78
*1-Chlorooctadecane	13.042	200.	146.174	73.09

DRO Area: 4.794126E+08 DRO Amount: 14671.99
 TEH Area: 4.964148E+08 TEH Amount: 15192.33


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	15192.33	101.28	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.19	200.	327.563	163.78	85-115
*1-Chlorooctadecane	13.042	200.	146.174	73.09	85-115

G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW

CCV_0308HP545r, DRO ;0308HP5 , DRO220301A



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP545r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW
 Date & Time Acquired: 3/9/2022 3:39:14 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.19	200.	200.208	100.1
*1-Chlorooctadecane	13.042	200.	35.318	17.66


DRO Area: 2.446162E+08 DRO Amount: 7486.258
 TEH Area: 2.554394E+08 TEH Amount: 7817.493

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	7817.49	52.12	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.19	200.	200.208	100.1	85-115
*1-Chlorooctadecane	13.042	200.	35.318	17.66	85-115





RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP544r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0044.RAW
 Date & Time Acquired: 3/9/2022 2:56:28 PM
 Method File: G:\Org\HP5\Methods\DC_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.27	500.	329.76	65.95	-


RRO TEH(Oil Range) Area:1.333069E+08 RRO TEH(Oil Range) AMOUNT: 5044.813

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0044.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.023	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.27	200.	329.76	164.88	75-125

AMN 03/11/2022



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP544r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0044.RAW
 Date & Time Acquired: 3/9/2022 2:56:28 PM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.27	500.	190.482	38.1	-

RRO Area:3517797 RRO AMOUNT: 133.1261

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0044.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.023	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.27	200.	190.482	95.24	75-125



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP545r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW
 Date & Time Acquired: 3/9/2022 3:39:14 PM
 Method File: G:\Org\HP5\Methods\DC_8015-C24-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.19	200.	327.563	163.78
*1-Chlorooctadecane	13.042	200.	146.174	73.09

DRO Area: 4.794126E+08 DRO Amount: 14671.99
 TEH Area: 4.964148E+08 TEH Amount: 15192.33


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	15192.33	101.28	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.19	200.	327.563	163.78	85-115
*1-Chlorooctadecane	13.042	200.	146.174	73.09	85-115

G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW

CCV_0308HP545r, DRO ;0308HP5 , DRO220301A



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP545r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW
 Date & Time Acquired: 3/9/2022 3:39:14 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.19	200.	200.208	100.1
*1-Chlorooctadecane	13.042	200.	35.318	17.66

DRO Area: 2.446162E+08 DRO Amount: 7486.258
 TEH Area: 2.554394E+08 TEH Amount: 7817.493

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0045.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	7817.49	52.12	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.19	200.	200.208	100.1	85-115
*1-Chlorooctadecane	13.042	200.	35.318	17.66	85-115



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V46
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0046.RAW
 Date & Time Acquired: 3/9/2022 4:21:55 PM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.881	200.	.	-
*1-Chlorooctadecane	29.881	200.	.	-

DRO Area:138542.4 DRO Amount: 4.239967
 TEH Area:286759.4 TEH Amount: 8.776014



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V47
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0047.RAW
 Date & Time Acquired: 3/9/2022 5:04:57 PM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.957	200.	.	-
*1-Chlorooctadecane	29.957	200.	.	-

DRO Area:128215.4 DRO Amount: 3.923916
 TEH Area:242257.1 TEH Amount: 7.414062



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: LCS-164267 ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0048.RAW
 Date & Time Acquired: 3/9/2022 5:47:46 PM
 Method File: G:\Org\HP5\Methods\D3_8015-C24-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.185	.2	.328	163.82	-
*1-Chlorooctadecane	13.04	.2	.144	71.9	-

DRO Area: 3.855344E+08 DRO Amount: 11.79893
 TEH Area: 4.093344E+08 TEH Amount: 12.52731

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0048.RAW

LCS-164267 ;0308HP5 , SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: LCS-164267 ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0048.RAW
 Date & Time Acquired: 3/9/2022 5:47:46 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.185	.2	.185	92.66
*1-Chlorooctadecane	13.04	.2	.052	26.02

DRO Area:1.730113E+08 DRO Amount: 5.294856
 TEH Area:1.834063E+08 TEH Amount: 5.612986

Batch ID: 164267

LCSD-164267 ;0308HP5 , SGT

G:\org\HP5\DAT\HP5030822_b\0308HP5.0049.RAW



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: LCSD-164267 ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0049.RAW
 Date & Time Acquired: 3/9/2022 6:30:29 PM
 Method File: G:\Org\HP5\Methods\D3_8015-C24-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.186	.2	.33	165.12 -
*1-Chlorooctadecane	13.042	.2	.141	70.52 -

DRO Area: 3.959514E+08 DRO Amount: 12.11774
 TEH Area: 4.197474E+08 TEH Amount: 12.84599

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0049.RAW

LCSD-164267 ;0308HP5 , SGT




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: LCSD-164267 ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0049.RAW
 Date & Time Acquired: 3/9/2022 6:30:29 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.186	.2	.191	95.33
*1-Chlorooctadecane	13.042	.2	.052	26.25

DRO Area:1.800518E+08 DRO Amount: 5.510324
 TEH Area:1.904657E+08 TEH Amount: 5.829032



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: MB-164267 ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0050.RAW
 Date & Time Acquired: 3/9/2022 7:13:08 PM
 Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1


Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.18	.2	.193	96.52	-
*1-Chlorooctadecane	13.052	.2	.06		-
*#Triacontane	16.263	.2	.087	43.49	-

DRO Area:297891.3 DRO Amount: 9.116694E-03
 TEH Area:574948.9 TEH Amount: 0.0175958

G:\org\HP5\DAT\HP5030822_b\0308HP5.0050.RAW

MB-164267 ;0308HP5 , SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: MB-164267 ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0050.RAW
 Date & Time Acquired: 3/9/2022 7:13:08 PM
 Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.263	.5	.087	17.43

RRO Area:129865.2 RRO AMOUNT: 4.914566E-03

Batch ID: 164267

MB-164267 ;0308HP5 , SGT

G:\org\HP5\DAT\HP5030822_b\0308HP5.0050.RAW



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: MB-164267 ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0050.RAW
 Date & Time Acquired: 3/9/2022 7:13:08 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.18	.2	.193	96.33
*1-Chlorooctadecane	13.052	.2	.02	-
*#Triacontane	16.263	.2	.086	43.22


DRO Area:271272.1 DRO Amount: 8.302038E-03
 TEH Area:644274.6 TEH Amount: 1.971744E-02

ERH2578 (RHMW04)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0051.RAW

B22030244-027C ;0308HP5 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-027C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0051.RAW
 Date & Time Acquired: 3/9/2022 7:55:54 PM
 Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.177	92.83	-
*1-Chlorooctadecane	13.053	.19	.	.08	-
*#Triacontane	16.264	.19	.075	39.4	-


DRO Area:260715.3 DRO Amount: 7.599007E-03
 TEH Area:537168.9 TEH Amount: 1.565674E-02

ERH2578 (RHMW04)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0051.RAW

B22030244-027C ;0308HP5 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-027C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0051.RAW
 Date & Time Acquired: 3/9/2022 7:55:54 PM
 Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.264	.476	.075	15.79


RRO Area:166869.7 RRO AMOUNT: 6.014238E-03

ERH2578 (RHMW04)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0051.RAW

B22030244-027C ;0308HP5 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-027C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0051.RAW
 Date & Time Acquired: 3/9/2022 7:55:54 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.176	92.63	-
*1-Chlorooctadecane	13.053	.19	.	.04	-
*#Triacontane	16.264	.19	.075	39.17	-


DRO Area:250251.1 DRO Amount: 7.294008E-03
 TEH Area:609690.1 TEH Amount: 1.777049E-02

ERH2582 (RHMW06)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0052.RAW

B22030244-022C ;0308HP5 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-022C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0052.RAW
 Date & Time Acquired: 3/9/2022 8:38:34 PM
 Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.177	93.03	-
*1-Chlorooctadecane	13.053	.19	.	.08	-
*#Triacontane	16.264	.19	.076	39.95	-


DRO Area:334548.6 DRO Amount: 9.751008E-03
 TEH Area:654792.3 TEH Amount: 1.908508E-02

ERH2582 (RHMW06)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0052.RAW

B22030244-022C ;0308HP5 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-022C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0052.RAW
 Date & Time Acquired: 3/9/2022 8:38:34 PM
 Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.264	.476	.076	16.


RRO Area:136640.6 RRO AMOUNT: 4.924734E-03

ERH2582 (RHMW06)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0052.RAW

B22030244-022C ;0308HP5 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-022C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0052.RAW
 Date & Time Acquired: 3/9/2022 8:38:34 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1


Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.177	92.82	-
*1-Chlorooctadecane	13.053	.19	.	.05	-
*#Triacontane	16.264	.19	.076	39.71	-

DRO Area:359369.7 DRO Amount: 1.047446E-02
 TEH Area:820247.4 TEH Amount: 2.390756E-02

Batch ID: 164267
B22030244-022CMS ;0308HP5 , SGT

G:\org\HP5\DAT\HP5030822_b\0308HP5.0053.RAW



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-022CMS ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0053.RAW
 Date & Time Acquired: 3/9/2022 9:21:18 PM
 Method File: G:\Org\HP5\Methods\D3_8015-030853-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1


Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.186	.19	.308	161.54	-
*1-Chlorooctadecane	13.042	.19	.13	68.21	-

DRO Area: 3.842314E+08 DRO Amount: 11.1991
 TEH Area: 4.088135E+08 TEH Amount: 11.91559

G:\org\HP5\DAT\HP5030822_b\0308HP5.0053.RAW

Batch ID: 164267
B22030244-022CMS ;0308HP5 , SGT




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-022CMS ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0053.RAW
 Date & Time Acquired: 3/9/2022 9:21:18 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.186	.19	.174	91.54	-
*1-Chlorooctadecane	13.042	.19	.047	24.83	-

DRO Area:1.749391E+08 DRO Amount: 5.098908
 TEH Area:1.854698E+08 TEH Amount: 5.405846



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: DCM-Baseline Check-V53
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0054.RAW
 Date & Time Acquired: 3/9/2022 10:04:02 PM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.966	200.	.	-
*1-Chlorooctadecane	29.966	200.	.	-


DRO Area:493346.8 DRO Amount: 15.09843
 TEH Area:786496.6 TEH Amount: 24.07002

ERH2574 (RHMW16A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0055.RAW

B22030244-012C ;0308HP5 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-012C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0055.RAW
 Date & Time Acquired: 3/9/2022 10:46:49 PM
 Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.175	91.68	-
*1-Chlorooctadecane	13.052	.19	.	.04	-
*#Triacontane	16.265	.19	.075	39.22	-


DRO Area:404053.2 DRO Amount: 1.177684E-02
 TEH Area:897821.6 TEH Amount: 2.616859E-02

ERH2574 (RHMW16A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0055.RAW

B22030244-012C ;0308HP5 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-012C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0055.RAW
 Date & Time Acquired: 3/9/2022 10:46:49 PM
 Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.265	.476	.075	15.72


RRO Area:137619.9 RRO AMOUNT: 4.96003E-03

ERH2574 (RHMW16A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0055.RAW

B22030244-012C ;0308HP5 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-012C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0055.RAW
 Date & Time Acquired: 3/9/2022 10:46:49 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.174	91.4	-
*1-Chlorooctadecane	13.052	.19	.	.02	-
*#Triacontane	16.265	.19	.074	38.99	-


DRO Area:415087.5 DRO Amount: 1.209846E-02
 TEH Area:1032199 TEH Amount: 3.008525E-02

ERH2588 (RHMW12A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0056.RAW

B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0056.RAW
 Date & Time Acquired: 3/9/2022 11:29:29 PM
 Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.155	81.32	-
*1-Chlorooctadecane	13.057	.19	.	.06	-
*#Triacontane	16.267	.19	.07	36.92	-


DRO Area:456828.1 DRO Amount: 1.331506E-02
 TEH Area:859657.2 TEH Amount: 2.505622E-02

ERH2588 (RHMW12A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0056.RAW

B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0056.RAW
 Date & Time Acquired: 3/9/2022 11:29:29 PM
 Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.267	.476	.071	14.81


RRO Area:83955.23 RRO AMOUNT: 3.025874E-03

ERH2588 (RHMW12A)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0056.RAW

B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-037C ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0056.RAW
 Date & Time Acquired: 3/9/2022 11:29:29 PM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.155	81.12	-
*1-Chlorooctadecane	13.057	.19	.	.03	-
*#Triacontane	16.267	.19	.07	36.71	-


DRO Area:433898.1 DRO Amount: 1.264673E-02
 TEH Area:1001536 TEH Amount: 2.919154E-02

ERH2624 (RHMW07)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0057.RAW

B22030244-032D ;0308HP5 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-032D ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0057.RAW
 Date & Time Acquired: 3/10/2022 12:12:22 AM
 Method File: G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO2201111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.181	95.25	-
*1-Chlorooctadecane	13.051	.19	.	.07	-
*#Triacontane	16.265	.19	.077	40.29	-


DRO Area:398633.3 DRO Amount: 1.161887E-02
 TEH Area:786392.9 TEH Amount: 2.292081E-02

ERH2624 (RHMW07)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0057.RAW

B22030244-032D ;0308HP5 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030244-032D ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0057.RAW
 Date & Time Acquired: 3/10/2022 12:12:22 AM
 Method File: G:\Org\HP5\Methods\DR_OROS-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI_SAMP.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 14.255 to 21.55

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.265	.476	.077	16.14


RRO Area:108507.7 RRO AMOUNT: 3.910783E-03

ERH2624 (RHMW07)

Batch ID: 164267

G:\org\HP5\DAT\HP5030822_b\0308HP5.0057.RAW

B22030244-032D ;0308HP5 , \$HC-8015-DRO-W, SGT




DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030244-032D ;0308HP5 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0057.RAW
 Date & Time Acquired: 3/10/2022 12:12:22 AM
 Method File: G:\Org\HP5\Methods\DS_8015-C24T-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Ji-C24-T.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.345

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.182	.19	.181	95.05	-
*1-Chlorooctadecane	13.051	.19	.	.04	-
*#Triacontane	16.265	.19	.076	40.07	-

DRO Area:363990.2 DRO Amount: 1.060913E-02
 TEH Area:809708.6 TEH Amount: 2.360038E-02



RESIDUAL RANGE ORGANICS CHROMATOGRAM


Sample Name: B22030244-027CMS-RRO ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0058.RAW
 Date & Time Acquired: 3/10/2022 12:55:09 AM
 Method File: G:\Org\HP5\Methods\D3_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane_____	16.267	.476	.154	32.27	-

~~RRO~~ TEH(Oil Range) Area:1.262469E+08 ~~RRO~~ TEH(Oil Range) AMOUNT: 4.550131

AMN 03/11/2022




RESIDUAL RANGE ORGANICS CHROMATOGRAM


Sample Name: B22030244-027CMS-RRO ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0058.RAW
 Date & Time Acquired: 3/10/2022 12:55:09 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.267	.476	.071	14.82

RRO Area:2596411 RRO AMOUNT: 9.357858E-02





RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP560r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0060.RAW
 Date & Time Acquired: 3/10/2022 2:20:41 AM
 Method File: G:\Org\HP5\Methods\DC_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.272	500.	334.694	66.94	-


~~RRO~~ TEH(Oil Range) Area:1.389662E+08 ~~RRO~~ TEH(Oil Range) AMOUNT: 5258.982

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0060.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.028	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.272	200.	334.694	167.35	75-125

AMN 03/11/2022



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP560r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0060.RAW
 Date & Time Acquired: 3/10/2022 2:20:41 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.272	500.	193.856	38.77	-

RRO Area:3555723 RRO AMOUNT: 134.5613

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0060.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.028	.	75-125

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.272	200.	193.856	96.93	75-125



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP561r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0061.RAW
 Date & Time Acquired: 3/10/2022 3:03:34 AM
 Method File: G:\Org\HP5\Methods\DC_8015-C24-JI-L%.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.191	200.	328.697	164.35
*1-Chlorooctadecane	13.042	200.	155.118	77.56

DRO Area: 4.839657E+08 DRO Amount: 14811.34
 TEH Area: 5.010858E+08 TEH Amount: 15335.28


CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0061.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	15335.28	102.24	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.191	200.	328.697	164.35	85-115
*1-Chlorooctadecane	13.042	200.	155.118	77.56	85-115

G:\org\HP5\DAT\HP5030822_b\0308HP5.0061.RAW

CCV_0308HP561r, DRO ;0308HP5 , DRO220301A



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: CCV_0308HP561r, DRO ;0308HP5 , DRO220301A
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0061.RAW
 Date & Time Acquired: 3/10/2022 3:03:34 AM
 Method File: G:\Org\HP5\Methods\DS_8015-C24-JI-L#.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111JI-C24.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36
 Rt range for Diesel Range Organics: 6.46 to 14.355


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	12.191	200.	200.853	100.43
*1-Chlorooctadecane	13.042	200.	35.978	17.99

DRO Area: 2.46351E+08 DRO Amount: 7539.35
 TEH Area: 2.572179E+08 TEH Amount: 7871.923

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0061.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
TOTAL DRO	15000.	7871.92	52.48	85-115

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*o-Terphenyl	12.191	200.	200.853	100.43	85-115
*1-Chlorooctadecane	13.042	200.	35.978	17.99	85-115



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V62
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0062.RAW
 Date & Time Acquired: 3/10/2022 3:46:22 AM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.193	200.	4.332	2.17	-
*1-Chlorooctadecane	13.092	200.	4.093	2.05	-

DRO Area:2551255 DRO Amount: 78.07887
 TEH Area:2979647 TEH Amount: 91.18942



RESIDUAL RANGE ORGANICS CHROMATOGRAM


Sample Name: LCS-164267-RRO ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0063.RAW
 Date & Time Acquired: 3/10/2022 4:29:13 AM
 Method File: G:\Org\HP5\Methods\D3_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.271	.5	.204	40.76

RRO TEH(Oil Range) Area:1.283233E+08 RRO TEH(Oil Range) AMOUNT: 4.856215

AMN 03/11/2022




RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: LCS-164267-RRO ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0063.RAW
 Date & Time Acquired: 3/10/2022 4:29:13 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.271	.5	.081	16.17 -

RRO Area:2897034 RRO AMOUNT: 0.1096342



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT


Sample Name: DCM-Baseline Check-V41
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0064.RAW
 Date & Time Acquired: 3/10/2022 5:12:00 AM
 Method File: G:\Org\HP5\Methods\DR_8015-JD-LEXP.met
 Calibration File: G:\Org\HP5\Cals\SW8015C_DRO220111Jd.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for TEH: 32675.36

Rt range for Diesel Range Organics: 6.48 to 15.84

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*o-Terphenyl	29.912	200.	.	-
*1-Chlorooctadecane	29.912	200.	.	-

DRO Area:393813.8 DRO Amount: 12.05232
 TEH Area:876230.9 TEH Amount: 26.81626



RESIDUAL RANGE ORGANICS CHROMATOGRAM


Sample Name: LCSD-164267-RRO ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0065.RAW
 Date & Time Acquired: 3/10/2022 5:54:57 AM
 Method File: G:\Org\HP5\Methods\D3_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.27	.5	.175	35.07

~~RRO~~ TEH(Oil Range) Area:1.282505E+08 ~~RRO~~ TEH(Oil Range) AMOUNT: 4.85346

AMN 03/11/2022




RESIDUAL RANGE ORGANICS CHROMATOGRAM


Sample Name: LCSD-164267-RRO ;0308HP5 , SGT
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0065.RAW
 Date & Time Acquired: 3/10/2022 5:54:57 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1000 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.27	.5	.083	16.55

RRO Area:2655842 RRO AMOUNT: 0.1005066





RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP567r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0067.RAW
 Date & Time Acquired: 3/10/2022 7:21:03 AM
 Method File: G:\Org\HP5\Methods\DC_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for ~~Residual~~ TEH(Oil Range) Organics Calculations: 26424.55
 Rt range for ~~Residual~~ TEH(Oil Range) Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane	16.272	500.	334.779	66.96	-


RRO TEH(Oil Range) Area:1.404346E+08 RRO TEH(Oil Range) AMOUNT: 5314.55

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0067.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.	75-125	

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.272	200.	334.779	167.39	75-125

AMN 03/11/2022



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: CCV_0308HP567r, RRO ;0308HP5 , DRO220302C
 Raw File: G:\org\HP5\DAT\HP5030822_b\0308HP5.0067.RAW
 Date & Time Acquired: 3/10/2022 7:21:03 AM
 Method File: G:\Org\HP5\Methods\DS_ORO-BI-L%.MET
 Calibration File: G:\Org\HP5\Cals\SW8015C_ORO220111BI.CAL
 Sample Weight: 1 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 26424.55
 Rt range for Residual Range Organics: 12.54 to 30.05

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.272	500.	194.977	39.

RRO Area:3611152 RRO AMOUNT: 136.659

CONTINUING CALIBRATION REPORT: G:\org\HP5\DAT\HP5030822_b\0308HP5.0067.RAW

COMPOUND	ACTUAL (NG)	MEASURED (NG)	%RECOVERY	LIMITS
*30-40 Motor Oil	5000.	.	75-125	

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	LIMITS
*#Triacontane	16.272	200.	194.977	97.49	75-125

Write Sequence	Data File	Sample Name	Method	Weight	Dil Factor	Amt Inj.	IS	Cal ID	Manual Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.01r		DCM-Baseline Check-V01	G:\Org\HP5-Methods\DR_8015-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.02r		DCM-Baseline Check-V02	G:\Org\HP5-Methods\DR_8015A-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.03r		Marker_0308HP503r_CSCAN_0308HP5_DRO220218B	G:\org\HP5-Methods\CSC220308.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.04r		CCV_0308HP504r_RRO_0308HP5_DRO220302C	G:\Org\HP5-Methods\DC_ORO-BI-L%.MET G:\Org\HP5-Methods\DS_ORO-BI-L%.MET	1	1	1	1	1	0 The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-16 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.05r		CCV_0308HP505r_DRO_0308HP5_DRO220301A	G:\Org\HP5-Methods\DC_8015-C24-JI-L%.met G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.35 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.06r		DCM-Baseline Check-V06	G:\Org\HP5-Methods\DR_8015-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.07r		DCM-Baseline Check-V07	G:\Org\HP5-Methods\DR_8015-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.08r		LCS-164267_0308HP5	G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1000	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.09r		LCSD-164267_0308HP5	G:\Org\HP5-Methods\DS_8015-030809-C24-JI-L%.met G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1000	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline with peak width adjusted. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.10r		MB-164267_0308HP5	G:\Org\HP5-Methods\DR_8015-C24-JI-L%.met G:\Org\HP5-Methods\DR_OROS-BI-L%.MET G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1000	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.11r		B22030244-007C_0308HP5_SHC-8015-DRO-W	G:\Org\HP5-Methods\DR_8015-C24-JI-L%.met G:\Org\HP5-Methods\DR_OROS-BI-L%.MET G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.12r		B22030244-001C_0308HP5_SHC-8015-DRO-W	G:\Org\HP5-Methods\DR_8015-C24-JI-L%.met G:\Org\HP5-Methods\DR_OROS-BI-L%.MET G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.13r		B22030244-002A_0308HP5_SHC-8015-DRO-W	G:\Org\HP5-Methods\DR_8015-C24-JI-L%.met G:\Org\HP5-Methods\DR_OROS-BI-L%.MET G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.14r		DCM-Baseline Check-V14	G:\Org\HP5-Methods\DR_8015-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.15r		B22030244-042C_0308HP5_SHC-8015-DRO-W	G:\Org\HP5-Methods\DR_8015-C24-JI-L%.met G:\Org\HP5-Methods\DR_OROS-BI-L%.MET G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.16r		B22030244-012C_0308HP5_SHC-8015-DRO-W	G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.17r		Marker_0308HP517r_CSCAN_0308HP5_DRO220218B	G:\org\HP5-Methods\CSC220308.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.18r		CCV_0308HP518r_RRO_0308HP5_DRO220302C	G:\Org\HP5-Methods\DC_ORO-BI-L%.MET G:\Org\HP5-Methods\DS_ORO-BI-L%.MET	1	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.19r		CCV_0308HP519r_DRO_0308HP5_DRO220301A	G:\Org\HP5-Methods\DC_8015-C24-JI-L%.met G:\Org\HP5-Methods\DS_8015-C24-JI-L%.met	1	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline with peak width adjusted. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.20r		DCM-Baseline Check-V20	G:\Org\HP5-Methods\DR_8015A-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.21r		DCM-Baseline Check-V21	G:\Org\HP5-Methods\DR_8015-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.22r		B22030244-047C_0308HP5_SHC-8015-DRO-W_Needs rerun due to end of baseline	G:\Org\HP5-Methods\DR_8015-C24-JI-L0.met	1050	1	1	1	1	0 No Integrations

G:\org\HP5\DAT\HP5030822_b\0308HP5.23r	B22030244-022C_0308HP5 , \$HC-8015-DRO-W,	G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\Org\HP5\Methods\DR_OROS-BI-L%.MET G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	0	The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valleys on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.24r	B22030244-022CMS_0308HP5 ,	G:\Org\HP5\Methods\DS_8015-030824-C24-JI-L%.met G:\Org\HP5\Methods\DS_8015-C24-JI-L%.met	1050	1	1	1	0	The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline with peak width adjusted. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.25r	DCM-Baseline Check-V25	G:\Org\HP5\Methods\DR_8015A-JD-LEXP.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.26r	B22030244-032D_0308HP5 , \$HC-8015-DRO-W,	G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.met G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.MET G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	0	The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valleys on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.27r	B22030244-037C_0308HP5 , \$HC-8015-DRO-W, Needs rerun possible carry over	G:\Org\HP5\Methods\DR_8015-C24T-JI-L0.met	1050	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.28r	B22030244-027C_0308HP5 , \$HC-8015-DRO-W,	G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\Org\HP5\Methods\DR_OROS-BI-L%.MET G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	0	The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valleys on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.29r	DCM-Baseline Check-V29	G:\Org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.30r	B22030244-017C_0308HP5 , \$HC-8015-DRO-W,	G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\Org\HP5\Methods\DR_OROS-BI-L%.MET G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	0	The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valleys on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.31r	DCM-Baseline Check-V31	G:\Org\HP5\Methods\DR_8015A-JD-LEXP.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.32r	B22030244-027CMS-RRO_0308HP5 ,	G:\Org\HP5\Methods\DS_ORO-BI-L%.MET G:\Org\HP5\Methods\DS_ORO-BI-L%.MET	1050	1	1	1	0	The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.33r	Marker_0308HP533r_CSCAN_0308HP5_DRO220218B	G:\org\HP5\Methods\CSC220308.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.34r	CCV_0308HP534r_RRO_0308HP5 , DRO220302C	G:\Org\HP5\Methods\DC_ORO-BI-L%.MET G:\Org\HP5\Methods\DS_ORO-BI-L%.MET	1	1	1	1	0	The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.35r	CCV_0308HP535r_DRO_0308HP5 , DRO220301A	G:\Org\HP5\Methods\DC_8015-C24-JI-L%.met G:\Org\HP5\Methods\DS_8015-C24-JI-L%.met	1	1	1	1	0	The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valleys on at 16.35 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.36r	DCM-Baseline Check-V36	G:\Org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.37r	DCM-Baseline Check-V37	G:\Org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.38r	B22030244-047C_0308HP5 , \$HC-8015-DRO-W, RR	G:\Org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\Org\HP5\Methods\DR_OROS-BI-L%.MET G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	0	The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valleys on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.39r	B22030244-037C_0308HP5 , \$HC-8015-DRO-W, RR	G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.met G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.MET G:\Org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	0	The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valleys on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.40r	LCS-164267-RRO_0308HP5 ,	G:\Org\HP5\Methods\DS_ORO-BI-L%.MET G:\Org\HP5\Methods\DS_ORO-BI-L%.MET	1000	1	1	1	0	The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.41r	DCM-Baseline Check-V41	G:\Org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.42r	LCS-164267-RRO_0308HP5 ,	G:\Org\HP5\Methods\DS_ORO-BI-L%.MET G:\Org\HP5\Methods\DS_ORO-BI-L%.MET	1000	1	1	1	0	The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.43r	Marker_0308HP540r_CSCAN_0308HP5_DRO220218B	G:\org\HP5\Methods\CSC220308.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.44r	CCV_0308HP544r_RRO_0308HP5 , DRO220302C	G:\Org\HP5\Methods\DC_ORO-BI-L%.MET G:\Org\HP5\Methods\DS_ORO-BI-L%.MET	1	1	1	1	0	The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.45r	CCV_0308HP545r_DRO_0308HP5 , DRO220301A	G:\Org\HP5\Methods\DC_8015-C24-JI-L%.met G:\Org\HP5\Methods\DS_8015-C24-JI-L%.met	1	1	1	1	0	The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valleys on at 16.35 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.

Ann Nebel
Page 207 of 307

Digitally signed by
Ann Nebel
Date: 2022.03.11 13:13:32 -0700

Write Sequence	Data File	Sample Name	Method	Weight	Dil Factor	Amt Inj.	IS	Cal ID	Manual Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.43r	Marker_0308HP540r_CSCAN_0308HP5_DRO220218B		G:\org\HP5\Methods\CSC220308.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.44r	CCV_0308HP544r_RRO_0308HP5_DRO220302C		G:\org\HP5\Methods\DC_ORO-BI-L%.MET G:\org\HP5\Methods\DS_ORO-BI-L%.MET	1	1	1	1	1	0 The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.45r	CCV_0308HP545r_DRO_0308HP5_DRO220301A		G:\org\HP5\Methods\DC_8015-C24-JI-L%.met G:\org\HP5\Methods\DS_8015-C24-JI-L%.met	1	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valleys on placed at 16.35 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.46r	DCM-Baseline Check-V46		G:\org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.47r	DCM-Baseline Check-V47		G:\org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.48r	LCS-164267_0308HP5_SGT		G:\org\HP5\Methods\D3_8015-C24-JI-L%.met G:\org\HP5\Methods\DS_8015-C24-JI-L%.met	1000	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.49r	LCS-D-164267_0308HP5_SGT		G:\org\HP5\Methods\D3_8015-C24-JI-L%.met G:\org\HP5\Methods\DS_8015-C24-JI-L%.met	1000	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.50r	MB-164267_0308HP5_SGT		G:\org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\org\HP5\Methods\DR_OROS-BI-L%.MET G:\org\HP5\Methods\DS_8015-C24T-JI-L%.met	1000	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.51r	B22030244-027C_0308HP5_SHC-8015-DRO-W_SGT		G:\org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\org\HP5\Methods\DR_OROS-BI-L%.MET G:\org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.52r	B22030244-022C_0308HP5_SHC-8015-DRO-W_SGT		G:\org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\org\HP5\Methods\DR_OROS-BI-L%.MET G:\org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.53r	B22030244-022CMS_0308HP5_SGT		G:\org\HP5\Methods\D3_8015-030853-JI-L%.met G:\org\HP5\Methods\DS_8015-C24-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline with peak width adjusted. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.54r	DCM-Baseline Check-V54		G:\org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.55r	B22030244-012C_0308HP5_SHC-8015-DRO-W_SGT		G:\org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\org\HP5\Methods\DR_OROS-BI-L%.MET G:\org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.56r	B22030244-037C_0308HP5_SHC-8015-DRO-W_SGT		G:\org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\org\HP5\Methods\DR_OROS-BI-L%.MET G:\org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.57r	B22030244-032D_0308HP5_SHC-8015-DRO-W_SGT		G:\org\HP5\Methods\DR_8015-C24T-JI-L%.met G:\org\HP5\Methods\DR_OROS-BI-L%.MET G:\org\HP5\Methods\DS_8015-C24T-JI-L%.met	1050	1	1	1	1	0 The integration of Diesel Range Organics (C10-C24), C24-C40, and Total Extractable Hydrocarbons (TEH) is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.6 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 10.78 minutes and X-axis scaling showing surrogate peak from 11-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.58r	B22030244-027CMS-RRO_0308HP5_SGT		G:\org\HP5\Methods\D3_ORO-BI-L%.MET G:\org\HP5\Methods\DS_ORO-BI-L%.MET	1050	1	1	1	1	0 The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.59r	Marker_0308HP559r_CSCAN_0308HP5_DRO220218B		G:\org\HP5\Methods\CSC220308.met	1	1	1	1	1	0 No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.60r	CCV_0308HP560r_RRO_0308HP5_DRO220302C		G:\org\HP5\Methods\DC_ORO-BI-L%.MET G:\org\HP5\Methods\DS_ORO-BI-L%.MET	1	1	1	1	1	0 The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.

G:\org\HP5\DAT\HP5030822_b\0308HP5.61r	CCV_0308HP561r, DRO_0308HP5, DRO220301A	G:\Org\HP5\Methods\DC_8015-C24-JI-L%.met G:\Org\HP5\Methods\DS_8015-C24-JI-L%.met	1	1	1	1	0	The integration of Diesel Range Organics (C10-C24) and Total Extractable Hydrocarbons is the hydrocarbon response with reference to the baseline. Assigned Set Baseline All Valley on at 16.35 minutes. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 12.01 minutes and X-axis scaling showing surrogate peak from 11.5-14 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.62r	DCM-Baseline Check-V62	G:\Org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	0	No integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.63r	LCS-164267-RRO_0308HP5, SGT	G:\Org\HP5\Methods\D3_ORO-BI-L%.MET G:\Org\HP5\Methods\DS_ORO-BI-L%.MET	1000	1	1	1	0	The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.64r	DCM-Baseline Check-V64	G:\Org\HP5\Methods\DR_8015-JD-LEXP.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.65r	LCSD-164267-RRO_0308HP5, SGT	G:\Org\HP5\Methods\D3_ORO-BI-L%.MET G:\Org\HP5\Methods\DS_ORO-BI-L%.MET	1000	1	1	1	0	The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.
G:\org\HP5\DAT\HP5030822_b\0308HP5.66r	Marker_0308HP566r, CSCAN_0308HP5, DRO220218B	g:\org\HP5\Methods\CSC220308.met	1	1	1	1	0	No Integrations
G:\org\HP5\DAT\HP5030822_b\0308HP5.67r	CCV_0308HP567r, RRO_0308HP5, DRO220302C	G:\Org\HP5\Methods\DC_ORO-BI-L%.MET G:\Org\HP5\Methods\DS_ORO-BI-L%.MET	1	1	1	1	0	The integration of Oil Range hydrocarbon is the hydrocarbon response with reference to the baseline. Surrogates are integrated using a valley to valley integration using Set baseline All Valleys on placed at 16.14 minutes and X-axis scaling showing surrogate peak from 14-18 minutes.



Digitally signed by
Ann Nebel
Date: 2022.03.11 13:14:33 -07:00



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO180126C

Standard Name: 2-Fluorobiphenyl

Prep Date: 1/26/2018

Exp Date: 10/31/2024

Department: dropr

Vendor: Chemservice

Lot Number: 5599700

Balance ID:

Comments:

Type: Neat

Prep By: Todd C Cooper

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
2-Fluorobiphenyl	10069		mL	10/31/2024
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO180823A

Standard Name: 2-Bromonaphthalene

Prep Date: 8/22/2016

Exp Date: 5/31/2022

Department: dropr

Vendor: Chemservice

Lot Number: 3150700

Balance ID:

Comments:

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
2-Bromonaphthalene	10701		mL	5/31/2022
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO181105A

Standard Name: #2 Diesel (NEAT)

Prep Date: 11/5/2018

Exp Date: 11/5/2023

Department: dropr

Vendor: conoco

Lot Number:

Balance ID:

Comments: -18 Cloud peak. (Conoco Gas Sation 1240 S. 27th Billings, MT) 2nd Source

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: 250 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
				11/5/2023
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO200430B
Standard Name: O-Terphenyl
Prep Date: 4/30/2020
Exp Date: 9/30/2024
Department: dropr
Vendor: Chemservice
Lot Number: 9972100
Balance ID:
Comments: ID#: 6271

Type: Neat
Prep By: Ann Nebel
Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
o-Terphenyl	12650	500	mg	9/30/2024
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO201014C

Standard Name: 1-Chlorooctadecane

Prep Date: 10/14/2019

Exp Date: 12/31/2024

Department: dropr

Vendor: CSI1

Lot Number: 10809500

Balance ID:

Comments: Date Certified: 12/9/16 ; N-10042-1G; 99.5% purity

Type: Neat

Prep By: Ann Nebel

Status: Open

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
1-Chlorooctadecane	13192	1	g	12/31/2024

Stock Source	Base Units	Amount Added
--------------	------------	--------------



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO201014D

Standard Name: n-Pentacosane

Prep Date: 10/14/2020

Exp Date: 2/28/2025

Department: dropr

Vendor: Chem Service

Lot Number: 9642200

Balance ID:

Comments: C-25; Used in AKDRO Marker

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
n-Pentacosane	13193	100	mg	2/28/2025
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO211012B

Standard Name: #2 Diesel in Acetone 150,000 ug/mL

Prep Date: 10/12/2021

Exp Date: 11/5/2023

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: #2 Diesel in Acetone 150,000 ug/mL.

Type: Secondary

Prep By: Ann Nebel

Status: New

Final Volume: 25 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Acetone EA662	14050	25	mL	11/5/2023
Stock Source	Base Units	Amount Added		
DRO181105A	ug/mL	3.7507 g		



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO211025B

Standard Name: Ali Hydro Std 1000ug/mL

Prep Date: 10/25/2021

Exp Date: 11/30/2024

Department: dropr

Vendor: Agilent

Lot Number: 0006643302

Balance ID:

Comments: Ali Hydro Std 1000ug/mL For CCVs.

Type: Primary

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Aliphatic Hydrocarbon Standard	14434	1	mL	11/30/2024
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Spike ID: DRO211101A
Spike Name: OTP-4000 ug/mL DCM
Prep Date: 11/1/2021
Exp Date: 9/30/2024
Department: dropr
Vendor:
Lot Number:
Balance ID: BAL-DRO
Comments: Used to Prep DRO-8015 ICAL and CCV Solutions

Type: Secondary
Prep By: Ann Nebel
Status: Open

Final Volume: 25 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane EC328	14408	25	mL	9/30/2024

Stock Source	Base Units	Amount Added
DRO200430B	ug/mL	0.1012 g



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO211214C

Standard Name: Diesel Fuel #2 50,000 ug/mL in DCM

Prep Date: 12/14/2021

Exp Date: 4/30/2023

Department: dropr

Vendor: Sigma-Aldrich

Lot Number: LRAC6316

Balance ID:

Comments: Diesel Fuel #2 For CCVs.

Type: Primary

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Diesel Fuel No. 2	14623	1	mL	4/30/2023

Stock Source	Base Units	Amount Added
DRO211214C	ug/mL	



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO211222B

Standard Name: EPH (4) SURR-1000 ug/mL ea. in Hexane

Prep Date: 12/22/2021

Exp Date: 5/31/2022

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: EPH (4) SURR-1000 ug/mL ea. in Hexane

Type: Secondary

Prep By: Jillian L Bostwick

Status: Open

Final Volume: 50 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Hexane EB754	14543	50	mL	5/31/2022

Stock Source	Base Units	Amount Added
DRO180823A	ug/mL	0.0507 g
DRO200430B	ug/mL	0.0504 g
DRO180126C	ug/mL	0.0496 g
DRO201014C	ug/mL	0.0504 g



Analytical RunID GCFID-HP5-B_220111A Standards Traceability Report

Standard ID: DRO220102D

Standard Name: ALASKA MARKER-200ug/mL

Prep Date: 1/2/2022

Exp Date: 5/31/2022

Department: dropr

Vendor:

Lot Number:

Balance ID:

Comments: ALASKA MARKER w/ C-10, C-25, and OTP/COD. Optimal C-25 is 0.0012g.

Type: Secondary

Prep By: Ann Nebel

Status: New

Final Volume: 5.5 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Hexane EB754	14543	3.3	mL	5/31/2022

Stock Source	Base Units	Amount Added
DRO201014D	ug/mL	0.0016 g
DRO211222B	ug/mL	1.1 mL
DRO211025B	ug/mL	1.1 mL

Certificate of Analysis

Diesel Fuel No. 2

Certified
Reference
Material

Description

Product ID UST148
Lot LRAC6316
Expiration Date April 2023
Manufacturing Date April 2020
Storage Conditions Room Temperature
Solvent/Matrix DICHLOROMETHANE

ID #: 14623

Opened: _____

Diesel Fuel No. 2

Expires: 4/30/2023


Rec'd: 12/14/2021

Energy Laboratories Inc 1120 So. 27th Street
Billings MT 59107

Certified Values

Analyte	Certified Value ^{1,4}	Units	Raw Material Purity, %	Raw Material Lot	CAS
NO.2 FUEL OIL	50001 ± 2770	µg/mL	100.0	LA80505	68476-34-6

Informational Values



Additional Information:

Analytical Method Parameters:

Column: SPB-5, 30 m × 0.53 mm I.D., 1.5 µm film thickness (Column #214)

Carrier Gas: H₂, Flow: 4.0 mL/min

Inlet Temperature: 250 °C, Injection Volume: 1.0 µL

Injection Mode: Split, Split Ratio: 10: 1

Temperature Program: 40 °C (Hold 2 min) @ 15 °C/min to 300 °C (Hold 5 min)

Detector: FID

Detector Temperature: 300 °C



SIGMA-ALDRICH

2931 Soldier Springs Rd. Laramie, Wyoming 82070 USA
800-325-5832
TechService@milliporesigma.com www.sigma-aldrich.com

Description

Lot **LRAC6316**
Expiration Date April 2023
Manufacturing Date April 2020
Storage Conditions Room Temperature
Solvent/Matrix DICHLOROMETHANE

1 Metrological traceability: Traceable to the SI and higher order standards from NIST through an unbroken chain of comparisons. The balance used to weigh raw materials is accurate to +/-0.0001 g and calibrated regularly using mass standards traceable to NIST. All dilutions were performed gravimetrically. Additionally, individual analytes are traceable to NIST SRMs where available and specified above.
4 Ucrm - Uncertainty values in this document are expressed as Expanded Uncertainty (Ucrm) corresponding to the 95% confidence interval. Ucrm is derived from the combined standard uncertainty multiplied by the coverage factor k, which is obtained from a t-distribution and degrees of freedom. The components of combined standard uncertainty include the uncertainties due to characterization, homogeneity, long term stability, and short term stability (transport). The components due to stability are generally considered to be negligible unless otherwise indicated by stability studies. The mathematical representation of the Ucrm calculation is as follows:

$$U_{CRM} = \sqrt{u_{char}^2 + u_{homogeneity}^2 + u_{stability}^2}$$

k: Coverage factor derived from a t-distribution table, based on the degrees of freedom of the data set. Assume 2.0 for a **Confidence interval = 95%**

6 Analytical Value- For QC verification of the certified value only- not to be used in calculations. Represents the analytical data obtained by comparison to a standard as analyzed by the method described in the CoA or another acceptable method. The result may differ from the certified value and UCRM based on method uncertainty as well as the uncertainty associated with the standard used for comparison.


Traceability: The standard was manufactured under an ISO/IEC 17025:2017 certified quality system. The balance used to weigh raw materials is accurate to +/- 0.0001g and calibrated regularly using mass standards traceable to NIST. All dilutions were performed gravimetrically. Additionally, individual analytes are traceable to NIST SRMs where available and specified above.

Homogeneity: Homogeneity was assessed in accordance with ISO 17034:2016. Completed units were sampled using a random stratified sampling protocol. The results of chemical analysis were then compared using a one-way analysis of variance approach as described by TNI EL-V3-2009 Appendix A.2. See Instructions for minimum sub-sample size.

Expiration is at end of month given on certificate and label.


MSDS reports for components comprising greater than 1.0% of the solution or 0.1% for components known to be carcinogens are available upon request.

THIS PRODUCT WAS DESIGNED, PRODUCED AND VERIFIED FOR ACCURACY AND STABILITY IN ACCORDANCE WITH ISO/IEC 17025:2017 (ANAB Cert AT-1467) and ISO 17034:2016 (ANAB Cert AR-1470).



Andy Ommen - QC Manager

Certification Date April 30, 2020
Version 0-4302020



Mark Pooler - QA Supervisor



Anna

660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

o-Terphenyl

CATALOG NUMBER N-12693-500MG
LOT NUMBER 9972100
DATE CERTIFIED 09/23/19
EXPIRATION DATE 09/30/24
CAS NUMBER 84-15-1
MOLECULAR FORMULA C18H14
MOLECULAR WEIGHT 230.32
STORAGE Store in a cool dry place.
HANDLING See Safety Data Sheet
INTENDED USE For laboratory use only.

Analytical Test	Value
FT-IR SPECTROSCOPY	CONFORMS TO STRUCTURE
GC/MS SPECTRA ID	MATCHES NIST DATABASE
MELTING POINT (°C)	57.1
% PURITY (GC/FID)	99.5

Chem Service, Inc. guarantees the purity to be +/- 0.5% deviation prior to the expiration date shown on the label and exclusive of any customer contamination.

Certified By:

Mary Beth O'Donnell

Mary Beth O'Donnell
CSM/TC

ID #: 12650

Opened: _____

o-Terphenyl

Expires: 9/30/2024

Rec'd: 4/30/2020

Energyl Laboratories Inc 1120 So. 27th Street
Billings MT 59107

COA Form
Revision 3 (3/2015)


Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015



CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015



660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Chem Service Inc Area Percent Report

Data File: D:\msdchem\2019 DATA\0919\0923-01.D
Acq On : 23 Sep 2019 10:40
Operator :
Sample : n-12693
Misc :
ALS Vial : 95

Integration Parameters: autoint1.e
Integrator: ChemStation

DataAcq Meth: SCREEN.M
Method : D:\msdchem\2019 DATA\0919\0903-09.D\ERIN.M

Signal : TIC: 0923-01.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	11.844	1597	1606	1613	BB	32038221	432253484	100.00%	100.000%

Sum of corrected areas: 432253484

ERIN.M Mon Sep 23 10:55:51 2019

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015




CERTIFICATE OF ANALYSIS

Analysis Method:


Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Abundance



Time-->

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015




CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Abundance



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015.



660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number:	N-12693-500MG
Description:	o-Terphenyl
Lot Number:	9972100
Expiration Date:	09/30/24

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015




660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
 1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

Gas

Data file: C:\CHEM3\
 Sample name: N-12893
 Instrument: GC 2
 Injection date: 8/23/2019 9:58:34 AM
 Acq. method: SCREEN.M
 Column name: HP-5

CERTIFICATE OF ANALYSIS

Location: Vial 141
 Injection volume: 1.0uL



Signal: FID1 A, Front Signal

RT [min]	Type	Width [min]	Area	Height	Area%
4.565	BB	0.0305	1.2408	0.5122	0.11
20.152	BB	0.0391	1171.9556	439.4599	99.89
		Sum	1173.1963		

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015





Analytical RunID GCFID-HP5-B_220111c Standards Traceability Report

Standard ID: DRO210406A

Standard Name: Triacontane-d62 Surr For AK103 RRO

Prep Date: 4/6/2021

Exp Date: 4/6/2026

Department: dropr

Vendor: Sigma-Aldrich

Lot Number: MBBC4347

Balance ID:

Comments: Alaska surr [for AK103 RRO]

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Triacontane-d62-98 atom % D	13736		mL	4/6/2026
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220111c Standards Traceability Report

Standard ID: DRO210901A

Standard Name: 30W Motor Oil-Valvoline

Prep Date: 9/1/2021

Exp Date: 9/1/2026

Department: dropr

Vendor:

Lot Number: F1620C1

Balance ID:

Comments: Used to make 2nd Source Standard for AK103 method.

Type: Primary

Prep By: Jillian L Bostwick

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Valvoline SAE 30 Motor Oil	14232		mL	9/1/2026
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220111c Standards Traceability Report

Standard ID: DRO210901B

Standard Name: 40W Motor Oil-Valvoline

Prep Date: 9/1/2021

Exp Date: 9/1/2026

Department: dropr

Vendor:

Lot Number: L0717H2

Balance ID:

Comments: Used to Make 2nd Source Standards For Alaska AK103 RRO Method and Oil

Type: Primary

Prep By: Jillian L Bostwick

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Valvoline SAE 40 Motor Oil	14231		mL	9/1/2026
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220111c Standards Traceability Report

Standard ID: DRO210902A

Standard Name: 50,000 ug/mL Oil Std for RRO-In DCM

Prep Date: 9/2/2021

Exp Date: 9/1/2026

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: .625 g of 30W and 40 W each LCS for Oil range

Type: Secondary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 25 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane EB867	14196	25	mL	9/1/2026

Stock Source	Base Units	Amount Added
DRO210901A	ug/mL	0.6254 g
DRO210901B	ug/mL	0.6261 g



Analytical RunID GCFID-HP5-B_220111c Standards Traceability Report

Standard ID: DRO211006A

Standard Name: Triacontane SURR 2000 ug/mL

Prep Date: 10/6/2021

Exp Date: 4/6/2026

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: Triacontane SURR 2000 ug/mL

Type: Secondary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 50 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Acetone DZ509	13553	50	mL	4/6/2026
Stock Source	Base Units	Amount Added		
DRO210406A	ug/mL	0.1001 g		



Analytical RunID GCFID-HP5-B_220111c Standards Traceability Report

Standard ID: DRO211118A

Standard Name: 50,000 ug/mL Oil Std For AK103 RRO-In DCM

Prep Date: 11/18/2021

Exp Date: 10/31/2028

Department: dropr

Vendor: Restek

Lot Number: A0176667

Balance ID: Sartorius 4 place balance

Comments:

Type: Primary

Prep By: Ann Nebel

Status: Open

Final Volume: 1 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Residual Range Calibration Standard	14531	1	mL	10/31/2028

Stock Source	Base Units	Amount Added
DRO211118A	ug/mL	



CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31817

Lot No.: A0176667

Description : Residual Range Calibration Standard (RCS)

Residual Range Calib Std (RCS) 50,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL

Pkg Amt: > 1 mL

Expiration Date : October 31, 2028

Storage: 25°C nominal

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	Motor Oil SAE30 & SAE40 Blend (Pennzoil) CAS # 64742-65-0.F Purity ----%	50,102.0 µg/mL	+/- 293.3582	µg/mL	Gravimetric
	(Lot A0126386)		+/- 1,492.1008	µg/mL	Unstressed
			+/- 1,591.3244	µg/mL	Stressed

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

ID #: 14531

Opened: _____

Residual Range Calibration Standard

Expires: 10/31/2028

Rec'd: 11/18/2021

Energ Laboratories Inc 1120 So. 27th Street
Billings MT 59107

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:


250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler

Sam Moodler - Operations Tech I

Date Mixed: 22-Sep-2021

Balance: 1128360905

Alexis Shelow

Alexis Shelow - Operations Tech I

Date Passed: 23-Sep-2021

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ μ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

3050 Spruce Street, Saint Louis, MO 63103, USA
 Website: www.sigmaaldrich.com
 Email USA: techserv@sial.com
 Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
 Triacontane-d62 - 98 atom % D

Product Number: 451789
 Batch Number: MBBC4347
 Brand: ALDRICH
 CAS Number: 93952-07-9
 MDL Number: MFCD00209794
 Formula: C30D62
 Formula Weight: 485.20 g/mol
 Quality Release Date: 27 APR 2018



ID #: 13736

Opened: _____


Triacontane-d62-98 atom % D

Expires: 4/6/2026

Rec'd: 4/6/2021

Energx Laboratories Inc 1120 So. 27th Street
 Billings MT 59107

Test	Specification	Result
Purity (HPLC)	≥ 99.0 %	99.0 %
Proton NMR Spectrum	Conforms to Structure	Conforms
D Enrichment	≥ 98.0 %	99.0 %
Initial Melting Point		60.0 °C
Final Melting Point		62.0 °C



Greg Abernathy, Supervisor
 Quality Control
 Miamisburg, Ohio US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO181105A

Spike Name: #2 Diesel (NEAT)

Prep Date: 11/5/2018

Exp Date: 11/5/2023

Department: dropr

Vendor: conoco

Lot Number:

Balance ID:

Comments: -18 Cloud peak. (Conoco Gas Sation 1240 S. 27th Billings, MT) 2nd Source

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: 250 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
				11/5/2023
Stock Source	Base Units	Amount Added		



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO200430B

Spike Name: O-Terphenyl

Prep Date: 4/30/2020

Exp Date: 9/30/2024

Department: dropr

Vendor: Chemservice

Lot Number: 9972100

Balance ID:

Comments: ID#: 6271

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
o-Terphenyl	12650	500	mg	9/30/2024
Stock Source	Base Units	Amount Added		



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO210901A

Spike Name: 30W Motor Oil-Valvoline

Prep Date: 9/1/2021

Exp Date: 9/1/2026

Department: dropr

Vendor:

Lot Number: F1620C1

Balance ID:

Comments: Used to make 2nd Source Standard for AK103 method.

Type: Primary

Prep By: Jillian L Bostwick

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Valvoline SAE 30 Motor Oil	14232		mL	9/1/2026
Stock Source	Base Units	Amount Added		



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO210901B

Spike Name: 40W Motor Oil-Valvoline

Prep Date: 9/1/2021

Exp Date: 9/1/2026

Department: dropr

Vendor:

Lot Number: L0717H2

Balance ID:

Comments: Used to Make 2nd Source Standards For Alaska AK103 RRO Method and Oil

Type: Primary

Prep By: Jillian L Bostwick

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Valvoline SAE 40 Motor Oil	14231		mL	9/1/2026

Stock Source	Base Units	Amount Added
--------------	------------	--------------



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO211123B

Spike Name: Triacontane-d62 Surr For AK103 RRO

Prep Date: 11/23/2021

Exp Date: 11/23/2026

Department: dropr

Vendor: Sigma-Aldrich

Lot Number: MBBD2031

Balance ID:

Comments: Alaska surr [for AK103 RRO]

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Triacontane-d62-98 atom % D	14545		mL	11/23/2026
Stock Source	Base Units	Amount Added		



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO211213A

Spike Name: OTP only SURR 2000 ug/mL

Prep Date: 12/13/2021

Exp Date: 9/30/2024

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: OTP SURR 2000 ug/mL

Type: Primary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 100 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Acetone DZ509	13553	100	mL	9/30/2024

Stock Source	Base Units	Amount Added
DRO200430B	ug/mL	0.2015 g



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO220106C

Spike Name: #2 Diesel in Acetone 150,000 ug/mL

Prep Date: 1/6/2022

Exp Date: 11/5/2023

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments:

Type: Secondary

Prep By: Ann Nebel

Status: New

Final Volume: 25 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Acetone DZ509	13553	25	mL	11/5/2023

Stock Source	Base Units	Amount Added
DRO181105A	ug/mL	3.7506 g



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO220112A

Spike Name: 50,000 ug/mL Oil Std for RRO-In DCM

Prep Date: 1/12/2022

Exp Date: 9/1/2026

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: .625 g of 30W and 40 W each LCS for Oil range

Type: Secondary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 25 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane EC832	14647	25	mL	9/1/2026

Stock Source	Base Units	Amount Added
DRO210901A	ug/mL	0.6225 g
DRO210901B	ug/mL	0.6273 g



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO220222A

Spike Name: Triacontane SURR 2000 ug/mL

Prep Date: 2/22/2022

Exp Date: 11/23/2026

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: Triacontane SURR 2000 ug/mL

Type: Primary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 50 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane ED092	14828	50	mL	11/23/2026

Stock Source	Base Units	Amount Added
DRO211123B	ug/mL	0.1003 g



Prep Batch 164267 Standards Traceability Report

Spike ID: DRO220222B

Spike Name: Triacontane SURR 1000 ug/mL

Prep Date: 2/22/2022

Exp Date: 11/23/2026

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: 2X dilution of Triacontane SURR 2000 ug/mL

Type: Secondary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 10 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Acetone EA776	13927	5	mL	11/23/2026

Stock Source	Base Units	Amount Added
DRO220222A	ug/mL	5 mL

660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

o-Terphenyl

CATALOG NUMBER N-12693-500MG
LOT NUMBER 9972100
DATE CERTIFIED 09/23/19
EXPIRATION DATE 09/30/24
CAS NUMBER 84-15-1
MOLECULAR FORMULA C18H14
MOLECULAR WEIGHT 230.32
STORAGE Store in a cool dry place.
HANDLING See Safety Data Sheet
INTENDED USE For laboratory use only.

Analytical Test	Value
FT-IR SPECTROSCOPY	CONFORMS TO STRUCTURE
GC/MS SPECTRA ID	MATCHES NIST DATABASE
MELTING POINT (°C)	57.1
% PURITY (GC/FID)	99.5

Chem Service, Inc. guarantees the purity to be +/- 0.5% deviation prior to the expiration date shown on the label and exclusive of any customer contamination.

Certified By:

Mary Beth O'Donnell

Mary Beth O'Donnell
CSM/TC

ID #: 12650

Opened: _____

o-Terphenyl

Expires: 9/30/2024

Rec'd: 4/30/2020

Energyl Laboratories Inc 1120 So. 27th Street
Billings MT 59107


Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015



CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015



CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Chem Service Inc Area Percent Report

Data File: D:\msdchem\2019 DATA\0919\0923-01.D
Acq On : 23 Sep 2019 10:40
Operator :
Sample : n-12693
Misc :
ALS Vial : 95

Integration Parameters: autoint1.e
Integrator: ChemStation

DataAcq Meth: SCREEN.M
Method : D:\msdchem\2019 DATA\0919\0903-09.D\ERIN.M

Signal : TIC: 0923-01.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	11.844	1597	1606	1613	BB	32038221	432253484	100.00%	100.000%

Sum of corrected areas: 432253484

ERIN.M Mon Sep 23 10:55:51 2019


660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Abundance



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015




660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Abundance



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015.



660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number:	N-12693-500MG
Description:	o-Terphenyl
Lot Number:	9972100
Expiration Date:	09/30/24

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015




660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
 1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

Gas

Data file: C:\CHEM3\
Sample name: N-12893
Instrument: GC 2
Injection date: 8/23/2019 9:58:34 AM
Acq. method: SCREEN.M
Column name: HP-5

CERTIFICATE OF ANALYSIS

Location: Vial 141
Injection volume: 1.0uL



Signal: FID1 A, Front Signal

RT [min]	Type	Width [min]	Area	Height	Area%
4.565	BB	0.0305	1.2408	0.5122	0.11
20.152	BB	0.0391	1171.9556	439.4599	99.89
		Sum	1173.1963		

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015



3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.comEmail USA: techserv@sial.comOutside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

TRIACONTANE-D62, 98 ATOM % D

Product Number:

451789

Batch Number:

MBBD2031

Brand:

ALDRICH

CAS Number:

93952-07-9

MDL Number:

MFCD00209794

Formula:

C30D62

Formula Weight:

485.20 g/mol

Quality Release Date:

18 JUN 2021



ID #: 14545

Opened: _____

Triacontane-d62-98 atom % D

Expires: 11/23/2026

Rec'd: 11/23/2021

Enerav Laboratories Inc 1120 So. 27th Street
Billings MT 59107

Test	Specification	Result
Purity (HPLC)	≥ 99 %	99 %
Proton NMR Spectrum	Conforms to Structure	Conforms
D Enrichment	≥ 98.0 %	98.9 %
Initial Melting Point		60 °C
Final Melting Point		62 °C



Laura E. Baird, Manager
Quality Assurance & Control
Miamisburg, Ohio US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO200430B

Standard Name: O-Terphenyl

Prep Date: 4/30/2020

Exp Date: 9/30/2024

Department: dropr

Vendor: Chemservice

Lot Number: 9972100

Balance ID:

Comments: ID#: 6271

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
o-Terphenyl	12650	500	mg	9/30/2024
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Spike ID: DRO211101A
Spike Name: OTP-4000 ug/mL DCM
Prep Date: 11/1/2021
Exp Date: 9/30/2024
Department: dropr
Vendor:
Lot Number:
Balance ID: BAL-DRO
Comments: Used to Prep DRO-8015 ICAL and CCV Solutions

Type: Secondary
Prep By: Ann Nebel
Status: Open
Final Volume: 25 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane EC328	14408	25	mL	9/30/2024

Stock Source	Base Units	Amount Added
DRO200430B	ug/mL	0.1012 g



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO211118A

Standard Name: 50,000 ug/mL Oil Std For AK103 RRO-In DCM

Prep Date: 11/18/2021

Exp Date: 10/31/2028

Department: dropr

Vendor: Restek

Lot Number: A0176667

Balance ID: Sartorius 4 place balance

Comments:

Type: Primary

Prep By: Ann Nebel

Status: Open

Final Volume: 1 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Residual Range Calibration Standard	14531	1	mL	10/31/2028
Stock Source	Base Units	Amount Added		
DRO211118A	ug/mL			



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO211123B

Standard Name: Triacontane-d62 Surr For AK103 RRO

Prep Date: 11/23/2021

Exp Date: 11/23/2026

Department: dropr

Vendor: Sigma-Aldrich

Lot Number: MBBD2031

Balance ID:

Comments: Alaska surr [for AK103 RRO]

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Triacontane-d62-98 atom % D	14545		mL	11/23/2026
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO211214C

Standard Name: Diesel Fuel #2 50,000 ug/mL in DCM

Prep Date: 12/14/2021

Exp Date: 4/30/2023

Department: dropr

Vendor: Sigma-Aldrich

Lot Number: LRAC6316

Balance ID:

Comments: Diesel Fuel #2 For CCVs.

Type: Primary

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Diesel Fuel No. 2	14623	1	mL	4/30/2023
Stock Source	Base Units	Amount Added		
DRO211214C	ug/mL			



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO220110A

Standard Name: Carbon Scan STD-Marker

Prep Date: 1/11/2022

Exp Date: 7/13/2026

Department: dropr

Vendor: ASI2

Lot Number: 55064

Balance ID:

Comments: FOR Qualitative analyst only.31 compounds-C5 to C30,32,34,36,38,40.

Type: Neat

Prep By: Ann Nebel

Status: Open

Final Volume: 1.2 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
n-Hydrocarbons- C5 to C30, C32, C34, C36, C38, C40	14737	1.2	mL	7/13/2026

Stock Source	Base Units	Amount Added
DRO220110A	ug/mL	



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO220218B

Standard Name: Carbon Scan STD-Marker

Prep Date: 2/18/2022

Exp Date: 7/13/2026

Department: dropr

Vendor: ASI2

Lot Number: 071306

Balance ID:

Comments: FOR Qualitative analyst only.31 compounds-C5 to C30,32,34,36,38,40.

Type: Primary

Prep By: Jillian L Bostwick

Status: Open

Final Volume: 2.3 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Carbon Disulfide 55064	7477	1.15	mL	7/13/2026

Stock Source	Base Units	Amount Added
DRO220110A	ug/mL	1.15 mL



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO220222A

Standard Name: Triacontane SURR 2000 ug/mL

Prep Date: 2/22/2022

Exp Date: 11/23/2026

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: Triacontane SURR 2000 ug/mL

Type: Primary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 50 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane ED092	14828	50	mL	11/23/2026

Stock Source	Base Units	Amount Added
DRO211123B	ug/mL	0.1003 g



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO220222B

Standard Name: Triacontane SURR 1000 ug/mL

Prep Date: 2/22/2022

Exp Date: 11/23/2026

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: 2X dilution of Triacontane SURR 2000 ug/mL

Type: Secondary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 10 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Acetone EA776	13927	5	mL	11/23/2026

Stock Source	Base Units	Amount Added
DRO220222A	ug/mL	5 mL



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO220301A

Standard Name: 8015 CCV-15,000ug/mL + 200 OTP

Prep Date: 3/1/2022

Exp Date: 4/30/2023

Department: dropr

Vendor:

Lot Number:

Balance ID:

Comments: 8015DRO CCV MIX-15,000ug/mL +200 OTP #2 Diesel

Type: Secondary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 4 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane ED092	14828	2.6	mL	4/30/2023

Stock Source	Base Units	Amount Added
DRO211214C	ug/mL	1.2 mL
DRO211101A	ug/mL	0.2 mL



Analytical RunID GCFID-HP5-B_220308A Standards Traceability Report

Standard ID: DRO220302C

Standard Name: 5,000 ug/mL RRO CCV 200 ug/mL Triacontane

Prep Date: 3/2/2022

Exp Date: 11/23/2026

Department: dropr

Vendor:

Lot Number:

Balance ID:

Comments: CCV for AK102 and 8015C RRO.

Type: Secondary

Prep By: Ann Nebel

Status: New

Final Volume: 4 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane ED241	14920	2.8	mL	11/23/2026

Stock Source	Base Units	Amount Added
DRO220222B	ug/mL	800 µL
DRO211118A	ug/mL	400 µL

660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

o-Terphenyl

CATALOG NUMBER N-12693-500MG
LOT NUMBER 9972100
DATE CERTIFIED 09/23/19
EXPIRATION DATE 09/30/24
CAS NUMBER 84-15-1
MOLECULAR FORMULA C18H14
MOLECULAR WEIGHT 230.32
STORAGE Store in a cool dry place.
HANDLING See Safety Data Sheet
INTENDED USE For laboratory use only.

Analytical Test	Value
FT-IR SPECTROSCOPY	CONFORMS TO STRUCTURE
GC/MS SPECTRA ID	MATCHES NIST DATABASE
MELTING POINT (°C)	57.1
% PURITY (GC/FID)	99.5

Chem Service, Inc. guarantees the purity to be +/- 0.5% deviation prior to the expiration date shown on the label and exclusive of any customer contamination.

Certified By:

Mary Beth O'Donnell

Mary Beth O'Donnell
CSM/TC

ID #: 12650

Opened: _____

o-Terphenyl

Expires: 9/30/2024

Rec'd: 4/30/2020

Energyl Laboratories Inc 1120 So. 27th Street

Billings MT 59107


Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015



CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015



CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Chem Service Inc Area Percent Report

Data File: D:\msdchem\2019 DATA\0919\0923-01.D
Acq On : 23 Sep 2019 10:40
Operator :
Sample : n-12693
Misc :
ALS Vial : 95

Integration Parameters: autoint1.e
Integrator: ChemStation

DataAcq Meth: SCREEN.M
Method : D:\msdchem\2019 DATA\0919\0903-09.D\ERIN.M

Signal : TIC: 0923-01.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	11.844	1597	1606	1613	BB	32038221	432253484	100.00%	100.000%

Sum of corrected areas: 432253484


ERIN.M Mon Sep 23 10:55:51 2019

CERTIFICATE OF ANALYSIS


Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Abundance



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015




660 Tower Lane • P. O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Abundance



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015.



660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number:	N-12693-500MG
Description:	o-Terphenyl
Lot Number:	9972100
Expiration Date:	09/30/24

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015




660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
 1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

Gas

Data file: C:\CHEM3\
 Sample name: N-12893
 Instrument: GC 2
 Injection date: 8/23/2019 9:58:34 AM
 Acq. method: SCREEN.M
 Column name: HP-5

CERTIFICATE OF ANALYSIS

Location: Vial 141
 Injection volume: 1.0uL



Signal: FID1 A, Front Signal

RT [min]	Type	Width [min]	Area	Height	Area%
4.565	BB	0.0305	1.2408	0.5122	0.11
20.152	BB	0.0391	1171.9556	439.4599	99.89
		Sum	1173.1963		

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015





110 Benner Circle
 Bellefonte, PA 16823-8812
 Tel: (800)356-1688
 Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



ISO 17034 Accredited
 Reference Material Producer
 Certificate #3222.01



ISO/IEC 17025 Accredited
 Testing Laboratory
 Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31817

Lot No.: A0176667

Description : Residual Range Calibration Standard (RCS)

Residual Range Calib Std (RCS) 50,000µg/mL, Methylene Chloride,
 1mL/ampul

Container Size : 2 mL

Pkg Amt: > 1 mL

Expiration Date : October 31, 2028

Storage: 25°C nominal

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)
1	Motor Oil SAE30 & SAE40 Blend (Pennzoil) CAS # 64742-65-0.F Purity ----%	50,102.0 µg/mL	+/- 293.3582 µg/mL Gravimetric +/- 1,492.1008 µg/mL Unstressed +/- 1,591.3244 µg/mL Stressed

Solvent: Methylene chloride
 CAS # 75-09-2
 Purity 99%

ID #: 14531
 Opened: _____
 Residual Range Calibration Standard
 Expires: 10/31/2028
 Rec'd: 11/18/2021
 Energy Laboratories Inc 1120 So. 27th Street
 Billings MT 59107

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:


250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler

Sam Moodler - Operations Tech I

Date Mixed: 22-Sep-2021

Balance: 1128360905

Alexis Shelow

Alexis Shelow - Operations Tech I

Date Passed: 23-Sep-2021

<p>Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397</p>
--

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ μ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.comEmail USA: techserv@sial.comOutside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

TRIACONTANE-D62, 98 ATOM % D

Product Number:

451789

Batch Number:

MBBD2031

Brand:

ALDRICH

CAS Number:

93952-07-9

MDL Number:

MFCD00209794

Formula:

C30D62

Formula Weight:

485.20 g/mol

Quality Release Date:

18 JUN 2021



ID #: 14545

Opened: _____

Triacontane-d62-98 atom % D

Expires: 11/23/2026

Rec'd: 11/23/2021

Enerav Laboratories Inc 1120 So. 27th Street
Billings MT 59107

Test	Specification	Result
Purity (HPLC)	≥ 99 %	99 %
Proton NMR Spectrum	Conforms to Structure	Conforms
D Enrichment	≥ 98.0 %	98.9 %
Initial Melting Point		60 °C
Final Melting Point		62 °C



Laura E. Baird, Manager
Quality Assurance & Control
Miamisburg, Ohio US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Certificate of Analysis

Diesel Fuel No. 2

*Certified
Reference
Material*

Description

Product ID UST148
Lot LRAC6316
Expiration Date April 2023
Manufacturing Date April 2020
Storage Conditions Room Temperature
Solvent/Matrix DICHLOROMETHANE

ID #: 14623

Opened: _____

Diesel Fuel No. 2

Expires: 4/30/2023


Rec'd: 12/14/2021

Energy Laboratories Inc 1120 So. 27th Street
Billings MT 59107

Certified Values

Analyte	Certified Value ^{1,4}	Units	Raw Material Purity,%	Raw Material Lot	CAS
NO.2 FUEL OIL	50001 ± 2770	µg/mL	100.0	LA80505	68476-34-6

Informational Values



Additional Information:

Analytical Method Parameters:

Column: SPB-5, 30 m × 0.53 mm I.D., 1.5 µm film thickness (Column #214)

Carrier Gas: H₂, Flow: 4.0 mL/min

Inlet Temperature: 250 °C, Injection Volume: 1.0 µL

Injection Mode: Split, Split Ratio: 10: 1

Temperature Program: 40 °C (Hold 2 min) @ 15 °C/min to 300 °C (Hold 5 min)

Detector: FID

Detector Temperature: 300 °C



SIGMA-ALDRICH

2931 Soldier Springs Rd. Laramie, Wyoming 82070 USA
800-325-5832
TechService@milliporesigma.com www.sigma-aldrich.com

Description

Lot **LRAC6316**
Expiration Date April 2023
Manufacturing Date April 2020
Storage Conditions Room Temperature
Solvent/Matrix DICHLOROMETHANE

1 Metrological traceability: Traceable to the SI and higher order standards from NIST through an unbroken chain of comparisons. The balance used to weigh raw materials is accurate to +/-0.0001 g and calibrated regularly using mass standards traceable to NIST. All dilutions were performed gravimetrically. Additionally, individual analytes are traceable to NIST SRMs where available and specified above.
4 Ucrm - Uncertainty values in this document are expressed as Expanded Uncertainty (Ucrm) corresponding to the 95% confidence interval. Ucrm is derived from the combined standard uncertainty multiplied by the coverage factor k, which is obtained from a t-distribution and degrees of freedom. The components of combined standard uncertainty include the uncertainties due to characterization, homogeneity, long term stability, and short term stability (transport). The components due to stability are generally considered to be negligible unless otherwise indicated by stability studies. The mathematical representation of the Ucrm calculation is as follows:

$$u_{CRM} = \sqrt{u_{char}^2 + u_{homogeneity}^2 + u_{stability}^2}$$

k: Coverage factor derived from a t-distribution table, based on the degrees of freedom of the data set. Assume 2.0 for a **Confidence interval = 95%**

6 Analytical Value- For QC verification of the certified value only- not to be used in calculations. Represents the analytical data obtained by comparison to a standard as analyzed by the method described in the CoA or another acceptable method. The result may differ from the certified value and UCRM based on method uncertainty as well as the uncertainty associated with the standard used for comparison.


Traceability: The standard was manufactured under an ISO/IEC 17025:2017 certified quality system. The balance used to weigh raw materials is accurate to +/- 0.0001g and calibrated regularly using mass standards traceable to NIST. All dilutions were performed gravimetrically. Additionally, individual analytes are traceable to NIST SRMs where available and specified above.

Homogeneity: Homogeneity was assessed in accordance with ISO 17034:2016. Completed units were sampled using a random stratified sampling protocol. The results of chemical analysis were then compared using a one-way analysis of variance approach as described by TNI EL-V3-2009 Appendix A.2. See Instructions for minimum sub-sample size.

Expiration is at end of month given on certificate and label.

MSDS reports for components comprising greater than 1.0% of the solution or 0.1% for components known to be carcinogens are available upon request.

THIS PRODUCT WAS DESIGNED, PRODUCED AND VERIFIED FOR ACCURACY AND STABILITY IN ACCORDANCE WITH ISO/IEC 17025:2017 (ANAB Cert AT-1467) and ISO 17034:2016 (ANAB Cert AR-1470).



Andy Ommen - QC Manager

Certification Date April 30, 2020
Version 0-4302020



Mark Pooler - QA Supervisor





Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO200430B

Standard Name: O-Terphenyl

Prep Date: 4/30/2020

Exp Date: 9/30/2024

Department: dropr

Vendor: Chemservice

Lot Number: 9972100

Balance ID:

Comments: ID#: 6271

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
o-Terphenyl	12650	500	mg	9/30/2024
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Spike ID: DRO211101A
Spike Name: OTP-4000 ug/mL DCM
Prep Date: 11/1/2021
Exp Date: 9/30/2024
Department: dropr
Vendor:
Lot Number:
Balance ID: BAL-DRO
Comments: Used to Prep DRO-8015 ICAL and CCV Solutions

Type: Secondary
Prep By: Ann Nebel
Status: Open

Final Volume: 25 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane EC328	14408	25	mL	9/30/2024

Stock Source	Base Units	Amount Added
DRO200430B	ug/mL	0.1012 g



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO211118A

Standard Name: 50,000 ug/mL Oil Std For AK103 RRO-In DCM

Prep Date: 11/18/2021

Exp Date: 10/31/2028

Department: dropr

Vendor: Restek

Lot Number: A0176667

Balance ID: Sartorius 4 place balance

Comments:

Type: Primary

Prep By: Ann Nebel

Status: Open

Final Volume: 1 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Residual Range Calibration Standard	14531	1	mL	10/31/2028

Stock Source	Base Units	Amount Added
DRO211118A	ug/mL	



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO211123B

Standard Name: Triacontane-d62 Surr For AK103 RRO

Prep Date: 11/23/2021

Exp Date: 11/23/2026

Department: dropr

Vendor: Sigma-Aldrich

Lot Number: MBBD2031

Balance ID:

Comments: Alaska surr [for AK103 RRO]

Type: Neat

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Triacontane-d62-98 atom % D	14545		mL	11/23/2026
Stock Source	Base Units	Amount Added		



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO211214C

Standard Name: Diesel Fuel #2 50,000 ug/mL in DCM

Prep Date: 12/14/2021

Exp Date: 4/30/2023

Department: dropr

Vendor: Sigma-Aldrich

Lot Number: LRAC6316

Balance ID:

Comments: Diesel Fuel #2 For CCVs.

Type: Primary

Prep By: Ann Nebel

Status: New

Final Volume: mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Diesel Fuel No. 2	14623	1	mL	4/30/2023

Stock Source	Base Units	Amount Added
DRO211214C	ug/mL	



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO220110A

Standard Name: Carbon Scan STD-Marker

Prep Date: 1/11/2022

Exp Date: 7/13/2026

Department: dropr

Vendor: ASI2

Lot Number: 55064

Balance ID:

Comments: FOR Qualitative analyst only.31 compounds-C5 to C30,32,34,36,38,40.

Type: Neat

Prep By: Ann Nebel

Status: Open

Final Volume: 1.2 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
n-Hydrocarbons- C5 to C30, C32, C34, C36, C38, C40	14737	1.2	mL	7/13/2026

Stock Source	Base Units	Amount Added
DRO220110A	ug/mL	



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO220218B

Standard Name: Carbon Scan STD-Marker

Prep Date: 2/18/2022

Exp Date: 7/13/2026

Department: dropr

Vendor: ASI2

Lot Number: 071306

Balance ID:

Comments: FOR Qualitative analyst only.31 compounds-C5 to C30,32,34,36,38,40.

Type: Primary

Prep By: Jillian L Bostwick

Status: Open

Final Volume: 2.3 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Carbon Disulfide 55064	7477	1.15	mL	7/13/2026

Stock Source	Base Units	Amount Added
DRO220110A	ug/mL	1.15 mL



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO220222A

Standard Name: Triacontane SURR 2000 ug/mL

Prep Date: 2/22/2022

Exp Date: 11/23/2026

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: Triacontane SURR 2000 ug/mL

Type: Primary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 50 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane ED092	14828	50	mL	11/23/2026

Stock Source	Base Units	Amount Added
DRO211123B	ug/mL	0.1003 g



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO220222B

Standard Name: Triacontane SURR 1000 ug/mL

Prep Date: 2/22/2022

Exp Date: 11/23/2026

Department: dropr

Vendor:

Lot Number:

Balance ID: BAL-DRO

Comments: 2X dilution of Triacontane SURR 2000 ug/mL

Type: Secondary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 10 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Acetone EA776	13927	5	mL	11/23/2026

Stock Source	Base Units	Amount Added
DRO220222A	ug/mL	5 mL



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO220301A

Standard Name: 8015 CCV-15,000ug/mL + 200 OTP

Prep Date: 3/1/2022

Exp Date: 4/30/2023

Department: dropr

Vendor:

Lot Number:

Balance ID:

Comments: 8015DRO CCV MIX-15,000ug/mL +200 OTP #2 Diesel

Type: Secondary

Prep By: Jillian L Bostwick

Status: New

Final Volume: 4 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane ED092	14828	2.6	mL	4/30/2023

Stock Source	Base Units	Amount Added
DRO211214C	ug/mL	1.2 mL
DRO211101A	ug/mL	0.2 mL



Analytical RunID GCFID-HP5-B_220308B Standards Traceability Report

Standard ID: DRO220302C

Standard Name: 5,000 ug/mL RRO CCV 200 ug/mL Triacontane

Prep Date: 3/2/2022

Exp Date: 11/23/2026

Department: dropr

Vendor:

Lot Number:

Balance ID:

Comments: CCV for AK102 and 8015C RRO.

Type: Secondary

Prep By: Ann Nebel

Status: New

Final Volume: 4 mL

Chemical/Solvent Used	Bottle No	Amt	Units	Expires
Dichloromethane ED241	14920	2.8	mL	11/23/2026

Stock Source	Base Units	Amount Added
DRO220222B	ug/mL	800 µL
DRO211118A	ug/mL	400 µL

660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

o-Terphenyl

CATALOG NUMBER N-12693-500MG
LOT NUMBER 9972100
DATE CERTIFIED 09/23/19
EXPIRATION DATE 09/30/24
CAS NUMBER 84-15-1
MOLECULAR FORMULA C18H14
MOLECULAR WEIGHT 230.32
STORAGE Store in a cool dry place.
HANDLING See Safety Data Sheet
INTENDED USE For laboratory use only.

Analytical Test	Value
FT-IR SPECTROSCOPY	CONFORMS TO STRUCTURE
GC/MS SPECTRA ID	MATCHES NIST DATABASE
MELTING POINT (°C)	57.1
% PURITY (GC/FID)	99.5

Chem Service, Inc. guarantees the purity to be +/- 0.5% deviation prior to the expiration date shown on the label and exclusive of any customer contamination.

Certified By:

Mary Beth O'Donnell

Mary Beth O'Donnell
CSM/TC

ID #: 12650

Opened: _____

o-Terphenyl

Expires: 9/30/2024

Rec'd: 4/30/2020

Energyl Laboratories Inc 1120 So. 27th Street

Billings MT 59107


Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015



CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015



CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Chem Service Inc Area Percent Report

Data File: D:\msdchem\2019 DATA\0919\0923-01.D
Acq On : 23 Sep 2019 10:40
Operator :
Sample : n-12693
Misc :
ALS Vial : 95

Integration Parameters: autoint1.e
Integrator: ChemStation

DataAcq Meth: SCREEN.M
Method : D:\msdchem\2019 DATA\0919\0903-09.D\ERIN.M

Signal : TIC: 0923-01.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	11.844	1597	1606	1613	BB	32038221	432253484	100.00%	100.000%

Sum of corrected areas: 432253484

ERIN.M Mon Sep 23 10:55:51 2019


660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Abundance



Time-->

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015




CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number: N-12693-500MG
Description: o-Terphenyl
Lot Number: 9972100
Expiration Date: 09/30/24

Abundance



Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015.



660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

CERTIFICATE OF ANALYSIS

Analysis Method:

Catalog Number:	N-12693-500MG
Description:	o-Terphenyl
Lot Number:	9972100
Expiration Date:	09/30/24

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015




660 Tower Lane • P.O. Box 599 • West Chester, PA 19381-0599
 1-800-452-9994 • 1-610-692-3026 • Fax 1-610-692-8729
info@chemservice.com • www.chemservice.com

Gas

Data file: C:\CHEM3\
 Sample name: N-12893
 Instrument: GC 2
 Injection date: 8/23/2019 9:58:34 AM
 Acq. method: SCREEN.M
 Column name: HP-5

CERTIFICATE OF ANALYSIS

Location: Vial 141
 Injection volume: 1.0uL



Signal: FID1 A, Front Signal

RT [min]	Type	Width [min]	Area	Height	Area%
4.565	BB	0.0305	1.2408	0.5122	0.11
20.152	BB	0.0391	1171.9556	439.4599	99.89
		Sum	1173.1963		

Chem Service is accredited to ISO 17034:2016, ISO/IEC 17025:2017 and certified to ISO 9001:2015





CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31817 **Lot No.:** A0176667

Description : Residual Range Calibration Standard (RCS)

Residual Range Calib Std (RCS) 50,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : October 31, 2028 **Storage:** 25°C nominal

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	Motor Oil SAE30 & SAE40 Blend (Pennzoil) CAS # 64742-65-0.F Purity ----%	50,102.0 µg/mL	+/- 293.3582	µg/mL	Gravimetric
	(Lot A0126386)		+/- 1,492.1008	µg/mL	Unstressed
			+/- 1,591.3244	µg/mL	Stressed

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

ID #: 14531

Opened: _____

Residual Range Calibration Standard

Expires: 10/31/2028

Rec'd: 11/18/2021

Energv Laboratories Inc 1120 So. 27th Street
Billings MT 59107

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:


250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler

Sam Moodler - Operations Tech I

Date Mixed: 22-Sep-2021

Balance: 1128360905

Alexis Shelow

Alexis Shelow - Operations Tech I

Date Passed: 23-Sep-2021

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value (includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k \sqrt{U_{gravimetric}^2 + U_{homogeneity}^2 + U_{storage\ stability}^2 + U_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

Label Conditions	Standard Conditions	Non-Standard Conditions
25°C Nominal (Room Temperature)	< 60°C	≥ 60°C up to 7 days
10°C or colder (Refrigerate)	< 40°C	≥ 40°C up to 7 days
0°C or colder (Freezer) -20°C or colder (Deep Freezer)	< 25°C	≥ 25°C up to 7 days

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.comEmail USA: techserv@sial.comOutside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

TRIACONTANE-D62, 98 ATOM % D

Product Number:

451789

Batch Number:

MBBD2031

Brand:

ALDRICH

CAS Number:

93952-07-9

MDL Number:

MFCD00209794

Formula:

C30D62

Formula Weight:

485.20 g/mol

Quality Release Date:

18 JUN 2021



ID #: 14545

Opened: _____

Triacontane-d62-98 atom % D

Expires: 11/23/2026

Rec'd: 11/23/2021

Enerav Laboratories Inc 1120 So. 27th Street
Billings MT 59107

Test	Specification	Result
Purity (HPLC)	≥ 99 %	99 %
Proton NMR Spectrum	Conforms to Structure	Conforms
D Enrichment	≥ 98.0 %	98.9 %
Initial Melting Point		60 °C
Final Melting Point		62 °C



Laura E. Baird, Manager
Quality Assurance & Control
Miamisburg, Ohio US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Certificate of Analysis

Diesel Fuel No. 2

*Certified
Reference
Material*

Description

Product ID UST148
Lot LRAC6316
Expiration Date April 2023
Manufacturing Date April 2020
Storage Conditions Room Temperature
Solvent/Matrix DICHLOROMETHANE

ID #: 14623

Opened: _____

Diesel Fuel No. 2

Expires: 4/30/2023


Rec'd: 12/14/2021

Energy Laboratories Inc 1120 So. 27th Street
Billings MT 59107

Certified Values

Analyte	Certified Value ^{1,4}	Units	Raw Material Purity,%	Raw Material Lot	CAS
NO.2 FUEL OIL	50001 ± 2770	µg/mL	100.0	LA80505	68476-34-6

Informational Values



Additional Information:

Analytical Method Parameters:

Column: SPB-5, 30 m × 0.53 mm I.D., 1.5 µm film thickness (Column #214)

Carrier Gas: H₂, Flow: 4.0 mL/min

Inlet Temperature: 250 °C, Injection Volume: 1.0 µL

Injection Mode: Split, Split Ratio: 10: 1

Temperature Program: 40 °C (Hold 2 min) @ 15 °C/min to 300 °C (Hold 5 min)

Detector: FID

Detector Temperature: 300 °C



SIGMA-ALDRICH

2931 Soldier Springs Rd. Laramie, Wyoming 82070 USA
800-325-5832
TechService@milliporesigma.com www.sigma-aldrich.com

Description

Lot **LRAC6316**
Expiration Date April 2023
Manufacturing Date April 2020
Storage Conditions Room Temperature
Solvent/Matrix DICHLOROMETHANE

1 Metrological traceability: Traceable to the SI and higher order standards from NIST through an unbroken chain of comparisons. The balance used to weigh raw materials is accurate to +/-0.0001 g and calibrated regularly using mass standards traceable to NIST. All dilutions were performed gravimetrically. Additionally, individual analytes are traceable to NIST SRMs where available and specified above.
4 Ucrm - Uncertainty values in this document are expressed as Expanded Uncertainty (Ucrm) corresponding to the 95% confidence interval. Ucrm is derived from the combined standard uncertainty multiplied by the coverage factor k, which is obtained from a t-distribution and degrees of freedom. The components of combined standard uncertainty include the uncertainties due to characterization, homogeneity, long term stability, and short term stability (transport). The components due to stability are generally considered to be negligible unless otherwise indicated by stability studies. The mathematical representation of the Ucrm calculation is as follows:

$$u_{CRM} = \sqrt{u_{char}^2 + u_{homogeneity}^2 + u_{stability}^2}$$

k: Coverage factor derived from a t-distribution table, based on the degrees of freedom of the data set. Assume 2.0 for a **Confidence interval = 95%**

6 Analytical Value- For QC verification of the certified value only- not to be used in calculations. Represents the analytical data obtained by comparison to a standard as analyzed by the method described in the CoA or another acceptable method. The result may differ from the certified value and UCRM based on method uncertainty as well as the uncertainty associated with the standard used for comparison.


Traceability: The standard was manufactured under an ISO/IEC 17025:2017 certified quality system. The balance used to weigh raw materials is accurate to +/- 0.0001g and calibrated regularly using mass standards traceable to NIST. All dilutions were performed gravimetrically. Additionally, individual analytes are traceable to NIST SRMs where available and specified above.

Homogeneity: Homogeneity was assessed in accordance with ISO 17034:2016. Completed units were sampled using a random stratified sampling protocol. The results of chemical analysis were then compared using a one-way analysis of variance approach as described by TNI EL-V3-2009 Appendix A.2. See Instructions for minimum sub-sample size.

Expiration is at end of month given on certificate and label.

MSDS reports for components comprising greater than 1.0% of the solution or 0.1% for components known to be carcinogens are available upon request.

THIS PRODUCT WAS DESIGNED, PRODUCED AND VERIFIED FOR ACCURACY AND STABILITY IN ACCORDANCE WITH ISO/IEC 17025:2017 (ANAB Cert AT-1467) and ISO 17034:2016 (ANAB Cert AR-1470).



Andy Ommen - QC Manager

Certification Date April 30, 2020
Version 0-4302020



Mark Pooler - QA Supervisor

