



ANALYTICAL SUMMARY REPORT

March 16, 2022

AECOM - Honolulu
1001 Bishop Street, Suite 1600
Honolulu HI, 96813-3698

Work Order: B22030502 Quote ID: 5912

Project Name: CV18F0126, 60571032.02.46.01

Energy Laboratories Inc Billings MT received the following 29 samples from AECOM - Honolulu on 3/7/2022 for analysis.

Lab ID	Client Sample ID	Collect Date	Received Date	Matrix	Test
B22030502-001	ERH2616 (OWDFMW01)	03/03/22 16:20	03/07/2022	Ground Water	Metals Digestion by SW3010A DRO-Liquid-Liquid Extraction SW3520C Carbon, Total Organic SW9060A Metals by ICP-MS, Dissolved SW6020 Metals by ICP-MS, Total SW6020 8260-Volatile Organic Compounds-Short List SW8260B EDB in Water by ECD SW8011 Gasoline Range Organics SW8015C Diesel Range Organics SW8015C Headspace Gas Analysis SW8015M SW8011 Microextraction
B22030502-002	ERH2615 (Trip Blank)- 14833	03/03/22 16:20	03/07/2022	Trip Blank	8260-Volatile Organic Compounds-Short List SW8260B
B22030502-003	ERH2615 (Trip Blank)- 14833	03/03/22 16:20	03/07/2022	Trip Blank	Gasoline Range Organics SW8015C
B22030502-004	ERH2615 (Trip Blank)- 14733	03/03/22 16:20	03/07/2022	Trip Blank	EDB in Water by ECD SW8011 SW8011 Microextraction
B22030502-005	ERH2615 (Trip Blank)- 14808	03/03/22 16:20	03/07/2022	Trip Blank	Headspace Gas Analysis SW8015M
B22030502-006	ERH2594 (RHMW15-5)	03/04/22 12:45	03/07/2022	Ground Water	Metals Digestion by SW3010A DRO-Liquid-Liquid Extraction SW3520C Carbon, Total Organic SW9060A Metals by ICP-MS, Dissolved SW6020 Metals by ICP-MS, Total SW6020 8260-Volatile Organic Compounds-Short List SW8260B EDB in Water by ECD SW8011 Gasoline Range Organics SW8015C Diesel Range Organics SW8015C SW8011 Microextraction
B22030502-007	ERH2593 (Trip Blank)- 14754	03/04/22 12:45	03/07/2022	Trip Blank	8260-Volatile Organic Compounds-Short List SW8260B



ANALYTICAL SUMMARY REPORT

B22030502-008	ERH2593 (Trip Blank)-14733	03/04/22 12:45	03/07/2022	Trip Blank	Gasoline Range Organics SW8015C
B22030502-009	ERH2593 (Trip Blank)-14733	03/04/22 12:45	03/07/2022	Trip Blank	EDB in Water by ECD SW8011 SW8011 Microextraction
B22030502-011	ERH2630 (HDMW2253-03)	03/04/22 13:45	03/07/2022	Ground Water	Metals Digestion by SW3010A DRO-Liquid-Liquid Extraction SW3520C Carbon, Total Organic SW9060A Metals by ICP-MS, Dissolved SW6020 Metals by ICP-MS, Total SW6020 8260-Volatile Organic Compounds-Short List SW8260B EDB in Water by ECD SW8011 Gasoline Range Organics SW8015C Diesel Range Organics SW8015C Headspace Gas Analysis SW8015M SW8011 Microextraction
B22030502-012	ERH2629 (Trip Blank)-14833	03/04/22 13:45	03/07/2022	Trip Blank	8260-Volatile Organic Compounds-Short List SW8260B
B22030502-013	ERH2629 (Trip Blank)-14694	03/04/22 13:45	03/07/2022	Trip Blank	Gasoline Range Organics SW8015C
B22030502-014	ERH2629 (Trip Blank)-14894	03/04/22 13:45	03/07/2022	Trip Blank	EDB in Water by ECD SW8011 SW8011 Microextraction
B22030502-015	ERH2629 (Trip Blank)-14895	03/04/22 13:45	03/07/2022	Trip Blank	Headspace Gas Analysis SW8015M
B22030502-016	ERH2586 (RHMW-09)	03/03/22 15:15	03/07/2022	Ground Water	Metals Digestion by SW3010A DRO-Liquid-Liquid Extraction SW3520C Carbon, Total Organic SW9060A Metals by ICP-MS, Dissolved SW6020 Metals by ICP-MS, Total SW6020 8260-Volatile Organic Compounds-Short List SW8260B EDB in Water by ECD SW8011 Gasoline Range Organics SW8015C Diesel Range Organics SW8015C Headspace Gas Analysis SW8015M SW8011 Microextraction
B22030502-017	ERH2585 (Trip Blank)-14833	03/03/22 15:15	03/07/2022	Trip Blank	8260-Volatile Organic Compounds-Short List SW8260B
B22030502-018	ERH2585 (Trip Blank)-14754	03/03/22 15:15	03/07/2022	Trip Blank	Gasoline Range Organics SW8015C
B22030502-019	ERH2585 (Trip Blank)-14733	03/03/22 15:15	03/07/2022	Trip Blank	EDB in Water by ECD SW8011 SW8011 Microextraction



ANALYTICAL SUMMARY REPORT

B22030502-020	ERH2585 (Trip Blank)-14808	03/03/22 15:15	03/07/2022	Trip Blank	Headspace Gas Analysis SW8015M
B22030502-021	ERH2627 (RHMW10)	03/04/22 15:30	03/07/2022	Ground Water	Metals Digestion by SW3010A DRO-Liquid-Liquid Extraction SW3520C Carbon, Total Organic SW9060A Metals by ICP-MS, Dissolved SW6020 Metals by ICP-MS, Total SW6020 8260-Volatile Organic Compounds-Short List SW8260B Gasoline Range Organics SW8015C Diesel Range Organics SW8015C
B22030502-022	ERH2626 (Trip Blank)-14833	03/04/22 15:30	03/07/2022	Trip Blank	8260-Volatile Organic Compounds-Short List SW8260B
B22030502-023	ERH2626 (Trip Blank)-14833	03/04/22 15:30	03/07/2022	Trip Blank	Gasoline Range Organics SW8015C
B22030502-026	ERH2600 (RHMW11-5)	03/03/22 13:50	03/07/2022	Ground Water	Metals Digestion by SW3010A DRO-Liquid-Liquid Extraction SW3520C Carbon, Total Organic SW9060A Metals by ICP-MS, Dissolved SW6020 Metals by ICP-MS, Total SW6020 8260-Volatile Organic Compounds-Short List SW8260B Diesel Range Organics SW8015C
B22030502-027	ERH2599 (Trip Blank)-14833	03/03/22 13:50	03/07/2022	Trip Blank	8260-Volatile Organic Compounds-Short List SW8260B
B22030502-031	ERH2598 (RHMW19)	03/04/22 18:35	03/07/2022	Ground Water	Metals Digestion by SW3010A DRO-Liquid-Liquid Extraction SW3520C Carbon, Total Organic SW9060A Metals by ICP-MS, Dissolved SW6020 Metals by ICP-MS, Total SW6020 8260-Volatile Organic Compounds-Short List SW8260B EDB in Water by ECD SW8011 Gasoline Range Organics SW8015C Diesel Range Organics SW8015C Headspace Gas Analysis SW8015M SW8011 Microextraction
B22030502-032	ERH2597 (Trip Blank)-14733	03/04/22 18:35	03/07/2022	Trip Blank	8260-Volatile Organic Compounds-Short List SW8260B
B22030502-033	ERH2597 (Trip Blank)-14833	03/04/22 18:35	03/07/2022	Trip Blank	Gasoline Range Organics SW8015C
B22030502-034	ERH2597 (Trip Blank)-14754	03/04/22 18:35	03/07/2022	Trip Blank	EDB in Water by ECD SW8011 SW8011 Microextraction



ANALYTICAL SUMMARY REPORT

B22030502-035 ERH2597 (Trip Blank)- 03/04/22 18:35 03/07/2022 Trip Blank Headspace Gas Analysis
14808 SW8015M

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 S 27th St., Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these test results, please contact your Project Manager.

Report Approved By:



CLIENT: AECOM - Honolulu
Project: CV18F0126, 60571032.02.46.01
Work Order: B22030502

Report Date: 3/16/2022

CASE NARRATIVE

General Comments:

For any question please contact your Project Manager at (406) 252-6325 or billingspm@energylab.com.

All analyses have been performed in accordance with DOD QSM Version 5.3 unless otherwise noted below. The specific methodologies used in obtaining the enclosed analytical results are indicated on the Analytical Summary Report and the Laboratory Analytical Report. The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted in the Work Order Receipt Checklist.

The tests listed below are accredited and meet the requirements of DoD QSM Version 5.3 as verified by ANSI-ASQ National Accreditation Board (ANAB) certificate number ADE-2588. Exceptions to this require client authorization and records documenting this approval are attached in the Sample Management Records. Accreditation may not be offered or required for all methods and analytes reported in this package. Refer to the certificate and scope of accreditation located at <https://www.energylab.com/whyus/certifications-quality-control/> or contact your project manager.

Tests for Total Organic Carbon by SW060A associated with analyst identified as ELI-CA were subcontracted to Energy Laboratories, PO Box 247, Casper, WY, EPA Number WY00002.

Project specific matrix quality control samples may not be reported if site specific samples were not submitted. Matrix quality control samples were performed on project samples where adequate volume was available. All quality control measures met criteria unless otherwise noted in the Analytical QC Exceptions report and in the Analysis Specific Comments below. Where available, sample management records are attached.

The Stage 4 Validation Package includes data reports for all analyses associated with the instrument calibration, quality control (QC) sample analysis, and sample analysis. All analytical data is within method specifications except as noted in the Analytical QC Exceptions report or the Analysis Specific Comments below. The analytical report identifies preparation batch and analytical run IDs associated with each result for a sample. Instances where manual integrations were performed including the technical justification are included in the integration summary reports. Only the raw data associated with the parameters listed on this report should be validated.

Analysis Specific Comments:

An Analytical QC Exceptions Report has been attached, summarizing all qualified QC results. Where qualified, an analyte exceeded quality control limits, but was not detected in the associated sample(s). No further corrective action was required.



Trust our People. Trust our Data.

Chain of Custody & Analytical Request Record

COC # 202203-10NOI

www.energylab.com

DoD Samples Page 1 of 1

Account Information (Billing information)

Company/Name AECOM		
Contact Alethea Ramos / Margie Pascua		
Phone 808-529-7283 / 808-356-5373		
Mailing Address 1001 Bishop St., Suite 1600		
City, State, Zip Honolulu, Hawaii 96813		
Email alethea.ramos / margie.pascua@aecom.com		
Receive Invoice <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	Receive Report <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	
Purchase Order N/A	Quote N/A	Bottle Order N/A

Report Information (if different than Account Information)

Company/Name AECOM	
Contact see Account information	
Phone	
Mailing Address	
City, State, Zip	
Email USAPimaging@aecom.com	
Receive Report <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	
Special Report/Formats:	
<input checked="" type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC <input checked="" type="checkbox"/> EDD/EDT (contact laboratory) <input type="checkbox"/> Other	

Comments

1. Project performed under DoD QSM.
 2. TPH-d/o needs 3520 extraction.
 3. Preliminary data (or Level II) in 7 business days.
 4. Note: NOI log is separate from other COC's.

Project Information

Project Name, PWSID, Permit, etc. CV18F0126, 60571032.02.46.01	
Sampler Name	Sampler Phone
Sample Origin State Hawaii	EPA/State Compliance <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
The following tests will be subcontracted to other certified laboratories as shown. Signing this COC is authorization to subcontract the analyses as indicated.	
Analysis TOC	Subcontract Lab Energy Laboratories Inc., Casper

Matrix Codes

- A - Air
- W - Water
- S - Soils/ Solids
- V - Vegetation
- B - Bioassay
- O - Oil
- DW - Drinking Water

Analysis Requested

8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/ HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o + SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/ H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]	See Attached
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

All turnaround times are standard unless marked as RUSH.
 Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification (Name, Location, Interval, etc.)	Collection		Number of Containers	Matrix (See Codes Above)	Analysis Requested								RUSH TAT	ELI LAB ID <small>Laboratory Use Only</small>
	Date	Time			8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/ HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o + SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/ H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]		
1 ERH2616 (OWDFMW01)	3/3/22	1220	17	GW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	B22030502 -001
2 ERH2615 (Trip Blank)	3/3/22	1115	8	WQ	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-002, 003, 004, 005, 037
3														
4 Trip Blank 8260 - 14833			1											-002
5 TB GRO - 14833			1											-003
6 TB 8011 - 14733			1											-004
7 TB Methane - 14808			1											-005
8 TB - 14751			1											-037
9														

ELI is REQUIRED to provide preservative traceability. If the preservatives supplied with the bottle order were NOT used, please attach your preservative information with this COC.

Custody Record MUST be signed	Relinquished by (print) <i>Akt Edmond</i>	Date/Time 3/6/22 1300	Signature <i>[Signature]</i>	Received by (print)	Date/Time	Signature
	Relinquished by (print)	Date/Time	Signature	Received by Laboratory (print) <i>[Signature]</i>	Date/Time 3/12/22 15:40	Signature <i>[Signature]</i>

LABORATORY USE ONLY

Shipped By	Cooler ID(s)	Custody Seals Y N C B	Intact Y N	Receipt Temp 2.2 °C	Temp Blank Y N	On Ice Y N	Payment Type CC Cash Check	Amount \$	Receipt Number (cash/check only)
------------	--------------	--------------------------	---------------	------------------------	-------------------	---------------	-------------------------------	-----------	----------------------------------

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly notated on your analytical report.



Trust our People. Trust our Data.

Chain of Custody & Analytical Request Record

COC # 202203-16NOI

www.energylab.com

DoD Samples Page 1 of 1

Account Information (Billing information)

Company/Name	AECOM	
Contact	Alethea Ramos / Margie Pascua	
Phone	808-529-7283 / 808-356-5373	
Mailing Address	1001 Bishop St., Suite 1600	
City, State, Zip	Honolulu, Hawaii 96813	
Email	alethea.ramos / margie.pascua@aecom.com	
Receive Invoice	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	Receive Report <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email
Purchase Order	Quote	Bottle Order
N/A	N/A	N/A

Report Information (if different than Account Information)

Company/Name	AECOM	
Contact	see Account information	
Phone		
Mailing Address		
City, State, Zip		
Email	USAPimaging@aecom.com	
Receive Report	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	
Special Report/Formats:	<input checked="" type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC <input checked="" type="checkbox"/> EDD/EDT <small>(contact laboratory)</small> <input type="checkbox"/> Other	

Comments

1. Project performed under DoD QSM.
2. TPH-d/o needs 3520 extraction.
3. Preliminary data (or Level 1) in 1-2 business days; Level IV report in 10 working days.
4. Note: NOI log is separate from other COC's.
5. *SVOC/VOC (full suite); PAH SIM (naphthalene, 1-methylnaphthalene, 2-methylnaphthlene)

Project Information

Project Name, PWSID, Permit, etc. CV18F0126, 60571032.02.46.01	
Sampler Name	Sampler Phone
Sample Origin State Hawaii	EPA/State Compliance <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<small>The following tests will be subcontracted to other certified laboratories as shown. Signing this COC is authorization to subcontract the analyses as indicated.</small>	
Analysis	Subcontract Lab
TOC	Energy Laboratories Inc., Casper

Matrix Codes

- A - Air
- W - Water
- S - Soils/Solids
- V - Vegetation
- B - Bioassay
- O - Oil
- DW - Drinking Water

Analysis Requested

8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	SVOCs (full suite+Nap, 1-2-Methylnap) by 8270DSIM*	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	See Attached
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

All turnaround times are standard unless marked as RUSH.
Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification <small>(Name, Location, Interval, etc.)</small>		Collection		Number of Containers	Matrix <small>(See Codes Above)</small>	Analysis Requested									RUSH TAT	ELI LAB ID <small>Laboratory Use Only</small>
		Date	Time			8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	SVOCs (full suite+Nap, 1-2-Methylnap) by 8270DSIM*	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)		
1	ERH2594 (RHMW15-5)	3/4/22	0845	17	GW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	X	B22030502-006
2	ERH2593 (Trip Blank)	3/4/22	0825	8	WQ	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								X	-007,008,009,010
3																
4	TB 8260 14754 (2)															-007
5	TB 620 14733 (1)															-008
6	TB 8011 14733 (1)															-009
7	TB methane 14732 (2)															-010
8																
9																

ELI is REQUIRED to provide preservative traceability. If the preservatives supplied with the bottle order were NOT used, please attach your preservative information with this COC.

Custody Record MUST be signed	Relinquished by (print)	Date/Time	Signature	Received by (print)	Date/Time	Signature
	Alex Edmond	3/6/22 1300	am	Dylan Chirrien	3/10/22 1540	DC
LABORATORY USE ONLY						
Shipped By	Cooler ID(s)	Custody Seals	Intact	Receipt Temp	Temp Blank	On Ice
		Y N C B	Y N	3.6 °C	Y N	Y N
						Payment Type
						CC Cash Check
						Amount \$
						Receipt Number (cash/check only)

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly notated on your analytical report.



Trust our People. Trust our Data.

Chain of Custody & Analytical Request Record

COC # 202203-14NOI

www.energylab.com

DoD Samples Page 1 of 1

Account Information (Billing information)

Company/Name	AECOM	
Contact	Alethea Ramos / Margie Pascua	
Phone	808-529-7283 / 808-356-5373	
Mailing Address	1001 Bishop St., Suite 1600	
City, State, Zip	Honolulu, Hawaii 96813	
Email	alethea.ramos / margie.pascua@aecom.com	
Receive Invoice	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	Receive Report <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email
Purchase Order	Quote	Bottle Order
N/A	N/A	N/A

Report Information (if different than Account Information)

Company/Name	AECOM	
Contact	see Account information	
Phone		
Mailing Address		
City, State, Zip		
Email	USAPimaging@aecom.com	
Receive Report	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	
Special Report/Formats:	<input checked="" type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC <input checked="" type="checkbox"/> EDD/EDT <small>(contact laboratory)</small> <input type="checkbox"/> Other	

Comments

1. Project performed under DoD QSM.
2. TPH-d/o needs 3520 extraction.
3. Preliminary data (or Level II) in 7 business days.
4. Note: NOI log is separate from other COC's.

Project Information

Project Name, PWSID, Permit, etc.	CV18F0126, 60571032.02.46.01	
Sampler Name	Sampler Phone	
Sample Origin State	Hawaii	
EPA/State Compliance	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
<small>The following tests will be subcontracted to other certified laboratories as shown. Signing this COC is authorization to subcontract the analyses as indicated.</small>		
Analysis	Subcontract Lab	
TOC	Energy Laboratories Inc., Casper	

Matrix Codes

- A - Air
- W - Water
- S - Soils/ Solids
- V - Vegetation
- B - Bioassay
- O - Oil
- DW - Drinking Water

Analysis Requested

8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/ HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/ H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]	See Attached
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					

All turnaround times are standard unless marked as RUSH.

Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification <small>(Name, Location, Interval, etc.)</small>	Collection		Number of Containers	Matrix <small>(See Codes Above)</small>	Analysis Requested								RUSH TAT	ELI LAB ID <small>Laboratory Use Only</small>
	Date	Time			8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/ HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/ H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]		
1 ERH2630 (HDMW2253-03)	3/9/22	0945	17	GW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	X	B22030502-04
2 ERH2629 (Trip Blank)	3/4/22	0845	8	WQ	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					X	-012, 013, 014, 015, 036
3														
4 TB8260-14833 (2)														-012
5 TB GRO-14694 (1)														-013
6 TB 8011-14894 (2)		am												-014
7 TB Methane-14895 (2)														-015
8 TB-14094		9am 3-7-22												-036
9														

ELI is REQUIRED to provide preservative traceability. If the preservatives supplied with the bottle order were NOT used, please attach your preservative information with this COC.

Custody Record MUST be signed	Relinquished by (print)	Date/Time	Signature	Received by (print)	Date/Time	Signature			
	Alex Edwards	3/6/22 1300	am dhr	Cherish	3/12/22 15:00				
LABORATORY USE ONLY									
Shipped By	Cooler ID(s)	Custody Seals Y N C B	Intact Y N	Receipt Temp 3.8 °C	Temp Blank Y N	On Ice Y N	Payment Type CC Cash Check	Amount \$	Receipt Number <small>(cash/check only)</small>

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly notated on your analytical report.



Trust our People. Trust our Data.

Chain of Custody & Analytical Request Record

COC # 202203-45NOI

www.energylab.com

DoD Samples Page 1 of 1

Account Information (Billing information)

Company/Name	AECOM	
Contact	Alethea Ramos / Margie Pascua	
Phone	808-529-7283 / 808-356-5373	
Mailing Address	1001 Bishop St., Suite 1600	
City, State, Zip	Honolulu, Hawaii 96813	
Email	alethea.ramos / margie.pascua@aecom.com	
Receive Invoice	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	Receive Report <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email
Purchase Order N/A	Quote N/A	Bottle Order N/A

Report Information (if different than Account Information)

Company/Name	AECOM
Contact	see Account information
Phone	
Mailing Address	
City, State, Zip	
Email	USAPimaging@aecom.com
Receive Report	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email
Special Report/Formats:	<input checked="" type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC <input checked="" type="checkbox"/> EDD/EDT (contact laboratory) <input type="checkbox"/> Other

Comments

1. Project performed under DoD QSM.
2. TPH-d/o needs 3520 extraction.
3. Preliminary data (or Level II) in 7 business days.
4. Note: NOI log is separate from other COC's.

Project Information

Project Name, PWSID, Permit, etc.	CV18F0126, 60571032.02.46.01	
Sampler Name	Sampler Phone	
Sample Origin State	Hawaii	EPA/State Compliance <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
The following tests will be subcontracted to other certified laboratories as shown. Signing this COC is authorization to subcontract the analyses as indicated.		
Analysis	Subcontract Lab	
TOC	Energy Laboratories Inc., Casper	

Matrix Codes

- A - Air
- W - Water
- S - Soils/Solids
- V - Vegetation
- B - Bioassay
- O - Oil
- DW - Drinking Water

Analysis Requested

	8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]
1	✓	✓	✓	✓	✓	✓	✓	✓
2	✓	✓	✓	✓				
3								
4								
5								
6								
7								
8								
9								

See Attached

All turnaround times are standard unless marked as RUSH.

Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification (Name, Location, Interval, etc.)	Collection		Number of Containers	Matrix (See Codes Above)	Analysis Requested								RUSH TAT	ELI LAB ID <small>Laboratory Use Only</small>
	Date	Time			8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]		
1 ERH2586 (RHMW-09)	3/3/22	1115	16	GW	✓	✓	✓	✓	✓	✓	✓	✓	X	B22030502-016
2 ERH2585 (Trip Blank)	3/3/22	1110	8	WQ	✓	✓	✓	✓					X	-017, -018, -019-020
3 TB8260-14833		2	2											-017
4 TB8260-14754 DC 03/07/22														
5 TB6170-14754	4/1/22	3/8/22	2											-018
6 TB8011-14733			2											-019
7 TB Methane-14808			2											-020
8														
9														

ELI is REQUIRED to provide preservative traceability. If the preservatives supplied with the bottle order were NOT used, please attach your preservative information with this COC.

Custody Record MUST be signed	Relinquished by (print)	Date/Time	Signature	Received by (print)	Date/Time	Signature
	Alex Edmonds	3/6/22	[Signature]	[Signature]	3/12/22 15:40	[Signature]

LABORATORY USE ONLY

Shipped By	Cooler ID(s)	Custody Seals Y N C B	Intact Y N	Receipt Temp 0.4 °C	Temp Blank Y N	On Ice Y N	Payment Type CC Cash Check	Amount \$	Receipt Number (cash/check only)
------------	--------------	--------------------------	---------------	------------------------	-------------------	---------------	-------------------------------	--------------	----------------------------------

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly notated on your analytical report.



Trust our People. Trust our Data.

Chain of Custody & Analytical Request Record

COC # 202203-09NOI

www.energylab.com

DoD Samples Page 1 of 1

Account Information (Billing information)

Company/Name AECOM		
Contact Alethea Ramos / Margie Pascua		
Phone 808-529-7283 / 808-356-5373		
Mailing Address 1001 Bishop St., Suite 1600		
City, State, Zip Honolulu, Hawaii 96813		
Email alethea.ramos / margie.pascua@aecom.com		
Receive Invoice <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	Receive Report <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	
Purchase Order N/A	Quote N/A	Bottle Order N/A

Report Information (if different than Account Information)

Company/Name AECOM	
Contact see Account information	
Phone	
Mailing Address	
City, State, Zip	
Email USAPimaging@aecom.com	
Receive Report <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	
Special Report/Formats: <input checked="" type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC <input checked="" type="checkbox"/> EDD/EDT (contact laboratory) <input type="checkbox"/> Other	

Comments

1. Project performed under DoD QSM.
 2. TPH-d/o needs 3520 extraction.
 3. Preliminary data (or Level II) in 7 business days.
 4. Note: NOI log is separate from other COC's.

Project Information

Project Name, PWSID, Permit, etc. CV18F0126, 60571032.02.46.01	
Sampler Name	Sampler Phone
Sample Origin State Hawaii	EPA/State Compliance <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
The following tests will be subcontracted to other certified laboratories as shown. Signing this COC is authorization to subcontract the analyses as indicated.	
Analysis TOC	Subcontract Lab Energy Laboratories Inc., Casper

Matrix Codes

- A - Air
- W - Water
- S - Soils/ Solids
- V - Vegetation
- B - Bioassay
- O - Oil
- DW - Drinking Water

Analysis Requested

8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o + SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]
---	-----------------------------	-----------------------------------	---------------------------	--	--	---------------------------------	---

See Attached

All turnaround times are standard unless marked as RUSH.
 Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification (Name, Location, Interval, etc.)	Collection		Number of Containers	Matrix (See Codes Above)	Analysis Requested								RUSH TAT	ELI LAB ID Laboratory Use Only
	Date	Time			8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o + SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]		
1 ERH2627 (RHMW10)	3/4/22	1:30	17	GW	✓	✓	✓	✓	✓	✓	✓	✓	X	B22030802-021
2 ERH2626 (Trip Blank)	3/4/22	11:25	8	WQ	✓	✓	✓	✓					X	-022, -023, 024, 025
3														
4 TB 8260-14433			2											-022
5 TB GRO-14433			2											-023
6 TB 9011-14754	4/1/22	3/6/22	2											-024
7 TB Methane-14732														-025
8														
9														

ELI is REQUIRED to provide preservative traceability. If the preservatives supplied with the bottle order were NOT used, please attach your preservative information with this COC.

Custody Record MUST be signed	Relinquished by (print) Alex Edwards	Date/Time 3/6/22 1:36	Signature [Signature]	Received by (print)	Date/Time	Signature			
	Relinquished by (print)	Date/Time	Signature	Received by Laboratory (print) Dylan Chiriac	Date/Time 3/7/22 15:40	Signature [Signature]			
LABORATORY USE ONLY									
Shipped By	Cooler ID(s)	Custody Seals Y N C B	Intact Y N	Receipt Temp 0.1 °C	Temp Blank Y N	On Ice Y N	Payment Type CC Cash Check	Amount \$	Receipt Number (cash/check only)

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly notated on your analytical report.



Trust our People. Trust our Data.

Chain of Custody & Analytical Request Record

COC # 202203-11NOI

www.energylab.com

DoD Samples Page 1 of 1

Account Information (Billing information)

Company/Name	AECOM	
Contact	Alethea Ramos / Margie Pascua	
Phone	808-529-7283 / 808-356-5373	
Mailing Address	1001 Bishop St., Suite 1600	
City, State, Zip	Honolulu, Hawaii 96813	
Email	alethea.ramos / margie.pascua@aecom.com	
Receive Invoice	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	Receive Report <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email
Purchase Order	Quote	Bottle Order
N/A	N/A	N/A

Report Information (if different than Account Information)

Company/Name	AECOM	
Contact	see Account information	
Phone		
Mailing Address		
City, State, Zip		
Email	USAPimaging@aecom.com	
Receive Report	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	
Special Report/Formats:	<input checked="" type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC <input checked="" type="checkbox"/> EDD/EDT (contact laboratory) <input type="checkbox"/> Other	

Comments

1. Project performed under DoD QSM.
2. TPH-d/o needs 3520 extraction.
3. Preliminary data (or Level II) in 7 business days.
4. Note: NOI log is separate from other COC's.

Project Information

Project Name, PWSID, Permit, etc.	CV18F0126, 60571032.02.46.01	
Sampler Name	Sampler Phone	
Sample Origin State	Hawaii	
EPA/State Compliance	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
The following tests will be subcontracted to other certified laboratories as shown. Signing this COC is authorization to subcontract the analyses as indicated.		
Analysis	Subcontract Lab	
TOC	Energy Laboratories Inc., Casper	

Matrix Codes

- A - Air
- W - Water
- S - Soils/ Solids
- V - Vegetation
- B - Bioassay
- O - Oil
- DW - Drinking Water

Analysis Requested

	8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]		
1	✓	✓	✓	✓	✓	✓	✓	✓		
2	✓	✓	✓	✓						
3										
4										
5										
6										
7										
8										
9										

See Attached

All turnaround times are standard unless marked as RUSH.

Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification (Name, Location, Interval, etc.)	Collection		Number of Containers	Matrix (See Codes Above)	Analysis Requested								RUSH TAT	ELI LAB ID <i>Laboratory Use Only</i>
	Date	Time			8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]		
1 ERH2600 (RHMW11-5)	3/3/22	0950	17	GW	✓	✓	✓	✓	✓	✓	✓	✓	X	B22030502-026
2 ERH2599 (Trip Blank)	3/3/22	0815	8	WQ	✓	✓	✓	✓					X	-027, 028, 029, 030, 038
3														
4 TB 8260-14833			10											-027
5 TB 6020-14833														-028
6 TB 8011-14894														-029
7 TB Methane-14895														-030
8 TB-14894 DC 3/7/22														-038
9														

ELI is REQUIRED to provide preservative traceability. If the preservatives supplied with the bottle order were NOT used, please attach your preservative information with this COC.

Custody Record MUST be signed	Relinquished by (print)	Date/Time	Signature	Received by (print)	Date/Time	Signature
	Alex Edmonds	3/6/22 1300	[Signature]	Dylan Chiriac	3/7/22 15:40	[Signature]

LABORATORY USE ONLY

Shipped By	Cooler ID(s)	Custody Seals Y N C B	Intact Y N	Receipt Temp 0.2 °C	Temp Blank Y N	On Ice Y N	Payment Type CC Cash Check	Amount \$	Receipt Number (cash/check only)
------------	--------------	--------------------------	---------------	------------------------	-------------------	---------------	-------------------------------	--------------	----------------------------------

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly notated on your analytical report.



Trust our People. Trust our Data.

Chain of Custody & Analytical Request Record

COC # 202203-15NOI

www.energylab.com

DoD Samples Page 1 of 1

Account Information (Billing information)

Company/Name	AECOM	
Contact	Alethea Ramos / Margie Pascua	
Phone	808-529-7283 / 808-356-5373	
Mailing Address	1001 Bishop St., Suite 1600	
City, State, Zip	Honolulu, Hawaii 96813	
Email	alethea.ramos / margie.pascua@aecom.com	
Receive Invoice	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	Receive Report <input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email
Purchase Order	Quote	Bottle Order
N/A	N/A	N/A

Report Information (if different than Account Information)

Company/Name	AECOM	
Contact	see Account information	
Phone		
Mailing Address		
City, State, Zip		
Email	USAPimaging@aecom.com	
Receive Report	<input type="checkbox"/> Hard Copy <input checked="" type="checkbox"/> Email	
Special Report/Formats:	<input checked="" type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC <input checked="" type="checkbox"/> EDD/EDT (contact laboratory) <input type="checkbox"/> Other	

Comments

- Project performed under DoD QSM.
- TPH-d/o needs 3520 extraction.
- Preliminary data (or Level II) in 7 business days.
- Note: NOI log is separate from other COC's.

Project Information

Project Name, PWSID, Permit, etc.	CV18F0126, 60571032.02.46.01	
Sampler Name	Sampler Phone	
Sample Origin State	Hawaii	
EPA/State Compliance	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
The following tests will be subcontracted to other certified laboratories as shown. Signing this COC is authorization to subcontract the analyses as indicated.		
Analysis	Subcontract Lab	
TOC	Energy Laboratories Inc., Casper	

Matrix Codes

- A - Air
- W - Water
- S - Soils/Solids
- V - Vegetation
- B - Bioassay
- O - Oil
- DW - Drinking Water

Analysis Requested

8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				

See Attached

All turnaround times are standard unless marked as RUSH.

Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification (Name, Location, Interval, etc.)	Collection		Number of Containers	Matrix (See Codes Above)	Analysis Requested								See Attached	RUSH TAT	ELI LAB ID <small>Laboratory Use Only</small>
	Date	Time			8260 VOC's (Full Suite) + DCA* [40ml VOA w/HCL]	8015 TPH-g [40ml VOA w/HCL]	RSK175 Methane [40ml VOA w/H2SO4]	8011 EDB [40ml VOA w/HCL]	EPA 3630/8015 TPH-d/o +SGC [1-L AG w/H2SO4]	EPA 6020 Diss. Lead [250ml HDPE w/HNO3] (field Filtered)	EPA 9060 TOC [250ml AG w/H3PO4]	EPA 6020 Total Lead [250ml HDPE w/HNO3]			
1 ERH2598 (RHMW19)	3/4/22	1435	17	GW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	X	B27030502-031
2 ERH2597 (Trip Blank)	3/4/22	1435	8	WQ	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						X	-032, 033, 034, 035
3															
4 TB 8260 - 14733			2												-032
5 TB 620 - 14633			2												3/7/22 -03-033
6 TB 8011 - 14754			1												-034
7 TB Methane - 14808			4												-035
8															
9															

ELI is REQUIRED to provide preservative traceability. If the preservatives supplied with the bottle order were NOT used, please attach your preservative information with this COC.

Custody Record MUST be signed	Relinquished by (print)	Date/Time	Signature	Received by (print)	Date/Time	Signature
	Alex Edmon	3/6/22 1500	am am	Lylian Chirnik	3/7/22 1500	[Signature]
	Relinquished by (print)	Date/Time	Signature	Received by Laboratory (print)	Date/Time	Signature

LABORATORY USE ONLY

Shipped By	Cooler ID(s)	Custody Seals Y N C B	Intact Y N	Receipt Temp 2.6 °C	Temp Blank Y N	On Ice Y N	Payment Type CC Cash Check	Amount \$	Receipt Number (cash/check only)
------------	--------------	--------------------------	---------------	------------------------	-------------------	---------------	-------------------------------	--------------	----------------------------------

*Blue Ice

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly noted on your analytical report.



Work Order Receipt Checklist

AECOM - Honolulu

B22030502

Login completed by: Taylor K. Jones
Reviewed by: BL2000\gmccartney
Reviewed Date: 3/10/2022

Date Received: 3/7/2022
Received by: dac
Carrier name: Courier N/C

- Shipping container/cooler in good condition? Yes [x] No [] Not Present []
Custody seals intact on all shipping container(s)/cooler(s)? Yes [x] No [] Not Present []
Custody seals intact on all sample bottles? Yes [] No [] Not Present [x]
Chain of custody present? Yes [x] No []
Chain of custody signed when relinquished and received? Yes [x] No []
Chain of custody agrees with sample labels? Yes [x] No []
Samples in proper container/bottle? Yes [x] No []
Sample containers intact? Yes [] No [x]
Sufficient sample volume for indicated test? Yes [] No [x]
All samples received within holding time? Yes [x] No []
Temp Blank received in all shipping container(s)/cooler(s)? Yes [] No [x] Not Applicable []
Container/Temp Blank temperature: °C Blue Ice
Water - VOA vials have zero headspace? Yes [x] No [] Not Applicable []
Water - pH acceptable upon receipt? Yes [x] No [] Not Applicable []

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as -dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

Contact and Corrective Action Comments:

The Temperature Blank temperature for shipping container 3 was 0.4°C, shipping container 4 was 0.2°C, and shipping container 5 was 0.1°C. The temperature of the sample(s) for shipping container 1 was 2.6°C, shipping container 2 was 3.8°C, shipping container 6 was 3.6°C, and shipping container 7 was 2.2°C.

The collection time indicated on the Chain of Custody for all samples is in Hawaii-Aleutian Standard Time. The collection time has been converted (+4 Hours) to Mountain Standard Time.

The sulfuric preserved VOA vials for sample ERH2630 (HDMW2253-03) were not received with the bottle order labels on the containers. Preservative traceability is not available for these containers. Proceeded with the requested analyses per Shari Endy, Energy Laboratories Project Manager 3/4/2022.

The following sample containers for sample ERH2630 (HDMW2253-03) were received without custody seals:
3 of the 3 VOA vials for 8260
3 of the 3 VOA vials for Gasoline Range Organics
3 of the 3 VOA vials for EDB
2 of the 2 VOA vials for Methane

The following containers were received partially frozen:
ERH2599 (Trip Blank): 1 of the 2 VOA vials for Gasoline Range Organics, 1 of the 2 VOA vials for EDB, 1 of the 2 VOA Vials for Methane
ERH2629 (Trip Blank): 1 of the 2 VOA vials for Gasoline Range Organics

ERH2627 (RHMW10): 3 of the 3 VOA vials for EDB, 1 of the 3 VOA vials for Gasoline Range Organics, 2 of the 2 VOA vials for Methane, Total Metals

ERH2600 (RHMW211-5): 1 of the 2 Total Organic Carbon

The following containers were received broken:

ERH2597 (Trip Blank): 14754: 1 of the 2 VOA vials for EDB

ERH2593 (Trip Blank): 1 of the 2 VOA vials for EDB, 1 of the 2 VOA vials for Gasoline Range Organics

ERH2615 (Trip Blank): 1 of the 2 VOA vials for 8260, 1 of the 2 VOA vials for Gasoline Range Organics and 1 of the 2 VOA vials for Methane

ERH2599 (Trip Blank): 1 of the 2 VOA vials for 8260, 1 of the 2 VOA vials for Gasoline Range Organics, 1 of the 2 VOA vials for Methane

ERH2598 (RHMW19): 2 of the 2 VOA vials for Methane

ERH2594 (RHMW15-5): 2 of the 3 VOA vials for 8260, 2 of the 3 VOA vials for Gasoline Range Organics, 2 of the VOA vials for EDB, 2 of the 2 VOA vials for Methane

ERH2627 (RHMW10): 2 of the 3 VOA vials for 8260, 1 of the 3 VOA vials for Gasoline Range Organics

ERH2616 (OWDFME01): 1 of the 3 VOA vials for EDB

ERH2600 (RHMW211-5): 2 of the 3 VOA vials for 8260, 2 of the 3 VOA vials for Gasoline Range Organics , 2 of the 2 VOA Vials for Methane

Due to broken and frozen sample containers, the following analyses were cancelled per Shari Endy, Energy Laboratories Project Manager, on 3/7/22:

ERH2594 (RHMW15-5): Methane

ERH2627 (RHMW10): EDB and Methane

ERH2600 (RHMW11-5): Gasoline Range Organics, EDB, and Methane

Qualifiers and Abbreviations

Qualifier	Qualifier Description
##	Limit of Quantitation (LOQ) for this analyte exceeds the Maximum Contaminant Level (MCL)
*	Result exceeds the Maximum Contaminant Level (MCL)
A	The analyte level was greater than four times the spike level - in accordance with the method, percent recovery is not calculated
B	Analyte detected in the method blank
C	Continuing calibration verification was outside of the quality control advisory limits
D	Limit of Quantitation (LOQ) increased due to sample matrix
E	Estimated value - result exceeds the instrument upper quantitation limit
H	Analysis performed past the method holding time
J	The reported result is an estimated value
L	Lowest Limit of Quantitation (LOQ) available for the analytical method used
N	Analyte concentration was not sufficiently high to calculate a Relative Percent Difference (RPD) for the serial dilution test
O	Diluted out
P	Poor method performance - method validations have shown no recoveries at low concentrations or method performance was erratic
Q	Values reported below the Limit of Quantitation (LOQ) are statistically invalid
R	Relative Percent Difference (RPD) exceeds advisory limit
S	Spike recovery outside of advisory limits
T	Analyte detected in the associated trip blank
U	Not detected at the Limit of Detection (LOD)
V	The RPD value for this duplicate represents the RER value and the RPD limit of 2 is the RER upper limit.

Qualifiers and Abbreviations

Abbreviation

Reporting	Explanation of Abbreviation
DF	Dilution Factor
DL	Detection Limit
LOD	Limit of Detection
LOQ	Limit of Quantitation
MCL	Maximum Contaminant Level
MDC	Minimum Detectable Concentration
ND	Not detected at the Limit of Quantitation (LOQ)
RBSL	Risk-Based Screening Levels
REC	Recovery
RER	Relative Error Ratio
RPD	Relative Percent Difference
SPK	Spike

Sample Types	Explanation of Abbreviation
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification Standard
DUP	Sample Duplicate
ICSA	Interference Check Sample A
ICSAB	Interference Check Sample AB
ICV	Initial Calibration Verification Standard
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LFB	Laboratory Fortified Blank
LRB	Laboratory Reagent Blank
MBLK	Method Blank
MS	Sample Matrix Spike
MSD	Sample Matrix Spike Duplicate
PDS	Post Digestion/Distillation Spike
QCS	Quality Control Sample
SD	Serial Dilution
SRM	Standard Reference Material



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-001
Collection Date: 03/03/2022 16:20
Date Received: 03/07/2022
Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2616 (OWDFMW01)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
AGGREGATE ORGANICS												
Organic Carbon, Total (TOC) - TOC Range is 0.3 to 0.3	0.32	mg/L	1	J	0.50	0.50	0.17		SW9060A	03/10/2022 18:06/eli-ca	SUB-C280416 : 4	C_R280416
METALS, DISSOLVED												
Lead	0.00005	mg/L	1	J	0.001	0.00005	0.00003		SW6020	03/11/2022 23:00/srh	ICPMS207-B_220311A : 30	R376031
METALS, TOTAL												
Lead	0.00017	mg/L	1	J	0.001	0.0001	0.00005		SW6020	03/11/2022 23:31/srh	ICPMS207-B_220311A : 35	164321
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Chloroform	0.15	ug/L	1	J	1.0	0.20	0.079		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-001

Collection Date: 03/03/2022 16:20

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2616 (OWDFMW01)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Toluene	ND	ug/L	1	UT	1.0	0.20	0.068		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Surr: Dibromofluoromethane	109.0	%REC	1		80-119				SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Surr: 1,2-Dichloroethane-d4	108.0	%REC	1		81-118				SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Surr: Toluene-d8	96.0	%REC	1		89-112				SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
Surr: p-Bromofluorobenzene	108.0	%REC	1		85-114				SW8260B	03/10/2022 16:12/msc	VOA5975C.I_220310A : 8	R375958
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0049	0.0025		SW8011	03/9/2022 07:22/clt	GECD.I_220308A : 44	164299
Surr: 1,1,1,2-Tetrachloroethane	114.0	%REC	1		70-130				SW8011	03/9/2022 07:22/clt	GECD.I_220308A : 44	164299
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/11/2022 23:15/jp	VARIAN1_220311A : 2C	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	UT	20	10	3.1		SW8015C	03/11/2022 23:15/jp	VARIAN1_220311A : 2C	R376037
Surr: Trifluorotoluene	75.0	%REC	1		70-130				SW8015C	03/11/2022 23:15/jp	VARIAN1_220311A : 2C	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												
PETROLEUM HYDROCARBONS SEMI-VOLATILE												
Diesel Range Organics (C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	03/9/2022 23:38/jlb	GCFID-HP4-B_220309A : 15	164312
Diesel Range Organics (SGT-C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	03/11/2022 23:57/jlb	GCFID-HP4-B_220311A : 10	164312
Oil Range Hydrocarbons (C24 to C40)	0.14	mg/L	1	J	0.30	0.14	0.049		SW8015C	03/9/2022 23:38/jlb	GCFID-HP4-B_220309A : 15	164312
Oil Range Hydrocarbons (SGT-C24 to C40)	ND	mg/L	1	U	0.30	0.14	0.049		SW8015C	03/11/2022 23:57/jlb	GCFID-HP4-B_220311A : 10	164312
Total Extractable Hydrocarbons	0.16	mg/L	1	J	0.30	0.14	0.074		SW8015C	03/9/2022 23:38/jlb	GCFID-HP4-B_220309A : 15	164312
Total Extractable Hydrocarbons (SGT)	ND	mg/L	1	U	0.30	0.14	0.074		SW8015C	03/11/2022 23:57/jlb	GCFID-HP4-B_220311A : 10	164312



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-001

Collection Date: 03/03/2022 16:20

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2616 (OWDFMW01)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Surr: o-Terphenyl	87.0	%REC	1		56-125				SW8015C	03/9/2022 23:38/jlb	GCFID-HP4-B_220309A : 15	164312
Surr: o-Terphenyl (SGT)	85.0	%REC	1		56-125				SW8015C	03/11/2022 23:57/jlb	GCFID-HP4-B_220311A : 10	164312
Surr: n-Triacontane	92.0	%REC	1		50-150				SW8015C	03/9/2022 23:38/jlb	GCFID-HP4-B_220309A : 15	164312
Surr: n-Triacontane (SGT)	83.0	%REC	1		50-150				SW8015C	03/11/2022 23:57/jlb	GCFID-HP4-B_220311A : 10	164312
- Note: Total Extractable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.												
ORGANIC CHARACTERISTICS												
Methane	ND	mg/L	1	U	0.0020	0.0012	0.00070		SW8015M	03/11/2022 16:13/jdw	FID-HEADSPACE_220311B : 5	R376018



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-002

Collection Date: 03/03/2022 16:20

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2615 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Toluene	0.10	ug/L	1	J	1.0	0.20	0.068		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2615 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-002
Collection Date: 03/03/2022 16:20
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Surr: Dibromofluoromethane	108.0	%REC	1		80-119				SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Surr: 1,2-Dichloroethane-d4	108.0	%REC	1		81-118				SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Surr: Toluene-d8	94.0	%REC	1		89-112				SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958
Surr: p-Bromofluorobenzene	105.0	%REC	1		85-114				SW8260B	03/10/2022 18:29/msc	VOA5975C.I_220310A : 13	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2615 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-003
Collection Date: 03/03/2022 16:20
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/11/2022 15:16/jp	VARIAN1_220311A : 8	R376037
Total Purgeable Hydrocarbons	10	ug/L	1	J	20	10	3.1		SW8015C	03/11/2022 15:16/jp	VARIAN1_220311A : 8	R376037
Surr: Trifluorotoluene	78.0	%REC	1		70-130				SW8015C	03/11/2022 15:16/jp	VARIAN1_220311A : 8	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-004

Collection Date: 03/03/2022 16:20

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2615 (Trip Blank)-14733
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0049	0.0025		SW8011	03/9/2022 04:24/ct	GECD.I_220308A : 35	164299
Surr: 1,1,1,2-Tetrachloroethane	105.0	%REC	1		70-130				SW8011	03/9/2022 04:24/ct	GECD.I_220308A : 35	164299



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2615 (Trip Blank)-14808
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-005
Collection Date: 03/03/2022 16:20
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
ORGANIC CHARACTERISTICS												
Methane	ND	mg/L	1	U	0.0020	0.0012	0.00070		SW8015M	03/11/2022 16:19/jdw	FID-HEADSPACE_220311B : 6	R376018



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-006

Collection Date: 03/04/2022 12:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2594 (RHMW15-5)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
AGGREGATE ORGANICS												
Organic Carbon, Total (TOC) - TOC Range is 0.2 to 0.3	0.24	mg/L	1	J	0.50	0.50	0.17		SW9060A	03/10/2022 20:34/eli-ca	SUB-C280416 : 7	C_R280416
METALS, DISSOLVED												
Lead	ND	mg/L	1	U	0.001	0.00005	0.00003		SW6020	03/12/2022 00:21/srh	ICPMS207-B_220311A : 43	R376031
METALS, TOTAL												
Lead	ND	mg/L	1	U	0.001	0.0001	0.00005		SW6020	03/12/2022 00:27/srh	ICPMS207-B_220311A : 44	164321
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-006

Collection Date: 03/04/2022 12:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2594 (RHMW15-5)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Toluene	ND	ug/L	1	UT	1.0	0.20	0.068		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Surr: Dibromofluoromethane	106.0	%REC	1		80-119				SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Surr: 1,2-Dichloroethane-d4	106.0	%REC	1		81-118				SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Surr: Toluene-d8	97.0	%REC	1		89-112				SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
Surr: p-Bromofluorobenzene	106.0	%REC	1		85-114				SW8260B	03/10/2022 15:44/msc	VOA5975C.I_220310A : 7	R375958
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0048	0.0025		SW8011	03/9/2022 04:44/clt	GECD.I_220308A : 36	164299
Surr: 1,1,1,2-Tetrachloroethane	110.0	%REC	1		70-130				SW8011	03/9/2022 04:44/clt	GECD.I_220308A : 36	164299
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/11/2022 12:59/jp	VARIAN1_220311A : 6	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	U	20	10	3.1		SW8015C	03/11/2022 12:59/jp	VARIAN1_220311A : 6	R376037
Surr: Trifluorotoluene	78.0	%REC	1		70-130				SW8015C	03/11/2022 12:59/jp	VARIAN1_220311A : 6	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Diesel Range Organics (C10 to C24)	0.041	mg/L	1	J	0.30	0.14	0.034		SW8015C	03/10/2022 01:08/jlb	GCFID-HP4-B_220309A : 17	164312
Diesel Range Organics (SGT-C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	03/12/2022 01:27/jlb	GCFID-HP4-B_220311A : 12	164312
Oil Range Hydrocarbons (C24 to C40)	0.21	mg/L	1	J	0.30	0.14	0.049		SW8015C	03/10/2022 01:08/jlb	GCFID-HP4-B_220309A : 17	164312
Oil Range Hydrocarbons (SGT-C24 to C40)	ND	mg/L	1	U	0.30	0.14	0.049		SW8015C	03/12/2022 01:27/jlb	GCFID-HP4-B_220311A : 12	164312
Total Extractable Hydrocarbons	0.26	mg/L	1	J	0.30	0.14	0.074		SW8015C	03/10/2022 01:08/jlb	GCFID-HP4-B_220309A : 17	164312
Total Extractable Hydrocarbons (SGT)	ND	mg/L	1	U	0.30	0.14	0.074		SW8015C	03/12/2022 01:27/jlb	GCFID-HP4-B_220311A : 12	164312



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-006

Collection Date: 03/04/2022 12:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2594 (RHMW15-5)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Surr: o-Terphenyl	84.0	%REC	1		56-125				SW8015C	03/10/2022 01:08/jlb	GCFID-HP4-B_220309A : 17	164312
Surr: o-Terphenyl (SGT)	87.0	%REC	1		56-125				SW8015C	03/12/2022 01:27/jlb	GCFID-HP4-B_220311A : 12	164312
Surr: n-Triacontane	89.0	%REC	1		50-150				SW8015C	03/10/2022 01:08/jlb	GCFID-HP4-B_220309A : 17	164312
Surr: n-Triacontane (SGT)	85.0	%REC	1		50-150				SW8015C	03/12/2022 01:27/jlb	GCFID-HP4-B_220311A : 12	164312

- Note: Total Extractable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-007

Collection Date: 03/04/2022 12:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2593 (Trip Blank)-14754
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Toluene	0.12	ug/L	1	J	1.0	0.20	0.068		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-007

Collection Date: 03/04/2022 12:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2593 (Trip Blank)-14754
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Surr: Dibromofluoromethane	109.0	%REC	1		80-119				SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Surr: 1,2-Dichloroethane-d4	106.0	%REC	1		81-118				SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Surr: Toluene-d8	97.0	%REC	1		89-112				SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958
Surr: p-Bromofluorobenzene	107.0	%REC	1		85-114				SW8260B	03/10/2022 18:56/msc	VOA5975C.I_220310A : 14	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-008

Collection Date: 03/04/2022 12:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2593 (Trip Blank)-14733
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/11/2022 15:50/jp	VARIAN1_220311A : 9	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	U	20	10	3.1		SW8015C	03/11/2022 15:50/jp	VARIAN1_220311A : 9	R376037
Surr: Trifluorotoluene	76.0	%REC	1		70-130				SW8015C	03/11/2022 15:50/jp	VARIAN1_220311A : 9	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2593 (Trip Blank)-14733
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-009
Collection Date: 03/04/2022 12:45
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0049	0.0025		SW8011	03/9/2022 05:04/ct	GECD.I_220308A : 37	164299
Surr: 1,1,1,2-Tetrachloroethane	106.0	%REC	1		70-130				SW8011	03/9/2022 05:04/ct	GECD.I_220308A : 37	164299



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-011

Collection Date: 03/04/2022 13:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2630 (HDMW2253-03)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
AGGREGATE ORGANICS												
Organic Carbon, Total (TOC) - TOC Range is 0.3 to 0.3	0.27	mg/L	1	J	0.50	0.50	0.17		SW9060A	03/10/2022 21:13/eli-ca	SUB-C280416 : 8	C_R280416
METALS, DISSOLVED												
Lead	ND	mg/L	1	U	0.001	0.00005	0.00003		SW6020	03/12/2022 00:33/srh	ICPMS207-B_220311A : 45	R376031
METALS, TOTAL												
Lead	ND	mg/L	1	U	0.001	0.0001	0.00005		SW6020	03/12/2022 00:39/srh	ICPMS207-B_220311A : 46	164321
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-011

Collection Date: 03/04/2022 13:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2630 (HDMW2253-03)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Toluene	ND	ug/L	1	UT	1.0	0.20	0.068		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Surr: Dibromofluoromethane	109.0	%REC	1		80-119				SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Surr: 1,2-Dichloroethane-d4	113.0	%REC	1		81-118				SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Surr: Toluene-d8	96.0	%REC	1		89-112				SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
Surr: p-Bromofluorobenzene	108.0	%REC	1		85-114				SW8260B	03/10/2022 15:17/msc	VOA5975C.I_220310A : 6	R375958
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0049	0.0025		SW8011	03/9/2022 05:24/clt	GECD.I_220308A : 38	164299
Surr: 1,1,1,2-Tetrachloroethane	110.0	%REC	1		70-130				SW8011	03/9/2022 05:24/clt	GECD.I_220308A : 38	164299
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/12/2022 00:24/jp	VARIAN1_220311A : 21	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	U	20	10	3.1		SW8015C	03/12/2022 00:24/jp	VARIAN1_220311A : 21	R376037
Surr: Trifluorotoluene	77.0	%REC	1		70-130				SW8015C	03/12/2022 00:24/jp	VARIAN1_220311A : 21	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Diesel Range Organics (C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	03/10/2022 00:23/jlb	GCFID-HP4-B_220309A : 16	164312
Diesel Range Organics (SGT-C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	03/12/2022 00:42/jlb	GCFID-HP4-B_220311A : 11	164312
Oil Range Hydrocarbons (C24 to C40)	0.14	mg/L	1	J	0.30	0.14	0.049		SW8015C	03/10/2022 00:23/jlb	GCFID-HP4-B_220309A : 16	164312
Oil Range Hydrocarbons (SGT-C24 to C40)	ND	mg/L	1	U	0.30	0.14	0.049		SW8015C	03/12/2022 00:42/jlb	GCFID-HP4-B_220311A : 11	164312
Total Extractable Hydrocarbons	0.15	mg/L	1	J	0.30	0.14	0.074		SW8015C	03/10/2022 00:23/jlb	GCFID-HP4-B_220309A : 16	164312
Total Extractable Hydrocarbons (SGT)	ND	mg/L	1	U	0.30	0.14	0.074		SW8015C	03/12/2022 00:42/jlb	GCFID-HP4-B_220311A : 11	164312



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-011
Collection Date: 03/04/2022 13:45
Date Received: 03/07/2022
Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2630 (HDMW2253-03)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Surr: o-Terphenyl	91.0	%REC	1		56-125				SW8015C	03/10/2022 00:23/jlb	GCFID-HP4-B_220309A : 16	164312
Surr: o-Terphenyl (SGT)	90.0	%REC	1		56-125				SW8015C	03/12/2022 00:42/jlb	GCFID-HP4-B_220311A : 11	164312
Surr: n-Triacontane	96.0	%REC	1		50-150				SW8015C	03/10/2022 00:23/jlb	GCFID-HP4-B_220309A : 16	164312
Surr: n-Triacontane (SGT)	86.0	%REC	1		50-150				SW8015C	03/12/2022 00:42/jlb	GCFID-HP4-B_220311A : 11	164312
- Note: Total Extractable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.												
ORGANIC CHARACTERISTICS												
Methane	0.0020	mg/L	1	J	0.0020	0.0012	0.00070		SW8015M	03/11/2022 16:23/jdw	FID-HEADSPACE_220311B : 7	R376018



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-012

Collection Date: 03/04/2022 13:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2629 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Toluene	0.082	ug/L	1	J	1.0	0.20	0.068		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2629 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-012
Collection Date: 03/04/2022 13:45
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Surr: Dibromofluoromethane	108.0	%REC	1		80-119				SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Surr: 1,2-Dichloroethane-d4	108.0	%REC	1		81-118				SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Surr: Toluene-d8	96.0	%REC	1		89-112				SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958
Surr: p-Bromofluorobenzene	105.0	%REC	1		85-114				SW8260B	03/10/2022 19:23/msc	VOA5975C.I_220310A : 15	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2629 (Trip Blank)-14694
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-013
Collection Date: 03/04/2022 13:45
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/11/2022 16:24/jp	VARIAN1_220311A : 1C	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	U	20	10	3.1		SW8015C	03/11/2022 16:24/jp	VARIAN1_220311A : 1C	R376037
Surr: Trifluorotoluene	78.0	%REC	1		70-130				SW8015C	03/11/2022 16:24/jp	VARIAN1_220311A : 1C	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-014

Collection Date: 03/04/2022 13:45

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2629 (Trip Blank)-14894
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0049	0.0025		SW8011	03/9/2022 05:44/ct	GECD.I_220308A : 39	164299
Surr: 1,1,1,2-Tetrachloroethane	109.0	%REC	1		70-130				SW8011	03/9/2022 05:44/ct	GECD.I_220308A : 39	164299



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2629 (Trip Blank)-14895
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-015
Collection Date: 03/04/2022 13:45
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
ORGANIC CHARACTERISTICS												
Methane	ND	mg/L	1	U	0.0020	0.0012	0.00070		SW8015M	03/11/2022 16:39/jdw	FID-HEADSPACE_220311B : 9	R376018



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-016

Collection Date: 03/03/2022 15:15

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2586 (RHMW-09)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
AGGREGATE ORGANICS												
Organic Carbon, Total (TOC) - TOC Range is 0.9 to 0.9	0.88	mg/L	1		0.50	0.50	0.17		SW9060A	03/10/2022 21:53/eli-ca	SUB-C280416 : 9	C_R280416
METALS, DISSOLVED												
Lead	0.00006	mg/L	1	J	0.001	0.00005	0.00003		SW6020	03/12/2022 00:46/srh	ICPMS207-B_220311A : 47	R376031
METALS, TOTAL												
Lead	0.00030	mg/L	1	J	0.001	0.0001	0.00005		SW6020	03/12/2022 00:52/srh	ICPMS207-B_220311A : 48	164321
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-016

Collection Date: 03/03/2022 15:15

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2586 (RHMW-09)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Toluene	ND	ug/L	1	UT	1.0	0.20	0.068		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Surr: Dibromofluoromethane	109.0	%REC	1		80-119				SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Surr: 1,2-Dichloroethane-d4	112.0	%REC	1		81-118				SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Surr: Toluene-d8	94.0	%REC	1		89-112				SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
Surr: p-Bromofluorobenzene	109.0	%REC	1		85-114				SW8260B	03/10/2022 14:20/msc	VOA5975C.I_220310A : 5	R375958
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0048	0.0025		SW8011	03/9/2022 06:03/clt	GECD.I_220308A : 40	164299
Surr: 1,1,1,2-Tetrachloroethane	106.0	%REC	1		70-130				SW8011	03/9/2022 06:03/clt	GECD.I_220308A : 40	164299
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/11/2022 11:51/jpb	VARIAN1_220311A : 5	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	U	20	10	3.1		SW8015C	03/11/2022 11:51/jpb	VARIAN1_220311A : 5	R376037
Surr: Trifluorotoluene	74.0	%REC	1		70-130				SW8015C	03/11/2022 11:51/jpb	VARIAN1_220311A : 5	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Diesel Range Organics (C10 to C24)	0.43	mg/L	1		0.30	0.14	0.034		SW8015C	03/10/2022 01:53/jlb	GCFID-HP4-B_220309A : 18	164312
Diesel Range Organics (SGT-C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	03/12/2022 05:14/jlb	GCFID-HP4-B_220311A : 15	164312
Oil Range Hydrocarbons (C24 to C40)	0.48	mg/L	1		0.30	0.14	0.049		SW8015C	03/10/2022 01:53/jlb	GCFID-HP4-B_220309A : 18	164312
Oil Range Hydrocarbons (SGT-C24 to C40)	ND	mg/L	1	U	0.30	0.14	0.049		SW8015C	03/12/2022 05:14/jlb	GCFID-HP4-B_220311A : 15	164312
Total Extractable Hydrocarbons	0.87	mg/L	1		0.30	0.14	0.074		SW8015C	03/10/2022 01:53/jlb	GCFID-HP4-B_220309A : 18	164312
Total Extractable Hydrocarbons (SGT)	ND	mg/L	1	U	0.30	0.14	0.074		SW8015C	03/12/2022 05:14/jlb	GCFID-HP4-B_220311A : 15	164312



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-016

Collection Date: 03/03/2022 15:15

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2586 (RHMW-09)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Surr: o-Terphenyl	86.0	%REC	1		56-125				SW8015C	03/10/2022 01:53/jlb	GCFID-HP4-B_220309A : 18	164312
Surr: o-Terphenyl (SGT)	87.0	%REC	1		56-125				SW8015C	03/12/2022 05:14/jlb	GCFID-HP4-B_220311A : 15	164312
Surr: n-Triacontane	92.0	%REC	1		50-150				SW8015C	03/10/2022 01:53/jlb	GCFID-HP4-B_220309A : 18	164312
Surr: n-Triacontane (SGT)	84.0	%REC	1		50-150				SW8015C	03/12/2022 05:14/jlb	GCFID-HP4-B_220311A : 15	164312
- Note: Total Extractable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.												
ORGANIC CHARACTERISTICS												
Methane	ND	mg/L	1	U	0.0020	0.0012	0.00070		SW8015M	03/11/2022 16:43/jdw	FID-HEADSPACE_220311B : 10	R376018



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-017

Collection Date: 03/03/2022 15:15

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2585 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Toluene	0.088	ug/L	1	J	1.0	0.20	0.068		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-017

Collection Date: 03/03/2022 15:15

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2585 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Surr: Dibromofluoromethane	107.0	%REC	1		80-119				SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Surr: 1,2-Dichloroethane-d4	109.0	%REC	1		81-118				SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Surr: Toluene-d8	93.0	%REC	1		89-112				SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958
Surr: p-Bromofluorobenzene	109.0	%REC	1		85-114				SW8260B	03/10/2022 19:51/msc	VOA5975C.I_220310A : 16	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-018

Collection Date: 03/03/2022 15:15

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2585 (Trip Blank)-14754
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/11/2022 16:58/jp	VARIAN1_220311A : 11	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	U	20	10	3.1		SW8015C	03/11/2022 16:58/jp	VARIAN1_220311A : 11	R376037
Surr: Trifluorotoluene	79.0	%REC	1		70-130				SW8015C	03/11/2022 16:58/jp	VARIAN1_220311A : 11	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-019

Collection Date: 03/03/2022 15:15

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2585 (Trip Blank)-14733
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0049	0.0025		SW8011	03/9/2022 06:23/ct	GECD.I_220308A : 47	164299
Surr: 1,1,1,2-Tetrachloroethane	110.0	%REC	1		70-130				SW8011	03/9/2022 06:23/ct	GECD.I_220308A : 47	164299



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-020

Collection Date: 03/03/2022 15:15

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2585 (Trip Blank)-14808
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
ORGANIC CHARACTERISTICS												
Methane	ND	mg/L	1	U	0.0020	0.0012	0.00070		SW8015M	03/11/2022 16:48/jdw	FID-HEADSPACE_220311B : 11	R376018



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-021
Collection Date: 03/04/2022 15:30
Date Received: 03/07/2022
Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2627 (RHMW10)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
AGGREGATE ORGANICS												
Organic Carbon, Total (TOC) - TOC Range is 3.6 to 4.9	4.2	mg/L	1		0.50	0.50	0.17		SW9060A	03/10/2022 22:35/eli-ca	SUB-C280416 : 10	C_R280416
METALS, DISSOLVED												
Lead	ND	mg/L	1	U	0.001	0.00005	0.00003		SW6020	03/12/2022 00:58/srh	ICPMS207-B_220311A : 49	R376031
METALS, TOTAL												
Lead	0.00012	mg/L	1	J	0.001	0.0001	0.00005		SW6020	03/12/2022 01:17/srh	ICPMS207-B_220311A : 52	164321
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-021

Collection Date: 03/04/2022 15:30

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2627 (RHMW10)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Toluene	ND	ug/L	1	UT	1.0	0.20	0.068		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Surr: Dibromofluoromethane	106.0	%REC	1		80-119				SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Surr: 1,2-Dichloroethane-d4	112.0	%REC	1		81-118				SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Surr: Toluene-d8	95.0	%REC	1		89-112				SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
Surr: p-Bromofluorobenzene	106.0	%REC	1		85-114				SW8260B	03/10/2022 16:39/msc	VOA5975C.I_220310A : 9	R375958
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	2.7	ug/L	1	J	20	8.7	2.0		SW8015C	03/11/2022 14:07/jp	VARIAN1_220311A : 7	R376037
Total Purgeable Hydrocarbons	4.9	ug/L	1	J	20	10	3.1		SW8015C	03/11/2022 14:07/jp	VARIAN1_220311A : 7	R376037
Surr: Trifluorotoluene	77.0	%REC	1		70-130				SW8015C	03/11/2022 14:07/jp	VARIAN1_220311A : 7	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Diesel Range Organics (C10 to C24)	0.40	mg/L	1		0.30	0.14	0.034		SW8015C	03/10/2022 11:38/jlb	GCFID-HP4-B_220309A : 25	164312
Diesel Range Organics (SGT-C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	03/12/2022 08:59/jlb	GCFID-HP4-B_220311A : 19	164312
Oil Range Hydrocarbons (C24 to C40)	0.59	mg/L	1		0.30	0.14	0.049		SW8015C	03/10/2022 11:38/jlb	GCFID-HP4-B_220309A : 25	164312
Oil Range Hydrocarbons (SGT-C24 to C40)	0.072	mg/L	1	J	0.30	0.14	0.049		SW8015C	03/12/2022 08:59/jlb	GCFID-HP4-B_220311A : 19	164312
Total Extractable Hydrocarbons	1.1	mg/L	1		0.30	0.14	0.075		SW8015C	03/10/2022 11:38/jlb	GCFID-HP4-B_220309A : 25	164312
Total Extractable Hydrocarbons (SGT)	0.075	mg/L	1	J	0.30	0.14	0.075		SW8015C	03/12/2022 08:59/jlb	GCFID-HP4-B_220311A : 19	164312
Surr: o-Terphenyl	95.0	%REC	1		56-125				SW8015C	03/10/2022 11:38/jlb	GCFID-HP4-B_220309A : 25	164312
Surr: o-Terphenyl (SGT)	95.0	%REC	1		56-125				SW8015C	03/12/2022 08:59/jlb	GCFID-HP4-B_220311A : 19	164312
Surr: n-Triacontane	100.0	%REC	1		50-150				SW8015C	03/10/2022 11:38/jlb	GCFID-HP4-B_220309A : 25	164312
Surr: n-Triacontane (SGT)	87.0	%REC	1		50-150				SW8015C	03/12/2022 08:59/jlb	GCFID-HP4-B_220311A : 19	164312



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-022

Collection Date: 03/04/2022 15:30

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2626 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Toluene	0.085	ug/L	1	J	1.0	0.20	0.068		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-022

Collection Date: 03/04/2022 15:30

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2626 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Surr: Dibromofluoromethane	110.0	%REC	1		80-119				SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Surr: 1,2-Dichloroethane-d4	111.0	%REC	1		81-118				SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Surr: Toluene-d8	96.0	%REC	1		89-112				SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958
Surr: p-Bromofluorobenzene	105.0	%REC	1		85-114				SW8260B	03/10/2022 20:18/msc	VOA5975C.I_220310A : 17	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2626 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-023
Collection Date: 03/04/2022 15:30
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/11/2022 17:32/jp	VARIAN1_220311A : 12	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	U	20	10	3.1		SW8015C	03/11/2022 17:32/jp	VARIAN1_220311A : 12	R376037
Surr: Trifluorotoluene	78.0	%REC	1		70-130				SW8015C	03/11/2022 17:32/jp	VARIAN1_220311A : 12	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-026

Collection Date: 03/03/2022 13:50

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2600 (RHMW11-5)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
AGGREGATE ORGANICS												
Organic Carbon, Total (TOC) - TOC Range is 0.5 to 0.6	0.55	mg/L	1		0.50	0.50	0.17		SW9060A	03/10/2022 23:20/eli-ca	SUB-C280416 : 11	C_R280416
METALS, DISSOLVED												
Lead	ND	mg/L	1	U	0.001	0.00005	0.00003		SW6020	03/12/2022 01:23/srh	ICPMS207-B_220311A : 53	R376031
METALS, TOTAL												
Lead	ND	mg/L	1	U	0.001	0.0001	0.00005		SW6020	03/12/2022 01:29/srh	ICPMS207-B_220311A : 54	164321
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-026

Collection Date: 03/03/2022 13:50

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2600 (RHMW11-5)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Styrene	0.088	ug/L	1	J	1.0	0.20	0.067		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Toluene	0.068	ug/L	1	J	1.0	0.20	0.068		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Surr: Dibromofluoromethane	107.0	%REC	1		80-119				SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Surr: 1,2-Dichloroethane-d4	111.0	%REC	1		81-118				SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Surr: Toluene-d8	95.0	%REC	1		89-112				SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
Surr: p-Bromofluorobenzene	108.0	%REC	1		85-114				SW8260B	03/10/2022 17:07/msc	VOA5975C.I_220310A : 10	R375958
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Diesel Range Organics (C10 to C24)	0.36	mg/L	1		0.30	0.14	0.034		SW8015C	03/10/2022 19:13/jlb	GCFID-HP4-B_220309A : 27	164312
Diesel Range Organics (SGT-C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	03/12/2022 10:29/jlb	GCFID-HP4-B_220311A : 21	164312
Oil Range Hydrocarbons (C24 to C40)	0.46	mg/L	1		0.30	0.14	0.049		SW8015C	03/10/2022 19:13/jlb	GCFID-HP4-B_220309A : 27	164312
Oil Range Hydrocarbons (SGT-C24 to C40)	ND	mg/L	1	U	0.30	0.14	0.049		SW8015C	03/12/2022 10:29/jlb	GCFID-HP4-B_220311A : 21	164312
Total Extractable Hydrocarbons	0.79	mg/L	1		0.30	0.14	0.074		SW8015C	03/10/2022 19:13/jlb	GCFID-HP4-B_220309A : 27	164312
Total Extractable Hydrocarbons (SGT)	ND	mg/L	1	U	0.30	0.14	0.074		SW8015C	03/12/2022 10:29/jlb	GCFID-HP4-B_220311A : 21	164312
Surr: o-Terphenyl	100.0	%REC	1		56-125				SW8015C	03/10/2022 19:13/jlb	GCFID-HP4-B_220309A : 27	164312
Surr: o-Terphenyl (SGT)	98.0	%REC	1		56-125				SW8015C	03/12/2022 10:29/jlb	GCFID-HP4-B_220311A : 21	164312
Surr: n-Triacontane	101.0	%REC	1		50-150				SW8015C	03/10/2022 19:13/jlb	GCFID-HP4-B_220309A : 27	164312
Surr: n-Triacontane (SGT)	90.0	%REC	1		50-150				SW8015C	03/12/2022 10:29/jlb	GCFID-HP4-B_220311A : 21	164312

- Note: Total Extractable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-027

Collection Date: 03/03/2022 13:50

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2599 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Toluene	ND	ug/L	1	U	1.0	0.20	0.068		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-027

Collection Date: 03/03/2022 13:50

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2599 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Surr: Dibromofluoromethane	108.0	%REC	1		80-119				SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Surr: 1,2-Dichloroethane-d4	109.0	%REC	1		81-118				SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Surr: Toluene-d8	95.0	%REC	1		89-112				SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958
Surr: p-Bromofluorobenzene	107.0	%REC	1		85-114				SW8260B	03/10/2022 20:45/msc	VOA5975C.I_220310A : 18	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-031
Collection Date: 03/04/2022 18:35
Date Received: 03/07/2022
Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2598 (RHMW19)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
AGGREGATE ORGANICS												
Organic Carbon, Total (TOC) - TOC Range is 0.3 to 0.3	0.28	mg/L	1	J	0.50	0.50	0.17		SW9060A	03/10/2022 23:59/eli-ca	SUB-C280416 : 12	C_R280416
METALS, DISSOLVED												
Lead	ND	mg/L	1	U	0.001	0.00005	0.00003		SW6020	03/12/2022 01:35/srh	ICPMS207-B_220311A : 55	R376031
METALS, TOTAL												
Lead	0.00010	mg/L	1	J	0.001	0.0001	0.00005		SW6020	03/12/2022 01:42/srh	ICPMS207-B_220311A : 56	164321
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-031

Collection Date: 03/04/2022 18:35

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2598 (RHMW19)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Toluene	ND	ug/L	1	UT	1.0	0.20	0.068		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Surr: Dibromofluoromethane	108.0	%REC	1		80-119				SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Surr: 1,2-Dichloroethane-d4	107.0	%REC	1		81-118				SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Surr: Toluene-d8	95.0	%REC	1		89-112				SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
Surr: p-Bromofluorobenzene	106.0	%REC	1		85-114				SW8260B	03/10/2022 17:34/msc	VOA5975C.I_220310A : 11	R375958
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0048	0.0025		SW8011	03/9/2022 06:43/clt	GECD.I_220308A : 42	164299
Surr: 1,1,1,2-Tetrachloroethane	113.0	%REC	1		70-130				SW8011	03/9/2022 06:43/clt	GECD.I_220308A : 42	164299
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/12/2022 01:33/jp	VARIAN1_220311A : 22	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	U	20	10	3.1		SW8015C	03/12/2022 01:33/jp	VARIAN1_220311A : 22	R376037
Surr: Trifluorotoluene	76.0	%REC	1		70-130				SW8015C	03/12/2022 01:33/jp	VARIAN1_220311A : 22	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												
PETROLEUM HYDROCARBONS-SEMI-VOLATILE												
Diesel Range Organics (C10 to C24)	ND	mg/L	1	U	0.30	0.14	0.034		SW8015C	03/11/2022 10:19/jlb	GCFID-HP4-B_220309A : 37	164312
Oil Range Hydrocarbons (C24 to C40)	ND	mg/L	1	U	0.30	0.14	0.049		SW8015C	03/11/2022 10:19/jlb	GCFID-HP4-B_220309A : 37	164312
Total Extractable Hydrocarbons	ND	mg/L	1	U	0.30	0.14	0.074		SW8015C	03/11/2022 10:19/jlb	GCFID-HP4-B_220309A : 37	164312
Surr: o-Terphenyl	88.0	%REC	1		56-125				SW8015C	03/11/2022 10:19/jlb	GCFID-HP4-B_220309A : 37	164312
Surr: n-Triacontane	88.0	%REC	1		50-150				SW8015C	03/11/2022 10:19/jlb	GCFID-HP4-B_220309A : 37	164312
- Note: Total Extractable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.												
- Since there were no detectable hydrocarbons, Silica Gel Treatment (SGT) results are equivalent to non-SGT results.												



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2598 (RHMW19)
Project: CV18F0126, 60571032.02.46.01
Matrix: Ground Water

Lab ID: B22030502-031
Collection Date: 03/04/2022 18:35
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
ORGANIC CHARACTERISTICS												
Methane	ND	mg/L	1	U	0.0020	0.0012	0.00070		SW8015M	03/11/2022 16:56/jdw	FID-HEADSPACE_220311B : 12	R376018



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-032

Collection Date: 03/04/2022 18:35

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2597 (Trip Blank)-14733
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
Benzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Bromobenzene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Bromochloromethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Bromodichloromethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Bromoform	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Carbon tetrachloride	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Chlorobenzene	ND	ug/L	1	U	1.0	0.20	0.091		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Chlorodibromomethane	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Chloroethane	ND	ug/L	1	U	1.0	0.50	0.17		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Chloroform	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Chloromethane	ND	ug/L	1	U	1.0	0.50	0.16		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,2-Dibromoethane	ND	ug/L	1	U	1.0	0.20	0.092		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
2-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.088		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
4-Chlorotoluene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Dibromomethane	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,2-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.075		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,3-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.080		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,4-Dichlorobenzene	ND	ug/L	1	U	1.0	0.20	0.086		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Dichlorodifluoromethane	ND	ug/L	1	U	1.0	0.50	0.18		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,1-Dichloroethane	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,2-Dichloroethane	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,1-Dichloroethene	ND	ug/L	1	U	1.0	0.50	0.14		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
cis-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
trans-1,2-Dichloroethene	ND	ug/L	1	U	1.0	0.25	0.12		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,2-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,3-Dichloropropane	ND	ug/L	1	U	1.0	0.20	0.079		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
2,2-Dichloropropane	ND	ug/L	1	U	1.0	0.50	0.19		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,1-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.083		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
cis-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.073		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
trans-1,3-Dichloropropene	ND	ug/L	1	U	1.0	0.20	0.085		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Ethylbenzene	ND	ug/L	1	U	1.0	0.20	0.084		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Methyl ethyl ketone	ND	ug/L	1	U	20	5.0	1.8		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Methyl tert-butyl ether (MTBE)	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Methylene chloride	ND	ug/L	1	U	1.0	0.50	0.34		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Styrene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,1,1,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.25	0.10		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,1,2,2-Tetrachloroethane	ND	ug/L	1	U	1.0	0.20	0.087		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Tetrachloroethene	ND	ug/L	1	U	1.0	0.20	0.067		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Toluene	0.093	ug/L	1	J	1.0	0.20	0.068		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Lab ID: B22030502-032

Collection Date: 03/04/2022 18:35

Date Received: 03/07/2022

Report Date: 03/16/2022

Client: AECOM - Honolulu
Client Sample ID: ERH2597 (Trip Blank)-14733
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOLATILE ORGANIC COMPOUNDS												
1,1,1-Trichloroethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,1,2-Trichloroethane	ND	ug/L	1	U	1.0	0.25	0.11		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Trichloroethene	ND	ug/L	1	U	1.0	0.20	0.099		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Trichlorofluoromethane	ND	ug/L	1	U	1.0	0.50	0.13		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
1,2,3-Trichloropropane	ND	ug/L	1	U	1.0	0.50	0.24		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Vinyl chloride	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
m+p-Xylenes	ND	ug/L	1	U	1.0	0.50	0.15		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
o-Xylene	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Xylenes, Total	ND	ug/L	1	U	1.0	0.20	0.060		SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Surr: Dibromofluoromethane	106.0	%REC	1		80-119				SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Surr: 1,2-Dichloroethane-d4	110.0	%REC	1		81-118				SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Surr: Toluene-d8	95.0	%REC	1		89-112				SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958
Surr: p-Bromofluorobenzene	106.0	%REC	1		85-114				SW8260B	03/10/2022 18:01/msc	VOA5975C.I_220310A : 12	R375958



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2597 (Trip Blank)-14833
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-033
Collection Date: 03/04/2022 18:35
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
PETROLEUM HYDROCARBONS-VOLATILE												
C6 to C10	ND	ug/L	1	U	20	8.7	2.0		SW8015C	03/11/2022 18:06/jp	VARIAN1_220311A : 13	R376037
Total Purgeable Hydrocarbons	ND	ug/L	1	U	20	10	3.1		SW8015C	03/11/2022 18:06/jp	VARIAN1_220311A : 13	R376037
Surr: Trifluorotoluene	77.0	%REC	1		70-130				SW8015C	03/11/2022 18:06/jp	VARIAN1_220311A : 13	R376037
- Note 1: C6 to C10 is defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.												
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.												



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2597 (Trip Blank)-14754
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-034
Collection Date: 03/04/2022 18:35
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
VOCS BY MICROEXTRACTION-ECD												
1,2-Dibromoethane	ND	ug/L	1	U	0.010	0.0049	0.0025		SW8011	03/9/2022 07:03/ct	GECD.I_220308A : 43	164299
Surr: 1,1,1,2-Tetrachloroethane	110.0	%REC	1		70-130				SW8011	03/9/2022 07:03/ct	GECD.I_220308A : 43	164299



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Client Sample ID: ERH2597 (Trip Blank)-14808
Project: CV18F0126, 60571032.02.46.01
Matrix: Trip Blank

Lab ID: B22030502-035
Collection Date: 03/04/2022 18:35
Date Received: 03/07/2022
Report Date: 03/16/2022

Analyses	Result	Units	DF	Qual	LOQ	LOD	DL	MCL	Method	Analysis Date / By	RunID : Run Order	BatchID
ORGANIC CHARACTERISTICS												
Methane	ND	mg/L	1	U	0.0020	0.0012	0.00070		SW8015M	03/11/2022 17:02/jdw	FID-HEADSPACE_220311B : 13	R376018



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: SUB-C280416: 2 **SampType:** Method Blank **Batch ID:** C_R280416
Method: SW9060A **Analysis Date:** 03/10/2022 16:45 **Prep Date:**
Lab ID: MBLK **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	ND	0.20									

Associated Samples: B22030502-001D, B22030502-006D, B22030502-011D, B22030502-016D, B22030502-021D, B22030502-026D, B22030502-031D

- TOC Range is 0.0 to 0.1

Run ID: Run Order: SUB-C280416: 1 **SampType:** Laboratory Control Sample **Batch ID:** C_R280416
Method: SW9060A **Analysis Date:** 03/10/2022 16:04 **Prep Date:**
Lab ID: LCS **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	5.0	0.50	5.0		101.0	91	111				

Associated Samples: B22030502-001D, B22030502-006D, B22030502-011D, B22030502-016D, B22030502-021D, B22030502-026D, B22030502-031D

- TOC Range is 5.0 to 5.1

Run ID: Run Order: SUB-C280416: 5 **SampType:** Sample Matrix Spike **Batch ID:** C_R280416
Method: SW9060A **Analysis Date:** 03/10/2022 18:53 **Prep Date:**
Lab ID: C22030334-001DMS **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	4.8	0.50	5.0	0.32	90.0	91	111				S

Associated Samples: B22030502-001D, B22030502-006D, B22030502-011D, B22030502-016D, B22030502-021D, B22030502-026D, B22030502-031D

- TOC Range is 4.7 to 4.8



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: SUB-C280416: 6 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** C_R280416
Method: SW9060A **Analysis Date:** 03/10/2022 19:45 **Prep Date:**
Lab ID: C22030334-001DMSD **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	4.9	0.50	5.0	0.32	91.0	91	111	4.8	1.5	10.0	

Associated Samples: B22030502-001D, B22030502-006D, B22030502-011D, B22030502-016D, B22030502-021D, B22030502-026D, B22030502-031D
- TOC Range is 4.8 to 4.9

Run ID: Run Order: SUB-C280416: 3 **SampType:** Continuing Calibration Verification Standard **Batch ID:** C_R280416
Method: SW9060A **Analysis Date:** 03/10/2022 17:24 **Prep Date:**
Lab ID: CCV **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	4.9	0.50	5.0		98.0	90	110				

Associated Samples: B22030502-001D, B22030502-006D, B22030502-011D, B22030502-016D, B22030502-021D, B22030502-026D, B22030502-031D
- TOC Range is 4.9 to 5.0

Run ID: Run Order: SUB-C280416: 13 **SampType:** Continuing Calibration Verification Standard **Batch ID:** C_R280416
Method: SW9060A **Analysis Date:** 03/11/2022 02:01 **Prep Date:**
Lab ID: CCV **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Organic Carbon, Total (TOC)	4.7	0.50	5.0		94.0	90	110				

Associated Samples: B22030502-001D, B22030502-006D, B22030502-011D, B22030502-016D, B22030502-021D, B22030502-026D, B22030502-031D
- TOC Range is 4.7 to 4.7



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: ICPMS207-B_220311A: 18 **SampType:** Laboratory Fortified Blank **Batch ID:** R376031
Method: SW6020 **Analysis Date:** 03/11/2022 21:45 **Prep Date:**
Lab ID: LFB **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.049	0.001	0.050		99.0	88	115				

Associated Samples: B22030502-001A, B22030502-006A, B22030502-011A, B22030502-016A, B22030502-021A, B22030502-026A, B22030502-031A

Run ID: Run Order: ICPMS207-B_220311A: 17 **SampType:** Method Blank **Batch ID:** R376031
Method: SW6020 **Analysis Date:** 03/11/2022 21:38 **Prep Date:**
Lab ID: LRB **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	ND	0.0005									

Associated Samples: B22030502-001A, B22030502-006A, B22030502-011A, B22030502-016A, B22030502-021A, B22030502-026A, B22030502-031A

Run ID: Run Order: ICPMS207-B_220311A: 32 **SampType:** Sample Matrix Spike **Batch ID:** R376031
Method: SW6020 **Analysis Date:** 03/11/2022 23:12 **Prep Date:**
Lab ID: B22030502-001AMS **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.051	0.001	0.050	0	101.0	88	115				

Associated Samples: B22030502-001A, B22030502-006A, B22030502-011A, B22030502-016A, B22030502-021A, B22030502-026A, B22030502-031A



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: ICPMS207-B_220311A: 33 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** R376031
Method: SW6020 **Analysis Date:** 03/11/2022 23:18 **Prep Date:**
Lab ID: B22030502-001AMSD **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.050	0.001	0.050	0	99.0	88	115	0.051	1.9	20.0	

Associated Samples: B22030502-001A, B22030502-006A, B22030502-011A, B22030502-016A, B22030502-021A, B22030502-026A, B22030502-031A

Run ID: Run Order: ICPMS207-B_220311A: 31 **SampType:** Serial Dilution **Batch ID:** R376031
Method: SW6020 **Analysis Date:** 03/11/2022 23:06 **Prep Date:**
Lab ID: B22030502-001ADIL **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	ND	0.001						0		10.0	

Associated Samples: B22030502-001A, B22030502-006A, B22030502-011A, B22030502-016A, B22030502-021A, B22030502-026A, B22030502-031A

Run ID: Run Order: ICPMS207-B_220311A: 27 **SampType:** Laboratory Control Sample **Batch ID:** 164321
Method: SW6020 **Analysis Date:** 03/11/2022 22:41 **Prep Date:** 03/08/2022 14:10
Lab ID: LCS4-164321 **Units:** mg/L **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.095	0.001	0.100		95.0	88	115				

Associated Samples: B22030502-001B, B22030502-006B, B22030502-011B, B22030502-016B, B22030502-021B, B22030502-026B, B22030502-031B



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: ICPMS207-B_220311A: 39 **SampType:** Post Digestion/Distillation Spike **Batch ID:** 164321
Method: SW6020 **Analysis Date:** 03/11/2022 23:56 **Prep Date:** 03/08/2022 14:14
Lab ID: B22030502-001BPDS1 **Units:** mg/L **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.049	0.001	0.052	0	95.0	80	120				

Associated Samples: B22030502-001B, B22030502-006B, B22030502-011B, B22030502-016B, B22030502-021B, B22030502-026B, B22030502-031B

Run ID: Run Order: ICPMS207-B_220311A: 40 **SampType:** Matrix Spike **Batch ID:** 164321
Method: SW6020 **Analysis Date:** 03/12/2022 00:02 **Prep Date:** 03/08/2022 14:14
Lab ID: B22030502-001BMS4 **Units:** mg/L **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.099	0.001	0.100	0	99.0	88	115				

Associated Samples: B22030502-001B, B22030502-006B, B22030502-011B, B22030502-016B, B22030502-021B, B22030502-026B, B22030502-031B

Run ID: Run Order: ICPMS207-B_220311A: 41 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** 164321
Method: SW6020 **Analysis Date:** 03/12/2022 00:08 **Prep Date:** 03/08/2022 14:14
Lab ID: B22030502-001BMSD4 **Units:** mg/L **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.097	0.001	0.100	0	96.0	88	115	0.099	2.8	20.0	

Associated Samples: B22030502-001B, B22030502-006B, B22030502-011B, B22030502-016B, B22030502-021B, B22030502-026B, B22030502-031B



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: ICPMS207-B_220311A: 25 **SampType:** Method Blank **Batch ID:** 164321
Method: SW6020 **Analysis Date:** 03/11/2022 22:28 **Prep Date:** 03/08/2022 14:10
Lab ID: MB-164321 **Units:** mg/L **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	ND	0.0005									

Associated Samples: B22030502-001B, B22030502-006B, B22030502-011B, B22030502-016B, B22030502-021B, B22030502-026B, B22030502-031B

Run ID: Run Order: ICPMS207-B_220311A: 36 **SampType:** Serial Dilution **Batch ID:** 164321
Method: SW6020 **Analysis Date:** 03/11/2022 23:37 **Prep Date:** 03/08/2022 14:14
Lab ID: B22030502-001BDIL **Units:** mg/L **Prep Method:** SW3010A

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	ND	0.001						0		10.0	

Associated Samples: B22030502-001B, B22030502-006B, B22030502-011B, B22030502-016B, B22030502-021B, B22030502-026B, B22030502-031B

Run ID: Run Order: ICPMS207-B_220311A: 23 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376031
Method: SW6020 **Analysis Date:** 03/11/2022 22:16 **Prep Date:**
Lab ID: CCV **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.049	0.001	0.050		97.0	90	110				

Associated Samples: B22030502-001A, B22030502-001B, B22030502-006A, B22030502-006B, B22030502-011A, B22030502-011B, B22030502-016A, B22030502-016B, B22030502-021A, B22030502-021B, B22030502-026A, B22030502-026B, B22030502-031A, B22030502-031B



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: ICPMS207-B_220311A: 37 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376031
Method: SW6020 **Analysis Date:** 03/11/2022 23:43 **Prep Date:**
Lab ID: CCV **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.048	0.001	0.050		96.0	90	110				

Associated Samples: B22030502-001A, B22030502-001B, B22030502-006A, B22030502-006B, B22030502-011A, B22030502-011B, B22030502-016A, B22030502-016B, B22030502-021A, B22030502-021B, B22030502-026A, B22030502-026B, B22030502-031A, B22030502-031B

Run ID: Run Order: ICPMS207-B_220311A: 50 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376031
Method: SW6020 **Analysis Date:** 03/12/2022 01:04 **Prep Date:**
Lab ID: CCV **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.047	0.001	0.050		95.0	90	110				

Associated Samples: B22030502-001A, B22030502-001B, B22030502-006A, B22030502-006B, B22030502-011A, B22030502-011B, B22030502-016A, B22030502-016B, B22030502-021A, B22030502-021B, B22030502-026A, B22030502-026B, B22030502-031A, B22030502-031B

Run ID: Run Order: ICPMS207-B_220311A: 62 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376031
Method: SW6020 **Analysis Date:** 03/12/2022 02:19 **Prep Date:**
Lab ID: CCV **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Lead	0.048	0.001	0.050		95.0	90	110				

Associated Samples: B22030502-001A, B22030502-001B, B22030502-006A, B22030502-006B, B22030502-011A, B22030502-011B, B22030502-016A, B22030502-016B, B22030502-021A, B22030502-021B, B22030502-026A, B22030502-026B, B22030502-031A, B22030502-031B



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 4
Method: SW8260B
Lab ID: MBLK031022_

SampType: Method Blank
Analysis Date: 03/10/2022 13:53
Units: ug/L

Batch ID: R375958
Prep Date:
Prep Method:

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	ND	0.50									
Bromobenzene	ND	0.50									
Bromochloromethane	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									
Chlorodibromomethane	ND	0.50									
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
2-Chlorotoluene	ND	0.50									
Dibromomethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
4-Chlorotoluene	ND	0.50									
1,3-Dichlorobenzene	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3-Dichloropropane	ND	0.50									
2,2-Dichloropropane	ND	0.50									



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 4 **SampType:** Method Blank **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 13:53 **Prep Date:**
Lab ID: MBLK031022_ **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.50									
cis-1,3-Dichloropropene	ND	0.50									
trans-1,3-Dichloropropene	ND	0.50									
Ethylbenzene	ND	0.50									
Methyl tert-butyl ether (MTBE)	ND	0.50									
Methyl ethyl ketone	ND	10									
Methylene chloride	ND	0.50									
Styrene	ND	0.50									
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
Tetrachloroethene	ND	0.50									
Toluene	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
Trichloroethene	ND	0.50									
Trichlorofluoromethane	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
Vinyl chloride	ND	0.50									
m+p-Xylenes	ND	0.50									
o-Xylene	ND	0.50									
Xylenes, Total	ND	0.50									
Surr: 1,2-Dichloroethane-d4	11	0.50	10		109.0	81	118				
Surr: Dibromofluoromethane	11	0.50	10		106.0	80	119				
Surr: p-Bromofluorobenzene	10	0.50	10		104.0	85	114				



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 4 **SampType:** Method Blank **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 13:53 **Prep Date:**
Lab ID: MBLK031022_ **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Surr: Toluene-d8	9.3	0.50	10		93.0	89	112				

Associated Samples: B22030502-001E, B22030502-002A, B22030502-006E, B22030502-007A, B22030502-011E, B22030502-012A, B22030502-016E, B22030502-017A, B22030502-021E, B22030502-022A, B22030502-026E, B22030502-027A, B22030502-031E, B22030502-032A

Run ID: Run Order: VOA5975C.I_220310A: 3 **SampType:** Laboratory Control Sample **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 12:58 **Prep Date:**
Lab ID: LCS031022_ **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	5.4	0.50	5.0		109.0	79	120				
Bromobenzene	5.3	0.50	5.0		107.0	80	120				
Bromochloromethane	5.4	0.50	5.0		109.0	78	123				
Bromodichloromethane	5.3	0.50	5.0		106.0	79	125				
Bromoform	5.3	0.50	5.0		105.0	66	130				
Carbon tetrachloride	5.0	0.50	5.0		99.0	72	136				
Chlorobenzene	5.2	0.50	5.0		105.0	82	118				
Chlorodibromomethane	5.2	0.50	5.0		104.0	74	126				
Chloroethane	4.6	0.50	5.0		91.0	60	138				
Chloroform	5.2	0.50	5.0		104.0	79	124				
Chloromethane	4.9	0.50	5.0		99.0	50	139				
1,2-Dibromoethane	5.3	0.50	5.0		105.0	78	122				
2-Chlorotoluene	5.6	0.50	5.0		111.0	79	122				
Dibromomethane	5.0	0.50	5.0		100.0	79	123				
1,2-Dichlorobenzene	5.4	0.50	5.0		107.0	80	119				



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 3 **SampType:** Laboratory Control Sample **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 12:58 **Prep Date:**
Lab ID: LCS031022_ **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
4-Chlorotoluene	5.7	0.50	5.0		114.0	78	122				
1,3-Dichlorobenzene	5.6	0.50	5.0		111.0	80	119				
1,4-Dichlorobenzene	5.4	0.50	5.0		108.0	79	118				
Dichlorodifluoromethane	4.3	0.50	5.0		87.0	32	152				
1,1-Dichloroethane	5.6	0.50	5.0		112.0	77	125				
1,2-Dichloroethane	5.3	0.50	5.0		106.0	73	128				
1,1-Dichloroethene	5.2	0.50	5.0		103.0	71	131				
cis-1,2-Dichloroethene	5.4	0.50	5.0		109.0	78	123				
trans-1,2-Dichloroethene	5.3	0.50	5.0		105.0	75	124				
1,2-Dichloropropane	5.1	0.50	5.0		103.0	78	122				
1,3-Dichloropropane	5.0	0.50	5.0		100.0	80	119				
2,2-Dichloropropane	5.2	0.50	5.0		104.0	60	139				
1,1-Dichloropropene	4.9	0.50	5.0		98.0	79	125				
cis-1,3-Dichloropropene	4.9	0.50	5.0		98.0	75	124				
trans-1,3-Dichloropropene	5.3	0.50	5.0		106.0	73	127				
Ethylbenzene	5.1	0.50	5.0		103.0	79	121				
Methyl tert-butyl ether (MTBE)	5.5	0.50	5.0		111.0	71	124				
Methyl ethyl ketone	59	10	50		119.0	56	143				
Methylene chloride	5.1	0.50	5.0		101.0	74	124				
Styrene	5.3	0.50	5.0		107.0	78	123				
1,1,1,2-Tetrachloroethane	5.2	0.50	5.0		103.0	78	124				
1,1,2,2-Tetrachloroethane	5.4	0.50	5.0		109.0	71	121				
Tetrachloroethene	4.8	0.50	5.0		96.0	74	129				
Toluene	5.3	0.50	5.0		106.0	80	121				
1,1,1-Trichloroethane	5.1	0.50	5.0		103.0	74	131				
1,1,2-Trichloroethane	5.2	0.50	5.0		104.0	80	119				
Trichloroethene	5.0	0.50	5.0		101.0	79	123				



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 3 **SampType:** Laboratory Control Sample **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 12:58 **Prep Date:**
Lab ID: LCS031022_ **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Trichlorofluoromethane	4.8	0.50	5.0		96.0	65	141				
1,2,3-Trichloropropane	5.0	0.50	5.0		100.0	73	125				
Vinyl chloride	5.0	0.50	5.0		100.0	58	137				
m+p-Xylenes	10	0.50	10		103.0	80	121				
o-Xylene	5.2	0.50	5.0		105.0	78	122				
Xylenes, Total	16	0.50	15		103.0	79	121				
Surr: 1,2-Dichloroethane-d4	10	0.50	10		103.0	81	118				
Surr: Dibromofluoromethane	10	0.50	10		104.0	80	119				
Surr: p-Bromofluorobenzene	11	0.50	10		106.0	85	114				
Surr: Toluene-d8	9.8	0.50	10		98.0	89	112				

Associated Samples: B22030502-001E, B22030502-002A, B22030502-006E, B22030502-007A, B22030502-011E, B22030502-012A, B22030502-016E, B22030502-017A, B22030502-021E, B22030502-022A, B22030502-026E, B22030502-027A, B22030502-031E, B22030502-032A

Run ID: Run Order: VOA5975C.I_220310A: 20 **SampType:** Sample Matrix Spike **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 21:13 **Prep Date:**
Lab ID: B22030502-011EMS **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	4.9	0.50	5.0	0.0	98.0	79	120				
Bromobenzene	5.2	0.50	5.0	0.0	104.0	80	120				
Bromochloromethane	4.8	0.50	5.0	0.0	97.0	78	123				
Bromodichloromethane	5.0	0.50	5.0	0.0	101.0	79	125				
Bromoform	5.1	0.50	5.0	0.0	103.0	66	130				
Carbon tetrachloride	4.7	0.50	5.0	0.0	95.0	72	136				
Chlorobenzene	5.1	0.50	5.0	0.0	102.0	82	118				
Chlorodibromomethane	5.1	0.50	5.0	0.0	101.0	74	126				
Chloroethane	4.3	0.50	5.0	0.0	86.0	60	138				



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 20 **SampType:** Sample Matrix Spike **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 21:13 **Prep Date:**
Lab ID: B22030502-011EMS **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Chloroform	4.7	0.50	5.0	0.0	93.0	79	124				
Chloromethane	4.4	0.50	5.0	0.0	88.0	50	139				
1,2-Dibromoethane	4.9	0.50	5.0	0.0	97.0	78	122				
2-Chlorotoluene	5.3	0.50	5.0	0.0	105.0	79	122				
Dibromomethane	4.9	0.50	5.0	0.0	98.0	79	123				
1,2-Dichlorobenzene	5.2	0.50	5.0	0.0	104.0	80	119				
4-Chlorotoluene	5.5	0.50	5.0	0.0	109.0	78	122				
1,3-Dichlorobenzene	5.3	0.50	5.0	0.0	107.0	80	119				
1,4-Dichlorobenzene	5.1	0.50	5.0	0.0	103.0	79	118				
Dichlorodifluoromethane	4.2	0.50	5.0	0.0	83.0	32	152				
1,1-Dichloroethane	4.9	0.50	5.0	0.0	98.0	77	125				
1,2-Dichloroethane	4.8	0.50	5.0	0.0	97.0	73	128				
1,1-Dichloroethene	4.9	0.50	5.0	0.0	99.0	71	131				
cis-1,2-Dichloroethene	4.8	0.50	5.0	0.0	96.0	78	123				
trans-1,2-Dichloroethene	4.8	0.50	5.0	0.0	96.0	75	124				
1,2-Dichloropropane	4.8	0.50	5.0	0.0	96.0	78	122				
1,3-Dichloropropane	4.8	0.50	5.0	0.0	96.0	80	119				
2,2-Dichloropropane	4.6	0.50	5.0	0.0	91.0	60	139				
1,1-Dichloropropene	4.6	0.50	5.0	0.0	92.0	79	125				
cis-1,3-Dichloropropene	4.7	0.50	5.0	0.0	93.0	75	124				
trans-1,3-Dichloropropene	5.0	0.50	5.0	0.0	100.0	73	127				
Ethylbenzene	5.0	0.50	5.0	0.0	99.0	79	121				
Methyl tert-butyl ether (MTBE)	4.9	0.50	5.0	0.0	98.0	71	124				
Methyl ethyl ketone	52	10	50	0.0	105.0	56	143				
Methylene chloride	4.7	0.50	5.0	0.0	94.0	74	124				
Styrene	5.0	0.50	5.0	0.0	99.0	78	123				
1,1,1,2-Tetrachloroethane	4.9	0.50	5.0	0.0	98.0	78	124				



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 20 **SampType:** Sample Matrix Spike **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 21:13 **Prep Date:**
Lab ID: B22030502-011EMS **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,1,2,2-Tetrachloroethane	5.3	0.50	5.0	0.0	107.0	71	121				
Tetrachloroethene	4.9	0.50	5.0	0.0	98.0	74	129				
Toluene	5.2	0.50	5.0	0.0	103.0	80	121				
1,1,1-Trichloroethane	4.7	0.50	5.0	0.0	93.0	74	131				
1,1,2-Trichloroethane	5.0	0.50	5.0	0.0	99.0	80	119				
Trichloroethene	4.8	0.50	5.0	0.0	97.0	79	123				
Trichlorofluoromethane	4.4	0.50	5.0	0.0	89.0	65	141				
1,2,3-Trichloropropane	5.2	0.50	5.0	0.0	105.0	73	125				
Vinyl chloride	4.6	0.50	5.0	0.0	92.0	58	137				
m+p-Xylenes	9.7	0.50	10	0.0	97.0	80	121				
o-Xylene	5.0	0.50	5.0	0.0	100.0	78	122				
Xylenes, Total	15	0.50	15	0.0	98.0	79	121				
Surr: 1,2-Dichloroethane-d4	10	0.50	10	0.0	100.0	81	118				
Surr: Dibromofluoromethane	10	0.50	10	0.0	100.0	80	119				
Surr: p-Bromofluorobenzene	11	0.50	10	0.0	106.0	85	114				
Surr: Toluene-d8	10	0.50	10	0.0	101.0	89	112				

Associated Samples: B22030502-001E, B22030502-002A, B22030502-006E, B22030502-007A, B22030502-011E, B22030502-012A, B22030502-016E, B22030502-017A, B22030502-021E, B22030502-022A, B22030502-026E, B22030502-027A, B22030502-031E, B22030502-032A

Run ID: Run Order: VOA5975C.I_220310A: 21 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 21:40 **Prep Date:**
Lab ID: B22030502-011EMSD **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	5.1	0.50	5.0	0.0	101.0	79	120	4.9	2.9	20.0	
Bromobenzene	5.3	0.50	5.0	0.0	106.0	80	120	5.2	1.8	20.0	
Bromochloromethane	5.0	0.50	5.0	0.0	100.0	78	123	4.8	3.7	20.0	



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 21 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 21:40 **Prep Date:**
Lab ID: B22030502-011EMSD **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Bromodichloromethane	5.2	0.50	5.0	0.0	104.0	79	125	5.0	3.0	20.0	
Bromoform	5.3	0.50	5.0	0.0	106.0	66	130	5.1	3.6	20.0	
Carbon tetrachloride	4.8	0.50	5.0	0.0	96.0	72	136	4.7	1.6	20.0	
Chlorobenzene	5.2	0.50	5.0	0.0	103.0	82	118	5.1	1.6	20.0	
Chlorodibromomethane	5.0	0.50	5.0	0.0	101.0	74	126	5.1	0.4	20.0	
Chloroethane	4.4	0.50	5.0	0.0	89.0	60	138	4.3	3.6	20.0	
Chloroform	4.7	0.50	5.0	0.0	94.0	79	124	4.7	1.4	20.0	
Chloromethane	4.8	0.50	5.0	0.0	96.0	50	139	4.4	8.7	20.0	
1,2-Dibromoethane	5.1	0.50	5.0	0.0	102.0	78	122	4.9	4.7	20.0	
2-Chlorotoluene	5.5	0.50	5.0	0.0	110.0	79	122	5.3	4.7	20.0	
Dibromomethane	5.0	0.50	5.0	0.0	100.0	79	123	4.9	2.3	20.0	
1,2-Dichlorobenzene	5.3	0.50	5.0	0.0	107.0	80	119	5.2	2.2	20.0	
4-Chlorotoluene	5.5	0.50	5.0	0.0	109.0	78	122	5.5	0.3	20.0	
1,3-Dichlorobenzene	5.5	0.50	5.0	0.0	110.0	80	119	5.3	3.2	20.0	
1,4-Dichlorobenzene	5.2	0.50	5.0	0.0	104.0	79	118	5.1	1.3	20.0	
Dichlorodifluoromethane	4.2	0.50	5.0	0.0	84.0	32	152	4.2	1.3	20.0	
1,1-Dichloroethane	5.1	0.50	5.0	0.0	101.0	77	125	4.9	2.9	20.0	
1,2-Dichloroethane	5.2	0.50	5.0	0.0	103.0	73	128	4.8	6.6	20.0	
1,1-Dichloroethene	5.0	0.50	5.0	0.0	100.0	71	131	4.9	1.2	20.0	
cis-1,2-Dichloroethene	5.0	0.50	5.0	0.0	101.0	78	123	4.8	4.5	20.0	
trans-1,2-Dichloroethene	4.9	0.50	5.0	0.0	98.0	75	124	4.8	2.2	20.0	
1,2-Dichloropropane	4.9	0.50	5.0	0.0	99.0	78	122	4.8	2.7	20.0	
1,3-Dichloropropane	4.9	0.50	5.0	0.0	97.0	80	119	4.8	1.2	20.0	
2,2-Dichloropropane	4.6	0.50	5.0	0.0	93.0	60	139	4.6	2.0	20.0	
1,1-Dichloropropene	4.7	0.50	5.0	0.0	94.0	79	125	4.6	2.2	20.0	
cis-1,3-Dichloropropene	4.6	0.50	5.0	0.0	93.0	75	124	4.7	0.4	20.0	
trans-1,3-Dichloropropene	5.2	0.50	5.0	0.0	103.0	73	127	5.0	2.8	20.0	



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 21 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 21:40 **Prep Date:**
Lab ID: B22030502-011EMSD **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Ethylbenzene	5.0	0.50	5.0	0.0	101.0	79	121	5.0	1.5	20.0	
Methyl tert-butyl ether (MTBE)	5.2	0.50	5.0	0.0	105.0	71	124	4.9	6.2	20.0	
Methyl ethyl ketone	55	10	50	0.0	110.0	56	143	52	4.6	20.0	
Methylene chloride	4.7	0.50	5.0	0.0	94.0	74	124	4.7	0.9	20.0	
Styrene	5.0	0.50	5.0	0.0	100.0	78	123	5.0	0.1	20.0	
1,1,1,2-Tetrachloroethane	5.1	0.50	5.0	0.0	101.0	78	124	4.9	3.4	20.0	
1,1,2,2-Tetrachloroethane	5.6	0.50	5.0	0.0	111.0	71	121	5.3	4.2	20.0	
Tetrachloroethene	4.9	0.50	5.0	0.0	98.0	74	129	4.9	0.1	20.0	
Toluene	5.2	0.50	5.0	0.0	104.0	80	121	5.2	1.3	20.0	
1,1,1-Trichloroethane	4.9	0.50	5.0	0.0	98.0	74	131	4.7	4.8	20.0	
1,1,2-Trichloroethane	5.1	0.50	5.0	0.0	102.0	80	119	5.0	3.3	20.0	
Trichloroethene	4.9	0.50	5.0	0.0	99.0	79	123	4.8	2.3	20.0	
Trichlorofluoromethane	4.8	0.50	5.0	0.0	96.0	65	141	4.4	7.6	20.0	
1,2,3-Trichloropropane	5.3	0.50	5.0	0.0	105.0	73	125	5.2	0.7	20.0	
Vinyl chloride	4.9	0.50	5.0	0.0	99.0	58	137	4.6	7.2	20.0	
m+p-Xylenes	9.8	0.50	10	0.0	98.0	80	121	9.7	1.6	20.0	
o-Xylene	5.1	0.50	5.0	0.0	101.0	78	122	5.0	0.6	20.0	
Xylenes, Total	15	0.50	15	0.0	99.0	79	121	15	1.3	20.0	
Surr: 1,2-Dichloroethane-d4	10	0.50	10	0.0	104.0	81	118	0.0			
Surr: Dibromofluoromethane	10	0.50	10	0.0	103.0	80	119	0.0			
Surr: p-Bromofluorobenzene	11	0.50	10	0.0	105.0	85	114	0.0			
Surr: Toluene-d8	9.9	0.50	10	0.0	99.0	89	112	0.0			

Associated Samples: B22030502-001E, B22030502-002A, B22030502-006E, B22030502-007A, B22030502-011E, B22030502-012A, B22030502-016E, B22030502-017A, B22030502-021E, B22030502-022A, B22030502-026E, B22030502-027A, B22030502-031E, B22030502-032A



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 2 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 12:23 **Prep Date:**
Lab ID: CCV031022_ **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	5.2	0.50	5.0		105.0	80	120				
Bromobenzene	5.1	0.50	5.0		102.0	80	120				
Bromochloromethane	5.5	0.50	5.0		110.0	80	120				
Bromodichloromethane	5.1	0.50	5.0		102.0	80	120				
Bromoform	5.1	0.50	5.0		101.0	80	120				
Carbon tetrachloride	5.1	0.50	5.0		101.0	80	120				
Chlorobenzene	5.0	0.50	5.0		101.0	80	120				
Chlorodibromomethane	4.9	0.50	5.0		99.0	80	120				
Chloroethane	4.9	0.50	5.0		98.0	80	120				
Chloroform	5.1	0.50	5.0		102.0	80	120				
Chloromethane	5.4	0.50	5.0		108.0	80	120				
1,2-Dibromoethane	5.0	0.50	5.0		100.0	80	120				
2-Chlorotoluene	5.1	0.50	5.0		101.0	80	120				
Dibromomethane	5.0	0.50	5.0		99.0	80	120				
1,2-Dichlorobenzene	5.0	0.50	5.0		99.0	80	120				
4-Chlorotoluene	5.2	0.50	5.0		104.0	80	120				
1,3-Dichlorobenzene	5.2	0.50	5.0		105.0	80	120				
1,4-Dichlorobenzene	4.9	0.50	5.0		98.0	80	120				
Dichlorodifluoromethane	5.1	0.50	5.0		103.0	80	120				
1,1-Dichloroethane	5.3	0.50	5.0		105.0	80	120				
1,2-Dichloroethane	5.3	0.50	5.0		106.0	80	120				
1,1-Dichloroethene	5.3	0.50	5.0		105.0	80	120				
cis-1,2-Dichloroethene	5.3	0.50	5.0		105.0	80	120				
trans-1,2-Dichloroethene	5.2	0.50	5.0		103.0	80	120				
1,2-Dichloropropane	5.0	0.50	5.0		101.0	80	120				
1,3-Dichloropropane	5.0	0.50	5.0		100.0	80	120				
2,2-Dichloropropane	5.1	0.50	5.0		102.0	80	120				



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 2 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 12:23 **Prep Date:**
Lab ID: CCV031022_ **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,1-Dichloropropene	5.1	0.50	5.0		102.0	80	120				
cis-1,3-Dichloropropene	4.9	0.50	5.0		98.0	80	120				
trans-1,3-Dichloropropene	5.2	0.50	5.0		104.0	80	120				
Ethylbenzene	4.9	0.50	5.0		99.0	80	120				
Methyl tert-butyl ether (MTBE)	5.2	0.50	5.0		103.0	80	120				
Methyl ethyl ketone	53	10	50		106.0	80	120				
Methylene chloride	5.1	0.50	5.0		102.0	80	120				
Styrene	5.1	0.50	5.0		101.0	80	120				
1,1,1,2-Tetrachloroethane	5.0	0.50	5.0		100.0	80	120				
1,1,2,2-Tetrachloroethane	5.1	0.50	5.0		101.0	80	120				
Tetrachloroethene	4.7	0.50	5.0		94.0	80	120				
Toluene	5.2	0.50	5.0		104.0	80	120				
1,1,1-Trichloroethane	5.0	0.50	5.0		99.0	80	120				
1,1,2-Trichloroethane	5.2	0.50	5.0		104.0	80	120				
Trichloroethene	5.1	0.50	5.0		101.0	80	120				
Trichlorofluoromethane	5.1	0.50	5.0		101.0	80	120				
1,2,3-Trichloropropane	4.8	0.50	5.0		97.0	80	120				
Vinyl chloride	5.3	0.50	5.0		106.0	80	120				
m+p-Xylenes	10	0.50	10		100.0	80	120				
o-Xylene	5.0	0.50	5.0		99.0	80	120				
Xylenes, Total	15	0.50	15		100.0	80	120				
Surr: 1,2-Dichloroethane-d4	10	0.50	10		104.0	80	120				
Surr: Dibromofluoromethane	10	0.50	10		104.0	80	120				
Surr: p-Bromofluorobenzene	10	0.50	10		104.0	80	120				



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 2 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 12:23 **Prep Date:**
Lab ID: CCV031022_ **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Surr: Toluene-d8	9.9	0.50	10		99.0	80	120				

Associated Samples: B22030502-001E, B22030502-002A, B22030502-006E, B22030502-007A, B22030502-011E, B22030502-012A, B22030502-016E, B22030502-017A, B22030502-021E, B22030502-022A, B22030502-026E, B22030502-027A, B22030502-031E, B22030502-032A

Run ID: Run Order: VOA5975C.I_220310A: 22 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 22:34 **Prep Date:**
Lab ID: CCV031022_Closing **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Benzene	5.1	0.50	5.0		103.0	50	150				
Bromobenzene	4.9	0.50	5.0		99.0	50	150				
Bromochloromethane	5.1	0.50	5.0		103.0	50	150				
Bromodichloromethane	5.0	0.50	5.0		99.0	50	150				
Bromoform	4.8	0.50	5.0		97.0	50	150				
Carbon tetrachloride	5.1	0.50	5.0		101.0	50	150				
Chlorobenzene	5.0	0.50	5.0		101.0	50	150				
Chlorodibromomethane	5.0	0.50	5.0		101.0	50	150				
Chloroethane	5.0	0.50	5.0		100.0	50	150				
Chloroform	5.0	0.50	5.0		100.0	50	150				
Chloromethane	5.0	0.50	5.0		100.0	50	150				
1,2-Dibromoethane	5.0	0.50	5.0		99.0	50	150				
2-Chlorotoluene	5.1	0.50	5.0		102.0	50	150				
Dibromomethane	5.0	0.50	5.0		100.0	50	150				
1,2-Dichlorobenzene	5.0	0.50	5.0		100.0	50	150				



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 22 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 22:34 **Prep Date:**
Lab ID: CCV031022_Closing **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
4-Chlorotoluene	5.2	0.50	5.0		105.0	50	150				
1,3-Dichlorobenzene	5.1	0.50	5.0		102.0	50	150				
1,4-Dichlorobenzene	5.0	0.50	5.0		100.0	50	150				
Dichlorodifluoromethane	5.1	0.50	5.0		101.0	50	150				
1,1-Dichloroethane	5.0	0.50	5.0		101.0	50	150				
1,2-Dichloroethane	5.1	0.50	5.0		103.0	50	150				
1,1-Dichloroethene	5.2	0.50	5.0		104.0	50	150				
cis-1,2-Dichloroethene	5.0	0.50	5.0		99.0	50	150				
trans-1,2-Dichloroethene	5.0	0.50	5.0		99.0	50	150				
1,2-Dichloropropane	5.0	0.50	5.0		100.0	50	150				
1,3-Dichloropropane	5.0	0.50	5.0		101.0	50	150				
2,2-Dichloropropane	4.7	0.50	5.0		94.0	50	150				
1,1-Dichloropropene	5.0	0.50	5.0		100.0	50	150				
cis-1,3-Dichloropropene	4.8	0.50	5.0		96.0	50	150				
trans-1,3-Dichloropropene	5.0	0.50	5.0		101.0	50	150				
Ethylbenzene	5.0	0.50	5.0		100.0	50	150				
Methyl tert-butyl ether (MTBE)	4.9	0.50	5.0		98.0	50	150				
Methyl ethyl ketone	50	10	50		99.0	50	150				
Methylene chloride	4.8	0.50	5.0		96.0	50	150				
Styrene	5.1	0.50	5.0		102.0	50	150				
1,1,1,2-Tetrachloroethane	5.1	0.50	5.0		102.0	50	150				
1,1,2,2-Tetrachloroethane	5.0	0.50	5.0		100.0	50	150				
Tetrachloroethene	5.0	0.50	5.0		100.0	50	150				
Toluene	5.2	0.50	5.0		105.0	50	150				
1,1,1-Trichloroethane	5.0	0.50	5.0		100.0	50	150				
1,1,2-Trichloroethane	5.0	0.50	5.0		99.0	50	150				
Trichloroethene	5.1	0.50	5.0		102.0	50	150				



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VOA5975C.I_220310A: 22 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375958
Method: SW8260B **Analysis Date:** 03/10/2022 22:34 **Prep Date:**
Lab ID: CCV031022_Closing **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Trichlorofluoromethane	5.0	0.50	5.0		100.0	50	150				
1,2,3-Trichloropropane	4.7	0.50	5.0		94.0	50	150				
Vinyl chloride	5.0	0.50	5.0		100.0	50	150				
m+p-Xylenes	10	0.50	10		100.0	50	150				
o-Xylene	5.1	0.50	5.0		101.0	50	150				
Xylenes, Total	15	0.50	15		101.0	50	150				
Surr: 1,2-Dichloroethane-d4	10	0.50	10		103.0	50	150				
Surr: Dibromofluoromethane	10	0.50	10		102.0	50	150				
Surr: p-Bromofluorobenzene	10	0.50	10		103.0	50	150				
Surr: Toluene-d8	10	0.50	10		102.0	50	150				

Associated Samples: B22030502-001E, B22030502-002A, B22030502-006E, B22030502-007A, B22030502-011E, B22030502-012A, B22030502-016E, B22030502-017A, B22030502-021E, B22030502-022A, B22030502-026E, B22030502-027A, B22030502-031E, B22030502-032A



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GECD.I_220308A: 30 **SampType:** Method Blank **Batch ID:** 164299
Method: SW8011 **Analysis Date:** 03/09/2022 02:26 **Prep Date:** 03/08/2022 09:12
Lab ID: MB-164299 **Units:** ug/L **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	ND	0.0050									
Surr: 1,1,1,2-Tetrachloroethane	0.10	0.020	0.10		103.0	70	130				

Associated Samples: **B22030502-001G, B22030502-004A, B22030502-006G, B22030502-009A, B22030502-011G, B22030502-014A, B22030502-016G, B22030502-019A, B22030502-031G, B22030502-034A**

Run ID: Run Order: GECD.I_220308A: 31 **SampType:** Laboratory Control Sample **Batch ID:** 164299
Method: SW8011 **Analysis Date:** 03/09/2022 02:46 **Prep Date:** 03/08/2022 09:12
Lab ID: LCS-164299 **Units:** ug/L **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.29	0.010	0.25		115.0	60	140				
Surr: 1,1,1,2-Tetrachloroethane	0.11	0.020	0.10		108.0	70	130				

Associated Samples: **B22030502-001G, B22030502-004A, B22030502-006G, B22030502-009A, B22030502-011G, B22030502-014A, B22030502-016G, B22030502-019A, B22030502-031G, B22030502-034A**

Run ID: Run Order: GECD.I_220308A: 32 **SampType:** Laboratory Control Sample **Batch ID:** 164299
Method: SW8011 **Analysis Date:** 03/09/2022 03:06 **Prep Date:** 03/08/2022 09:12
Lab ID: LCS1-164299 **Units:** ug/L **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.12	0.010	0.10		117.0	60	140				
Surr: 1,1,1,2-Tetrachloroethane	0.10	0.020	0.10		104.0	70	130				

Associated Samples: **B22030502-001G, B22030502-004A, B22030502-006G, B22030502-009A, B22030502-011G, B22030502-014A, B22030502-016G, B22030502-019A, B22030502-031G, B22030502-034A**



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GECD.I_220308A: 45 **SampType:** Sample Matrix Spike **Batch ID:** 164299
Method: SW8011 **Analysis Date:** 03/09/2022 07:42 **Prep Date:** 03/08/2022 09:13
Lab ID: B22030502-001GMS **Units:** ug/L **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.29	0.010	0.24	0.0	119.0	60	140				
Surr: 1,1,1,2-Tetrachloroethane	0.11	0.020	0.097	0.0	110.0	70	130				

Associated Samples: B22030502-001G, B22030502-004A, B22030502-006G, B22030502-009A, B22030502-011G, B22030502-014A, B22030502-016G, B22030502-019A, B22030502-031G, B22030502-034A

Run ID: Run Order: GECD.I_220308A: 46 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** 164299
Method: SW8011 **Analysis Date:** 03/09/2022 08:02 **Prep Date:** 03/08/2022 09:13
Lab ID: B22030502-001GMSD **Units:** ug/L **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.28	0.010	0.24	0.0	117.0	60	140	0.29	1.7	20.0	
Surr: 1,1,1,2-Tetrachloroethane	0.10	0.020	0.097	0.0	106.0	70	130	0.0			

Associated Samples: B22030502-001G, B22030502-004A, B22030502-006G, B22030502-009A, B22030502-011G, B22030502-014A, B22030502-016G, B22030502-019A, B22030502-031G, B22030502-034A

Run ID: Run Order: GECD.I_220308A: 29 **SampType:** Continuing Calibration Verification Standard **Batch ID:** 164299
Method: SW8011 **Analysis Date:** 03/09/2022 02:06 **Prep Date:** 03/08/2022 09:12
Lab ID: CK3-164299 **Units:** ug/L **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.13	0.010	0.10		127.0	80	120				S
Surr: 1,1,1,2-Tetrachloroethane	0.11	0.020	0.10		110.0	80	120				

Associated Samples: B22030502-001G, B22030502-004A, B22030502-006G, B22030502-009A, B22030502-011G, B22030502-014A, B22030502-016G, B22030502-019A, B22030502-031G, B22030502-034A



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GECD.I_220308A: 47 **SampType:** Continuing Calibration Verification Standard **Batch ID:** 164299
Method: SW8011 **Analysis Date:** 03/09/2022 08:41 **Prep Date:** 03/08/2022 09:13
Lab ID: CK5-164299 **Units:** ug/L **Prep Method:** SW8011

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,2-Dibromoethane	0.51	0.010	0.40		126.0	80	120				S
Surr: 1,1,1,2-Tetrachloroethane	0.50	0.020	0.40		125.0	80	120				S

Associated Samples: **B22030502-001G, B22030502-004A, B22030502-006G, B22030502-009A, B22030502-011G, B22030502-014A, B22030502-016G, B22030502-019A, B22030502-031G, B22030502-034A**



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220309A: 4 **SampType:** Method Blank **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/09/2022 13:05 **Prep Date:** 03/08/2022 11:08
Lab ID: MB-164312 **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	ND	0.15									
Oil Range Hydrocarbons (C24 to C40)	ND	0.15									
Total Extractable Hydrocarbons	ND	0.15									
Surr: o-Terphenyl	0.18	0.0020	0.20		89.0	56	125				
Surr: n-Triacontane	0.094	0.0020	0.10		94.0	50	150				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220311A: 4 **SampType:** Method Blank **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/11/2022 18:41 **Prep Date:** 03/08/2022 11:08
Lab ID: MB-164312 **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (SGT-C10 to C24)	ND	0.15									
Oil Range Hydrocarbons (SGT-C24 to C40)	ND	0.15									
Total Extractable Hydrocarbons (SGT)	ND	0.15									
Surr: o-Terphenyl (SGT)	0.15	0.0020	0.20		76.0	56	125				
Surr: n-Triacontane (SGT)	0.075	0.0020	0.10		75.0	50	150				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220309A: 3 **SampType:** Laboratory Control Sample **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/09/2022 12:20 **Prep Date:** 03/08/2022 11:08
Lab ID: LCS-164312 **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	12	0.30	15		83.0	36	132				
Total Extractable Hydrocarbons	13	0.30	15		89.0	60	132				
Surr: o-Terphenyl	0.17	0.0020	0.20		86.0	56	125				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220309A: 32 **SampType:** Laboratory Control Sample **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/11/2022 03:31 **Prep Date:** 03/08/2022 11:09
Lab ID: LCS-164312-RRO **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	4.5	0.30	5.0		89.0	41	113				
Surr: n-Triacontane	0.091	0.0020	0.10		91.0	50	150				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220311A: 3 **SampType:** Laboratory Control Sample **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/11/2022 17:56 **Prep Date:** 03/08/2022 11:08
Lab ID: LCS-164312 **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (SGT-C10 to C24)	11	0.30	15		76.0	36	132				
Total Extractable Hydrocarbons (SGT)	12	0.30	15		81.0	60	132				
Surr: o-Terphenyl (SGT)	0.17	0.0020	0.20		84.0	56	125				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220311A: 26 **SampType:** Laboratory Control Sample **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/12/2022 16:29 **Prep Date:** 03/08/2022 11:09
Lab ID: LCS-164312-RRO **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH (SGT-Oil Range)	4.0	0.30	5.0		80.0	41	113				
Surr: n-Triacontane (SGT)	0.076	0.0020	0.10		76.0	50	150				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220309A: 6 **SampType:** Sample Matrix Spike **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/09/2022 14:36 **Prep Date:** 03/08/2022 11:09
Lab ID: B22030433-053CMS **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	12	0.30	14	0.049	84.0	36	132				
Total Extractable Hydrocarbons	13	0.30	14	0.23	88.0	60	132				
Surr: o-Terphenyl	0.16	0.0020	0.19	0.0	84.0	56	125				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220309A: 7 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/09/2022 15:21 **Prep Date:** 03/08/2022 11:09
Lab ID: B22030433-053CMSD **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	12	0.30	15	0.049	80.0	36	132	12	2.3	20.0	
Total Extractable Hydrocarbons	13	0.30	15	0.23	85.0	60	132	13	1.5	20.0	
Surr: o-Terphenyl	0.16	0.0020	0.19	0.0	83.0	56	125	0.0			

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220309A: 33 **SampType:** Sample Matrix Spike **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/11/2022 05:02 **Prep Date:** 03/08/2022 11:09
Lab ID: B22030433-053CMS-RRO **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	4.4	0.30	4.8	0.23	88.0	41	113				
Surr: n-Triacontane	0.087	0.0020	0.096	0.0	90.0	50	150				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220309A: 34 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/11/2022 06:32 **Prep Date:** 03/08/2022 11:09
Lab ID: B22030433-053CMSD-RRO **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	4.7	0.30	4.9	0.23	91.0	41	113	4.4	4.9	20.0	
Surr: n-Triacontane	0.092	0.0020	0.097	0.0	95.0	50	150	0.0			

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220311A: 6 **SampType:** Sample Matrix Spike **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/11/2022 20:12 **Prep Date:** 03/08/2022 11:09
Lab ID: B22030433-053CMS **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (SGT-C10 to C24)	12	0.30	14	0.0	82.0	36	132				
Total Extractable Hydrocarbons (SGT)	12	0.30	14	0.0	87.0	60	132				
Surr: o-Terphenyl (SGT)	0.16	0.0020	0.19	0.0	83.0	56	125				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220311A: 7 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/11/2022 20:57 **Prep Date:** 03/08/2022 11:09
Lab ID: B22030433-053CMSD **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (SGT-C10 to C24)	12	0.30	15	0.0	82.0	36	132	12	2.6	20.0	
Total Extractable Hydrocarbons (SGT)	13	0.30	15	0.0	88.0	60	132	12	2.7	20.0	
Surr: o-Terphenyl (SGT)	0.17	0.0020	0.19	0.0	87.0	56	125	0.0			

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220311A: 27 **SampType:** Sample Matrix Spike **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/12/2022 18:00 **Prep Date:** 03/08/2022 11:09
Lab ID: B22030433-053CMS-RRO **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH (SGT-Oil Range)	4.2	0.30	4.8	0.0	86.0	41	113				
Surr: n-Triacontane (SGT)	0.079	0.0020	0.096	0.0	82.0	50	150				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220311A: 28 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** 164312
Method: SW8015C **Analysis Date:** 03/12/2022 19:31 **Prep Date:** 03/08/2022 11:09
Lab ID: B22030433-053CMSD-RRO **Units:** mg/L **Prep Method:** SW3520C

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH (SGT-Oil Range)	4.4	0.30	4.9	0.0	90.0	41	113	4.2	4.8	20.0	
Surr: n-Triacontane (SGT)	0.084	0.0020	0.097	0.0	87.0	50	150	0.0			

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VARIAN1_220311A: 4 **SampType:** Method Blank **Batch ID:** R376037
Method: SW8015C **Analysis Date:** 03/11/2022 11:17 **Prep Date:**
Lab ID: MBLK_0311VAR07r **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	ND	10									
Total Purgeable Hydrocarbons	ND	10									
Surr: Trifluorotoluene	19	1.0	25		78.0	70	130				

Associated Samples: B22030502-001F, B22030502-003A, B22030502-006F, B22030502-008A, B22030502-011F, B22030502-013A, B22030502-016F, B22030502-018A, B22030502-021F, B22030502-023A, B22030502-031F, B22030502-033A

Run ID: Run Order: VARIAN1_220311A: 19 **SampType:** Method Blank **Batch ID:** R376037
Method: SW8015C **Analysis Date:** 03/11/2022 22:41 **Prep Date:**
Lab ID: MBLK_0311VAR27r **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	ND	10									
Total Purgeable Hydrocarbons	ND	10									
Surr: Trifluorotoluene	19	1.0	25		76.0	70	130				

Associated Samples: B22030502-001F, B22030502-003A, B22030502-006F, B22030502-008A, B22030502-011F, B22030502-013A, B22030502-016F, B22030502-018A, B22030502-021F, B22030502-023A, B22030502-031F, B22030502-033A



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VARIAN1_220311A: 3 **SampType:** Laboratory Control Sample **Batch ID:** R376037
Method: SW8015C **Analysis Date:** 03/11/2022 10:09 **Prep Date:**
Lab ID: LCS_0311VAR05r **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	167	20	170		98.0	78	122				
Total Purgeable Hydrocarbons	201	20	200		100.0	70	130				
Surr: Trifluorotoluene	22	1.0	25		89.0	70	130				

Associated Samples: B22030502-001F, B22030502-003A, B22030502-006F, B22030502-008A, B22030502-011F, B22030502-013A, B22030502-016F, B22030502-018A, B22030502-021F, B22030502-023A, B22030502-031F, B22030502-033A

Run ID: Run Order: VARIAN1_220311A: 18 **SampType:** Laboratory Control Sample **Batch ID:** R376037
Method: SW8015C **Analysis Date:** 03/11/2022 21:32 **Prep Date:**
Lab ID: LCS_0311VAR25r **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	164	20	170		97.0	78	122				
Total Purgeable Hydrocarbons	196	20	200		98.0	70	130				
Surr: Trifluorotoluene	22	1.0	25		88.0	70	130				

Associated Samples: B22030502-001F, B22030502-003A, B22030502-006F, B22030502-008A, B22030502-011F, B22030502-013A, B22030502-016F, B22030502-018A, B22030502-021F, B22030502-023A, B22030502-031F, B22030502-033A



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VARIAN1_220311A: 14 **SampType:** Sample Matrix Spike **Batch ID:** R376037
Method: SW8015C **Analysis Date:** 03/11/2022 19:15 **Prep Date:**
Lab ID: B22030502-016FMS **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	167	20	170	0.0	98.0	78	122				
Total Purgeable Hydrocarbons	201	20	200	0.0	101.0	70	130				
Surr: Trifluorotoluene	22	1.0	25	0.0	89.0	70	130				

Associated Samples: B22030502-001F, B22030502-003A, B22030502-006F, B22030502-008A, B22030502-011F, B22030502-013A, B22030502-016F, B22030502-018A, B22030502-021F, B22030502-023A, B22030502-031F, B22030502-033A

Run ID: Run Order: VARIAN1_220311A: 15 **SampType:** Sample Matrix Spike Duplicate **Batch ID:** R376037
Method: SW8015C **Analysis Date:** 03/11/2022 19:49 **Prep Date:**
Lab ID: B22030502-016FMSD **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	167	20	170	0.0	98.0	78	122	167	0.0	20.0	
Total Purgeable Hydrocarbons	201	20	200	0.0	101.0	70	130	201	0.0	20.0	
Surr: Trifluorotoluene	22	1.0	25	0.0	88.0	70	130	0.0			

Associated Samples: B22030502-001F, B22030502-003A, B22030502-006F, B22030502-008A, B22030502-011F, B22030502-013A, B22030502-016F, B22030502-018A, B22030502-021F, B22030502-023A, B22030502-031F, B22030502-033A

Run ID: Run Order: GCFID-HP4-B_220309A: 13 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375884
Method: SW8015C **Analysis Date:** 03/09/2022 21:23 **Prep Date:**
Lab ID: CCV_0309HP418r-W **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	5.1	0.30	5.0		101.0	80	120				
Surr: n-Triacontane	0.21	0.0020	0.20		105.0	80	120				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220309A: 14 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375884
Method: SW8015C **Analysis Date:** 03/09/2022 22:08 **Prep Date:**
Lab ID: CCV_0309HP419r **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	15	0.30	15		97.0	80	120				
Total Extractable Hydrocarbons	15	0.30	15		100.0	80	120				
Surr: o-Terphenyl	0.22	0.0020	0.20		111.0	80	120				

Associated Samples: **B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C**

Run ID: Run Order: GCFID-HP4-B_220309A: 23 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375884
Method: SW8015C **Analysis Date:** 03/10/2022 09:21 **Prep Date:**
Lab ID: CCV_0309HP433r-W **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	5.1	0.30	5.0		103.0	80	120				
Surr: n-Triacontane	0.21	0.0020	0.20		105.0	80	120				

Associated Samples: **B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C**

Run ID: Run Order: GCFID-HP4-B_220309A: 24 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375884
Method: SW8015C **Analysis Date:** 03/10/2022 10:07 **Prep Date:**
Lab ID: CCV_0309HP434r **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	15	0.30	15		103.0	80	120				
Total Extractable Hydrocarbons	16	0.30	15		106.0	80	120				
Surr: o-Terphenyl	0.23	0.0020	0.20		117.0	80	120				

Associated Samples: **B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C**



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220309A: 28 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375884
Method: SW8015C **Analysis Date:** 03/10/2022 20:44 **Prep Date:**
Lab ID: CCV_0309HP448r-W **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	5.1	0.30	5.0		101.0	80	120				
Surr: n-Triacontane	0.20	0.0020	0.20		102.0	80	120				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220309A: 29 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375884
Method: SW8015C **Analysis Date:** 03/10/2022 21:29 **Prep Date:**
Lab ID: CCV_0309HP449r **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	15	0.30	15		98.0	80	120				
Total Extractable Hydrocarbons	15	0.30	15		101.0	80	120				
Surr: o-Terphenyl	0.22	0.0020	0.20		109.0	80	120				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: GCFID-HP4-B_220309A: 35 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375884
Method: SW8015C **Analysis Date:** 03/11/2022 08:03 **Prep Date:**
Lab ID: CCV_0309HP460r-W **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	5.0	0.30	5.0		100.0	80	120				
Surr: n-Triacontane	0.21	0.0020	0.20		104.0	80	120				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220309A: 36 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R375884
Method: SW8015C **Analysis Date:** 03/11/2022 08:48 **Prep Date:**
Lab ID: CCV_0309HP461r **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	15	0.30	15		98.0	80	120				
Total Extractable Hydrocarbons	15	0.30	15		101.0	80	120				
Surr: o-Terphenyl	0.22	0.0020	0.20		110.0	80	120				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C, B22030502-031C

Run ID: Run Order: VARIAN1_220311A: 2 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376037
Method: SW8015C **Analysis Date:** 03/11/2022 09:35 **Prep Date:**
Lab ID: CCV_0311VAR04r **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	166	20	168		99.0	80	120				
Total Purgeable Hydrocarbons	200	20	200		100.0	80	120				
Surr: Trifluorotoluene	22	1.0	25		87.0	80	120				

Associated Samples: B22030502-001F, B22030502-003A, B22030502-006F, B22030502-008A, B22030502-011F, B22030502-013A, B22030502-016F, B22030502-018A, B22030502-021F, B22030502-023A, B22030502-031F, B22030502-033A



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: VARIAN1_220311A: 17 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376037
Method: SW8015C **Analysis Date:** 03/11/2022 20:58 **Prep Date:**
Lab ID: CCV_0311VAR24r **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	181	20	168		108.0	80	120				
Total Purgeable Hydrocarbons	218	20	200		109.0	80	120				
Surr: Trifluorotoluene	23	1.0	25		90.0	80	120				

Associated Samples: B22030502-001F, B22030502-003A, B22030502-006F, B22030502-008A, B22030502-011F, B22030502-013A, B22030502-016F, B22030502-018A, B22030502-021F, B22030502-023A, B22030502-031F, B22030502-033A

Run ID: Run Order: VARIAN1_220311A: 29 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376037
Method: SW8015C **Analysis Date:** 03/12/2022 08:24 **Prep Date:**
Lab ID: CCV_0311VAR44r **Units:** ug/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
C6 to C10	168	20	168		100.0	80	120				
Total Purgeable Hydrocarbons	202	20	200		101.0	80	120				
Surr: Trifluorotoluene	22	1.0	25		88.0	80	120				

Associated Samples: B22030502-001F, B22030502-003A, B22030502-006F, B22030502-008A, B22030502-011F, B22030502-013A, B22030502-016F, B22030502-018A, B22030502-021F, B22030502-023A, B22030502-031F, B22030502-033A

Run ID: Run Order: GCFID-HP4-B_220311A: 1 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376066
Method: SW8015C **Analysis Date:** 03/11/2022 15:39 **Prep Date:**
Lab ID: CCV_0311HP404r-W **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	5.1	0.30	5.0		103.0	80	120				
Surr: n-Triacontane	0.21	0.0020	0.20		107.0	80	120				

Associated Samples: B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220311A: 2 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376066
Method: SW8015C **Analysis Date:** 03/11/2022 16:24 **Prep Date:**
Lab ID: CCV_0311HP405r **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	15	0.30	15		101.0	80	120				
Total Extractable Hydrocarbons	16	0.30	15		105.0	80	120				
Surr: o-Terphenyl	0.23	0.0020	0.20		113.0	80	120				

Associated Samples: **B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C**

Run ID: Run Order: GCFID-HP4-B_220311A: 13 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376066
Method: SW8015C **Analysis Date:** 03/12/2022 02:58 **Prep Date:**
Lab ID: CCV_0311HP419r-W **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	5.1	0.30	5.0		102.0	80	120				
Surr: n-Triacontane	0.21	0.0020	0.20		107.0	80	120				

Associated Samples: **B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C**

Run ID: Run Order: GCFID-HP4-B_220311A: 14 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376066
Method: SW8015C **Analysis Date:** 03/12/2022 03:43 **Prep Date:**
Lab ID: CCV_0311HP420r **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	15	0.30	15		98.0	80	120				
Total Extractable Hydrocarbons	15	0.30	15		102.0	80	120				
Surr: o-Terphenyl	0.22	0.0020	0.20		110.0	80	120				

Associated Samples: **B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C**



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: GCFID-HP4-B_220311A: 24 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376066
Method: SW8015C **Analysis Date:** 03/12/2022 14:14 **Prep Date:**
Lab ID: CCV_0311HP434r-W **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
TEH(Oil Range)	5.0	0.30	5.0		99.0	80	120				
Surr: n-Triacontane	0.21	0.0020	0.20		105.0	80	120				

Associated Samples: **B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C**

Run ID: Run Order: GCFID-HP4-B_220311A: 25 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376066
Method: SW8015C **Analysis Date:** 03/12/2022 14:59 **Prep Date:**
Lab ID: CCV_0311HP435r **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Diesel Range Organics (C10 to C24)	15	0.30	15		99.0	80	120				
Total Extractable Hydrocarbons	15	0.30	15		103.0	80	120				
Surr: o-Terphenyl	0.22	0.0020	0.20		112.0	80	120				

Associated Samples: **B22030502-001C, B22030502-006C, B22030502-011C, B22030502-016C, B22030502-021C, B22030502-026C**



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: FID-HEADSPACE_220311B: 4 **SampType:** Method Blank **Batch ID:** R376018
Method: SW8015M **Analysis Date:** 03/11/2022 15:58 **Prep Date:**
Lab ID: MBLK **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	ND	0.0010			0.0						

Associated Samples: B22030502-001H, B22030502-005A, B22030502-011H, B22030502-015A, B22030502-016H, B22030502-020A, B22030502-031H, B22030502-035A

Run ID: Run Order: FID-HEADSPACE_220311B: 2 **SampType:** Laboratory Control Sample **Batch ID:** R376018
Method: SW8015M **Analysis Date:** 03/11/2022 15:40 **Prep Date:**
Lab ID: LCS **Units:** ppm **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	95	2.0	100		95.0	85	115				

Associated Samples: B22030502-001H, B22030502-005A, B22030502-011H, B22030502-015A, B22030502-016H, B22030502-020A, B22030502-031H, B22030502-035A

Run ID: Run Order: FID-HEADSPACE_220311B: 3 **SampType:** Laboratory Control Sample Duplicate **Batch ID:** R376018
Method: SW8015M **Analysis Date:** 03/11/2022 15:44 **Prep Date:**
Lab ID: LCSD **Units:** ppm **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	94	2.0	100		94.0	85	115	95	0.9	20.0	

Associated Samples: B22030502-001H, B22030502-005A, B22030502-011H, B22030502-015A, B22030502-016H, B22030502-020A, B22030502-031H, B22030502-035A



Analytical QC Summary Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Run ID: Run Order: FID-HEADSPACE_220311B: 8 **SampType:** Sample Duplicate **Batch ID:** R376018
Method: SW8015M **Analysis Date:** 03/11/2022 16:31 **Prep Date:**
Lab ID: B22030502-011HDUP **Units:** mg/L **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	0.0021	0.0020			0.0			0.0020		20.0	

Associated Samples: B22030502-001H, B22030502-005A, B22030502-011H, B22030502-015A, B22030502-016H, B22030502-020A, B22030502-031H, B22030502-035A

Run ID: Run Order: FID-HEADSPACE_220311B: 1 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376018
Method: SW8015M **Analysis Date:** 03/11/2022 15:36 **Prep Date:**
Lab ID: CCV **Units:** ppm **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	97	2.0	100		97.0	85	115				

Associated Samples: B22030502-001H, B22030502-005A, B22030502-011H, B22030502-015A, B22030502-016H, B22030502-020A, B22030502-031H, B22030502-035A

Run ID: Run Order: FID-HEADSPACE_220311B: 18 **SampType:** Continuing Calibration Verification Standard **Batch ID:** R376018
Method: SW8015M **Analysis Date:** 03/11/2022 17:24 **Prep Date:**
Lab ID: CCV **Units:** ppm **Prep Method:**

Analytes	Result	LOQ	Spk value	Spk RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Methane	100	2.0	100		102.0	85	115				

Associated Samples: B22030502-001H, B22030502-005A, B22030502-011H, B22030502-015A, B22030502-016H, B22030502-020A, B22030502-031H, B22030502-035A



Analytical QC Exceptions Report

Prepared by Billings, MT Branch

Client: AECOM - Honolulu
Workorder: B22030502
Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Analysis Method	Analysis	Batch ID	Associated Samples	Sample Type	Lab ID	Analysis Date	Analysis Time	Analyte	%REC	Low Limit	High Limit	% RPD	RPD Limit	Qual
SW8011	EDB in Water by ECD	164299	001G, 004A, 006G, 009A, 011G, 014A, 016G, 019A, 031G, 034A	CCV3	CK3-164299	3/9/2022	02:06	1,2-Dibromoethane	127.0	80	120			S
				CCV4	CK5-164299	3/9/2022	08:41	Surr: 1,1,1,2-Tetrachloroethane	125.0	80	120			S
								1,2-Dibromoethane	126.0	80	120			S
SW9060A	Carbon, Total Organic	C_R280 416	001D, 006D, 011D, 016D, 021D, 026D, 031D	MS	C22030334-001DMS	3/10/2022	18:53	Organic Carbon, Total (TOC)	90.0	91	111			S



Preparation and Analysis Dates Report

Work Order: B22030502

Client: AECOM - Honolulu

Project Name: CV18F0126, 60571032.02.46.01

Report Date: 3/16/2022

Lab ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Method	Prep Date	Prep Batch	Analysis Method	Analysis Date
001B	ERH2616 (OWDFMW01)	03/03/2022 16:20	Ground Water	Metals by ICP-MS, Total		SW3010A	03/08/2022 14:14	164321	SW6020	03/11/2022 23:31
001C	ERH2616 (OWDFMW01)	03/03/2022 16:20	Ground Water	Diesel Range Organics		SW3520C	03/08/2022 11:15	164312	SW8015C	03/09/2022 23:38
						SW3520C	03/08/2022 11:15	164312	SW8015C	03/11/2022 23:57
001G	ERH2616 (OWDFMW01)	03/03/2022 16:20	Ground Water	EDB in Water by ECD		SW8011	03/08/2022 09:13	164299	SW8011	03/09/2022 07:22
004A	ERH2615 (Trip Blank)-14733	03/03/2022 16:20	Trip Blank	EDB in Water by ECD		SW8011	03/08/2022 09:14	164299	SW8011	03/09/2022 04:24
006B	ERH2594 (RHMW15-5)	03/04/2022 12:45	Ground Water	Metals by ICP-MS, Total		SW3010A	03/08/2022 14:14	164321	SW6020	03/12/2022 00:27
006C	ERH2594 (RHMW15-5)	03/04/2022 12:45	Ground Water	Diesel Range Organics		SW3520C	03/08/2022 11:15	164312	SW8015C	03/10/2022 01:08
						SW3520C	03/08/2022 11:15	164312	SW8015C	03/12/2022 01:27
006G	ERH2594 (RHMW15-5)	03/04/2022 12:45	Ground Water	EDB in Water by ECD		SW8011	03/08/2022 09:14	164299	SW8011	03/09/2022 04:44
009A	ERH2593 (Trip Blank)-14733	03/04/2022 12:45	Trip Blank	EDB in Water by ECD		SW8011	03/08/2022 09:14	164299	SW8011	03/09/2022 05:04
011B	ERH2630 (HDMW2253-03)	03/04/2022 13:45	Ground Water	Metals by ICP-MS, Total		SW3010A	03/08/2022 14:14	164321	SW6020	03/12/2022 00:39
011C	ERH2630 (HDMW2253-03)	03/04/2022 13:45	Ground Water	Diesel Range Organics		SW3520C	03/08/2022 11:15	164312	SW8015C	03/10/2022 00:23
						SW3520C	03/08/2022 11:15	164312	SW8015C	03/12/2022 00:42
011G	ERH2630 (HDMW2253-03)	03/04/2022 13:45	Ground Water	EDB in Water by ECD		SW8011	03/08/2022 09:14	164299	SW8011	03/09/2022 05:24
014A	ERH2629 (Trip Blank)-14894	03/04/2022 13:45	Trip Blank	EDB in Water by ECD		SW8011	03/08/2022 09:14	164299	SW8011	03/09/2022 05:44
016B	ERH2586 (RHMW-09)	03/03/2022 15:15	Ground Water	Metals by ICP-MS, Total		SW3010A	03/08/2022 14:14	164321	SW6020	03/12/2022 00:52
016C	ERH2586 (RHMW-09)	03/03/2022 15:15	Ground Water	Diesel Range Organics		SW3520C	03/08/2022 11:15	164312	SW8015C	03/10/2022 01:53
						SW3520C	03/08/2022 11:15	164312	SW8015C	03/12/2022 05:14
016G	ERH2586 (RHMW-09)	03/03/2022 15:15	Ground Water	EDB in Water by ECD		SW8011	03/08/2022 09:14	164299	SW8011	03/09/2022 06:03
019A	ERH2585 (Trip Blank)-14733	03/03/2022 15:15	Trip Blank	EDB in Water by ECD		SW8011	03/08/2022 09:14	164299	SW8011	03/09/2022 06:23
021B	ERH2627 (RHMW10)	03/04/2022 15:30	Ground Water	Metals by ICP-MS, Total		SW3010A	03/08/2022 14:14	164321	SW6020	03/12/2022 01:17
021C	ERH2627 (RHMW10)	03/04/2022 15:30	Ground Water	Diesel Range Organics		SW3520C	03/09/2022 09:20	164312	SW8015C	03/10/2022 11:38
						SW3520C	03/09/2022 09:20	164312	SW8015C	03/12/2022 08:59
026B	ERH2600 (RHMW11-5)	03/03/2022 13:50	Ground Water	Metals by ICP-MS, Total		SW3010A	03/08/2022 14:14	164321	SW6020	03/12/2022 01:29
026C	ERH2600 (RHMW11-5)	03/03/2022 13:50	Ground Water	Diesel Range Organics		SW3520C	03/09/2022 09:20	164312	SW8015C	03/10/2022 19:13
						SW3520C	03/09/2022 09:20	164312	SW8015C	03/12/2022 10:29



Preparation and Analysis Dates Report

Work Order: B22030502

Client: AECOM - Honolulu

Project Name: CV18F0126, 60571032.02.46.01

Report Date: 3/16/2022

031B	ERH2598 (RHMW19)	03/04/2022 18:35	Ground Water	Metals by ICP-MS, Total		SW3010A	03/08/2022 14:14	164321	SW6020	03/12/2022 01:42
031C	ERH2598 (RHMW19)	03/04/2022 18:35	Ground Water	Diesel Range Organics		SW3520C	03/09/2022 09:20	164312	SW8015C	03/11/2022 10:19
031G	ERH2598 (RHMW19)	03/04/2022 18:35	Ground Water	EDB in Water by ECD		SW8011	03/08/2022 09:14	164299	SW8011	03/09/2022 06:43
034A	ERH2597 (Trip Blank)-14754	03/04/2022 18:35	Trip Blank	EDB in Water by ECD		SW8011	03/08/2022 09:14	164299	SW8011	03/09/2022 07:03



Chemical Abstracts Service (CAS) Registry Numbers

Prepared by Billings, MT Branch

Client: AECOM - Honolulu

Workorder: B22030502

Project: CV18F0126, 60571032.02.46.01

Report Date: 03/16/2022

Analyses	CAS No
AGGREGATE ORGANICS	
Organic Carbon, Total (TOC)	7440-44-0
METALS, TOTAL	
Lead	7439-92-1
METALS, DISSOLVED	
Lead	7439-92-1
VOLATILE ORGANIC COMPOUNDS	
Benzene	71-43-2
Bromobenzene	108-86-1
Bromochloromethane	74-97-5
Bromodichloromethane	75-27-4
Bromoform	75-25-2
Carbon tetrachloride	56-23-5
Chlorobenzene	108-90-7
Chlorodibromomethane	124-48-1
Chloroethane	75-00-3
Chloroform	67-66-3
Chloromethane	74-87-3
1,2-Dibromoethane	106-93-4
2-Chlorotoluene	95-49-8
4-Chlorotoluene	106-43-4
Dibromomethane	74-95-3
1,2-Dichlorobenzene	95-50-1
1,3-Dichlorobenzene	541-73-1
1,4-Dichlorobenzene	106-46-7
Dichlorodifluoromethane	75-71-8
1,1-Dichloroethane	75-34-3
1,2-Dichloroethane	107-06-2
1,1-Dichloroethene	75-35-4
cis-1,2-Dichloroethene	156-59-2
trans-1,2-Dichloroethene	156-60-5
1,2-Dichloropropane	78-87-5
1,3-Dichloropropane	142-28-9
2,2-Dichloropropane	594-20-7
1,1-Dichloropropene	563-58-6
cis-1,3-Dichloropropene	10061-01-5
trans-1,3-Dichloropropene	10061-02-6
Ethylbenzene	100-41-4

Methyl ethyl ketone	78-93-3
Methyl tert-butyl ether (MTBE)	1634-04-4
Methylene chloride	75-09-2
Styrene	100-42-5
1,1,1,2-Tetrachloroethane	630-20-6
1,1,2,2-Tetrachloroethane	79-34-5
Tetrachloroethene	127-18-4
Toluene	108-88-3
1,1,1-Trichloroethane	71-55-6
1,1,2-Trichloroethane	79-00-5
Trichloroethene	79-01-6
Trichlorofluoromethane	75-69-4
1,2,3-Trichloropropane	96-18-4
Vinyl chloride	75-01-4
m+p-Xylenes	179601-23-1
o-Xylene	95-47-6
Xylenes, Total	1330-20-7

VOCS BY MICROEXTRACTION-ECD

1,2-Dibromoethane	106-93-4
-------------------	----------

PETROLEUM HYDROCARBONS-VOLATILE

C6 to C10
Total Purgeable Hydrocarbons

PETROLEUM HYDROCARBONS-SEMI-VOLATILE

Diesel Range Organics (C10 to C24)
Diesel Range Organics (SGT-C10 to C24)
Oil Range Hydrocarbons (C24 to C40)
Oil Range Hydrocarbons (SGT-C24 to C40)
Total Extractable Hydrocarbons
Total Extractable Hydrocarbons (SGT)


ORGANIC CHARACTERISTICS

Methane	74-82-8
---------	---------

ERH2616 (OWDFMW01)

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0028.RAW

B22030502-001F ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-001F ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0028.RAW
Date & Time Acquired: 3/11/2022 11:15:45 PM
Method File: G:\Org\VAR\Methods\211208G502-1DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.005	25.	18.767	75.07

C6 to C10 Area:2294.403 C6 to C10 Amount: 0.4682557
TPH Area:4653.022 TPH Amount: 0.973767

ERH2615 (Trip Blank)-14833

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0014.RAW

B22030502-003A ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-003A ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0014.RAW
Date & Time Acquired: 3/11/2022 3:16:10 PM
Method File: G:\Org\VAR\Methods\211208G502-3DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.003	25.	19.416	77.66

C6 to C10 Area:5351.442 C6 to C10 Amount: 1.092155
TPH Area:49995.57 TPH Amount: 10.46288

ERH2594 (RHMW15-5)

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0010.RAW

B22030502-006F ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-006F ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0010.RAW
Date & Time Acquired: 3/11/2022 12:59:44 PM
Method File: G:\Org\VAR\Methods\211208G502-6DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788

Mean RF for TPH: 955.6747

Rt range for Gasoline Range Organics: 4.75 to 18.09

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.004	25.	19.618	78.47


C6 to C10 Area:3692.103 C6 to C10 Amount: 0.7535067

TPH Area:6555.058 TPH Amount: 1.371818

ERH2593 (Trip Blank)-14733

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0015.RAW

B22030502-008A ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-008A ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0015.RAW
Date & Time Acquired: 3/11/2022 3:50:16 PM
Method File: G:\Org\VAR\Methods\211208G502-8DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.003	25.	18.885	75.54

C6 to C10 Area:5158.245 C6 to C10 Amount: 1.052726
TPH Area:10316.53 TPH Amount: 2.159005

ERH2630 (HDMW2253-03)

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0030.RAW

B22030502-011F ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-011F ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0030.RAW
Date & Time Acquired: 3/12/2022 12:24:34 AM
Method File: G:\Org\VAR\Methods\211208G502-11DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.006	25.	19.28	77.12

C6 to C10 Area:3350.293 C6 to C10 Amount: 0.6837481
TPH Area:5588.535 TPH Amount: 1.169547

ERH2629 (Trip Blank)-14694

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0016.RAW

B22030502-013A ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-013A ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0016.RAW
Date & Time Acquired: 3/11/2022 4:24:24 PM
Method File: G:\Org\VAR\Methods\211208G502-13DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.003	25.	19.536	78.14

C6 to C10 Area:5759.576 C6 to C10 Amount: 1.175449
TPH Area:10590.52 TPH Amount: 2.216343

ERH2586 (RHMW-09)

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0008.RAW

B22030502-016F ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-016F ;0311VAR , \$HC-8015-GRO-W,
 Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0008.RAW
 Date & Time Acquired: 3/11/2022 11:51:32 AM
 Method File: G:\Org\VAR\Methods\211208G502-16DoDB%.MET
 Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
 Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
 Mean RF for TPH: 955.6747
 Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.005	25.	18.621	74.48

C6 to C10 Area:3987.286 C6 to C10 Amount: 0.8137494
 TPH Area:8386.403 TPH Amount: 1.755075

ERH2585 (Trip Blank)-14754

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0017.RAW

B22030502-018A ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-018A ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0017.RAW
Date & Time Acquired: 3/11/2022 4:58:32 PM
Method File: G:\Org\VAR\Methods\211208G502-18DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.004	25.	19.688	78.75

C6 to C10 Area:6246.954 C6 to C10 Amount: 1.274916
TPH Area:11837.13 TPH Amount: 2.477231

ERH2627 (RHMW10)

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0012.RAW

B22030502-021F ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-021F ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0012.RAW
Date & Time Acquired: 3/11/2022 2:07:57 PM
Method File: G:\Org\VAR\Methods\211208G502-21DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.005	25.	19.21	76.84

C6 to C10 Area:13464.99 C6 to C10 Amount: 2.748016
TPH Area:23607.95 TPH Amount: 4.940583

ERH2626 (Trip Blank)-14833

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0018.RAW

B22030502-023A ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-023A ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0018.RAW
Date & Time Acquired: 3/11/2022 5:32:37 PM
Method File: G:\Org\VAR\Methods\211208G502-23DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.003	25.	19.523	78.09

C6 to C10 Area:5067.925 C6 to C10 Amount: 1.034293
TPH Area:9681.631 TPH Amount: 2.026135

ERH2598 (RHMW19)

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0032.RAW

B22030502-031F ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-031F ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0032.RAW
Date & Time Acquired: 3/12/2022 1:33:11 AM
Method File: G:\Org\VAR\Methods\211208G502-31DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09


SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.007	25.	19.016	76.06

C6 to C10 Area:3357.835 C6 to C10 Amount: 0.6852872
TPH Area:6924.978 TPH Amount: 1.449233

ERH2597 (Trip Blank)-14833

G:\Org\VAR\DAT\VAR031122_b\0311VARB.0019.RAW

B22030502-033A ;0311VAR , \$HC-8015-GRO-W,



GASOLINE RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-033A ;0311VAR , \$HC-8015-GRO-W,
Raw File: G:\Org\VAR\DAT\VAR031122_b\0311VARB.0019.RAW
Date & Time Acquired: 3/11/2022 6:06:48 PM
Method File: G:\Org\VAR\Methods\211208G502-33DoDB%.MET
Calibration File: G:\Org\VAR\Cals\211208GRO8015CB.CAL
Sample Weight: 5 Dilution: 1 S.A.: 1

Mean RF for C6 to C10: 979.9788
Mean RF for TPH: 955.6747
Rt range for Gasoline Range Organics: 4.75 to 18.09

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
**Trifluorotoluene	9.003	25.	19.342	77.37


C6 to C10 Area:3589.77 C6 to C10 Amount: 0.732622
TPH Area:7967.042 TPH Amount: 1.667313

ERH2616 (OWDFMW01)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0021.RAW

B22030502-001C ;0309HP4 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-001C ;0309HP4 , \$HC-8015-DRO-W,
Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0021.RAW
Date & Time Acquired: 3/9/2022 11:38:41 PM
Method File: G:\Org\HP4\methods\D3_8015-030921-ON-L%.met
Calibration File: G:\Org\HP4\Cals\SW8015C_DRO211102ON-C24-TRI.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.68

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.489	.19	.167	87.56	-
*1-Chlorooctadecane	13.326	.19	.	.02	-
*#Triacontane	16.63	.19	.091	47.63	-


DRO Area: 759862.8 DRO Amount: 2.463732E-02
TEH Area: 5013407 TEH Amount: 0.1625516

ERH2616 (OWDFMW01)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0021.RAW

B22030502-001C ;0309HP4 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-001C ;0309HP4 , \$HC-8015-DRO-W,
 Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0021.RAW
 Date & Time Acquired: 3/9/2022 11:38:41 PM
 Method File: G:\Org\HP4\Methods\D3_ORO-S-030921-AH-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AH-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.58 to 23.04

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.63	.476	.091	19.05


RRO Area:3546247 RRO AMOUNT: 0.137686

ERH2594 (RHMW15-5)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0023.RAW

B22030502-006C ;0309HP4 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-006C ;0309HP4 , \$HC-8015-DRO-W,
Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0023.RAW
Date & Time Acquired: 3/10/2022 1:08:48 AM
Method File: G:\Org\HP4\methods\D3_8015-C24T-ON-L%.met
Calibration File: G:\Org\HP4\Cals\SW8015C_DRO211102ON-C24-TRI.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.68

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.489	.19	.161	84.31	-
*1-Chlorooctadecane	13.294	.19	.001	.35	-
*#Triacontane	16.629	.19	.09	47.1	-


DRO Area:1261228 DRO Amount: 4.089326E-02
TEH Area:7979396 TEH Amount: 0.258719

ERH2594 (RHMW15-5)

Batch ID: 164312

G:\Org\HP4\DAT\HP4030922_b\0309HP4.0023.RAW

B22030502-006C ;0309HP4 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-006C ;0309HP4 , \$HC-8015-DRO-W,
Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0023.RAW
Date & Time Acquired: 3/10/2022 1:08:48 AM
Method File: G:\Org\HP4\Methods\D3_ORO-S-AH-L%.met
Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AH-SAMPLE.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
Rt range for Residual Range Organics: 14.58 to 23.04

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.629	.476	.09	18.84

RRO Area:5457440


RRO AMOUNT: 0.2118897

ERH2630 (HDMW2253-03)

Batch ID: 164312

G:\Org\HP4\DAT\HP4030922_b\0309HP4.0022.RAW

B22030502-011C ;0309HP4 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-011C ;0309HP4 , \$HC-8015-DRO-W,
Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0022.RAW
Date & Time Acquired: 3/10/2022 12:23:46 AM
Method File: G:\Org\HP4\methods\D3_8015-030922-ON-L%.met
Calibration File: G:\Org\HP4\Cals\SW8015C_DRO211102ON-C24-TRI.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.68

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.489	.19	.173	90.86	-
*1-Chlorooctadecane	13.325	.19	.	.01	-
*#Triacontane	16.629	.19	.094	49.37	-


DRO Area:668875.6 DRO Amount: 2.168721E-02
TEH Area:4694134 TEH Amount: 0.1521997

ERH2630 (HDMW2253-03)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0022.RAW

B22030502-011C ;0309HP4 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-011C ;0309HP4 , \$HC-8015-DRO-W,
 Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0022.RAW
 Date & Time Acquired: 3/10/2022 12:23:46 AM
 Method File: G:\Org\HP4\Methods\D3_ORO-S-030922-AH-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AH-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.58 to 23.04

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.629	.476	.094	19.75


RRO Area:3554794 RRO AMOUNT: 0.1380179

ERH2586 (RHMW-09)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0024.RAW

B22030502-016C ;0309HP4 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-016C ;0309HP4 , \$HC-8015-DRO-W,
Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0024.RAW
Date & Time Acquired: 3/10/2022 1:53:49 AM
Method File: G:\Org\HP4\methods\D3_8015-C24T-ON-L%.met
Calibration File: G:\Org\HP4\Cals\SW8015C_DRO211102ON-C24-TRI.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.68

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.489	.19	.171	89.93	-
*1-Chlorooctadecane	13.366	.19	.006	3.04	-
*#Triacontane	16.628	.19	.1	52.59	-


DRO Area:1.321791E+07 DRO Amount: 0.4285693
TEH Area:2.676528E+07 TEH Amount: 0.8678209

ERH2586 (RHMW-09)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0024.RAW

B22030502-016C ;0309HP4 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-016C ;0309HP4 , \$HC-8015-DRO-W,
 Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0024.RAW
 Date & Time Acquired: 3/10/2022 1:53:49 AM
 Method File: G:\Org\HP4\Methods\D3_ORO-S-AH-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AH-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.58 to 23.04

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.628	.476	.1	21.06 -


RRO Area:1.24736E+07 RRO AMOUNT: 0.4842981

ERH2627 (RHMW10)

Batch ID: 164312

G:\Org\HP4\DAT\HP4030922_b\0309HP4.0036.RAW

B22030502-021C ;0309HP4, \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-021C ;0309HP4, \$HC-8015-DRO-W,
Raw File: G:\Org\HP4\DAT\HP4030922_b\0309HP4.0036.RAW
Date & Time Acquired: 3/10/2022 11:38:45 AM
Method File: G:\Org\HP4\methods\D3_8015-C24T-ON-L%.met
Calibration File: G:\Org\HP4\Cals\SW8015C_DRO211102ON-C24-TRI.CAL
Sample Weight: 1040 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.68

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.482	.192	.185	96.07	-
*1-Chlorooctadecane	13.363	.192	.003	1.8	-
*#Triacontane	16.62	.192	.116	60.26	-

DRO Area:1.208578E+07 DRO Amount: 0.3956296


TEH Area:3.344513E+07 TEH Amount: 1.094831

ERH2627 (RHMW10)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0036.RAW

B22030502-021C ;0309HP4 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-021C ;0309HP4 , \$HC-8015-DRO-W,
Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0036.RAW
Date & Time Acquired: 3/10/2022 11:38:45 AM
Method File: G:\Org\HP4\Methods\D3_ORO-S-AH-L%.met
Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AH-SAMPLE.CAL
Sample Weight: 1040 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
Rt range for Residual Range Organics: 14.58 to 23.04

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.62	.481	.116	24.1


RRO Area:1.513446E+07 RRO AMOUNT: 0.5932583

ERH2600 (RHMW11-5)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0046.RAW

B22030502-026C ;0309HP4 , \$HC-8015-DRO-W,



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-026C ;0309HP4 , \$HC-8015-DRO-W,
Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0046.RAW
Date & Time Acquired: 3/10/2022 7:13:33 PM
Method File: G:\Org\HP4\methods\D3_8015-030946-ON-L%.met
Calibration File: G:\Org\HP4\Cals\SW8015C_DRO211102ON-C24-TRI.CAL
Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.68

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.49	.19	.197	103.6	-
*1-Chlorooctadecane	13.342	.19	.006	3.22	-
*#Triacontane	16.627	.19	.108	56.96	-


DRO Area:1.099746E+07 DRO Amount: 0.356575
TEH Area:2.442139E+07 TEH Amount: 0.791824

ERH2600 (RHMW11-5)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0046.RAW

B22030502-026C ;0309HP4 , \$HC-8015-DRO-W,



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-026C ;0309HP4 , \$HC-8015-DRO-W,
 Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0046.RAW
 Date & Time Acquired: 3/10/2022 7:13:33 PM
 Method File: G:\Org\HP4\Methods\D3_ORO-S-AH-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AH-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.58 to 23.04

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.627	.476	.108	22.78


RRO Area:1.179641E+07 RRO AMOUNT: 0.4580055

ERH2598 (RHMW19)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0066.RAW

B22030502-031C ;0309HP4 , \$HC-8015-DRO-W, RR



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-031C ;0309HP4 , \$HC-8015-DRO-W, RR
 Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0066.RAW
 Date & Time Acquired: 3/11/2022 10:19:06 AM
 Method File: G:\Org\HP4\methods\DR_8015-C24T-ON-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_DRO211102ON-C24-TRI.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.68

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.487	.19	.168	88.14	-
*1-Chlorooctadecane	13.328	.19	.	.13	-
*#Triacontane	16.628	.19	.085	44.56	-


DRO Area:658245.9 DRO Amount: 2.134256E-02
 TEH Area:968635.3 TEH Amount: 3.140643E-02

ERH2598 (RHMW19)

Batch ID: 164312

G:\org\HP4\DAT\HP4030922_b\0309HP4.0066.RAW

B22030502-031C ;0309HP4 , \$HC-8015-DRO-W, RR



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-031C ;0309HP4 , \$HC-8015-DRO-W, RR
 Raw File: G:\org\HP4\DAT\HP4030922_b\0309HP4.0066.RAW
 Date & Time Acquired: 3/11/2022 10:19:06 AM
 Method File: G:\Org\HP4\Methods\DR_ORO-S-AH-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AH-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.58 to 23.04

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.628	.476	.085	17.75


RRO Area:231543.2 RRO AMOUNT: 8.989859E-03

ERH2616 (OWDFMW01)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0015.RAW

B22030502-001C ;0311HP4 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-001C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0015.RAW
 Date & Time Acquired: 3/11/2022 11:57:46 PM
 Method File: G:\Org\HP4\methods\DR_8015-C24T-OO-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_DRO21110200-C24-TRI.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.67

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.483	.19	.163	85.69	-
*1-Chlorooctadecane	13.326	.19	.	.03	-
*#Triacontane	16.62	.19	.079	41.46	-


DRO Area:168619.9 DRO Amount: 5.467228E-03
 TEH Area:433826.8 TEH Amount: 1.406613E-02

ERH2616 (OWDFMW01)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0015.RAW

B22030502-001C ;0311HP4 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-001C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0015.RAW
 Date & Time Acquired: 3/11/2022 11:57:46 PM
 Method File: G:\Org\HP4\Methods\DR_ORO-S-AI-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AI-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.57 to 22.98

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane	16.62	.476	.079	16.59


RRO Area:135465.4 RRO AMOUNT: 5.259558E-03

ERH2594 (RHMW15-5)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0017.RAW

B22030502-006C ;0311HP4 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-006C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0017.RAW
 Date & Time Acquired: 3/12/2022 1:27:53 AM
 Method File: G:\Org\HP4\methods\DR_8015-C24T-OO-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_DRO21110200-C24-TRI.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.67

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.484	.19	.166	87.36	-
*1-Chlorooctadecane	13.328	.19	.	.03	-
*#Triacontane	16.623	.19	.081	42.43	-

DRO Area:194152.6 DRO Amount: 6.295084E-03
 TEH Area:443049.4 TEH Amount: 1.436516E-02




ERH2594 (RHMW15-5)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0017.RAW

B22030502-006C ;0311HP4 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-006C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0017.RAW
 Date & Time Acquired: 3/12/2022 1:27:53 AM
 Method File: G:\Org\HP4\Methods\DR_ORO-S-AI-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AI-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.57 to 22.98

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.623	.476	.081	16.97

RRO Area:129408


RRO AMOUNT: 5.024374E-03

ERH2630 (HDMW2253-03)

Batch ID: 164312

G:\Org\HP4\DAT\HP4031122_b\0311HP4.0016.RAW

B22030502-011C ;0311HP4 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-011C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\Org\HP4\DAT\HP4031122_b\0311HP4.0016.RAW
 Date & Time Acquired: 3/12/2022 12:42:50 AM
 Method File: G:\Org\HP4\methods\DR_8015-C24T-OO-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_DRO21110200-C24-TRI.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.67

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.484	.19	.171	89.99	-
*1-Chlorooctadecane	13.326	.19	.	.02	-
*#Triacontane	16.623	.19	.082	43.05	-


DRO Area:152508.3 DRO Amount: 4.944835E-03
 TEH Area:367373.1 TEH Amount: 1.191148E-02

ERH2630 (HDMW2253-03)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0016.RAW

B22030502-011C ;0311HP4 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-011C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0016.RAW
 Date & Time Acquired: 3/12/2022 12:42:50 AM
 Method File: G:\Org\HP4\Methods\DR_ORO-S-AI-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AI-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.57 to 22.98

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.623	.476	.082	17.22


RRO Area:132814.8 RRO AMOUNT: 5.156645E-03

ERH2586 (RHMW-09)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0022.RAW

B22030502-016C ;0311HP4, \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-016C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0022.RAW
 Date & Time Acquired: 3/12/2022 5:14:08 AM
 Method File: G:\Org\HP4\methods\DR_8015-C24T-OO-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_DRO21110200-C24-TRI.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.67

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.485	.19	.165	86.7	-
*1-Chlorooctadecane	13.327	.19	.	.02	-
*#Triacontane	16.623	.19	.08	41.93	-


DRO Area:159649.8 DRO Amount: 5.176388E-03
 TEH Area:370244.4 TEH Amount: 1.200458E-02

ERH2586 (RHMW-09)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0022.RAW

B22030502-016C ;0311HP4 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-016C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0022.RAW
 Date & Time Acquired: 3/12/2022 5:14:08 AM
 Method File: G:\Org\HP4\Methods\DR_ORO-S-AI-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AI-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.57 to 22.98

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*#Triacontane_____	16.623	.476	.08	16.77	-


RRO Area:142662.3 RRO AMOUNT: 5.538986E-03

ERH2627 (RHMW10)

Batch ID: 164312

G:\Org\HP4\DAT\HP4031122_b\0311HP4.0027.RAW

B22030502-021C ;0311HP4, \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-021C ;0311HP4, \$HC-8015-DRO-W, SGT
 Raw File: G:\Org\HP4\DAT\HP4031122_b\0311HP4.0027.RAW
 Date & Time Acquired: 3/12/2022 8:59:27 AM
 Method File: G:\Org\HP4\methods\D3_8015-031127-OO-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_DRO21110200-C24-TRI.CAL
 Sample Weight: 1040 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.67

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.487	.192	.184	95.72	-
*1-Chlorooctadecane	13.326	.192	.	.04	-
*#Triacontane	16.625	.192	.086	44.92	-


DRO Area:380739 DRO Amount: 1.246355E-02
 TEH Area:2300984 TEH Amount: 7.532304E-02

ERH2627 (RHMW10)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0027.RAW

B22030502-021C ;0311HP4 , \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-021C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0027.RAW
 Date & Time Acquired: 3/12/2022 8:59:27 AM
 Method File: G:\Org\HP4-Methods\D3_ORO-S-031127-AI-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AI-SAMPLE.CAL
 Sample Weight: 1040 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.57 to 22.98

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.625	.481	.086	17.97


RRO Area:1830420 RRO AMOUNT: 7.175094E-02

ERH2600 (RHMW11-5)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0029.RAW

B22030502-026C ;0311HP4 , \$HC-8015-DRO-W, SGT



DIESEL RANGE ORGANICS CHROMATOGRAM REPORT

Sample Name: B22030502-026C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0029.RAW
 Date & Time Acquired: 3/12/2022 10:29:47 AM
 Method File: G:\Org\HP4\methods\DR_8015-C24T-OO-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_DRO21110200-C24-TRI.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for TEH: 29373.28

Rt range for Diesel Range Organics: 6.38 to 14.67

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC	
*o-Terphenyl	12.487	.19	.187	98.27	-
*1-Chlorooctadecane	13.327	.19	.	.05	-
*#Triacontane	16.624	.19	.086	45.4	-


DRO Area:201393.4 DRO Amount: 6.529854E-03
 TEH Area:447643.3 TEH Amount: 1.451411E-02

ERH2600 (RHMW11-5)

Batch ID: 164312

G:\org\HP4\DAT\HP4031122_b\0311HP4.0029.RAW

B22030502-026C ;0311HP4, \$HC-8015-DRO-W, SGT



RESIDUAL RANGE ORGANICS CHROMATOGRAM

Sample Name: B22030502-026C ;0311HP4 , \$HC-8015-DRO-W, SGT
 Raw File: G:\org\HP4\DAT\HP4031122_b\0311HP4.0029.RAW
 Date & Time Acquired: 3/12/2022 10:29:47 AM
 Method File: G:\Org\HP4\Methods\DR_ORO-S-AI-L%.met
 Calibration File: G:\Org\HP4\Cals\SW8015C_ORO211007AI-SAMPLE.CAL
 Sample Weight: 1050 Dilution: 1 S.A.: 1

Mean RF for for Residual Range Organics Calculations: 24529.56
 Rt range for Residual Range Organics: 14.57 to 22.98

SURROGATE COMPOUND	RT	ACTUAL	MEASURED	%REC
*#Triacontane_____	16.624	.476	.086	18.16

RRO Area:132872.3 RRO AMOUNT: 5.158879E-03

From: Ramos, Alethea <alethea.ramos@aecom.com>
Sent: Monday, December 13, 2021 3:11 PM
To: Tabitha Edwards
Cc: Pascua, Margie; billingsPM@energylab.com
Subject: RE: [EXTERNAL] FW: CV18F0126: Expedited NOI Groundwater Samples, Saturday 12/12 Submission

Categories: Must Attend

Hi Tabitha,

I believe Casper WY is DoD ELAP accredited in the TOC 9060 method. I spoke to Shari and she indicated there is a daily courier between Billings and Casper, and would be appx. a day delay. Under those stipulations, please subcontract these samples and inform on expedited TAT.

Thank you,

Alethea Ramos, CIH
Environmental Scientist, Environmental Health & Science, Environment
D +1-808-529-7283
M +1-808-389-5383
alethea.ramos@aecom.com

AECOM
1001 Bishop Street
Suite 1600
Honolulu, HI 96813, United States of America
aecom.com

Imagine it. Delivered.

[LinkedIn](#) | [Twitter](#) | [Facebook](#) | [Instagram](#)



[Fortune World's Most Admired Companies 2020](#)

From: Tabitha Edwards <tedwards@energylab.com>
Sent: Monday, December 13, 2021 7:05 AM
To: Ramos, Alethea <alethea.ramos@aecom.com>
Cc: Pascua, Margie <Margie.Pascua@aecom.com>; billingsPM@energylab.com
Subject: [EXTERNAL] FW: CV18F0126: Expedited NOI Groundwater Samples, Saturday 12/12 Submission
Importance: High

Alethea,

The TOC by 9060 must be subcontracted to our office in Casper, WY. I need authorization from you to subcontract these. Once that has been received we will discuss the TAT with them and let you know what is achievable.

Thank you,

Energy Laboratories, Inc.

Trust our People. Trust our Data.

Tabitha Edwards | Office Manager | Billings, MT

O: 406-869-6286 | tedwards@energylab.com | www.energylab.com

This transmission may contain confidential information and is for the use of the intended recipient(s). If you received this in error, please contact the sender and delete this email and all copies.

***We want to help you ship successfully!** Please plan ahead and allow extra time to receive supplies from the lab and for the lab to receive your samples. All carriers are in full-swing holiday peak season operating with double the volume and limited capacity. We appreciate your business so please contact your local branch or Project Manager to discuss adjustments to your shipping schedule or to ask questions.*

From: Ramos, Alethea [<mailto:alethea.amos@aecom.com>]

Sent: Saturday, December 11, 2021 3:20 AM

To: Shari Endy; billingsPM@energylab.com

Cc: Jillian Miller; Pascua, Margie; KaaihiliChoy, Terri Ann

Subject: CV18F0126: Expedited NOI Groundwater Samples, Saturday 12/12 Submission

Importance: High

Hi Shari and Billings PM,

You will be receiving a Saturday shipment (12/12) of groundwater samples indicated in the attached COCs. We will need results by **Wednesday, December 15th**, and will pay any fees incurred for an expedited TAT. Please proceed with analysis without preservation traceability. Please see below tracking information links:

<https://www.fedex.com/fedextrack/?trknbr=287337969629&trkqual=2459558000~287337969629~FX>

<https://www.fedex.com/fedextrack/?trknbr=287343101019&trkqual=2459559000~287343101019~FX>

Thank you,

Alethea Ramos, CIH

Environmental Scientist, Environmental Health & Science, Environment

D +1-808-529-7283

M +1-808-389-5383

alethea.amos@aecom.com

AECOM

1001 Bishop Street
Suite 1600
Honolulu, HI 96813, United States of America
aecom.com

Imagine it. Delivered.

[LinkedIn](#) | [Twitter](#) | [Facebook](#) | [Instagram](#)



[Fortune World's Most Admired Companies 2020](#)